

*Augmentation of ENDF/B Fission Product
Gamma-Ray Spectra by Calculated Spectra*

Received by OSTI
NOV 21 1991

Los Alamos

*Los Alamos National Laboratory is operated by the University of California for
the United States Department of Energy under contract W-7405-ENG-36.*

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

*This work was supported by the US Department of Energy,
Office of High Energy and Nuclear Physics, Division of
Nuclear Physics.*

An Affirmative Action/Equal Opportunity Employer

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither The Regents of the University of California, the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by The Regents of the University of California, the United States Government, or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of The Regents of the University of California, the United States Government, or any agency thereof.

LA--12125-MS

DE92 003134

*Augmentation of ENDF/B Fission Product
Gamma-Ray Spectra by Calculated Spectra*

*J. Katakura**
T. R. England



**Collaborator at Los Alamos. Japan Atomic Energy Research Institute,
Department of Fuel Safety Research, T 319-11, Tokai-mura, Naka-gun,
Ibaraki-ken, JAPAN.*

MASTER

A small, handwritten signature or mark in the bottom right corner of the page.

CONTENTS

ABSTRACT	1
I. INTRODUCTION	1
II. CALCULATION OF GAMMA-RAY SPECTRA	3
III. AUGMENTED SPECTRA WITH THE CALCULATED ONES	5
IV. CALCULATION OF AGGREGATE SPECTRUM	7
A. Comparison with Oak Ridge National Laboratory Measurements	8
B. Comparison with University of Tokyo Measurements (YAYOI Facility)	8
C. Comparison with Los Alamos National Laboratory Measurements	9
V. SUMMARY	10
ACKNOWLEDGMENTS	10
Figure 1--Figure 411	11-117
REFERENCES	118
APPENDIX A--COMPARISONS USING ENDF/B-VI PRELIMINARY DATA	120
Figure A-1--Figure A-6	121-123
APPENDIX B--CALCULATION OF BETA-RAY SPECTRUM	124
Figure B-1--Figure B-2	126
APPENDIX C--FISSION PRODUCTS: PRELIMINARY DECAY ENERGIES, HALF-LIVES, AND BRANCHINGS FOR ENDF/B-VI	127
TABLE C-1--PRELIMINARY LIST OF ENDF/B-VI FISSION-PRODUCT PARAMETERS	129
ENDF/B-IV Decay File. Summary of Modifications, Supplements, and General Sources	155
Figure C-1--Figure C-3	157-158
TABLE C-2--FISSION-PRODUCT DECAY FILE SUPPLEMENTS, ADDITIONS, SOURCES	159

AUGMENTATION OF ENDF/B FISSION PRODUCT GAMMA-RAY SPECTRA BY CALCULATED SPECTRA

by

J. Katakura and T. R. England

ABSTRACT

Gamma-ray spectral data of the ENDF/B-V fission product decay data file have been augmented by calculated spectra. The calculations were performed with a model using beta strength functions and cascade gamma-ray transitions. The calculated spectra were applied to individual fission product nuclides. Comparisons with several hundred measured aggregate gamma spectra after fission were performed to confirm the applicability of the calculated spectra. The augmentation was extended to a preliminary ENDF/B-VI file (Appendix A), and to beta spectra (Appendix B). Appendix C provides information on the total decay energies for individual products and some comparisons of measured and aggregate values based on the preliminary ENDF/B-VI files.

I. INTRODUCTION

Aggregate gamma-ray spectrum of fission products (FP) after fission of a fissionable nuclide is a summation of the spectra of individual FP nuclides. In order to understand the behavior of the aggregate gamma-ray spectra, it is necessary to know the spectrum of each individual FP nuclide. However, there are many short-lived FP nuclides whose spectra data have not been measured at all or that have been only partially done. If we apply such spectra to the calculation of the aggregate ones, we will obtain an underestimation of the spectral values.

This situation has been recognized in the work on decay heat after fission¹ that uses average decay energy values. The gamma-ray component of the decay heat calculated by using the average energy values derived from measured spectra data usually underestimates the measured decay heat values. To reduce the underestimation, theoretically calculated average energy values are adopted for nuclides with no measured spectra data and those considered to have partially measured ones. The calculated energy values have reproduced the measured decay heat values well;² however, the evaluation work has focussed attention primarily on the average energy values.

Recently an attempt to adopt the theoretical calculation to gamma-ray spectra of FP nuclides was tried.³ In this attempt the calculations were performed for 32 "typical" FP nuclides characterized by mass (light and heavy), even-oddness of protons and neutrons and four Q_{β} values (4, 7, 9, and 11 MeV). The "typical" spectra were applied to nuclides with partially measured spectra data, as well as those with none, for calculating the aggregate gamma-ray spectra. The resultant spectra showed fairly good agreement with the measured ones.³

The evaluated nuclear data file (ENDF/B-V) has not contained such theoretical spectra data; these are particularly applicable to the prediction of the aggregate gamma-ray spectra at short cooling times after fission⁴ because of the absence of measured spectra data of short-lived nuclides. We tried to apply the calculated spectra to augment the ENDF/B-V line spectral data. It was felt that the set of spectra calculated for individual nuclides would provide better applicability of the spectra to the aggregate spectrum calculation than would the "typical" ones. We prepared the calculated spectra of the individual nuclides, taking into account the character of each nuclide, e.g., mass, Q_{β} values, etc.

The ENDF/B-V file contains the FP data for 877 total nuclides. Of these, 750 nuclides are unstable and decay to another nuclide. All of the nuclides have average decay energy values for decay heat application but only 248 nuclides have gamma-ray spectral data. It is understood, however, that some of them may suffer from a problem of missing gamma rays. Therefore, we calculated the spectra of all β^{-} decaying nuclides in the ENDF/B-V file. (Electron capturing and/or β^{+} decaying nuclides are considered unimportant for the calculation of the aggregate spectra due to their low fission yields.) The calculated spectra amounted to 633; they were used to augment the line spectra contained in the ENDF/B-V file. In the augmentation, the average decay energy values, which give a good prediction of the decay heat, were taken into account so that the augmented spectra reproduce the average when the spectrum integration is performed.

Calculations of the aggregate spectra using the augmented data were completed and compared with the data measured at the Oak Ridge National Laboratory,⁵ the University of Tokyo,⁶ and Los Alamos National Laboratory⁷ to confirm their applicability.

In Sec. II the calculation of the gamma-ray spectra is presented; Section III discusses the augmentation by the calculated spectra, and Sec. IV describes the calculation of the aggregate spectra after fission. The comparisons between measured aggregate gamma spectra and the calculated ones are described in Sec. V, followed by a summary of the entire project in Sec. VI.

In addition, we have augmented a preliminary (September 1989) ENDF/B-VI file, as summarized in Appendix A. Finally, the beta spectrum also has been augmented in ENDF/B-V, as seen in Appendix B, and the preliminary ENDF/B-VI are also augmented in the same way as discussed there. Appendix C provides some comparisons of aggregate calculations and other information on the preliminary ENDF/B-VI file.

This effort was initiated in order to provide essentially complete fission product spectra for ENDF/B-V and -VI. The files will delineate cases in which theoretical data are partially or entirely in use.

II. CALCULATION OF GAMMA-RAY SPECTRA

We used the Gross Theory⁸ of beta decay and a cascade gamma transition model³ for the spectrum calculation. The Gross Theory was employed to calculate the initial level population of a daughter nucleus fed by beta decay. In general, the calculation of the beta strength function of a nuclide needs a detailed knowledge of nuclear structure. Nuclear structure information, however, has not been satisfactory for predicting the strength function of all nuclides because nuclear properties are often experimentally incomplete. The Gross Theory, on the other hand, deals with certain average properties of beta decay and does not require the detailed knowledge of an individual nuclear state. A brief summary of the theory (based on papers by Takahashi, Yamada, and Kondoh⁸) follows.

In the Gross Theory, the summation over final nuclear states appearing in beta decay equations is replaced by an integration, and nuclear matrix elements specifying the transitions are expressed by some simple functional forms whose parameters are evaluated by sum rules and the average properties of beta decay. For example, the total decay constant of the Fermi transition is expressed as follows:

$$\lambda = \left(\frac{1}{2\pi^3}\right) \int_{-Q}^0 \sum_{\Omega} |g_{\Omega}|^2 \cdot |M_{\Omega}(E_g)|^2 \cdot f(-E_g + 1) dE_g, \quad (1)$$

where the symbol Ω stands for type of beta decay such as Fermi and Gamow-Teller, f is the integrated Fermi function, and g_{Ω} is the coupling constant. In this expression, the summation over the final nuclear states is replaced by the integration with respect to the level energy E_g . The $|M_{\Omega}(E_g)|^2$ is a strength function and is the average of squared matrix elements multiplied by the final level density. The model of the Gross Theory expresses the function as

$$|M_{\Omega}(E_g)|^2 = \int_{\epsilon_{\min}}^{\epsilon_{\max}} D_{\Omega}(E_g, \epsilon) \cdot W(E_g, \epsilon) \frac{dn}{d\epsilon} d\epsilon, \quad (2)$$

where ϵ is a single nucleon energy of the decaying nucleon in a daughter nucleus, $\frac{dn}{d\epsilon}$ is a number density of nucleons, and $W(E_g, \epsilon)$ is a weight function that reflects the degree of vacancy of the final states. The function $D_{\Omega}(E_g, \epsilon)$ is a single nucleon contribution to $|M_{\Omega}(E_g)|^2$ in the absence of the Pauli principle.

The properties of $D_{\Omega}(E_g, \epsilon)$ were studied by sum rules and trial forms were examined. Based on the examination,⁸ a modified Lorentzian shape is used on our calculation.

For the allowed transitions, Fermi and Gamow-Teller transitions are considered and the strength function of total beta decay summed over them,

$$S_{\beta}(E) = \sum_{\Omega} |g_{\Omega}|^2 \cdot |M_{\Omega}(E)|^2 . \quad (3)$$

Once the strength function, $S_{\beta}(E)$, is determined, the level population density by beta feeding, $b(E)$, is given by

$$b(E) = S_{\beta}(E) \cdot f(Z, Q_{\beta} - E) \cdot T_{1/2}^{-1} , \quad (4)$$

where f is the Fermi function and $T_{1/2}$ is a half-life of beta decay.

After determining the level population density, gamma transitions are treated as successive de-excitation from higher levels and the level population density is changed to be a summation of that by beta feeding and by the gamma de-excitation.

$$P(E) = b(E) + \int_E^{E_{\max}} P(E') G(E' - E) \rho(E') dE' \quad (5)$$

where $G(E'-E)$ is a probability of gamma emission and $\rho(E')$ is the level density of the daughter nucleus.

The intensity of the gamma rays, then, becomes

$$I(E_{\gamma}) = \int_0^{E_{\max}} dE' \int_{E'}^{E_{\max}} dE'' \delta(E'' - E' - E_{\gamma}) P(E'') G(E'' - E') \rho(E') . \quad (6)$$

The probability $G(E)$ depends upon the type of the gamma transition, such as E1, M1, E2, etc. In our calculations, we take the assumed E1 transitions. In this case, $G(E)$ is expressed as

$$G(E) = E^3 \cdot S_{\gamma}(E) , \quad (7)$$

where $S_{\gamma}(E)$ is the gamma-ray strength function. We used the strength function proposed by Brink⁹ and by Axel¹⁰ and the level density based on Gilbert and Cameron.¹¹

In the frame of the Gross Theory, a parameter Q_{00} (introduced to take into account the effect of the selection rules applied to decays to low-lying states) plays an important role in the

calculation of average decay energy values.¹²⁻¹³ In the calculation of the gamma-ray spectrum based on the present model, however, the introduction of a non-zero value to the parameter produces a discontinuity in the energy of the Q_{00} parameter (see Figs. 1-4). To avoid this discontinuity, we have used a value of zero for the calculation of the spectra.

Using the above procedure, the gamma spectra were calculated for all β^- decaying nuclides in the ENDF/B-V file. The calculated spectra have an energy bin structure of 10 keV, and the energy spectra were normalized to 1.0 (the ENDF/B-V spectra is truncated for some nuclides and may not integrate to 1.0).

Examples of the calculated spectra are shown in Figs. 5-8 for nuclides with high Q_{β} values. In these figures the "typical" spectra (used in Ref. 3) are also shown. As seen in these figures, the "typical" energy spectra are softer than those currently calculated. It is expected that the enhancement at about 2 MeV (again, in Ref. 3) should be depressed.

The calculations of the aggregate spectra using the present calculated spectra for all β^- decaying nuclides are shown in Figs. 9-12, together with the calculations for the ENDF/B-V spectra data and the measured aggregate spectra of ^{235}U and ^{239}Pu thermal neutron fission.⁵ The calculational method of the aggregate spectra will be described in Sec. IV. The measured data were taken from Dickens *et al.*⁵ Figures 9 and 10 illustrate ^{235}U fission and Figs. 11 and 12, the ^{239}Pu fission. Figures 9 and 11 cover the full energy range of the measured spectra, while Figs. 10 and 12 show the low-energy part up to 2 MeV. It can be seen from these figures that the calculations with only the ENDF/B-V spectra underestimate the measured values for the full energy range. Alternatively, the calculations using only the present calculated spectra [GT (Gross Theory) spectra only] show overall agreement with the measurements except for the detailed fine structure and the overestimation seen at energies between 2 and 3 MeV.

III. AUGMENTED SPECTRA WITH THE CALCULATED ONES

It is important to decide if the spectrum should be augmented or not in the cases in which a nuclide has a measured spectrum. A definitive means for making this decision does not exist. However, the average decay energy set, which gives a good prediction for the many temporal values of decay heat after fission, can be used as an accurate measurement of the defective spectrum. It is known from decay heat studies that some of the average energy values derived from the measured spectra data show an underestimation of gamma-energy values due to missing gamma rays.¹ This means that the gamma-energy value based on the measured spectral data is smaller than that which is used for the decay heat prediction. In this case, the calculated spectra should be added to the measured ones in order to compensate for the difference between them. That is, if E_a is the average energy value for the decay heat calculation and E_s is from measured spectral data, $\Delta E = E_a - E_s$ is proportional to the defect of the spectrum. The normalized energy spectrum calculated in

Sec. II is multiplied by the ΔE value for the augmentation. Thus, the augmented energy spectrum $A(E_\gamma)$ is expressed by a summation of the experiment one, $E(E_\gamma)$ and the calculated one, $C(E_\gamma)$, as follows:

$$A(E_\gamma) = E(E_\gamma) + \Delta E \cdot C(E_\gamma) . \quad (8)$$

By this expression, the energy value averaged with the above spectrum becomes equal to that for the decay heat calculation.

$$\begin{aligned} \bar{E} &= \int A(E_\gamma) dE \\ &= E_s + \Delta E \\ &= E_s + (E_a - E_s) \\ &= E_a \end{aligned}$$

In the present calculation, we used the JNDC V2 library¹³ as an average energy set to partially assist us in the determination of when an augmented spectra appeared to be needed.

Examples of the augmented spectra are seen in Figs. 13 and 14, as well as the measured spectra. In these figures the lower part indicates the measured line spectrum and the upper part, the augmented one. Figure 13 shows the ^{98}Sr decay, the Q_β value of which is 5.8 MeV. In the ENDF/B-V file, there are 11 gamma rays emitted through ^{98}Sr decay, and the highest energy of the gamma ray is 600 keV. The average energy from the spectral data is 0.176 MeV; that in the JNDC V2 library, on the other hand, is 1.051 MeV. The difference between the two is augmented by the calculated spectra. The calculated spectrum used for the augmentation is a continuous one and smoothly extends to the Q_β value limit. Another example, shown in Fig. 14, is the case of $^{97\text{m}}\text{Y}$ decay. The highest energy of the gamma ray in this case is much lower than the Q_β value. The average energy from the spectral data is 1.82 MeV and that in the JNDC V2 library is 3.34 MeV. The calculated spectra of the nuclide is used to augment the difference between them.

This concludes the brief discussion regarding the method of Gross Theory calculations and the augmentation of selected measured spectra. The reason for the augmentation of each spectra was considered in more detail than we have presented. Many nuclides are known to have an incomplete spectra, and there are other parameters, such as Q_β , which indicate inadequate spectra when compared with average energies derived from spectra. We acknowledge that our reasons for a few of the augmentations could be in error. The new files will contain sufficient information for users to examine the augmentations, and no evaluated measurements will be missing from the files.

IV. CALCULATION OF AGGREGATE SPECTRUM

Aggregate spectrum is a summation of the spectra of FP nuclides produced after nuclear fission.

$$A(E_\gamma, t) = \sum_j \lambda_j \cdot N_j(t) \cdot a_j(E_\gamma) , \quad (9)$$

where $a_j(E_\gamma)$ is the spectra of the j -th FP nuclide, λ_j is the decay constant, and $N_j(t)$ is the nuclide concentration at time t . The nuclide concentrations of FP nuclides at time t were calculated with the CINDER-10 code,¹⁴ which has been developed at Los Alamos National Laboratory. The library for CINDER-10 calculations contains all nuclear data needed for the calculation of the nuclide concentration. However, we used preliminary fission yield data evaluated by England *et al.*¹⁵ for the ENDF/B-VI file. After obtaining the nuclide concentrations at various cooling times, the aggregate spectra were calculated by summing up the spectrum of each nuclide at these cooling times.

In the comparison with measurement, however, the measured data are broadened because of the finite energy resolution of the detector. In order to take into account the effect of broadened spectra in the comparison we used the detector resolution reported with the measured data to broaden each fission-product spectra used in calculations.

Figures 15-18 show the comparisons of the calculated aggregate spectra after the fission event with the same measured data in Figs. 9-12. Three kinds of calculations are illustrated in these figures: the ENDF/B-V line spectra augmented by the present calculated ones (ENDF/B-V + GT spectra); the JNDC line spectra augmented by the present calculated ones [JNDCV2 (line) + GT spectra]; and the JNDC line spectra augmented by the "typical" ones used in Ref. 3 (JNDCV2 only). The first and second ones show nearly the same behavior, the difference between them being due to the line spectra contained in each file. Their agreement with measured data is better than that of the third, which shows the digression at higher energies, especially above 6 MeV, and the overestimation at low energies. This behavior reflects the "softness" of the "typical" spectra used in the calculation. As is evident in these figures, the present spectra seem to be applicable to the calculation of the aggregate spectra after fission of a fissionable nuclide. (Only the spectra change in these comparisons, not, *e.g.*, densities.)

V. COMPARISON WITH MEASURED AGGREGATE SPECTRA

In confirming the applicability of the calculated spectra of individual FP nuclides to the calculation of the aggregate gamma-ray spectra after a fission event, we performed comparisons with aggregate spectra measured at Oak Ridge National Laboratory, the University of Tokyo, and Los

Alamos National Laboratory. In the comparisons, the line spectra of gamma rays were broadened according to the detector resolution reported. The calculated GT spectra, due to their smoothness and continuous nature, were not considered in need of broadening. The energy group structure of the calculated aggregate spectra was also matched to that of each measurement. Additionally, the measurements are made over a counting period, but the calculations are carried out for a specific time that corresponds to the average time *during* the counting period.

All of the measured aggregate gamma spectra are compared with the calculations using the ENDF/B-V spectra data (i.e., calculations using the ENDF/B-V only) and the augmented one (using ENDF/B-V + GT spectra).

In the following comparisons, the unit of the spectrum is expressed as MeV/sec/fission/bin; i.e., the energy release rate per fission divided by the bin width in energy units.

A. Comparison with Oak Ridge National Laboratory Measurements.

The aggregate gamma-ray spectra from ^{235}U , ^{239}Pu , and ^{241}Pu thermal neutron fission were measured by Dickens *et al.* at Oak Ridge.⁵ The spectra data are reported up to 8 MeV. The average cooling times after fission cover from 2.7 s to 12 000 s.



The compared results are shown in Figs. 19-61 for ^{235}U , Figs. 62-104 for ^{239}Pu , and Figs. 105-148 for ^{241}Pu . As is evident in these figures, the augmentation by the GT spectra improves the calculation of the aggregate spectra at cooling times shorter than a few hundred seconds. In this cooling-time region, the augmented spectra reproduce the measured ones rather well for these fissionable nuclides, irrespective of their different fission yields. In particular the reproduction is good at energy regions lower than 3 MeV. Above 3 MeV, the calculated spectra cannot make some peaks, but they seem to show the overall agreement.

After a few hundred seconds, the difference between the calculation with the ENDF/B-V spectral data and the augmented ones is not seen. This indicates that the nuclides with measured, augmented spectra data hardly contribute to the aggregate spectra at long cooling times. However, the discrepancies between the calculation and measurement seen at long cooling time regions seem to show that even the nuclides with long half-lives may have insufficient spectral data for application to the calculation of the aggregate spectrum. Further examination of measured spectra data for these nuclides may well be needed.

B. Comparison with University of Tokyo Measurements (YAYOI Facility).

The aggregate gamma-ray spectra from ^{233}U , ^{235}U , ^{238}U , ^{239}Pu , and ^{232}Th fast neutron fission were measured by Akyama *et al.* at the University of Tokyo.⁶ Measurements up to 5 MeV were taken, with average cooling times after fission covering from 19 s to 24 000 s.

The compared results are seen in Figs. 149-188 for ^{233}U , in Figs. 189-238 for ^{235}U , in Figs. 239-286 for ^{238}U , in Figs. 287-327 for ^{239}Pu , and in Figs. 328-375 for ^{232}Th . In the cases of ^{238}U and ^{232}Th , the measured data have the contributions from the products by neutron capture reactions. The chains of the products are as follows:



The nuclides in the chains of ^{239}Pu and ^{233}U have a sufficiently long half-life ($> 10^4$ y) such that their contributions to the measured spectra are negligible for the cooling time region of the measurements. In our comparisons, the contributions from ^{239}U and ^{239}Np for ^{238}U fission and those from ^{233}Th and ^{233}Pa for ^{232}Th fission are taken into consideration.

In the case of ^{238}U neutron capture, the nuclide concentrations of $^{239}\text{U}(N^u(t))$ and $^{239}\text{Np}(N^n(t))$ are expressed as follows:

$$N^u(t) = R \cdot e^{-\lambda_u t},$$

$$N^n(t) = \left[(\lambda_u R / (\lambda_n - \lambda_u)) \right] \cdot \left[e^{-\lambda_u t} - e^{-\lambda_n t} \right], \quad (10)$$

where R is the reaction rate ratio of neutron capture to fission, λ_u and λ_n are decay constants of ^{239}U and ^{239}Np , respectively. The spectra from the ^{239}U and ^{239}Np decay are added to those of fission products in the figures. The reaction rate ratio R is 5.38 for ^{238}U and 23.0 for ^{232}Th , respectively.⁶ The spectral data of these nuclides were taken from the ENDF/B-V file.

The calculated aggregate spectra using the augmented nuclides improve the agreement with measured data at cooling times shorter than a few hundred seconds. Even in the fission of ^{238}U and ^{232}Th , the agreement was achieved by adding contributions from the products by neutron capture.

C. Comparison with Los Alamos National Laboratory Measurements.

The aggregate spectra from ^{233}U , ^{235}U , and ^{239}Pu thermal neutron fission were measured by *Jurney et al.* at Los Alamos National Laboratory,⁷ with the energy of range of measurements extending to 7.5 MeV. The compared results are shown in Figs 376-387 for ^{233}U , in Figs. 388-399 for ^{235}U , and in Figs. 400-411 for ^{239}Pu . These comparisons demonstrate no difference between the calculations using the ENDF/B-V spectra data vs the augmented ones. The irradiation time of the measurements is 20 000 s, and this is sufficiently long to prohibit the short-lived nuclides, having augmented spectra, from contributing appreciably in such cases. However, the calculated results do show the underestimation at short cooling times for the energy regions above 2

MeV (see Figs. 376, 388, and 400). With the exception of the short cooling times, the comparisons show a good agreement.

VI. SUMMARY

The theoretically calculated gamma spectra of FP nuclides have been used to augment the line spectra in the ENDF/B-V file based on measurements. The augmented spectra have been applied to the calculation of the aggregate gamma spectra after fission. Calculated results show a good agreement with the measured spectra for various fissionable nuclides. The effect of the augmentation is prominent at short cooling times after fission when the nuclides with partially measured or no measured spectra data contribute to the aggregate spectra. At longer cooling times, the augmentation is not effective because it is considered that almost all nuclides contributing at those cooling times have a well-measured spectra.

From our comparisons, it is concluded that the augmented spectra are applicable to the calculation of aggregate ones at shorter cooling times when the nuclides with incomplete or no measured spectra data contribute. If we use the augmented spectra, we can obtain a spectra consistent with the decay heat calculated by the average decay energy.

ACKNOWLEDGMENTS

We greatly appreciate the assistance of the Science and Technology Agency (STA) of Japan and the US Department of Energy. One of the authors (J. Katakura) spent one year as a collaborator for the Nuclear Theory and Applications Group at Los Alamos National Laboratory (November 1988-November 1989) under the support of the STA. The work was performed during his stay.

We also wish to acknowledge the productive discussions with Drs. R. E. Schenter, F. M. Mann, J. K. Dickens, C. W. Reich, T. Yoshida, K. Tasaka, and R. Nakasima. All have contributed information and supported the need for a complete data base; they are in no way responsible for any errors we may have made.




Fig. 1. Calculated energy spectrum of ^{77}Ni decay ($Q_{00}=2.0$).




Fig. 3. Calculated energy spectrum of ^{80}As decay ($Q_{00}=2.0$).




Fig. 2. Calculated energy spectrum of ^{77}Ni decay ($Q_{00}=0.0$).




Fig. 4. Calculated energy spectrum of ^{80}As decay ($Q_{00}=0.0$).




Fig. 5. Calculated energy spectrum of ^{74}Co decay ($Q=14.7$ MeV).




Fig. 7. Calculated energy spectrum of ^{77}Ni decay ($Q=11.9$ MeV).




Fig. 6. Calculated energy spectrum of ^{75}Co decay ($Q=13.3$ MeV).




Fig. 8. Calculated energy spectrum of ^{78}Ni decay ($Q=10.1$ MeV).




Fig. 9. Gamma spectrum after ^{235}U thermal neutron fission ($T_{\text{irrad.}} = 1.0 \text{ sec}$, $T_{\text{cool.}} = 2.2 \text{ sec}$) (to 3 MeV).




Fig. 10. Gamma spectrum after ^{235}U thermal neutron fission ($T_{\text{irrad.}} = 1.0 \text{ sec}$, $T_{\text{cool.}} = 2.2 \text{ sec}$) (to 2 MeV).




Fig. 11. Gamma spectrum after ^{239}Pu thermal neutron fission ($T_{\text{irrad}} = 1.0$ sec, $T_{\text{cool.}} = 2.2$ sec) (to 8 MeV)




Fig. 12. Gamma spectrum after ^{239}Pu thermal neutron fission ($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 2.2$ sec) (to 2 MeV).




Fig. 13. Measured and modified energy spectra of ^{98}Sr decay ($Q_{00}=0.00$).




Fig. 14. Measured and modified energy spectra of ^{97m}Y decay ($Q_{00}=0.00$).




Fig. 15. Gamma spectrum after ^{235}U thermal neutron fission ($T_{\text{irrad}} = 1.0$ sec, $T_{\text{cool.}} = 2.2$ sec) (see Fig. 9).




Fig. 16. Gamma spectrum after ^{235}U thermal neutron fission ($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 2.2$ sec) (to 2 MeV).




Fig. 17. Gamma spectrum after ^{239}Pu thermal neutron fission ($T_{\text{irrad}} = 1.0 \text{ sec}$, $T_{\text{cool.}} = 2.2 \text{ sec}$) (see Fig. 11).




Fig. 18. Gamma spectrum after ^{235}U thermal neutron fission ($T_{\text{irrad.}} = 1.0 \text{ sec}$, $T_{\text{cool.}} = 2.2 \text{ sec}$) (to 2 MeV).




Fig. 19. Gamma spectrum after ^{235}U thermal fission ($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 2.2$ sec) (to 8 MeV).




Fig. 21. Gamma spectrum after ^{235}U thermal fission ($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 4.2$ sec)




Fig. 20. Gamma spectrum after ^{235}U thermal fission ($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 3.2$ sec).




Fig. 22. Gamma spectrum after ^{235}U thermal fission ($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 5.7$ sec).




Fig. 23. Gamma spectrum after ^{235}U thermal fission ($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 8.2$ sec).




Fig. 25. Gamma spectrum after ^{235}U thermal fission ($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 17.2$ sec).




Fig. 24. Gamma spectrum after ^{235}U thermal fission ($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 12.2$ sec).




Fig. 26. Gamma spectrum after ^{235}U thermal fission ($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 22.2$ sec).




Fig. 27. Gamma spectrum after ^{235}U thermal fission ($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 29.7$ sec).




Fig. 29. Gamma spectrum after ^{235}U thermal fission ($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 52.2$ sec).




Fig. 28. Gamma spectrum after ^{235}U thermal fission ($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 39.7$ sec).




Fig. 30. Gamma spectrum after ^{235}U thermal fission ($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 67.2$ sec).




Fig. 31. Gamma spectrum after ^{235}U thermal fission ($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 82.2$ sec).




Fig. 33. Gamma spectrum after ^{235}U thermal fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 13.7$ sec).




Fig. 32. Gamma spectrum after ^{235}U thermal fission ($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 99.7$ sec).




Fig. 34. Gamma spectrum after ^{235}U thermal fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 20.7$ sec).




Fig. 35. Gamma spectrum after ^{235}U thermal fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 29.7$ sec).




Fig. 37. Gamma spectrum after ^{235}U thermal fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 49.7$ sec).




Fig. 36. Gamma spectrum after ^{235}U thermal fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 39.7$ sec).




Fig. 38. Gamma spectrum after ^{235}U thermal fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 64.7$ sec).




Fig. 39. Gamma spectrum after ^{235}U thermal fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 84.7$ sec).




Fig. 41. Gamma spectrum after ^{235}U thermal fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 134.7$ sec).




Fig. 40. Gamma spectrum after ^{235}U thermal fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 104.7$ sec).




Fig. 42. Gamma spectrum after ^{235}U thermal fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 184.7$ sec).




Fig. 43. Gamma spectrum after ^{235}U thermal fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 254.7$ sec).




Fig. 45. Gamma spectrum after ^{235}U thermal fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 494.7$ sec).




Fig. 44. Gamma spectrum after ^{235}U thermal fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 344.7$ sec).




Fig. 46. Gamma spectrum after ^{235}U thermal fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 694.7$ sec).




Fig. 47. Gamma spectrum after ^{235}U thermal fission
 ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 90.0$ sec).




Fig. 49. Gamma spectrum after ^{235}U thermal fission
 ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 210.0$ sec).




Fig. 48. Gamma spectrum after ^{235}U thermal fission
 ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 140.0$ sec).




Fig. 50. Gamma spectrum after ^{235}U thermal fission
 ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 300.0$ sec).




Fig. 51. Gamma spectrum after ^{235}U thermal fission
 ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 450.0$ sec).




Fig. 53. Gamma spectrum after ^{235}U thermal fission
 ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 950.0$ sec).




Fig. 52. Gamma spectrum after ^{235}U thermal fission
 ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 650.0$ sec).




Fig. 54. Gamma spectrum after ^{235}U thermal fission
 ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 1350.0$ sec).




Fig. 55. Gamma spectrum after ^{235}U thermal fission
($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 1750.0$ sec).




Fig. 57. Gamma spectrum after ^{235}U thermal fission
($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 2700.0$ sec).




Fig. 56. Gamma spectrum after ^{235}U thermal fission
($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 2200.0$ sec).




Fig. 58. Gamma spectrum after ^{235}U thermal fission
($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 3450.0$ sec).




Fig. 59. Gamma spectrum after ^{235}U thermal fission ($T_{\text{irrad.}} = 100.0 \text{ sec}$, $T_{\text{cool.}} = 4950.0 \text{ sec}$).




Fig. 61. Gamma spectrum after ^{235}U thermal fission ($T_{\text{irrad.}} = 100.0 \text{ sec}$, $T_{\text{cool.}} = 11950.0 \text{ sec}$).




Fig. 60. Gamma spectrum after ^{235}U thermal fission ($T_{\text{irrad.}} = 100.0 \text{ sec}$, $T_{\text{cool.}} = 7950.0 \text{ sec}$).




Fig. 62. Gamma spectrum after ^{239}Pu thermal fission ($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 2.2$ sec).




Fig. 64. Gamma spectrum after ^{239}Pu thermal fission ($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 4.2$ sec).




Fig. 63. Gamma spectrum after ^{239}Pu thermal fission ($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 3.2$ sec).




Fig. 65. Gamma spectrum after ^{239}Pu thermal fission ($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 5.7$ sec).




Fig. 66. Gamma spectrum after ^{239}Pu thermal fission ($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 8.2$ sec).




Fig. 68. Gamma spectrum after ^{239}Pu thermal fission ($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 17.2$ sec).




Fig. 67. Gamma spectrum after ^{239}Pu thermal fission ($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 12.2$ sec).




Fig. 69. Gamma spectrum after ^{239}Pu thermal fission ($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 22.2$ sec).




Fig. 70. Gamma spectrum after ^{239}Pu thermal fission
($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 29.7$ sec).




Fig. 72. Gamma spectrum after ^{239}Pu thermal fission
($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 52.2$ sec).




Fig. 71. Gamma spectrum after ^{239}Pu thermal fission
($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 39.7$ sec).




Fig. 73. Gamma spectrum after ^{239}Pu thermal fission
($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 67.2$ sec).




Fig. 74. Gamma spectrum after ^{239}Pu thermal fission
($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 82.2$ sec).




Fig. 76. Gamma spectrum after ^{239}Pu thermal fission
($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 119.7$ sec).




Fig. 75. Gamma spectrum after ^{239}Pu thermal fission
($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 99.7$ sec).




Fig. 77. Gamma spectrum after ^{239}Pu thermal fission
($T_{\text{irrad.}} = 5.0$ sec, $T_{\text{cool.}} = 20.2$ sec).




Fig. 78. Gamma spectrum after ^{239}Pu thermal fission ($T_{\text{irrad.}} = 5.0$ sec, $T_{\text{cool.}} = 27.7$ sec).




Fig. 80. Gamma spectrum after ^{239}Pu thermal fission ($T_{\text{irrad.}} = 5.0$ sec, $T_{\text{cool.}} = 50.2$ sec).




Fig. 79. Gamma spectrum after ^{239}Pu thermal fission ($T_{\text{irrad.}} = 5.0$ sec, $T_{\text{cool.}} = 37.7$ sec).




Fig. 81. Gamma spectrum after ^{239}Pu thermal fission ($T_{\text{irrad.}} = 5.0$ sec, $T_{\text{cool.}} = 65.2$ sec).




Fig. 82. Gamma spectrum after ^{239}Pu thermal fission ($T_{\text{irrad.}} = 5.0$ sec, $T_{\text{cool.}} = 80.2$ sec).




Fig. 84. Gamma spectrum after ^{239}Pu thermal fission ($T_{\text{irrad.}} = 5.0$ sec, $T_{\text{cool.}} = 117.7$ sec).




Fig. 83. Gamma spectrum after ^{239}Pu thermal fission ($T_{\text{irrad.}} = 5.0$ sec, $T_{\text{cool.}} = 97.7$ sec).




Fig. 85. Gamma spectrum after ^{239}Pu thermal fission ($T_{\text{irrad.}} = 5.0$ sec, $T_{\text{cool.}} = 147.7$ sec).




Fig. 86. Gamma spectrum after ^{239}Pu thermal fission ($T_{\text{irrad.}} = 5.0$ sec, $T_{\text{cool.}} = 197.7$ sec).




Fig. 88. Gamma spectrum after ^{239}Pu thermal fission ($T_{\text{irrad.}} = 5.0$ sec, $T_{\text{cool.}} = 347.7$ sec).




Fig. 87. Gamma spectrum after ^{239}Pu thermal fission ($T_{\text{irrad.}} = 5.0$ sec, $T_{\text{cool.}} = 262.7$ sec).




Fig. 89. Gamma spectrum after ^{239}Pu thermal fission ($T_{\text{irrad.}} = 5.0$ sec, $T_{\text{cool.}} = 497.7$ sec).




Fig. 90. Gamma spectrum after ^{239}Pu thermal fission ($T_{\text{irrad.}} = 5.0$ sec, $T_{\text{cool.}} = 697.7$ sec).




Fig. 92. Gamma spectrum after ^{239}Pu thermal fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 300.0$ sec).




Fig. 91. Gamma spectrum after ^{239}Pu thermal fission ($T_{\text{irrad.}} = 5.0$ sec, $T_{\text{cool.}} = 997.7$ sec).




Fig. 93. Gamma spectrum after ^{239}Pu thermal fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 450.0$ sec).




Fig. 94. Gamma spectrum after ^{239}Pu thermal fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 650.0$ sec).




Fig. 96. Gamma spectrum after ^{239}Pu thermal fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 1350.0$ sec).




Fig. 95. Gamma spectrum after ^{239}Pu thermal fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 950.0$ sec).




Fig. 97. Gamma spectrum after ^{239}Pu thermal fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 1750.0$ sec).




Fig. 98. Gamma spectrum after ^{239}Pu thermal fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 2200.0$ sec).




Fig. 100. Gamma spectrum after ^{239}Pu thermal fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 3450.0$ sec).




Fig. 99. Gamma spectrum after ^{239}Pu thermal fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 2700.0$ sec).




Fig. 101. Gamma spectrum after ^{239}Pu thermal fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 4950.0$ sec).




Fig. 102. Gamma spectrum after ^{239}Pu thermal fission
($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 6950.0$ sec).




Fig. 104. Gamma spectrum after ^{239}Pu thermal fission
($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 11950.0$ sec).




Fig. 103. Gamma spectrum after ^{239}Pu thermal fission
($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 8950.0$ sec).




Fig. 105. Gamma spectrum after ^{241}Pu thermal fission ($T_{\text{irrad.}} = 1.0 \text{ sec}$, $T_{\text{cool.}} = 2.2 \text{ sec}$).




Fig. 107. Gamma spectrum after ^{241}Pu thermal fission ($T_{\text{irrad.}} = 1.0 \text{ sec}$, $T_{\text{cool.}} = 4.2 \text{ sec}$).




Fig. 106. Gamma spectrum after ^{241}Pu thermal fission ($T_{\text{irrad.}} = 1.0 \text{ sec}$, $T_{\text{cool.}} = 3.2 \text{ sec}$).




Fig. 108. Gamma spectrum after ^{241}Pu thermal fission ($T_{\text{irrad.}} = 1.0 \text{ sec}$, $T_{\text{cool.}} = 5.7 \text{ sec}$).




Fig. 109. Gamma spectrum after ^{241}Pu thermal fission ($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 8.2$ sec).




Fig. 111. Gamma spectrum after ^{241}Pu thermal fission ($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 17.2$ sec).




Fig. 110. Gamma spectrum after ^{241}Pu thermal fission ($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 12.2$ sec).




Fig. 112. Gamma spectrum after ^{241}Pu thermal fission ($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 22.2$ sec).




Fig. 113. Gamma spectrum after ^{241}Pu thermal fission ($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 29.7$ sec).




Fig. 115. Gamma spectrum after ^{241}Pu thermal fission ($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 52.2$ sec).




Fig. 114. Gamma spectrum after ^{241}Pu thermal fission ($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 39.7$ sec).




Fig. 116. Gamma spectrum after ^{241}Pu thermal fission ($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 67.2$ sec).




Fig. 117. Gamma spectrum after ^{241}Pu thermal fission ($T_{\text{irrad.}} = 1.0 \text{ sec}$, $T_{\text{cool.}} = 82.2 \text{ sec}$).




Fig. 119. Gamma spectrum after ^{241}Pu thermal fission ($T_{\text{irrad.}} = 1.0 \text{ sec}$, $T_{\text{cool.}} = 119.7 \text{ sec}$).




Fig. 118. Gamma spectrum after ^{241}Pu thermal fission ($T_{\text{irrad.}} = 1.0 \text{ sec}$, $T_{\text{cool.}} = 99.7 \text{ sec}$).




Fig. 120. Gamma spectrum after ^{241}Pu thermal fission ($T_{\text{irrad.}} = 5.0 \text{ sec}$, $T_{\text{cool.}} = 20.2 \text{ sec}$).




Fig. 121. Gamma spectrum after ^{241}Pu thermal fission
($T_{\text{irrad.}} = 5.0$ sec, $T_{\text{cool.}} = 27.7$ sec).




Fig. 123. Gamma spectrum after ^{241}Pu thermal fission
($T_{\text{irrad.}} = 5.0$ sec, $T_{\text{cool.}} = 50.2$ sec).




Fig. 122. Gamma spectrum after ^{241}Pu thermal fission
($T_{\text{irrad.}} = 5.0$ sec, $T_{\text{cool.}} = 37.7$ sec).




Fig. 124. Gamma spectrum after ^{241}Pu thermal fission
($T_{\text{irrad.}} = 5.0$ sec, $T_{\text{cool.}} = 65.2$ sec).




Fig. 125. Gamma spectrum after ^{241}Pu thermal fission ($T_{\text{irrad.}} = 5.0$ sec, $T_{\text{cool.}} = 80.2$ sec).




Fig. 127. Gamma spectrum after ^{241}Pu thermal fission ($T_{\text{irrad.}} = 5.0$ sec, $T_{\text{cool.}} = 117.7$ sec).




Fig. 126. Gamma spectrum after ^{241}Pu thermal fission ($T_{\text{irrad.}} = 5.0$ sec, $T_{\text{cool.}} = 97.7$ sec).




Fig. 128. Gamma spectrum after ^{241}Pu thermal fission ($T_{\text{irrad.}} = 5.0$ sec, $T_{\text{cool.}} = 147.7$ sec).




Fig. 129. Gamma spectrum after ^{241}Pu thermal fission ($T_{\text{irrad.}} = 5.0$ sec, $T_{\text{cool.}} = 197.7$ sec).




Fig. 131. Gamma spectrum after ^{241}Pu thermal fission ($T_{\text{irrad.}} = 5.0$ sec, $T_{\text{cool.}} = 347.7$ sec).




Fig. 130. Gamma spectrum after ^{241}Pu thermal fission ($T_{\text{irrad.}} = 5.0$ sec, $T_{\text{cool.}} = 262.7$ sec).




Fig. 132. Gamma spectrum after ^{241}Pu thermal fission ($T_{\text{irrad.}} = 5.0$ sec, $T_{\text{cool.}} = 497.7$ sec).




Fig. 133. Gamma spectrum after ^{241}Pu thermal fission ($T_{\text{irrad.}} = 5.0 \text{ sec}$, $T_{\text{cool.}} = 697.7 \text{ sec}$).




Fig. 135. Gamma spectrum after ^{241}Pu thermal fission ($T_{\text{irrad.}} = 50.0 \text{ sec}$, $T_{\text{cool.}} = 235.0 \text{ sec}$).




Fig. 134. Gamma spectrum after ^{241}Pu thermal fission ($T_{\text{irrad.}} = 5.0 \text{ sec}$, $T_{\text{cool.}} = 997.7 \text{ sec}$).




Fig. 136. Gamma spectrum after ^{241}Pu thermal fission ($T_{\text{irrad.}} = 50.0 \text{ sec}$, $T_{\text{cool.}} = 325.0 \text{ sec}$).




Fig. 137. Gamma spectrum after ^{241}Pu thermal fission ($T_{\text{irrad.}} = 50.0$ sec, $T_{\text{cool.}} = 475.0$ sec).




Fig. 139. Gamma spectrum after ^{241}Pu thermal fission ($T_{\text{irrad.}} = 50.0$ sec, $T_{\text{cool.}} = 975.0$ sec).




Fig. 138. Gamma spectrum after ^{241}Pu thermal fission ($T_{\text{irrad.}} = 50.0$ sec, $T_{\text{cool.}} = 675.0$ sec).




Fig. 140. Gamma spectrum after ^{241}Pu thermal fission ($T_{\text{irrad.}} = 50.0$ sec, $T_{\text{cool.}} = 1375.0$ sec).




Fig. 141. Gamma spectrum after ^{241}Pu thermal fission ($T_{\text{irrad.}} = 50.0$ sec, $T_{\text{cool.}} = 1775.0$ sec).




Fig. 143. Gamma spectrum after ^{241}Pu thermal fission ($T_{\text{irrad.}} = 50.0$ sec, $T_{\text{cool.}} = 2725.0$ sec).




Fig. 142. Gamma spectrum after ^{241}Pu thermal fission ($T_{\text{irrad.}} = 50.0$ sec, $T_{\text{cool.}} = 2225.0$ sec).




Fig. 144. Gamma spectrum after ^{241}Pu thermal fission ($T_{\text{irrad.}} = 50.0$ sec, $T_{\text{cool.}} = 3475.0$ sec).




Fig. 145. Gamma spectrum after ^{241}Pu thermal fission ($T_{\text{irrad.}} = 50.0 \text{ sec}$, $T_{\text{cool.}} = 4975.0 \text{ sec}$).




Fig. 147. Gamma spectrum after ^{241}Pu thermal fission ($T_{\text{irrad.}} = 50.0 \text{ sec}$, $T_{\text{cool.}} = 8975.0 \text{ sec}$).




Fig. 146. Gamma spectrum after ^{241}Pu thermal fission ($T_{\text{irrad.}} = 50.0 \text{ sec}$, $T_{\text{cool.}} = 6975.0 \text{ sec}$).




Fig. 148. Gamma spectrum after ^{241}Pu thermal fission ($T_{\text{irrad.}} = 50.0 \text{ sec}$, $T_{\text{cool.}} = 11975.0 \text{ sec}$).




Fig. 149. Gamma spectrum after ^{233}U fast neutron fission
($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 26.0$ sec).




Fig. 151. Gamma spectrum after ^{233}U fast neutron fission
($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 70.0$ sec).




Fig. 150. Gamma spectrum after ^{233}U fast neutron fission
($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 45.0$ sec).




Fig. 152. Gamma spectrum after ^{233}U fast neutron fission
($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 110.0$ sec).




Fig. 153. Gamma spectrum after ^{233}U fast neutron fission ($T_{\text{irrad.}} = 10.0 \text{ sec}$, $T_{\text{cool.}} = 140.0 \text{ sec}$).




Fig. 155. Gamma spectrum after ^{233}U fast neutron fission ($T_{\text{irrad.}} = 10.0 \text{ sec}$, $T_{\text{cool.}} = 230.0 \text{ sec}$).




Fig. 154. Gamma spectrum after ^{233}U fast neutron fission ($T_{\text{irrad.}} = 10.0 \text{ sec}$, $T_{\text{cool.}} = 180.0 \text{ sec}$).




Fig. 156. Gamma spectrum after ^{233}U fast neutron fission ($T_{\text{irrad.}} = 10.0 \text{ sec}$, $T_{\text{cool.}} = 290.0 \text{ sec}$).




Fig. 157. Gamma spectrum after ^{233}U fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 360.0$ sec).




Fig. 159. Gamma spectrum after ^{233}U fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 550.0$ sec).




Fig. 158. Gamma spectrum after ^{233}U fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 450.0$ sec).




Fig. 160. Gamma spectrum after ^{233}U fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 700.0$ sec).




Fig. 161. Gamma spectrum after ^{233}U fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 900.0$ sec).




Fig. 163. Gamma spectrum after ^{233}U fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 1600.0$ sec).




Fig. 162. Gamma spectrum after ^{233}U fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 1200.0$ sec).




Fig. 164. Gamma spectrum after ^{233}U fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 2000.0$ sec).




Fig. 165. Gamma spectrum after ^{233}U fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 2450.0$ sec).




Fig. 167. Gamma spectrum after ^{233}U fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 3500.0$ sec).




Fig. 166. Gamma spectrum after ^{233}U fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 2950.0$ sec).




Fig. 168. Gamma spectrum after ^{233}U fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 4100.0$ sec).




Fig. 169. Gamma spectrum after ^{233}U fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 230.0$ sec).




Fig. 171. Gamma spectrum after ^{233}U fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 900.0$ sec).




Fig. 170. Gamma spectrum after ^{233}U fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 290.0$ sec).




Fig. 172. Gamma spectrum after ^{233}U fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 1200.0$ sec).




Fig. 173. Gamma spectrum after ^{233}U fast neutron fission ($T_{\text{irrad.}} = 100.0 \text{ sec}$, $T_{\text{cool.}} = 1600.0 \text{ sec}$).




Fig. 175. Gamma spectrum after ^{233}U fast neutron fission ($T_{\text{irrad.}} = 100.0 \text{ sec}$, $T_{\text{cool.}} = 2450.0 \text{ sec}$).




Fig. 174. Gamma spectrum after ^{233}U fast neutron fission ($T_{\text{irrad.}} = 100.0 \text{ sec}$, $T_{\text{cool.}} = 2000.0 \text{ sec}$).




Fig. 176. Gamma spectrum after ^{233}U fast neutron fission ($T_{\text{irrad.}} = 100.0 \text{ sec}$, $T_{\text{cool.}} = 2950.0 \text{ sec}$).




Fig. 177. Gamma spectrum after ^{233}U fast neutron fission ($T_{\text{irrad.}} = 100.0 \text{ sec}$, $T_{\text{cool.}} = 3500.0 \text{ sec}$).




Fig. 179. Gamma spectrum after ^{233}U fast neutron fission ($T_{\text{irrad.}} = 100.0 \text{ sec}$, $T_{\text{cool.}} = 4800.0 \text{ sec}$).




Fig. 178. Gamma spectrum after ^{233}U fast neutron fission ($T_{\text{irrad.}} = 100.0 \text{ sec}$, $T_{\text{cool.}} = 4100.0 \text{ sec}$).




Fig. 180. Gamma spectrum after ^{233}U fast neutron fission ($T_{\text{irrad.}} = 100.0 \text{ sec}$, $T_{\text{cool.}} = 5600.0 \text{ sec}$).




Fig. 181. Gamma spectrum after ^{233}U fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 6500.0$ sec).




Fig. 183. Gamma spectrum after ^{233}U fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 9000.0$ sec).




Fig. 182. Gamma spectrum after ^{233}U fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 7500.0$ sec).




Fig. 184. Gamma spectrum after ^{233}U fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 11000.0$ sec).




Fig. 185. Gamma spectrum after ^{233}U fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 13500.0$ sec).




Fig. 187. Gamma spectrum after ^{233}U fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 20000.0$ sec).




Fig. 186. Gamma spectrum after ^{233}U fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 16500.0$ sec).




Fig. 188. Gamma spectrum after ^{233}U fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 24000.0$ sec).




Fig. 189. Gamma spectrum after ^{235}U fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 19.0$ sec).




Fig. 191. Gamma spectrum after ^{235}U fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 35.0$ sec).




Fig. 190. Gamma spectrum after ^{235}U fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 26.0$ sec).




Fig. 192. Gamma spectrum after ^{235}U fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 45.0$ sec).




Fig. 193. Gamma spectrum after ^{235}U fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 55.0$ sec).




Fig. 195. Gamma spectrum after ^{235}U fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 90.0$ sec).




Fig. 194. Gamma spectrum after ^{235}U fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 70.0$ sec).




Fig. 196. Gamma spectrum after ^{235}U fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 110.0$ sec).




Fig. 197. Gamma spectrum after ^{235}U fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 140.0$ sec).




Fig. 199. Gamma spectrum after ^{235}U fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 230.0$ sec).




Fig. 198. Gamma spectrum after ^{235}U fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 180.0$ sec).




Fig. 200. Gamma spectrum after ^{235}U fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 290.0$ sec).




Fig. 201. Gamma spectrum after ^{235}U fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 360.0$ sec).




Fig. 203. Gamma spectrum after ^{235}U fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 550.0$ sec).




Fig. 202. Gamma spectrum after ^{235}U fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 450.0$ sec).




Fig. 204. Gamma spectrum after ^{235}U fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 700.0$ sec).




Fig. 205. Gamma spectrum after ^{235}U fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 900.0$ sec).




Fig. 207. Gamma spectrum after ^{235}U fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 1600.0$ sec).




Fig. 206. Gamma spectrum after ^{235}U fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 1200.0$ sec).




Fig. 208. Gamma spectrum after ^{235}U fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 2000.0$ sec).




Fig. 209. Gamma spectrum after ^{235}U fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 2450.0$ sec).




Fig. 211. Gamma spectrum after ^{235}U fast neutron fission ($T_{\text{irrad.}} = 10.$ sec, $T_{\text{cool.}} = 3500.0$ sec).




Fig. 210. Gamma spectrum after ^{235}U fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 2950.0$ sec).




Fig. 212. Gamma spectrum after ^{235}U fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 4100.0$ sec).




Fig. 213. Gamma spectrum after ^{235}U fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 140.0$ sec).




Fig. 215. Gamma spectrum after ^{235}U fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 230.0$ sec).




Fig. 214. Gamma spectrum after ^{235}U fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 180.0$ sec).




Fig. 216. Gamma spectrum after ^{235}U fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 290.0$ sec).




Fig. 217. Gamma spectrum after ^{235}U fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 360.0$ sec).




Fig. 219. Gamma spectrum after ^{235}U fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 550.0$ sec).




Fig. 218. Gamma spectrum after ^{235}U fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 450.0$ sec).




Fig. 220. Gamma spectrum after ^{235}U fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 700.0$ sec).




Fig. 221. Gamma spectrum after ^{235}U fast neutron fission ($T_{\text{irrad.}} = 100.0 \text{ sec}$, $T_{\text{cool.}} = 900.0 \text{ sec}$).




Fig. 223. Gamma spectrum after ^{235}U fast neutron fission ($T_{\text{irrad.}} = 100.0 \text{ sec}$, $T_{\text{cool.}} = 1600.0 \text{ sec}$).




Fig. 222. Gamma spectrum after ^{235}U fast neutron fission ($T_{\text{irrad.}} = 100.0 \text{ sec}$, $T_{\text{cool.}} = 1200.0 \text{ sec}$).




Fig. 224. Gamma spectrum after ^{235}U fast neutron fission ($T_{\text{irrad.}} = 100.0 \text{ sec}$, $T_{\text{cool.}} = 2000.0 \text{ sec}$).




Fig. 225. Gamma spectrum after ^{235}U fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 2450.0$ sec).




Fig. 227. Gamma spectrum after ^{235}U fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 3500.0$ sec).




Fig. 226. Gamma spectrum after ^{235}U fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 2950.0$ sec).




Fig. 228. Gamma spectrum after ^{235}U fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 4100.0$ sec).




Fig. 229. Gamma spectrum after ^{235}U fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 4800.0$ sec).




Fig. 231. Gamma spectrum after ^{235}U fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 6500.0$ sec).




Fig. 230. Gamma spectrum after ^{235}U fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 5600.0$ sec).




Fig. 232. Gamma spectrum after ^{235}U fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 7500.0$ sec).




Fig. 233. Gamma spectrum after ^{235}U fast neutron fission ($T_{\text{irrad.}} = 100.0 \text{ sec}$, $T_{\text{cool.}} = 9000.0 \text{ sec}$).




Fig. 235. Gamma spectrum after ^{235}U fast neutron fission ($T_{\text{irrad.}} = 100.0 \text{ sec}$, $T_{\text{cool.}} = 13500.0 \text{ sec}$).




Fig. 234. Gamma spectrum after ^{235}U fast neutron fission ($T_{\text{irrad.}} = 100.0 \text{ sec}$, $T_{\text{cool.}} = 11000.0 \text{ sec}$).




Fig. 236. Gamma spectrum after ^{235}U fast neutron fission ($T_{\text{irrad.}} = 100.0 \text{ sec}$, $T_{\text{cool.}} = 16500.0 \text{ sec}$).




Fig. 237. Gamma spectrum after ^{235}U fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 20000.0$ sec).




Fig. 238. Gamma spectrum after ^{235}U fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 24000.0$ sec).




Fig. 239. Gamma spectrum after ^{238}U fast neutron fission
 ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 19.0$ sec).




Fig. 241. Gamma spectrum after ^{238}U fast neutron fission
 ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 35.0$ sec).




Fig. 240. Gamma spectrum after ^{238}U fast neutron fission
 ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 26.0$ sec).




Fig. 242. Gamma spectrum after ^{238}U fast neutron fission
 ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 45.0$ sec).




Fig. 243. Gamma spectrum after ^{238}U fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 55.0$ sec).




Fig. 245. Gamma spectrum after ^{238}U fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 90.0$ sec).




Fig. 244. Gamma spectrum after ^{238}U fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 70.0$ sec).




Fig. 246. Gamma spectrum after ^{238}U fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 110.0$ sec).




Fig. 247. Gamma spectrum after ^{238}U fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 140.0$ sec).




Fig. 249. Gamma spectrum after ^{238}U fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 230.0$ sec).




Fig. 248. Gamma spectrum after ^{238}U fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 180.0$ sec).




Fig. 250. Gamma spectrum after ^{238}U fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 290.0$ sec).




Fig. 251. Gamma spectrum after ^{238}U fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 360.0$ sec).




Fig. 253. Gamma spectrum after ^{238}U fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 550.0$ sec).




Fig. 252. Gamma spectrum after ^{238}U fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 450.0$ sec).




Fig. 254. Gamma spectrum after ^{238}U fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 700.0$ sec).




Fig. 255. Gamma spectrum after ^{238}U fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 900.0$ sec).




Fig. 257. Gamma spectrum after ^{238}U fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 1600.0$ sec).




Fig. 256. Gamma spectrum after ^{238}U fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 1200.0$ sec).




Fig. 258. Gamma spectrum after ^{238}U fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 2000.0$ sec).




Fig. 259. Gamma spectrum after ^{238}U fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 2450.0$ sec).




Fig. 261. Gamma spectrum after ^{238}U fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 3500.0$ sec).




Fig. 260. Gamma spectrum after ^{238}U fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 2950.0$ sec).




Fig. 262. Gamma spectrum after ^{238}U fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 4100.0$ sec).




Fig. 263. Gamma spectrum after ^{238}U fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 230.0$ sec).




Fig. 265. Gamma spectrum after ^{238}U fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 360.0$ sec).




Fig. 264. Gamma spectrum after ^{238}U fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 290.0$ sec).




Fig. 266. Gamma spectrum after ^{238}U fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 450.0$ sec).




Fig. 267. Gamma spectrum after ^{238}U fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 550.0$ sec).




Fig. 269. Gamma spectrum after ^{238}U fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 900.0$ sec).




Fig. 268. Gamma spectrum after ^{238}U fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 700.0$ sec).




Fig. 270. Gamma spectrum after ^{238}U fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 1200.0$ sec).




Fig. 271. Gamma spectrum after ^{238}U fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 1600.0$ sec).




Fig. 273. Gamma spectrum after ^{238}U fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 2450.0$ sec).




Fig. 272. Gamma spectrum after ^{238}U fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 2000.0$ sec).




Fig. 274. Gamma spectrum after ^{238}U fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 2950.0$ sec).




Fig. 275. Gamma spectrum after ^{238}U fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 3500.0$ sec).




Fig. 277. Gamma spectrum after ^{238}U fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 4800.0$ sec).




Fig. 276. Gamma spectrum after ^{238}U fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 4100.0$ sec).




Fig. 278. Gamma spectrum after ^{238}U fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 5600.0$ sec).




Fig. 279. Gamma spectrum after ^{238}U fast neutron fission
 ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 6500.0$ sec).




Fig. 281. Gamma spectrum after ^{238}U fast neutron fission
 ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 9000.0$ sec).




Fig. 280. Gamma spectrum after ^{238}U fast neutron fission
 ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 7500.0$ sec).




Fig. 282. Gamma spectrum after ^{238}U fast neutron fission
 ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 11000.0$ sec).




Fig. 283. Gamma spectrum after ^{238}U fast neutron fission ($T_{\text{irrad.}} = 100.0 \text{ sec}$, $T_{\text{cool.}} = 13500.0 \text{ sec}$).




Fig. 285. Gamma spectrum after ^{238}U fast neutron fission ($T_{\text{irrad.}} = 100.0 \text{ sec}$, $T_{\text{cool.}} = 20000.0 \text{ sec}$).




Fig. 284. Gamma spectrum after ^{238}U fast neutron fission: ($T_{\text{irrad.}} = 100.0 \text{ sec}$, $T_{\text{cool.}} = 16500.0 \text{ sec}$).




Fig. 286. Gamma spectrum after ^{238}U fast neutron fission ($T_{\text{irrad.}} = 100.0 \text{ sec}$, $T_{\text{cool.}} = 24000.0 \text{ sec}$).




Fig. 287. Gamma spectrum after ^{239}Pu fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 19.0$ sec).




Fig. 289. Gamma spectrum after ^{239}Pu fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 35.0$ sec).




Fig. 288. Gamma spectrum after ^{239}Pu fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 26.0$ sec).




Fig. 290. Gamma spectrum after ^{239}Pu fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 45.0$ sec).




Fig. 291. Gamma spectrum after ^{235}Pu fast neutron fission
($T_{\text{irrad.}} = 10.0 \text{ sec}$, $T_{\text{cool.}} = 20.0 \text{ sec}$).




Fig. 293. Gamma spectrum after ^{239}Pu fast neutron fission
($T_{\text{irrad.}} = 10.0 \text{ sec}$, $T_{\text{cool.}} = 90.0 \text{ sec}$).




Fig. 292. Gamma spectrum after ^{239}Pu fast neutron fission
($T_{\text{irrad.}} = 10.0 \text{ sec}$, $T_{\text{cool.}} = 70.0 \text{ sec}$).




Fig. 294. Gamma spectrum after ^{239}Pu fast neutron fission
($T_{\text{irrad.}} = 10.0 \text{ sec}$, $T_{\text{cool.}} = 110.0 \text{ sec}$).




Fig. 295. Gamma spectrum after ^{239}Pu fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 140.0$ sec).




Fig. 297. Gamma spectrum after ^{239}Pu fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 230.0$ sec).




Fig. 296. Gamma spectrum after ^{239}Pu fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 180.0$ sec).




Fig. 298. Gamma spectrum after ^{239}Pu fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 290.0$ sec).




Fig. 299. Gamma spectrum after ^{239}Pu fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 360.0$ sec).




Fig. 301. Gamma spectrum after ^{239}Pu fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 550.0$ sec).




Fig. 300. Gamma spectrum after ^{239}Pu fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 450.0$ sec).




Fig. 302. Gamma spectrum after ^{239}Pu fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 700.0$ sec).




Fig. 303. Gamma spectrum after ^{239}Pu fast neutron fission ($T_{\text{irrad.}} = 10.0 \text{ sec}$, $T_{\text{cool.}} = 900.0 \text{ sec}$).




Fig. 305. Gamma spectrum after ^{239}Pu fast neutron fission ($T_{\text{irrad.}} = 10.0 \text{ sec}$, $T_{\text{cool.}} = 1600.0 \text{ sec}$).




Fig. 304. Gamma spectrum after ^{239}Pu fast neutron fission ($T_{\text{irrad.}} = 10.0 \text{ sec}$, $T_{\text{cool.}} = 1200.0 \text{ sec}$).




Fig. 306. Gamma spectrum after ^{239}Pu fast neutron fission ($T_{\text{irrad.}} = 10.0 \text{ sec}$, $T_{\text{cool.}} = 2000.0 \text{ sec}$).




Fig. 307. Gamma spectrum after ^{239}Pu fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 2450.0$ sec).




Fig. 309. Gamma spectrum after ^{239}Pu fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 3500.0$ sec).




Fig. 308. Gamma spectrum after ^{239}Pu fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 2950.0$ sec).




Fig. 310. Gamma spectrum after ^{239}Pu fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 4100.0$ sec).




Fig. 311. Gamma spectrum after ^{239}Pu fast neutron fission ($T_{\text{irrad.}} = 160.0$ sec, $T_{\text{cool.}} = 1200.0$ sec).




Fig. 313. Gamma spectrum after ^{239}Pu fast neutron fission ($T_{\text{irrad.}} = 160.0$ sec, $T_{\text{cool.}} = 2000.0$ sec).




Fig. 312. Gamma spectrum after ^{239}Pu fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 1600.0$ sec).




Fig. 314. Gamma spectrum after ^{239}Pu fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 2450.0$ sec).




Fig. 315. Gamma spectrum after ^{239}Pu fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 2950.0$ sec).




Fig. 317. Gamma spectrum after ^{239}Pu fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 4100.0$ sec).




Fig. 316. Gamma spectrum after ^{239}Pu fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 3500.0$ sec).




Fig. 318. Gamma spectrum after ^{239}Pu fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 4800.0$ sec).




Fig. 319. Gamma spectrum after ^{239}Pu fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 5600.0$ sec).




Fig. 321. Gamma spectrum after ^{239}Pu fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 7500.0$ sec).




Fig. 320. Gamma spectrum after ^{239}Pu fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 6500.0$ sec).




Fig. 322. Gamma spectrum after ^{239}Pu fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 9000.0$ sec).




Fig. 323. Gamma spectrum after ^{239}Pu fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 11000.0$ sec).




Fig. 325. Gamma spectrum after ^{239}Pu fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 16500.0$ sec).




Fig. 324. Gamma spectrum after ^{239}Pu fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 13500.0$ sec).




Fig. 326. Gamma spectrum after ^{239}Pu fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 20000.0$ sec).




Fig. 327 Gamma spectrum after ^{239}Pu fast neutron fission
 ($T_{\text{wait}} = 100.0$ sec, $T_{\text{cool}} = 24000.0$ sec)

-
 ::
 T
 y




Fig. 328. Gamma spectrum after ^{232}Th fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 19.0$ sec).




Fig. 330. Gamma spectrum after ^{232}Th fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 35.0$ sec).




Fig. 329. Gamma spectrum after ^{232}Th fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 26.0$ sec).




Fig. 331. Gamma spectrum after ^{232}Th fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 45.0$ sec).




Fig. 332. Gamma spectrum after ^{232}Th fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 55.0$ sec).




Fig. 334. Gamma spectrum after ^{232}Th fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 90.0$ sec).




Fig. 333. Gamma spectrum after ^{232}Th fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 70.0$ sec).




Fig. 335. Gamma spectrum after ^{232}Th fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 110.0$ sec).




Fig. 336. Gamma spectrum after ^{232}Th fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 140.0$ sec).




Fig. 338. Gamma spectrum after ^{232}Th fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 230.0$ sec).




Fig. 337. Gamma spectrum after ^{232}Th fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 180.0$ sec).




Fig. 339. Gamma spectrum after ^{232}Th fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 290.0$ sec).




Fig. 340. Gamma spectrum after ^{232}Th fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 360.0$ sec).




Fig. 342. Gamma spectrum after ^{232}Th fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 550.0$ sec).




Fig. 341. Gamma spectrum after ^{232}Th fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 450.0$ sec).




Fig. 343. Gamma spectrum after ^{232}Th fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 700.0$ sec).




Fig. 344. Gamma spectrum after ^{232}Th fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 900.0$ sec).




Fig. 346. Gamma spectrum after ^{232}Th fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 1600.0$ sec).




Fig. 345. Gamma spectrum after ^{232}Th fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 1200.0$ sec).




Fig. 347. Gamma spectrum after ^{232}Th fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 2000.0$ sec).




Fig. 348. Gamma spectrum after ^{232}Th fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 2450.0$ sec).




Fig. 350. Gamma spectrum after ^{232}Th fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 3500.0$ sec).




Fig. 349. Gamma spectrum after ^{232}Th fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 2950.0$ sec).




Fig. 351. Gamma spectrum after ^{232}Th fast neutron fission ($T_{\text{irrad.}} = 10.0$ sec, $T_{\text{cool.}} = 4100.0$ sec).




Fig. 352. Gamma spectrum after ^{232}Th fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 230.0$ sec).




Fig. 354. Gamma spectrum after ^{232}Th fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 360.0$ sec).




Fig. 353. Gamma spectrum after ^{232}Th fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 290.0$ sec).




Fig. 355. Gamma spectrum after ^{232}Th fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 450.0$ sec).




Fig. 356. Gamma spectrum after ^{232}Th fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 550.0$ sec).




Fig. 358. Gamma spectrum after ^{232}Th fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 900.0$ sec).




Fig. 357. Gamma spectrum after ^{232}Th fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 700.0$ sec).




Fig. 359. Gamma spectrum after ^{232}Th fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 1200.0$ sec).




Fig. 360. Gamma spectrum after ^{232}Th fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 1600.0$ sec).




Fig. 362. Gamma spectrum after ^{232}Th fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 2450.0$ sec).




Fig. 361. Gamma spectrum after ^{232}Th fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 2000.0$ sec).




Fig. 363. Gamma spectrum after ^{232}Th fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 2950.0$ sec).




Fig. 364. Gamma spectrum after ^{232}Th fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 3500.0$ sec).




Fig. 366. Gamma spectrum after ^{232}Th fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 4800.0$ sec).




Fig. 365. Gamma spectrum after ^{232}Th fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 4100.0$ sec).




Fig. 367. Gamma spectrum after ^{232}Th fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 5600.0$ sec).




Fig. 368. Gamma spectrum after ^{232}Th fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 6500.0$ sec).




Fig. 370. Gamma spectrum after ^{232}Th fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 9000.0$ sec).




Fig. 369. Gamma spectrum after ^{232}Th fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 7500.0$ sec).




Fig. 371. Gamma spectrum after ^{232}Th fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 11000.0$ sec).




Fig. 372. Gamma spectrum after ^{232}Th fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 13500.0$ sec).




Fig. 374. Gamma spectrum after ^{232}Th fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 20000.0$ sec).




Fig. 373. Gamma spectrum after ^{232}Th fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 16500.0$ sec).




Fig. 375. Gamma spectrum after ^{232}Th fast neutron fission ($T_{\text{irrad.}} = 100.0$ sec, $T_{\text{cool.}} = 24000.0$ sec).




Fig. 376. Gamma spectrum after ^{233}U thermal neutron fission ($T_{\text{irrad.}} = 20000.0$ sec, $T_{\text{cool.}} = 29.0$ sec).




Fig. 378. Gamma spectrum after ^{233}U thermal neutron fission ($T_{\text{irrad.}} = 20000.0$ sec, $T_{\text{cool.}} = 284.0$ sec).




Fig. 377. Gamma spectrum after ^{233}U thermal neutron fission ($T_{\text{irrad.}} = 20000.0$ sec, $T_{\text{cool.}} = 128.0$ sec)




Fig. 379. Gamma spectrum after ^{233}U thermal neutron fission ($T_{\text{irrad.}} = 20000.0$ sec, $T_{\text{cool.}} = 538.0$ sec)




Fig. 380. Gamma spectrum after ^{233}U thermal neutron fission ($T_{\text{irrad.}} = 20000.0$ sec, $T_{\text{cool.}} = 1218.0$ sec).




Fig. 382. Gamma spectrum after ^{233}U thermal neutron fission ($T_{\text{irrad.}} = 20000.0$ sec, $T_{\text{cool.}} = 961.0$ sec).




Fig. 381. Gamma spectrum after ^{233}U thermal neutron fission ($T_{\text{irrad.}} = 20000.0$ sec, $T_{\text{cool.}} = 2581.0$ sec).




Fig. 383. Gamma spectrum after ^{233}U thermal neutron fission ($T_{\text{irrad.}} = 20000.0$ sec, $T_{\text{cool.}} = 5010.0$ sec).




Fig. 384. Gamma spectrum after ^{233}U thermal neutron fission ($T_{\text{irrad.}} = 20000.0$ sec, $T_{\text{cool.}} = 23760.0$ sec).




Fig. 386. Gamma spectrum after ^{233}U thermal neutron fission ($T_{\text{irrad.}} = 20000.0$ sec, $T_{\text{cool.}} = 96822.0$ sec).




Fig. 385. Gamma spectrum after ^{233}U thermal neutron fission ($T_{\text{irrad.}} = 20000.0$ sec, $T_{\text{cool.}} = 59292.0$ sec).




Fig. 387. Gamma spectrum after ^{233}U thermal neutron fission ($T_{\text{irrad.}} = 20000.0$ sec, $T_{\text{cool.}} = 146562.2$ sec).




Fig. 388. Gamma spectrum after ^{235}U thermal neutron fission ($T_{\text{irrad.}} = 20000.0$ sec, $T_{\text{cool.}} = 29.0$ sec).




Fig. 390. Gamma spectrum after ^{235}U thermal neutron fission ($T_{\text{irrad.}} = 20000.0$ sec, $T_{\text{cool.}} = 284.0$ sec).




Fig. 389. Gamma spectrum after ^{235}U thermal neutron fission ($T_{\text{irrad.}} = 20000.0$ sec, $T_{\text{cool.}} = 128.0$ sec).




Fig. 391. Gamma spectrum after ^{235}U thermal neutron fission ($T_{\text{irrad.}} = 20000.0$ sec, $T_{\text{cool.}} = 238.0$ sec).




Fig. 392. Gamma spectrum after ^{235}U thermal neutron fission ($T_{\text{irrad.}} = 20000.0$ sec, $T_{\text{cool.}} = 1218.0$ sec).




Fig. 394. Gamma spectrum after ^{235}U thermal neutron fission ($T_{\text{irrad.}} = 20000.0$ sec, $T_{\text{cool.}} = 3961.0$ sec).




Fig. 393. Gamma spectrum after ^{235}U thermal neutron fission ($T_{\text{irrad.}} = 20000.0$ sec, $T_{\text{cool.}} = 2581.0$ sec).




Fig. 395. Gamma spectrum after ^{235}U thermal neutron fission ($T_{\text{irrad.}} = 20000.0$ sec, $T_{\text{cool.}} = 5010.0$ sec).




Fig. 396. Gamma spectrum after ^{235}U thermal neutron fission ($T_{\text{irrad.}} = 20000.0$ sec, $T_{\text{cool.}} = 23760.0$ sec).




Fig. 398. Gamma spectrum after ^{235}U thermal neutron fission ($T_{\text{irrad.}} = 20000.0$ sec, $T_{\text{cool.}} = 96822.0$ sec).




Fig. 397. Gamma spectrum after ^{235}U thermal neutron fission ($T_{\text{irrad.}} = 20000.0$ sec, $T_{\text{cool.}} = 59292.0$ sec).




Fig. 399. Gamma spectrum after ^{235}U thermal neutron fission ($T_{\text{irrad.}} = 20000.0$ sec, $T_{\text{cool.}} = 146562.0$ sec).




Fig. 400. Gamma spectrum after ^{239}Pu thermal neutron fission ($T_{\text{irrad.}} = 20000.0$ sec, $T_{\text{cool.}} = 29.0$ sec).




Fig. 402. Gamma spectrum after ^{239}Pu thermal neutron fission ($T_{\text{irrad.}} = 20000.0$ sec, $T_{\text{cool.}} = 284.0$ sec).




Fig. 401. Gamma spectrum after ^{239}Pu thermal neutron fission ($T_{\text{irrad.}} = 20000.0$ sec, $T_{\text{cool.}} = 128.0$ sec).




Fig. 403. Gamma spectrum after ^{239}Pu thermal neutron fission ($T_{\text{irrad.}} = 20000.0$ sec, $T_{\text{cool.}} = 538.0$ sec).




Fig. 404. Gamma spectrum after ^{239}Pu thermal neutron fission ($T_{\text{irrad.}} = 20000.0$ sec, $T_{\text{cool.}} = 1218.0$ sec).




Fig. 406. Gamma spectrum after ^{239}Pu thermal neutron fission ($T_{\text{irrad.}} = 20000.0$ sec, $T_{\text{cool.}} = 3930.0$ sec).




Fig. 405. Gamma spectrum after ^{239}Pu thermal neutron fission ($T_{\text{irrad.}} = 20000.0$ sec, $T_{\text{cool.}} = 2530.0$ sec).




Fig. 407. Gamma spectrum after ^{239}Pu thermal neutron fission ($T_{\text{irrad.}} = 20000.0$ sec, $T_{\text{cool.}} = 5020.0$ sec).




Fig. 408. Gamma spectrum after ^{239}Pu thermal neutron fission ($T_{\text{irrad.}} = 20000.0$ sec, $T_{\text{cool.}} = 23760.0$ sec).




Fig. 409. Gamma spectrum after ^{239}Pu thermal neutron fission ($T_{\text{irrad.}} = 20000.0$ sec, $T_{\text{cool.}} = 59320.0$ sec).




Fig. 410. Gamma spectrum after ^{239}Pu thermal neutron fission ($T_{\text{irrad.}} = 20000.0$ sec, $T_{\text{cool.}} = 96840.0$ sec).




Fig. 411. Gamma spectrum after ^{239}Pu thermal neutron fission ($T_{\text{irrad.}} = 20000.0$ sec, $T_{\text{cool.}} = 146520.0$ sec).

REFERENCES:

1. Proc. Nuclear Energy Agency Nuclear Data Committee (NEANDC) Specialists' Meeting on Yields and Decay Data of Fission Product Nuclides, Brookhaven National Laboratory, Oct. 24-27, 1983, Brookhaven report BNL 51778.
2. K. Tasaka, H. Ihara, M. Akiyama, T. Yoshida, Z. Matumot, and R. Nakasima, "JNDC Nuclear Data Library of Fission Products," Japan Atomic Energy Research Inst. report JAERI 1287 [NEANDC(J) 91/U, INDC(JAP0 78/L)] (1983).
3. T. Yoshida and J. Katakura, "Calculation of the Delayed Gamma-Ray Energy Spectra from Aggregate Fission Product Nuclides," Nucl. Sci. Eng. 93 (1986).

J. Katakura and T. Yoshida, "Gamma-ray Spectrum Data Library of Fission Product Nuclides and its Assessment," Japan Atomic Energy Research Inst. report JAERI 1311 [NEANDC (J)-124/U, INDC(JPN-110/L)] (1988).

T. Yoshida and R. Nakasima, J. Nuc. Sci. Tech. 18, No. 6, 393-407 (June 1981).

T. Yoshida, "Theoretical Calculation of Decay Data of Short-Lived Nuclides for JNDC Fission Product Decay File, Japan Atomic Energy Research Inst. report JAERI-M-83-127 [NEANDC (J)-92/U, INDC(JAP0)-79/L] (August 1983).

4. T. R. England, W. B. Wilson, R. E. Schenter, and F. M. Mann, "Summary of ENDF/B-V Data for Fission Products and Actinides," Electric Power Research Inst. report EPRI NP-3787 (1984).
5. J. K. Dickens, J. F. Emery, T. A. Love, J. W. McConnell, K. J. Northcutt, R. W. Pelle, and H. Weaver, "Fission Product Energy Release for Times Following Thermal Neutron Fission of ^{235}U Between 2 and 14,000 Seconds," Oak Ridge National Laboratory report ORNL/NUREG-14 (1977).

J. K. Dickens, J. F. Emery, T. A. Love, J. W. McConnell, K. J. Northcutt, R. W. Pelle, and H. Weaver, "Fission Product Energy Release for Times Following Thermal Neutron Fission of ^{239}Pu Between 2 and 14,000 Seconds," Oak Ridge National Laboratory report NUREG/CR-0194, ORNL/NUREG-34 (1978).

J. K. Dickens, J. F. Emery, T. A. Love, J. W. McConnell, K. J. Northcutt, R. W. Pelle, and H. Weaver, "Fission Product Energy Release for Times Following Thermal Neutron Fission of ^{241}Pu Between 2 and 14,000 Seconds," Oak Ridge National Laboratory report NUREG/CR-0171, ORNL/NUREG-47 (1978).

J. K. Dickens, T. A. Love, J. W. McConnell, J. F. Emery, K. J. Northcutt, and R. W. Pelle, "Delayed Beta- and Gamma-Ray Production Due to Thermal-Neutron Fission of ^{235}U , Spectral Distributions for Times after Fission Between 2 and 14,000 Seconds: Tabular and Graphical Data," Oak Ridge National Laboratory report NUREG/CR-0162, ORNL/NUREG-39 (1978).

J. K. Dickens, T. R. England, T. A. Love, J. W. McConnell, J. F. Emery, K. J. Northcutt, and R. W. Pelle, "Delayed Beta- and Gamma-Ray Production Due to Thermal-Neutron Fission of ^{239}Pu : Tabular and Graphical Spectral Distributions for Times After Fission Between 2 and 14,000 Seconds," Oak Ridge National Laboratory report NUREG/CR-1172, ORNL/NUREG-66 (1980).

6. M. Akiyama, Dr. Eng. Thesis, University of Tokyo (1983).
- M. Akiyama and J. Katakura, "Measured Data of Delayed Gamma-Ray Spectra from Fissions of ^{232}Th , ^{233}U , ^{235}U , ^{238}U , and ^{239}Pu by Fast Neutrons: Tabular Data," Japan Atomic Energy Research Inst. report JAERI-M 88-252 (1988).
7. E. T. Jurney, P. J. Bendt, and T. R. England, "Fission Product Gamma Spectra," Los Alamos National Laboratory report LA-7620-MS (1979).
8. K. Takahashi, M. Yamada, and T. Kondoh, "Beta-Decay Half-Lives Calculated on the Gross Theory," *Atom. Data and Nucl. Data Tables*, 12, 101 (1973) (see also references therein).
9. D. M. Brink, Ph.D. Thesis, Oxford University (1955).
10. P. Axel, "Electric Dipole Ground-State Transition Width Strength Function and 7-MeV Photon Interactions," *Phys. Rev.* 126, 67 (1962).
11. A. Gilbert and A. G. W. Cameron, "A Composite Nuclear Level Density Formula with Shell Corrections," *Can. J. Phys.* 43, 1446 (1965).
12. J. Katakura and R. Nakasima, "Average Decay Energies in JNDC file Version 2," Proc. Specialists' Mtg. on Data for Decay Heat Prediction, Studsvik, Sweden, Sept. 7-10, 1987, NEACRP-302 'L', NEANDC-245 'U' (1987).
13. H. Ihara, Ed., "Tables and Figures from JNDC Nuclear Data Library of Fission Products, Version 2," Japan Atomic Energy Research Inst. report JAERI-M 90-204 (1989).
- K. Tasaka, J. Katakura, H. Ihara, T. Yoshida, S. Iijima, R. Nakasima, T. Nakagawa, and H. Takano, "Second Version of JNDC Nuclear Data Library of Fission Products," to be published as a JAERI report.
14. T. R. England, R. Wilczynski, and N. L. Whittemore, "CINDER-7: An Interim Report for Users," Los Alamos Scientific Laboratory report LA-5885-MS (April 1975).
15. T. R. England and B. F. Rider, "Evaluation and Compilation of Fission Product Yields, 1989," (ENDF-349) draft form, to be published as a Los Alamos report as the primary documentation for ENDF/B-VI.

APPENDIX A

COMPARISONS USING ENDF/B-VI PRELIMINARY DATA

The calculations using the ENDF/B-VI preliminary data (as of October 1989) were performed due to the fact that the data became available for testing during the time frame of this work effort. The results are shown in Figs. A-1 through A-6 for ^{235}U , ^{239}Pu , and ^{241}Pu fission. Four kinds of calculations are demonstrated in each figure: i.e., the calculations using the ENDF/B-V line spectral data, the augmented ENDF/B-V data, the preliminary ENDF/B-VI line spectral data, and the augmented preliminary ENDF/B-VI data.

As evidenced in these figures, the preliminary ENDF/B-VI spectral data are greatly improved over the ENDF/B-V ones. However, the calculations using only the preliminary ENDF/B-VI spectral data seem to have a problem of missing gamma rays and they underestimate the measured aggregate spectral data. The augmented preliminary ENDF/B-VI data seem to give better agreement among them. These comparisons were done using the preliminary ENDF/B-VI file; some data in the file could be changed when the file is completed, but most of the improvement is expected by using the calculated spectra for the augmentation of the line spectral data.




Fig. A-1. Gamma spectrum after ^{235}U thermal neutron fission ($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 2.2$ sec) (to 8 MeV)




Fig. A-2. Gamma spectrum after ^{235}U thermal neutron fission ($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 2.2$ sec) (to 3 MeV).




Fig. A-3. Gamma spectrum after ^{239}Pu thermal neutron fission ($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 2.2$ sec) (to 8 MeV).




Fig. A-4. Gamma spectrum after ^{239}Pu thermal neutron fission ($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 2.2$ sec) (to 3 MeV).




Fig. A-5. Gamma spectrum after ^{241}Pu thermal neutron fission ($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 2.2$ sec) (to 8 MeV).




Fig. A-6. Gamma spectrum after ^{241}Pu thermal neutron fission ($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 2.2$ sec) (to 3 MeV).

APPENDIX B

CALCULATION OF BETA-RAY SPECTRUM

The calculation of gamma-ray spectra is discussed in the main text. The beta spectra calculation also involves a problem for some nuclides in that the measured spectrum enhances the high-energy part, because the beta transitions to higher energy levels of daughter nucleus may not be observed in measurements even if the transitions are to be allowed. The calculation of aggregate beta spectrum using such spectral data also enhances the high energy part and depresses the low-energy part. The situation is seen in the comparisons of the aggregate beta-ray spectra between the calculations and the measurements by Dickens *et al.* At very short cooling times after fission, when the nuclides with no measured data contribute to the spectra, the calculation falls below the measured values. At longer (though still short) cooling times in which the nuclides with incomplete spectral data are still important, the calculation shows an underestimation for the low-energy part and an overestimation for the high-energy part. In order to improve the situation, we tried to calculate the beta spectra of each fission-product nuclide by the Gross Theory, which is used to complement the measured gamma spectra.

In the case of the beta-ray spectra, some different treatments or modifications from that of the gamma-ray spectra are needed. The average beta energy value that can force agreement with the measured decay heat value is smaller than the average energy from measured decay scheme data. Therefore, it is not suitable to simply add some fraction of the calculated spectrum to the measured one. We used the following procedure.

The calculation of beta rays by the Gross Theory was performed by assuming that there may have been some missing beta transitions to higher levels than the observed ones. Namely, the beta spectrum was calculated with the maximum energy equal to the difference between the Q_β value and the maximum level energy. This calculated spectrum is normalized to be 1.0 when energy integration is carried out over the full energy range.

Let the average energy of the calculated spectrum be E_c and the energy derived from the measured decay scheme be E_m . The average energy that is suitable to calculate the decay heat value is E_r ; then E_r is expressed as follows:

$$E_r = \alpha \cdot E_m + \beta \cdot E_c ,$$

whereas $\alpha + \beta = 1.0$, α - and β -values can be calculated

$$\alpha = (E_r - E_c) / (E_m - E_c)$$

$$\beta = (E_m - E_r) / (E_m - E_c) .$$

As $E_c < E_r < E_m$ for most of the nuclides having the problem, α and β values become positive. In the case of $E_r > E_m$, the calculated spectrum is simply added to augment the difference between E_r and E_m ; $\alpha = 1$, $\beta = (E_r - E_m) / E_c$ in this case. The spectrum then, becomes

$$S(E_\beta) = \alpha \cdot S_m(E_\beta) + \beta \cdot S_c(E_\beta).$$

By this method, the beta-ray spectra were calculated for nuclides whose average beta energy value has inconsistency between that from the decay scheme and that used for decay heat calculations.

An example of the spectrum is shown in Fig. B-1. This is a case of ^{97}Sr decay. The average energy value derived from the measured decay scheme is 2.646 and its spectrum is illustrated by the dotted line. The calculated spectrum, assuming that beta transitions occur only to higher levels than observed ones, is shown by a dashed line, and its average energy is 1.923 MeV. The modified or augmented spectrum is seen as a solid line. This modified spectrum gives the average energy of 2.282 MeV, which is nearly equal to the value of the energy used for the decay heat calculation in the JNDCV2 library.

The modified spectra of each fission product nuclide were used to calculate the aggregate beta-ray spectra after fission. One result is shown in Fig. B-2 together with the measured spectrum. The calculation using only the ENDF/B-V spectra data shows an underestimation for the low-energy part. The calculation using the modified spectra (ENDF/B-V + GT spectra in the figure) shows rather good agreement with the measurement.




Fig. B-1. Beta-ray spectrum of ⁹⁷Sr decay (Q = 7.4 MeV).




Fig. B-2. Beta-ray spectrum after ²³⁵U thermal neutron fission ($T_{\text{irrad.}} = 1.0$ sec, $T_{\text{cool.}} = 2.2$ sec) (to 8 MeV).

APPENDIX C

FISSION PRODUCTS: PRELIMINARY DECAY ENERGIES, HALF-LIVES, AND BRANCHINGS FOR ENDF/B-VI

In Table C-1 we have listed total beta, gamma, and alpha energies from the most recent data file used in this report. Branchings by decay are also listed, as are half-lives. All energies are in eV, half-lives in seconds, and branchings are fractions per decay. Spectral data are too extensive for inclusion in this report. The table identifies 127 products as stable; these are needed in calculations involving a neutron flux. Their cross sections will be found in ENDF/B-VI files. The meaning of the columns in Table C-1 are:

<u>Col. Heading</u>	<u>Quantity</u>
Symbol	chemical symbol preceded by the Z value and followed by the atomic number. Nuclides that are isomeric states have m, n, ... following the atomic number meaning 1st, 2nd, ... isomeric states (the files generally include isomeric states having half-lives ≥ 0.1 s).
ZZAAAS	is a numeric identifier consisting of the quantity $Z \times 10000 + A \times 10 + S$, where S is the isomeric state number (0 = ground, 1 = 1st isomeric state, etc.).
Half-life	the total decay half-life in seconds.
E-beta, E-gamma, E-alpha	generally are average beta, gamma, and alpha decay energies, but have more precise definitions. Thus, E-beta is the total electron-related radiation, such as β^- , β^+ , conversion electron, Auger, etc. E-gamma is the average energy of all "electromagnetic" radiation, such as gamma rays, x rays, and annihilation radiation. E-alpha is the average energy of <u>all</u> heavy charged particles and delayed neutrons. The alpha decay energy includes the recoil energy. The sum of the three average energies is the recoverable energy per decay (neutrino energies are excluded). All values are given in units of eV. (Delayed neutron energy is not tabulated but will be included in the final ENDF/B-VI files and summed into E-alpha.)
RTYP	identifies the initial or primary decay mode for the listed line of data (see below).
RFS	identifies the daughter state following the decay (0. = ground, 1. = 1st isomeric state, etc.).
Q	is the total Q-value for the decay mode.
Branching	is the fraction of decays from type RTYP to state RFS.
NDK	is the number of decay modes.
NSP	is the number of spectral types included in the ENDF/B files.
MAT	is the material identification number assignment in the ENDF/B files.

The decay mode identification, RTYP, has the following definitions.

RTYP

Decay Mode

1.	β^-	Beta decay
2.	e.c., (β^+)	Electron capture and/or positron emission
3.	IT	Isomeric transition
4.	α	Alpha decay
5.	n	Neutron emission but <u>not</u> delayed neutron decay (see below)
6.	SF	Spontaneous fission
7.	p	Proton emission
10.	—	Unknown

Multiple particle emission is also defined by combining the RTYP indicators as decimal digits in the sequence in which particles are emitted. Thus, a beta decay followed by a delayed neutron is RTYP = 1.5, and a positron followed by alpha decay is RTYP = 2.4, etc. Such compound RTYP values therefore indicate intermediate states having lifetimes that are too short for explicit inclusion in the files. The Q-value for such cases is the energy difference based on masses of the initial and final states.

Spectral files contain a particle indicator, STYP, defined similarly to RTYP, but with the added values of 0. = gamma rays, 8. = discrete electrons, and 9. = x rays. In this report we do not include the average energies for each type of spectra. As can be seen from the NSP column, most nuclides do have spectra in the files.

These data are preliminary because they have not been officially accepted by the Cross Section Evaluation Working Group (CSEWG). We anticipate that the decay energies will be accepted as mod 0. Figures C-1 through C-3 show a comparison of aggregate decay energies (beta, gamma, and total) with Tokyo measurements following a ^{235}U fast fission pulse. The "Pandemonium" problem is no longer evident. Additional comparisons will be included in ENDF/B-VI documentation following a phase-1 review of the decay and yield files.

TABLE C-1

PRELIMINARY LIST OF ENDF/B-VI FISSION-PRODUCT PARAMETERS

SYMBOL	S	ZZAAS	HALF-LIFE	E-BETA	E-GAMMA	E-ALPHA	RTYP	RFS	Q	BRANCHING	NDK	NSP	MAT
27-co-	72 0	270720	1.355e-01	4.6080e+06	4.6940e+06	0.0	1.00	0.0	1.3568e+07	8.8468e-01	2	3	2764
									1.50	0.0			
									7.6390e+00	1.1532e-01			
28-ni-	72 0	280720	3.8306e+00	1.8820e+06	9.1110e+05	0.0	1.00	0.0	4.9211e+06	1.0000e+00	1	2	2867
29-cu-	72 0	290720	6.4891e+00	2.0350e+06	2.9940e+06	0.0	1.00	0.0	8.0524e+06	1.0000e+00	2	3	2952
									1.50	0.0			
									8.4000e-02	1.0000e-06			
30-zn-	72 0	300720	1.6740e+05	1.0270e+05	1.5250e+05	0.0	1.00	0.0	4.5700e+05	1.0000e+00	1	4	3049
31-ga-	72 0	310720	5.0760e+04	5.0000e+05	2.7060e+06	0.0	1.00	0.0	3.9924e+06	1.0000e+00	1	4	3134
31-ga-	72 1	310721	3.7000e-02	0.0	1.1920e+05	0.0	1.00	0.0	5.0000e+04	1.0000e+00	1	0	3135
32-ge-	72 0	320720	stable			0.0	3.00	0.0			0	0	3231
27-co-	73 0	270730	1.2898e-01	4.7180e+06	2.9800e+06	0.0	1.00	0.0	1.1631e+07	7.4878e-01	2	3	2767
									1.50	0.0			
									9.0290e+00	2.5122e-01			
28-ni-	73 0	280730	4.9059e-01	3.2810e+06	1.6190e+06	0.0	1.00	0.0	8.3984e+06	9.9995e-01	2	3	2870
									1.50	0.0			
									4.3900e-01	4.7000e-05			
29-cu-	73 0	290730	5.1136e+00	1.9850e+06	7.7230e+05	0.0	1.00	0.0	5.7024e+06	9.9441e-01	2	3	2955
									1.50	0.0			
									1.2320e+00	5.5880e-03			
30-zn-	73 0	300730	2.3500e+01	1.5436e+06	1.1709e+06	0.0	1.00	0.0	4.2900e+06	1.0000e+00	1	2	3052
31-ga-	73 0	310730	1.7496e+04	4.4660e+05	3.4100e+05	0.0	1.00	0.0	1.5890e+06	1.3000e-02	2	4	3137
									1.00	1.0			
									1.5220e+06	9.8700e-01			
32-ge-	73 0	320730	stable								0	0	3234
32-ge-	73 1	320731	4.9900e-01	5.4500e+04	1.1130e+04	0.0	3.00	0.0	6.6716e+04	1.0000e+00	1	3	3235
27-co-	74 0	270740	9.1963e-02	5.1670e+06	5.4200e+06	0.0	1.00	0.0	1.4659e+07	8.2567e-01	2	3	2770
									1.50	0.0			
									9.6590e+00	1.7433e-01			
28-ni-	74 0	280740	9.0015e-01	2.6830e+06	1.1990e+06	0.0	1.00	0.0	6.4611e+06	9.9544e-01	2	3	2873
									1.50	0.0			
									1.3890e+00	3.5000e-03			
29-cu-	74 0	290740	6.4818e-01	2.5110e+06	3.2060e+06	0.0	1.00	0.0	9.1797e+06	9.9705e-01	2	3	2958
									1.50	0.0			
									1.5830e+00	2.9490e-03			
30-zn-	74 0	300740	9.6000e+01	5.7770e+05	8.5970e+05	0.0	1.00	0.0	2.3500e+06	2.5000e-01	2	2	3055
									1.00	1.0			
									2.2900e+06	7.5000e-01			
31-ga-	74 0	310740	4.8720e+02	1.0110e+06	3.0170e+06	0.0	1.00	0.0	5.3700e+06	1.0000e+00	1	4	3140
31-ga-	74 1	310741	9.5000e+00	1.6300e+04	4.3230e+04	0.0	1.00	0.0	5.9800e+04	7.5000e-01	1	3	3141
32-ge-	74 0	320740	stable								0	0	3237
34-se-	74 0	340740	stable								0	0	3425
27-co-	75 0	270750	8.1657e-02	5.2590e+06	1.7450e+06	0.0	1.00	0.0	1.3339e+07	6.8688e-01	2	3	2773
									1.50	0.0			
									1.1359e+01	3.1312e-01			
28-ni-	75 0	280750	2.3118e-01	3.8270e+06	2.2160e+06	0.0	1.00	0.0	9.4889e+06	9.8998e-01	2	3	2876
									1.50	0.0			
									2.5290e+00	1.0022e-02			
29-cu-	75 0	290750	9.2736e-01	2.6880e+06	1.0900e+06	0.0	1.00	0.0	7.2424e+06	9.6530e-01	2	3	2961
									1.50	0.0			
									3.1890e+00	3.4700e-02			
30-zn-	75 0	300750	1.0200e+01	1.8480e+06	1.9000e+06	0.0	1.00	0.0	6.0600e+06	1.0000e+00	1	2	3058
31-ga-	75 0	310750	1.2600e+02	1.3010e+06	3.5500e+05	0.0	1.00	0.0	3.3920e+06	9.5200e-01	2	2	3143
									1.00	1.0			
									3.2530e+06	4.8000e-02			
32-ge-	75 0	320750	4.9668e+03	4.2110e+05	3.5000e+04	0.0	1.00	0.0	1.1776e+06	1.0000e+00	1	4	3240
32-ge-	75 1	320751	4.7700e+01	7.9000e+04	5.6900e+04	0.0	1.00	0.0	1.3173e+06	3.0000e-04	2	4	3241
									3.00	0.0			
									1.3968e+05	9.9970e-01			
33-as-	75 0	330750	stable								0	0	3325
34-se-	75 0	340750	1.0348e+07	1.4500e+04	3.9200e+05	0.0	2.00	0.0	8.6390e+05	1.0000e+00	1	4	3428
28-ni-	76 0	280760	3.0456e-01	3.3790e+06	1.5270e+06	0.0	1.00	0.0	8.1689e+06	9.6489e-01	2	3	2879
									1.50	0.0			
									3.4790e+00	3.5113e-02			
29-cu-	76 0	290760	2.6025e-01	3.1130e+06	3.5040e+06	0.0	1.00	0.0	1.0270e+07	9.7158e-01	2	3	2964
									1.50	0.0			
									1.8110e+00	3.8418e-02			

TABLE C-1 (Cont.)

SYMBOL	S	ZZAAS	HALF-LIFE	E-BETA	E-GAMMA	E-ALPHA	RTYP	RFS	Q	BRANCHING	NDR	NSP	MAT	
30-zn-	76	0	300760	5.6000e+00	1.3980e+06	7.5410e+05								
31-ga-	76	0	310760	3.2600e+01	1.9040e+06	2.8000e+06	0.0	1.00	0.0	4.1600e+06	1.0000e+00	1	2 3061	
32-ge-	76	0	320760	stable			0.0	1.00	0.0	7.0100e+06	1.0000e+00	1	4 3146	
33-as-	76	0	330760	9.4752e+04	1.0660e+06	4.1700e+05	0.0	1.00	0.0	2.9635e+06	1.0000e+00	0	0 3243	
34-se-	76	0	340760	stable								1	4 3328	
												0	0 3431	
28-ni-	77	0	280770	1.0331e-01	4.4810e+06	3.0880e+06	0	0	1.00	0.0	1.1872e+07	9.5289e-01	2	3 2882
									1.50	0.0	4.7090e+00	4.7115e-02		
29-cu-	77	0	290770	3.0522e-01	3.2670e+06	1.5060e+06	0.0	1.00	0.0	8.9502e+06	8.7688e-01	2	3 2967	
									1.50	0.0	5.6630e+00	1.2312e-01		
30-zn-	77	0	300770	2.0800e+00	2.4200e+06	1.8000e+06	0.0	1.00	0.0	7.2700e+06	1.0000e+00	1	2 3064	
31-ga-	77	0	310770	1.3200e+01	2.0430e+06	7.8930e+05	0.0	1.00	1.0	5.5300e+06	1.0000e+00	1	2 3149	
32-ge-	77	0	320770	4.0680e+04	6.6200e+05	1.0220e+06	0.0	1.00	0.0	2.7031e+06	1.0000e+00	1	4 3246	
32-ge-	77	1	320771	5.2900e+01	9.4820e+05	6.5000e+04	0.0	1.00	0.0	2.8628e+06	7.9000e-01	2	4 3247	
									3.00	0.0	1.5970e+05	2.1000e-01		
33-as-	77	0	330770	1.3979e+05	2.2610e+05	7.5000e+03	0.0	1.00	0.0	6.8310e+05	9.9680e-01	2	4 3331	
									1.00	1.0	5.2110e+05	3.2000e-03		
34-se-	77	0	340770	stable								0	0 3434	
34-se-	77	1	340771	1.7450e+01	7.1800e+04	8.7400e+04	0.0	3.00	0.0	1.6197e+05	1.0000e+00	1	3 3435	
28-ni-	78	0	280780	1.3179e-01	3.9290e+06	1.8770e+06	0.0	1.00	0.0	1.0074e+07	9.0702e-01	2	3 2885	
									1.50	0.0	5.4390e+00	9.2984e-02		
29-cu-	78	0	290780	1.1787e-01	3.8300e+06	4.0530e+06	0.0	1.00	0.0	1.2653e+07	9.0091e-01	2	3 2970	
									1.50	0.0	6.5540e+00	9.9093e-02		
30-zn-	78	0	300780	1.4700e+00	2.2250e+06	1.5290e+06	0.0	1.00	0.0	6.4400e+06	9.9996e-01	2	3 3067	
									1.50	0.0	3.8100e-01	4.1000e-05		
31-ga-	78	0	310780	5.0900e+00	2.5410e+06	2.5400e+06	0.0	1.00	0.0	8.2000e+06	1.0000e+00	1	4 3152	
32-ge-	78	0	320780	5.2800e+03	2.2700e+05	2.7800e+05	0.0	1.00	0.0	9.5300e+05	1.0000e+00	1	4 3249	
33-as-	78	0	330780	5.4420e+03	1.2390e+06	1.3400e+06	0.0	1.00	0.0	4.2120e+06	1.0000e+00	1	4 3334	
34-se-	78	0	340780	stable								0	0 3437	
36-kr-	78	0	360780	stable								0	0 3625	
29-cu-	79	0	290790	1.3506e-01	3.7090e+06	1.9700e+06	0.0	1.00	0.0	1.0855e+07	7.5794e-01	2	3 2973	
									1.50	0.0	7.3710e+00	2.4206e-01		
30-zn-	79	0	300790	1.0000e+00	3.0160e+06	2.9170e+06	0.0	1.00	0.0	8.5500e+06	9.8854e-01	2	3 3070	
									1.50	0.0	2.6110e+00	1.1459e-02		
31-ga-	79	0	310790	3.0000e+00	2.1350e+06	2.0810e+06	0.0	1.00	0.0	6.7700e+06	9.4700e-01	3	5 3155	
									1.00	1.0	6.5840e+06	5.2000e-02		
									1.50	0.0	1.0300e+06	5.5000e-04		
32-ge-	79	0	320790	1.9100e+01	1.6449e+06	4.0743e+05	0.0	1.00	0.0	4.1100e+06	1.0000e+00	1	4 3252	
32-ge-	79	1	320791	1.9000e+01	1.2130e+06	1.7590e+06	0.0	1.00	0.0	4.2960e+06	9.6000e-01	2	4 3253	
									3.00	0.0	1.8595e+05	4.0000e-02		
33-as-	79	0	330790	5.4060e+02	8.4761e+05	2.8200e+04	0.0	1.00	0.0	2.2800e+06	1.0600e-02	2	2 3337	
									1.00	1.0	2.1840e+06	9.8940e-01		
34-se-	79	0	340790	1.0414e+12	5.2900e+04	0.0	0.0	1.00	0.0	1.5090e+05	1.0000e+00	1	1 3440	
34-se-	79	1	340791	2.3460e+02	8.0000e+04	1.3700e+04	0.0	3.00	0.0	9.5730e+04	1.0000e+00	1	3 3441	
35-br-	79	0	350790	stable								0	0 3525	
35-br-	79	1	350791	4.8600e+00	4.7300e+04	1.5850e+05	0.0	3.00	0.0	2.0710e+05	1.0000e+00	1	3 3526	
36-kr-	79	0	360790	1.2614e+05	2.4090e+04	2.5700e+05	0.0	2.00	0.0	1.6280e+06	1.0000e+00	1	4 3628	
36-kr-	79	1	360791	5.0000e+01	8.6000e+04	3.9900e+04	0.0	3.00	0.0	1.2977e+05	1.0000e+00	1	3 3629	
29-cu-	80	0	290800	8.9877e-02	4.3270e+06	4.5870e+06	0.0	1.00	0.0	1.5269e+07	8.4957e-01	2	3 2976	
									1.50	0.0	9.4990e+00	1.5043e-01		
30-zn-	80	0	300800	5.4000e-01	2.7580e+06	1.2420e+06	0.0	1.00	0.0	7.3500e+06	9.8902e-01	2	3 3073	
									1.50	0.0	2.2840e+00	1.0983e-02		

TABLE C-1 (Cont.)

SYMBOL	S	ZZAAS	HALF-LIFE	Z-BETA	E GAMMA	E-ALPHA	RTYP	RFS	Q	BRANCHING	NDK	NSP	MAT	
31-ga-	80	0	310800	1.6600e+00	3.1220e+06	3.5480e+06	0.0	1.00	0.0	1.0000e+07	9.9180e-01	2	5	3158
										1.50	0.0	2.0800e+06	8.2000e-03	
32-ge-	80	0	320800	2.9500e+01	9.1000e+05	6.0000e+05	0.0	1.00	0.0	2.7800e+06	1.0000e+00	1	2	3255
33-as-	80	0	330800	1.5200e+01	2.1993e+06	8.2709e+05	0.0	1.00	0.0	5.5970e+06	1.0000e+00	1	4	3340
34-se-	80	0	340800	stable								0	0	3443
35-br-	80	0	350800	1.0608e+03	7.2500e+05	7.6000e+04	0.0	1.00	0.0	2.0010e+06	9.1700e-01	2	5	3528
										2.00	0.0	1.8711e+06	8.3000e-02	
35-br-	80	1	350801	1.5912e+04	6.0600e+04	2.4100e+04	0.0	3.00	0.0	8.5845e+04	1.0000e+00	1	3	3529
36-kr-	80	0	360800	stable								0	0	3631
29-cu-	81	0	290810	7.4209e-02	4.8260e+06	3.4570e+06	0.0	1.00	0.0	1.4294e+07	4.7050e-01	2	3	2979
										1.50	0.0	1.3379e+01	5.2950e-01	
30-zn-	81	0	300810	1.2275e-01	4.0320e+06	2.7130e+06	0.0	1.00	0.0	1.1917e+07	9.4263e-01	2	3	3076
										1.50	0.0	5.5660e+00	5.7372e-02	
31-ga-	81	0	310810	1.2300e+00	2.5150e+06	2.2500e+06	0.0	1.00	0.0	8.3200e+06	4.7000e-01	3	3	3161
										1.00	1.0	7.6410e+06	4.1000e-01	
										1.50	0.0	3.3300e+06	1.1900e-02	
32-ge-	81	0	320810	7.6000e+00	2.4426e+06	8.4067e+05	0.0	1.00	0.0	6.2300e+06	1.0000e+00	1	2	3258
33-as-	81	0	330810	3.3300e+01	1.5780e+06	2.3000e+05	0.0	1.00	0.0	3.8560e+06	9.7000e-01	2	4	3343
										1.00	1.0	3.7530e+06	3.0000e-02	
34-se-	81	0	340810	1.1070e+03	6.1200e+05	6.0000e+03	0.0	1.00	0.0	1.5860e+06	1.0000e+00	1	4	3446
34-se-	81	1	340811	3.4350e+03	8.5000e+04	1.4900e+04	0.0	1.00	0.0	1.6890e+06	4.7000e-04	2	4	3447
										3.00	0.0	1.0297e+05	9.9953e-01	
35-br-	81	0	350810	stable								0	0	3531
36-kr-	81	0	360810	6.7216e+12	4.9400e+03	1.7000e+04	0.0	2.00	0.0	2.8080e+05	1.0000e+00	1	4	3634
36-kr-	81	1	360811	1.3000e+01	5.6800e+04	1.2990e+05	0.0	2.00	0.0	4.7140e+05	6.4000e-05	2	4	3635
										3.00	0.0	1.9057e+05	9.9994e-01	
30-zn-	82	0	300820	1.2676e-01	4.2340e+06	2.1810e+06	0.0	1.00	0.0	1.0941e+07	7.8774e-01	2	3	3079
										1.50	0.0	7.9430e+00	2.1226e-01	
31-ga-	82	0	310820	6.0000e-01	3.7960e+06	4.1310e+06	0.0	1.00	0.0	1.3079e+07	7.9000e-01	2	3	3164
										1.50	0.0	4.1500e+06	2.1000e-01	
32-ge-	82	0	320820	4.6000e+00	1.4490e+06	7.6520e+05	0.0	1.00	0.0	4.1501e+06	1.0000e+00	1	2	3261
33-as-	82	0	330820	1.9100e+01	2.9171e+06	1.0849e+06	0.0	1.00	0.0	7.5190e+06	1.0000e+00	1	4	3346
33-as-	82	1	330821	1.3600e+01	1.8170e+06	2.8000e+06	0.0	1.00	0.0	7.5190e+06	1.0000e+00	1	4	3347
34-se-	82	0	340820	stable								0	0	3449
35-br-	82	0	350820	1.2708e+05	1.4400e+05	2.6390e+06	0.0	1.00	0.0	3.0925e+06	1.0000e+00	1	4	3534
35-br-	82	1	350821	3.6780e+02	7.0000e+04	8.1000e+03	0.0	1.00	0.0	3.1384e+06	2.4000e-02	2	4	3535
										3.00	0.0	4.5949e+04	9.7600e-01	
36-kr-	82	0	360820	stable								0	0	3637
30-zn-	83	0	300830	8.3639e-02	4.1020e+06	3.9530e+06	0.0	1.00	0.0	1.2955e+07	7.7125e-01	2	3	3082
										1.50	0.0	9.5690e+00	2.2875e-01	
31-ga-	83	0	310830	3.1000e-01	3.8810e+06	3.7430e+06	0.0	1.00	0.0	1.2103e+07	4.4000e-01	2	3	3167
										1.50	0.0	8.2000e+06	5.6000e-01	
32-ge-	83	0	320830	1.9000e+00	2.6890e+06	2.4440e+06	0.0	1.00	0.0	8.5641e+06	9.9830e-01	2	3	3264
										1.50	0.0	2.3000e+05	1.7000e-03	
33-as-	83	0	330830	1.3400e+01	1.2556e+06	2.7514e+06	0.0	1.00	0.0	5.4600e+06	3.0000e-01	2	2	3349
										1.00	1.0	5.2320e+06	7.0000e-01	
34-se-	83	0	340830	1.3380e+03	4.5600e+05	2.5940e+06	0.0	1.00	0.0	3.6680e+06	1.0000e+00	1	2	3452
34-se-	83	1	340831	7.0100e+01	1.2730e+06	9.5400e+05	0.0	1.00	0.0	3.8970e+06	1.0000e+00	1	2	3453
35-br-	83	0	350830	8.6400e+03	3.2550e+05	7.0000e+03	0.0	1.00	0.0	9.7300e+05	2.4000e-04	2	4	3537
										1.00	1.0	9.3100e+05	9.9976e-01	

TABLE C-1 (Cont.)

SYMBOL	S	ZZAAS	HALF-LIFE	E BETA	E GAMMA	E ALPHA	RTYP	RFS	Q	BRANCHING	NDK	KSP	MAT	
36-kr-	83	0	360830	stable										
36-kr-	83	1	360831	6.5880e+03	3.5700e+04	2.4200e+03			0.0	3.00	0.0	4.1564e+04	1.0000e+00	0 0 3640 1 3 3641
31-ga-	84	0	310840	9.8378e-02	4.2280e+06	4.6330e+06			0.0	1.00	0.0	1.4117e+07	7.1777e-01	2 3 3170
										1.50	0.0	1.0159e+01	2.8023e-01	
32-ge-	84	0	320840	1.2030e+00	2.5460e+06	2.4600e+06			0.0	1.00	0.0	7.5884e+06	9.0000e-01	2 3 3267
										1.50	0.0	3.0600e+06	1.0000e-01	
33-as-	84	0	330840	5.5000e+00	3.8400e+06	1.6000e+06			0.0	1.00	0.0	9.8700e+06	9.9910e-01	2 5 3352
										1.50	0.0	1.1900e+06	9.0000e-04	
33-as-	84	1	330841	6.0000e-01	2.9180e+06	3.4620e+06			0.0	1.00	0.0	1.0070e+07	1.0000e+00	1 2 3353
34-se-	84	0	340840	1.9200e+02	5.4000e+05	4.2000e+05			0.0	1.00	0.0	1.8260e+06	1.0000e+00	1 4 3455
35-br-	84	0	350840	1.9080e+03	1.2480e+06	1.7380e+06			0.0	1.00	0.0	4.6530e+06	1.0000e+00	1 4 3540
35-br-	84	1	350841	3.6000e+02	8.9900e+05	2.7700e+06			0.0	1.00	0.0	4.9730e+06	1.0000e+00	1 4 3541
36-kr-	84	0	360840	stable										
38-sr-	84	0	380840	stable										
31-ga-	85	0	310850	8.6969e-02	4.5090e+06	4.3050e+06			0.0	1.00	0.0	1.3580e+07	5.5035e-01	2 3 3173
										1.50	0.0	1.1359e+01	4.4965e-01	
32-ge-	85	0	320850	2.4996e-01	3.0290e+06	3.1830e+06			0.0	1.00	0.0	9.6024e+06	8.0000e-01	2 3 3270
										1.50	0.0	4.5700e+06	2.0000e-01	
33-as-	85	0	330850	2.0280e+00	2.8360e+06	3.0050e+06			0.0	1.00	0.0	8.9100e+06	2.9000e-01	2 3 3355
										1.50	0.0	4.3700e+06	7.1000e-01	
34-se-	85	0	340850	3.1700e+01	1.7550e+06	2.2150e+06			0.0	1.00	0.0	6.1900e+06	1.0000e+00	1 2 3458
35-br-	85	0	350850	1.7220e+02	1.0410e+06	6.6000e+04			0.0	1.00	0.0	2.8700e+06	1.8000e-03	2 2 3543
										1.00	1.0	2.5650e+06	9.9820e-01	
36-kr-	85	0	360850	3.3829e+08	2.5080e+05	2.2300e+03			0.0	1.00	0.0	6.8740e+05	1.0000e+00	1 4 3646
36-kr-	85	1	360851	1.6128e+04	2.5510e+05	1.5700e+05			0.0	1.00	0.0	9.9230e+05	7.9000e-01	2 4 3647
										3.00	0.0	3.0486e+05	2.1000e-01	
37-rb-	85	0	370850	stable										
38-sr-	85	0	380850	5.6022e+06	8.6600e+03	5.1840e+05			0.0	2.00	0.0	1.0652e+06	1.0000e+00	0 0 3725 1 4 3828
38-sr-	85	1	380851	4.0596e+03	1.2700e+04	2.1590e+05			0.0	2.00	0.0	1.3039e+06	1.2700e-01	2 4 3829
										3.00	0.0	2.3868e+05	8.7300e-01	
32-ge-	86	0	320860	2.4676e-01	3.3620e+06	2.6360e+06			0.0	1.00	0.0	2.0654e+06	7.8000e-01	2 3 3273
										1.50	0.0	4.7100e+06	2.2000e-01	
33-as-	86	0	330860	9.0000e-01	3.3170e+06	3.7780e+06			0.0	1.00	0.0	1.2200e+07	8.8000e-01	2 3 3358
										1.50	0.0	6.7000e+06	1.2000e-01	
34-se-	86	0	340860	1.5300e+01	1.2500e+06	2.3000e+06			0.0	1.00	0.0	5.1000e+06	1.9000e+00	1 4 3461
35-br-	86	0	350860	5.5100e+01	1.9200e+06	3.4200e+06			0.0	1.00	0.0	7.6200e+06	1.0000e+00	1 2 3546
36-rb-	86	0	360860	stable										
37-rb-	86	0	370860	1.6097e+06	6.6820e+05	9.3100e+04			0.0	1.00	0.0	1.7743e+06	9.9995e-01	0 0 3649 2 5 3728
										2.00	0.0	5.1800e+05	5.2000e-05	
37-rb-	86	1	370861	6.1020e+01	1.0000e+04	5.4600e+05			0.0	3.00	0.0	5.5600e+05	1.0000e+00	1 3 3729
38-sr-	86	0	380860	stable										
32-ge-	87	0	320870	1.3393e-01	3.5330e+06	3.5850e+06			0.0	1.00	0.0	1.0875e+07	8.4867e-01	2 3 3276
										1.50	0.0	7.7490e+00	1.5133e-01	
33-as-	87	0	330870	3.0000e-01	3.4400e+06	3.4730e+06			0.0	1.00	0.0	1.5820e+07	5.6000e-01	2 3 3361
										1.50	0.0	7.7500e+06	4.4000e-01	
34-se-	87	0	340870	5.6000e+00	2.0790e+06	2.6440e+06			0.0	1.00	0.0	7.2693e+06	9.9810e-01	2 3 3464
										1.50	0.0	1.0000e+06	1.9000e-03	
35-br-	87	0	350870	5.5690e+01	1.6090e+06	3.3370e+06			0.0	1.00	0.0	6.8300e+06	9.7490e-01	2 3 3549
										1.50	0.0	1.3100e+06	2.5100e-02	
36-kr-	87	0	360870	4.5786e+03	1.3310e+06	7.9200e+05			0.0	1.00	0.0	3.8870e+06	1.0000e+00	1 4 3652

TABLE C-1 (Cont.)

SYMBOL	S	Z	A	AAS	HALF-LIFE	BETA	GAMMA	ALPHA	RTYP	RPS	Q	BRANCHING	NDK	NSP	MAT
37-rb-	87	0	370870	1.5147e+18	stable	8.1700e+04	0.0	0.0	1.00	0.0	2.8210e+05	1.0000e+00	1	1	3731
38-sr-	87	0	380870	stable									0	0	3834
38-sr-	87	1	380871	1.0116e+04		6.4900e+04	3.2100e+05	0.0	2.00	0.0	6.6070e+05	3.0000e-03	2	4	3835
									3.00	0.0	3.8840e+05	9.9700e-01			
32-ge-	88	0	320880	1.2900e-01		4.0060e+06	3.0030e+06	0.0	1.00	0.0	1.0463e+07	7.8145e-01	2	3	3279
									1.50	0.0	8.1190e+00	2.1655e-01			
33-as-	88	0	330880	1.3481e-01		3.7520e+06	4.2210e+06	0.0	1.00	0.0	1.2381e+07	8.0093e-01	2	3	3364
									1.50	0.0	8.1990e+00	1.9907e-03			
34-se-	88	0	340880	1.5000e+00		2.2150e+06	2.0320e+06	0.0	1.00	0.0	6.7323e+06	9.9500e-01	2	3	3467
									1.50	0.0	1.4390e+06	5.0000e-03			
35-br-	88	0	350880	1.6500e+01		2.5650e+06	3.3000e+06	0.0	1.00	0.0	8.9700e+06	9.3635e-01	2	5	3552
									1.50	0.0	1.9200e+06	6.3700e-02			
36-kr-	88	0	360880	1.0224e+04		3.6800e+05	1.9540e+06	0.0	1.00	0.0	2.9130e+06	1.0000e+00	1	4	3655
37-rb-	88	0	370880	1.0668e+03		2.0720e+06	6.3700e+05	0.0	1.00	0.0	5.3160e+06	1.0000e+00	1	4	3734
38-sr-	88	0	380880	stable									0	0	3837
33-as-	89	0	330890	1.2125e-01		3.9770e+06	3.9430e+06	0.0	1.00	0.0	1.1969e+07	6.6728e-01	2	3	3367
									1.50	0.0	9.1490e+00	3.3272e-01			
34-se-	89	0	340890	4.1000e-01		3.1260e+06	1.8940e+06	0.0	1.00	0.0	8.5423e+06	9.5000e-01	2	3	3470
									1.50	0.0	2.7500e+06	5.0000e-02			
35-br-	89	0	350890	4.3700e+00		2.1900e+06	3.2200e+06	0.0	1.00	0.0	8.1400e+06	8.6200e-01	2	1	3555
									1.50	0.0	3.0300e+06	1.3800e-01			
36-kr-	89	0	360890	1.9020e+02		1.3660e+06	1.8200e+06	0.0	1.00	0.0	4.9900e+06	1.0000e+00	1	2	3658
37-rb-	89	0	370890	9.1200e+02		1.0180e+06	2.0700e+06	0.0	1.00	0.0	4.4380e+06	1.0000e+00	1	4	3737
38-sr-	89	0	380890	4.3675e+06		5.8330e+05	0.0	0.0	1.00	0.0	1.4920e+06	9.9991e-01	2	1	3840
									1.00	1.0	5.8300e+05	9.3000e-05			
39-y-	89	0	390890	stable									0	0	3925
39-y-	89	1	390891	1.6060e+01		7.4800e+03	9.0150e+05	0.0	3.00	0.0	9.0920e+05	1.0000e+00	1	3	3926
33-as-	90	0	330900	9.1116e-02		4.5970e+06	4.3800e+06	0.0	1.00	0.0	1.4640e+07	7.5651e-01	2	3	3370
									1.50	0.0	9.7890e+00	2.4149e-01			
34-se-	90	0	340900	4.2721e-01		2.9040e+06	2.6330e+06	0.0	1.00	0.0	8.1103e+06	8.9000e-01	2	3	3473
									1.50	0.0	3.4400e+06	1.1000e-01			
35-br-	90	0	350900	1.9200e+00		2.5000e+06	3.2200e+06	0.0	1.00	0.0	1.0300e+07	7.6800e-01	2	3	3558
									1.50	0.0	3.9900e+06	2.3200e-01			
36-kr-	90	0	360900	3.2320e+01		1.3410e+06	1.2370e+06	0.0	1.00	0.0	4.3900e+06	8.8000e-01	2	4	3661
									1.00	1.0	4.2830e+06	1.2000e-01			
37-rb-	90	0	370900	1.5300e+02		1.9916e+06	2.1641e+06	0.0	1.00	0.0	6.5890e+06	1.0000e+00	1	4	3740
37-rb-	90	1	370901	2.5800e+02		1.4240e+06	3.3270e+06	0.0	1.00	0.0	6.6960e+06	9.7700e-01	2	4	3741
									3.00	0.0	1.0692e+05	2.3000e-02			
38-sr-	90	0	380900	8.8833e+08		1.9590e+05	0.0	0.0	1.00	0.0	5.4620e+05	1.0000e+00	1	1	3843
39-y-	90	0	390900	2.3076e-05		9.3400e+05	1.7000e+00	0.0	1.00	0.0	2.2815e+06	1.0000e+00	1	4	3928
39-y-	90	1	390901	1.1484e+04		4.5900e+04	6.3420e+05	0.0	1.00	0.0	2.9635e+06	2.1000e-05	2	4	3929
									3.00	0.0	6.8204e+05	9.9998e-01			
40-zr-	90	0	400900	stable									0	0	4025
40-zr-	90	1	400901	8.0920e-01		1.6202e+04	2.3025e+06	0.0	3.00	0.0	2.3191e+06	1.0000e+00	1	3	4026
34-se-	91	0	340910	2.7000e-01		3.7850e+06	3.1260e+06	0.0	1.00	0.0	1.0801e+07	7.9000e-01	2	3	3476
									1.50	0.0	4.8100e+06	2.1000e-01			
35-br-	91	0	350910	6.0000e-01		3.4170e+06	2.1390e+06	0.0	1.00	0.0	9.3151e+06	8.9100e-01	2	3	3561
									1.50	0.0	5.0400e+06	1.0900e-01			
36-kr-	91	0	360910	8.5700e+00		2.0660e+06	1.7460e+06	0.0	1.00	0.0	6.4200e+06	1.0000e+00	1	4	3664
37-rb-	91	0	370910	5.8400e+01		1.5610e+06	2.3400e+06	0.0	1.00	0.0	5.8670e+06	1.0000e+00	2	5	3743
									1.50	0.0	6.3000e-02	1.0000e-06			

TABLE C-1 (Cont.)

SYMBOL	S	ZZAAS	HALF-LIFE	B BETA	B GAMMA	B ALPHA	RTYP	RFS	Q	BRANCHING	NDK	NSP	MAT
18-ar	91 0	380910	3.4272e+04	6.4200e+05	7.0500e+05	0.0	1.00	0.0	2.6860e+06	5.2000e-01	2	4	3846
							1.00	1.0	2.1300e+06	5.8000e-01			
19-y	91 0	390910	5.0553e+06	6.0340e+05	4.6000e+03	0.0	1.00	0.0	1.5456e+06	1.0000e+00	1	4	3931
19-y	91 1	390911	2.9826e+01	2.7200e+04	5.2800e+05	0.0	1.00	0.0	5.5561e+05	1.0000e+00	1	3	3932
40-zr	91 0	400910	stable								0	0	4028
14-ae	92 0	340920	1.6819e-01	4.1110e+06	2.2370e+06	0.0	1.00	0.0	1.0068e+07	8.6767e-01	2	3	3479
							1.50	0.0	6.2990e+00	1.3233e-01			
15-br	92 0	350920	3.6500e-01	4.0060e+06	3.1990e+06	0.0	1.00	0.0	1.2000e+07	7.0000e-01	2	3	3564
							1.50	0.0	5.8000e+06	3.6000e-01			
16-kr	92 0	360920	1.8500e+00	2.1070e+06	1.4520e+06	0.0	1.00	0.0	6.1600e+06	9.9967e-01	2	3	3667
							1.50	0.0	1.0500e+06	1.3000e-04			
17-rb	92 0	370920	4.5000e+00	3.5240e+06	5.2000e+05	0.0	1.00	0.0	8.1200e+06	9.9989e-01	2	5	3746
							1.50	0.0	7.5300e+05	1.0500e-04			
18-ar	92 0	380920	9.7560e+03	1.7600e+05	1.3400e+06	0.0	1.00	0.0	1.8880e+06	1.0000e+00	1	4	3849
19-y	92 0	390920	1.2744e+04	1.4160e+06	2.5100e+05	0.0	1.00	0.0	3.6120e+06	1.0000e+00	1	4	3934
40-zr	92 0	400920	stable								0	0	4031
42-mo	92 0	420920	stable								0	0	4225
14-ae	93 0	340930	9.6767e-02	4.1170e+06	4.1420e+06	0.0	1.00	0.0	1.2286e+07	8.7968e-01	2	3	3482
							1.50	0.0	7.1690e+00	1.2032e-01			
15-br	93 0	350930	1.7628e-01	3.5540e+06	1.6720e+06	0.0	1.00	0.0	1.1053e+07	5.9000e-01	2	3	3567
							1.50	0.0	7.1400e+06	4.1000e-01			
16-kr	93 0	360930	1.2900e+00	2.9050e+06	2.2870e+06	0.0	1.00	0.0	8.5300e+06	9.8050e-01	2	5	3670
							1.50	0.0	2.6200e+06	1.9500e-02			
17-rb	93 0	370930	5.7000e+00	2.7060e+06	1.3600e+06	0.0	1.00	0.0	7.4430e+06	9.8660e-01	2	5	3749
							1.50	0.0	2.2060e+06	1.3400e-02			
18-ar	93 0	380930	4.4538e+02	8.1600e+05	2.2740e+06	0.0	1.00	0.0	4.1140e+06	6.5400e-01	2	4	3852
							1.00	1.0	3.3550e+06	3.4600e-01			
19-y	93 0	390930	3.6360e+04	1.1720e+06	8.8000e+04	0.0	1.00	0.0	2.8840e+06	1.0000e+00	1	4	3937
19-y	93 1	390931	8.2000e-01	7.8100e+04	6.8074e+05	0.0	3.00	0.0	7.5873e+05	1.0000e+00	1	3	3938
40-zr	93 0	400930	4.8282e+11	1.9000e+04	0.0	0.0	1.00	1.0	6.0100e+04	1.0000e+00	1	1	4034
41-nb	93 0	410930	stable								0	0	4125
41-nb	93 1	410931	5.0901e+08	2.7100e+04	1.8800e+03	0.0	3.00	0.0	3.0770e+04	1.0000e+00	1	3	4126
42-mo	93 0	420930	1.1045e+11	5.0000e+01	1.1000e+04	0.0	2.00	0.0	4.0600e+05	1.8000e-01	2	3	4228
							2.00	1.0	3.7500e+05	8.2000e-01			
42-mo	93 1	420931	2.5000e+04	1.1582e+05	2.3098e+06	0.0	3.00	0.0	2.4248e+06	1.0000e+00	1	0	4229
15-br	94 0	350940	1.1080e-01	4.0190e+06	4.6610e+06	0.0	1.00	0.0	1.3271e+07	7.0197e-01	2	3	3570
							1.50	0.0	9.1690e+00	2.9804e-01			
16-kr	94 0	360940	2.1000e-01	2.9470e+06	1.4800e+06	0.0	1.00	0.0	7.7260e+06	9.4300e-01	2	3	3673
							1.50	0.0	2.4200e+06	5.7000e-02			
17-rb	94 0	370940	2.7020e+00	2.7600e+05	4.1200e+06	0.0	1.00	0.0	1.0307e+07	8.9950e-01	2	5	3752
							1.50	0.0	3.5210e+06	1.0150e-01			
18-ar	94 0	380940	7.5200e+01	8.4000e+05	1.4270e+06	0.0	1.00	0.0	3.5120e+06	1.0000e+00	1	4	3855
19-y	94 0	390940	1.1220e+03	1.8150e+06	7.7200e+05	0.0	1.00	0.0	4.9200e+06	1.0000e+00	1	4	3940
40-zr	94 0	400940	stable								0	0	4037
41-nb	94 0	410940	6.4061e+11	1.4500e+05	1.5720e+06	0.0	1.00	0.0	2.0453e+06	1.0000e+00	1	4	4128
41-nb	94 1	410941	3.7560e+02	1.5000e+04	1.1700e+04	0.0	1.00	0.0	2.0862e+06	5.0000e-03	2	4	4129
							3.00	0.0	4.0951e+04	9.9500e-01			
42-mo	94 0	420940	stable								0	0	4231
15-br	95 0	350950	1.0688e-01	3.5930e+06	3.7130e+06	0.0	1.00	0.0	1.2175e+07	7.2920e-01	2	3	3573
							1.50	0.0	8.7190e+00	2.7080e-01			

TABLE C-1 (Cont.)

SYMBOL	S	ZZAAS	HALF LIFE	E BETA	E GAMMA	E ALPHA	RTYP	RPS	Q	BRANCHING	NDK	NSP	MAT
36-kr-	95 0	360950	7.8000e-01	3.0550e+06	1.3550e+06	0.0	1.00	0.0	9.9440e+06	9.0500e-01	2	3	3676
									1.50	0.0			
37-rb-	95 0	370950	3.8400e-01	2.8540e+06	1.3700e+06	0.0	1.00	0.0	9.2800e+06	9.1480e-01	2	5	3755
									1.50	0.0			
38-ar-	95 0	380950	2.5100e+01	1.8232e+06	2.0018e+06	0.0	1.00	0.0	6.1200e+06	1.0000e+00	1	2	3858
39-y-	95 0	390950	6.3000e+02	1.7470e+06	1.2900e+06	0.0	1.00	0.0	4.4450e+06	1.0000e+00	1	4	3943
40-zr-	95 0	400950	5.5313e+06	1.1840e+05	7.3200e+05	0.0	1.00	0.0	1.1243e+06	9.8890e-01	2	4	4040
									1.00	1.0			
41-nb-	95 0	410950	3.0214e+06	4.4560e+04	7.6433e+05	0.0	1.00	0.0	9.2560e+05	1.0000e+00	1	4	4131
41-nb-	95 1	410951	3.1190e+05	1.7000e+05	6.8600e+04	0.0	1.00	0.0	1.1613e+06	5.6000e-02	2	4	4132
									3.00	0.0			
42-mo-	95 0	420950	stable								0	0	4234

35-br-	96 0	350960	8.8815e-02	4.4690e+06	4.8220e+06	0.0	1.00	0.0	1.5239e+07	7.8081e-01	2	3	3576
									1.50	0.0			
36-kr-	96 0	360960	2.9310e-01	3.0730e+06	1.5660e+06	0.0	1.00	0.0	8.8480e+06	9.2251e-01	2	3	3679
									1.50	0.0			
37-rb-	96 0	370960	1.9900e-01	2.9100e+06	4.8800e+06	0.0	1.00	0.0	1.1750e+07	8.6600e-01	2	5	3758
									1.50	0.0			
38-ar-	96 0	380960	1.0600e+00	1.7937e+06	1.3543e+06	0.0	1.00	0.0	5.4160e+06	9.9999e-01	2	5	3861
									1.50	0.0			
39-y-	96 0	390960	5.9000e+00	3.2290e+06	1.2056e+06	0.0	1.00	0.0	7.1400e+06	1.0000e+00	1	4	3946
39-y-	96 1	390961	9.6000e+00	1.4060e+06	3.9750e+06	0.0	1.00	0.0	7.2400e+06	1.0000e+00	1	4	3947
40-zr-	96 0	400960	stable								0	0	4043
41-nb-	96 0	410960	8.4060e+04	2.5180e+05	2.4620e+06	0.0	1.00	0.0	3.1870e+06	1.0000e+00	1	4	4134
42-mo-	96 0	420960	stable								0	0	4237
44-ru-	96 0	440960	stable								0	0	4425

36-kr-	97 0	360970	1.0000e-01	3.8340e+06	2.9930e+06	0.0	1.00	0.0	1.1912e+07	9.1608e-01	2	3	3682
									1.50	0.0			
37-rb-	97 0	370970	1.7180e-01	3.5050e+06	4.8000e+06	0.0	1.00	0.0	1.0520e+07	7.3600e-01	2	5	3761
									1.50	0.0			
38-ar-	97 0	380970	4.2000e-01	2.4500e+06	2.2100e+06	0.0	1.00	0.0	6.5400e+06	2.6400e-01	3	5	3864
									1.00	1.0			
									1.50	0.0			
39-y-	97 0	390970	3.5000e+00	2.1520e+06	1.8000e+06	0.0	1.00	0.0	6.6800e+06	9.9942e-01	2	3	3949
									1.50	0.0			
39-y-	97 1	390971	1.2300e+00	2.0760e+06	2.6795e+06	0.0	1.00	0.0	7.3480e+06	9.9891e-01	2	5	3950
									1.50	0.0			
40-zr-	97 0	400970	6.0840e+04	6.9400e+05	1.9200e+05	0.0	1.00	0.0	2.6583e+06	5.2000e-02	2	4	4046
									1.00	1.0			
41-nb-	97 0	410970	4.3260e+03	4.6820e+05	6.6570e+05	0.0	1.00	0.0	1.9150e+06	9.4800e-01	1	4	4137
41-nb-	97 1	410971	6.0000e+01	1.4900e+04	7.2790e+05	0.0	3.00	0.0	7.4327e+05	1.0000e+00	1	3	4138
42-mo-	97 0	420970	stable								0	0	4240
43-rc-	97 0	430970	8.2048e+13	4.9878e+03	1.1783e+04	0.0	2.00	0.0	3.2000e+05	1.0000e+00	1	3	4325
43-rc-	97 1	430971	7.8192e+06	8.3000e+04	9.3000e+03	0.0	3.00	0.0	9.6590e+04	1.0000e+00	1	3	4326
44-ru-	97 0	440970	2.5056e+05	1.2300e+04	2.4040e+05	0.0	2.00	0.0	1.1100e+06	9.9962e-01	2	4	4428
									2.00	1.0			

36-kr-	98 0	360980	1.6023e-01	1.4920e+06	1.8510e+06	0.0	1.00	0.0	9.8946e+06	9.1701e-01	2	3	3685
									1.50	0.0			
37-rb-	98 0	370980	1.1400e-01	3.7110e+06	2.9230e+06	0.0	1.00	0.0	1.2430e+07	8.4000e-01	2	5	3764
									1.50	0.0			

TABLE C-1 (Cont.)

SYMBOL	S	Z	A	AAS	NALP-LIFE	P-BETA	E-GAMMA	E-ALPHA	RTYP	RPS	Q	BRANCHING	NDK	NSP	MAT
38-sr	98	0	380980	6.5000e-01	2.1190e+06	1.0510e+06		0.0	1.00	0.0	5.8800e+06	9.9700e-01	2	5	3867
											1.50	0.0			
39-y	98	0	390980	6.4000e-01	2.5400e+06	2.6100e+06		0.0	1.00	0.0	8.9100e+06	3.0000e-03	2	5	3952
											1.50	0.0			
39-y	98	1	390981	2.0000e+00	2.5670e+06	3.0380e+06		0.0	1.00	0.0	8.9100e+06	9.6590e-01	2	5	3953
											1.50	0.0			
40-zr	98	0	400980	3.0700e+01	8.1671e+05	1.6467e+05		0.0	1.00	0.0	2.2400e+06	1.0000e+00	1	2	4049
41-nb	98	0	410980	2.8600e+00	1.4661e+06	1.1902e+06		0.0	1.00	0.0	4.5860e+06	1.0000e+00	1	4	4140
41-nb	98	1	410981	3.0780e+03	7.5200e+05	2.7100e+06		0.0	1.00	0.0	4.6700e+06	1.0000e+00	1	4	4141
42-mo	98	0	420980	stable									0	0	4243
44-ru	98	0	440980	stable									0	0	4431
37-rb	99	0	370990	5.9000e-02	3.6640e+06	2.6560e+06		0.0	1.00	0.0	1.1310e+07	8.5000e-01	2	3	3767
											1.50	0.0			
38-sr	99	0	380990	2.7100e-01	2.7130e+06	2.7000e+06		0.0	1.00	0.0	8.1600e+06	9.9930e-01	2	5	3870
											1.50	0.0			
39-y	99	0	390990	1.4700e+00	2.4990e+06	1.3400e+06		0.0	1.00	0.0	7.6100e+06	9.8470e-01	2	5	3955
											1.50	0.0			
40-zr	99	0	400990	2.1000e+00	1.4090e+06	1.1841e+06		0.0	1.00	0.0	4.5900e+06	6.4000e-01	2	4	4052
											1.00	1.0			
41-nb	99	0	410990	1.5000e+01	1.3000e+06	7.2000e+05		0.0	1.00	0.0	3.6400e+06	1.0000e+00	1	4	4143
41-nb	99	1	410991	1.5600e+02	1.0400e+06	1.5900e+06		0.0	1.00	0.0	4.0050e+06	1.0000e+00	1	4	4144
42-mo	99	0	420990	2.3738e+05	4.0398e+05	2.7159e+05		0.0	1.00	0.0	1.3570e+06	1.2000e-01	2	4	4246
											1.00	1.0			
43-tc	99	0	430990	6.6617e+12	8.4600e+04	6.2000e-01		0.0	1.00	0.0	2.9360e+05	1.0000e+00	1	4	4331
43-tc	99	1	430991	2.1616e+04	3.1200e+04	1.2660e+05		0.0	1.00	0.0	4.3630e+05	3.7000e-05	2	4	4332
											3.00	0.0			
44-ru	99	0	440990	stable									0	0	4434
37-rb-100	0	371000	9.8433e-02	4.2760e+06	4.6740e+06		0.0	1.00	0.0	1.4504e+07	9.5050e-01	2	3	3770	
											1.50	0.0			
38-sr-100	0	381000	2.0200e-01	2.5310e+06	1.2750e+06		0.0	1.00	0.0	7.0900e+06	9.9250e-01	2	5	3873	
											1.50	0.0			
39-y-100	0	391000	7.3500e-01	3.3000e+06	2.5000e+06		0.0	1.00	0.0	9.3000e+06	9.9150e-01	2	5	3958	
											1.50	0.0			
40-zr-100	0	401000	7.1000e+00	1.1141e+06	6.9823e+05		0.0	1.00	0.0	3.3400e+06	1.0000e+00	1	2	4055	
41-nb-100	0	411000	1.5000e+00	2.4890e+06	7.0800e+05		0.0	1.00	0.0	6.2670e+06	1.0000e+00	1	4	4146	
41-nb-100	1	411001	2.9800e+00	1.9440e+06	1.9520e+06		0.0	1.00	0.0	6.7450e+06	1.0000e+00	1	4	4147	
42-mo-100	0	421000	stable										0	0	4249
43-tc-100	0	431000	1.5800e+01	1.3150e+06	8.3000e+04		0.0	1.00	0.0	3.2025e+06	1.0000e+00	1	4	4334	
44-ru-100	0	441000	stable										0	0	4437
37-rb-101	0	371010	9.3851e-02	4.0380e+06	3.1230e+06		0.0	1.00	0.0	1.2509e+07	7.1679e-01	2	3	3773	
											1.50	0.0			
38-sr-101	0	381010	1.9415e-01	3.4660e+06	2.6620e+06		0.0	1.00	0.0	1.0566e+07	9.7530e-01	2	3	3876	
											1.50	0.0			
39-y-101	0	391010	5.0000e-01	2.6910e+06	1.5230e+06		0.0	1.00	0.0	8.7200e+06	9.7930e-01	2	3	3961	
											1.50	0.0			
40-zr-101	0	401010	2.0000e+00	2.1600e+06	1.0910e+06		0.0	1.00	0.0	6.4240e+06	1.0000e+00	1	2	4058	
41-nb-101	0	411010	7.1000e+00	1.6860e+06	7.1960e+05		0.0	1.00	0.0	4.6300e+06	1.0000e+00	1	2	4149	
42-mo-101	0	421010	8.7600e+02	5.1800e+05	1.5140e+06		0.0	1.00	0.0	2.8120e+06	1.0000e+00	1	4	4252	
43-tc-101	2	431010	8.5200e+02	4.7700e+05	3.3600e+05		0.0	1.00	0.0	1.6250e+06	1.0000e+00	1	4	4337	
44-ru-101	0	441010	stable										0	0	4440

TABLE C-1 (Cont.)

SYMBOL	S	ZZAAS	HALF-LIFE	E-BETA	E-GAMMA	E-ALPHA	RTYP	KFS	Q	BRANCHING	NDK	NSP	MAT
38	sr-102	0	381020	2.8711e+01	3.0170e+06	1.5780e+06	0.0	1.00	0.0	8.5706e+06	9.5240e-01	2	3 3879
								1.50	0.0	3.8250e+00	4.7e+00e-02		
39	y-102	0	391020	9.0000e+01	3.0960e+06	3.8230e+06	0.0	1.00	0.0	1.1880e+07	9.4060e-01	2	3 3964
								1.50	0.0	3.7150e+00	5.9400e-02		
40	zr-102	0	401020	2.9000e+00	1.2500e+06	7.3710e+05	0.0	1.00	0.0	4.5850e+06	1.0000e+00	1	2 4061
41	nb-102	0	411020	1.3000e+00	2.8320e+06	1.4610e+06	0.0	1.00	0.0	7.2100e+06	1.0000e+00	1	2 4152
41	nb-102	1	411021	4.3000e+00	2.8320e+06	1.4610e+06	0.0	1.00	0.0	7.2100e+06	1.0000e+00	1	2 4153
42	mo-102	0	421020	6.7800e+02	3.5055e+05	4.7304e+04	0.0	1.00	0.0	1.0140e+06	1.0000e+00	1	4 4255
43	tc-102	0	431020	5.2800e+00	1.4201e+06	1.1933e+06	0.0	1.00	0.0	4.5260e+06	1.0000e+00	1	4 4340
43	tc-102	1	431021	2.6100e+02	7.9200e+05	2.5250e+06	0.0	1.00	0.0	4.5460e+06	9.8000e-01	2	4 4341
								3.00	0.0	2.0000e+04	2.0000e-02		
44	ru-102	0	441020	stable								0	0 4441
46	pd-102	0	461020	stable								0	0 4425
38	sr-103	0	381030	1.1960e+01	3.6940e+06	2.9496e+06	0.0	1.00	0.0	1.1423e+07	9.1124e-01	2	3 3882
								1.50	0.0	6.0990e+00	8.8758e-02		
39	y-103	0	391030	2.6041e+01	3.0340e+06	1.9810e+06	0.0	1.00	0.0	9.8848e+06	8.7634e-01	2	3 3967
								1.50	0.0	4.9500e+00	1.2366e-01		
40	zr-103	0	401030	1.3000e+00	2.4570e+06	1.4670e+06	0.0	1.00	0.0	6.9500e+06	9.9976e-01	2	3 4064
								1.50	0.0	6.6100e-01	2.4200e-04		
41	nb-103	0	411030	1.5000e+00	2.1110e+06	9.8200e+05	0.0	1.00	0.0	5.5000e+06	9.9986e-01	2	3 4155
								1.50	0.0	3.8000e-01	1.3700e-04		
42	mo-103	0	421030	6.7500e+01	1.1440e+06	1.1340e+06	0.0	1.00	0.0	3.8450e+06	1.0000e+00	1	2 4258
43	tc-103	0	431030	5.4200e+01	7.0399e+05	5.5265e+05	0.0	1.00	0.0	2.6540e+06	1.0000e+00	1	4 4343
44	ru-103	0	441030	3.3921e+06	6.6600e+04	4.9500e+05	0.0	1.00	0.0	7.6620e+05	2.6400e-03	2	4 4446
								1.00	1.0	7.2640e+05	9.9732e-01		
45	rh-103	0	451030	stable								0	0 4525
45	rh-103	1	451031	3.3672e+03	3.6300e+04	1.6800e+03	0.0	3.00	0.0	3.9756e+04	1.0000e+00	1	3 4526
46	pd-103	0	461030	1.4680e+06	5.0050e+03	1.4519e+04	0.0	2.00	0.0	5.7220e+05	2.5000e-04	2	4 4528
								2.00	1.0	5.3240e+05	9.9975e-01		
38	sr-104	0	381040	1.6292e+01	3.4300e+06	1.8520e+06	0.0	1.00	0.0	9.5206e+06	8.6530e-01	2	3 3885
								1.50	0.0	6.7790e+00	1.3470e-01		
39	y-104	0	391040	1.2825e+01	3.4940e+06	3.7500e+06	0.0	1.00	0.0	1.2737e+07	9.1223e-01	2	3 3970
								1.50	0.0	5.5080e+00	8.7769e-02		
40	zr-104	0	401040	2.5728e+00	1.7420e+06	8.9440e+05	0.0	1.00	0.0	5.4486e+06	9.9890e-01	2	3 4062
								1.50	0.0	1.0400e+06	1.1000e-03		
41	nb-104	0	411040	4.8000e+00	2.5100e+06	3.3760e+06	0.0	1.00	0.0	8.6496e+06	9.9290e-01	2	3 4158
								1.50	0.0	1.5000e+06	7.1000e-03		
41	nb-104	1	411041	1.0000e+00	3.1250e+06	2.1340e+06	0.0	1.00	0.0	8.6496e+06	1.0000e+00	1	2 4159
42	mo-104	0	421040	6.0000e+01	6.2290e+05	5.8470e+05	0.0	1.00	0.0	2.1250e+06	1.0000e+00	1	4 4261
43	tc-104	0	431040	1.0980e+03	1.4500e+06	2.2450e+06	0.0	1.00	0.0	5.1200e+06	1.0000e+00	1	4 4346
44	ru-104	0	441040	stable								0	0 4444
45	rh-104	0	451040	4.2100e+01	9.8700e+05	1.2000e+04	0.0	1.00	0.0	2.4420e+06	9.9550e-01	2	3 4528
								2.00	0.0	1.1440e+06	4.5000e-03		
45	rh-104	1	451041	2.6040e+02	8.1300e+04	4.1500e+04	0.0	1.00	0.0	2.5710e+06	1.3000e-03	2	4 4529
								3.00	0.0	1.2896e+05	9.9870e-01		
46	pd-104	0	461040	stable								0	0 4631
39	y-105	0	391050	1.4688e+01	3.3250e+06	2.3720e+06	0.0	1.00	0.0	1.0835e+07	8.0247e-01	2	3 3973
								1.50	0.0	6.8390e+00	1.9753e-01		
40	zr-105	0	401050	4.9263e+01	2.6620e+06	1.7640e+06	0.0	1.00	0.0	8.3006e+06	9.8600e-01	2	3 4070
								1.50	0.0	2.0700e+06	1.4000e-02		

TABLE C-1 (Cont.)

SYMBOL S	ZZAAS	HALF LIFE	E BETA	E GAMMA	E ALPHA	RTYP	RFS	Q	BRANCHING	NDK	NSP	MAT
41-nb-105 0	411050	2.9500e+00	2.4990e+06	1.4040e+06	0.0	1.00	0.0	6.4250e+06	9.7768e-01	2	3	4161
								1.50 0.0	2.2700e+00			2.2322e-02
42-mo-105 0	421050	3.5600e+01	1.7411e+06	1.4361e+06	0.0	1.00	0.0	4.9850e+06	1.0000e+00	1	2	4264
43-te-105 0	431050	4.5600e+02	1.2110e+06	7.8200e+05	0.0	1.00	0.0	3.5850e+06	1.0000e+00	1	4	4349
44-ru-105 0	441050	1.5984e+04	4.1200e+05	7.1800e+05	0.0	1.00	0.0	1.9160e+06	7.1600e-01	2	4	4452
								1.00 1.0	1.7860e+06			2.8400e-01
45-rh-105 0	451050	1.2710e+05	1.5320e+05	7.7000e+04	0.0	1.00	0.0	5.6620e+05	1.0000e+00	1	4	4531
45-rh-105 1	451051	4.5000e+01	9.1000e+04	3.4100e+04	0.0	1.00	0.0	1.2978e+05	1.0000e+00	1	3	4532
46-pd-105 0	461050	stable								0	0	4634
39-y-106 0	391060	8.9428e-02	1.8110e+06	4.1870e+06	0.0	1.00	0.0	1.3684e+07	8.4319e-01	2	3	3976
								1.50 0.0	7.1790e+00			1.5661e-01
40-zr-106 0	401060	9.0709e-01	2.1380e+06	1.0910e+06	0.0	1.00	0.0	6.1986e+06	9.8476e-01	2	3	4073
								1.50 0.0	2.5630e+00			1.5242e-02
41-nb-106 0	411060	1.0000e+00	3.3130e+06	2.5490e+06	0.0	1.00	0.0	9.5066e+06	9.4500e-01	2	3	4164
								1.50 0.0	3.0300e+06			5.5000e-02
42-mo-106 0	421060	8.4000e+00	1.2320e+06	7.4590e+05	0.0	1.00	0.0	3.5200e+06	1.0000e+00	1	2	4267
43-te-106 0	431060	3.6000e+01	1.6970e+06	2.9130e+06	0.0	1.00	0.0	6.5400e+06	1.0000e+00	1	4	4352
44-ru-106 0	441060	3.2105e+07	1.0030e+04	0.0	0.0	1.00	0.0	1.9400e+04	1.0000e+00	1	1	4455
45-rh-106 0	451060	2.9800e+01	1.4110e+06	2.0600e+05	0.0	1.00	0.0	1.5400e+06	1.0000e+00	1	4	4534
45-rh-106 1	451061	7.8000e+01	3.2130e+05	2.8520e+06	0.0	1.00	0.0	3.6770e+06	1.0000e+00	1	4	4535
46-pd-106 0	461060	stable								0	0	4637
48-cd-106 0	481060	stable								0	0	4825
39-y-107 0	391070	9.2257e-02	3.6670e+06	2.8010e+06	0.0	1.00	0.0	1.2008e+07	7.4656e-01	2	3	3979
								1.50 0.0	8.4390e+00			2.5944e-01
40-zr-107 0	401070	2.4295e-01	2.9820e+06	2.2010e+06	0.0	1.00	0.0	9.2479e+06	9.6287e-01	2	3	4076
								1.50 0.0	3.9690e+00			3.7127e-02
41-nb-107 0	411070	7.6605e-01	2.8150e+06	1.8160e+06	0.0	1.00	0.0	7.6046e+06	9.1219e-01	2	3	4167
								1.50 0.0	4.1680e+00			8.7806e-02
42-mo-107 0	421070	3.5000e+00	2.3170e+06	1.3930e+06	0.0	1.00	0.0	5.7684e+06	1.0000e+00	1	2	4270
43-te-107 0	431070	2.1200e+01	1.1682e+06	1.4147e+06	0.0	1.00	0.0	4.7500e+06	1.0000e+00	1	4	4355
44-ru-107 0	441070	2.2500e+02	1.0561e+06	5.9619e+05	0.0	1.00	0.0	3.1500e+06	1.0000e+00	1	4	4458
45-rh-107 0	451070	1.3020e+03	4.3700e+05	3.1300e+05	0.0	1.00	0.0	1.5120e+06	1.0000e+00	1	4	4537
46-pd-107 0	461070	2.0512e+14	9.3000e+03	0.0	0.0	1.00	0.0	1.3200e+04	1.0000e+00	1	1	4640
46-pd-107 1	461071	2.1300e+01	6.1100e+04	1.5200e+05	0.0	3.00	0.0	2.1490e+05	1.0000e+00	1	3	4641
47-aq-107 0	471070	stable								0	0	4725
47-aq-107 1	471071	4.4300e+01	7.7000e+04	1.2500e+04	0.0	3.00	0.0	9.3120e+04	1.0000e+00	1	3	4726
48-cd-107 0	481070	2.3400e+04	5.3000e+03	2.0900e+04	0.0	2.00	0.0	1.4170e+06	6.4000e-04	2	4	4828
								2.00 1.0	1.3240e+06			9.9936e-01
40-zr-108 0	401080	3.7807e-01	2.5670e+06	1.1190e+06	0.0	1.00	0.0	7.5713e+06	9.2970e-01	2	3	4079
								1.50 0.0	4.7490e+00			7.0302e-02
41-nb-108 0	411080	2.4210e-01	3.5870e+06	3.1080e+06	0.0	1.00	0.0	1.0454e+07	9.3533e-01	2	3	4170
								1.50 0.0	4.4830e+00			6.4669e-02
42-mo-108 0	421080	1.5000e+00	1.5918e+06	1.1523e+06	0.0	1.00	0.0	3.8664e+06	1.0000e+00	2	3	4273
								1.50 0.0	2.3000e-02			1.0000e-06
43-te-108 0	431080	5.1700e+00	2.2490e+06	2.9930e+06	0.0	1.00	0.0	7.7100e+06	1.0000e+00	1	4	4358
44-ru-108 0	441080	2.7300e+02	5.0000e+05	6.1000e+04	0.0	1.00	0.0	1.3900e+06	1.0000e+00	1	4	4461
45-rh-108 0	451080	1.6800e+01	1.3904e+05	1.2493e+06	0.0	1.00	0.0	4.4300e+06	1.0000e+00	1	4	4540
45-rh-108 1	451081	3.6000e+02	6.3450e+05	2.8541e+06	0.0	1.00	0.0	4.4300e+06	1.0000e+00	1	4	4541
46-pd-108 0	461080	stable								0	0	4543
47-aq-108 0	471080	1.4220e+02	6.1000e+05	1.8400e+04	0.0	1.00	0.0	1.6550e+06	9.7150e-01	2	5	4728
								2.00 0.0	1.9160e+06			2.8500e-02

112

TABLE C-1 (Cont.)

SYMBOL	S	ZZAAS	HALF-LIFE	E-BETA	E-GAMMA	E-ALPHA	RTYP	RFS	Q	BRANCHING	NDK	NSP	MAT		
47-ag-108	1	471081	4.0077e+09	1.4900e+04	1.6210e+06	0.0	2.00	0.0	2.0250e+05	9.1300e-01	2	4	4729		
48-cd	108	0	481080	stable					3.00 0.0	1.0947e+05	8.7000e-02	0	0	4831	
40-zr	109	0	401090	1.2998e-01	3.3870e+06	2.7030e+06	0.0	1.00	0.0	1.0564e+07	9.2416e-01	2	3	4082	
41-nb	109	0	411090	3.1537e-01	3.1580e+06	2.2630e+06	0.0	1.00	0.0	1.50 0.0	5.4395e+00	7.3940e-02			
42-mo	109	0	421090	1.4085e+00	2.6750e+06	1.8760e+06	0.0	1.00	0.0	8.7771e+06	8.7347e-01	2	3	4173	
43-rc	109	0	431090	1.4000e+00	2.1440e+06	1.0490e+06	0.0	1.00	0.0	1.50 0.0	5.3090e+00	1.2653e-01			
44-ru	109	0	441090	3.5000e+01	1.3283e+06	9.7123e+05	0.0	1.00	0.0	1.50 0.0	6.7157e+06	9.9470e-01	2	3	4276
44-ru	109	1	441091	1.3000e+01	1.2321e+06	1.1592e+06	0.0	1.00	0.0	1.50 0.0	6.4000e+05	5.3000e-03			
45-rh	109	0	451090	8.0000e+01	9.2700e+05	3.1000e+05	0.0	1.00	0.0	1.00 1.0	3.9330e+06	5.0000e-01	2	2	4464
45-rh	109	1	451091	5.0000e+01	0.0	5.0000e+04	0.0	3.00	0.0	1.00 1.0	3.9320e+06	5.0000e-01			
46-pd	109	0	461090	4.9320e+04	3.6080e+05	6.4000e+02	0.0	1.00	0.0	1.00 0.0	1.3500e+06	1.7000e-02			
46-pd	109	1	461091	2.8140e+02	7.3900e+04	1.0980e+05	0.0	3.00	0.0	1.00 1.0	3.9330e+06	5.0000e-01	2	2	4464
47-ag	109	0	471090	stable						1.00 0.0	3.9330e+06	5.0000e-01			
47-ag	109	1	471091	3.9600e+01	7.3700e+04	1.0900e+04	0.0	3.00	0.0	1.00 0.0	3.9330e+06	5.0000e-01	1	2	4465
48-cd	109	0	481090	3.9969e+07	4.7604e+03	1.4949e+04	0.0	1.00	0.0	1.00 0.0	2.5900e+06	1.0000e+00	1	4	4543
41-nb	110	0	411100	1.2979e-01	3.9270e+06	3.7450e+06	0.0	3.00	0.0	1.00 0.0	5.0000e+04	1.0000e+00	1	0	4544
42-mo	110	0	421100	2.7721e+00	2.1990e+06	1.1520e+06	0.0	1.00	0.0	1.00 1.0	1.1159e+06	4.8000e-04	2	4	4646
43-rc	110	0	431100	8.3000e-01	3.0320e+06	2.1700e+06	0.0	3.00	0.0	1.00 1.0	1.0279e+06	9.9952e-01			
44-ru	110	0	441100	1.5000e+01	6.5850e+05	5.9690e+05	0.0	3.00	0.0	1.00 0.0	1.8899e+05	1.0000e+00	1	3	4647
45-rh	110	0	451100	3.1600e+00	1.9101e+06	1.0811e+06	0.0	3.00	0.0	1.00 0.0	1.8899e+05	1.0000e+00	0	0	4731
45-rh	110	1	451101	2.8500e+01	1.1500e+06	2.5870e+06	0.0	3.00	0.0	1.00 0.0	8.8034e+04	1.0000e+00	1	3	4732
46-pd	110	0	461100	stable						1.00 0.0	9.6100e+04	1.0000e+00	1	3	4834
47-ag	110	0	471100	2.4600e+01	1.1815e+06	3.0700e+04	0.0	1.00	0.0	1.00 0.0	1.1770e+07	8.9948e-01	2	3	4176
47-ag	110	1	471101	2.1579e+07	7.3900e+04	2.7390e+06	0.0	1.00	0.0	1.50 0.0	5.7790e+00	1.0053e-01			
48-cd	110	0	481100	stable						1.50 0.0	9.9000e+05	1.3000e-02			
41-nb	111	0	411110	1.7183e-01	3.3990e+06	2.5680e+06	0.0	1.00	0.0	1.50 0.0	9.9000e+05	1.3000e-02			
42-mo	111	0	421110	4.6637e-01	3.0980e+06	2.4130e+06	0.0	1.00	0.0	1.50 0.0	8.2393e+06	9.6900e-01	2	3	4364
43-rc	111	0	431110	1.9824e+00	2.4860e+06	1.5010e+06	0.0	1.00	0.0	1.50 0.0	1.8600e+06	3.1000e-02			
44-ru	111	0	441110	1.6000e+00	1.8670e+06	9.6240e+05	0.0	1.00	1.0	1.50 0.0	2.0316e+06	1.0000e+00	1	2	4467
45-rh	111	0	451110	1.1000e+01	1.0774e+06	8.9819e+05	0.0	1.00	0.0	1.50 0.0	2.0316e+06	1.0000e+00	1	4	4546
46-pd	111	0	461110	1.4040e+03	8.3300e+05	4.4900e+04	0.0	1.00	0.0	1.50 0.0	5.4000e+06	1.0000e+00	1	4	4547
46-pd	111	1	461111	1.9800e+04	1.8600e+05	3.5900e+05	0.0	1.00	1.0	1.50 0.0	5.4000e+06	1.0000e+00	1	4	4649
										1.00 1.0	2.8927e+06	9.9700e-01	2	5	4734
										2.00 0.0	8.7900e+05	3.0000e-03			
										3.00 0.0	1.1759e+05	1.3600e-02			
										1.00 0.0	3.0103e+06	9.8640e-01	2	4	4735
										3.00 0.0	1.1759e+05	1.3600e-02	0	0	4833
41-nb	111	0	411110	1.7183e-01	3.3990e+06	2.5680e+06	0.0	1.00	0.0	1.50 0.0	9.7703e+06	8.1605e-01	2	3	4179
42-mo	111	0	421110	4.6637e-01	3.0980e+06	2.4130e+06	0.0	1.00	0.0	1.50 0.0	6.9290e+00	1.8395e-01			
43-rc	111	0	431110	1.9824e+00	2.4860e+06	1.5010e+06	0.0	1.00	0.0	1.50 0.0	8.0317e+06	9.8970e-01	2	3	4282
44-ru	111	0	441110	1.6000e+00	1.8670e+06	9.6240e+05	0.0	1.00	0.0	1.50 0.0	2.2290e+00	1.0303e-02			
45-rh	111	0	451110	1.1000e+01	1.0774e+06	8.9819e+05	0.0	1.00	0.0	1.50 0.0	6.5627e+06	9.4305e-01	2	3	4367
46-pd	111	0	461110	1.4040e+03	8.3300e+05	4.4900e+04	0.0	1.00	0.0	1.50 0.0	3.5950e+00	5.6954e-02			
46-pd	111	1	461111	1.9800e+04	1.8600e+05	3.5900e+05	0.0	1.00	0.0	1.50 0.0	4.8803e+06	1.0000e+00	1	2	4470
										1.00 0.0	3.5030e+06	1.0000e+00	1	2	4549
										1.00 1.0	2.2000e+06	7.4000e-03	2	4	4652
										1.00 1.0	2.1400e+06	9.9260e-01			
										3.00 0.0	2.3720e+06	7.4000e-02	3	4	4653
										1.00 1.0	2.3120e+06	1.9600e-01			
										3.00 0.0	1.7220e+05	7.3000e-01			

TABLE C-1 (Cont.)

SYMBOL	S	ZZAAAS	LIFE	E-BETA	F-AMMA	E-ALPHA	RTYP	RFS	Q	BRANCHING	NDK	NSP	MAT			
47-aq-111	0	471110	stable	3.5460e+05	2.6400e+04	0.0	1.00	0.0	1.0370e+06	1.0000e+00	1	4	4737			
47-aq-111	1	471111	stable	5.3900e+04	7.7000e+03	0.0	1.00	0.0	1.0968e+06	7.0000e-03	2	4	4738			
48-cd-111	0	481110	stable						3.00	0.0	5.9820e+04	9.9300e-01	0	0	4840	
48-cd-111	1	481111	stable	2.9160e+03	1.0300e+05	2.8400e+05	0.0	3.00	0.0	3.9622e+05	1.0000e+00	1	3	4841		
41-nb-112	0	411120	stable	8.6719e-02	4.1780e+06	4.1860e+06	0.0	1.00	0.0	1.2835e+07	1.0000e+00	1	2	4182		
42-mo-112	0	421120	stable	9.7537e-01	2.5520e+06	1.3540e+06	0.0	1.00	0.0	6.0321e+06	9.7921e-01	2	3	4285		
43-te-112	0	431120	stable	4.3136e-01	3.3400e+06	2.7900e+06	0.0	1.00	0.0	2.7190e+00	2.0788e-02	2	3	4370		
44-ru-112	0	441120	stable	3.6000e+00	1.1140e+06	7.2500e+05	0.0	1.00	0.0	9.5553e+06	9.4797e-01	1	2	4473		
45-rh-112	0	451120	stable	1.5000e+00	2.4770e+06	1.1560e+06	0.0	1.00	0.0	3.8260e+00	5.2031e-02	1	2	4473		
46-pd-112	0	461120	stable	7.5762e+04	9.1000e+04	4.9000e+03	0.0	1.00	0.0	3.2037e+06	1.0000e+00	1	2	4552		
47-aq-112	0	471120	stable	1.1304e+04	1.3950e+06	6.9100e+05	0.0	1.00	0.0	6.3523e+06	1.0000e+00	1	4	4655		
48-cd-112	0	481120	stable				0.0	1.00	0.0	2.9400e+05	1.0000e+00	1	4	4740		
50-sn-112	0	501120	stable				0.0	1.00	0.0	3.9600e+06	1.0000e+00	0	0	4843		
50-sn-112	0	501120	stable				0.0	1.00	0.0	3.9600e+06	1.0000e+00	0	0	5025		
42-mo-113	0	421130	stable	2.2866e-01	3.4300e+06	2.8020e+06	0.0	1.00	0.0	9.0972e+06	9.6203e-01	2	3	4288		
43-te-113	0	431130	stable	6.5238e-01	2.7320e+06	1.8220e+06	0.0	1.00	0.0	1.50	0.0	4.0290e+00	3.7966e-02	2	3	4373
44-ru-113	0	441130	stable	3.0000e+00	2.2490e+06	1.4160e+06	0.0	1.00	0.0	7.5557e+06	9.2814e-01	2	3	4373		
45-rh-113	0	451130	stable	9.0000e-01	1.7310e+06	8.1590e+05	0.0	1.00	0.0	1.50	0.0	4.0990e+00	7.1864e-02	2	3	4476
46-pd-113	0	461130	stable	9.3000e+01	1.0900e+06	6.1020e+05	0.0	1.00	0.0	6.1963e+06	1.0000e+00	2	3	4476		
47-aq-113	0	471130	stable	1.9332e+04	7.6200e+05	7.1900e+04	0.0	1.00	0.0	1.50	0.0	2.0600e-01	5.0000e-06	1	2	4555
47-aq-113	1	471131	stable	6.8700e+01	1.3900e+05	1.1600e+05	0.0	1.00	0.0	4.6757e+06	1.0000e+00	1	2	4555		
48-cd-113	0	481130	stable	2.3348e+23	9.1300e+04	0.0	0.0	1.00	0.0	3.3600e+06	8.1500e-01	2	2	4658		
49-cd-113	1	481131	stable	4.4455e+08	1.8340e+05	7.0700e+01	0.0	1.00	0.0	1.00	1.0	3.3170e+06	1.8500e-01	2	4	4743
49-in-113	0	491130	stable				0.0	1.00	0.0	1.00	1.0	1.7460e+06	1.7000e-02	2	4	4744
49-in-113	1	491131	stable	5.9688e+03	1.3000e+05	2.5700e+05	0.0	1.00	0.0	3.00	0.0	4.3200e+04	8.0000e-01	1	1	4846
50-sn-113	0	501130	stable	9.5238e+06	5.2200e+03	2.2800e+04	0.0	1.00	0.0	3.1600e+05	1.0000e+00	1	1	4846		
50-sn-113	1	501131	stable	1.2840e+03	5.1500e+04	1.3700e+04	0.0	1.00	0.0	5.8000e+05	9.9860e-01	2	4	4847		
42-mo-114	0	421140	stable	3.7665e-01	2.9250e+06	1.5780e+06	0.0	1.00	0.0	3.00	0.0	2.6359e+05	1.4000e-03	0	0	4925
43-te-114	0	431140	stable	2.0226e-01	3.5780e+06	3.2570e+06	0.0	3.00	0.0	3.9169e+05	1.0000e+00	1	3	4926		
44-ru-114	0	441140	stable	8.1365e+00	1.4730e+06	8.4370e+05	0.0	2.00	0.0	1.0390e+06	4.0000e-08	2	4	5028		
45-rh-114	0	451140	stable	1.7000e+00	2.7420e+06	1.7530e+06	0.0	2.00	0.0	2.00	1.0	6.4700e+05	1.0000e+00	2	4	5029
46-pd-114	0	461140	stable	1.4700e+02	4.8249e+05	8.4923e+04	0.0	2.00	0.0	1.1160e+06	8.9000e-02	2	4	5029		
47-aq-114	0	471140	stable	4.6000e+00	2.0432e+06	2.1066e+05	0.0	3.00	0.0	7.7398e+04	9.1100e-01	2	4	5029		
48-cd-114	0	481140	stable				0.0	3.00	0.0	7.398e+04	9.1100e-01	2	4	5029		
49-in-114	0	491140	stable	7.1900e+01	7.7300e+05	2.3000e+03	0.0	1.00	0.0	1.00	0.0	1.4520e+06	5.0000e-03	1	2	4291
49-in-114	1	491141	stable				0.0	1.00	0.0	7.3623e+06	1.0000e+00	1	2	4291		
49-in-114	1	491141	stable				0.0	1.00	0.0	1.0621e+07	9.3464e-01	2	3	4376		
49-in-114	1	491141	stable				0.0	1.00	0.0	1.50	0.0	4.8090e+00	6.5358e-02	2	3	4376
49-in-114	1	491141	stable				0.0	1.00	0.0	4.1967e+06	9.9896e-01	2	3	4479		
49-in-114	1	491141	stable				0.0	1.00	0.0	1.50	0.0	8.8000e-01	1.0390e-01	2	3	4479
49-in-114	1	491141	stable				0.0	1.00	0.0	7.6683e+06	9.9998e-01	2	3	4558		
49-in-114	1	491141	stable				0.0	1.00	0.0	1.50	0.0	3.0000e-01	2.0000e-05	1	4	4661
49-in-114	1	491141	stable				0.0	1.00	0.0	1.4500e+06	1.0000e+00	1	4	4661		
49-in-114	1	491141	stable				0.0	1.00	0.0	5.0300e+06	1.0000e+00	1	4	4746		
49-in-114	1	491141	stable				0.0	1.00	0.0	1.9863e+06	9.9500e-01	2	5	4928		
49-in-114	1	491141	stable				0.0	1.00	0.0	2.00	0.0	1.4520e+06	5.0000e-03	2	5	4928

TABLE C-1 (Cont.)

SYMBOL	S	ZZAAS	HALF-LIFE	E BETA	E GAMMA	E ALPHA	RTY ²	RFS	Q	BRANCHING	NDR	NSP	MAT
49-in-114	1	491141	4.2777e+06	1.4200e+05	9.4000e+04	0.0	2.00	0.0	1.6340e+06	4.3000e-02	2	4	4929
50-sn-114	0	501140	stable						1.9034e+05	9.5700e-01	0	0	5031
42-mo-115	0	421150	1.2591e-01	1.5980e+06	2.3980e+06	0.0	1.00	0.0	1.0348e+07	1.0000e+00	1	2	4294
43-te-115	0	431150	2.7044e-01	2.9950e+06	2.1620e+06	0.0	1.00	0.0	8.8859e+06	8.5663e-01	2	3	4379
									5.9290e+00	1.4337e-01			
44-ru-115	0	441150	8.7844e-01	2.5180e+06	1.8060e+06	0.0	1.00	0.0	7.2618e+06	9.9772e-01	2	3	4482
									1.50 0.0	1.4190e+00	2.2760e-03		
45-rh-115	0	451150	8.3154e+00	2.0210e+06	1.0540e+06	0.0	1.00	0.0	5.6697e+06	9.9225e-01	2	3	4561
									1.50 0.0	1.5120e+00	7.7460e-03		
46-pd-115	0	461150	3.8000e+01	1.3453e+06	1.2512e+06	0.0	1.00	0.0	4.4591e+06	7.3000e-01	2	2	4664
									1.00 1.0	4.4583e+06	2.7000e-01		
47-aq-115	0	471150	1.2000e+03	1.1000e+06	4.8300e+05	0.0	1.00	0.0	3.1400e+06	9.4300e-01	2	4	4749
									1.00 1.0	2.9590e+06	5.7000e-02		
47-aq-115	1	471151	1.8000e+01	9.3299e+05	8.8150e+05	0.0	1.00	0.0	3.1830e+06	1.0000e+00	1	2	4750
48-cd-115	0	481150	1.9246e+05	1.1710e+05	1.9100e+05	0.0	1.00	0.0	1.4418e+06	7.0000e-07	2	4	4852
									1.00 1.0	1.1056e+06	1.0000e+00		
48-cd-115	1	481151	3.8534e+06	6.0300e+05	3.3000e+04	0.0	1.00	0.0	1.6228e+06	9.9489e-01	2	4	4853
									1.00 1.0	1.2866e+06	1.1000e-01		
49-in-115	0	491150	1.3917e+22	1.5300e+05	0.0	0.0	1.00	0.0	4.9700e+05	1.0000e+00	1	1	4931
49-in-115	1	491151	1.6150e+04	1.6900e+05	1.6240e+05	0.0	1.00	0.0	8.1300e+05	5.0000e-02	2	4	4932
									1.00 0.0	3.1624e+05	9.5000e-01		
50-sn-115	0	501150	stable								0	0	5034
43-te-116	0	431160	1.1549e-01	3.6930e+06	3.4950e+06	0.0	1.00	0.0	1.1872e+07	8.7777e-01	2	3	4382
									1.50 0.0	6.6590e+00	1.2223e-01		
44-ru-116	0	441160	1.7004e+00	1.8430e+06	9.8600e+05	0.0	1.00	0.0	5.5269e+06	9.8919e-01	2	3	4485
									1.50 0.0	2.1590e+00	1.0811e-02		
45-rh-116	0	451160	9.4919e-01	2.9670e+06	2.2200e+06	0.0	1.00	0.0	8.7338e+06	9.9462e-01	2	3	4564
									1.50 0.0	1.8340e+00	5.3790e-03		
46-pd-116	0	461160	1.2720e+01	6.6230e+05	6.0400e+05	0.0	1.00	0.0	2.6200e+06	1.0000e+00	1	4	4667
47-aq-116	0	471160	1.6080e+02	1.6790e+06	2.1100e+06	0.0	1.00	0.0	6.0000e+06	1.0000e+00	1	4	4752
47-aq-116	1	471161	1.0400e+01	1.3458e+06	2.7148e+06	0.0	1.00	0.0	6.0810e+06	9.8000e-01	2	4	4753
									3.00 0.0	8.1000e+04	2.0000e-02		
48-cd-116	0	481160	stable								0	0	4855
49-in-116	0	491160	1.4100e+01	1.3649e+06	1.9600e+04	0.0	1.00	0.0	3.2760e+06	1.0000e+00	1	4	4934
49-in-116	1	491161	3.2490e+03	3.1100e+05	2.4730e+06	0.0	1.00	0.0	3.4030e+06	1.0000e+00	1	4	4935
49-in-116	2	491162	2.1800e+00	9.0800e+04	6.7800e+04	0.0	3.00	1.0	2.8966e+05	1.0000e+00	1	3	4936
50-sn-116	0	501160	stable								0	0	5037
43-te-117	0	431170	1.5176e-01	3.1730e+06	2.3900e+06	0.0	1.00	0.0	9.9071e+06	7.8750e-01	2	3	4385
									1.50 0.0	7.4790e+00	2.1250e-01		
44-ru-117	0	441170	3.4277e-01	2.6970e+06	2.0260e+06	0.0	1.00	0.0	8.5131e+06	9.7949e-01	2	3	4488
									1.50 0.0	3.1990e+00	2.0509e-02		
45-rh-117	0	451170	1.2174e+00	2.2890e+06	1.3590e+06	0.0	1.00	0.0	6.9989e+06	9.5180e-01	2	3	4567
									1.50 0.0	3.1350e+00	4.8201e-02		
46-pd-117	0	461170	5.0000e+00	1.9150e+06	1.0870e+06	0.0	1.00	0.0	5.5248e+06	5.0000e-01	2	2	4670
									1.00 1.0	5.5238e+06	5.0000e-01		
47-aq-117	0	471170	7.2800e+01	1.2210e+06	1.3000e+06	0.0	1.00	0.0	4.1700e+06	8.6000e-01	2	4	4755
									1.00 1.0	4.0340e+06	1.4000e-01		
47-aq-117	1	471171	5.3400e+00	1.4660e+06	8.3200e+05	0.0	1.00	0.0	4.1700e+06	8.5500e-01	2	4	4756
									1.00 1.0	4.0340e+06	1.4500e-01		

TABLE C-1 (Cont.)

SYMBOL	S	ZZAAS	HALF-LIFE	E-BETA	E-GAMMA	E-ALPHA	RTYP	RPS	O	BRANCHING	NDK	NSP	MAT
48-cd-117	0	481170	8.9640e+03	4.3000e+05	1.0800e+06	0.0	1.00	0.0	2.5250e+06	9.0000e-02	2	4	4858
									1.00	1.0			
48-cd-117	1	481171	1.2096e+04	2.0100e+05	2.0340e+06	0.0	1.00	0.0	2.6610e+06	9.8500e-01	2	2	4859
									1.00	1.0			
49-in-117	0	491170	2.6280e+03	2.6620e+05	6.8800e+05	0.0	1.00	0.0	1.4540e+06	9.9680e-01	2	4	4937
									1.00	1.0			
49-in-117	1	491171	6.9900e+03	4.3100e+05	9.1000e+04	0.0	1.00	0.0	1.1390e+06	3.2000e-03	2	4	4938
									1.00	1.0			
									3.00	0.0			
50-sn-117	0	501170	stable								0	0	5040
50-sn-117	1	501171	1.1750e+06	1.5600e+05	1.5750e+05	0.0	3.00	0.0	3.1458e+05	1.0000e+00	1	3	5041
43-te-118	0	431180	8.1554e-02	3.8770e+06	3.8350e+06	0.0	1.00	0.0	1.2666e+07	1.0000e+00	1	2	4388
44-ru-118	0	441180	6.6235e-01	2.0940e+06	1.1180e+06	0.0	1.00	0.0	6.5481e+06	9.5891e-01	2	3	4491
									1.50	0.0			
45-rh-118	0	451180	3.1565e-01	3.0940e+06	2.4940e+06	0.0	1.00	0.0	3.6890e+00	4.1092e-02	2	3	4570
									9.9851e+06	9.7083e-01			
46-pd-118	0	461180	3.1000e+00	1.0440e+06	7.1540e+05	0.0	1.50	0.0	3.4190e+00	2.9167e-02	2	2	4673
									3.7899e+06	5.0000e-01			
47-ag-118	0	471180	3.7600e+00	2.4880e+06	1.6000e+06	0.0	1.00	0.0	3.6622e+06	5.0000e-01	1	4	4758
47-ag-118	1	471181	2.0000e+00	1.2510e+06	1.5000e+06	0.0	1.00	0.0	7.1300e+06	1.0000e+00	3	4	4759
									7.2580e+06	5.9000e-01			
									3.00	0.0			
48-cd-118	0	481180	3.0180e+03	2.3452e+05	2.9919e+04	0.0	1.00	0.0	1.2714e+05	4.1000e-01	1	2	4861
49-in-118	0	491180	5.0000e+00	1.7700e+06	7.8000e+04	0.0	1.00	0.0	7.4000e+05	1.0000e+00	1	4	4940
49-in-118	1	491181	2.6700e+02	5.6200e+05	2.7200e+06	0.0	1.00	0.0	4.2000e+06	1.0000e+00	1	4	4941
49-in-118	2	491182	8.5000e+00	1.0400e+05	7.5000e+04	0.0	1.00	0.0	4.2600e+06	1.0000e+00	2	4	4942
									4.4000e+06	1.4000e-02			
									3.00	1.0			
50-sn-118	0	501180	stable						1.3820e+05	9.8600e-01	0	0	5043
44-ru-119	0	441190	1.9495e-01	2.9200e+06	2.3110e+06	0.0	1.00	0.0	9.3071e+06	9.5642e-01	2	3	4494
									1.50	0.0			
45-rh-119	0	451190	4.6542e-01	2.4760e+06	1.5960e+06	0.0	1.00	0.0	4.4590e+00	4.3580e-02	2	3	4573
									8.0201e+06	9.1703e-01			
46-pd-119	0	461190	1.7587e+00	2.1110e+06	1.3370e+06	0.0	1.50	0.0	4.3790e+00	8.2971e-02	2	3	4676
									6.7761e+06	1.0000e+00			
47-ag-119	0	471190	2.1000e+00	1.5613e+06	1.7351e+06	0.0	1.00	0.0	1.0000e-01	1.0000e-06	3	5	4761
									5.3500e+06	7.8000e-01			
									1.00	1.0			
									5.2030e+06	2.2000e-01			
48-cd-119	0	481190	1.6140e+02	7.8300e+05	1.6890e+06	0.0	1.00	0.0	7.0000e-02	1.0000e-06	2	4	4864
									3.7900e+06	1.0000e-01			
									1.00	1.0			
48-cd-119	1	481191	1.3200e+02	6.6000e+05	2.3940e+06	0.0	1.00	0.0	3.4790e+06	9.0000e-01	1	2	4865
49-in-119	0	491190	1.4400e+02	6.0100e+05	7.6890e+05	0.0	1.00	0.0	3.9360e+06	1.0000e+00	2	4	4943
									2.3360e+06	9.9070e-01			
49-in-119	1	491191	1.0800e+03	9.7774e+05	1.2970e+05	0.0	1.00	0.0	1.00	1.0	2	4	4944
									3.2460e+06	9.3000e-03			
									2.6470e+06	9.7500e-01			
									3.00	0.0			
50-sn-119	0	501190	stable								0	0	5046
50-sn-119	1	501191	2.5315e+07	7.5900e+04	1.1430e+04	0.0	3.00	0.0	3.1139e+05	2.5000e-02	1	3	5047
44-ru-120	0	441200	3.5028e-01	2.1610e+06	1.2660e+06	0.0	1.00	0.0	8.9530e+04	1.0000e+00	2	3	4497
									7.3351e+06	9.2435e-01			
									1.50	0.0			
45-rh-120	0	451200	1.7246e-01	3.2610e+06	2.8370e+06	0.0	1.00	0.0	5.0490e+00	7.5652e-02	2	3	4576
									1.0779e+07	9.4072e-01			
46-pd-120	0	461200	3.9065e+00	1.3430e+06	8.1370e+05	0.0	1.50	0.0	4.8490e+00	5.9782e-02	2	3	4679
									4.8111e+06	9.9993e-01			
									1.50	0.0			
									4.1800e-01	6.8000e-05			

TABLE C-1 (Cont.)

SYMBOL	S	ZZAAS	HALF-LIFE	E BETA	E GAMMA	E ALPHA	RTYP	RFS	O	BRANCHING	NDK	NSP	MAT
47-ag-120	0	471200	1.1700e+00	2.2870e+06	2.8811e+06	0.0	1.00	0.0	8.2000e+06	9.9999e-01	2	3	4764
47-ag-120	1	471201	3.2000e-01	1.3708e+06	2.0859e+06	0.0	1.00	0.0	8.4030e+06	6.3000e-01	2	2	4765
48-cd-120	0	481200	5.0800e+01	6.0720e+05	1.2748e+05	0.0	1.00	0.0	2.0300e+05	3.7000e-01	1	2	4867
49-in-120	0	491200	3.0800e+00	2.1134e+06	6.4542e+05	0.0	1.00	0.0	1.8300e+06	1.0000e+00	1	4	4946
49-in-120	1	491201	4.6200e+01	1.0820e+06	2.8400e+06	0.0	1.00	0.0	5.3000e+06	1.0000e+00	1	4	4947
49-in-120	2	491202	4.7300e+01	7.6900e+05	3.3120e+06	0.0	1.00	0.0	5.3000e+06	1.0000e+00	1	4	4948
50-sn-120	0	501200	stable								0	0	5049
52-te-120	0	521200	stable								0	0	5225
45-rh-121	0	451210	2.4956e-01	2.6710e+06	1.8520e+06	0.0	1.00	0.0	8.8071e+06	8.6432e-01	2	3	4579
46-pd-121	0	461210	6.4367e-01	2.3350e+06	1.6380e+06	0.0	1.00	0.0	6.0090e+00	1.3568e-01	2	3	4682
47-ag-121	0	471210	8.0000e-01	1.6673e+06	2.0715e+06	0.0	1.00	0.0	7.5701e+06	9.9728e-01	2	3	4682
48-cd-121	0	481210	1.3500e+01	1.2957e+06	1.8837e+06	0.0	1.00	0.0	1.5360e+00	2.7220e-03	2	3	4767
48-cd-121	1	481211	4.8000e+00	1.3151e+06	2.3331e+06	0.0	1.00	0.0	6.4000e+06	9.9924e-01	2	3	4767
49-in-121	0	491210	2.3100e+01	9.8500e+05	9.2700e+05	0.0	1.00	0.0	1.3500e+06	7.6000e-04	1	2	4870
49-in-121	1	491211	2.3280e+02	1.5340e+06	6.4000e+04	0.0	1.00	1.0	4.5760e+06	1.0000e+00	1	2	4871
50-sn-121	0	501210	9.7416e+04	1.1520e+05	0.0	0.0	1.00	0.0	4.8900e+06	1.0000e+00	1	2	4871
50-sn-121	1	501211	1.7356e+09	3.4000e+04	5.0000e+03	0.0	1.00	0.0	3.3610e+06	8.8700e-01	2	4	4949
51-sb-121	0	511210	stable						1.00	1.0	3.3550e+06	1.1300e-01	
52-te-121	0	521210	1.4498e+06	8.6300e+03	5.7700e+05	0.0	1.00	0.0	3.6750e+06	9.8800e-01	2	4	4950
52-te-121	1	521211	1.3306e+07	7.4200e+04	2.1700e+05	0.0	1.00	0.0	3.00	0.0	3.1360e+05	1.2000e-02	
51-sb-121	1	511211	stable						3.8890e+05	1.0000e+00	1	1	5052
52-te-121	1	521211	1.4498e+06	8.6300e+03	5.7700e+05	0.0	1.00	0.0	3.9520e+05	2.2400e-01	2	4	5053
52-te-121	1	521211	1.3306e+07	7.4200e+04	2.1700e+05	0.0	2.00	0.0	3.00	0.0	6.2900e+03	7.7600e-01	
45-rh-122	0	451220	1.0715e-01	3.3700e+06	3.0700e+06	0.0	1.00	0.0	1.1763e+07	9.1699e-01	2	3	4582
46-pd-122	0	461220	1.4112e+00	1.6500e+06	9.2090e+05	0.0	1.00	0.0	1.50	0.0	6.1190e+00	8.3012e-02	
47-ag-122	0	471220	4.8000e-01	3.0480e+06	2.5110e+06	0.0	1.00	0.0	5.5981e+06	9.9562e-01	2	3	4685
47-ag-122	1	471221	1.5000e+00	2.8649e+06	2.8232e+06	0.0	1.00	0.0	1.50	0.0	1.5490e+00	4.3770e-03	
48-cd-122	0	481220	5.2400e+00	7.9681e+05	4.5565e+05	0.0	1.00	0.0	9.1100e+06	9.9814e-01	2	5	4770
49-in-122	0	491220	1.5000e+00	2.3630e+06	1.2420e+06	0.0	1.00	0.0	1.50	0.0	4.0600e+06	1.8600e-03	
49-in-122	1	491221	1.0300e+01	1.5450e+06	2.5200e+06	0.0	1.00	0.0	9.1100e+06	1.0000e+00	1	2	4771
49-in-122	2	491222	1.0800e+01	1.2640e+06	3.4040e+06	0.0	1.00	0.0	3.0000e+06	1.0000e+00	1	2	4873
50-sn-122	0	501220	stable						6.3700e+06	1.0000e+00	1	4	4952
51-sb-122	0	511220	2.3328e+05	5.6470e+05	4.3700e+05	0.0	1.00	0.0	6.3700e+06	1.0000e+00	1	4	4953
51-sb-122	1	511221	2.5260e+02	9.0000e+04	7.0000e+04	0.0	1.00	0.0	6.3700e+06	1.0000e+00	1	4	4954
52-te-122	0	521220	stable						1.9830e+06	9.7600e-01	2	5	5128
45-rh-123	0	451230	1.3429e-01	2.9030e+06	2.1470e+06	0.0	1.00	0.0	2.00	0.0	1.6200e+06	2.4000e-02	
46-pd-123	0	461230	3.0041e-01	2.4950e+06	1.8590e+06	0.0	3.00	0.0	1.6356e+05	1.0000e+00	1	3	5129
47-ag-123	0	471230	3.9000e-01	2.6400e+06	1.8590e+06	0.0	1.00	0.0	1.6000e+06	4.6000e-01	2	3	5231
45-rh-123	0	451230	1.3429e-01	2.9030e+06	2.1470e+06	0.0	1.00	0.0	1.0069e+07	8.2893e-01	2	3	4585
46-pd-123	0	461230	3.0041e-01	2.4950e+06	1.8590e+06	0.0	1.00	0.0	1.50	0.0	7.0290e+00	1.7107e-01	
47-ag-123	0	471230	3.9000e-01	2.6400e+06	1.8590e+06	0.0	1.00	0.0	8.5541e+06	9.9310e-01	2	3	4686
45-rh-123	0	451230	1.3429e-01	2.9030e+06	2.1470e+06	0.0	1.00	0.0	1.50	0.0	2.3190e+00	6.8970e-03	
46-pd-123	0	461230	3.0041e-01	2.4950e+06	1.8590e+06	0.0	1.00	0.0	7.3144e+06	9.5400e-01	2	3	4773
47-ag-123	0	471230	3.9000e-01	2.6400e+06	1.8590e+06	0.0	1.00	0.0	1.50	0.0	2.1600e+06	4.6000e-01	

TABLE C-1 (Cont.)

SYMBOL	S	ZZAAS	HALF-LIFE	E-BETA	E-GAMMA	E-ALPHA	RTYP	RFS	Q	BRANCHING	NDR	NSP	MAT
48-cd-123	0	481230	8.9050e+00	1.8660e+06	1.0990e+06	0.0	1.00	0.0	5.4992e+06	7.7000e-01	2	2	4876
									1.00	1.0			
49-in-123	0	491230	5.9800e+00	1.3630e+06	1.1020e+06	0.0	1.00	0.0	5.1902e+06	2.3000e-01			
									4.4000e+06	3.2000e-02	2	4	4955
									1.00	1.0			
49-in-123	1	491231	4.7800e+01	2.0100e+06	6.6000e+04	0.0	1.00	1.0	4.3750e+06	9.6800e-01			
50-sn-123	0	501230	1.1163e+07	5.2030e+05	6.9000e+03	0.0	1.00	0.0	4.6950e+06	1.0000e+00	1	4	4956
50-sn-123	1	501231	2.4048e+03	4.7850e+05	1.4100e+05	0.0	1.00	0.0	1.4027e+06	1.0000e+00	1	4	5058
51-sb-123	0	511230	stable			0.0	1.00	0.0	1.4273e+06	1.0000e+00	1	4	5059
52-te-123	0	521230	3.9131e+20	3.9629e+03	1.2920e+04	0.0	2.00	0.0	5.1300e+04	1.0000e+00	1	3	5234
52-te-123	1	521231	1.0342e+07	9.8000e+04	1.4800e+05	0.0	3.00	0.0	2.4746e+05	1.0000e+00	1	3	5235
46-pd-124	0	461240	5.1398e-01	1.9810e+06	1.0720e+06	0.0	1.00	0.0	6.8601e+06	9.7301e-01	2	3	4691
									1.50	0.0			
47-ag-124	0	471240	2.4948e-01	3.0900e+06	2.6220e+06	0.0	1.00	0.0	3.1390e+00	2.6986e-02			
									1.0270e+07	9.7712e-01	2	3	4776
									1.50	0.0			
48-cd-124	0	481240	9.0000e-01	1.1413e+06	5.6755e+05	0.0	1.00	0.0	3.3690e+00	2.2881e-02			
49-in-124	0	491240	3.1700e+00	1.9690e+06	2.6950e+06	0.0	1.00	0.0	3.5272e+06	1.0000e+00	1	2	4879
49-in-124	1	491241	2.4000e+00	1.7090e+06	3.8000e+06	0.0	1.00	0.0	7.1800e+06	1.0000e+00	1	4	4958
50-sn-124	0	501240	stable			0.0	1.00	0.0	7.3700e+06	1.0000e+00	1	4	4959
51-sb-124	0	511240	5.2013e+06	3.9000e+05	1.8460e+06	0.0	1.00	0.0	2.9062e+06	1.0000e+00	0	0	5061
51-sb-124	1	511241	9.3000e+01	1.1400e+05	4.4300e+05	0.0	1.00	0.0	2.9171e+06	2.5000e-01	2	4	5135
									3.00	0.0			
51-sb-124	2	511242	1.2120e+03	2.4000e+04	2.4400e+02	0.0	3.00	1.0	1.0863e+04	7.5000e-01	1	3	5136
52-te-124	0	521240	stable						3.6846e+04	1.0000e+00			
54-xe-124	0	541240	stable								0	0	5237
											0	0	5425
46-pd-125	0	461250	1.6604e-01	2.6710e+06	2.0920e+06	0.0	1.00	0.0	9.5601e+06	9.7734e-01	2	3	4694
									1.50	0.0			
47-ag-125	0	471250	3.3351e-01	2.5910e+06	1.8150e+06	0.0	1.00	0.0	3.6390e+00	2.2664e-02			
									8.5764e+06	9.3683e-01	2	3	4779
									1.50	0.0			
48-cd-125	0	481250	1.5480e+00	2.0610e+06	1.3480e+06	0.0	1.00	0.0	4.1090e+00	6.3167e-02			
									6.4832e+06	7.0000e-01	2	2	4882
									1.00	1.0			
49-in-125	0	491250	2.3300e+00	1.7970e+06	1.2930e+06	0.0	1.00	0.0	6.4822e+06	3.0000e-01			
									5.4800e+06	1.1200e-01	2	4	4961
									1.00	1.0			
49-in-125	1	491251	1.2200e+01	2.0970e+06	6.7203e+05	0.0	1.00	1.0	5.4520e+06	8.8800e-01			
50-sn-125	0	501250	8.3290e+05	8.1100e+05	3.1200e+05	0.0	1.00	0.0	5.6320e+06	1.0000e+00	1	4	4962
50-sn-125	1	501251	5.7120e+02	8.0660e+05	3.5500e+05	0.0	1.00	0.0	2.3600e+06	1.0000e+00	1	4	5064
51-sb-125	0	511250	8.6150e+07	9.9300e+04	4.3400e+05	0.0	1.00	0.0	2.3880e+06	1.0000e+00	1	4	5065
									7.6670e+05	7.7000e-01	2	4	5137
									1.00	1.0			
52-te-125	0	521250	stable						6.2190e+05	2.3000e-01			
52-te-125	1	521251	5.0112e+06	1.0640e+05	3.5600e+04	0.0	3.00	0.0	1.4477e+05	1.0000e+00	0	0	5240
53-i-125	0	531250	5.1961e+06	1.6700e+04	4.2100e+04	0.0	2.00	0.0	1.7810e+05	1.0000e+00	1	3	5241
54-xe-125	0	541250	6.0840e+04	3.2400e+04	2.6800e+05	0.0	2.00	0.0	1.7810e+05	1.0000e+00	1	4	5319
54-xe-125	1	541251	5.7000e+01	1.3100e+05	1.1590e+05	0.0	3.00	0.0	1.6550e+06	1.0000e+00	1	4	5428
									2.5260e+05	1.0000e+00	1	3	5429
46-pd-126	0	461260	2.5202e-01	2.3590e+06	1.2760e+06	0.0	1.00	0.0	7.9501e+06	9.4969e-01	2	3	4697
									1.50	0.0			
47-ag-126	0	471260	1.3984e-01	2.9960e+06	3.4380e+06	0.0	1.00	0.0	4.3590e+00	5.0310e-02			
									1.1276e+07	9.5362e-01	2	3	4782
									1.50	0.0			
48-cd-126	0	481260	5.0600e-01	1.4905e+06	7.2089e+05	0.0	1.00	1.0	4.4990e+00	4.6380e-02			
49-in-126	0	491260	1.4500e+00	1.8930e+06	4.3100e+06	0.0	1.00	1.0	4.4400e+06	1.0000e+00	1	2	4885
49-in-126	1	491261	1.5000e+00	2.4340e+06	2.8120e+06	0.0	1.00	0.0	8.1200e+06	1.0000e+00	1	4	4964
50-sn-126	0	501260	3.1557e+12	1.3247e+05	1.3055e+05	0.0	1.00	0.0	8.2700e+06	1.0000e+00	1	4	4965
									3.6000e+05	3.3000e-01	2	4	5067
									1.00	2.0			
									3.3800e+05	6.7000e-01			

TABLE C-1 (Cont.)

SYMBOL	S	ZZAAS	HALF-LIFE	E-BETA	E-GAMMA	E-ALPHA	RTYP	RFS	Q	BRANCHING	NDK	NSP	MAT
51-sb-126	0	511260	1.0714e+06	3.6600e+05	2.7530e+06	0.0	1.00	0.0	3.6700e+06	1.0000e+00	1	4	5140
51-sb-126	1	511261	1.1400e+03	6.3200e+05	1.5540e+06	0.0	1.00	0.0	3.6880e+06	8.6000e-01	2	4	5141
									3.00	0.0	1.7700e+04	1.4000e-01	
51-sb-126	2	511262	1.1000e+01	2.1100e+04	2.8400e+02	0.0	3.00	1.0	4.0400e+04	1.0000e+00	1	3	5142
52-te-126	0	521260	stable								0	0	5243
54-xe-126	0	541260	stable								0	0	5431
47-ay-127	0	471270	1.7527e-01	2.8870e+06	2.1810e+06	0.0	1.00	0.0	9.6664e+06	9.0117e-01	2	3	4785
									1.50	0.0	5.2990e+00	9.8629e-02	
48-cd-127	0	481270	5.7187e-01	2.0710e+06	2.0010e+06	0.0	1.00	0.0	7.4892e+06	4.9995e-01	3	3	4888
									1.00	1.0	7.4882e+06	4.9995e-01	
									1.50	0.0	5.4200e-01	1.0100e-04	
49-in-127	0	491270	1.1500e+00	2.1520e+06	1.7660e+06	0.0	1.00	0.0	6.4900e+06	1.5298e-01	3	3	4967
									1.00	1.0	6.4850e+06	8.4042e-01	
									1.50	0.0	9.3900e-01	6.6000e-03	
49-in-127	1	491271	3.7600e+00	2.1910e+06	1.7270e+06	0.0	1.00	1.0	6.6450e+06	9.9350e-01	2	5	4968
									1.50	0.0	1.0900e+06	6.5000e-03	
50-sn-127	0	501270	7.5600e+03	5.1300e+05	1.9000e+06	0.0	1.00	0.0	3.2010e+06	1.0000e+00	1	4	5070
50-sn-127	1	501271	2.4780e+04	8.9031e+05	8.8645e+05	0.0	1.00	0.0	3.2060e+06	1.0000e+00	1	2	5071
51-sb-127	0	511270	3.3264e+05	3.1400e+05	6.6400e+05	0.0	1.00	0.0	1.5810e+06	8.2500e-01	2	4	5143
									1.00	1.0	1.4930e+06	1.7500e-01	
52-te-127	0	521270	3.3660e+04	2.2430e+05	4.9000e+03	0.0	1.00	0.0	6.9700e+05	1.0000e+00	1	4	5246
52-te-127	1	521271	9.4176e+06	7.9200e+04	1.1100e+04	0.0	1.00	0.0	7.8500e+05	2.4000e-02	2	4	5247
									3.00	0.0	8.8260e+04	9.7600e-01	
53-i-127	0	531270	stable								0	0	5325
54-xe-127	0	541270	3.1450e+06	3.0600e+04	2.8000e+05	0.0	2.00	0.0	6.6000e+05	1.0000e+00	1	4	5434
54-xe-127	1	541271	6.9200e+01	1.2500e+05	1.6800e+05	0.0	3.00	0.0	2.9710e+05	1.0000e+00	1	3	5435
47-ag-128	0	471280	9.4279e-02	3.1990e+06	3.6990e+06	0.0	1.00	0.0	1.2058e+07	9.3114e-01	2	3	4788
									1.50	0.0	5.3590e+00	6.8861e-02	
48-cd-128	0	481280	1.0531e+00	1.8310e+06	1.0030e+06	0.0	1.00	0.0	5.8792e+06	9.9890e-01	2	3	4891
									1.50	0.0	1.8000e+05	1.1000e-03	
49-in-128	0	491280	9.0000e-01	2.6300e+06	3.1000e+06	0.0	1.00	0.0	9.3100e+06	9.9957e-01	2	3	4970
									1.50	0.0	1.4300e+06	4.3000e-04	
49-in-128	1	491281	9.0000e-01	2.4849e+06	3.5730e+06	0.0	1.00	0.0	9.3900e+06	1.2000e-01	2	4	4971
									1.00	1.0	7.2980e+06	8.8000e-01	
50-sn-128	0	501280	3.5460e-03	2.5000e+05	6.0300e+05	0.0	1.00	1.0	1.2900e+06	1.0000e+00	1	4	5073
50-sn-128	1	501281	6.5000e+00	7.8700e+04	2.0114e+06	0.0	3.00	0.0	2.0915e+06	1.0000e+00	1	3	5074
51-sb-128	0	511280	3.2436e+04	4.8800e+05	3.0900e+06	0.0	1.00	0.0	4.3900e+06	1.0000e+00	1	4	5146
51-sb-128	1	511281	6.2400e+02	9.5700e+05	1.8970e+06	0.0	1.00	0.0	4.3900e+06	9.6400e-01	2	4	5147
									3.00	0.0	0.0	3.6000e-02	
52-te-128	0	521280	stable								0	0	5249
53-i-128	0	531280	1.4994e+03	7.3900e+05	9.0000e+04	0.0	1.00	0.0	2.1230e+06	9.3100e-01	2	5	5328
									2.00	0.0	1.2550e+06	6.9000e-02	
54-xe-128	0	541280	stable								0	0	5437
48-cd-129	0	481290	2.9872e-01	2.3040e+06	2.2280e+06	0.0	1.00	0.0	8.2712e+06	9.9848e-01	2	3	4894
									1.50	0.0	1.3280e+00	1.5190e-03	
49-in-129	0	491290	5.9000e-01	2.5010e+06	2.1700e+06	0.0	1.00	0.0	7.6000e+06	8.9400e-01	3	5	4973
									1.00	1.0	7.5650e+06	1.0600e-01	
									1.50	0.0	2.2100e+06	1.6000e-03	
49-in-129	1	491291	1.2600e+00	2.1550e+06	2.9470e+06	0.0	1.00	0.0	7.8000e+06	9.7500e-01	2	5	4974
									1.50	0.0	2.4100e+06	2.5000e-02	

TABLE C-1 (Cont.)

SYMBOL	S	ZZAAS	HALF-LIFE	E-BETA	E-GAMMA	E-ALPHA	RTYP	RFS	O	BRANCHING	NDK	NSP	MAT
50-sn-129	0	501290	1.2960e+02	1.2676e+06	1.4457e+06	0.0	1.00	0.0	4.0000e+06	1.0000e+00	1	2	5076
50-sn-129	1	501291	4.0200e+02	8.0838e+05	2.0908e+06	0.0	1.00	0.0	4.0350e+06	1.0000e+00	2	4	5077
									3.00 0.0	3.5200e+04			2.0000e-06
51-sb-129	0	511290	1.5840e+04	3.9100e+05	1.3560e+06	0.0	1.00	0.0	2.3770e+06	8.2000e-01	2	4	5149
									1.00 1.0	2.2720e+06			1.8000e-01
52-te-129	0	521290	4.1760e+03	5.3800e+05	6.2000e+04	0.0	1.00	0.0	1.4980e+06	1.0000e+00	1	4	5252
52-te-129	1	521291	2.9030e+06	2.7000e+05	3.7000e+04	0.0	1.00	0.0	1.6040e+06	3.6000e-01	2	4	5253
									3.00 0.0	1.0550e+05			6.4000e-01
53-i-129	0	531290	4.9544e+14	5.4300e+04	2.4600e+04	0.0	1.00	0.0	1.9200e+05	1.0000e+00	1	4	5331
54-xe-129	0	541290	stable								0	0	5440
54-xe-129	1	541291	7.6810e+05	1.7600e+05	5.0700e+04	0.0	3.00	0.0	2.3614e+05	1.0000e+00	1	3	5441
48-cd-130	0	481300	4.7675e-01	2.2580e+06	1.2250e+06	0.0	1.00	0.0	6.8262e+06	9.9032e-01	2	3	4897
									1.50 0.0	2.2660e+00			9.6760e-03
49-in-130	0	491300	3.2000e-01	2.8900e+06	3.2000e+06	0.0	1.00	0.0	1.0200e+07	7.0000e-01	3	5	4976
									1.00 1.0	8.2530e+06			2.9000e-01
									1.50 0.0	2.5700e+06			9.1000e-03
49-in-130	1	491301	5.5000e-01	2.7700e+06	2.2600e+06	0.0	1.00	1.0	8.3030e+06	9.9130e-01	2	5	4977
									1.50 0.0	2.6200e+06			8.6000e-03
49-in-130	2	491302	5.5000e-01	3.3000e+06	3.3000e+06	0.0	1.00	0.0	1.0600e+07	8.2000e-01	3	4	4978
									1.00 1.0	8.6530e+06			1.6000e-01
									1.50 0.0	2.9700e+06			8.6000e-03
50-sn-130	0	501300	2.2320e+02	4.6900e+05	9.5500e+05	0.0	1.00	1.0	2.1700e+06	1.0000e+00	1	4	5079
50-sn-130	1	501301	1.0200e+02	1.2086e+06	1.0521e+06	0.0	1.00	0.0	4.1170e+06	1.0000e+00	1	4	5080
51-sb-130	0	511300	2.3700e+03	6.9700e+05	3.2720e+06	0.0	1.00	0.0	4.9900e+06	1.0000e+00	1	4	5152
51-sb-130	1	511301	3.7800e+02	9.8000e+05	2.7080e+06	0.0	1.00	0.0	4.9900e+06	1.0000e+00	1	4	5153
52-te-130	0	521300	stable								0	0	5255
53-i-130	0	531300	3.4496e+04	2.9000e+05	2.1380e+06	0.0	1.00	0.0	2.9840e+06	1.0000e+00	1	4	5334
53-i-130	1	531301	5.4000e+02	1.7800e+05	1.1000e+05	0.0	1.00	0.0	3.0240e+06	1.6000e-01	2	4	5335
									3.00 0.0	3.9952e+04			8.4000e-01
54-xe-130	0	541300	stable								0	0	5443
48-cd-131	0	481310	1.0617e-01	3.5180e+06	3.2670e+06	0.0	1.00	0.0	1.1111e+07	9.5127e-01	2	3	4900
									1.50 0.0	5.4330e+00			4.8728e-02
49-in-131	0	491310	2.7000e-01	2.7070e+06	2.0170e+06	0.0	1.00	0.0	8.9300e+06	9.3252e-01	3	3	4979
									1.00 1.0	8.6880e+06			4.9080e-02
									1.50 0.0	3.5700e+00			1.8400e-02
49-in-131	1	491311	3.5000e-01	3.0126e+06	2.2012e+06	0.0	1.00	0.0	9.2300e+06	9.8290e-01	2	1	4980
									1.50 0.0	1.6000e+06			1.7100e-02
50-sn-131	0	501310	3.9000e+01	8.8000e+05	2.3600e+06	0.0	1.00	0.0	4.6500e+06	1.0000e+00	1	2	5082
50-sn-131	1	501311	6.1200e+01	1.2459e+06	1.8924e+06	0.0	1.00	0.0	4.8920e+06	1.0000e+00	1	2	5083
51-sb-131	0	511310	1.3800e+03	5.8200e+05	1.7500e+06	0.0	1.00	0.0	3.1900e+06	9.3200e-01	2	2	5155
									1.00 1.0	3.0080e+06			6.8000e-02
52-te-131	0	521310	1.5000e+03	7.2070e+05	3.2100e+05	0.0	1.00	0.0	2.2490e+06	1.0000e+00	1	4	5258
52-te-131	1	521311	1.0800e+05	1.9100e+05	1.4210e+06	0.0	1.00	0.0	2.4310e+06	7.7800e-01	2	4	5259
									3.00 0.0	1.8225e+05			2.2200e-01
53-i-131	0	531310	6.9466e+05	1.9150e+05	3.8200e+05	0.0	1.00	0.0	9.7080e+05	9.8914e-01	2	4	5337
									1.00 1.0	8.0690e+05			1.0860e-02
54-xe-131	0	541310	stable								0	0	5446
54-xe-131	1	541311	1.0282e+06	1.4200e+05	2.0100e+04	0.0	3.00	0.0	1.6393e+05	1.0000e+00	1	3	5447
48-cd-132	0	481320	1.3572e-01	3.4050e+06	1.8970e+06	0.0	1.00	0.0	9.6112e+06	7.9440e-01	2	3	4903
									1.50 0.0	8.9270e+00			2.0560e-01

TABLE C-1 (Cont.)

SYMBOL	S	ZZAAS	HALF LIFE	E BETA	E GAMMA	E ALPHA	RTYP	RFS	U	BRANCHING	NDK	NSP	MAT
49-in-132	0	491320	1.8600e-01	1.3200e+06	5.8000e+06		0.0	1.00 0 0	1.3600e+07	9.5000e-01	2	5	4982
								1.50 0 0	6.2900e+06	5.0000e-02			
50-sn-132	0	501320	4.0000e+01	7.2900e+05	1.2929e+06		0.0	1.00 1.0	3.1200e+06	1.0000e+00	1	4	5085
51-sb-132	0	511320	2.5200e+02	1.2940e+06	2.5790e+06		0.0	1.00 0 0	5.4900e+06	1.0000e+00	1	4	5158
51-sb-132	1	511321	1.6800e+02	1.2580e+06	2.6020e+06		0.0	1.00 0 0	5.4900e+06	1.6000e+06	1	4	5159
52-te-132	0	521320	2.8152e+05	1.0040e+05	2.1150e+05		0.0	1.00 0 0	4.9100e+05	1.0000e+00	1	4	5261
53-l-132	0	531320	8.2224e+01	5.0000e+05	2.2700e+06		0.0	1.00 0 0	3.5800e+06	1.0000e+00	1	4	5340
53-l-132	1	531321	5.0160e+01	1.3800e+05	1.1200e+05		0.0	1.00 0 0	3.7000e+06	1.3200e-01	2	4	5341
								3.00 0 0	1.2000e+05	8.6800e-01			
54-xe-132	0	541320	stable								0	0	5449
49-in-133	0	491330	1.1163e-01	3.7660e+06	1.4140e+06		0.0	1.00 0 0	1.1252e+07	6.8344e-01	2	3	4985
								1.50 0 0	9.8210e+00	3.1656e-01			
50-sn-133	0	501330	1.4400e+00	2.5900e+06	2.0630e+06		0.0	1.00 0 0	7.8300e+06	9.9743e-01	2	3	5088
								1.50 0 0	1.6700e+00	2.5490e-01			
51-sb-133	0	511330	1.5000e+02	6.5600e+05	2.0400e+06		0.0	1.00 0 0	3.9500e+06	8.3000e-01	2	2	5161
								1.00 1 0	3.6160e+06	1.7000e-01			
52-te-133	0	521330	7.5000e+02	6.7500e+05	1.2000e+06		0.0	1.00 0 0	2.9200e+06	1.0000e+00	1	4	5264
52-te-133	1	521331	3.3240e+01	3.6700e+05	1.6810e+06		0.0	1.00 0 0	3.2540e+06	7.2306e-01	1	4	5265
								3.00 1 0	1.6200e+06	1.0200e-01			
								3.00 0 0	1.3426e+05	1.7500e-01			
53-l-133	0	531330	7.4880e+04	4.0900e+05	6.1200e+05		0.0	1.00 0 0	1.7600e+06	9.7320e-01	2	4	5343
								1.00 1 0	1.5270e+06	2.8800e-02			
53-l-133	1	531331	9.0000e+00	5.4300e+04	1.5784e+06		0.0	1.00 0 0	1.6342e+06	1.0000e+00	1	3	5344
54-xe-133	0	541330	4.5300e+05	1.3640e+05	4.7100e+04		0.0	1.00 0 0	4.2700e+05	1.0000e+00	1	4	5452
54-xe-133	1	541331	1.8922e+05	1.8500e+05	4.0100e+04		0.0	1.00 0 0	2.3322e+05	1.0000e+00	1	3	5453
55-cs-133	0	551330	stable								0	0	5525
49-in-134	0	491340	8.0557e-02	3.9920e+06	4.6990e+06		0.0	1.00 0 0	1.2720e+07	6.6244e-01	2	3	4988
								1.50 0 0	1.0899e+01	3.3756e-01			
50-sn-134	0	501340	1.0400e+00	2.2950e+06	1.2480e+06		0.0	1.00 0 0	5.7320e+06	8.3000e-01	2	3	5091
								1.50 0 0	2.1600e+06	1.7000e-01			
51-sb-134	0	511340	8.5000e-01	2.7810e+06	2.2560e+06		0.0	1.00 0 0	8.4100e+06	9.9896e-01	2	3	5164
								1.50 0 0	9.1000e-01	1.0400e-01			
51-sb-134	1	511341	1.0430e+01	2.7620e+06	2.3800e+06		0.0	1.00 0 0	8.4100e+06	9.9882e-01	2	4	5165
								1.50 0 0	9.1000e+05	1.1800e-01			
52-te-134	0	521340	2.5080e+03	2.3700e+05	8.5800e+05		0.0	1.00 0 0	1.5690e+06	1.0000e+00	1	4	5267
53-l-134	0	531340	3.1560e+03	6.1700e+05	2.6100e+06		0.0	1.00 0 0	4.1500e+06	1.0000e+00	1	4	5346
53-l-134	1	531341	2.2140e+02	8.4000e+04	2.4100e+05		0.0	1.00 1.0	2.5010e+06	2.3000e-02	2	4	5347
								3.00 0 0	3.1630e+05	9.7700e-01			
54-xe-134	0	541340	stable								0	0	5455
54-xe-134	1	541341	2.9000e-01	6.7000e+04	1.8980e+06		0.0	3.00 0 0	1.9655e+06	1.0000e+00	1	3	5456
55-cs-134	0	551340	6.5070e+07	1.6500e+05	1.5550e+06		0.0	1.00 0 0	2.0585e+06	1.0000e+00	2	5	5528
								2.00 0 0	1.2120e+06	3.0000e-06			
55-cs-134	1	551341	1.0476e+04	1.0470e+05	2.6700e+04		0.0	3.00 0 0	1.3875e+05	1.0000e+00	1	3	5529
56-ba-134	0	561340	stable								0	0	5637
50-sn-135	0	501350	4.1777e-01	2.5550e+06	2.4820e+06		0.0	1.00 0 0	7.2000e+06	9.1400e-01	2	3	5094
								1.50 0 0	3.0800e+06	8.6000e-02			
51-sb-135	0	511350	1.7100e+00	2.2900e+06	1.6000e+06		0.0	1.00 0 0	7.5400e+06	7.9800e-01	2	3	5167
								1.50 0 0	4.0300e+06	2.0200e-01			
52-te-135	0	521350	1.9000e+01	2.0842e+06	1.4779e+06		0.0	1.00 0 0	5.9600e+06	1.0000e+00	1	2	5270
53-l-135	0	531350	2.3652e+04	3.5900e+05	1.5920e+06		0.0	1.00 0 0	2.6960e+06	8.4300e-01	2	4	5349
								1.00 1 0	2.1690e+06	1.5700e-01			

TABLE C-1 (Cont.)

SYMBOL	Z	A	HAZ	HALF LIFE	E BETA	E GAMMA	E ALPHA	RTYP	RPS	Q	BRANCHING	NDK	NSP	MAT	
54 xe 115 0	54	115	0	541150	3.2904e+04	3.1800e+05	2.4800e+05	0.0	1.00 0.0	1.1600e+06	1.0000e+00	1	4	5458	
54 xe 115 1	54	115	1	541151	9.1740e+02	9.5000e+04	4.2800e+05	0.0	1.00 0.0	1.6870e+06	4.0000e-05	2	4	5459	
55 ca 115 0	55	115	0	551150	7.2581e+11	5.6100e+04	0.0	0.0	1.00 0.0	5.2656e+05	9.9966e-01	1	1	5531	
55 ca 115 1	55	115	1	551151	3.1800e+01	1.5000e+04	1.5951e+06	0.0	1.00 0.0	2.0500e+05	1.0000e+00	1	1	5532	
56 ba 115 0	56	115	0	561150	stable							0	0	5640	
56 ba 115 1	56	115	1	561151	1.0112e+05	2.0000e+05	5.9500e+04	0.0	1.00 0.0	2.6822e+05	1.0000e+00	1	1	5641	
50 an 116 0	50	116	0	501160	7.1718e-01	2.6140e+06	1.4270e+06	0.0	1.00 0.0	5.8920e+06	8.1608e-01	2	3	5097	
51 sb 116 0	51	116	0	511160	8.2000e-01	2.9510e+06	2.6050e+06	0.0	1.00 0.0	5.8690e+00	1.6492e-01	2	3	5170	
52 te 116 0	52	116	0	521160	1.7500e+01	1.2910e+06	2.0000e+06	0.0	1.00 0.0	8.4110e+06	7.7000e-01	2	5	5273	
53 f 116 0	53	116	0	531160	8.3400e+01	1.9850e+06	2.3590e+06	0.0	1.00 0.0	4.0200e+06	2.1000e-01	2	5	5273	
53 f 116 1	53	116	1	531161	4.6900e+01	2.2110e+06	2.5900e+06	0.0	1.00 0.0	5.0900e+06	9.9100e-01	2	5	5273	
54 xe 116 0	54	116	0	541160	stable							0	0	5461	
55 ca 116 0	55	116	0	551160	1.1170e+06	1.1170e+05	1.9170e+06	0.0	1.00 0.0	1.1300e+06	9.0000e-01	1	4	5352	
55 ca 116 1	55	116	1	551161	1.9000e+01	7.9180e+04	5.5000e+01	0.0	1.00 0.0	6.9100e+06	1.0000e+00	1	4	5352	
56 ba 116 0	56	116	0	561160	stable							0	0	5461	
56 ba 116 1	56	116	1	561161	3.0840e-01	1.0280e+05	1.9270e+06	0.0	1.00 0.0	7.5700e+06	1.0000e+00	1	4	5354	
55 ca 116 0	55	116	0	551160	1.1170e+06	1.1170e+05	1.9170e+06	0.0	1.00 0.0	2.5485e+06	8.8800e-01	2	4	5354	
55 ca 116 1	55	116	1	551161	1.9000e+01	7.9180e+04	5.5000e+01	0.0	1.00 0.0	1.00 1.0	5.1800e+05	1.1200e-01	1	0	5515
56 ba 116 0	56	116	0	561160	stable							0	0	5643	
56 ba 116 1	56	116	1	561161	3.0840e-01	1.0280e+05	1.9270e+06	0.0	1.00 0.0	5.0000e+04	1.0000e+00	1	0	5515	
51 sb 117 0	51	117	0	511170	4.7785e-01	2.5710e+06	2.1890e+06	0.0	1.00 0.0	2.0105e+06	1.0000e+00	1	1	5644	
52 te 117 0	52	117	0	521170	3.5000e+00	2.1710e+06	1.6090e+06	0.0	1.00 0.0	7.1010e+06	8.0000e-01	2	3	5173	
53 f 117 0	53	117	0	531170	2.4500e+01	2.0100e+06	1.2100e+06	0.0	1.00 0.0	1.50 0.0	4.8600e+06	2.0000e-01	2	3	5276
54 xe 117 0	54	117	0	541170	2.2908e+02	1.6970e+06	1.9100e+05	0.0	1.00 0.0	5.7800e+06	9.7800e-01	2	3	5276	
55 ca 117 0	55	117	0	551170	9.4671e+08	1.8754e+05	0.0	0.0	1.00 0.0	9.4000e+05	2.2000e-02	2	3	5355	
55 ca 117 1	55	117	1	551171	1.9120e+01	1.2410e+06	2.1610e+06	0.0	1.00 0.0	5.8800e+06	9.1100e-01	2	3	5355	
56 ba 117 0	56	117	0	561170	stable							0	0	5646	
56 ba 117 1	56	117	1	561171	1.5112e+02	6.1800e+04	5.9900e+05	0.0	1.00 0.0	1.50 0.0	1.8600e+06	6.7000e-02	1	4	5464
51 sb 118 0	51	118	0	511180	1.7116e-01	1.0100e+06	1.5780e+06	0.0	1.00 0.0	4.1770e+06	1.0000e+00	1	4	5464	
52 te 118 0	52	118	0	521180	1.4000e+00	1.9460e+06	1.0680e+06	0.0	1.00 0.0	1.1751e+06	5.5700e-02	2	1	5537	
53 f 118 0	53	118	0	531180	6.4900e+00	2.1279e+06	2.5792e+06	0.0	1.00 0.0	1.00 1.0	5.1140e+05	9.4430e-01	0	0	5646
54 xe 118 0	54	118	0	541180	8.4480e+02	6.4700e+05	1.1260e+06	0.0	1.00 0.0	6.6166e+05	1.0000e+00	1	1	5647	
55 ca 118 0	55	118	0	551180	1.9120e+01	1.2410e+06	2.1610e+06	0.0	1.00 0.0	9.5310e+06	7.7989e-01	2	3	5176	
55 ca 118 1	55	118	1	551181	1.7460e+02	2.8120e+05	7.0660e+05	0.0	1.00 0.0	1.50 0.0	7.2190e+00	2.2011e-01	2	3	5279
56 ba 118 0	56	118	0	561180	stable							0	0	5649	
57 la 118 0	57	118	0	571180	1.3115e+18	2.8800e+04	1.2110e+06	0.0	1.00 0.0	6.0000e+06	9.1700e-01	2	3	5279	
51 sb 119 0	51	119	0	511190	2.1781e-01	2.9080e+06	2.6840e+06	0.0	1.00 0.0	1.50 0.0	2.1200e+06	6.1000e-02	2	5	5358
52 te 119 0	52	119	0	521190	5.8002e-01	2.1760e+06	2.1510e+06	0.0	1.00 0.0	1.50 0.0	2.0000e+06	5.1600e-02	1	4	5467
53 f 119 0	53	119	0	531190	2.1000e+00	2.4100e+06	1.4000e+06	0.0	1.00 0.0	2.7700e+06	1.0000e+00	1	4	5440	
54 xe 119 0	54	119	0	541190	2.1781e-01	2.9080e+06	2.6840e+06	0.0	1.00 0.0	5.3770e+06	1.0000e+00	1	4	5541	
55 ca 119 0	55	119	0	551190	2.1781e-01	2.9080e+06	2.6840e+06	0.0	1.00 0.0	5.4570e+06	1.9000e-01	2	4	5541	
56 ba 119 0	56	119	0	561190	2.1781e-01	2.9080e+06	2.6840e+06	0.0	1.00 0.0	7.9900e+04	8.1000e-01	0	0	5649	
57 la 119 0	57	119	0	571190	2.1781e-01	2.9080e+06	2.6840e+06	0.0	1.00 0.0	1.0440e+06	3.1600e-01	2	5	5225	
51 sb 119 1	51	119	1	511191	2.1781e-01	2.9080e+06	2.6840e+06	0.0	1.00 0.0	2.00 0.0	1.7450e+06	6.6400e-01	2	5	5225
52 te 119 1	52	119	1	521191	5.8002e-01	2.1760e+06	2.1510e+06	0.0	1.00 0.0	8.4310e+06	5.8307e-01	2	3	5179	
53 f 119 1	53	119	1	531191	2.1000e+00	2.4100e+06	1.4000e+06	0.0	1.00 0.0	1.50 0.0	7.9190e+00	4.1693e-01	2	3	5282
54 xe 119 1	54	119	1	541191	2.1781e-01	2.9080e+06	2.6840e+06	0.0	1.00 0.0	6.9000e+06	9.1700e-01	2	3	5282	
55 ca 119 1	55	119	1	551191	2.1781e-01	2.9080e+06	2.6840e+06	0.0	1.00 0.0	1.50 0.0	2.4000e+06	6.1000e-02	2	3	5161
56 ba 119 1	56	119	1	561191	2.1781e-01	2.9080e+06	2.6840e+06	0.0	1.00 0.0	6.8200e+06	9.0400e-01	2	3	5161	
57 la 119 1	57	119	1	571191	2.1781e-01	2.9080e+06	2.6840e+06	0.0	1.00 0.0	1.1800e+06	9.6000e-02	2	3	5161	

TABLE C-1 (Cont.)

SYMBOL	S	Z	A	N	A	HALF LIFE	E	B	E	G	A	R	T	P	S	Q	BRANCHING	NDK	NSP	MAT
54-xe-139	0	54	139	0	541390	3.9680e+01	1.7720e+06	8.9000e+05	0.0	1.00	0.0	5.0200e+06	1.0000e+00					1	4	5470
55-cs-139	0	55	139	0	551390	5.5620e+02	1.6500e+06	1.0000e+05	0.0	1.00	0.0	4.2110e+06	1.0000e+00					1	2	5541
56-ba-139	0	56	139	0	561390	5.0770e+01	8.9900e+05	4.5000e+04	0.0	1.00	0.0	2.1100e+06	1.0000e+00					1	4	5652
57-la-139	0	57	139	0	571390	stable												0	0	5728
52-te-140	0	52	140	0	521400	8.9384e-01	2.3360e+06	1.2750e+06	0.0	1.00	0.0	5.8000e+06	8.4504e-01					2	3	5285
53-i-140	0	53	140	0	531400	8.6000e-01	2.7620e+06	2.1280e+06	0.0	1.00	0.0	8.9000e+06	9.0700e-01					2	3	5364
54-xe-140	0	54	140	0	541400	1.3600e+01	1.0581e+06	1.4675e+06	0.0	1.00	0.0	4.0600e+06	1.0000e+00					1	4	5471
55-cs-140	0	55	140	0	551400	6.3700e+01	1.7518e+06	2.2161e+06	0.0	1.00	0.0	6.2180e+06	1.0000e+00					1	4	5546
56-ba-140	0	56	140	0	561400	1.1018e+06	1.1100e+05	1.8200e+05	0.0	1.00	0.0	1.0340e+06	1.0000e+00					1	4	5655
57-la-140	0	57	140	0	571400	1.4499e+05	5.3300e+05	2.2990e+06	0.0	1.00	0.0	3.7610e+06	1.0000e+00					1	4	5731
58-ce-140	0	58	140	0	581400	stable												0	0	5837
52-te-141	0	52	141	0	521410	2.7262e-01	2.6580e+06	2.5980e+06	0.0	1.00	0.0	8.0260e+06	8.9528e-01					2	3	5288
53-i-141	0	53	141	0	531410	4.6000e-01	2.4250e+06	1.7750e+06	0.0	1.00	0.0	5.5590e+06	1.0472e-01					2	3	5367
54-xe-141	0	54	141	0	541410	1.7300e+00	2.0310e+06	1.5700e+06	0.0	1.00	0.0	3.9400e+06	3.9000e-01					2	5	5476
55-cs-141	0	55	141	0	551410	2.4940e+01	1.6040e+06	1.1400e+05	0.0	1.00	0.0	6.1500e+06	9.9957e-01					2	5	5549
56-ba-141	0	56	141	0	561410	1.0962e+03	9.1400e+05	8.1600e+05	0.0	1.00	0.0	6.4000e+05	4.3000e-04					1	4	5658
57-la-141	0	57	141	0	571410	1.4112e+04	9.5133e+05	4.2467e+04	0.0	1.00	0.0	3.2300e+06	1.0000e+00					1	2	5734
58-ce-141	0	58	141	0	581410	2.8081e+06	1.7030e+05	7.6600e+04	0.0	1.00	0.0	2.4460e+06	1.0000e+00					1	4	5840
59-pr-141	0	59	141	0	591410	stable												0	0	5925
52-te-142	0	52	142	0	521420	5.9007e-01	2.5130e+06	1.3750e+06	0.0	1.00	0.0	6.1000e+06	8.4921e-01					2	3	5291
53-i-142	0	53	142	0	531420	2.0000e-01	2.6920e+06	3.2030e+06	0.0	1.00	0.0	5.7490e+06	1.5079e-01					2	3	5370
54-xe-142	0	54	142	0	541420	1.2200e+00	1.4043e+06	1.5764e+06	0.0	1.00	0.0	9.2040e+06	8.4000e-01					2	3	5479
55-cs-142	0	55	142	0	551420	1.7000e+00	2.4490e+06	1.7870e+06	0.0	1.00	0.0	4.4700e+06	1.6000e-01					2	5	5552
56-ba-142	0	56	142	0	561420	6.3609e+02	1.7300e+05	1.0760e+06	0.0	1.00	0.0	5.0400e+06	9.9590e-01					2	5	5522
57-la-142	0	57	142	0	571420	5.4660e+03	8.6600e+05	2.3640e+06	0.0	1.00	0.0	1.1100e+06	9.7000e-04					1	4	5661
58-ce-142	0	58	142	0	581420	3.3113e+18	0.0	0.0	0.0	1.4445e+06	4.00	0.0	2.1200e+06	1.0000e+00				1	4	5737
59-pr-142	0	59	142	0	591420	6.8812e+04	8.0960e+05	5.8000e+04	0.0	1.00	0.0	4.5170e+06	1.0000e+00					1	0	5843
59-pr-142	1	59	142	1	591421	8.7600e+02	1.5500e+01	1.8415e-07	0.0	1.00	0.0	1.4344e+06	1.0000e+00					2	5	5928
60-nd-142	0	60	142	0	601420	stable												0	0	6025
53-i-143	0	53	143	0	531430	4.0109e-01	2.3750e+06	2.2520e+06	0.0	1.00	0.0	7.2830e+06	8.2000e-01					2	3	5371
54-xe-143	0	54	143	0	541430	9.6000e-01	2.0500e+06	2.0880e+06	0.0	1.00	0.0	4.7200e+06	1.8000e-01					2	3	5482
54-xe-143	1	54	143	1	541431	3.0000e-01	2.2250e+06	1.7280e+06	0.0	1.00	0.0	7.1260e+06	9.8800e-01					1	2	5483
55-cs-143	0	55	143	0	551430	1.7800e+00	1.9500e+06	1.2400e+06	0.0	1.00	0.0	1.0400e+06	1.2000e-02					2	5	5555
56-ba-143	0	56	143	0	561430	1.4500e+01	1.3960e+06	9.8000e+05	0.0	1.00	0.0	7.1260e+06	1.0000e+00					1	4	5664
57-la-143	0	57	143	0	571430	8.4840e+02	1.2500e+06	1.3000e+05	0.0	1.00	0.0	6.2800e+06	9.8890e-01					1	2	5740
58-ce-143	0	58	143	0	581430	1.1880e+05	4.3000e+05	2.7900e+05	0.0	1.00	0.0	2.0400e+06	1.6100e-02					1	4	5846

TABLE C-1 (Cont.)

SYMBOL	S	ZZAAS	HALF-LIFE	E-BETA	E-GAMMA	E-ALPHA	RTYP	RFS	Q	BRANCHING	NDK	NSP	MAT
59-pr-143	0	591430	1.1724e+06	3.1530e+05	9.0000e-03	0.0	1.00	0.0	9.1450e+05	1.0000e+00	1	4	5911
60-nd-143	0	601430	stable								0	0	6028
53-l-144	0	531440	1.4597e-01	2.7190e+06	1.2480e+06	0.0	1.00	0.0	9.8560e+06	8.4761e-01	2	3	5376
									1.50 0.0	6.1040e+00			
54-xe-144	0	541440	1.1000e+00	1.6060e+06	9.2120e+05	0.0	1.00	0.0	5.2000e+06	9.9270e-01	2	3	5485
									1.50 0.0	9.8000e+05			
53-cs-144	0	531440	1.0200e+00	2.3900e+06	2.6600e+06	0.0	1.00	0.0	8.4700e+06	9.6870e-01	2	3	5558
									1.50 0.0	2.6000e+06			
56-ba-144	0	561440	1.1400e+01	9.4630e+05	7.0500e+05	0.0	1.00	0.0	2.9700e+06	1.0000e+00	1	4	5667
57-la-144	0	571440	4.0900e+01	1.4280e+06	2.2400e+06	0.0	1.00	0.0	5.6000e+06	1.0000e+00	1	4	5743
58-ce-144	0	581440	2.4615e+07	9.1400e+04	1.9000e+04	0.0	1.00	0.0	3.1860e+05	9.8600e-01	2	4	5849
									1.00 1.0	2.5960e+05			
59-pr-144	0	591440	1.0168e+03	1.2089e+06	2.8900e+04	0.0	1.00	0.0	2.9969e+06	1.0000e+00	1	4	5934
59-pr-144	1	591441	4.1200e+02	4.5400e+04	1.2500e+05	0.0	1.00	0.0	3.0559e+06	4.0000e-04	2	4	5935
									3.00 0.0	5.9030e+04			
60-nd-144	0	601440	6.6000e+22	0.0	0.0	1.9103e+06	4.00	0.0	1.9103e+06	1.0000e+00	1	0	6031
62-sm-144	0	621440	stable								0	0	6225
53-l-145	0	531450	1.9142e-01	2.4680e+06	2.1420e+06	0.0	1.00	0.0	8.5590e+06	7.5914e-01	2	3	5379
									1.50 0.0	6.9990e+00			
54-xe-145	0	541450	9.0000e-01	2.2910e+06	1.8270e+06	0.0	1.00	0.0	7.7710e+06	9.3891e-01	2	3	5488
									1.50 0.0	4.1050e+00			
55-cs-145	0	551450	5.9400e-01	1.3750e+06	2.3700e+06	0.0	1.00	0.0	7.7900e+06	8.5400e-01	2	5	5561
									1.50 0.0	3.5600e+06			
56-ba-145	0	561450	4.3100e+00	2.2000e+06	9.3400e+05	0.0	1.00	0.0	4.9500e+06	1.0000e+00	1	4	5670
57-la-145	0	571450	2.4800e+01	8.7700e+05	1.4970e+06	0.0	1.00	0.0	4.1200e+06	1.0000e+00	1	4	5746
58-ce-145	0	581450	1.8060e+02	6.7600e+05	8.6000e+05	0.0	1.00	0.0	2.5300e+06	1.0000e+00	1	4	5852
59-pr-145	0	591450	2.1542e+04	6.7700e+05	1.8600e+04	0.0	1.00	0.0	1.8050e+06	1.0000e+00	1	4	5937
60-nd-145	0	601450	stable								0	0	6034
61-pm-145	0	611450	5.5856e+08	1.1700e+04	1.2100e+04	6.5020e-03	2.00	0.0	1.6140e+05	1.0000e+00	2	5	6143
									4.00 0.0	2.5220e+06			
62-sm-145	0	621450	2.9376e+07	2.7600e+04	6.5000e+04	0.0	2.00	0.0	6.2600e+05	1.0000e+00	1	4	6228
54-xe-146	0	541460	5.6268e-01	1.9710e+06	1.0860e+06	0.0	1.00	0.0	6.4760e+06	9.3495e-01	2	3	5491
									1.50 0.0	4.1900e+00			
55-cs-146	0	551460	3.4300e-01	2.9430e+06	2.1600e+06	0.0	1.00	0.0	9.4100e+06	8.6800e-01	2	5	5564
									1.50 0.0	4.2800e+06			
56-ba-146	0	561460	2.2000e+00	1.3700e+06	8.8000e+05	0.0	1.00	0.0	4.2700e+06	9.9990e-01	2	3	5673
									1.50 0.0	5.0000e-01			
57-la-146	0	571460	6.2700e+00	1.9320e+06	2.2800e+06	0.0	1.00	0.0	6.3860e+06	9.9997e-01	2	5	5749
									1.50 0.0	5.9000e-02			
57-la-146	1	571461	1.0000e+01	2.2020e+06	1.4341e+06	0.0	1.00	0.0	6.6660e+06	1.0000e+00	1	4	5750
58-ce-146	0	581460	8.1120e+02	2.5400e+05	3.1900e+05	0.0	1.00	0.0	1.0200e+06	1.0000e+00	1	4	5855
59-pr-146	0	591460	1.4490e+03	1.3090e+06	1.0190e+06	0.0	1.00	0.0	4.1500e+06	1.0000e+00	1	4	5940
60-nd-146	0	601460	stable								0	0	6037
62-sm-146	0	621460	3.2504e+15	0.0	0.0	2.5430e+06	4.00	0.0	2.5430e+06	1.0000e+00	1	1	6231
54-xe-147	0	541470	1.9909e-01	2.2790e+06	2.3110e+06	0.0	1.00	0.0	8.6810e+06	9.1294e-01	2	3	5494
									1.50 0.0	5.1410e+00			
55-cs-147	0	551470	5.4548e-01	2.2190e+06	1.5810e+06	0.0	1.00	0.0	7.0210e+06	7.5000e-01	2	3	5567
									1.50 0.0	3.4200e+06			
56-ba-147	0	561470	7.0000e-01	1.8580e+06	1.3010e+06	0.0	1.00	0.0	5.7500e+06	9.9971e-01	2	3	5676
									1.50 0.0	8.0000e+04			

TABLE C-1 (Cont.)

SYMBOL S	ZZAAS	HALF LIFE	E BETA	E GAMMA	E ALPHA	RTYP	RFS	Q	BRANCHING	NDR	NSP	MAT
57-la-147 0	571470	4.4000e+00	1.6320e+06	9.3630e+05		0.0	1.00 0.0	4.9450e+06	9.9954e-01	2	3	5752
							1.50 0.0	4.6500e+05	4.6000e-04			
58-ce-147 0	581470	5.6400e+01	8.5910e+05	1.0810e+06		0.0	1.00 0.0	1.3100e+06	1.0000e+00	1	2	5858
59-pr-147 0	591470	8.1600e+02	7.8814e+05	8.1272e+05		0.0	1.00 0.0	2.6800e+06	1.0000e+00	1	4	5943
60-nd-147 0	601470	9.4867e+05	2.6810e+05	1.4000e+05		0.0	1.00 0.0	8.9510e+05	1.0000e+00	1	4	6040
61-pm-147 0	611470	8.2786e+07	6.1930e+04	4.1800e+00		0.0	1.00 0.0	2.2460e+05	1.0000e+00	1	4	6149
62-sm-147 0	621470	3.3450e+18	0.0	0.0	2.1109e+06	4.00 0.0		2.3106e+06	1.0000e+00	1	1	6234
55-cs-148 0	551480	2.0560e-01	2.4540e+06	2.9690e+06		0.0	1.00 0.0	9.2280e+06	7.4900e-01	2	3	5570
							1.50 0.0	6.0110e+00	2.5100e-01			
56-ba-148 0	561480	6.0700e-01	1.1430e+06	8.1510e+05		0.0	1.00 0.0	5.4000e+06	9.9941e-01	2	5	5679
							1.50 0.0	3.9000e+05	5.9000e-04			
57-la-148 0	571480	1.0500e+00	2.0740e+06	1.2510e+06		0.0	1.00 0.0	6.0200e+06	9.9867e-01	2	5	5755
							1.50 0.0	1.8000e-01	1.3300e-03			
58-ce-148 0	581480	5.6000e+01	6.7200e+05	3.1600e+05		0.0	1.00 0.0	2.0500e+06	1.0000e+00	1	4	5861
59-pr-148 0	591480	1.1620e+02	1.5571e+06	1.2359e+06		0.0	1.00 0.0	4.9600e+06	1.0000e+00	1	4	5946
59-pr-148 1	591481	1.2000e+02	1.2907e+06	1.7970e+06		0.0	1.00 0.0	5.0500e+06	1.0000e+00	1	4	5947
60-nd-148 0	601480	stable								0	0	6043
61-pm-148 0	611480	4.6397e+05	7.2900e+05	5.7400e+05		0.0	1.00 0.0	2.4730e+06	1.0000e+00	1	4	6152
61-pm-148 1	611481	3.5675e+06	1.7170e+05	1.9840e+06		0.0	1.00 0.0	2.6100e+06	9.5400e-01	2	4	6153
							3.00 0.0	1.3700e+05	4.6000e-02			
62-sm-148 0	621480	2.5000e+23	0.0	0.0	1.9862e+06	4.00 0.0		1.9862e+06	1.0000e+00	1	0	6237
55-cs-149 0	551490	2.4419e-01	2.5070e+06	2.4040e+06		0.0	1.00 0.0	8.3140e+06	6.7243e-01	2	3	5573
							1.50 0.0	7.2250e+00	3.2757e-01			
56-ba-149 0	561490	6.9518e-01	2.0160e+06	1.5200e+06		0.0	1.00 0.0	6.7420e+06	9.9970e-01	2	3	5682
							1.50 0.0	2.6000e+05	3.0000e-04			
57-la-149 0	571490	2.4079e+00	1.7830e+06	1.0870e+06		0.0	1.00 0.0	5.6370e+06	9.9190e-01	2	3	5758
							1.50 0.0	1.2100e+06	8.1000e-03			
58-ce-149 0	581490	5.2000e+00	1.1752e+06	1.0450e+06		0.0	1.00 0.0	4.1300e+06	1.0000e+00	2	3	5864
							1.50 0.0	5.0000e-01	9.0			
59-pr-149 0	591490	1.3560e+02	9.5260e+05	6.1610e+05		0.0	1.00 0.0	3.0000e+06	1.0000e+00	1	4	5949
60-nd-149 0	601490	6.2100e+03	5.0000e+05	3.7100e+05		0.0	1.00 0.0	1.6880e+06	1.0000e+00	1	4	6046
61-pm-149 0	611490	1.9109e+05	3.6470e+05	1.1900e+04		0.0	1.00 0.0	1.0730e+06	1.0000e+00	1	4	6155
62-sm-149 0	621490	3.1536e+23	0.0	0.0	1.9076e+06	4.00 0.0		1.8949e+06	1.0000e+00	1	0	6240
55-cs-150 0	551500	1.2376e-01	2.7510e+06	3.3310e+06		0.0	1.00 0.0	1.0204e+07	8.4912e-01	2	3	5576
							1.50 0.0	6.4590e+00	1.5088e-01			
56-ba-150 0	561500	9.6219e-01	1.9850e+06	1.0960e+06		0.0	1.00 0.0	5.8280e+06	9.9760e-01	2	3	5685
							1.50 0.0	2.1000e+05	2.4000e-03			
57-la-150 0	571500	6.0808e-01	2.0370e+06	2.5470e+06		0.0	1.00 0.0	7.8440e+06	9.9060e-01	2	3	5761
							1.50 0.0	1.2000e+06	9.4000e-03			
58-ce-150 0	581500	4.0000e+00	6.8918e+05	4.3969e+05		0.0	1.00 0.0	2.6560e+06	1.0000e+00	1	2	5867
59-pr-150 0	591500	6.1900e+00	2.0170e+06	1.0760e+06		0.0	1.00 0.0	5.6900e+06	1.0000e+00	1	2	5952
60-nd-150 0	601500	stable								0	0	6049
61-pm-150 0	611500	9.6480e+03	7.7900e+05	1.4700e+06		0.0	1.00 0.0	3.4540e+06	1.0000e+00	1	4	6158
62-sm-150 0	621500	stable								0	0	6243
56-ba-151 0	561510	3.3274e-01	2.1830e+06	2.2510e+06		0.0	1.00 0.0	7.7180e+06	9.6243e-01	2	3	5688
							1.50 0.0	3.5490e+00	3.7569e-02			
57-la-151 0	571510	7.1939e-01	2.2020e+06	1.6010e+06		0.0	1.00 0.0	6.9300e+06	9.3451e-01	2	3	5764
							1.50 0.0	3.5810e+00	6.5495e-02			
58-ce-151 0	581510	1.0200e+00	1.4400e+06	8.7740e+05		0.0	1.00 0.0	4.9000e+06	1.0000e+00	1	2	5870
59-pr-151 0	591510	1.8900e+01	1.2340e+06	7.0110e+05		0.0	1.00 0.0	3.8000e+06	1.0000e+00	1	4	5955

TABLE C-1 (Cont.)

SYMBOL	S	ZZAAS	HALF-LIFE	E-BETA	E-GAMMA	E-ALPHA	PTYP	RFS	Q	BRANCHING	NDK	NSP	MAT
60-nd-151	0	601510	7.4840e+02	5.3400e+05	9.4700e+05	0.0	1.00	0.0	2.4430e+06	1.0000e+00	1	4	6052
61-pm-151	0	611510	1.0224e+05	2.8700e+05	3.2900e+05	0.0	1.00	0.0	1.1170e+06	1.0000e+00	1	4	6161
62-sm-151	0	621510	2.8401e+09	1.9830e+04	1.4200e+01	0.0	1.00	0.0	7.6300e+04	1.0000e+00	1	4	6246
63-eu-151	0	631510	stable								0	0	6325
56-ba-152	0	561520	4.2049e-01	2.5240e+06	1.3900e+06	0.0	1.00	0.0	6.8990e+06	9.4279e-01	2	3	5691
									1.50 0.0	3.9990e+00			
57-la-152	0	571520	2.8495e-01	2.3550e+06	2.8850e+06	0.0	1.00	0.0	8.8200e+06	9.3961e-01	2	3	5767
									1.50 0.0	3.9890e+00			
58-ce-152	0	581520	7.6627e+00	1.1660e+06	7.7840e+05	0.0	1.00	0.0	3.9490e+06	1.0000e+00	1	2	5873
59-pr-152	0	591520	6.7761e+00	1.5490e+06	2.1190e+06	0.0	1.00	0.0	6.4870e+06	1.0000e+00	1	2	5958
60-nd-152	0	601520	6.8400e+02	3.3300e+05	1.6100e+05	0.0	1.00	0.0	1.1200e+06	1.0000e+00	1	4	6055
61-pm-152	0	611520	2.4600e+02	1.3950e+06	1.5000e+05	0.0	1.00	0.0	3.5000e+06	1.0000e+00	1	4	6164
61-pm-152	1	611521	4.5120e+02	8.8100e+05	1.5000e+06	0.0	1.00	0.0	3.6200e+06	1.0000e+00	1	4	6165
61-pm-152	2	611522	1.0800e+03	6.6079e+05	1.7332e+06	0.0	1.00	0.0	3.4710e+06	1.0000e+00	1	2	6166
62-sm-152	0	621520	stable								0	0	6249
63-eu-152	0	631520	4.2065e+08	1.2610e+05	1.1619e+06	0.0	1.00	0.0	1.8221e+06	2.7920e-01	2	5	6328
									2.00 0.0	1.8761e+06			
63-eu-152	1	631521	3.3552e+04	5.0230e+05	3.0300e+05	0.0	1.00	0.0	1.8677e+06	7.2000e-01	2	5	6329
									2.00 0.0	1.9217e+06			
63-eu-152	2	631522	5.7600e+03	6.1200e+04	7.5100e+04	0.0	3.00	0.0	1.4781e+05	1.0000e+00	1	3	6330
64-gd-152	0	641520	3.4080e+21	0.0	0.0	2.2062e+06	4.00	0.0	2.2062e+06	1.0000e+00	1	0	6425
57-la-153	0	571530	3.2584e-01	2.5950e+06	2.0880e+06	0.0	1.00	0.0	8.0010e+06	8.9312e-01	2	3	5770
									1.50 0.0	4.7390e+00			
58-ce-153	0	581530	1.4688e+00	1.6800e+06	1.1250e+06	0.0	1.00	0.0	5.8390e+06	9.9378e-01	2	3	5876
									1.50 0.0	1.6360e+00			
59-pr-153	0	591530	4.4907e+00	1.7000e+06	1.0270e+06	0.0	1.00	0.0	5.5730e+06	1.0000e+00	1	2	5961
60-nd-153	0	601530	6.7500e+01	1.1110e+06	6.7230e+05	0.0	1.00	0.0	3.3510e+06	1.0000e+00	1	2	6058
61-pm-153	0	611530	3.2400e+02	6.0720e+05	1.7220e+05	0.0	1.00	0.0	1.9000e+06	1.0000e+00	1	2	6167
62-sm-153	0	621530	1.6657e+05	2.6970e+05	6.5100e+04	0.0	1.00	0.0	8.0320e+05	1.0000e+00	1	4	6252
63-eu-153	0	631530	stable								0	0	6331
64-gd-153	0	641530	2.0874e+07	4.0700e+04	1.0760e+05	0.0	2.00	0.0	4.8390e+05	1.0000e+00	1	4	6428
57-la-154	0	571540	1.4926e-01	2.6150e+06	3.1990e+06	0.0	1.00	0.0	1.0063e+07	8.9730e-01	2	3	5773
									1.50 0.0	5.2990e+00			
58-ce-154	0	581540	2.0161e+00	1.6940e+06	9.5870e+05	0.0	1.00	0.0	5.0200e+06	9.9363e-01	2	3	5879
									1.50 0.0	1.6590e+00			
59-pr-154	0	591540	1.0614e+00	1.8730e+06	2.4140e+06	0.0	1.00	0.0	7.4630e+06	9.9889e-01	2	3	5964
									1.50 0.0	9.0700e-01			
60-nd-154	0	601540	4.0000e+01	6.0718e+05	6.0759e+05	0.0	1.00	0.0	2.4370e+06	1.0000e+00	1	2	6061
61-pm-154	0	611540	1.0320e+02	8.9100e+05	1.9000e+06	0.0	1.00	0.0	4.0000e+06	1.0000e+00	1	4	6130
61-pm-154	1	611541	1.6080e+02	8.9920e+05	1.9989e+06	0.0	1.00	0.0	4.0000e+06	1.0000e+00	1	4	6171
62-sm-154	0	621540	stable								0	0	6255
63-eu-154	0	631540	2.7114e+08	2.7800e+05	1.2540e+06	0.0	1.00	0.0	1.9689e+06	9.9980e-01	2	5	6334
									2.00 0.0	7.1700e+05			
63-eu-154	1	631541	2.7600e+03	8.2000e+04	7.3000e+04	0.0	3.00	0.0	1.5700e+05	1.0000e+00	1	3	6335
64-gd-154	0	641540	stable								0	0	6431
57-la-155	0	571550	1.5399e-01	2.8170e+06	2.6980e+06	0.0	1.00	0.0	9.5040e+06	8.3241e-01	2	3	5776
									1.50 0.0	6.0890e+00			
58-ce-155	0	581550	5.2782e-01	2.0150e+06	1.5710e+06	0.0	1.00	0.0	7.0820e+06	9.8400e-01	2	3	5882
									1.50 0.0	2.5190e+00			
59-pr-155	0	591550	1.1224e+00	2.0710e+06	1.4800e+06	0.0	1.00	0.0	6.6440e+06	9.8457e-01	2	3	5967
									1.50 0.0	2.0440e+00			

TABLE C-1 (Cont.)

SYMBOL	S	ZZAAS	HALF LIFE	E BETA	E GAMMA	E ALPHA	RTYP	RFS	O	BRANCHING	NDR	NSP	MAT			
60	nd	155	0	601550	1.8221e+01	1.3660e+06	8	3390e+05	0.0	1.00	0.0	4.3270e+06	1.0000e+00	1	2	6064
67	pm	155	0	611550	4.8000e+01	1.0200e+06	6	3300e+05	0.0	1.00	0.0	1.1000e+06	1.0000e+00	1	2	6173
62	sm	155	0	621550	1.3380e+01	5.6360e+05	1	0300e+05	0.0	1.00	0.0	1.6275e+06	1.0000e+00	1	4	6258
63	eu	155	0	631550	1.4769e+08	6.6400e+04	6	4700e+04	0.0	1.00	0.0	2.5270e+05	1.0000e+00	1	4	6337
64	qd	155	0	641550	stable									0	0	6434
58	ce	156	0	581560	5.9629e-01	2.1180e+06	1	1710e+06	0.0	1.00	0.0	6.5230e+06	9.7008e-01	2	3	5885
									1.50	0.0	3.0190e+00	2.9922e-02				
59	pr	156	0	591560	1.7926e-01	2.1490e+06	2	6880e+06	0.0	1.00	0.0	8.7060e+06	9.7283e-01	2	3	5970
									1.50	0.0	2.8090e+00	2.7170e-02				
60	nd	156	0	601560	1.9622e+01	1.1220e+06	7	6570e+05	0.0	1.00	0.0	3.5080e+06	1.0000e+00	1	2	6067
61	pm	156	0	611560	1.3100e+01	1.3140e+06	1	8340e+06	0.0	1.00	0.0	4.9800e+06	1.0000e+00	1	2	6176
62	sm	156	0	621560	1.3840e+04	2.1600e+05	1	1300e+05	0.0	1.00	0.0	7.1400e+05	1.0000e+00	1	4	6261
63	eu	156	0	631560	1.3124e+06	4.6500e+05	1	2300e+06	0.0	1.00	0.0	2.4530e+06	1.0000e+00	1	4	6340
64	qd	156	0	641560	stable									0	0	6437
58	ce	157	0	581570	2.1442e-01	2.4310e+06	2	0890e+06	0.0	1.00	0.0	8.6780e+06	9.5547e-01	2	3	5888
									1.50	0.0	3.8790e+00	4.4528e-02				
59	pr	157	0	591570	1.8001e-01	2.3870e+06	1	8810e+06	0.0	1.00	0.0	8.1470e+06	9.3613e-01	2	3	5973
									1.50	0.0	3.6090e+00	6.3874e-02				
60	nd	157	0	601570	2.4811e+00	1.6680e+06	1	1400e+06	0.0	1.00	0.0	5.5700e+06	1.0000e+00	1	2	6070
61	pm	157	0	611570	6.1183e+01	1.4510e+06	8	4080e+05	0.0	1.00	0.0	4.1610e+06	1.0000e+00	1	2	6179
62	sm	157	0	621570	4.8420e+02	8.6260e+05	4	0160e+05	0.0	1.00	0.0	2.6000e+06	1.0000e+00	1	2	6264
63	eu	157	0	631570	5.4648e+04	1.9400e+05	2	6600e+05	0.0	1.00	0.0	1.3630e+06	1.0000e+00	1	4	6343
64	qd	157	0	641570	stable									0	0	6440
59	pr	158	0	591580	1.6855e-01	2.5520e+06	1	1550e+06	0.0	1.00	0.0	1.0302e+07	9.3577e-01	2	3	5976
									1.50	0.0	4.1690e+00	6.4230e-02				
60	nd	158	0	601580	2.6949e+00	1.5890e+06	9	2390e+05	0.0	1.00	0.0	5.0110e+06	9.9959e-01	2	3	6073
									1.50	0.0	1.3900e-01	5.3000e-05				
61	pm	158	0	611580	3.7997e+00	1.5690e+06	2	1640e+06	0.0	1.00	0.0	6.2230e+06	1.0000e+00	1	2	6182
62	sm	158	0	621580	3.3060e+02	4.0843e+05	5	5492e+05	0.0	1.00	0.0	2.0500e+06	1.0000e+00	1	2	6267
63	eu	158	0	631580	2.7540e+03	9.6600e+05	1	0800e+06	0.0	1.00	0.0	1.4500e+06	1.0000e+00	1	4	6346
64	qd	158	0	641580	stable									0	0	6443
59	pr	159	0	591590	1.8055e-01	2.7730e+06	2	3380e+06	0.0	1.00	0.0	9.5010e+06	8.7637e-01	2	3	5979
									1.50	0.0	5.0090e+00	1.2363e-01				
60	nd	159	0	601590	6.4159e-01	2.0630e+06	1	6660e+06	0.0	1.00	0.0	7.1660e+06	9.9764e-01	2	3	6076
									1.50	0.0	1.2490e+00	2.3810e-03				
61	pm	159	0	611590	3.0005e+00	1.7820e+06	1	1600e+06	0.0	1.00	0.0	5.6640e+06	9.9982e-01	2	3	6185
									1.50	0.0	4.1900e-01	1.8500e-04				
62	sm	159	0	621590	1.6200e+02	1.0002e+06	9	6497e+05	0.0	1.00	0.0	1.8480e+06	1.0000e+00	1	2	6270
63	eu	159	0	631590	1.0860e+03	8.7290e+05	4	0515e+05	0.0	1.00	0.0	2.5140e+06	1.0000e+00	1	4	6349
64	qd	159	0	641590	6.6816e+04	1.1000e+05	5	2000e+04	0.0	1.00	0.0	9.7080e+05	1.0000e+00	1	4	6446
65	th	159	0	651590	stable									0	0	6525
60	nd	160	0	601600	7.8856e-01	2.1000e+06	1	2060e+06	0.0	1.00	0.0	6.3650e+06	9.9053e-01	2	3	6079
									1.50	0.0	1.8490e+00	9.4890e-03				
61	pm	160	0	611600	7.2892e-01	1.9690e+06	2	5000e+06	0.0	1.00	0.0	7.8190e+06	9.9732e-01	2	3	6188
									1.50	0.0	1.1490e+00	2.6760e-03				
62	sm	160	0	621600	7.2579e+01	8.4670e+05	6	8980e+05	0.0	1.00	0.0	1.2890e+06	1.0000e+00	1	2	6273
63	eu	160	0	631600	4.4000e+01	1.4640e+06	1	6000e+06	0.0	1.00	0.0	4.5000e+06	1.0000e+00	1	2	6352
64	qd	160	0	641600	stable									0	0	6449
65	th	160	0	651600	6.2467e+06	2.5700e+05	1	2230e+06	0.0	1.00	0.0	1.8357e+06	1.0000e+00	1	4	6528
66	dy	160	0	661600	stable									0	0	6637

TABLE C-1 (Cont.)

SYMBOL	S	ZZAAS	HALF LIFE	E BETA	E GAMMA	E ALPHA	RTYP	RFS	O	BRANCHING	NDK	NSP	MAT
60-nd-161	0	601610	3.1131e-01	2.1600e+06	1.8790e+06		0.0	1.00 0.0	8.1100e+06	9.8302e-01	2	3	6082
								1.50 0.0	2.5590e+00	1.6982e-02			
61-pm-161	0	611610	7.8991e-01	2.1080e+06	1.6960e+06		0.0	1.00 0.0	7.0180e+06	9.8250e-01	2	3	6191
								1.50 0.0	1.9690e+00	1.7504e-02			
62-sm-161	0	621610	4.7801e+00	1.5070e+06	1.1380e+06		0.0	1.00 0.0	5.4440e+06	1.0000e+00	1	2	6276
63-eu-161	0	631610	4.2050e+01	1.0059e+06	1.0062e+06		0.0	1.00 0.0	4.1350e+06	1.0000e+00	1	2	6355
64-qd-161	0	641610	2.1960e+02	5.8300e+05	3.8800e+05		0.0	1.00 0.0	1.9590e+06	1.0000e+00	1	4	6452
65-tb-161	0	651610	5.9616e+05	1.9700e+05	3.6000e+04		0.0	1.00 0.0	5.9210e+05	1.0000e+00	1	4	6531
66-dy-161	0	661610	stable								0	0	6640
61-pm-162	0	611620	3.2428e-01	2.0790e+06	2.6200e+06		0.0	1.00 0.0	8.7610e+06	9.7855e-01	2	3	6194
								1.50 0.0	2.4890e+00	2.1452e-02			
62-sm-162	0	621620	5.2600e+00	1.3810e+06	8.7780e+05		0.0	1.00 0.0	4.6430e+06	1.0000e+00	1	2	6279
63-eu-162	0	631620	1.6243e+02	1.4030e+06	2.0180e+06		0.0	1.00 0.0	6.2900e+06	1.0000e+00	1	2	6358
64-qd-162	0	641620	5.0400e+02	2.8618e+05	5.3704e+05		0.0	1.00 0.0	1.4000e+06	1.0000e+00	1	4	6455
65-tb-162	0	651620	4.6560e+02	5.3900e+05	1.1070e+06		0.0	1.00 0.0	2.5300e+06	1.0000e+00	1	4	6534
66-dy-162	0	661620	stable								0	0	6643
62-sm-163	0	621630	1.2679e+00	1.6690e+06	1.3340e+06		0.0	1.00 0.0	6.3880e+06	1.0000e+00	1	2	6282
63-eu-163	0	631630	7.6045e+00	1.5410e+06	1.0720e+06		0.0	1.00 0.0	5.4890e+06	1.0000e+00	1	2	6361
64-qd-163	0	641630	9.2770e+01	8.5917e+05	9.6128e+05		0.0	1.00 0.0	3.5550e+06	1.0000e+00	1	2	6458
65-tb-163	0	651630	1.1730e+01	3.2100e+05	7.8900e+05		0.0	1.00 0.0	1.7000e+06	1.0000e+00	1	4	6537
66-dy-163	0	661630	stable								0	0	6646
62-sm-164	0	621640	1.3850e+00	1.8030e+06	1.0490e+06		0.0	1.00 0.0	5.7970e+06	9.9988e-01	2	3	6285
								1.50 0.0	4.3900e-01	1.2400e-04			
63-eu-164	0	631640	1.5327e+00	1.5630e+06	2.1470e+06		0.0	1.00 0.0	7.2340e+06	1.0000e+00	2	3	6364
								1.50 0.0	1.9000e-02	1.0000e-06			
64-qd-164	0	641640	1.3014e+03	7.1810e+05	6.4690e+05		0.0	1.00 0.0	2.7540e+06	1.0000e+00	1	2	6461
65-tb-164	0	651640	1.8000e+02	7.1700e+05	2.3110e+06		0.0	1.00 0.0	3.8600e+06	1.0000e+00	1	4	6540
66-dy-164	0	661640	stable								0	0	6649
62-sm-165	0	621650	4.5356e-01	1.9630e+06	1.6910e+06		0.0	1.00 0.0	7.6770e+06	9.9751e-01	2	3	6288
								1.50 0.0	1.2390e+00	2.4910e-03			
63-eu-165	0	631650	1.3546e+00	1.8300e+06	1.4070e+06		0.0	1.00 0.0	6.6430e+06	9.9809e-01	2	3	6367
								1.50 0.0	8.9900e-01	1.9110e-03			
64-qd-165	0	641650	4.2295e+01	1.2300e+06	8.8110e+05		0.0	1.00 0.0	4.4990e+06	1.0000e+00	1	2	6464
65-tb-165	0	651650	1.2660e+02	8.7400e+05	8.3600e+05		0.0	1.00 0	2.9500e+06	1.4000e-01	2	4	6543
								1.00 1.0	2.8420e+06	8.6000e-01			
66-dy-165	0	661650	8.4024e+03	4.4800e+05	2.6000e+04		0.0	1.00 0.0	1.2867e+06	1.0000e+00	1	4	6552
66-dy-165	1	661651	7.5480e+01	9.8000e+04	1.9900e+04		0.0	1.00 0.0	1.3949e+06	2.2400e-02	2	4	6653
								3.00 0.0	1.0816e+05	9.7760e-01			
67-ho-165	0	671650	stable								0	0	6725
66-dy-166	0	661660	2.9376e+05	1.6260e+05	4.3000e+04		0.0	1.00 0.0	4.8690e+05	1.0000e+00	1	4	6655
67-ho-166	0	671660	9.6480e+04	6.9600e+05	2.9500e+04		0.0	1.00 0.0	1.8539e+06	1.0000e+00	1	4	6728
67-ho-166	1	671661	3.7868e+10	1.4620e+05	1.6280e+06		0.0	1.00 0.0	1.8599e+06	1.0000e+00	1	4	6729
68-er-166	0	681660	stable								0	0	6837
68-er-167	0	681670	stable								0	0	6840
68-er-167	1	681671	2.2800e+00	1.0600e+05	9.7000e+04		0.0	3.00 0.0	2.0780e+05	1.0000e+00	1	3	6841

TABLE C-1 (Cont.)

<u>Data Count</u>	
891	= total nuclides
127	= stable nuclides
159	= nuclides in isomeric states
9	= nuclides in second isostates
755	= nuclides having spectra
405	= nuclides having discrete electron spectra
400	= nuclides having conversion electron and discrete spectra
400	= nuclides having conversion electrons
404	= nuclides having x-ray spectra
379	= nuclides having discrete beta spectra
443	= nuclides having discrete gamma spectra
0	= nuclides having discrete neutron spectra
3	= nuclides having alpha spectra
40	= nuclides having positron or electron spectra
384	= nuclides having continuous gamma spectra (theoretical)
383	= nuclides having continuous beta spectra (theoretical)
272	= nuclides having continuous neutron spectra (delayed neutron)
736	= nuclides having gamma spectra
677	= nuclides having beta spectra
272	= nuclides having neutron spectra

ENDF/B-VI Decay File: Summary of Modifications, Supplements, and General Sources.

The fission-product decay data will be combined with the activation and actinide decay files to produce a single decay file of ~ 970 nuclides. Fifty nuclides are common in these files. The fission product and actinide files take precedence over the earlier evaluated activation files. All files are now at Brookhaven National Laboratory [the activation and actinide files having been sent earlier by Fred Mann, HEDL (Hanford Engineering Development Laboratory)].

Differing from previous versions of ENDF/B, in the preliminary Version VI, the fission products were formed as a sequence of libraries, testing each with an extensive range of integral measurements. Unlike the activation and actinide portions of the ENDF/B-VI decay file, many fission products have no spectral measurements and some lack even half-life measurements. Other products have incomplete measurements of spectra.

Recognizing that measured data were extensive but inadequate for calculations of decay heat and spectra, it was decided to:

1. Use measured data where they existed in ~ 1989;
2. Otherwise, use theory.
3. Supplement measurements believed to be incomplete with theoretical values.
4. Complete a library having spectra that would closely match the average beta and gamma energies.
5. Add in the delayed neutron spectra.

In the process of supplementation we did not want to lose any evaluated measurements, and for spectra, that is the case. Average energies for ~ 73 nuclides were known to be in error and they were replaced by theoretical values. Approximately 45 others were *believed* to be in error and were replaced by theory. Many others (~ 244) had no measurements, average energies, or spectra, and were necessarily replaced by theory. None had delayed neutron spectra.

In toto, 420 of 764 nuclides now have theoretical data and/or delayed neutron data. We believe the supplements are essentially correct; however, the user should be aware that some are certainly questionable and the need for some specific supplements were necessarily subjective. A few (~ 116) have since been measured, but they will have to be used in a subsequent "mod." The process of forcing agreement of average energies derived from spectra with file averages complicates the simple additions of new spectral measurements. Perhaps more importantly, this first file has already been compared with essentially all measured aggregate decay heat, beta, and gamma spectra. As was the original motivation for the product data, it is an excellent file that will serve as an essential complete *fiducial* data set. All but 9 of 764 unstable nuclides now have a decay spectra (compared with 264 in ENDF/B-V). All theoretical values are inserted as continuous spectra. Evaluations of measured data have not been changed except in a few cases where the beta normalization was adjusted by changing FD (the discrete spectrum normalization factor for beta decay appearing in the File 8 representation of decay spectra in ENDF/B-VI), to avoid negative spectra.

Most of the evaluated measurements were supplied by Charles Reich of INEL (Idaho National Engineering Lab.), with a close adherence to ENSDF (Evaluated Nuclear Structure Data File) and converted to ENDF/B format at HEDL by F. Mann. All of the supplements to these data and those for unmeasured parameters were made at Los Alamos by the authors. The additions expanded the file from ~ 60 0000 to > 300 000 lines, or approximately 25 000 000 bytes.

Table C-2 provides a list of information that may be of great interest to present and future evaluators. This information, as well as more detailed additional material, can now be recovered from File 1. The meaning of the various numbers is given at the end of the table. The table relates only to beta, gamma, and delayed neutron energies; there are other spectra in the files.




Fig. C-1. Gamma decay energy after ^{235}U fast fission (pulse).




Fig. C-2. Beta decay energy after ^{235}U fast fission (pulse).




Fig. C-3. Total decay energy after ^{235}U fast fission (pulse).

TABLE C-2

FISSION-PRODUCT DECAY FILE: SUPPLEMENTS, ADDITIONS, AND SOURCES^a

NUM	ID	MAI	P	G	SP TYP			CONT				E COMPONENT			NEW FD
					B	G	N	BETA	GAMMA	DEL	NEUT				
1	270729	2704	2	2	1	1	1	4	6081+06	4	6940+06	9	2009+04	---	
2	270730	2707	2	2	1	1	1	4	7180+06	2	9800+06	2	1642+05	---	
3	270740	2770	2	2	1	1	1	5	1669+06	5	4200+06	1	5428+05	---	
4	270750	2775	2	2	1	1	1	5	2591+06	3	7449+06	2	9849+05	---	
5	280720	2807	2	2	1	1	-1	1	8820+06	9	1313+05	---	---		
6	280730	2870	2	2	1	1	1	3	2809+06	1	6189+06	7	2241+00	---	
7	280740	2871	2	2	1	1	1	2	6831+06	1	1990+06	1	1609+03	---	
8	280750	2876	2	2	1	1	1	3	8269+06	2	2159+06	4	4904+03	---	
9	280760	2879	2	2	1	1	1	3	3790+06	1	5270+06	1	8386+04	---	
10	280770	2882	2	2	1	1	1	4	4810+06	3	0881+06	2	8536+04	---	
11	280780	2885	2	2	1	1	1	3	9289+06	1	8769+06	6	0141+04	---	
12	290720	2952	2	2	1	1	1	2	0350+06	2	9940+06	4	7074+02	---	
13	290730	2955	2	2	1	1	1	1	9849+06	7	7230+05	1	7105+03	---	
14	290740	2958	2	2	1	1	1	2	5109+06	3	2060+06	1	0359+03	---	
15	290750	2961	2	2	1	1	1	2	6880+06	2	0900+06	1	7502+04	---	
16	290760	2964	2	2	1	1	1	3	1131+06	3	5040+06	1	5625+04	---	
17	290770	2967	2	2	1	1	1	3	2671+06	1	5060+06	8	1783+04	---	
18	290780	2970	2	2	1	1	1	3	8302+06	4	0531+06	7	0359+04	---	
19	290790	2973	2	2	1	1	1	3	7089+06	1	9700+06	1	8111+05	---	
20	290800	2976	2	2	1	1	1	4	3269+06	4	5871+06	1	2097+05	---	
21	290810	2979	2	2	1	1	1	4	8260+06	3	4579+06	5	2712+05	---	
22	300720	3049	0	0	-1	-1	-1	---	---	---	---	---	---		
23	300730	3052	2	2	2	2	-1	3	8865+05	1	0519+06	---	6.2633-03		
24	300740	3055	2	2	2	2	-1	1	8053+05	5	8772+05	---	4.9522-03		
25	300750	3058	0	0	-1	-1	-1	---	---	---	---	---	---		
26	300760	3061	2	2	2	2	-1	1	7295+05	2	0810+05	---	7.7388-03		
27	300770	3064	0	0	2	-1	-1	2	8500+05	---	---	---	---		
28	300780	3067	0	0	-1	-1	1	---	---	---	5.6341+00	---	---		
29	300790	3070	2	2	1	1	1	3	0160+06	2	9170+06	5	0892+03	---	
30	300800	3073	2	2	1	1	1	2	7581+06	1	2420+06	4	5256+03	---	
31	300810	3076	2	2	1	1	1	4	0320+06	2	7131+06	3	6837+04	---	
32	300820	3079	2	2	1	1	1	4	2339+06	2	1810+06	1	6182+05	---	
33	300830	3082	2	2	1	1	1	4	1021+06	3	9531+06	1	9025+05	---	
34	310720	3134	0	0	-1	-1	-1	---	---	---	---	---	---		
35	310721	3135	-5	5	-1	-1	-1	---	---	---	---	---	---		
36	310730	3137	0	0	1	-1	-1	---	---	---	---	---	---		
37	310740	3140	0	0	-1	1	-1	---	---	---	---	---	---		
38	310741	3141	0	0	1	-1	-1	---	---	---	---	---	---		
39	310750	3143	0	0	-1	1	-1	---	---	---	---	---	---		
40	310760	3146	0	0	-1	1	-1	---	---	---	---	---	---		
41	310770	3149	2	2	1	1	-1	2	0420+06	7	8930+05	---	---		
42	310780	3152	0	0	1	-1	-1	---	---	---	---	---	---		
43	310790	3155	0	0	-1	-1	1	---	---	---	1.6635+02	---	---		
44	310800	3158	2	2	2	2	1	4	4322+05	7	7809+05	2	7848+03	---	
45	310810	3161	0	0	2	-1	1	3	0899+05	---	---	4.4581+04	---		
46	310820	3164	2	2	1	1	1	3	7961+06	4	1311+06	1	3732+05	---	
47	310830	3167	2	2	1	1	1	3	8810+06	3	7429+06	4	4794+05	---	
48	310840	3170	2	2	1	1	1	4	2280+06	4	6330+06	2	3871+05	---	
49	310850	3173	2	2	1	1	1	4	5090+06	4	3050+06	4	0263+05	---	
50	320731	3235	0	0	-1	-1	-1	---	---	---	---	---	---		
51	320750	3240	0	0	-1	-1	-1	---	---	---	---	---	---		
52	320751	3241	0	0	-1	1	-1	---	---	---	---	---	---		
53	320770	3246	0	0	-1	-1	-1	---	---	---	---	---	---		
54	320771	3247	0	0	-1	-1	-1	---	---	---	---	---	---		
55	320780	3249	0	0	-1	-1	-1	---	---	---	---	---	---		
56	320790	3252	2	2	-1	2	-1	---	---	3	9269+04	---	---		
57	320791	3253	0	0	-1	-1	-1	---	---	---	---	---	---		
58	320800	3255	0	0	2	-1	-1	6	4631+04	---	---	---	8.0511-03		
59	320810	3258	2	2	1	1	-1	2	4426+06	8	4067+05	---	---		
60	320820	3261	2	2	1	1	-1	1	4490+06	7	6519+05	---	---		
61	320830	3264	2	2	1	1	1	2	6891+06	2	4440+06	3	6673+02	---	
62	320840	3267	2	2	1	1	1	2	5461+06	2	4600+06	5	6600+04	---	
63	320850	3270	2	2	1	1	1	3	0291+06	3	1829+06	1	3881+05	---	
64	320860	3273	2	2	1	1	1	3	3620+06	2	6360+06	1	4859+05	---	
65	320870	3276	2	2	1	1	1	3	5330+06	3	5850+06	1	1063+05	---	
66	320880	3279	2	2	1	1	1	4	0061+06	3	0030+06	1	6309+05	---	

Table C-2 (Cont.)

NUM	ID	MAT	AV	E	SP	TYP	CONT	E	COMPONENT	NEW	FD
			B	G	B	G	BETA		GAMMA DEL	NEUT	
67	330750	3328	0	0	1	1	-1				
68	330775	3331	0	0	1	1	-1				
69	330780	3334	0	0	1	1	1				
70	330790	3337	6	6	1	2	-1		8.9001+03		
71	330800	3340	2	2	1	2	1		1.9008+05		
72	330810	3343	0	0	1	1	-1				
73	330820	3346	2	2	2	2	1	4.9313+04	7.5450+05		8.7004+03
74	330821	3347	0	0	-1	1	1				
75	330830	3349	6	6	1	1	1	2.556+06	2.7514+06		
76	330840	3352	0	0	-1	1	1			2.5480+02	
77	330841	3353	2	2	1	1	1	2.9179+06	3.4620+06		
78	330850	3355	2	2	1	1	1	2.8360+06	3.0050+06	5.0294+05	
79	330860	3358	2	2	1	1	1	3.3170+06	3.7779+06	8.4908+04	
80	330870	3361	2	2	1	1	1	3.4400+06	3.4731+06	3.3708+05	
81	330880	3364	2	2	1	1	1	3.7521+06	4.2211+06	1.4884+05	
82	330890	3367	2	2	1	1	1	3.9768+06	3.9429+06	2.6130+05	
83	330900	3370	2	2	1	1	1	4.5968+06	4.3800+06	1.9670+05	
84	340750	3428	0	0	-1	-1	-1				
85	340771	3435	0	0	-1	-1	-1				
86	340790	3440	0	0	1	1	-1				
87	340791	3441	0	0	1	-1	-1				
88	340810	3446	0	0	-1	1	-1				
89	340811	3447	0	0	-1	-1	1				
90	340830	3452	0	0	-1	-1	-1				
91	340831	3453	0	0	-1	-1	-1				
92	340840	3455	0	0	-1	-1	-1				
93	340850	3458	0	0	-1	-1	-1				
94	340860	3461	0	0	-1	-1	-1				
95	340870	3464	2	2	1	1	1	2.0791+06	2.6440+06	4.3577+02	
96	340880	3467	2	2	1	1	1	2.2151+06	2.0320+06	2.4953+03	
97	340890	3470	2	2	1	1	1	3.1261+06	1.8940+06	3.1279+04	
98	340900	3473	2	2	1	1	1	2.9040+06	2.6330+06	7.0072+04	
99	340910	3476	2	2	1	1	1	3.7850+06	3.1260+06	1.5110+05	
100	340920	3479	2	2	1	1	1	4.1130+06	2.2370+06	8.4815+04	
101	340930	3482	2	2	1	1	1	4.1169+06	4.1419+06	8.1828+04	
102	350791	3526	0	0	-1	-1	-1				
103	350800	3528	0	0	-1	-1	-1				
104	350801	3529	0	0	-1	-1	-1				
105	350820	3534	0	0	-1	-1	-1				
106	350821	3535	0	0	-1	-1	-1				
107	350830	3537	0	0	-1	-1	-1				
108	350840	3540	0	0	-1	-1	-1				
109	350841	3541	0	0	-1	-1	-1				
110	350850	3543	0	0	-1	1	-1				
111	350860	3546	1	1	-1	-1	-1				
112	350870	3549	0	0	-1	-1	1		5.4221+01		
113	350880	3552	0	0	-1	-1	1		1.6077+04		
114	350890	3555	1	1	2	2	1	1.7132+06	1.5500+06	7.1476+04	1.8381-03
115	350900	3558	1	1	2	2	1	2.0580+06	1.6800+06	1.5125+05	1.3827-03
116	350910	3561	2	2	1	1	1	3.4171+06	2.1390+06	7.1622+04	
117	350920	3564	2	2	1	1	1	4.0059+06	3.1990+06	4.7618+05	
118	350930	3567	2	2	1	1	1	3.5540+06	3.6719+06	3.0705+05	
119	350940	3570	2	2	1	1	1	4.0190+06	4.6610+06	2.2801+05	
120	350950	3573	2	2	1	1	1	3.5929+06	3.7130+06	2.0095+05	
121	350960	3576	2	2	1	1	1	4.4689+06	4.8219+06	1.6863+05	
122	360790	3628	0	0	-1	-1	-1				
123	360791	3629	0	0	-1	-1	-1				
124	360810	3634	0	0	-1	-1	-1				
125	360811	3635	0	0	-1	-1	-1				
126	360831	3641	0	0	-1	-1	-1				
127	360850	3646	0	0	-1	-1	-1				
128	360851	3647	0	0	-1	-1	-1				
129	360870	3652	0	0	-1	-1	-1				
130	360880	3655	0	0	-1	-1	-1				
131	360890	3658	0	0	-1	-1	-1				
132	360900	3661	0	0	-1	-1	-1				
133	360910	3664	0	0	-1	-1	-1				
134	360920	3667	0	0	-1	-1	1		8.3248+01		

Table C-2 (Cont.)

NUM	IC	MAX	AV	E	B	S	D	N	POINT			ELEMENT			NEW
									DATA	TAMMA	MEMO	DATA	TAMMA	MEMO	
136	162347	1671	2	2	1	1	1	1	2	4370+06	1	370+06	1	2221+04	1
137	162348	1672	2	2	1	1	1	1	1	4370+06	1	370+06	1	2221+04	1
138	162349	1673	2	2	1	1	1	1	1	4370+06	1	370+06	1	2221+04	1
139	162350	1674	2	2	1	1	1	1	1	4370+06	1	370+06	1	2221+04	1
140	162351	1675	2	2	1	1	1	1	1	4370+06	1	370+06	1	2221+04	1
141	162352	1676	2	2	1	1	1	1	1	4370+06	1	370+06	1	2221+04	1
142	162353	1677	2	2	1	1	1	1	1	4370+06	1	370+06	1	2221+04	1
143	162354	1678	2	2	1	1	1	1	1	4370+06	1	370+06	1	2221+04	1
144	162355	1679	2	2	1	1	1	1	1	4370+06	1	370+06	1	2221+04	1
145	162356	1680	2	2	1	1	1	1	1	4370+06	1	370+06	1	2221+04	1
146	162357	1681	2	2	1	1	1	1	1	4370+06	1	370+06	1	2221+04	1
147	162358	1682	2	2	1	1	1	1	1	4370+06	1	370+06	1	2221+04	1
148	162359	1683	2	2	1	1	1	1	1	4370+06	1	370+06	1	2221+04	1
149	162360	1684	2	2	1	1	1	1	1	4370+06	1	370+06	1	2221+04	1
150	162361	1685	2	2	1	1	1	1	1	4370+06	1	370+06	1	2221+04	1
151	162362	1686	2	2	1	1	1	1	1	4370+06	1	370+06	1	2221+04	1
152	162363	1687	2	2	1	1	1	1	1	4370+06	1	370+06	1	2221+04	1
153	162364	1688	2	2	1	1	1	1	1	4370+06	1	370+06	1	2221+04	1
154	162365	1689	2	2	1	1	1	1	1	4370+06	1	370+06	1	2221+04	1
155	162366	1690	2	2	1	1	1	1	1	4370+06	1	370+06	1	2221+04	1
156	162367	1691	2	2	1	1	1	1	1	4370+06	1	370+06	1	2221+04	1
157	162368	1692	2	2	1	1	1	1	1	4370+06	1	370+06	1	2221+04	1
158	162369	1693	2	2	1	1	1	1	1	4370+06	1	370+06	1	2221+04	1
159	162370	1694	2	2	1	1	1	1	1	4370+06	1	370+06	1	2221+04	1
160	162371	1695	2	2	1	1	1	1	1	4370+06	1	370+06	1	2221+04	1
161	162372	1696	2	2	1	1	1	1	1	4370+06	1	370+06	1	2221+04	1
162	162373	1697	2	2	1	1	1	1	1	4370+06	1	370+06	1	2221+04	1
163	162374	1698	2	2	1	1	1	1	1	4370+06	1	370+06	1	2221+04	1
164	162375	1699	2	2	1	1	1	1	1	4370+06	1	370+06	1	2221+04	1
165	162376	1700	2	2	1	1	1	1	1	4370+06	1	370+06	1	2221+04	1
166	162377	1701	2	2	1	1	1	1	1	4370+06	1	370+06	1	2221+04	1
167	162378	1702	2	2	1	1	1	1	1	4370+06	1	370+06	1	2221+04	1
168	162379	1703	2	2	1	1	1	1	1	4370+06	1	370+06	1	2221+04	1
169	162380	1704	2	2	1	1	1	1	1	4370+06	1	370+06	1	2221+04	1
170	162381	1705	2	2	1	1	1	1	1	4370+06	1	370+06	1	2221+04	1
171	162382	1706	2	2	1	1	1	1	1	4370+06	1	370+06	1	2221+04	1
172	162383	1707	2	2	1	1	1	1	1	4370+06	1	370+06	1	2221+04	1
173	162384	1708	2	2	1	1	1	1	1	4370+06	1	370+06	1	2221+04	1
174	162385	1709	2	2	1	1	1	1	1	4370+06	1	370+06	1	2221+04	1
175	162386	1710	2	2	1	1	1	1	1	4370+06	1	370+06	1	2221+04	1
176	162387	1711	2	2	1	1	1	1	1	4370+06	1	370+06	1	2221+04	1
177	162388	1712	2	2	1	1	1	1	1	4370+06	1	370+06	1	2221+04	1
178	162389	1713	2	2	1	1	1	1	1	4370+06	1	370+06	1	2221+04	1
179	162390	1714	2	2	1	1	1	1	1	4370+06	1	370+06	1	2221+04	1
180	162391	1715	2	2	1	1	1	1	1	4370+06	1	370+06	1	2221+04	1
181	162392	1716	2	2	1	1	1	1	1	4370+06	1	370+06	1	2221+04	1
182	162393	1717	2	2	1	1	1	1	1	4370+06	1	370+06	1	2221+04	1
183	162394	1718	2	2	1	1	1	1	1	4370+06	1	370+06	1	2221+04	1
184	162395	1719	2	2	1	1	1	1	1	4370+06	1	370+06	1	2221+04	1
185	162396	1720	2	2	1	1	1	1	1	4370+06	1	370+06	1	2221+04	1
186	162397	1721	2	2	1	1	1	1	1	4370+06	1	370+06	1	2221+04	1
187	162398	1722	2	2	1	1	1	1	1	4370+06	1	370+06	1	2221+04	1
188	162399	1723	2	2	1	1	1	1	1	4370+06	1	370+06	1	2221+04	1
189	162400	1724	2	2	1	1	1	1	1	4370+06	1	370+06	1	2221+04	1
190	162401	1725	2	2	1	1	1	1	1	4370+06	1	370+06	1	2221+04	1
191	162402	1726	2	2	1	1	1	1	1	4370+06	1	370+06	1	2221+04	1
192	162403	1727	2	2	1	1	1	1	1	4370+06	1	370+06	1	2221+04	1
193	162404	1728	2	2	1	1	1	1	1	4370+06	1	370+06	1	2221+04	1
194	162405	1729	2	2	1	1	1	1	1	4370+06	1	370+06	1	2221+04	1
195	162406	1730	2	2	1	1	1	1	1	4370+06	1	370+06	1	2221+04	1
196	162407	1731	2	2	1	1	1	1	1	4370+06	1	370+06	1	2221+04	1
197	162408	1732	2	2	1	1	1	1	1	4370+06	1	370+06	1	2221+04	1
198	162409	1733	2	2	1	1	1	1	1	4370+06	1	370+06	1	2221+04	1
199	162410	1734	2	2	1	1	1	1	1	4370+06	1	370+06	1	2221+04	1
200	162411	1735	2	2	1	1	1	1	1	4370+06	1	370+06	1	2221+04	1
201	162412	1736	2	2	1	1	1	1	1	4370+06	1	370+06	1	2221+04	1
202	162413	1737	2	2	1	1	1	1	1	4370+06	1	370+06	1	2221+04	1

Table C-2 (Cont.)

NW	E	S	T	SE	TE	T	N	COMPONENT			NEW
								BETA	GAMMA DEL	SECT	
207	410921	4121	2	2	1	1	1				
208	410922	4122	2	2	1	1	1				
209	410923	4123	2	2	1	1	1				
210	410924	4124	2	2	1	1	1				
211	410925	4125	2	2	1	1	1				
212	410926	4126	2	2	1	1	1	1.7510e+04	1.84e+05		H 4117+03
213	410927	4127	2	2	2	2	1	1.1647e+05	2.322e+05		H 4114+03
214	410928	4128	2	2	2	2	1	1.647e+05	4.702e+05		H 4114+03
215	410929	4129	2	2	1	1	1	2.1600e+05	1.0017e+06		
216	410930	4130	2	2	1	1	1	2.0000e+05	7.372e+05		
217	410931	4131	2	2	1	1	1	2.4000e+05	1.4600e+06	4.4324e+11	
218	410932	4132	2	2	1	1	1	1.7420e+05	H 443e+05	2.700e+11	
219	410933	4133	2	2	1	1	1	2.6620e+05	1.764e+06	5.419e+11	
220	410934	4134	2	2	1	1	1	2.1941e+05	1.7910e+06	5.4112e+11	
221	410935	4135	2	2	1	1	1	2.9420e+05	2.2100e+06	1.7024e+12	
222	410936	4136	2	2	1	1	1	2.5671e+05	1.3340e+06	3.6210e+12	
223	410937	4137	2	2	1	1	1	3.0871e+05	2.7000e+06	4.0400e+12	
224	410938	4138	2	2	1	1	1				
225	410939	4139	2	2	1	1	1				
226	410940	4140	2	2	1	1	1				
227	410941	4141	2	2	1	1	1				
228	410942	4142	2	2	1	1	1				
229	410943	4143	2	2	1	1	1				
230	410944	4144	2	2	1	1	1				
231	410945	4145	2	2	1	1	1				
232	410946	4146	2	2	1	1	1				
233	410947	4147	2	2	1	1	1				
234	410948	4148	2	2	1	1	1				
235	410949	4149	2	2	1	1	1				
236	410950	4150	2	2	1	1	1				
237	410951	4151	2	2	1	1	1				
238	410952	4152	2	2	1	1	1				
239	410953	4153	2	2	1	1	1				
240	410954	4154	2	2	1	1	1				
241	410955	4155	2	2	1	1	1				
242	410956	4156	2	2	1	1	1				
243	410957	4157	2	2	1	1	1				
244	410958	4158	2	2	1	1	1				
245	410959	4159	2	2	1	1	1				
246	410960	4160	2	2	1	1	1				
247	421001	4220	2	2	1	1	1				
248	421002	4221	2	2	1	1	1				
249	421003	4222	2	2	1	1	1				
250	421004	4223	2	2	1	1	1				
251	421005	4224	2	2	1	1	1				
252	421006	4225	2	2	1	1	1				
253	421007	4226	2	2	1	1	1				
254	421008	4227	2	2	1	1	1				
255	421009	4228	2	2	1	1	1				
256	421010	4229	2	2	1	1	1				
257	421011	4230	2	2	1	1	1				
258	421012	4231	2	2	1	1	1				
259	421013	4232	2	2	1	1	1				
260	421014	4233	2	2	1	1	1				
261	421015	4234	2	2	1	1	1				
262	421016	4235	2	2	1	1	1				
263	421017	4236	2	2	1	1	1				
264	421018	4237	2	2	1	1	1				
265	421019	4238	2	2	1	1	1				
266	421020	4239	2	2	1	1	1				
267	421021	4240	2	2	1	1	1				
268	421022	4241	2	2	1	1	1				
269	421023	4242	2	2	1	1	1				
270	421024	4243	2	2	1	1	1				
271	421025	4244	2	2	1	1	1				

Table C-2 (Cont.)

NPN	II	MAI	AV	E	P	S	F	G	N	CONT	E COMPONENT			NEW TO
											BETA	GAMMA	DEL	
339	461191	4641												
340	461192	4642												
341	461193	4643												
342	461197	4647												
343	461197	4647	2	2						1 3490+06	8 1518+06			
344	461199	4649	2	2						2 1789+04	5 7829+04			8.0022-03
345	461199	4649	2	2						1 4333+06	1 2912+06			
346	461199	4649	2	2						2 8571+05	4 4958+05			4.0002-03
347	461199	4649	2	2						1 9150+06	1 0879+06			
348	461199	4649	2	2						1 0440+06	7 1519+05			
349	461199	4649	2	2						1 1111+06	1 3370+06	4 4475+02		
350	461200	4650	2	2						1 3350+06	4 1367+05	8 3147+01		
351	461201	4651	2	2						1 1330+06	1 6385+06	7 4818+02		
352	461202	4652	2	2						1 6500+06	9 2092+05	1 2335+03		
353	461203	4653	2	2						1 2493+06	1 8590+06	2 3185+03		
354	461204	4654	2	2						1 3810+06	1 0720+06	1 0518+04		
355	461207	4657	2	2						2 5709+06	2 0919+06	4 4718+03		
356	461208	4658	2	2						1 3590+06	1 2760+06	2 2321+04		
357	471191	4721	0	0						-1 -1 -1	---	---	---	---
358	471191	4721	0	0						-1 -1 -1	---	---	---	---
359	471191	4721	0	0						-1 -1 -1	---	---	---	---
360	471191	4721	0	0						-1 -1 -1	---	---	---	---
361	471191	4721	0	0						-1 -1 -1	---	---	---	---
362	471191	4721	0	0						-1 -1 -1	---	---	---	---
363	471191	4721	0	0						-1 -1 -1	---	---	---	---
364	471191	4721	0	0						-1 -1 -1	---	---	---	---
365	471191	4721	0	0						-1 -1 -1	---	---	---	---
366	471191	4721	0	0						-1 -1 -1	---	---	---	---
367	471191	4721	0	0						-1 -1 -1	---	---	---	---
368	471191	4721	2	2						1 0366+05	1 1165+05	---		8.9161-03
369	471191	4721	0	0						-1 -1 -1	---	---	---	---
370	471191	4721	2	2						3 3297+05	8 8148+05	---		---
371	471191	4721	0	0						-1 -1 -1	---	---	---	---
372	471191	4721	2	2						7 1343+05	9 1753+05	---		3.4600-03
373	471191	4721	0	0						2 -1 -1	1 2940+05	---		---
374	471191	4721	0	0						-1 -1 -1	---	---	---	---
375	471191	4721	0	0						-1 -1 -1	---	---	---	---
376	471191	4721	0	0						-1 -1 -1	---	---	---	---
377	471190	4761	2	2						4 7230+05	4 3270+05	3 3859-02		5.4385-03
378	471200	4764	2	2						1 1 1	2 2870+06	2 8810+06	7 0126-01	---
379	471201	4765	2	2						1 1 -1	1 3708+06	2 0860+06	---	---
380	471210	4767	2	2						1 1 1	1 6675+06	2 0715+06	1 9534+02	---
381	471220	4770	2	2						2 2 1	7 3635+05	1 3879+06	5 2970+02	1.4741-03
382	471221	4771	2	2						1 1 1	2 9643+06	2 8231+06	---	---
383	471230	4773	2	2						1 1 1	2 6400+06	1 8590+06	1 5519+04	---
384	471240	4776	2	2						1 1 1	3 0900+06	2 6220+06	9 2377+03	---
385	471250	4779	2	2						1 1 1	2 5910+06	1 8149+06	2 8053+04	---
386	471260	4782	2	2						1 1 1	2 9959+06	3 4379+06	2 1467+04	---
387	471270	4785	2	2						1 1 1	2 8869+06	2 1810+06	4 9349+04	---
388	471280	4788	2	2						1 1 1	3 1989+06	3 6990+06	3 4513+04	---
389	481190	4820	0	0						-1 -1 -1	---	---	---	---
390	481190	4820	0	0						-1 -1 -1	---	---	---	---
391	481191	4841	0	0						-1 -1 -1	---	---	---	---
392	481191	4841	0	0						-1 -1 -1	---	---	---	---
393	481191	4841	0	0						-1 -1 -1	---	---	---	---
394	481191	4841	0	0						-1 -1 -1	---	---	---	---
395	481191	4841	0	0						-1 -1 -1	---	---	---	---
396	481191	4841	0	0						-1 -1 -1	---	---	---	---
397	481191	4841	0	0						-1 -1 -1	---	---	---	---
398	481190	4861	2	2						-1 1 -1	---	2 9919+04	---	---
399	481190	4864	0	0						-1 -1 -1	---	---	---	---
400	481191	4865	0	0						-1 -1 -1	---	---	---	---
401	481200	4867	2	2						2 1 -1	4 0282+04	1 2748+05	---	8.0073-03
402	481210	4870	6	6						1 1 1	1 2957+06	1 8817+06	---	---
403	481211	4871	6	6						1 1 -1	1 3151+06	2 3331+06	---	---
404	481220	4873	2	2						1 1 -1	7 9679+05	4 5565+05	---	---
405	481230	4876	2	2						1 1 -1	1 8661+06	1 0990+06	---	---
406	481240	4879	2	2						1 1 -1	1 1413+06	5 6755+05	---	---

Table C-2 (Cont.)

NUM	ID	MAI	AV	E	SP	TYP	CONI			E COMPONENT			NEW FI
							B	G	N	BETA	GAMMA	DEL	
407	481250	4882	2	2	1	1	1	2	9010+06	1	4400+01		
408	481260	4885	2	2	1	1	1	1	4495+06	7	2089+05		
409	481270	4888	2	2	1	1	1	2	7730+06	2	3711+01	1	9105+01
410	481280	4891	2	2	1	1	1	1	9110+06	1	9549+06	2	3804+02
411	481290	4894	2	2	1	1	1	2	1040+07	2	2240+06	3	7534+02
412	481300	4897	2	2	1	1	1	2	2580+06	1	2250+06	3	1277+03
413	481310	4900	2	2	1	1	1	3	5181+06	3	2671+06	2	8177+04
414	481320	4903	2	2	1	1	1	3	4949+06	1	8971+06	1	5097+05
415	491131	4926	0	0	1	1	-1						
416	491140	4928	0	0	1	1	-1						
417	491141	4929	0	0	1	1	-1						
418	491150	4931	0	0	-1	1	-1						
419	491151	4932	0	0	-1	-1	-1						
420	491160	4934	0	0	-1	-1	-1						
421	491161	4935	0	0	1	1	-1						
422	491162	4936	0	0	-1	-1	-1						
423	491170	4937	0	0	-1	-1	-1						
424	491171	4938	0	0	-1	-1	-1						
425	491180	4940	0	0	1	-1	-1						
426	491181	4941	0	0	1	1	-1						
427	491182	4942	0	0	1	1	-1						
428	491190	4943	0	0	1	1	-1						
429	491191	4944	2	2	2	2	-1	3	3001+04	1	1446+05		H 7996-03
430	491200	4946	2	2	-1	2	-1			3	1442+05		
431	491201	4947	0	0	-1	1	-1						
432	491202	4948	0	0	1	1	-1						
433	491210	4949	0	0	-1	-1	-1						
434	491211	4950	0	0	-1	-1	-1						
435	491220	4952	2	2	2	2	-1	1	8134+05	6	0199+05		H 6049-03
436	491221	4953	0	0	2	1	-1	2	2341+05				
437	491222	4954	0	0	-1	-1	-1						
438	491230	4955	0	0	-1	-1	-1						
439	491231	4956	0	0	-1	-1	-1						
440	491240	4958	0	0	1	-1	-1						
441	491241	4959	0	0	-1	-1	-1						
442	491250	4961	0	0	1	-1	-1						
443	491251	4962	2	2	2	2	-1	2	7575+05	5	0533+05		7 5687-03
444	491260	4964	0	0	2	-1	-1	1	3752+06				2 1329-03
445	491261	4965	0	0	-1	-1	-1						
446	491270	4967	0	0	1	-1	-1				1	3635+01	
447	491271	4968	2	2	2	2	1	6	1617+05	1	2263+06	1	3429+03
448	491280	4970	1	1	1	1	-1				1	1085+02	
449	491281	4971	2	2	-1	2	-1			1	7523+06		
450	491290	4973	0	0	-1	-1	-1				8	7615+02	
451	491291	4974	2	2	2	2	1	1	3252+06	2	5857+06	1	3690+04
452	491300	4976	0	0	-1	-1	-1				4	8671+03	2.4555-03
453	491301	4977	0	0	-1	1	-1				4	5996+03	
454	491302	4978	0	0	-1	1	-1						
455	491310	4979	2	2	1	1	1	2	7071+06	2	0170+06	7	4402+03
456	491311	4980	2	2	-1	-1	-1				6	9145+03	
457	491320	4982	0	0	1	-1	-1				2	5952+04	
458	491330	4983	2	2	1	1	1	3	7661+06	3	4140+06	2	1073+05
459	491340	4988	2	2	1	1	1	3	9920+06	4	6991+06	2	3581+05
460	501130	502P	0	0	1	-1	-1						
461	501131	5029	0	0	-1	-1	-1						
462	501171	5041	0	0	-1	-1	-1						
463	501191	5047	0	0	-1	-1	-1						
464	501210	5052	0	0	-1	-1	-1						
465	501211	5053	0	0	-1	-1	-1						
466	501230	5058	0	0	-1	-1	-1						
467	501231	5059	0	0	-1	-1	-1						
468	501250	5064	0	0	-1	-1	-1						
469	501251	5065	0	0	-1	-1	-1						
470	501260	5067	0	0	2	2	-1	2	6171+04	7	4452+04		
471	501270	5070	0	0	-1	-1	-1						
472	501271	5071	2	2	2	2	-1	8	9376+04	3	1845+05		7 2156-03
473	501280	5073	0	0	-1	-1	-1						
474	501281	5074	0	0	-1	-1	-1						

Table C-2 (Cont.)

NUM	ID	X	Y	Z	AV	E	SE	TYP	CONT. E COMPONENT			NEW PD			
									BETA	GAMMA	DEL				
471	501200	5129	2	2	1	1	4808+05	8	0011+05		7.9435-01				
476	501291	5132	2	2	1	4	8707+05	4	7019+05		1.3296-03				
477	501300	5133	1	1	1										
478	501301	5133	2	2	1	8	1941+04	1	4720+05		6.7135-03				
479	501310	5082	1	1	1	1	80004+05	2	1600+06						
480	501311	5083	2	2	1	1	1	2459+06	1	8924+06					
481	501320	5084	0	0	1	1	1								
482	501330	5085	1	1	2	2	1	7	2485+05	1	7406+06	6	9831+02	5	4954-03
483	501340	5086	2	2	1	1	1	2	2950+06	1	2480+06	9	0706+04		
484	501350	5087	2	2	1	1	1	2	5550+06	2	4820+06	4	0836+04		
485	501360	5088	2	2	1	1	1	2	6141+06	1	4279+06	8	3410+04		
486	511220	5128	0	0	1	1	1								
487	511221	5129	0	0	1	1	1								
488	511240	5134	0	0	1	1	1								
489	511241	5135	0	0	1	1	1								
490	511242	5136	0	0	1	1	1								
491	511250	5137	0	0	1	1	-1								
492	511260	5140	0	0	1	1	1								
493	511261	5141	0	0	-1	1	1								
494	511262	5142	0	0	1	1	1								
495	511270	5143	0	0	1	-1	1								
496	511280	5146	0	0	-1	1	1								
497	511281	5147	0	0	1	-1	1								
498	511290	5149	0	0	1	-1	-1								
499	511300	5152	0	0	1	-1	-1								
500	511301	5153	0	0	-1	-1	-1								
501	511310	5155	0	0	-1	-1	-1								
502	511320	5158	0	0	-1	-1	-1								
503	511321	5159	0	0	-1	-1	-1								
504	511330	5161	0	0	-1	-1	-1								
505	511340	5164	2	2	1	1	1	2	7810+06	2	2560+06	2	0637+02		
506	511341	5165	1	1	-1	2	1			3	4390+05				
507	511350	5167	1	1	1	1	1	2	2960+06	1	6000+06	1	6475+05		
508	511360	5170	2	2	1	1	1	2	9529+06	2	6051+06	1	0769+05		
509	511370	5173	2	2	1	1	1	2	5730+06	2	3891+06	1	0036+05		
510	511380	5176	2	2	1	1	1	3	0300+06	3	5780+06	1	2349+05		
511	511390	5179	2	2	1	1	1	2	9080+06	2	6840+06	2	4376+05		
512	521210	5228	0	0	-1	-1	-1								
513	521211	5229	0	0	-1	-1	1								
514	521230	5234	5	5	-1	-1	-1								
515	521231	5235	0	0	-1	-1	-1								
516	521250	5241	0	0	-1	-1	-1								
517	521270	5246	0	0	-1	-1	-1								
518	521271	5247	0	0	-1	2	-1			4	0031+01				
519	521290	5252	0	0	-1	-1	-1								
520	521291	5253	0	0	-1	-1	1								
521	521310	5258	0	0	-1	1	-1								
522	521311	5259	0	0	-1	1	-1								
523	521320	5261	0	0	-1	-1	-1								
524	521330	5264	0	0	-1	1	-1								
525	521331	5265	0	0	-1	-1	-1								
526	521340	5267	0	0	1	-1	-1								
527	521350	5270	2	2	2	2	-1	3	7034+05	9	6790+05			7	1800-03
528	521360	5273	0	0	-1	-1	1					2	6734+03		
529	521370	5276	2	2	1	1	1	2	1730+06	1	6090+06	6	4241+03		
530	521380	5279	2	2	1	1	1	1	9460+06	1	0680+06	2	0845+04		
531	521390	5282	2	2	1	1	1	2	3760+06	2	3510+06	2	8410+04		
532	521400	5285	2	2	1	1	1	2	3360+06	1	2750+06	7	2588+04		
533	521410	5288	2	2	1	1	1	2	6581+06	2	5980+06	5	0932+04		
534	521420	5291	2	2	1	1	1	2	5130+06	1	3750+06	7	4319+04		
535	531250	5319	0	0	-1	-1	-1								
536	531280	5328	0	0	-1	-1	-1								
537	531290	5331	0	0	-1	-1	-1								
538	531300	5334	0	0	-1	-1	-1								
539	531301	5335	0	0	-1	-1	-1								
540	531310	5337	0	0	-1	-1	-1								
541	531320	5340	0	0	-1	-1	-1								
542	531321	5341	0	0	2	-1	-1	7	0197+03					9	8884-03

Table C-2 (Cont.)

NUM	M	MA1	A7	E	SP	TYP	CONT.			E COMPONENT			NEW FD	
							B	G	N	BETA	GAMMA	DEL		NEUT
543	541340	5441	0	0	1	1	-1							
544	541341	5444	0	0	1	1	1							
545	541344	5446	0	0	1	1	-1							
546	541341	5447	0	0	1	1	-1							
547	541344	5449	0	0	1	1	-1							
548	541344	5452	0	0	1	1	1							
549	541341	5455	1	1	2	2	1	1	4454+04	4	8650+05		8 2505-03	
550	541370	5456	1	1	1	1	1				4	2194+04		
551	541390	5459	2	2	2	2	1	6	4218+05	1	1191+06	2	014+04	5 3909-03
552	541390	5461	1	1	1	1	1	2	4299+06	1	4000+06	3	9890+04	
553	541400	5464	2	2	1	1	1	2	7621+06	2	3280+06	4	621+04	
554	541410	5467	2	2	1	1	1	2	4251+06	1	7790+06	1	3514+05	
555	541420	5470	2	2	1	1	1	2	6920+06	3	2030+06	8	262+04	
556	541430	5473	2	2	1	1	1	2	3751+06	2	2520+06	9	811+04	
557	541440	5476	2	2	1	1	1	2	7189+06	3	2481+06	7	8132+04	
558	541450	5479	2	2	1	1	1	2	4681+06	2	3421+06	1	2962+05	
559	541200	5420	0	0	1	1	1							
560	541251	5424	0	0	1	1	1							
561	541270	5434	0	0	-1	-1	-1							
562	541271	5435	0	0	1	-1	1							
563	541291	5441	0	0	1	1	-1							
564	541311	5447	0	0	1	1	1							
565	541330	5452	0	0	1	1	1							
566	541331	5453	0	0	-1	1	-1							
567	541341	5456	0	0	1	1	-1							
568	541350	5459	0	0	-1	-1	-1							
569	541351	5459	0	0	1	1	1							
570	541370	5464	0	0	-1	-1	-1							
571	541380	5467	0	0	-1	1	-1							
572	541390	5470	0	0	1	-1	-1							
573	541400	5473	2	2	-1	2	-1			3	6970+05			
574	541410	5476	1	1	2	2	1	3	3528+04	1	0267+06	6	8564+01	7.1622-03
575	541420	5479	2	2	1	1	1	1	4043+06	1	5764+06	7	8455+02	
576	541430	5482	2	2	1	1	1	2	0507+06	2	0880+06	4	4114+03	
577	541431	5483	2	2	1	1	-1	2	2251+06	1	7280+06			
578	541440	5485	2	2	1	1	1	1	6060+06	9	2320+05	2	8032+03	
579	541450	5488	2	2	1	1	1	2	2910+06	1	8270+06	2	5784+04	
580	541460	5491	2	2	1	1	1	1	9711+06	1	0860+06	2	7629+04	
581	541370	5434	2	2	1	1	1	2	2789+06	2	3131+06	4	0647+04	
582	551440	5528	0	0	1	-1	-1							
583	551441	5529	0	0	1	1	-1							
584	551350	5541	0	0	1	1	1							
585	551351	5542	0	0	-1	1	-1							
586	551350	5544	0	0	1	1	1							
587	551361	5535	0	0	1	1	1							
588	551370	5537	0	0	1	1	1							
589	551380	5540	0	0	1	1	-1							
590	551381	5541	2	2	2	2	-1	3	5700+04	2	9029+05			
591	551390	5543	0	0	-1	1	-1							
592	551400	5546	0	0	2	2	-1	8	1312+03	6	4901+05			H 5538-03
593	551410	5549	1	1	2	2	1	1	5176+04	3	6100+05	7	9177+01	7.8085-03
594	551420	5552	2	2	1	2	1	2	4490+06	7	6682+05	2	4996+02	
595	551430	5555	1	1	2	2	1	5	0195+05	8	5358+05	4	1149+03	5.6760-03
596	551440	5558	1	1	1	1	1	2	3900+06	2	6601+06	9	8195+03	
597	551450	5561	1	1	2	2	1	1	0891+06	1	7101+06	6	2998+04	8.2671-04
598	551460	5564	1	1	2	2	1	5	3204+05	1	3427+06	8	1035+04	6.8707-03
599	551470	5567	2	2	1	1	1	2	2190+06	1	5810+06	1	4630+05	
600	551480	5570	2	2	1	1	1	2	4540+06	2	9690+06	1	2391+05	
601	551490	5573	2	2	1	1	1	2	5069+06	2	4041+06	1	7669+05	
602	551500	5576	2	2	1	1	1	2	7510+06	3	3311+06	7	6691+04	
603	561341	5641	0	0	-1	-1	-1							
604	561341	5641	0	0	-1	-1	-1							
605	561341	5647	0	0	-1	-1	-1							
606	561390	5652	0	0	-1	-1	-1							
607	561400	5655	0	0	1	-1	-1							
608	561410	5658	0	0	2	-1	-1	4	6161+03					8.9573-03
609	561420	5661	0	0	-1	-1	-1							
610	561430	5664	0	0	-1	-1	-1							

Table C-2 (Cont.)

NUM	ID	XAI	AV E		SP TYP			CONTE COMPONENT				NEW ED	
			B	G	B	G	S	BETA	GAMMA	DEL	NEUT		
611	581440	5667	2	2	1	2	1	9	4629+05	1	014+00		
612	581450	5670	1	1	2	2	1	1	3070+05	5	4700+05		
613	581460	5675	1	1	1	-1	1	1	1760+06			1	330+01
614	581470	5676	2	2	1	1	1	1	8500+06	1	3010+06	6	3636+00
615	581480	5679	2	2	2	2	1	2	1635+05	6	2300+05	6	7759+01
616	581490	5682	2	2	1	1	1	2	0160+06	1	5200+06	9	4217+01
617	581500	5685	2	2	1	1	1	1	9850+06	1	0900+06	9	8791+02
618	581510	5688	2	2	1	-1	1	2	1831+06	2	2510+06	1	4108+04
619	581520	5691	2	2	1	1	1	2	5233+06	1	1900+06	2	2730+04
620	581580	5725	0	0	1	-1	1						
621	581400	5731	0	0	1	1	-1						
622	581410	5734	6	6	-1	2	1			1	5667+04		
623	581420	5737	0	0	-1	1	1						
624	581430	5740	1	1	-1	-1	-1						
625	581440	5743	1	1	2	-1	-1	3	3460+04				8.5457-03
626	581450	5746	1	1	2	2	1	6	1160+05	8	4008+05		1.6510-03
627	581460	5749	1	1	2	2	1	2	4979+05	1	0546+06	9	9235-01
628	581461	5750	0	0	-1	-1	-1						7.8824-01
629	581470	5752	2	2	1	2	1	1	6320+06	7	5630+05	7	6282+01
630	581480	5755	0	0	-1	-1	1						8.9599+01
631	581490	5758	2	2	1	1	1	1	7830+06	1	0870+06	1	7335+01
632	581500	5761	2	2	1	1	1	2	0370+06	2	5470+06	2	1532+03
633	581510	5764	2	2	1	1	1	2	2020+06	1	6010+06	2	4766+04
634	581520	5767	2	2	1	1	1	2	3550+06	2	8849+06	2	3965+04
635	581530	5770	2	2	1	1	1	2	5950+06	2	0880+06	4	6080+04
636	581540	5773	2	2	1	1	1	2	6149+06	1	1989+06	4	6664+04
637	581550	5776	2	2	1	1	1	2	8169+06	2	6980+06	8	1364+04
638	581410	5840	0	0	-1	-1	-1						---
639	581420	5843	-5	-5	-1	-1	-1						---
640	581430	5846	0	0	-1	-1	-1						---
641	581440	5849	0	0	-1	-1	-1						---
642	581450	5852	0	0	-1	-1	1						---
643	581460	5855	0	0	-1	-1	-1						---
644	581470	5858	2	2	1	2	1	8	5908+05	9	8303+05		---
645	581480	5861	0	0	-1	-1	-1						---
646	581490	5864	2	2	1	1	1	1	1752+06	1	0450+06		---
647	581500	5867	2	2	1	1	-1	6	8918+05	4	3969+05		---
648	581510	5870	2	2	1	1	-1	1	4400+06	8	7740+05		---
649	581520	5873	2	2	1	1	-1	1	1660+06	7	7842+05		---
650	581530	5876	2	2	1	1	1	1	6800+06	1	1250+06	1	5734+03
651	581540	5879	2	2	1	1	1	1	6940+06	9	5867+05	1	6186+03
652	581550	5882	2	2	1	1	1	2	0150+06	1	5711+06	4	9970+01
653	581560	5885	2	2	1	1	1	2	1180+06	1	1710+06	1	0196+06
654	581570	5888	2	2	1	1	1	2	4309+06	2	0889+06	1	7144+04
655	591420	5928	0	0	-1	-1	-1						---
656	591421	5929	0	0	-1	-1	-1						---
657	591430	5931	0	0	1	-1	-1						---
658	591440	5934	0	0	-1	-1	-1						---
659	591441	5935	0	0	-1	-1	-1						---
660	591450	5937	0	0	-1	-1	-1						---
661	591460	5940	0	0	-1	-1	-1						---
662	591470	5943	6	6	2	2	-1	5	7966+03	4	2463+05		8.2690-03
663	591480	5946	2	2	2	2	-1	2	9362+04	3	6397+05		8.5750-03
664	591481	5947	2	2	2	2	-1	6	0288+04	8	5834+05		7.0741-03
665	591490	5949	2	2	2	2	-1	5	3161+04	2	4660+05		8.1329-03
666	591500	5952	2	2	1	1	-1	2	0170+06	1	0760+06		---
667	591510	5955	2	2	2	2	-1	1	9456+05	2	4890+05		7.4517-03
668	591520	5958	2	2	1	1	-1	1	5490+06	2	1190+06		---
669	591530	5961	2	2	1	1	-1	1	7000+06	1	0270+06		---
670	591540	5964	2	2	1	1	1	1	8730+06	2	4140+06	2	0622+02
671	591550	5967	2	2	1	1	1	1	20710+06	1	4800+06	4	3380+03
672	591560	5970	2	2	1	1	1	1	21490+06	2	6879+06	8	9302+03
673	591570	5973	2	2	1	1	1	1	23870+06	1	8809+06	2	3721+04
674	591580	5976	2	2	1	1	1	1	25519+06	1	1550+06	2	5556+04
675	591590	5979	2	2	1	1	1	1	27730+06	2	3380+06	5	3750+04
676	601440	6031	-5	-5	-1	-1	-1						---
677	601470	6040	0	0	-1	-1	-1						---
678	601490	6046	0	0	-1	-1	-1						---

Tabl. C-2 (Con.)

NUM	ID	MAT	AV	E	SP	TYP	CONT	E COMPONENT			NEW	FD
								BETA	GAMMA	DEL		
679	601510	6052	0	0	1	1	1					
680	601520	6055	0	0	1	1	1					
681	601530	6058	2	2	1	1	1	1.1110+06	6.7220+05			
682	601540	6061	2	2	1	1	-1	6.0718+05	6.0760+05			
683	601550	6064	2	2	1	1	1	3.660+06	8.3390+05			
684	601560	6067	2	2	1	1	1	1.220+06	7.6967+05			
685	601570	6070	2	2	1	1	1	1.6680+06	1.1400+06			
686	601580	6073	2	2	1	1	1	5.890+06	9.2387+05	5.1026+00		
687	601590	6076	2	2	1	1	1	2.0629+06	1.6660+06	5.1090+02		
688	601600	6079	2	2	1	1	1	2.0999+06	1.2060+06	2.4922+01		
689	601610	6082	2	2	1	1	1	2.1600+06	1.8790+06	5.2446+03		
690	611450	6143	0	0	-1	-1	-1					
691	611470	6149	0	0	-1	-1	-1					
692	611480	6152	0	0	-1	-1	-1					
693	611481	6153	0	0	-1	-1	-1					
694	611490	6155	0	0	-1	-1	-1					
695	611500	6158	0	0	1	-1	-1					
696	611510	6161	0	0	-1	1	-1					
697	611520	6164	0	0	-1	1	1					
698	611521	6165	0	0	1	1	-1					
699	611522	6166	2	2	1	1	-1	6.6079+05	1.7332+06			
700	611530	6167	2	2	1	1	1	6.0721+05	1.7220+05			
701	611540	6170	0	0	1	1	-1					
702	611541	6171	6	6	2	2	-1	3.4463+04	6.8460+05		7.4952-03	
703	611550	6173	2	2	1	1	-1	1.0200+06	6.3301+05			
704	611560	6176	2	2	1	1	-1	1.3140+06	1.8940+06			
705	611570	6179	2	2	1	1	-1	1.4510+06	8.4079+05			
706	611580	6182	2	2	1	1	-1	1.5690+06	2.1640+06			
707	611590	6185	2	2	1	1	1	1.7819+06	1.1599+06	2.1557+01		
708	611600	6188	2	2	1	1	1	1.9690+06	2.4999+06	5.5300+02		
709	611610	6191	2	2	1	1	1	2.1081+06	1.6961+06	4.7400+03		
710	611620	6194	2	2	1	1	1	2.0790+06	2.6200+06	6.5128+03		
711	621450	6228	0	0	-1	-1	-1					
712	621460	6231	-5	-5	-1	-1	-1					
713	621470	6234	-5	-5	-1	-1	-1					
714	621480	6237	-5	-5	-1	-1	-1					
715	621490	6240	-5	-5	-1	-1	-1					
716	621510	6246	0	0	-1	1	-1					
717	621530	6252	0	0	-1	-1	-1					
718	621550	6258	0	0	-1	-1	-1					
719	621560	6261	0	0	1	1	-1					
720	621570	6264	2	2	1	1	-1	8.6261+05	4.0160+05			
721	621580	6267	2	2	1	2	-1	4.0843+05	2.1592+05			
722	621590	6270	2	2	1	1	-1	1.0002+06	9.6499+05			
723	621600	6273	2	2	1	1	-1	8.4669+05	6.8978+05			
724	621610	6276	2	2	1	1	-1	1.5070+06	1.1380+06			
725	621620	6279	2	2	1	1	1	1.3830+06	8.7783+05			
726	621630	6282	2	2	1	1	-1	1.6690+06	1.3340+06			
727	621640	6285	2	2	1	1	1	1.8029+06	1.0490+06	1.4716+01		
728	621650	6288	2	2	1	1	1	1.9630+06	1.6910+06	5.2722+02		
729	631520	6328	0	0	-1	-1	-1					
730	631521	6329	0	0	-1	-1	-1					
731	631522	6330	0	0	-1	-1	-1					
732	631540	6334	0	0	-1	-1	-1					
733	631541	6335	0	0	-1	-1	-1					
734	631550	6337	0	0	-1	-1	-1					
735	631560	6340	0	0	-1	-1	-1					
736	631570	6343	0	0	-1	-1	-1					
737	631580	6346	0	0	-1	-1	-1					
738	631590	6349	2	2	1	2	-1	8.7290+05	2.2555+05			
739	631600	6352	0	0	-1	-1	-1					
740	631610	6355	2	2	1	1	-1	1.0059+06	1.0062+06			
741	631620	6358	2	2	1	1	-1	1.4030+06	2.0180+06			
742	631630	6361	2	2	1	1	-1	1.5410+06	1.0720+06			
743	631640	6364	2	2	1	1	1	1.5629+06	2.1469+06	5.0090-03		
744	631650	6367	2	2	1	1	1	1.8301+06	1.4070+06	3.4214+02		
745	641520	6425	-5	-5	-1	-1	-1					
746	641530	6428	0	0	-1	-1	-1					

Table C-2 (Cont.)

NUM	ID	MAT	AV. E.			SP. TYP.			CONT. E. COMPONENT			NEW FD
			B	G	N	B	G	N	BETA	GAMMA DEL.	NEUT.	
747	641600	6446	0	0	-1	1	1	---	---	---	---	---
749	641610	6447	0	0	1	1	-1	---	---	---	---	---
749	641620	6447	2	2	2	2	-1	3.7416+04	1.1273+03	---	7	1435 03
750	641630	6448	2	2	1	1	-1	8.5918+05	9.6129+05	---	---	---
751	641640	6448	2	2	1	1	1	7.1809+05	6.4691+05	---	---	---
752	641650	6448	2	2	1	1	1	1.2300+06	8.8110+05	---	---	---
753	651600	6528	0	0	-1	-1	1	---	---	---	---	---
754	651610	6531	0	0	-1	-1	1	---	---	---	---	---
755	651620	6534	0	0	-1	1	1	---	---	---	---	---
756	651630	6537	0	0	1	1	-1	---	---	---	---	---
757	651640	6540	0	0	1	1	-1	---	---	---	---	---
758	651650	6543	0	0	-1	1	-1	---	---	---	---	---
759	661600	6652	0	0	-1	-1	-1	---	---	---	---	---
760	661601	6653	0	0	-1	-1	-1	---	---	---	---	---
761	661660	6655	0	0	1	-1	-1	---	---	---	---	---
762	671660	6728	0	0	-1	-1	-1	---	---	---	---	---
763	671661	6729	0	0	-1	-1	-1	---	---	---	---	---
764	681671	6841	0	0	-1	-1	-1	---	---	---	---	---

^a"NUM" corresponds to the order in the fission-product decay file before combining all decay data into a single ENDF/B-VI file.

"ID" = Z*10000+A*10+S is a numerical identification for the nuclide.

"MAT" = ENDF MAT number

Under "AV. E.," the B (beta) and G (gamma) numbers mean:

- 0 no change in INEL spectroscopic data (Fall 1989)
- 1 direct measurement by G. Rudstam from INEL data
- 2 theory, LANL (using slightly modified Gross Theory code of T. Toshida)
- 5 same as ENDF/B-V
- 5 no average energy as in ENDF/B-V
- 6-7 JNDC 1989; probably based on evaluated measurement for gamma and/or beta

Note: these two columns are primarily used to indicate with "2" where Gross Theory has been used as the source of average energy. Many such values will probably agree with JENDL2.

Under "SP TYP" for B, G, and N, the numbers mean:

- 1 no change in spectroscopic spectra made
- 1 corresponding spectra entirely free from Gross Theory, except delayed neutrons are based on LANL evaluation of measured and theory (referenced in File 1).
- 2 Gross Theory spectra supplements spectroscopic

Under "CONT.E COMPONENT" are the beta, gamma, and delayed neutron energies derived from the continuous energy files.

Under "NEW FD," the discrete normalization factor for beta is listed if it has changed from the spectroscopic value (usually 1.0e-02).