

$^{54}\text{Fe}(\text{C},\text{Be})$ **1976Ma12**

Type	Author	History	Citation	Literature Cutoff Date
Full Evaluation	Caroline D. Nesaraja, Scott D. Geraeds and Balraj Singh		NDS 111,897 (2010)	12-Jan-2010

E=56 MeV, FWHM≈250 keV.

Measured: $\sigma(E,\theta)$, DWBA analysis. ^{58}Ni Levels

E(level)	J^π [†]	L	S [‡]
0.0	0 ⁺	0	0.085
1450	2 ⁺	2	0.015
2450	4 ⁺	4	0.0066
4600			
6800	3 ⁻		
7700	1 ⁺		
8900	4 ⁺		

[†] Adopted values.[‡] Defined by $\sigma(\text{exp})/\sigma(\text{theory})=((2J_f+1)/(2J_i+1))S(^{12}\text{C})S$ with $S(^{12}\text{C})=0.542$.