

$^{72}\text{Ge}(\text{e,e}'), (\gamma,\gamma')$     **1975Ki10,1956Me13,1973KaZV**

Type	Author	History	Citation	Literature Cutoff Date
Full Evaluation	D. Abriola(a), A. A. Sonzogni		NDS 111,1 (2010)	1-May-2009

(e,e'): E=84-120 MeV. Measured elastic and inelastic scattering cross section for  $\theta=92^\circ-140^\circ$ , momentum transfers from 0.65 to 1.14 fm $^{-1}$ , DWBA ([1975Ki10](#)).

( $\gamma,\gamma'$ ): [1956Me13](#), [1973KaZV](#).

 $^{72}\text{Ge}$  Levels

E(level) <sup>†</sup>	J $^\pi$ <sup>†</sup>	T $_{1/2}$	Comments
0	0 $^+$		Rms value of the charge distribution R=4.05 fm 3.
834	2 $^+$	3.2 ps 5	B(E2) $\uparrow$ =0.238 18 ( <a href="#">1975Ki10</a> )
2515	3 $^-$		T $_{1/2}$ : weighted averaged from ( $\gamma,\gamma'$ ) measurements of <a href="#">1956Me13</a> , <a href="#">1973KaZV</a> . B(E3) $\uparrow$ =0.080 15 ( <a href="#">1975Ki10</a> )

<sup>†</sup> From Adopted Levels.