

Recent References:  
January 1, 2005 to December 31, 2005

National Nuclear Data Center, Brookhaven National Laboratory

Document generated: October 25, 2006

This document lists experimental references added to Nuclear Science References (NSR) during the period January 1, 2005 to December 31, 2005. The first section lists keynumbers and keywords sorted by mass and nuclide. The second section lists all references, ordered by keynumber.

For more information, and access to the most recent NSR updates, please visit the NSR web site at <http://www.nndc.bnl.gov/nsr/>.

## Contents

Keynumbers and Keywords	2
References	339

## Keynumbers and Keywords

### A=1

<sup>1</sup> n	2004FI12	NUCLEAR REACTIONS <sup>2</sup> H(polarized e, e'n), E=high; measured asymmetry, polarization transfer. <sup>1</sup> n deduced electric form factor. Comparison with previous work. JOUR FIZBE 13 545
	2004G056	NUCLEAR REACTIONS <sup>3</sup> H( $\alpha$ , d $\alpha$ ), E=67.2 MeV; measured Ed, E $\alpha$ , d $\alpha$ -coin, $\sigma(\theta)$ . <sup>6</sup> Li deduced levels, widths. JOUR UKPJA 49 16
	2004ME23	NUCLEAR REACTIONS <sup>1</sup> H( $\pi^-$ , $\pi^0$ ), E at 105-177 MeV / c; measured $\sigma(\theta)$ . JOUR FIZBE 13 501
	2004NI18	NUCLEAR REACTIONS <sup>3</sup> He( $\gamma$ , 2p), E=0.35-1.55 GeV; measured Ep, pp-coin, $\sigma$ , $\sigma(E, \theta)$ ; deduced reaction mechanism features. Tagged photons. JOUR PRVCA 70 064003
	2004SA64	NUCLEAR REACTIONS <sup>1</sup> H( $\pi^-$ , $\pi^0$ ), E at 148-323 MeV / c; measured $\sigma$ , $\sigma(\theta)$ . Comparison with previous results. JOUR FIZBE 13 405
	2004WE17	NUCLEAR REACTIONS <sup>2</sup> H(polarized e, e'n), E=2.3, 3.5 GeV; measured electron and neutron spectra, asymmetries. <sup>1</sup> n deduced electric form factor. Comparison with previous results. Polarized target. JOUR FIZBE 13 531
	2004ZH42	NUCLEAR REACTIONS <sup>3</sup> He(polarized e, e), E=1.2 GeV; <sup>3</sup> He(polarized e, e'X), E=5.7 GeV; measured asymmetries. <sup>1</sup> n deduced spin asymmetries, polarized structure functions. Polarized target. JOUR PRVCA 70 065207
	2005AB01	NUCLEAR REACTIONS <sup>1</sup> H(p, p $\pi^+$ ), (p, $\pi^+$ ), E=951 MeV; measured missing mass spectra, $\sigma$ ; deduced D-state effects. JOUR PYLBB 610 31
	2005AH01	NUCLEAR REACTIONS <sup>1</sup> H( $\gamma$ , $\pi^+\gamma$ ), E=537-817 MeV; measured E $\gamma$ , E $n$ , (pion)n $\gamma$ -coin, $\sigma(\theta)$ ; deduced pion polarizabilities. Tagged photon beam, comparison with model predictions. JOUR ZAANE 23 113
	2005AH07	NUCLEAR REACTIONS <sup>1</sup> H(polarized $\gamma$ , $\pi^0$ ), (polarized $\gamma$ , $\pi^+$ ), e $\approx$ 340 MeV; measured $\sigma(\theta)$ , G asymmetries, related polarization observables. Polarized target. JOUR ZAANE 26 135
	2005B035	RADIOACTIVITY <sup>1</sup> n( $\beta^-$ ); measured E $\beta$ . Plans for measurement of time-reversal violating effects discussed. JOUR JRNBA 110 461
	2005BY03	RADIOACTIVITY <sup>1</sup> n( $\beta^-$ ); measured recoil proton spectra; deduced electron-antineutrino angular correlation coefficient. JOUR JRNBA 110 395
	2005BY04	RADIOACTIVITY <sup>1</sup> n( $\beta^-$ ); measured Ep, E $\beta$ , E $\gamma$ , p $\gamma^-$ , $\beta\gamma^-$ , p $\beta$ -coin; deduced upper limit for radiative decay branching ratio. JOUR JRNBA 110 415
	2005DI03	NUCLEAR REACTIONS <sup>1,2</sup> H(polarized e <sup>+</sup> , e <sup>+</sup> X), E=27.6 GeV; <sup>1</sup> H(polarized e <sup>+</sup> , e <sup>+</sup> $\pi^+$ ), E=27.6 GeV; measured $\sigma$ , polarization observables. <sup>1</sup> n, <sup>1</sup> H deduced spin structure features. Polarized targets. JOUR ZAANE 24 s01 23
	2005DU14	NUCLEAR REACTIONS <sup>2</sup> H(p, 2p), E=16 MeV; measured $\sigma(E, \theta)$ for three kinematical configurations. Comparison with model predictions. JOUR PRVCA 71 054003
	2005DZ03	RADIOACTIVITY <sup>1</sup> n( $\beta^-$ ); measured T <sub>1/2</sub> . Comparison with previous results. JOUR JRNBA 110 339

**A=1 (continued)**

- 2005GL03 NUCLEAR REACTIONS  $^2\text{H}(\text{polarized } e, e'n)$ ,  $E=660, 855, 883$  MeV; measured asymmetry, polarization transfer.  $^1\text{n}$  deduced electric form factor. JOUR ZAANE 24 101
- 2005GR15 NUCLEAR REACTIONS  $^1\text{H}(\text{polarized } \gamma, X)$ ,  $E \approx 200\text{-}2900$  MeV; measured helicity dependent photoabsorption  $\sigma$ .  $^1\text{n}$ ,  $^1\text{H}$  deduced sum rule features. JOUR PPNPD 55 375
- 2005GR28 NUCLEAR REACTIONS  $^1\text{H}(\pi^-, \pi^+\pi^-)$ ,  $(\pi^+, 2\pi^+)$ ,  $E=243, 264, 284, 305$  MeV;  $^2\text{H}$ ,  $^{12}\text{C}$ ,  $^{40}\text{Ca}$ ,  $^{208}\text{Pb}(\pi^+, 2\pi^+)$ ,  $(\pi^+, \pi^+\pi^-)$ ,  $E=283$  MeV;  $\text{Sc}(\pi^+, 2\pi^+X)$ ,  $(\pi^+, \pi^+\pi^-X)$ ,  $E=243, 264, 284, 305$  MeV; measured invariant mass distributions,  $\sigma(\theta)$ , correlations; deduced partial chiral symmetry restoration. JOUR NUPAB 763 80
- 2005HA39 NUCLEAR REACTIONS  $^1\text{H}(e^+, e^+\pi^+)$ ,  $E=27.6$  GeV; measured  $\sigma(Q^2, x)$ . Comparison with model predictions. JOUR NUPAB 755 557c
- 2005JA17 NUCLEAR REACTIONS  $^1\text{H}(n, p)$ ,  $E=11$  MeV; measured recoil proton spectra in scintillator. JOUR NIMAE 551 245
- 2005J021 NUCLEAR REACTIONS  $^1\text{H}(\text{polarized } e, e'\pi^+)$ ,  $(\text{polarized } e, e'\pi^0)$ ,  $E=1.515$  GeV; measured  $\sigma(E, \theta)$ , polarized longitudinal-transverse structure function; deduced sensitivity to Roper resonance. JOUR PRVCA 72 058202
- 2005KHZX RADIOACTIVITY  $^1\text{n}(\beta^-)$ ; measured  $\beta\text{p-}$ ,  $\beta\text{p}\gamma\text{-coin}$ ; deduced branching ratio for radiative decay. Comparison with model predictions. PREPRINT nucl-ex/0512001,12/1/2005
- 2005KI19 NUCLEAR REACTIONS  $^2\text{H}(p, 2p)$ ,  $E=130$  MeV; measured  $E\text{p}$ ,  $\text{pp-coin}$ ,  $\sigma(\theta_1, \theta_2)$ ; deduced three-nucleon force effects. JOUR PRVCA 72 044006
- 2005KR14 NUCLEAR REACTIONS  $^3\text{He}(\text{polarized } e, e')$ ,  $E=3.465\text{-}5.727$  GeV; measured parallel and perpendicular cross section differences.  $^1\text{n}$ ,  $^3\text{He}$  deduced momentum transfer dependence of spin structure function. JOUR PRLTA 95 142002
- 2005MI13 NUCLEAR REACTIONS  $^6,7\text{Li}(^6\text{He}, \alpha^6\text{He})$ ,  $^6\text{Li}(^6\text{He}, t2\alpha)$ ,  $E=18$  MeV; measured excitation energy spectra.  $^6,7\text{Li}$ ,  $^8,9,10\text{Be}$  deduced cluster states. JOUR NUPAB 753 263
- 2005NI13 RADIOACTIVITY  $^1\text{n}(\beta^-)$ ; measured  $T_{1/2}$ . Cold neutrons, in-beam technique. JOUR PRVCA 71 055502
- 2005PEZZ NUCLEAR REACTIONS  $^2\text{H}(p, 2p)$ ,  $E=6$  MeV; measured  $E\text{p}$ ,  $\text{pp-coin}$ .  $^1\text{H}(p, p)$ ,  $E=0.3\text{-}0.8$  MeV; deduced  $\sigma$ , Coulomb interaction effects. Trojan horse method. CONF Riken(Origin of Matter) Proc,P513,Pellegriti
- 2005PR16 NUCLEAR REACTIONS  $^1\text{H}(\pi^-, \pi^0)$ ,  $E$  at  $716$  MeV /  $c$ ; measured  $\eta$ -meson production associated  $E\gamma$ ,  $\gamma\gamma\text{-coin}$ , related data; deduced  $\eta$ -decay branching ratio. JOUR PRVCA 72 025201
- 2005R002 NUCLEAR REACTIONS  $^2\text{H}(\gamma, p)$ ,  $E=0.5\text{-}3$  GeV; measured  $E\text{p}$ ,  $\sigma(\theta)$ ; deduced scaling features. JOUR PRLTA 94 012301
- 2005R021 NUCLEAR REACTIONS  $^1\text{H}(\gamma, \pi^+)$ ,  $(\text{polarized } \gamma, \pi^+)$ ,  $E \approx 400\text{-}800$  MeV; measured unpolarized and helicity-dependent  $\sigma$ ,  $\sigma(\theta)$ . JOUR NUPAB 755 451c

**A=1 (continued)**

- 2005R037 NUCLEAR REACTIONS  $^1\text{H}(^8\text{He}, ^8\text{He})$ , E not given; measured recoil proton spectrum; deduced excitation function.  $^1\text{H}(^6\text{He}, ^6\text{Li})$ , E not given; measured neutron spectrum,  $n\gamma$ -coin; deduced excitation function.  $^7,^9\text{Li}$  deduced resonance parameters.  $^7,^9\text{He}$  deduced analog states features. JOUR NIMBE 241 977
- 2005SAZS NUCLEAR REACTIONS  $^1\text{H}(d, 2p)$ , E=270 MeV; measured proton spin correlations; deduced violation of Bell's inequality. REPT CNS-REP-66,P32,Saito
- 2005SE01 RADIOACTIVITY  $^1\text{n}(\beta^-)$ ; measured  $T_{1/2}$ . Ultracold neutrons, comparison with previous results, model predictions. JOUR PYLBB 605 72
- 2005SE16 NUCLEAR REACTIONS  $^2\text{H}, ^3\text{He}(\text{polarized } e, e'n)$ , E=high; measured asymmetries, polarization transfer.  $^1\text{n}$  deduced electromagnetic form factor. Polarized target. JOUR NUPAB 755 253c
- 2005SE17 RADIOACTIVITY  $^1\text{n}(\beta^-)$ ; measured  $T_{1/2}$ . Comparison with previous results. JOUR JRNBA 110 333
- 2005ST23 NUCLEAR REACTIONS  $^1\text{H}(\pi^-, \pi^0)$ , E at 649-752 MeV / c; measured  $\sigma, \sigma(E, \theta)$ ; deduced  $\eta$ -meson contribution, other reaction mechanism features. Comparison with model predictions. JOUR PRVCA 72 015205
- 2005TUZZ NUCLEAR REACTIONS  $^2\text{H}(^7\text{Li}, 2\alpha)$ ,  $(^6\text{Li}, ^3\text{He}\alpha)$ ,  $^6\text{Li}(^6\text{Li}, 2\alpha)$ , E not given; measured particle spectra.  $^7\text{Li}(p, \alpha)$ , E(cm)  $\approx$  0.01-0.5 MeV;  $^6\text{Li}(d, \alpha)$ ,  $(p, \alpha)$ , E(cm)  $\approx$  0.01-1 MeV; deduced astrophysical S-factors. CONF Riken(Origin of Matter) Proc,P553,Tumino
- 2005WI17 RADIOACTIVITY  $^1\text{n}(\beta^-)$ ; measured  $T_{1/2}$ . Trapped proton counting method. JOUR JRNBA 110 327
- 2005YA05 NUCLEAR REACTIONS  $^2\text{H}(\text{polarized } p, 2p)$ , E=0.5, 0.8 GeV; measured  $A_y(\theta)$ . Comparison with model predictions. JOUR PRLTA 94 072304
- 2005ZE03 NUCLEAR REACTIONS  $^2\text{H}(^8\text{Li}, ^9\text{Be})$ , E=40.38 MeV; measured particle spectra,  $\sigma(\theta)$ ; deduced astrophysical S-factors. JOUR CPLEE 22 2219
- 2005ZH14 NUCLEAR REACTIONS  $^1\text{H}(\gamma, \pi^+)$ ,  $^2\text{H}(\gamma, p\pi^-)$ , E=1.1-5.5 GeV; measured  $\sigma(E, \theta)$ ; deduced scaling behavior.  $^1\text{n}(\gamma, \pi^-)$ , E=1.1-5.5 GeV; deduced  $\sigma(E, \theta)$ , scaling behavior. JOUR PRVCA 71 044603
- $^1\text{H}$  2004BEZP NUCLEAR REACTIONS  $^1\text{H}(^{22}\text{O}, p)$ ,  $(^{22}\text{O}, ^{22}\text{O}')$ , E  $\approx$  47 MeV / nucleon; measured particle spectra,  $\sigma(E, \theta)$ .  $^{22}\text{O}$  level deduced deformation parameter. MUST detector array. REPT IPNO-T-04-17,Becheva
- 2004FI12 NUCLEAR REACTIONS  $^2\text{H}(\text{polarized } e, e'n)$ , E=high; measured asymmetry, polarization transfer.  $^1\text{n}$  deduced electric form factor. Comparison with previous work. JOUR FIZBE 13 545
- 2004G058 NUCLEAR REACTIONS  $^1\text{H}(\text{polarized } \gamma, \pi^+\pi^-)$ ,  $(\text{polarized } \gamma, K^+\pi^-)$ , E=1.8-2.2 GeV; measured vector meson production associated particle spectra, angular distributions, asymmetries. Tagged photons. JOUR FIZBE 13 553
- 2004KE18 NUCLEAR REACTIONS  $^1\text{H}(\text{polarized } e, e'\pi^0)$ , E=4.531 GeV; measured recoil polarization, response functions. JOUR FIZBE 13 81

**A=1 (continued)**

- 2004SHZZ NUCLEAR REACTIONS  $^1\text{H}$ (polarized n, n), E=1.39, 1.69, 1.89, 1.99 GeV; measured  $\sigma$ , polarization, longitudinal cross-section difference. REPT JINR-E1-2004-87,Sharov
- 2004ST32 NUCLEAR REACTIONS  $^1\text{H}$ (polarized  $\gamma$ ,  $\pi^+\pi^-$ ), E=0.6-2.3 GeV; measured  $\sigma(\theta)$ , cross-section asymmetries. Tagged photons. JOUR FIZBE 13 179
- 2004WE17 NUCLEAR REACTIONS  $^2\text{H}$ (polarized e, e'n), E=2.3, 3.5 GeV; measured electron and neutron spectra, asymmetries.  $^1\text{n}$  deduced electric form factor. Comparison with previous results. Polarized target. JOUR FIZBE 13 531
- 2005AC22 NUCLEAR REACTIONS  $^3\text{He}$ (polarized e, e'p), (polarized e, e'np), E=735 MeV; measured polarization observables; deduced final state interaction effects. Polarized target. JOUR ZAANE 25 177
- 2005AH05 NUCLEAR REACTIONS  $^1\text{H}$ (polarized  $\gamma$ ,  $2\pi^0$ ), E=400-800 MeV; measured unpolarized and helicity-dependent  $\sigma$ . Polarized target. JOUR PYLBB 624 173
- 2005AH07 NUCLEAR REACTIONS  $^1\text{H}$ (polarized  $\gamma$ ,  $\pi^0$ ), (polarized  $\gamma$ ,  $\pi^+$ ), e  $\approx$  340 MeV; measured  $\sigma(\theta)$ , G asymmetries, related polarization observables. Polarized target. JOUR ZAANE 26 135
- 2005AK09 NUCLEAR REACTIONS  $^1\text{H}$ (e $^+$ , e $^+\gamma$ ), E=high; measured  $\sigma(Q^2)$ ,  $\sigma(W)$  for deeply virtual Compton scattering. Comparison with model predictions. JOUR ZCCNE 44 1
- 2005AL01 NUCLEAR REACTIONS  $^1\text{H}$ (p, p), E=0.45-2.5 GeV; measured analyzing powers vs energy, angle. Polarized target, comparisons with previous results. JOUR ZAANE 23 351
- 2005AN30 NUCLEAR REACTIONS  $^2\text{H}$ ( $^7\text{Be}$ ,  $2\alpha$ ), E=1.71, 5.55 MeV; measured particle spectra,  $\sigma$ .  $^7\text{Be}$ (d, p), E(cm)  $\approx$  0.38, 1.2 MeV; deduced astrophysical S-factors. Implications for primordial  $^7\text{Li}$  abundance discussed. JOUR ASJOA 630 L105
- 2005AR21 NUCLEAR REACTIONS  $^1\text{H}$ (e, e), E=3.03 GeV; measured forward angle parity-violating asymmetries, strange-quark contributions. JOUR PRLTA 95 092001
- 2005BA11 NUCLEAR REACTIONS  $^1\text{H}$ ( $^{16}\text{O}$ ,  $\alpha^{12}\text{C}$ ), E at 3.25 GeV / c / nucleon; measured recoil proton spectra, angular distributions, charged fragment spectra; deduced reaction mechanism features. JOUR UKPJA 50 16
- 2005BA25 NUCLEAR REACTIONS  $^1\text{H}$ (polarized e, e), E=569.31, 855.15 MeV; measured transverse spin asymmetry; deduced resonance contributions. JOUR ZAANE 24 s02 35
- 2005BA40 NUCLEAR REACTIONS  $^1\text{H}$ ( $^{16}\text{O}$ , X) $^1\text{H}$  /  $^2\text{H}$  /  $^3\text{H}$  /  $^3\text{He}$  /  $^4\text{He}$  /  $^5\text{He}$  /  $^6\text{He}$  /  $^5\text{Li}$  /  $^6\text{Li}$  /  $^7\text{Li}$  /  $^8\text{Li}$  /  $^7\text{Be}$  /  $^8\text{Be}$  /  $^9\text{Be}$  /  $^{10}\text{Be}$  /  $^9\text{B}$  /  $^{10}\text{B}$  /  $^{11}\text{B}$  /  $^{12}\text{B}$  /  $^{10}\text{C}$  /  $^{11}\text{C}$  /  $^{12}\text{C}$  /  $^{13}\text{C}$  /  $^{14}\text{C}$  /  $^{13}\text{N}$  /  $^{14}\text{N}$  /  $^{15}\text{N}$  /  $^{14}\text{O}$  /  $^{15}\text{O}$  /  $^{16}\text{O}$ , E at 3.25 GeV / c / nucleon; measured production  $\sigma$ . JOUR PZETA 81 174
- 2005BA50 NUCLEAR REACTIONS  $^1\text{H}$ (polarized p, p), E=0.45-2.5 GeV; measured spin correlation coefficients vs energy, angle; deduced scattering phase shifts, scattering amplitudes. Polarized target. JOUR PRVCA 71 054002

**A=1 (continued)**

- 2005BA58 NUCLEAR REACTIONS  $^1\text{H}(\text{polarized } e, e)$ ,  $E=854.3$  MeV; measured single spin asymmetries; deduced form factor limits. JOUR NUPAB 755 249c
- 2005BA93 NUCLEAR REACTIONS  $^1\text{H}(\gamma, \pi^0)$ ,  $E=0.3-3.0$  GeV; measured pion production  $\sigma(\theta)$ ,  $\sigma$ . Tagged photons. JOUR PRLTA 94 012003
- 2005BAZV NUCLEAR REACTIONS  $^1\text{H}(n, n)$ ,  $E=15$  MeV; measured recoil protons angular distributions. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P834
- 2005BE12 NUCLEAR REACTIONS  $^3\text{He}(e, e'np)$ ,  $E=\text{high}$ ; measured proton spectra, missing energy,  $\sigma(E, \theta)$ .  $^3\text{He}$  deduced proton effective momentum density. JOUR PRLTA 94 082305
- 2005BL09 NUCLEAR REACTIONS  $^1\text{H}(^6\text{He}, ^6\text{He})$ ,  $(^6\text{He}, ^6\text{He}')$ ,  $E=15$  MeV / nucleon; measured  $\sigma(q)$ ; deduced halo effect.  $^1\text{H}(^6\text{He}, \alpha)$ ,  $E=25$  MeV / nucleon; measured  $\sigma(\theta)$ .  $^2\text{H}(^8\text{He}, ^6\text{Li})$ ,  $E=15$  MeV / nucleon; measured excitation energy spectrum; deduced possible resonance structure.  $^1\text{H}(^{22}\text{O}, ^{22}\text{O}')$ ,  $E=46.6$  MeV / nucleon; measured  $\sigma(E, \theta)$ . JOUR NUPAB 752 279c
- 2005B035 RADIOACTIVITY  $^1\text{n}(\beta^-)$ ; measured  $E\beta$ . Plans for measurement of time-reversal violating effects discussed. JOUR JRNBA 110 461
- 2005BY03 RADIOACTIVITY  $^1\text{n}(\beta^-)$ ; measured recoil proton spectra; deduced electron-antineutrino angular correlation coefficient. JOUR JRNBA 110 395
- 2005BY04 RADIOACTIVITY  $^1\text{n}(\beta^-)$ ; measured  $E_p$ ,  $E\beta$ ,  $E\gamma$ ,  $p\gamma^-$ ,  $\beta\gamma^-$ ,  $p\beta$ -coin; deduced upper limit for radiative decay branching ratio. JOUR JRNBA 110 415
- 2005DA29 NUCLEAR REACTIONS  $^1\text{H}(\gamma, \gamma')$ ,  $E=\text{high}$ ; measured  $\sigma$ , polarization transfer asymmetry. JOUR NUPAB 755 281c
- 2005DEZT NUCLEAR REACTIONS  $^1\text{H}(\pi^+, \pi^+)$ ,  $(\pi^-, \pi^-)$ ,  $E=19, 26, 32, 37, 43$  MeV; measured  $\sigma(\theta)$ ; deduced real part of isospin forward scattering amplitude. PREPRINT nucl-ex/0512006, 12/3/2005
- 2005DI03 NUCLEAR REACTIONS  $^1,^2\text{H}(\text{polarized } e^+, e^+X)$ ,  $E=27.6$  GeV;  $^1\text{H}(\text{polarized } e^+, e^+\pi^+)$ ,  $E=27.6$  GeV; measured  $\sigma$ , polarization observables.  $^1\text{n}$ ,  $^1\text{H}$  deduced spin structure features. Polarized targets. JOUR ZAANE 24 s01 23
- 2005D016 NUCLEAR REACTIONS  $^1\text{H}(^{17}\text{B}, ^{17}\text{B}')$ ,  $E=43.8$  MeV; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin,  $\sigma$ .  $^{17}\text{B}$  deduced deformation parameters, decoupling of valence neutrons from core. JOUR PYLBB 621 81
- 2005DZ03 RADIOACTIVITY  $^1\text{n}(\beta^-)$ ; measured  $T_{1/2}$ . Comparison with previous results. JOUR JRNBA 110 339
- 2005EL07 NUCLEAR REACTIONS  $^1\text{H}(^{19}\text{C}, ^{19}\text{C}')$ ,  $(^{19}\text{C}, ^{18}\text{CX})$ ,  $(^{19}\text{C}, ^{17}\text{CX})$ ,  $E \approx 49.4$  MeV / nucleon;  $^1\text{H}(^{17}\text{C}, ^{17}\text{C}')$ ,  $(^{17}\text{C}, ^{16}\text{CX})$ ,  $E \approx 43.3$  MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma^-$ , (particle) $\gamma$ -coin,  $\sigma$ .  $^{17,19}\text{C}$  deduced levels,  $J$ ,  $\pi$ . Comparison with shell model predictions. JOUR PYLBB 614 174
- 2005ER01 NUCLEAR REACTIONS  $^2\text{H}(\pi^-, 2\pi^-)$ ,  $E=430$  MeV; measured pion and proton spectra,  $\sigma$ ,  $\sigma(\theta)$ .  $^1\text{n}(\pi^-, 2\pi^-)$ ,  $E=430$  MeV; deduced  $\sigma$ . Comparisons with model predictions. JOUR ZAANE 23 345

**A=1 (continued)**

- 2005GA45 NUCLEAR REACTIONS  $^2\text{H}(^{44}\text{Ar}, ^{45}\text{Ar}), (^{40}\text{Ar}, ^{41}\text{Ar}), E=10$  MeV / nucleon; measured particle spectra,  $\sigma(E, \theta)$ .  $^{45}\text{Ar}$  deduced levels, spectroscopic factors. JOUR JPGPE 31 S1623
- 2005GIZZ NUCLEAR REACTIONS  $^1\text{H}(^6\text{He}, t), (^6\text{He}, \alpha), (^6\text{He}, ^6\text{He}), E=150$  MeV; measured particle spectra,  $\sigma(\theta)$ .  $^6\text{He}$  deduced spectroscopic factors for cluster configurations. PREPRINT  
nucl-ex/0505007,5/04/2005
- 2005GL03 NUCLEAR REACTIONS  $^2\text{H}(\text{polarized } e, e'n), E=660, 855, 883$  MeV; measured asymmetry, polarization transfer.  $^1\text{n}$  deduced electric form factor. JOUR ZAANE 24 101
- 2005GR15 NUCLEAR REACTIONS  $^{1,2}\text{H}(\text{polarized } \gamma, X), E \approx 200-2900$  MeV; measured helicity dependent photoabsorption  $\sigma$ .  $^1\text{n}, ^1\text{H}$  deduced sum rule features. JOUR PPNPD 55 375
- 2005GR26 NUCLEAR REACTIONS  $^1\text{H}(e, e'\gamma), E=\text{high}$ ; measured  $\sigma(Q^2, W)$  for deeply virtual Compton scattering. JOUR ZCCNE 44 S1
- 2005GU18 NUCLEAR REACTIONS  $^1\text{H}(\text{polarized } p, p), E(\text{cm})=200$  GeV; measured analyzing power. Comparison with model predictions. JOUR NPBSE 146 82
- 2005GU29 NUCLEAR REACTIONS  $^2\text{H}(^8\text{Li}, ^9\text{Li}), E(\text{cm})=7.8$  MeV; measured  $\sigma(\theta)$ ; deduced asymptotic normalization coefficient.  $^8\text{B}(p, \gamma), E=\text{low}$ ; calculated astrophysical S-factor. DWBA analysis, inverse kinematics, comparison with data. JOUR NUPAB 761 162
- 2005HA32 NUCLEAR REACTIONS  $^1\text{H}(\text{polarized } \gamma, \gamma), E \approx 3.2$  GeV; measured recoil proton polarization. JOUR PRLTA 94 242001
- 2005HA37 NUCLEAR REACTIONS  $^{1,2}\text{H}(\text{polarized } e, e'), E=\text{high}$ ; measured analyzing powers; deduced form factors. Polarized targets. JOUR NUPAB 755 257c
- 2005HA64 NUCLEAR REACTIONS  $^1\text{H}(^6\text{He}, ^6\text{He}), E=71$  MeV / nucleon; measured  $\sigma(\theta)$ , analyzing powers; deduced optical model parameters.  $^6\text{He}$  deduced rms radius. Polarized target. Comparison with model predictions. JOUR ZAANE 25 s01 255
- 2005HAZU NUCLEAR REACTIONS  $^1\text{H}(^6\text{He}, ^6\text{He}), E=71$  MeV / nucleon; measured  $\sigma(\theta), A_y(\theta)$ . polarized target. CONF Argonne(Nuclei at the Limits),P360,Hatano
- 2005J002 NUCLEAR REACTIONS  $^1\text{H}(n, n), E=96$  MeV; measured  $\sigma(\theta)$ . Comparison with model predictions. JOUR PRVCA 71 024002
- 2005J012 NUCLEAR REACTIONS  $^1\text{H}(^{10}\text{C}, ^{10}\text{C}), (^{10}\text{C}, ^{10}\text{C}'), E=45.3$  MeV / nucleon;  $^1\text{H}(^{11}\text{C}, ^{11}\text{C}), (^{11}\text{C}, ^{11}\text{C}'), E=40.6$  MeV / nucleon;  $^1\text{H}(^{12}\text{C}, ^{12}\text{C}), (^{12}\text{C}, ^{12}\text{C}'), E=36.3$  MeV / nucleon; measured elastic and inelastic  $\sigma(\theta)$ .  $^{10,11}\text{C}$  deduced radii, transition matrix elements. JOUR PRVCA 72 014308
- 2005J021 NUCLEAR REACTIONS  $^1\text{H}(\text{polarized } e, e'\pi^+), (\text{polarized } e, e'\pi^0), E=1.515$  GeV; measured  $\sigma(E, \theta)$ , polarized longitudinal-transverse structure function; deduced sensitivity to Roper resonance. JOUR PRVCA 72 058202
- 2005J0ZX NUCLEAR REACTIONS  $^1\text{H}(n, n), E=96$  MeV; measured  $\sigma(\theta)$ . Comparison with previous results and model predictions. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol1,P804

**A=1 (continued)**

- 2005KA25 NUCLEAR MOMENTS  $^1_2\text{H}$ ; measured NMR spectra; deduced  $\mu$  ratio. JOUR CJPFA 83 405
- 2005KA26 NUCLEAR REACTIONS  $^1\text{H}(^{19}\text{C}, ^{19}\text{C}')$ ,  $(^{17}\text{C}, ^{17}\text{C}')$ ,  $(^{17}\text{B}, ^{17}\text{B}')$ ,  $E \approx 53$  MeV / nucleon; measured prompt and delayed  $E\gamma$ ,  $I\gamma$ .  $^{17,19}\text{C}$ ,  $^{17}\text{B}$  deduced transitions.  $^{19}\text{C}$  deduced no isomeric state. JOUR NUPAB 757 315
- 2005KHZX RADIOACTIVITY  $^1\text{n}(\beta^-)$ ; measured  $\beta\text{p}$ -,  $\beta\text{p}\gamma$ -coin; deduced branching ratio for radiative decay. Comparison with model predictions. PREPRINT nucl-ex/0512001,12/1/2005
- 2005KI03 NUCLEAR REACTIONS  $^1\text{H}(\text{polarized e}, \text{e})$ ,  $E=3$  GeV; measured spin asymmetries. JOUR ZAANE 24 s02 39
- 2005LI19 NUCLEAR REACTIONS  $^2\text{H}(^8\text{Li}, ^9\text{Li})$ ,  $E=39$  MeV; measured particle spectra,  $\sigma(\theta)$ .  $^8\text{Li}(\text{n}, \gamma)$ ,  $E=\text{low}$ ; deduced astrophysical reaction rates. JOUR PRVCA 71 052801
- 2005MA13 NUCLEAR REACTIONS  $^1\text{H}(\text{polarized e}, \text{e})$ ,  $E=569.31, 855.15$  MeV; measured transverse spin asymmetry; deduced intermediate states contributions. Comparison with model predictions. JOUR PRLTA 94 082001
- 2005MA19 NUCLEAR REACTIONS  $^1\text{H}(\text{polarized e}, \text{e})$ ,  $E=570.4, 854.3$  MeV; measured parity violating asymmetry. JOUR ZAANE 24 s02 47
- 2005MA25 NUCLEAR REACTIONS  $^1\text{H}(\text{polarized e}, \text{e})$ ,  $E=570.4$  MeV; measured parity-violating asymmetry; deduced strangeness contribution. JOUR PRLTA 94 152001
- 2005MA44 NUCLEAR REACTIONS  $^1\text{H}(\text{polarized e}, \text{e})$ ,  $E=570.4, 854.3$  MeV; measured parity-violating single spin asymmetry. Comparison with model predictions. JOUR PPNPD 55 320
- 2005MA48 NUCLEAR REACTIONS  $^1\text{H}(\text{polarized e}, \text{e})$ ,  $E=3$  GeV; measured parity-violating asymmetries. JOUR NUPAB 755 245c
- 2005MAZM NUCLEAR REACTIONS  $^2\text{H}(^{48}\text{Ca}, ^{49}\text{Ca})$ ,  $E=105$  MeV; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin.  $^{48}\text{Ca}(\text{polarized d}, \text{p})$ ,  $E=14$  MeV; measured proton spectra,  $\sigma(\theta)$ .  $^{49}\text{Ca}$  deduced levels,  $J, \pi$ . REPT MLL 2004 Annual,P8,Maierbeck
- 2005MEZY NUCLEAR REACTIONS  $^1_2\text{H}(\text{n}, \text{n})$ ,  $E=95$  MeV; measured  $\sigma(\theta)$ ; deduced three-nucleon force effects. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol1,P688
- 2005NA36 NUCLEAR REACTIONS  $^2\text{H}, \text{C}(^7\text{Li}, ^7\text{Be})$ ,  $E=65$  MeV / nucleon; measured spin-flip and spin-nonflip particle spectra; deduced charge-exchange spin-flip  $\sigma$ .  $^2\text{H}(\gamma, \text{n})$ ,  $E \approx 1.5-10$  MeV; deduced magnetic dipole  $\sigma$ . Comparison with previous results, model predictions. JOUR PRVCA 72 041001
- 2005NI13 RADIOACTIVITY  $^1\text{n}(\beta^-)$ ; measured  $T_{1/2}$ . Cold neutrons, in-beam technique. JOUR PRVCA 71 055502
- 2005OKZZ NUCLEAR REACTIONS  $^1\text{H}(\text{p}, \text{p})$ ,  $E=100$  GeV; measured recoil proton spectra, analyzing power. Polarized target. PREPRINT nucl-ex/0502022,2/25/2005
- 2005ON04 NUCLEAR REACTIONS  $^1\text{H}(^{16}\text{C}, ^{16}\text{C}')$ ,  $E=33$  MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin; deduced  $\sigma$ .  $^{16}\text{C}$  deduced deformation parameter. JOUR ZAANE 25 s01 347



**A=1 (continued)**

- 2005PEZZ NUCLEAR REACTIONS  $^2\text{H}(p, 2p)$ ,  $E=6$  MeV; measured  $E_p$ , pp-coin.  $^1\text{H}(p, p)$ ,  $E=0.3-0.8$  MeV; deduced  $\sigma$ , Coulomb interaction effects. Trojan horse method. CONF Riken(Origin of Matter) Proc,P513,Pellegriti
- 2005PU02 NUCLEAR REACTIONS  $^1\text{H}(\text{polarized } e, e)$ ,  $E=0.934-4.091$  GeV; measured recoil proton spectra, polarization transfer,  $A_y(\theta)$ .  $^1\text{H}$  deduced elastic form factor ratio. Comparison with model predictions. JOUR PRVCA 71 055202
- 2005QA01 NUCLEAR REACTIONS  $^1\text{H}(e, e)$ ,  $E=1.9-4.7$  GeV; measured recoil proton spectra,  $\sigma(\theta)$ ,  $\sigma$ .  $^1\text{H}$  deduced electromagnetic form factors. JOUR PRLTA 94 142301
- 2005R037 NUCLEAR REACTIONS  $^1\text{H}(^8\text{He}, ^8\text{He})$ ,  $E$  not given; measured recoil proton spectrum; deduced excitation function.  $^1\text{H}(^6\text{He}, ^6\text{Li})$ ,  $E$  not given; measured neutron spectrum,  $n\gamma$ -coin; deduced excitation function.  $^7,9\text{Li}$  deduced resonance parameters.  $^7,9\text{He}$  deduced analog states features. JOUR NIMBE 241 977
- 2005SA06 NUCLEAR REACTIONS  $^1\text{H}(n, n)$ ,  $E=194$  MeV; measured  $\sigma(\theta)$ . Tagged beam, comparisons with previous results and model predictions. JOUR PRLTA 94 082303
- 2005SAZT NUCLEAR REACTIONS  $^1\text{H}(\alpha, \alpha)$ ,  $E=80$  MeV / nucleon; measured  $p\alpha$ -coin,  $\sigma(\theta)$ ; deduced target polarization. REPT RIKEN 2004 Annual,P36,Sakaguchi
- 2005SE01 RADIOACTIVITY  $^1\text{n}(\beta^-)$ ; measured  $T_{1/2}$ . Ultracold neutrons, comparison with previous results, model predictions. JOUR PYLBB 605 72
- 2005SE04 NUCLEAR REACTIONS  $^1\text{H}(e, e)$ ,  $E=1.9-4.7$  GeV; measured recoil proton spectra; deduced electromagnetic form factors. Comparison with spin-transfer measurements. JOUR ZAANE 24 s01 55
- 2005SE05 NUCLEAR REACTIONS  $^2\text{H}(n, n)$ ,  $(n, 2n)$ ,  $E=13$  MeV; measured  $E_n$ , nn-coin,  $\sigma(\theta_1, \theta_2)$  for seven exit-channel configurations. Comparison with model predictions. JOUR PRVCA 71 034006
- 2005SE17 RADIOACTIVITY  $^1\text{n}(\beta^-)$ ; measured  $T_{1/2}$ . Comparison with previous results. JOUR JRNBA 110 333
- 2005SE22 NUCLEAR REACTIONS  $^2\text{H}(p, p)$ ,  $E=135$  MeV;  $^1\text{H}(d, d)$ ,  $E=135$  MeV / nucleon; measured  $\sigma(\theta)$ ; deduced relativistic effects, three-nucleon force effects. Comparison with previous results. JOUR PRLTA 95 162301
- 2005SEZV NUCLEAR REACTIONS  $^2\text{H}(p, p)$ ,  $E=135$  MeV;  $^1\text{H}(d, d)$ ,  $E=270$  MeV; measured  $\sigma(\theta)$ . Comparison with model predictions and previous data. PREPRINT nucl-ex/0510005,10/3/2005
- 2005SP01 NUCLEAR REACTIONS  $^1\text{H}(e, e'\pi^0)$ ,  $E=950$  MeV; measured  $E_p$ ,  $\sigma(\theta)$ .  $^1\text{H}$  deduced quadrupole to dipole amplitude ratios. JOUR PRLTA 94 022003
- 2005SP02 NUCLEAR REACTIONS  $^1\text{H}(\text{polarized } e, e)$ ,  $E=200$  MeV;  $^2\text{H}(\text{polarized } e, e)$ ,  $E=125, 200$  MeV; measured asymmetries; deduced form factors. JOUR ZAANE 24 s02 51
- 2005SPZZ NUCLEAR REACTIONS  $^1\text{H}(p, p\pi^+\pi^-)$ ,  $E=2.2$  GeV; measured  $\eta$ -meson production associated missing mass spectra. CONF Bormio (XLIII Winter Meeting) Proc,P305

**A=1 (continued)**

- 2005SUZV NUCLEAR REACTIONS  $^{12}\text{C}(\text{polarized d}, \alpha)$ ,  $E=130, 180$  MeV; measured  $E\alpha$ , asymmetry; deduced beam polarization.  $^1\text{H}(\text{polarized d}, \text{d})$ ,  $E=130, 180$  MeV; measured analyzing powers. REPT CNS-REP-66,P34,Suda
- 2005TR09 NUCLEAR REACTIONS  $^1\text{H}(\text{n}, \text{nK}^+\text{K}^-)$ ,  $E$  at  $5.2$  GeV /  $c$ ; measured strangeness production associated invariant mass spectra; deduced resonance features. JOUR FECLA 124 36
- 2005TU09 NUCLEAR REACTIONS  $^2\text{H}(^6\text{Li}, \text{t}\alpha)$ ,  $E=14$  MeV; measured triton and  $\alpha$  spectra.  $^6\text{Li}(\text{n}, \alpha)$ ,  $E \approx 0-1$  MeV; deduced  $\sigma(\theta)$ . JOUR ZAANE 25 s01 649
- 2005VIZY NUCLEAR REACTIONS  $^1\text{H}(\text{n}, \text{n})$ ,  $E=194$  MeV; measured  $\sigma(\theta)$ . Tagged neutron beam, comparison with previous results and model predictions. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol1,P820
- 2005WI17 RADIOACTIVITY  $^1\text{n}(\beta^-)$ ; measured  $T_{1/2}$ . Trapped proton counting method. JOUR JRNBA 110 327
- 2005WU02 NUCLEAR REACTIONS  $^1\text{H}(\gamma, \pi^+\pi^-)$ ,  $E=0.5-2.6$  GeV; measured total  $\sigma$ ,  $\sigma(E, \theta)$ ; deduced  $\rho^0$ -meson and  $\Delta$ -baryon contributions. Tagged photons. JOUR ZAANE 23 317
- 2005ZH14 NUCLEAR REACTIONS  $^1\text{H}(\gamma, \pi^+)$ ,  $^2\text{H}(\gamma, \text{p}\pi^-)$ ,  $E=1.1-5.5$  GeV; measured  $\sigma(E, \theta)$ ; deduced scaling behavior.  $^1\text{n}(\gamma, \pi^-)$ ,  $E=1.1-5.5$  GeV; deduced  $\sigma(E, \theta)$ , scaling behavior. JOUR PRVCA 71 044603

**A=2**

- $^2\text{n}$  2005AM05 NUCLEAR REACTIONS  $^1\text{H}(\text{p-bar}, \text{e}\text{e}^+)$ ,  $E(\text{cm}) \approx 3600$  MeV; measured  $\psi(2\text{S})$  production associated invariant mass spectra,  $\sigma(\theta)$ ; deduced helicity amplitude ratio. JOUR PYLBB 610 177
- 2005BA43 NUCLEAR REACTIONS  $^2\text{H}(\text{d}, 2\text{p})$ ,  $E=171$  MeV; measured  $E\text{p}$ ,  $\text{pp-coin}$ ,  $\sigma(\theta)$ ; deduced neutron-neutron scattering length. JOUR PRVCA 71 044003
- 2005CH50 NUCLEAR REACTIONS  $^1\text{H}(^6\text{He}, \text{p})$ ,  $(^6\text{He}, \text{np})$ ,  $(^6\text{He}, \text{p}\alpha)$ ,  $E=717$  MeV / nucleon;  $^1\text{H}(^8\text{He}, \text{p})$ ,  $(^8\text{He}, \text{np})$ ,  $(^8\text{He}, \text{p}\alpha)$ ,  $E=671$  MeV / nucleon; measured recoil proton spectra,  $\sigma(E, \theta)$ .  $^{6,8}\text{He}$  deduced cluster configurations, spectroscopic factors. JOUR NUPAB 759 43
- $^2\text{H}$  2004AZZW NUCLEAR REACTIONS  $^2\text{H}(\text{polarized d}, \text{d}')$ ,  $E$  at  $5.0$  GeV /  $c$ ; measured vector and tensor analyzing powers. REPT JINR-E1-2004-117,Azhgirey
- 2004AZZX NUCLEAR REACTIONS  $^9\text{Be}(\text{d}, \text{pX})$ ,  $E$  at  $5$  GeV /  $c$ ; measured tensor analyzing power.  $^2\text{H}$  deduced wave function features. REPT JINR-P1-2004-118,Azhgirey
- 2004BUZY NUCLEAR REACTIONS  $^2\text{H}(\text{polarized n}, \text{n})$ ,  $E=19.0$  MeV; measured  $A_y(\theta)$ . Comparison with model predictions. REPT TUNL-XLIII,P20,Buck
- 2004FOZZ NUCLEAR REACTIONS  $^2\text{H}(\text{polarized n}, \text{n})$ ,  $E=1.18, 5.0, 6.88, 19$  MeV; measured polarization, longitudinal cross-section difference. Polarized target. REPT TUNL-XLIII,P18,Foster

**A=2 (continued)**

- 2004S035 NUCLEAR REACTIONS  ${}^7\text{Li}({}^7\text{Li}, 2\alpha)$ ,  $E=8, 30$  MeV;  ${}^9\text{Be}({}^7\text{Li}, {}^7\text{Li})$ ,  $({}^7\text{Li}, \alpha{}^6\text{Li})$ ,  $({}^7\text{Li}, \alpha{}^7\text{Li})$ ,  $E=52$  MeV;  ${}^7\text{Li}({}^9\text{Be}, \alpha{}^9\text{Be})$ ,  $({}^9\text{Be}, \alpha{}^{10}\text{Be})$ ,  $E=70$  MeV; measured excitation energy spectra.  ${}^9,{}^{10}\text{Be}$ ,  ${}^{13,14}\text{C}$  deduced excited states, cluster structures. JOUR FIZBE 13 433
- 2005AB01 NUCLEAR REACTIONS  ${}^1\text{H}(p, p\pi^+)$ ,  $(p, \pi^+)$ ,  $E=951$  MeV; measured missing mass spectra,  $\sigma$ ; deduced D-state effects. JOUR PYLBB 610 31
- 2005AC22 NUCLEAR REACTIONS  ${}^3\text{He}(\text{polarized } e, e'p)$ ,  $(\text{polarized } e, e'np)$ ,  $E=735$  MeV; measured polarization observables; deduced final state interaction effects. Polarized target. JOUR ZAANE 25 177
- 2005AG03 NUCLEAR REACTIONS  ${}^2\text{H}$ ,  ${}^6\text{Li}(\text{polarized } \mu^+, \mu^+X)$ ,  $E=160$  GeV; measured longitudinal spin asymmetry.  ${}^2\text{H}$  deduced spin structure function. Comparison with previous results. JOUR PYLBB 612 154
- 2005AI06 NUCLEAR REACTIONS  ${}^1\text{H}(e^+, e^+X)$ ,  $E$  at  $27.7$  GeV /  $c$ ; measured tensor asymmetry.  ${}^2\text{H}$  deduced tensor structure function. Polarized target. JOUR PRLTA 95 242001
- 2005AT04 NUCLEAR REACTIONS  ${}^2\text{H}(n, n')$ ,  $E=\text{low}$ ; measured production rate of ultracold neutrons with solid, liquid, and gaseous deuterium targets. JOUR PRVCA 71 054601
- 2005BA40 NUCLEAR REACTIONS  ${}^1\text{H}({}^{16}\text{O}, X){}^1\text{H} / {}^2\text{H} / {}^3\text{H} / {}^3\text{He} / {}^4\text{He} / {}^5\text{He} / {}^6\text{He} / {}^5\text{Li} / {}^6\text{Li} / {}^7\text{Li} / {}^8\text{Li} / {}^7\text{Be} / {}^8\text{Be} / {}^9\text{Be} / {}^{10}\text{Be} / {}^9\text{B} / {}^{10}\text{B} / {}^{11}\text{B} / {}^{12}\text{B} / {}^{10}\text{C} / {}^{11}\text{C} / {}^{12}\text{C} / {}^{13}\text{C} / {}^{14}\text{C} / {}^{13}\text{N} / {}^{14}\text{N} / {}^{15}\text{N} / {}^{14}\text{O} / {}^{15}\text{O} / {}^{16}\text{O}$ ,  $E$  at  $3.25$  GeV /  $c$  / nucleon; measured production  $\sigma$ . JOUR PZETA 81 174
- 2005CA42 NUCLEAR MOMENTS  ${}^2\text{H}$ ,  ${}^{15}\text{N}$ ; measured hfs; deduced parameters. JOUR APJSA 159 181
- 2005CU06 NUCLEAR REACTIONS  ${}^7\text{Li}({}^7\text{Li}, {}^{11}\text{B})$ ,  $({}^7\text{Li}, {}^{12}\text{B})$ ,  $E=58$  MeV;  ${}^{12}\text{C}$ ,  ${}^{16}\text{O}({}^7\text{Li}, {}^{10}\text{B})$ ,  $E=58$  MeV; measured particle spectra.  ${}^{10,11,12}\text{B}$  deduced relative yields for  $\alpha+\text{Li}$  and  $\text{H}+\text{Be}$  decay channels from excited states. JOUR PRVCA 72 044320
- 2005ER03 NUCLEAR REACTIONS  ${}^2\text{H}(\text{polarized } p, p)$ ,  $E=108, 120, 135, 150, 170, 190$  MeV; measured  $\sigma(\theta)$  and vector analyzing power; deduced three-nucleon forces contribution and necessity of inclusion. Comparisons with model predictions. JOUR PRVCA 71 064004
- 2005G014 NUCLEAR REACTIONS  ${}^3\text{He}(\alpha, p\alpha)$ ,  $E=27.2$  MeV; measured  $E_p$ ,  $E_\alpha$ ,  $p\alpha$ -coin,  $\sigma(E, \theta)$ .  ${}^6\text{Li}$  deduced excited states energies, widths. JOUR UKPJA 50 327
- 2005HA37 NUCLEAR REACTIONS  ${}^{1,2}\text{H}(\text{polarized } e, e')$ ,  $E=\text{high}$ ; measured analyzing powers; deduced form factors. Polarized targets. JOUR NUPAB 755 257c
- 2005JE01 NUCLEAR REACTIONS  ${}^2\text{H}({}^9\text{Li}, {}^9\text{Li})$ ,  $({}^9\text{Li}, np)$ ,  $({}^9\text{Li}, nX)$ ,  $({}^9\text{Li}, pX)$ ,  $E=2.36$  MeV / nucleon; measured particle spectra,  $\sigma(\theta)$ .  ${}^2\text{H}({}^9\text{Li}, \alpha X)$ ,  $({}^9\text{Li}, {}^6\text{He}X)$ ,  $E=2.36$  MeV / nucleon; measured particle spectra. Post-accelerated radioactive beam. JOUR NUPAB 748 374
- 2005KA25 NUCLEAR MOMENTS  ${}^{1,2}\text{H}$ ; measured NMR spectra; deduced  $\mu$  ratio. JOUR CJPHA 83 405
- 2005LA30 NUCLEAR REACTIONS  $\text{H}$ ,  $\text{C}(\text{polarized } d, pX)$ ,  $E$  at  $9$  GeV /  $c$ ; measured tensor analyzing power vs proton transverse momentum.  ${}^2\text{H}$  deduced wave function features. JOUR PYLBB 629 60

**A=2 (continued)**

- 2005MAZN NUCLEAR REACTIONS  $^2\text{H}$ (polarized n, n), E=250 MeV; measured  $\sigma(\theta)$ ,  $A_y(\theta)$ ; deduced three-nucleon force effects. REPT CNS-REP-66,P38,Maeda
- 2005MEZY NUCLEAR REACTIONS  $^1,2\text{H}$ (n, n), E=95 MeV; measured  $\sigma(\theta)$ ; deduced three-nucleon force effects. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol1,P688
- 2005MI13 NUCLEAR REACTIONS  $^6,7\text{Li}$ ( $^6\text{He}$ ,  $\alpha^6\text{He}$ ),  $^6\text{Li}$ ( $^6\text{He}$ ,  $t2\alpha$ ), E=18 MeV; measured excitation energy spectra.  $^6,7\text{Li}$ ,  $^8,9,10\text{Be}$  deduced cluster states. JOUR NUPAB 753 263
- 2005RV01 NUCLEAR REACTIONS  $^3\text{He}$ (e, e'p), E=4806 MeV; measured  $\sigma(E, \theta)$ , asymmetry; deduced final-state interaction effects, other reaction mechanism features. Comparison with model predictions. JOUR PRLTA 94 192302
- 2005SA12 NUCLEAR REACTIONS  $^3\text{He}$ (e, e'p), E=4.8 GeV; measured  $\sigma(E, \theta)$ , asymmetries.  $^3\text{He}$  deduced bound state momentum distributions. Comparisons with model predictions. JOUR ZAANE 24 s01 81
- 2005SE05 NUCLEAR REACTIONS  $^2\text{H}$ (n, n), (n, 2n), E=13 MeV; measured En, nn-coin,  $\sigma(\theta_1, \theta_2)$  for seven exit-channel configurations. Comparison with model predictions. JOUR PRVCA 71 034006
- 2005SE22 NUCLEAR REACTIONS  $^2\text{H}$ (p, p), E=135 MeV;  $^1\text{H}$ (d, d), E=135 MeV / nucleon; measured  $\sigma(\theta)$ ; deduced relativistic effects, three-nucleon force effects. Comparison with previous results. JOUR PRLTA 95 162301
- 2005SEZV NUCLEAR REACTIONS  $^2\text{H}$ (p, p), E=135 MeV;  $^1\text{H}$ (d, d), E=270 MeV; measured  $\sigma(\theta)$ . Comparison with model predictions and previous data. PREPRINT nucl-ex/0510005,10/3/2005
- 2005SH51 NUCLEAR REACTIONS  $^4\text{He}$ ( $\gamma$ , p), ( $\gamma$ , n), ( $\gamma$ , np), E=21.8-29.8 MeV;  $^{12}\text{C}$ ( $\gamma$ , p), ( $\gamma$ , n), E=22.3-32 MeV; measured charged particle spectra, photodisintegration  $\sigma$ ,  $\sigma(\theta)$ . Monoenergetic pulsed photons, comparison with previous results and model predictions. JOUR PRVCA 72 044004
- 2005SP02 NUCLEAR REACTIONS  $^1\text{H}$ (polarized e, e), E=200 MeV;  $^2\text{H}$ (polarized e, e), E=125, 200 MeV; measured asymmetries; deduced form factors. JOUR ZAANE 24 s02 51

**A=3**

- $^3\text{n}$  2005AL15 NUCLEAR REACTIONS  $^7\text{Li}$ ( $^7\text{Li}$ ,  $^{11}\text{C}$ ), ( $^7\text{Li}$ ,  $^{10}\text{C}$ ), E=82 MeV; measured particle spectra; deduced resonance formation  $\sigma$  upper limits. JOUR PZETA 81 49
- $^3\text{H}$  2004MIZR NUCLEAR REACTIONS  $^4\text{He}$ ( $^{22}\text{O}$ ,  $^{23}\text{F}$ ), E  $\approx$  35 MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin.  $^{23}\text{F}$  deduced levels, transitions. REPT CNS-REP-64,P269,Michimasa
- 2004S035 NUCLEAR REACTIONS  $^7\text{Li}$ ( $^7\text{Li}$ ,  $2\alpha$ ), E=8, 30 MeV;  $^9\text{Be}$ ( $^7\text{Li}$ ,  $^7\text{Li}$ ), ( $^7\text{Li}$ ,  $\alpha^6\text{Li}$ ), ( $^7\text{Li}$ ,  $\alpha^7\text{Li}$ ), E=52 MeV;  $^7\text{Li}$ ( $^9\text{Be}$ ,  $\alpha^9\text{Be}$ ), ( $^9\text{Be}$ ,  $\alpha^{10}\text{Be}$ ), E=70 MeV; measured excitation energy spectra.  $^9,10\text{Be}$ ,  $^{13,14}\text{C}$  deduced excited states, cluster structures. JOUR FIZBE 13 433

**A=3 (continued)**

- 2005BA40 NUCLEAR REACTIONS  $^1\text{H}(^{16}\text{O}, \text{X})^1\text{H} / ^2\text{H} / ^3\text{H} / ^3\text{He} / ^4\text{He} / ^5\text{He} / ^6\text{He} / ^5\text{Li} / ^6\text{Li} / ^7\text{Li} / ^8\text{Li} / ^7\text{Be} / ^8\text{Be} / ^9\text{Be} / ^{10}\text{Be} / ^9\text{B} / ^{10}\text{B} / ^{11}\text{B} / ^{12}\text{B} / ^{10}\text{C} / ^{11}\text{C} / ^{12}\text{C} / ^{13}\text{C} / ^{14}\text{C} / ^{13}\text{N} / ^{14}\text{N} / ^{15}\text{N} / ^{14}\text{O} / ^{15}\text{O} / ^{16}\text{O}$ , E at 3.25 GeV / c / nucleon; measured production  $\sigma$ . JOUR PZETA 81 174
- 2005BL09 NUCLEAR REACTIONS  $^1\text{H}(^6\text{He}, ^6\text{He})$ , ( $^6\text{He}, ^6\text{He}'$ ), E=15 MeV / nucleon; measured  $\sigma(q)$ ; deduced halo effect.  $^1\text{H}(^6\text{He}, \alpha)$ , E=25 MeV / nucleon; measured  $\sigma(\theta)$ .  $^2\text{H}(^8\text{He}, ^6\text{Li})$ , E=15 MeV / nucleon; measured excitation energy spectrum; deduced possible resonance structure.  $^1\text{H}(^{22}\text{O}, ^{22}\text{O}')$ , E=46.6 MeV / nucleon; measured  $\sigma(E, \theta)$ . JOUR NUPAB 752 279c
- 2005CU06 NUCLEAR REACTIONS  $^7\text{Li}(^7\text{Li}, ^{11}\text{B})$ , ( $^7\text{Li}, ^{12}\text{B}$ ), E=58 MeV;  $^{12}\text{C}$ ,  $^{16}\text{O}(^7\text{Li}, ^{10}\text{B})$ , E=58 MeV; measured particle spectra.  $^{10,11,12}\text{B}$  deduced relative yields for  $\alpha+\text{Li}$  and  $\text{H}+\text{Be}$  decay channels from excited states. JOUR PRVCA 72 044320
- 2005GI07 NUCLEAR REACTIONS  $^1\text{H}(^6\text{He}, \alpha)$ , E=25 MeV / nucleon; measured  $\sigma(\theta)$ ; deduced particle transfer contributions, entrance potential dependence.  $^6\text{He}$  deduced spectroscopic factors for  $t+t$  and  $\alpha+2n$  cluster configurations.  $^1\text{H}(^6\text{He}, p)$ , E=25 MeV / nucleon; measured  $\sigma(\theta)$ .  $^3\text{He}(\alpha, \alpha)$ , E(cm)=28.7 MeV; calculated  $\sigma(\theta)$ . SPEG spectrometer and MUST array at GANIL. DWBA and coupled-channels calculations. JOUR PRVCA 71 064311
- 2005GI18 NUCLEAR REACTIONS  $^1\text{H}(^6\text{He}, \alpha)$ , E=25 MeV / nucleon; measured  $\sigma(\theta)$ ; deduced particle transfer contributions, entrance potential dependence.  $^6\text{He}$  deduced spectroscopic factors for  $t+t$  and  $\alpha+2n$  cluster configurations. SPEG spectrometer and MUST array at GANIL. DWBA and coupled-channels calculations. JOUR ZAANE 25 s01 267
- 2005GIZZ NUCLEAR REACTIONS  $^1\text{H}(^6\text{He}, t)$ , ( $^6\text{He}, \alpha$ ), ( $^6\text{He}, ^6\text{He}$ ), E=150 MeV; measured particle spectra,  $\sigma(\theta)$ .  $^6\text{He}$  deduced spectroscopic factors for cluster configurations. PREPRINT nucl-ex/0505007,5/04/2005
- 2005KI17 NUCLEAR REACTIONS  $^4\text{He}(\gamma, p)$ , ( $\gamma, n$ ), E  $\approx$  27.6 MeV; measured particle spectra,  $tp^-$ , ( $^3\text{He}$ )n-coin. Time projection chamber. JOUR NIMAE 552 329
- 2005KR03 RADIOACTIVITY  $^3\text{H}(\beta^-)$ ; measured E/ $\beta$ ; deduced neutrino mass limit. JOUR ZCCNE 40 447
- 2005LI29 NUCLEAR REACTIONS  $^2\text{H}(d, p)$ , E=0.8-2.45 keV; measured charge particle yields; deduced reaction rate enhancement in titanium cathode. JOUR ZETFA 127 1334
- 2005MI13 NUCLEAR REACTIONS  $^{6,7}\text{Li}(^6\text{He}, \alpha^6\text{He})$ ,  $^6\text{Li}(^6\text{He}, t2\alpha)$ , E=18 MeV; measured excitation energy spectra.  $^{6,7}\text{Li}$ ,  $^{8,9,10}\text{Be}$  deduced cluster states. JOUR NUPAB 753 263
- 2005MI32 NUCLEAR REACTIONS  $^4\text{He}(^{22}\text{O}, ^{23}\text{F})$ , E=35 MeV / nucleon;  $^4\text{He}(^{23}\text{F}, ^{23}\text{F}')$ , E=41.5 MeV / nucleon;  $^4\text{He}(^{24}\text{F}, ^{23}\text{F})$ , E=36 MeV / nucleon; measured E $\gamma$ , I $\gamma$ , (particle) $\gamma^-$ ,  $\gamma\gamma$ -coin; deduced  $\sigma(E)$ .  $^{23}\text{F}$  deduced levels, J,  $\pi$ . DWBA analysis. JOUR ZAANE 25 s01 367

**A=3 (continued)**

- 2005MIZT NUCLEAR REACTIONS  $^4\text{He}(^{22}\text{O}, ^{23}\text{F}), (^{23}\text{F}, ^{23}\text{F}'), (^{24}\text{F}, ^{23}\text{F}), (^{25}\text{Ne}, ^{23}\text{F}), E \approx 35\text{-}43$  MeV / nucleon; measured  $E\gamma, I\gamma, (\text{particle})\gamma\text{-}, \gamma\gamma\text{-coin. } ^4\text{He}(^{22}\text{O}, ^{23}\text{F}), E=35$  MeV / nucleon; measured  $\sigma(\theta)$ .  $^{23}\text{F}$  deduced levels, J,  $\pi$ , configurations. REPT CNS-REP-67, Michimasa
- 2005MIZU NUCLEAR REACTIONS  $^4\text{He}(^{22}\text{O}, ^{23}\text{F}), (^{23}\text{F}, ^{23}\text{F}'), (^{24}\text{F}, ^{23}\text{F}), E$  not given; measured  $E\gamma, I\gamma, \gamma\gamma\text{-coin}, \sigma(\theta)$ .  $^{23}\text{F}$  deduced levels, J,  $\pi$ . REPT CNS-REP-66, P26, Michimasa
- 2005MIZV NUCLEAR REACTIONS  $^4\text{He}(^{22}\text{O}, ^{23}\text{F}), E \approx 35$  MeV / nucleon;  $^4\text{He}(^{23}\text{F}, ^{23}\text{F}'), E \approx 41.5$  MeV / nucleon;  $^4\text{He}(^{24}\text{F}, ^{23}\text{F}), E \approx 36$  MeV / nucleon; measured  $E\gamma, I\gamma, \gamma\gamma\text{-}, (\text{particle})\gamma\text{-coin}, \text{angular distributions. } ^{23}\text{F}$  deduced levels, J,  $\pi$ . REPT RIKEN 2004 Annual, P51, Michimasa
- 2005RA27 NUCLEAR REACTIONS  $^2\text{H}(\text{d}, \text{p}), E \approx 4\text{-}23$  keV; measured S-factors, electron screening effects for reactions in deuterated metals, temperature dependence. JOUR JPGPE 31 1141
- 2005RI13 NUCLEAR REACTIONS  $^6\text{Li}(\text{d}, \text{pt}), E=14$  MeV; measured particle spectra, angular correlations.  $^2\text{H}(\text{d}, \text{p}), E \approx 50\text{-}2000$  keV; deduced S-factors. Trojan horse method, comparison with previous results. JOUR NUPAB 758 146c
- 2005SH46 NUCLEAR REACTIONS  $^4\text{He}(^{22}\text{O}, ^{23}\text{F}), E=35$  MeV / nucleon; measured  $E\gamma, I\gamma, (\text{particle})\gamma\text{-coin}, \sigma(\theta)$ .  $^{23}\text{F}$  deduced levels, J,  $\pi$ . JOUR JPGPE 31 S1759
- 2005SH51 NUCLEAR REACTIONS  $^4\text{He}(\gamma, \text{p}), (\gamma, \text{n}), (\gamma, \text{np}), E=21.8\text{-}29.8$  MeV;  $^{12}\text{C}(\gamma, \text{p}), (\gamma, \text{n}), E=22.3\text{-}32$  MeV; measured charged particle spectra, photodisintegration  $\sigma, \sigma(\theta)$ . Monoenergetic pulsed photons, comparison with previous results and model predictions. JOUR PRVCA 72 044004
- 2005ST30 NUCLEAR REACTIONS  $^4\text{He}(\text{e}, \text{e}'\text{p}\pi^-), (\text{e}, \text{e}'\text{p}\pi^0), E=672$  MeV; measured  $E\text{p}, \text{recoil spectra}, \sigma(\theta)$ . Comparison with model predictions. JOUR PRLTA 95 172501
- 2005TU09 NUCLEAR REACTIONS  $^2\text{H}(^6\text{Li}, \text{t}\alpha), E=14$  MeV; measured triton and  $\alpha$  spectra.  $^6\text{Li}(\text{n}, \alpha), E \approx 0\text{-}1$  MeV; deduced  $\sigma(\theta)$ . JOUR ZAANE 25 s01 649
- 2005VE08 NUCLEAR REACTIONS  $^6\text{Li}(\text{n}, \alpha), E=\text{reactor}$ ; measured triton spectra, angular distribution; deduced P-odd asymmetry coefficient. JOUR PZETA 82 519
- 2005YA12 NUCLEAR REACTIONS  $^6\text{Li}(^3\text{He}, \text{t}^3\text{He}), E=450$  MeV;  $^6\text{Li}(^7\text{Li}, \text{t}^7\text{Be}), E=455$  MeV; measured particle spectra, angular correlations.  $^6\text{He}, ^6\text{Li}, ^6\text{Be}$  deduced resonances. JOUR PRVCA 71 064316
- $^3\text{He}$  2004CRZZ NUCLEAR REACTIONS  $^3\text{He}(\text{polarized n}, \text{n}), E=4.02, 5.54$  MeV; measured  $A\text{y}(\theta)$ . REPT TUNL-XLIII, P23, Crowe
- 2004ZH42 NUCLEAR REACTIONS  $^3\text{He}(\text{polarized e}, \text{e}), E=1.2$  GeV;  $^3\text{He}(\text{polarized e}, \text{e}'\text{X}), E=5.7$  GeV; measured asymmetries.  $^1\text{n}$  deduced spin asymmetries, polarized structure functions. Polarized target. JOUR PRVCA 70 065207
- 2005BA34 NUCLEAR REACTIONS  $^{136}\text{Xe}(\text{d}, ^3\text{HeX})^{135}\text{Xe}, E=500$  MeV;  $^1\text{H}(\text{d}, \pi^0), E=500$  MeV; measured helium spectra.  $^{135}\text{Xe}$  deduced pionic state binding energy. JOUR YAFIA 68 517

**A=3 (continued)**

- 2005BA40 NUCLEAR REACTIONS  $^1\text{H}(^{16}\text{O}, \text{X})^1\text{H} / ^2\text{H} / ^3\text{H} / ^3\text{He} / ^4\text{He} / ^5\text{He} / ^6\text{He} / ^5\text{Li} / ^6\text{Li} / ^7\text{Li} / ^8\text{Li} / ^7\text{Be} / ^8\text{Be} / ^9\text{Be} / ^{10}\text{Be} / ^9\text{B} / ^{10}\text{B} / ^{11}\text{B} / ^{12}\text{B} / ^{10}\text{C} / ^{11}\text{C} / ^{12}\text{C} / ^{13}\text{C} / ^{14}\text{C} / ^{13}\text{N} / ^{14}\text{N} / ^{15}\text{N} / ^{14}\text{O} / ^{15}\text{O} / ^{16}\text{O}$ , E at 3.25 GeV / c / nucleon; measured production  $\sigma$ . JOUR PZETA 81 174
- 2005BE12 NUCLEAR REACTIONS  $^3\text{He}(e, e'np)$ , E=high; measured proton spectra, missing energy,  $\sigma(E, \theta)$ .  $^3\text{He}$  deduced proton effective momentum density. JOUR PRLTA 94 082305
- 2005CA29 NUCLEAR REACTIONS  $^{12}\text{C}(p, \text{X})$ , E=180 MeV;  $^{12}\text{C}(\alpha, \text{X})$ , E=192.4 MeV; measured reaction  $\sigma$ .  $^3,^4\text{He}(p, p)$ , E  $\approx$  40 MeV; measured  $\sigma(\theta)$ .  $^{40}\text{Ca}(^3\text{He}, ^3\text{He}')$ , E=167 MeV; measured particle spectra. Modified attenuation technique for reaction cross section measurement. JOUR NIMAE 547 541
- 2005CE02 NUCLEAR REACTIONS  $^3\text{H}(p, n)$ , E=1.2-2.3 MeV; measured neutron spectra. JOUR NIMAE 540 430
- 2005GI07 NUCLEAR REACTIONS  $^1\text{H}(^6\text{He}, \alpha)$ , E=25 MeV / nucleon; measured  $\sigma(\theta)$ ; deduced particle transfer contributions, entrance potential dependence.  $^6\text{He}$  deduced spectroscopic factors for t+t and  $\alpha+2n$  cluster configurations.  $^1\text{H}(^6\text{He}, p)$ , E=25 MeV / nucleon; measured  $\sigma(\theta)$ .  $^3\text{He}(\alpha, \alpha)$ , E(cm)=28.7 MeV; calculated  $\sigma(\theta)$ . SPEG spectrometer and MUST array at GANIL. DWBA and coupled-channels calculations. JOUR PRVCA 71 064311
- 2005HA07 NUCLEAR REACTIONS  $^2\text{H}(d, n)$ , E not given; measured En. Laser-generated plasma neutron source. JOUR NIMAE 540 464
- 2005KE05 NUCLEAR REACTIONS  $^3\text{He}(n, n)$ , E=low; measured coherent scattering length. JOUR JRNBA 110 241
- 2005KI17 NUCLEAR REACTIONS  $^4\text{He}(\gamma, p)$ ,  $(\gamma, n)$ , E  $\approx$  27.6 MeV; measured particle spectra, tp-,  $(^3\text{He})n$ -coin. Time projection chamber. JOUR NIMAE 552 329
- 2005KLZZ NUCLEAR REACTIONS  $^1\text{H}(\text{polarized } d, \gamma)$ , E=29, 45 MeV; measured vector and tensor analyzing powers. Comparison with model predictions. PREPRINT nucl-ex/0509008,9/05/2005
- 2005KR03 RADIOACTIVITY  $^3\text{H}(\beta^-)$ ; measured E/ $\beta$ ; deduced neutrino mass limit. JOUR ZCCNE 40 447
- 2005KR14 NUCLEAR REACTIONS  $^3\text{He}(\text{polarized } e, e')$ , E=3.465-5.727 GeV; measured parallel and perpendicular cross section differences.  $^1n, ^3\text{He}$  deduced momentum transfer dependence of spin structure function. JOUR PRLTA 95 142002
- 2005LE04 NUCLEAR REACTIONS Pb(p, X) $^3\text{He} / ^4\text{He} / ^{21}\text{Ne} / ^{22}\text{Ne} / ^{36}\text{Ar} / ^{38}\text{Ar} / ^{78}\text{Kr} / ^{80}\text{Kr} / ^{81}\text{Kr} / ^{82}\text{Kr} / ^{83}\text{Kr} / ^{84}\text{Kr} / ^{85}\text{Kr} / ^{86}\text{Kr} / ^{124}\text{Xe} / ^{126}\text{Xe} / ^{128}\text{Xe} / ^{129}\text{Xe} / ^{130}\text{Xe} / ^{131}\text{Xe} / ^{132}\text{Xe} / ^{134}\text{Xe}$ , E=44-2595 MeV; measured production  $\sigma$ ; deduced reaction mechanism features. Mini-stack approach, comparisons with model predictions. JOUR NIMBE 229 1
- 2005MAZQ NUCLEAR REACTIONS  $^{15}\text{N}(p, n)$ , E=5.1 MeV;  $^2\text{H}(d, n)$ , E=3.0 MeV; measured neutron spectra, transmission through iron spheres. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P480

**A=3 (continued)**

- 2005ME03 NUCLEAR REACTIONS  $^3\text{He}(\text{polarized } e, e'X)$ ,  $E=0.862\text{-}5.058$  GeV; measured polarized  $\sigma$ ; deduced sum rule features.  $^3\text{He}$  deduced spin structure functions. Polarized target. JOUR ZAANE 24 s01 153
- 2005ME09 NUCLEAR REACTIONS  $^1\text{H}(\text{polarized } d, \gamma)$ ,  $E=55, 66.5, 90$  MeV / nucleon; measured  $E\gamma$ , (particle) $\gamma$ -coin, vector and tensor analyzing powers. Comparison with model predictions. JOUR PYLBB 617 18
- 2005MEZZ NUCLEAR REACTIONS  $^1\text{H}(\text{polarized } d, \gamma)$ ,  $E=55, 66.5, 90$  MeV / nucleon; measured  $E\gamma$ , (particle) $\gamma$ -coin, vector and tensor analyzing powers. Comparison with model predictions. PREPRINT nucl-ex/0501012,1/17/2005
- 2005NA14 NUCLEAR REACTIONS  $^2\text{H}(d, n)$ ,  $E > 80$  keV; measured neutron spectra, yields. Deuteron beam from electrostatic field of pyroelectric crystal in a deuterated atmosphere. JOUR NATUA 434 1115
- 2005NI20 NUCLEAR REACTIONS  $^4\text{He}(\gamma, n)$ ,  $E=23\text{-}42$  MeV; measured  $\sigma(\theta)$ ; deduced angle-integrated  $\sigma$ . Comparison with previous data and various model calculations. Liquid target, tagged photons. JOUR PYLBB 626 65
- 2005NIZX NUCLEAR REACTIONS  $^4\text{He}(\gamma, n)$ ,  $E=23\text{-}42$  MeV; measured neutron spectra,  $\sigma(E, \theta)$ ; deduced parameters. Tagged photons, comparison with recoil-corrected continuum shell model and resonating group method predictions. PREPRINT nucl-ex/0506001,6/01/2005
- 2005SA12 NUCLEAR REACTIONS  $^3\text{He}(e, e'p)$ ,  $E=4.8$  GeV; measured  $\sigma(E, \theta)$ , asymmetries.  $^3\text{He}$  deduced bound state momentum distributions. Comparisons with model predictions. JOUR ZAANE 24 s01 81
- 2005SH51 NUCLEAR REACTIONS  $^4\text{He}(\gamma, p)$ ,  $(\gamma, n)$ ,  $(\gamma, np)$ ,  $E=21.8\text{-}29.8$  MeV;  $^{12}\text{C}(\gamma, p)$ ,  $(\gamma, n)$ ,  $E=22.3\text{-}32$  MeV; measured charged particle spectra, photodisintegration  $\sigma$ ,  $\sigma(\theta)$ . Monoenergetic pulsed photons, comparison with previous results and model predictions. JOUR PRVCA 72 044004
- 2005ST30 NUCLEAR REACTIONS  $^4\text{He}(e, e'p\pi^-)$ ,  $(e, e'p\pi^0)$ ,  $E=672$  MeV; measured  $E_p$ , recoil spectra,  $\sigma(\theta)$ . Comparison with model predictions. JOUR PRLTA 95 172501
- 2005TUZZ NUCLEAR REACTIONS  $^2\text{H}(^7\text{Li}, 2\alpha)$ ,  $(^6\text{Li}, ^3\text{He}\alpha)$ ,  $^6\text{Li}(^6\text{Li}, 2\alpha)$ ,  $E$  not given; measured particle spectra.  $^7\text{Li}(p, \alpha)$ ,  $E(\text{cm}) \approx 0.01\text{-}0.5$  MeV;  $^6\text{Li}(d, \alpha)$ ,  $(p, \alpha)$ ,  $E(\text{cm}) \approx 0.01\text{-}1$  MeV; deduced astrophysical S-factors. CONF Riken(Origin of Matter) Proc,P553,Tumino
- 2005YA12 NUCLEAR REACTIONS  $^6\text{Li}(^3\text{He}, t^3\text{He})$ ,  $E=450$  MeV;  $^6\text{Li}(^7\text{Li}, t^7\text{Be})$ ,  $E=455$  MeV; measured particle spectra, angular correlations.  $^6\text{He}$ ,  $^6\text{Li}$ ,  $^6\text{Be}$  deduced resonances. JOUR PRVCA 71 064316

**A=4**

- $^4\text{n}$  2005AL15 NUCLEAR REACTIONS  $^7\text{Li}(^7\text{Li}, ^{11}\text{C})$ ,  $(^7\text{Li}, ^{10}\text{C})$ ,  $E=82$  MeV; measured particle spectra; deduced resonance formation  $\sigma$  upper limits. JOUR PZETA 81 49



**A=4 (continued)**

- 2005BL09 NUCLEAR REACTIONS  $^1\text{H}(^6\text{He}, ^6\text{He})$ , ( $^6\text{He}, ^6\text{He}'$ ),  $E=15$  MeV / nucleon; measured  $\sigma(q)$ ; deduced halo effect.  $^1\text{H}(^6\text{He}, \alpha)$ ,  $E=25$  MeV / nucleon; measured  $\sigma(\theta)$ .  $^2\text{H}(^8\text{He}, ^6\text{Li})$ ,  $E=15$  MeV / nucleon; measured excitation energy spectrum; deduced possible resonance structure.  $^1\text{H}(^{22}\text{O}, ^{22}\text{O}')$ ,  $E=46.6$  MeV / nucleon; measured  $\sigma(E, \theta)$ . JOUR NUPAB 752 279c
- 2005CH50 NUCLEAR REACTIONS  $^1\text{H}(^6\text{He}, p)$ , ( $^6\text{He}, np$ ), ( $^6\text{He}, p\alpha$ ),  $E=717$  MeV / nucleon;  $^1\text{H}(^8\text{He}, p)$ , ( $^8\text{He}, np$ ), ( $^8\text{He}, p\alpha$ ),  $E=671$  MeV / nucleon; measured recoil proton spectra,  $\sigma(E, \theta)$ .  $^6,8\text{He}$  deduced cluster configurations, spectroscopic factors. JOUR NUPAB 759 43
- 2005KI20 NUCLEAR REACTIONS  $^4\text{He}(\pi^+, \pi^-)$ ,  $E=120, 150, 180, 240, 270$  MeV;  $^4\text{He}(\pi^-, \pi^+)$ ,  $E=180, 240$  MeV; measured  $\sigma(E, \theta)$ ; deduced multiple scattering effects, total  $\sigma$ . JOUR PRVCA 72 044608
- $^4\text{H}$  2005GU17 NUCLEAR REACTIONS  $^9\text{Be}(\pi^-, ptX)$ , ( $\pi^-, dtX$ ), ( $\pi^-, 2tX$ ),  $E$  at rest;  $^{12}\text{C}(\pi^-, ptX)$ , ( $\pi^-, dtX$ ), ( $\pi^-, 2dX$ ),  $E$  at rest; measured missing-mass spectra.  $^4,5\text{H}$  deduced excited states energies, widths. JOUR ZAANE 24 231
- $^4\text{He}$  2004B0ZX NUCLEAR REACTIONS  $^2\text{H}(t, n)$ ,  $E=\text{low}$ ; measured muon-catalyzed fusion rates for various temperatures and densities. REPT JINR-E15-2004-132,Bom
- 2004SA61 NUCLEAR REACTIONS  $^2\text{H}(\text{polarized } d, \gamma)$ ,  $E < 115$  keV; measured  $E\gamma$ ,  $I\gamma$ ,  $\sigma(\theta)$ ,  $A\gamma(\theta)$ ,  $T_{20}(\theta)$ ; deduced transition matrix elements. Comparison with resonating group model predictions. JOUR PRVCA 70 064601
- 2005AL27 NUCLEAR REACTIONS  $^2\text{H}(^3\text{He}, p)$ ,  $E=0.5-6$  MeV; measured  $E_p$ ,  $\sigma(E, \theta=135^\circ)$ . Application to depth profiling discussed. JOUR NIMBE 234 169
- 2005ANZZ NUCLEAR REACTIONS  $^4\text{He}(\text{polarized } e, e)$ ,  $E=3.03$  GeV; measured parity-violating asymmetry. PREPRINT nucl-ex/0506010,6/07/2005
- 2005BA40 NUCLEAR REACTIONS  $^1\text{H}(^{16}\text{O}, X)^1\text{H} / ^2\text{H} / ^3\text{H} / ^3\text{He} / ^4\text{He} / ^5\text{He} / ^6\text{He} / ^5\text{Li} / ^6\text{Li} / ^7\text{Li} / ^8\text{Li} / ^7\text{Be} / ^8\text{Be} / ^9\text{Be} / ^{10}\text{Be} / ^9\text{B} / ^{10}\text{B} / ^{11}\text{B} / ^{12}\text{B} / ^{10}\text{C} / ^{11}\text{C} / ^{12}\text{C} / ^{13}\text{C} / ^{14}\text{C} / ^{13}\text{N} / ^{14}\text{N} / ^{15}\text{N} / ^{14}\text{O} / ^{15}\text{O} / ^{16}\text{O}$ ,  $E$  at  $3.25$  GeV /  $c$  / nucleon; measured production  $\sigma$ . JOUR PZETA 81 174
- 2005B015 NUCLEAR REACTIONS  $^3\text{H}(d, n)$ ,  $E=\text{low}$ ; measured muon-catalyzed fusion rates, related quantities under a variety of D / T mixture conditions. JOUR ZETFA 127 752
- 2005BR04 NUCLEAR REACTIONS  $^3\text{He}(^3\text{He}, 2p)$ ,  $E(\text{cm}) \approx 10-1000$  keV;  $^{14}\text{N}(p, \gamma)$ ,  $E \approx 0.1-2.5$  MeV; measured astrophysical S-factors. JOUR NPBSE 143 60
- 2005BR15 NUCLEAR REACTIONS  $^3\text{He}(^3\text{He}, 2p)$ ,  $E(\text{cm}) \approx 16-100$  keV; measured  $E_p$ , pp-coin, astrophysical S-factor.  $^{14}\text{N}(p, \gamma)$ ,  $E=130-240$  keV; measured  $E\gamma$ , astrophysical S-factor. JOUR NPBSE 145 33
- 2005CA29 NUCLEAR REACTIONS  $^{12}\text{C}(p, X)$ ,  $E=180$  MeV;  $^{12}\text{C}(\alpha, X)$ ,  $E=192.4$  MeV; measured reaction  $\sigma$ .  $^3,4\text{He}(p, p)$ ,  $E \approx 40$  MeV; measured  $\sigma(\theta)$ .  $^{40}\text{Ca}(^3\text{He}, ^3\text{He}')$ ,  $E=167$  MeV; measured particle spectra. Modified attenuation technique for reaction cross section measurement. JOUR NIMAE 547 541

**A=4 (continued)**

- 2005CR05 NUCLEAR REACTIONS  ${}^7\text{Li}(p, \alpha)$ ,  $E=30\text{-}100$  keV; measured yields in various compounds; deduced electron screening effect, astrophysical S-factors. JOUR PYLBB 624 181
- 2005DA12 NUCLEAR REACTIONS  ${}^4\text{He}(\alpha, \alpha')$ ,  $E=22.4, 26.5$  MeV; measured  $E\gamma$ ,  $E\alpha$ ,  $\alpha\alpha$ -,  $\gamma\alpha$ -coin; deduced resonance  $\sigma$ .  ${}^8\text{Be}$  deduced transition B(E2), cluster structure. JOUR PRLTA 94 122502
- 2005FR14 NUCLEAR REACTIONS  ${}^{12}\text{C}({}^{12}\text{C}, {}^8\text{Be}{}^{12}\text{C})$ ,  $E=82\text{-}120$  MeV; measured particle spectra, angular distributions.  ${}^{20}\text{Ne}$  deduced possible resonance states energies, J,  $\pi$ . JOUR PRVCA 71 047305
- 2005GIZZ NUCLEAR REACTIONS  ${}^1\text{H}({}^6\text{He}, t)$ ,  $({}^6\text{He}, \alpha)$ ,  $({}^6\text{He}, {}^6\text{He})$ ,  $E=150$  MeV; measured particle spectra,  $\sigma(\theta)$ .  ${}^6\text{He}$  deduced spectroscopic factors for cluster configurations. PREPRINT  
nucl-ex/0505007,5/04/2005
- 2005LA25 NUCLEAR REACTIONS  ${}^6\text{Li}({}^3\text{He}, p\alpha)$ ,  $E=5, 6$  MeV; measured  $E_p$ ,  $E\alpha$ , angular correlations.  ${}^3\text{He}(d, p)$ ,  $E=\text{low}$ ; deduced astrophysical S-factor. JOUR NUPAB 758 98c
- 2005LE04 NUCLEAR REACTIONS  $\text{Pb}(p, X){}^3\text{He} / {}^4\text{He} / {}^{21}\text{Ne} / {}^{22}\text{Ne} / {}^{36}\text{Ar} / {}^{38}\text{Ar} / {}^{78}\text{Kr} / {}^{80}\text{Kr} / {}^{81}\text{Kr} / {}^{82}\text{Kr} / {}^{83}\text{Kr} / {}^{84}\text{Kr} / {}^{85}\text{Kr} / {}^{86}\text{Kr} / {}^{124}\text{Xe} / {}^{126}\text{Xe} / {}^{128}\text{Xe} / {}^{129}\text{Xe} / {}^{130}\text{Xe} / {}^{131}\text{Xe} / {}^{132}\text{Xe} / {}^{134}\text{Xe}$ ,  $E=44\text{-}2595$  MeV; measured production  $\sigma$ ; deduced reaction mechanism features. Mini-stack approach, comparisons with model predictions. JOUR NIMBE 229 1
- 2005MI32 NUCLEAR REACTIONS  ${}^4\text{He}({}^{22}\text{O}, {}^{23}\text{F})$ ,  $E=35$  MeV / nucleon;  ${}^4\text{He}({}^{23}\text{F}, {}^{23}\text{F}')$ ,  $E=41.5$  MeV / nucleon;  ${}^4\text{He}({}^{24}\text{F}, {}^{23}\text{F})$ ,  $E=36$  MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -,  $\gamma\gamma$ -coin; deduced  $\sigma(E)$ .  ${}^{23}\text{F}$  deduced levels, J,  $\pi$ . DWBA analysis. JOUR ZAANE 25 s01 367
- 2005MIZT NUCLEAR REACTIONS  ${}^4\text{He}({}^{22}\text{O}, {}^{23}\text{F})$ ,  $({}^{23}\text{F}, {}^{23}\text{F}')$ ,  $({}^{24}\text{F}, {}^{23}\text{F})$ ,  $({}^{25}\text{Ne}, {}^{23}\text{F})$ ,  $E \approx 35\text{-}43$  MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -,  $\gamma\gamma$ -coin.  ${}^4\text{He}({}^{22}\text{O}, {}^{23}\text{F})$ ,  $E=35$  MeV / nucleon; measured  $\sigma(\theta)$ .  ${}^{23}\text{F}$  deduced levels, J,  $\pi$ , configurations. REPT CNS-REP-67,Michimasa
- 2005MIZU NUCLEAR REACTIONS  ${}^4\text{He}({}^{22}\text{O}, {}^{23}\text{F})$ ,  $({}^{23}\text{F}, {}^{23}\text{F}')$ ,  $({}^{24}\text{F}, {}^{23}\text{F})$ ,  $E$  not given; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin,  $\sigma(\theta)$ .  ${}^{23}\text{F}$  deduced levels, J,  $\pi$ . REPT CNS-REP-66,P26,Michimasa
- 2005MIZV NUCLEAR REACTIONS  ${}^4\text{He}({}^{22}\text{O}, {}^{23}\text{F})$ ,  $E \approx 35$  MeV / nucleon;  ${}^4\text{He}({}^{23}\text{F}, {}^{23}\text{F}')$ ,  $E \approx 41.5$  MeV / nucleon;  ${}^4\text{He}({}^{24}\text{F}, {}^{23}\text{F})$ ,  $E \approx 36$  MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -, (particle) $\gamma$ -coin, angular distributions.  ${}^{23}\text{F}$  deduced levels, J,  $\pi$ . REPT RIKEN 2004 Annual,P51,Michimasa
- 2005PA39 NUCLEAR REACTIONS  ${}^1\text{H}, {}^4\text{He}(\text{polarized } e, e)$ ,  $E=3$  GeV; measured parity-violating asymmetries; deduced strange form factor limits. JOUR NUPAB 755 241c
- 2005RI13 NUCLEAR REACTIONS  ${}^6\text{Li}(d, pt)$ ,  $E=14$  MeV; measured particle spectra, angular correlations.  ${}^2\text{H}(d, p)$ ,  $E \approx 50\text{-}2000$  keV; deduced S-factors. Trojan horse method, comparison with previous results. JOUR NUPAB 758 146c
- 2005SIZY NUCLEAR REACTIONS  ${}^{238}\text{U}(n, nX)$ ,  $E=14$  MeV; measured  $E_n$ ,  $\sigma(E, \theta)$ .  ${}^3\text{H}(d, n)$ ,  $E$  not given; measured neutron leakage spectrum from uranium sphere. Comparison with evaluated data. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Voll1,P67

**A=4 (continued)**

- 2005SU25 RADIOACTIVITY  ${}^8\text{B}(\text{EC}\alpha)$  [from  ${}^6\text{Li}({}^3\text{He}, \text{n})$ ];  ${}^8\text{Li}(\beta^-\alpha)$  [from  ${}^7\text{Li}(\text{d}, \text{p})$ ]; measured  $\beta$ -NMR spectra; angular correlations; deduced limit on G-parity term. JOUR ZAANE 25 s01 709
- 2005TUZZ NUCLEAR REACTIONS  ${}^2\text{H}({}^7\text{Li}, 2\alpha)$ ,  $({}^6\text{Li}, {}^3\text{He}\alpha)$ ,  ${}^6\text{Li}({}^6\text{Li}, 2\alpha)$ , E not given; measured particle spectra.  ${}^7\text{Li}(\text{p}, \alpha)$ ,  $\text{E}(\text{cm}) \approx 0.01\text{-}0.5$  MeV;  ${}^6\text{Li}(\text{d}, \alpha)$ ,  $(\text{p}, \alpha)$ ,  $\text{E}(\text{cm}) \approx 0.01\text{-}1$  MeV; deduced astrophysical S-factors. CONF Riken(Origin of Matter) Proc,P553,Tumino
- 2005UEZZ NUCLEAR REACTIONS  ${}^4\text{He}(\text{polarized d}, \text{d})$ ,  $\text{E}=140, 270$  MeV; measured  $\sigma(\theta)$ , tensor analyzing powers. REPT RIKEN 2004 Annual,P35,Uesaka
- 2005WRZZ NUCLEAR REACTIONS  ${}^2\text{H}(\text{d}, \text{X}){}^4\text{He}$ ,  $\text{E} \approx$  threshold; measured  $\eta$  production  $\sigma$ ,  $\sigma(\theta)$ . PREPRINT nucl-ex/0510056,10/20/2005
- ${}^4\text{Be}$  2005KI20 NUCLEAR REACTIONS  ${}^4\text{He}(\pi^+, \pi^-)$ ,  $\text{E}=120, 150, 180, 240, 270$  MeV;  ${}^4\text{He}(\pi^-, \pi^+)$ ,  $\text{E}=180, 240$  MeV; measured  $\sigma(\text{E}, \theta)$ ; deduced multiple scattering effects, total  $\sigma$ . JOUR PRVCA 72 044608

**A=5**

- ${}^5\text{H}$  2004G054 NUCLEAR REACTIONS  ${}^3\text{H}(\text{t}, \text{p})$ ,  $\text{E}=58$  MeV; measured  $\text{E}_n$ ,  $\text{E}_p$ , missing mass spectrum following residual nucleus decay.  ${}^5\text{H}$  deduced levels, J,  $\pi$ . JOUR PRLTA 93 262501
- 2005G0ZY NUCLEAR REACTIONS  ${}^3\text{H}(\text{t}, \text{p})$ ,  $\text{E}=57.7$  MeV; measured particle spectra, angular correlations following residual nucleus decay.  ${}^5\text{H}$  deduced ground-state energy, width, configuration. Cyclotron, mass-separator. CONF St Petersburg,P124,Golovkov
- 2005GU07 NUCLEAR REACTIONS  ${}^9\text{Be}(\pi^-, \text{dtX})$ ,  $(\pi^-, \text{ptX})$ ,  $(\pi^-, \text{pdX})$ ,  $(\pi^-, 2\text{dX})$ , E at rest;  ${}^{11}\text{B}(\pi^-, \text{p}\alpha\text{X})$ , E at rest; measured missing mass spectra.  ${}^5,6\text{H}$  deduced resonance parameters. JOUR YAFIA 68 520
- 2005GU17 NUCLEAR REACTIONS  ${}^9\text{Be}(\pi^-, \text{ptX})$ ,  $(\pi^-, \text{dtX})$ ,  $(\pi^-, 2\text{tX})$ , E at rest;  ${}^{12}\text{C}(\pi^-, \text{ptX})$ ,  $(\pi^-, \text{dtX})$ ,  $(\pi^-, 2\text{dX})$ , E at rest; measured missing-mass spectra.  ${}^4,5\text{H}$  deduced excited states energies, widths. JOUR ZAANE 24 231
- 2005TE05 NUCLEAR REACTIONS  ${}^3\text{H}(\text{t}, \text{p})$ ,  $\text{E}=58$  MeV;  ${}^2\text{H}({}^6\text{He}, \text{t})$ ,  $({}^6\text{He}, {}^3\text{He})$ ,  $\text{E}=132$  MeV; measured particle spectra, angular correlations following residual nucleus decay.  ${}^5\text{He}$  deduced resonances J,  $\pi$ , IAS features.  ${}^5\text{H}$  deduced ground-state resonance energy. JOUR ZAANE 25 s01 315
- ${}^5\text{He}$  2004S035 NUCLEAR REACTIONS  ${}^7\text{Li}({}^7\text{Li}, 2\alpha)$ ,  $\text{E}=8, 30$  MeV;  ${}^9\text{Be}({}^7\text{Li}, {}^7\text{Li})$ ,  $({}^7\text{Li}, \alpha^6\text{Li})$ ,  $({}^7\text{Li}, \alpha^7\text{Li})$ ,  $\text{E}=52$  MeV;  ${}^7\text{Li}({}^9\text{Be}, \alpha^9\text{Be})$ ,  $({}^9\text{Be}, \alpha^{10}\text{Be})$ ,  $\text{E}=70$  MeV; measured excitation energy spectra.  ${}^9,10\text{Be}$ ,  ${}^{13,14}\text{C}$  deduced excited states, cluster structures. JOUR FIZBE 13 433
- 2005BA40 NUCLEAR REACTIONS  ${}^1\text{H}({}^{16}\text{O}, \text{X}){}^1\text{H} / {}^2\text{H} / {}^3\text{H} / {}^3\text{He} / {}^4\text{He} / {}^5\text{He} / {}^6\text{He} / {}^5\text{Li} / {}^6\text{Li} / {}^7\text{Li} / {}^8\text{Li} / {}^7\text{Be} / {}^8\text{Be} / {}^9\text{Be} / {}^{10}\text{Be} / {}^9\text{B} / {}^{10}\text{B} / {}^{11}\text{B} / {}^{12}\text{B} / {}^{10}\text{C} / {}^{11}\text{C} / {}^{12}\text{C} / {}^{13}\text{C} / {}^{14}\text{C} / {}^{13}\text{N} / {}^{14}\text{N} / {}^{15}\text{N} / {}^{14}\text{O} / {}^{15}\text{O} / {}^{16}\text{O}$ , E at 3.25 GeV / c / nucleon; measured production  $\sigma$ . JOUR PZETA 81 174

**A=5 (continued)**

- 2005CH50 NUCLEAR REACTIONS  $^1\text{H}(^6\text{He}, \text{p})$ ,  $(^6\text{He}, \text{np})$ ,  $(^6\text{He}, \text{p}\alpha)$ ,  $E=717$  MeV / nucleon;  $^1\text{H}(^8\text{He}, \text{p})$ ,  $(^8\text{He}, \text{np})$ ,  $(^8\text{He}, \text{p}\alpha)$ ,  $E=671$  MeV / nucleon; measured recoil proton spectra,  $\sigma(E, \theta)$ .  $^6,8\text{He}$  deduced cluster configurations, spectroscopic factors. JOUR NUPAB 759 43
- 2005KA23 NUCLEAR REACTIONS  $^6\text{Li}$ ,  $^{12}\text{C}(\pi^+, \text{K}^+)$ ,  $(\pi^+, \text{pX})$ ,  $E$  at 1.05 GeV / c; measured excitation energy spectra, proton spectra following hypernucleus decay.  $^5\text{He}$  deduced hypernucleus decay width. JOUR NUPAB 754 173c
- 2005MA45 RADIOACTIVITY  $^5\text{He}$ ,  $^{11}\text{B}$ ,  $^{12}\text{C}$ ; measured proton decay asymmetry parameters from polarized hypernuclei. JOUR NUPAB 754 168c
- 2005MI32 NUCLEAR REACTIONS  $^4\text{He}(^{22}\text{O}, ^{23}\text{F})$ ,  $E=35$  MeV / nucleon;  $^4\text{He}(^{23}\text{F}, ^{23}\text{F}')$ ,  $E=41.5$  MeV / nucleon;  $^4\text{He}(^{24}\text{F}, ^{23}\text{F})$ ,  $E=36$  MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -,  $\gamma\gamma$ -coin; deduced  $\sigma(E)$ .  $^{23}\text{F}$  deduced levels,  $J$ ,  $\pi$ . DWBA analysis. JOUR ZAANE 25 s01 367
- 2005MIZT NUCLEAR REACTIONS  $^4\text{He}(^{22}\text{O}, ^{23}\text{F})$ ,  $(^{23}\text{F}, ^{23}\text{F}')$ ,  $(^{24}\text{F}, ^{23}\text{F})$ ,  $(^{25}\text{Ne}, ^{23}\text{F})$ ,  $E \approx 35-43$  MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -,  $\gamma\gamma$ -coin.  $^4\text{He}(^{22}\text{O}, ^{23}\text{F})$ ,  $E=35$  MeV / nucleon; measured  $\sigma(\theta)$ .  $^{23}\text{F}$  deduced levels,  $J$ ,  $\pi$ , configurations. REPT CNS-REP-67, Michimasa
- 2005MIZU NUCLEAR REACTIONS  $^4\text{He}(^{22}\text{O}, ^{23}\text{F})$ ,  $(^{23}\text{F}, ^{23}\text{F}')$ ,  $(^{24}\text{F}, ^{23}\text{F})$ ,  $E$  not given; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin,  $\sigma(\theta)$ .  $^{23}\text{F}$  deduced levels,  $J$ ,  $\pi$ . REPT CNS-REP-66, P26, Michimasa
- 2005MIZV NUCLEAR REACTIONS  $^4\text{He}(^{22}\text{O}, ^{23}\text{F})$ ,  $E \approx 35$  MeV / nucleon;  $^4\text{He}(^{23}\text{F}, ^{23}\text{F}')$ ,  $E \approx 41.5$  MeV / nucleon;  $^4\text{He}(^{24}\text{F}, ^{23}\text{F})$ ,  $E \approx 36$  MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -, (particle) $\gamma$ -coin, angular distributions.  $^{23}\text{F}$  deduced levels,  $J$ ,  $\pi$ . REPT RIKEN 2004 Annual, P51, Michimasa
- 2005OK02 NUCLEAR REACTIONS  $^6\text{Li}(\pi^+, \text{K}^+\text{p})$ ,  $^{12}\text{C}(\pi^+, \text{K}^+)$ ,  $E$  at 1.05 GeV / c; measured nucleon-nucleon pair spectra, yields following hypernucleus decay; deduced hyperon decay widths. JOUR NUPAB 752 196c
- 2005OK04 NUCLEAR REACTIONS  $^6\text{Li}$ ,  $^{12}\text{C}(\pi^+, \text{K}^+)$ ,  $E$  at 1.05 GeV / c; measured excitation energy spectra,  $\gamma$ -spectra from neutral pion decay.  $^5\text{He}$ ,  $^{12}\text{C}$  deduced hypernucleus decay branching ratios. JOUR NUPAB 754 178c
- 2005OU02 NUCLEAR REACTIONS  $^6\text{Li}$ ,  $^{12}\text{C}(\pi^+, \text{K}^+)$ ,  $E$  not given; measured hypernucleus excitation energy spectra, nn-, np-coin following hypernucleus decay.  $^5\text{He}$ ,  $^{12}\text{C}$  deduced hypernucleus decay widths, branching ratios. JOUR NUPAB 754 157c
- 2005PAZY NUCLEAR REACTIONS  $^6\text{Li}(\text{d}, ^3\text{He})$ ,  $^7\text{Li}(\text{d}, \alpha)$ ,  $E=14.5$  MeV; measured particle spectra, angular distributions.  $^5\text{He}$  deduced excited state energy, width. CONF St Petersburg, P179, Pavlenko
- 2005S013 NUCLEAR REACTIONS  $^{16}\text{O}(^9\text{Be}, \alpha^7\text{Be})$ ,  $^7\text{Li}(^9\text{Be}, \alpha^7\text{Li})$ ,  $(^9\text{Be}, \text{t}2\alpha)$ ,  $E=55, 70$  MeV; measured excitation energy spectra.  $^{11}\text{B}$ ,  $^{11}\text{C}$  deduced excited states energies, configurations. JOUR JPGPE 31 S1701
- 2005SOZZ NUCLEAR REACTIONS  $^{16}\text{O}(^9\text{Be}, \alpha^7\text{Be})$ ,  $^7\text{Li}(^9\text{Be}, \alpha^7\text{Li})$ ,  $(^9\text{Be}, \text{t}2\alpha)$ ,  $E=55, 70$  MeV; measured particle spectra.  $^{11}\text{C}$ ,  $^{11}\text{B}$  deduced excited states energies, cluster structure, decay features. PREPRINT nucl-ex/0504026, 4/25/2005

**A=5 (continued)**

- 2005TE05 NUCLEAR REACTIONS  ${}^3\text{H}(t, p)$ ,  $E=58$  MeV;  ${}^2\text{H}({}^6\text{He}, t)$ ,  $({}^6\text{He}, {}^3\text{He})$ ,  $E=132$  MeV; measured particle spectra, angular correlations following residual nucleus decay.  ${}^5\text{He}$  deduced resonances J,  $\pi$ , IAS features.  ${}^5\text{H}$  deduced ground-state resonance energy. JOUR ZAANE 25 s01 315
- ${}^5\text{Li}$  2003G041 NUCLEAR REACTIONS  ${}^3\text{He}(\alpha, dt)$ ,  $E=67.2$  MeV; measured particle spectra, dt-coin.  ${}^5\text{Li}$  deduced excited states energies, widths. JOUR UKPJA 48 1035
- 2005BA40 NUCLEAR REACTIONS  ${}^1\text{H}({}^{16}\text{O}, X){}^1\text{H} / {}^2\text{H} / {}^3\text{H} / {}^3\text{He} / {}^4\text{He} / {}^5\text{He} / {}^6\text{He} / {}^5\text{Li} / {}^6\text{Li} / {}^7\text{Li} / {}^8\text{Li} / {}^7\text{Be} / {}^8\text{Be} / {}^9\text{Be} / {}^{10}\text{Be} / {}^9\text{B} / {}^{10}\text{B} / {}^{11}\text{B} / {}^{12}\text{B} / {}^{10}\text{C} / {}^{11}\text{C} / {}^{12}\text{C} / {}^{13}\text{C} / {}^{14}\text{C} / {}^{13}\text{N} / {}^{14}\text{N} / {}^{15}\text{N} / {}^{14}\text{O} / {}^{15}\text{O} / {}^{16}\text{O}$ ,  $E$  at 3.25 GeV /  $c$  / nucleon; measured production  $\sigma$ . JOUR PZETA 81 174

**A=6**

- ${}^6\text{H}$  2005GU07 NUCLEAR REACTIONS  ${}^9\text{Be}(\pi^-, dtX)$ ,  $(\pi^-, ptX)$ ,  $(\pi^-, pdX)$ ,  $(\pi^-, 2dX)$ ,  $E$  at rest;  ${}^{11}\text{B}(\pi^-, p\alpha X)$ ,  $E$  at rest; measured missing mass spectra.  ${}^5,6\text{H}$  deduced resonance parameters. JOUR YAFIA 68 520
- ${}^6\text{He}$  2004S035 NUCLEAR REACTIONS  ${}^7\text{Li}({}^7\text{Li}, 2\alpha)$ ,  $E=8, 30$  MeV;  ${}^9\text{Be}({}^7\text{Li}, {}^7\text{Li})$ ,  $({}^7\text{Li}, \alpha^6\text{Li})$ ,  $({}^7\text{Li}, \alpha^7\text{Li})$ ,  $E=52$  MeV;  ${}^7\text{Li}({}^9\text{Be}, \alpha^9\text{Be})$ ,  $({}^9\text{Be}, \alpha^{10}\text{Be})$ ,  $E=70$  MeV; measured excitation energy spectra.  ${}^9,10\text{Be}$ ,  ${}^{13,14}\text{C}$  deduced excited states, cluster structures. JOUR FIZBE 13 433
- 2005BA40 NUCLEAR REACTIONS  ${}^1\text{H}({}^{16}\text{O}, X){}^1\text{H} / {}^2\text{H} / {}^3\text{H} / {}^3\text{He} / {}^4\text{He} / {}^5\text{He} / {}^6\text{He} / {}^5\text{Li} / {}^6\text{Li} / {}^7\text{Li} / {}^8\text{Li} / {}^7\text{Be} / {}^8\text{Be} / {}^9\text{Be} / {}^{10}\text{Be} / {}^9\text{B} / {}^{10}\text{B} / {}^{11}\text{B} / {}^{12}\text{B} / {}^{10}\text{C} / {}^{11}\text{C} / {}^{12}\text{C} / {}^{13}\text{C} / {}^{14}\text{C} / {}^{13}\text{N} / {}^{14}\text{N} / {}^{15}\text{N} / {}^{14}\text{O} / {}^{15}\text{O} / {}^{16}\text{O}$ ,  $E$  at 3.25 GeV /  $c$  / nucleon; measured production  $\sigma$ . JOUR PZETA 81 174
- 2005CH49 NUCLEAR REACTIONS  $\text{Pb}({}^6\text{He}, 2n\alpha)$ ,  $E=240$  MeV / nucleon; measured  $E\alpha$ ,  $E_n$ , three-body energy and angular correlations; deduced role of final state interactions, other reaction mechanism features.  ${}^6\text{He}$  deduced possible resonance. JOUR NUPAB 759 23
- 2005CH50 NUCLEAR REACTIONS  ${}^1\text{H}({}^6\text{He}, p)$ ,  $({}^6\text{He}, np)$ ,  $({}^6\text{He}, p\alpha)$ ,  $E=717$  MeV / nucleon;  ${}^1\text{H}({}^8\text{He}, p)$ ,  $({}^8\text{He}, np)$ ,  $({}^8\text{He}, p\alpha)$ ,  $E=671$  MeV / nucleon; measured recoil proton spectra,  $\sigma(E, \theta)$ .  ${}^6,8\text{He}$  deduced cluster configurations, spectroscopic factors. JOUR NUPAB 759 43
- 2005GI07 NUCLEAR REACTIONS  ${}^1\text{H}({}^6\text{He}, \alpha)$ ,  $E=25$  MeV / nucleon; measured  $\sigma(\theta)$ ; deduced particle transfer contributions, entrance potential dependence.  ${}^6\text{He}$  deduced spectroscopic factors for  $t+t$  and  $\alpha+2n$  cluster configurations.  ${}^1\text{H}({}^6\text{He}, p)$ ,  $E=25$  MeV / nucleon; measured  $\sigma(\theta)$ .  ${}^3\text{He}(\alpha, \alpha)$ ,  $E(\text{cm})=28.7$  MeV; calculated  $\sigma(\theta)$ . SPEG spectrometer and MUST array at GANIL. DWBA and coupled-channels calculations. JOUR PRVCA 71 064311
- 2005GI18 NUCLEAR REACTIONS  ${}^1\text{H}({}^6\text{He}, \alpha)$ ,  $E=25$  MeV / nucleon; measured  $\sigma(\theta)$ ; deduced particle transfer contributions, entrance potential dependence.  ${}^6\text{He}$  deduced spectroscopic factors for  $t+t$  and  $\alpha+2n$  cluster configurations. SPEG spectrometer and MUST array at GANIL. DWBA and coupled-channels calculations. JOUR ZAANE 25 s01 267

**A=6 (continued)**

- 2005GIZZ NUCLEAR REACTIONS  $^1\text{H}(^6\text{He}, \text{t})$ ,  $(^6\text{He}, \alpha)$ ,  $(^6\text{He}, ^6\text{He})$ ,  $E=150$  MeV; measured particle spectra,  $\sigma(\theta)$ .  $^6\text{He}$  deduced spectroscopic factors for cluster configurations. PREPRINT  
nucl-ex/0505007,5/04/2005
- 2005HA64 NUCLEAR REACTIONS  $^1\text{H}(^6\text{He}, ^6\text{He})$ ,  $E=71$  MeV / nucleon; measured  $\sigma(\theta)$ , analyzing powers; deduced optical model parameters.  $^6\text{He}$  deduced rms radius. Polarized target. Comparison with model predictions. JOUR ZAANE 25 s01 255
- 2005KI21 NUCLEAR REACTIONS  $^1\text{H}(^6\text{He}, \text{p})$ ,  $(^8\text{He}, \text{p})$ ,  $E \approx 700$  MeV / nucleon; measured recoil proton spectra,  $\sigma(E, \theta)$ .  $^6,^8\text{He}$  deduced nuclear matter density distributions, charge radii, cluster configurations, spectroscopic factors. JOUR ZAANE 25 s01 215
- 2005SM04 RADIOACTIVITY  $^6\text{He}(\beta^-)$  [from  $^7\text{Li}(\text{p}, 2\text{p})$ ]; measured  $\beta$ -delayed deuteron and  $\alpha$  spectra; deduced branching ratio. JOUR NIMAE 547 480
- 2005YA12 NUCLEAR REACTIONS  $^6\text{Li}(^3\text{He}, \text{t}^3\text{He})$ ,  $E=450$  MeV;  $^6\text{Li}(^7\text{Li}, \text{t}^7\text{Be})$ ,  $E=455$  MeV; measured particle spectra, angular correlations.  $^6\text{He}$ ,  $^6\text{Li}$ ,  $^6\text{Be}$  deduced resonances. JOUR PRVCA 71 064316
- 2005YE05 NUCLEAR REACTIONS  $^9\text{Be}(^6\text{He}, ^6\text{He})$ ,  $(^6\text{He}, ^5\text{He})$ ,  $(^6\text{He}, \alpha)$ ,  $(^6\text{He}, \alpha\text{X})$ ,  $(^6\text{He}, \text{tX})$ ,  $E=25$  MeV / nucleon; measured quasielastic, breakup, and transfer  $\sigma(\theta)$ .  $^6\text{He}$  deduced two-triton configuration. JOUR JPGPE 31 S1647
- $^6\text{Li}$  2004G056 NUCLEAR REACTIONS  $^3\text{H}(\alpha, \text{d}\alpha)$ ,  $E=67.2$  MeV; measured  $E_{\text{d}}$ ,  $E_{\alpha}$ ,  $\text{d}\alpha$ -coin,  $\sigma(\theta)$ .  $^6\text{Li}$  deduced levels, widths. JOUR UKPJA 49 16
- 2004KU36 NUCLEAR REACTIONS  $^3\text{He}(^7\text{Li}, \alpha)$ ,  $E=31.2$  MeV; measured  $E_{\alpha}$ .  $^6\text{Li}$  deduced resonance energies, widths. JOUR BJPHE 34 933
- 2005AB04 NUCLEAR REACTIONS  $^{6,7}\text{Li}(\pi^-, \text{pX})$ ,  $(\pi^-, \text{dX})$ ,  $(\pi^-, \text{tX})$ ,  $E$  at 0.72, 0.88 GeV / c; measured particle spectra,  $\sigma(\theta)$ , missing energy.  $^{6,7}\text{Li}$  deduced effective quasideuteron numbers. JOUR YAFIA 68 503
- 2005BA40 NUCLEAR REACTIONS  $^1\text{H}(^{16}\text{O}, \text{X})^1\text{H} / ^2\text{H} / ^3\text{H} / ^3\text{He} / ^4\text{He} / ^5\text{He} / ^6\text{He} / ^5\text{Li} / ^6\text{Li} / ^7\text{Li} / ^8\text{Li} / ^7\text{Be} / ^8\text{Be} / ^9\text{Be} / ^{10}\text{Be} / ^9\text{B} / ^{10}\text{B} / ^{11}\text{B} / ^{12}\text{B} / ^{10}\text{C} / ^{11}\text{C} / ^{12}\text{C} / ^{13}\text{C} / ^{14}\text{C} / ^{13}\text{N} / ^{14}\text{N} / ^{15}\text{N} / ^{14}\text{O} / ^{15}\text{O} / ^{16}\text{O}$ ,  $E$  at 3.25 GeV / c / nucleon; measured production  $\sigma$ . JOUR PZETA 81 174
- 2005B049 NUCLEAR REACTIONS  $^1\text{H}(^6\text{He}, \text{n})$ ,  $E$  not given; measured Doppler-shifted  $E_{\gamma}$ ,  $I_{\gamma}$ .  $^7\text{Li}$  deduced resonance features, IAS. JOUR ZAANE 25 s01 259
- 2005GEZZ NUCLEAR REACTIONS  $^9\text{Be}(\text{p}, \alpha)$ ,  $E=3.1-5.24$  MeV; measured  $\sigma$ . CONF St Petersburg,P171,Generalov
- 2005G014 NUCLEAR REACTIONS  $^3\text{He}(\alpha, \text{p}\alpha)$ ,  $E=27.2$  MeV; measured  $E_{\text{p}}$ ,  $E_{\alpha}$ ,  $\text{p}\alpha$ -coin,  $\sigma(E, \theta)$ .  $^6\text{Li}$  deduced excited states energies, widths. JOUR UKPJA 50 327
- 2005MI13 NUCLEAR REACTIONS  $^{6,7}\text{Li}(^6\text{He}, \alpha^6\text{He})$ ,  $^6\text{Li}(^6\text{He}, \text{t}2\alpha)$ ,  $E=18$  MeV; measured excitation energy spectra.  $^{6,7}\text{Li}$ ,  $^{8,9,10}\text{Be}$  deduced cluster states. JOUR NUPAB 753 263
- 2005MIZT NUCLEAR REACTIONS  $^4\text{He}(^{22}\text{O}, ^{23}\text{F})$ ,  $(^{23}\text{F}, ^{23}\text{F}')$ ,  $(^{24}\text{F}, ^{23}\text{F})$ ,  $(^{25}\text{Ne}, ^{23}\text{F})$ ,  $E \approx 35-43$  MeV / nucleon; measured  $E_{\gamma}$ ,  $I_{\gamma}$ , (particle) $\gamma^-$ ,  $\gamma\gamma$ -coin.  $^4\text{He}(^{22}\text{O}, ^{23}\text{F})$ ,  $E=35$  MeV / nucleon; measured  $\sigma(\theta)$ .  $^{23}\text{F}$  deduced levels, J,  $\pi$ , configurations. REPT CNS-REP-67,Michimasa

**A=6 (continued)**

- 2005N015 NUCLEAR MOMENTS  ${}^{6,7,8,9}\text{Li}$ ; measured hfs, isotope shifts; deduced charge radii. Resonance ionization mass spectroscopy, comparison with model predictions. JOUR ZAANE 25 s01 199
- 2005SM04 RADIOACTIVITY  ${}^6\text{He}(\beta^-)$  [from  ${}^7\text{Li}(p, 2p)$ ]; measured  $\beta$ -delayed deuteron and  $\alpha$  spectra; deduced branching ratio. JOUR NIMAE 547 480
- 2005VA27 NUCLEAR MOMENTS  ${}^{6,7}\text{Li}$ ; measured hfs. JOUR CJPHA 83 327
- 2005WAZW NUCLEAR REACTIONS  $\text{Si}({}^6\text{Li}, \text{X})$ ,  $({}^7\text{Be}, \text{X})$ ,  $({}^{10}\text{B}, \text{X})$ ,  $({}^9\text{C}, \text{X})$ ,  $({}^{10}\text{C}, \text{X})$ ,  $({}^{11}\text{C}, \text{X})$ ,  $({}^{12}\text{N}, \text{X})$ ,  $({}^{13}\text{O}, \text{X})$ ,  $({}^{15}\text{O}, \text{X})$ ,  $({}^{17}\text{Ne}, \text{X})$ ,  $E=15\text{-}53$  MeV / nucleon; measured reaction and proton-removal  $\sigma$ .  ${}^6\text{Li}$ ,  ${}^7\text{Be}$ ,  ${}^{10}\text{B}$ ,  ${}^{9,10,11}\text{C}$ ,  ${}^{12}\text{N}$ ,  ${}^{13,15}\text{O}$ ,  ${}^{17}\text{Ne}$  deduced radii. Comparisons with model predictions. PREPRINT nucl-ex/0507025,7/18/2005
- 2005YA12 NUCLEAR REACTIONS  ${}^6\text{Li}({}^3\text{He}, \text{t}^3\text{He})$ ,  $E=450$  MeV;  ${}^6\text{Li}({}^7\text{Li}, \text{t}^7\text{Be})$ ,  $E=455$  MeV; measured particle spectra, angular correlations.  ${}^6\text{He}$ ,  ${}^6\text{Li}$ ,  ${}^6\text{Be}$  deduced resonances. JOUR PRVCA 71 064316
- ${}^6\text{Be}$  2004GU21 NUCLEAR REACTIONS  ${}^9\text{Be}({}^{14}\text{B}, {}^{13}\text{BX})$ ,  $E=60$  MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ , particle momentum distribution,  $\sigma(E)$ .  ${}^{13}\text{B}$  deduced levels,  $J$ ,  $\pi$ , asymptotic normalization coefficients.  ${}^2\text{H}({}^8\text{B}, \alpha)$ ,  $E=28.5$  MeV; measured  $E\alpha$ . JOUR BJPHE 34 1012
- 2005YA12 NUCLEAR REACTIONS  ${}^6\text{Li}({}^3\text{He}, \text{t}^3\text{He})$ ,  $E=450$  MeV;  ${}^6\text{Li}({}^7\text{Li}, \text{t}^7\text{Be})$ ,  $E=455$  MeV; measured particle spectra, angular correlations.  ${}^6\text{He}$ ,  ${}^6\text{Li}$ ,  ${}^6\text{Be}$  deduced resonances. JOUR PRVCA 71 064316

**A=7**

- ${}^7\text{H}$  2005GUZZ NUCLEAR REACTIONS  ${}^9\text{Be}(\pi^-, 2pX)$ ,  $E$  not given; measured charged particle spectra.  ${}^7\text{H}$  deduced level energies, widths. Multilayer semiconductor spectrometer, LEP channel of LAMPF. CONF St Petersburg,P139,Gurov
- ${}^7\text{He}$  2005CH50 NUCLEAR REACTIONS  ${}^1\text{H}({}^6\text{He}, p)$ ,  $({}^6\text{He}, np)$ ,  $({}^6\text{He}, p\alpha)$ ,  $E=717$  MeV / nucleon;  ${}^1\text{H}({}^8\text{He}, p)$ ,  $({}^8\text{He}, np)$ ,  $({}^8\text{He}, p\alpha)$ ,  $E=671$  MeV / nucleon; measured recoil proton spectra,  $\sigma(E, \theta)$ .  ${}^{6,8}\text{He}$  deduced cluster configurations, spectroscopic factors. JOUR NUPAB 759 43
- 2005R037 NUCLEAR REACTIONS  ${}^1\text{H}({}^8\text{He}, {}^8\text{He})$ ,  $E$  not given; measured recoil proton spectrum; deduced excitation function.  ${}^1\text{H}({}^6\text{He}, {}^6\text{Li})$ ,  $E$  not given; measured neutron spectrum,  $n\gamma$ -coin; deduced excitation function.  ${}^{7,9}\text{Li}$  deduced resonance parameters.  ${}^{7,9}\text{He}$  deduced analog states features. JOUR NIMBE 241 977
- 2005SK03 NUCLEAR REACTIONS  ${}^1\text{H}({}^8\text{He}, p)$ ,  $({}^8\text{He}, d)$ ,  $E=15.7$  MeV / nucleon; measured deuteron and proton spectra,  $\sigma(\theta)$ .  ${}^8\text{He}(p, p)$ ,  $E=15.7$  MeV / nucleon; deduced effect of coupling to pickup reaction. Coupled-channels framework, dynamic polarization potential. JOUR PYLBB 619 82
- 2005WUZZ NUCLEAR REACTIONS  ${}^2\text{H}({}^6\text{He}, p)$ ,  $E=69$  MeV; measured particle spectra, angular distributions.  ${}^7\text{He}$  deduced excited states. CONF Argonne(Nuclei at the Limits),P393,Wuosmaa

**A=7 (continued)**

- <sup>7</sup>Li      2005AB04      NUCLEAR REACTIONS <sup>6,7</sup>Li( $\pi^-$ , pX), ( $\pi^-$ , dX), ( $\pi^-$ , tX), E at 0.72, 0.88 GeV / c; measured particle spectra,  $\sigma(\theta)$ , missing energy. <sup>6,7</sup>Li deduced effective quasideuteron numbers. JOUR YAFIA 68 503
- 2005BA40      NUCLEAR REACTIONS <sup>1</sup>H(<sup>16</sup>O, X)<sup>1</sup>H / <sup>2</sup>H / <sup>3</sup>H / <sup>3</sup>He / <sup>4</sup>He / <sup>5</sup>He / <sup>6</sup>He / <sup>5</sup>Li / <sup>6</sup>Li / <sup>7</sup>Li / <sup>8</sup>Li / <sup>7</sup>Be / <sup>8</sup>Be / <sup>9</sup>Be / <sup>10</sup>Be / <sup>9</sup>B / <sup>10</sup>B / <sup>11</sup>B / <sup>12</sup>B / <sup>10</sup>C / <sup>11</sup>C / <sup>12</sup>C / <sup>13</sup>C / <sup>14</sup>C / <sup>13</sup>N / <sup>14</sup>N / <sup>15</sup>N / <sup>14</sup>O / <sup>15</sup>O / <sup>16</sup>O, E at 3.25 GeV / c / nucleon; measured production  $\sigma$ . JOUR PZETA 81 174
- 2005BA96      NUCLEAR REACTIONS <sup>7</sup>Li(<sup>7</sup>Be, <sup>7</sup>Be), E(cm)=8.87, 9.87 MeV; measured  $\sigma(\theta)$ ; deduced optical model parameters. JOUR PRVCA 72 044602
- 2005B036      NUCLEAR REACTIONS <sup>1</sup>H(<sup>6</sup>He,  $\gamma$ ), E < 24 MeV; measured E $\gamma$ , I $\gamma$ ; deduced IAS formation  $\sigma$ ,  $\sigma(\theta)$ . <sup>7</sup>Li deduced resonance parameters. Doppler-shift analysis technique. JOUR PRLTA 95 132502
- 2005B049      NUCLEAR REACTIONS <sup>1</sup>H(<sup>6</sup>He, n), E not given; measured Doppler-shifted E $\gamma$ , I $\gamma$ . <sup>7</sup>Li deduced resonance features, IAS. JOUR ZAANE 25 s01 259
- 2005FU13      RADIOACTIVITY <sup>7</sup>Be(EC) [from <sup>7</sup>Li(p, n)]; measured T<sub>1/2</sub> for source implanted in metals; deduced no environmental effect. JOUR NUPAB 758 697c
- 2005GI03      NUCLEAR REACTIONS <sup>10</sup>B(n,  $\alpha$ ), E=1.5-3.8 MeV; measured  $\sigma$ ,  $\sigma(\theta)$ . Effects of particle leaking discussed. JOUR NIMAE 538 550
- 2005GIZY      NUCLEAR REACTIONS <sup>10</sup>B(n,  $\alpha$ ), E=1.5-5.6 MeV; measured E $\alpha$ ,  $\sigma$  ratio, excitation function. Comparison with previous results. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol1,P816
- 2005MI13      NUCLEAR REACTIONS <sup>6,7</sup>Li(<sup>6</sup>He,  $\alpha^6He), <sup>6</sup>Li(<sup>6</sup>He, t2 $\alpha$ ), E=18 MeV; measured excitation energy spectra. <sup>6,7</sup>Li, <sup>8,9,10</sup>Be deduced cluster states. JOUR NUPAB 753 263$
- 2005MI20      NUCLEAR REACTIONS <sup>7</sup>Li, <sup>9</sup>Be, <sup>10,11</sup>B, <sup>12</sup>C(K<sup>-</sup>, X), E at rest; measured E $\gamma$ , I $\gamma$ . <sup>7</sup>Li deduced hypernucleus transition. Hyperball array. JOUR NUPAB 754 80c
- 2005N015      NUCLEAR MOMENTS <sup>6,7,8,9</sup>Li; measured hfs, isotope shifts; deduced charge radii. Resonance ionization mass spectroscopy, comparison with model predictions. JOUR ZAANE 25 s01 199
- 2005RAZZ      RADIOACTIVITY <sup>7</sup>Be(EC); measured E $\gamma$ , I $\gamma$ , T<sub>1/2</sub> for source implanted in C<sub>60</sub> and gold foil; deduced environmental effect. PREPRINT nucl-ex/0509021,9/15/2005
- 2005R037      NUCLEAR REACTIONS <sup>1</sup>H(<sup>8</sup>He, <sup>8</sup>He), E not given; measured recoil proton spectrum; deduced excitation function. <sup>1</sup>H(<sup>6</sup>He, <sup>6</sup>Li), E not given; measured neutron spectrum, n $\gamma$ -coin; deduced excitation function. <sup>7,9</sup>Li deduced resonance parameters. <sup>7,9</sup>He deduced analog states features. JOUR NIMBE 241 977
- 2005RU18      NUCLEAR REACTIONS <sup>7</sup>Li(<sup>11</sup>B, X), E=44 MeV; measured particle spectra, charge distributions. <sup>7</sup>Li(<sup>11</sup>B, <sup>11</sup>B), (<sup>11</sup>B, <sup>11</sup>B'), E=44 MeV; measured  $\sigma(E, \theta)$ ; <sup>11</sup>B(<sup>7</sup>Li, <sup>7</sup>Li), (<sup>7</sup>Li, <sup>7</sup>Li'), E=34 MeV; analyzed  $\sigma(E, \theta)$ ; deduced optical model parameters, transfer channel contributions, reorientation effects. <sup>7</sup>Li, <sup>11</sup>B deduced deformation parameters. Optical model and coupled-reaction-channels analysis. JOUR PRVCA 72 034608



**A=7 (continued)**

- 2005SI02 NUCLEAR REACTIONS  $^1\text{H}(^7\text{Li}, \text{p})$ ,  $E=2.28\text{-}5.7$  MeV; measured recoil proton spectra,  $\sigma(\theta=30, 45^\circ)$ . Al-backed melamine target. JOUR NIMBE 229 180
- 2005TA19 NUCLEAR REACTIONS  $^{10}\text{B}$ ,  $^{16}\text{O}(\text{K}^-, \pi^-)$ ,  $E$  at 0.93 GeV / c;  $^{11}\text{B}(\pi^+, \text{K}^+)$ ,  $E$  at 1.05 GeV / c;  $^7\text{Li}$ ,  $^{10}\text{B}(\text{K}^-, \gamma)$ ,  $E$  at rest; measured  $E\gamma$ ,  $I\gamma$ .  $^7\text{Li}$ ,  $^9\text{Be}$ ,  $^{10,11}\text{B}$ ,  $^{16}\text{O}$  deduced hypernucleus levels,  $J$ ,  $\pi$ . Hyperball array. JOUR NUPAB 754 58c
- 2005VA27 NUCLEAR MOMENTS  $^{6,7}\text{Li}$ ; measured hfs. JOUR CJPHA 83 327
- 2005ZH09 RADIOACTIVITY  $^7\text{Be}(\text{EC})$ ; measured decay rates for source implanted in Pd and Au. JOUR CPLEE 22 565
- $^7\text{Be}$  2004MAZP NUCLEAR REACTIONS C,  $^{27}\text{Al}$ , Cu, Ag,  $^{197}\text{Au}(\alpha, \text{X})^7\text{Be}$ ,  $E=400$  MeV; C,  $^{27}\text{Al}$ , Cu, Ag,  $^{197}\text{Au}(\text{n}, \text{X})^7\text{Be}$ ,  $E < 500$  MeV; Cu, Ag,  $^{197}\text{Au}(\alpha, \text{X})^{10}\text{Be}$ ,  $E=400$  MeV; Cu, Ag,  $^{197}\text{Au}(\text{n}, \text{X})^{10}\text{Be}$ ,  $E < 500$  MeV; measured yields. REPT KEK Preprint 2004-90, Matsumura
- 2004NA42 NUCLEAR REACTIONS  $^4\text{He}(^3\text{He}, \gamma)$ ,  $E=1000\text{-}2300$  keV; measured capture  $\sigma$ ; deduced S-factors. Activation technique, astrophysical implications discussed. JOUR PRLTA 93 262503
- 2005BA40 NUCLEAR REACTIONS  $^1\text{H}(^{16}\text{O}, \text{X})^1\text{H} / ^2\text{H} / ^3\text{H} / ^3\text{He} / ^4\text{He} / ^5\text{He} / ^6\text{He} / ^5\text{Li} / ^6\text{Li} / ^7\text{Li} / ^8\text{Li} / ^7\text{Be} / ^8\text{Be} / ^9\text{Be} / ^{10}\text{Be} / ^9\text{B} / ^{10}\text{B} / ^{11}\text{B} / ^{12}\text{B} / ^{10}\text{C} / ^{11}\text{C} / ^{12}\text{C} / ^{13}\text{C} / ^{14}\text{C} / ^{13}\text{N} / ^{14}\text{N} / ^{15}\text{N} / ^{14}\text{O} / ^{15}\text{O} / ^{16}\text{O}$ ,  $E$  at 3.25 GeV / c / nucleon; measured production  $\sigma$ . JOUR PZETA 81 174
- 2005BAZU NUCLEAR REACTIONS C, W(p, nX), (d, nX),  $E=50, 70$  MeV; Li(d, nX),  $E=40$  MeV; measured neutron spectra,  $\sigma(E, \theta)$ , thick target yields. Li(d, X) $^7\text{Be}$ ,  $E \approx 10\text{-}40$  MeV; measured production  $\sigma$ . CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P884
- 2005BU05 NUCLEAR REACTIONS  $^7\text{Li}(\text{p}, \text{n})$ ,  $E=1.88\text{-}2.0$  MeV; measured neutron spectra, yields. JOUR NIMBE 229 144
- 2005DA41 NUCLEAR REACTIONS H, C( $^7\text{Li}$ , X) $^7\text{Be}$ ,  $E \approx 25\text{-}30$  MeV; measured yields. JOUR NIMBE 241 953
- 2005FU13 RADIOACTIVITY  $^7\text{Be}(\text{EC})$  [from  $^7\text{Li}(\text{p}, \text{n})$ ]; measured  $T_{1/2}$  for source implanted in metals; deduced no environmental effect. JOUR NUPAB 758 697c
- 2005NA32 NUCLEAR REACTIONS  $^4\text{He}(^3\text{He}, \gamma)$ ,  $E=1000\text{-}2300$  keV; measured  $\sigma$ ; deduced astrophysical S-factors. JOUR NUPAB 758 689c
- 2005RAZZ RADIOACTIVITY  $^7\text{Be}(\text{EC})$ ; measured  $E\gamma$ ,  $I\gamma$ ,  $T_{1/2}$  for source implanted in C<sub>60</sub> and gold foil; deduced environmental effect. PREPRINT nucl-ex/0509021, 9/15/2005
- 2005SE23 NUCLEAR REACTIONS  $^{197}\text{Au}(\text{n}, \gamma)$ ,  $E=\text{spectrum}$ ; measured  $E\gamma$ ,  $I\gamma$ ; deduced neutron flux.  $^7\text{Li}(\text{p}, \text{n})$ ,  $E$  not given; deduced neutron spectrum.  $^{62}\text{Ni}(\text{n}, \gamma)$ ,  $E \approx 5.5\text{-}20$  keV; measured  $\sigma$ ; deduced Maxwellian-averaged  $\sigma$ . JOUR JUPSA 74 2981
- 2005SI14 NUCLEAR REACTIONS C, O, Si, Mg, Al(n, X) $^7\text{Be}$ ,  $E \approx 0.1\text{-}750$  MeV; O, Si, Mg, Al(n, X) $^{22}\text{Na} / ^{23}\text{Na}$ ,  $E \approx 0.1\text{-}750$  MeV;  $^{197}\text{Au}(\text{n}, \text{X})^{194}\text{Au} / ^{196}\text{Au} / ^{198}\text{Au}$ ,  $E \approx 0.1\text{-}750$  MeV; Ti, Fe, Ni, Cu(n, X) $^{46}\text{Sc} / ^{48}\text{Sc}$ ,  $E \approx 0.1\text{-}750$  MeV; Fe, Ni, Cu(n, X) $^{48}\text{V} / ^{51}\text{Cr} / ^{52}\text{Mn} / ^{54}\text{Mn}$ ,  $E \approx 0.1\text{-}750$  MeV; Ni, Cu(n, X) $^{56}\text{Ni} / ^{57}\text{Ni} / ^{56}\text{Co} / ^{57}\text{Co} / ^{58}\text{Co} / ^{60}\text{Co} / ^{59}\text{Fe}$ ,  $E \approx 0.1\text{-}750$  MeV; measured energy-integrated production  $\sigma$ . JOUR NIMBE 234 419

**A=7 (continued)**

- 2005TIZX NUCLEAR REACTIONS Pb,  $^{208}\text{Pb}(p, X)^{203}\text{Pb}$  /  $^{200}\text{Tl}$  /  $^{199}\text{Tl}$  /  $^{196}\text{Au}$  /  $^{192}\text{Ir}$  /  $^{190}\text{Ir}$  /  $^{173}\text{Lu}$  /  $^{101m}\text{Rh}$  /  $^{86}\text{Rb}$  /  $^{59}\text{Fe}$  /  $^{24}\text{Na}$  /  $^7\text{Be}$ , E=40-2600 MeV; measured excitation functions. Comparison with previous work and model predictions. Other reactions discussed. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P1070
- 2005TIZY NUCLEAR REACTIONS Pb,  $^{208}\text{Pb}$ ,  $^{209}\text{Bi}(p, X)^{203}\text{Pb}$  /  $^{200}\text{Tl}$  /  $^{199}\text{Tl}$  /  $^{196}\text{Au}$  /  $^{192}\text{Ir}$  /  $^{190}\text{Ir}$  /  $^{173}\text{Lu}$  /  $^{101m}\text{Rh}$  /  $^{86}\text{Rb}$  /  $^{59}\text{Fe}$  /  $^{24}\text{Na}$  /  $^7\text{Be}$ , E=40-2600 MeV; measured production  $\sigma$ . Comparison with model predictions. PREPRINT nucl-ex/0507009,7/05/2005
- 2005WAZW NUCLEAR REACTIONS Si( $^6\text{Li}$ , X), ( $^7\text{Be}$ , X), ( $^{10}\text{B}$ , X), ( $^9\text{C}$ , X), ( $^{10}\text{C}$ , X), ( $^{11}\text{C}$ , X), ( $^{12}\text{N}$ , X), ( $^{13}\text{O}$ , X), ( $^{15}\text{O}$ , X), ( $^{17}\text{Ne}$ , X), E=15-53 MeV / nucleon; measured reaction and proton-removal  $\sigma$ .  $^6\text{Li}$ ,  $^7\text{Be}$ ,  $^{10}\text{B}$ ,  $^{9,10,11}\text{C}$ ,  $^{12}\text{N}$ ,  $^{13,15}\text{O}$ ,  $^{17}\text{Ne}$  deduced radii. Comparisons with model predictions. PREPRINT nucl-ex/0507025,7/18/2005
- 2005ZH09 RADIOACTIVITY  $^7\text{Be}(\text{EC})$ ; measured decay rates for source implanted in Pd and Au. JOUR CPLEE 22 565

**A=8**

- $^8\text{He}$  2005CH50 NUCLEAR REACTIONS  $^1\text{H}(^6\text{He}, p)$ , ( $^6\text{He}, np$ ), ( $^6\text{He}, p\alpha$ ), E=717 MeV / nucleon;  $^1\text{H}(^8\text{He}, p)$ , ( $^8\text{He}, np$ ), ( $^8\text{He}, p\alpha$ ), E=671 MeV / nucleon; measured recoil proton spectra,  $\sigma(E, \theta)$ .  $^6,8\text{He}$  deduced cluster configurations, spectroscopic factors. JOUR NUPAB 759 43
- 2005KI21 NUCLEAR REACTIONS  $^1\text{H}(^6\text{He}, p)$ , ( $^8\text{He}, p$ ), E  $\approx$  700 MeV / nucleon; measured recoil proton spectra,  $\sigma(E, \theta)$ .  $^6,8\text{He}$  deduced nuclear matter density distributions, charge radii, cluster configurations, spectroscopic factors. JOUR ZAANE 25 s01 215
- 2005SK03 NUCLEAR REACTIONS  $^1\text{H}(^8\text{He}, p)$ , ( $^8\text{He}, d$ ), E=15.7 MeV / nucleon; measured deuteron and proton spectra,  $\sigma(\theta)$ .  $^8\text{He}(p, p)$ , E=15.7 MeV / nucleon; deduced effect of coupling to pickup reaction. Coupled-channels framework, dynamic polarization potential. JOUR PYLBB 619 82
- $^8\text{Li}$  2005BA40 NUCLEAR REACTIONS  $^1\text{H}(^{16}\text{O}, X)^1\text{H}$  /  $^2\text{H}$  /  $^3\text{H}$  /  $^3\text{He}$  /  $^4\text{He}$  /  $^5\text{He}$  /  $^6\text{He}$  /  $^5\text{Li}$  /  $^6\text{Li}$  /  $^7\text{Li}$  /  $^8\text{Li}$  /  $^7\text{Be}$  /  $^8\text{Be}$  /  $^9\text{Be}$  /  $^{10}\text{Be}$  /  $^9\text{B}$  /  $^{10}\text{B}$  /  $^{11}\text{B}$  /  $^{12}\text{B}$  /  $^{10}\text{C}$  /  $^{11}\text{C}$  /  $^{12}\text{C}$  /  $^{13}\text{C}$  /  $^{14}\text{C}$  /  $^{13}\text{N}$  /  $^{14}\text{N}$  /  $^{15}\text{N}$  /  $^{14}\text{O}$  /  $^{15}\text{O}$  /  $^{16}\text{O}$ , E at 3.25 GeV / c / nucleon; measured production  $\sigma$ . JOUR PZETA 81 174
- 2005B045 RADIOACTIVITY  $^{8,9}\text{Li}(\beta^-)$  [from Ta(p, X)]; measured  $\beta$ -asymmetries,  $\beta$ -NMR spectra from polarized sources.  $^{8,9}\text{Li}$  deduced quadrupole moments.  $^9\text{Li}$  deduced  $\mu$ . Comparisons with previous results and model predictions. JOUR PRVCA 72 044309
- 2005MU26 RADIOACTIVITY  $^{8,9}\text{Li}(\beta^-)$  [from C( $^{12}\text{C}$ , X)]; measured  $E\gamma$ ,  $\beta\gamma$ -coin.  $^9\text{Be}$  levels deduced decay widths. Application to triple radiative capture discussed. JOUR NUPAB 758 647c
- 2005NA15 NUCLEAR REACTIONS  $^7\text{Li}(n, \gamma)$ , E  $\approx$  10-80 keV; measured  $E\gamma$ ,  $I\gamma$ ,  $\sigma$ ; deduced interaction potential features.  $^7\text{Be}(p, \gamma)$ , E  $\approx$  0.1-3 MeV; calculated astrophysical S-factor. JOUR PRVCA 71 055803

A=8 (*continued*)

- 2005N015 NUCLEAR MOMENTS  $^{6,7,8,9}\text{Li}$ ; measured hfs, isotope shifts; deduced charge radii. Resonance ionization mass spectroscopy, comparison with model predictions. JOUR ZAANE 25 s01 199
- 2005SU25 RADIOACTIVITY  $^8\text{B}(\text{EC}\alpha)$  [from  $^6\text{Li}(^3\text{He}, \text{n})$ ];  $^8\text{Li}(\beta^-\alpha)$  [from  $^7\text{Li}(\text{d}, \text{p})$ ]; measured  $\beta$ -NMR spectra; angular correlations; deduced limit on G-parity term. JOUR ZAANE 25 s01 709
- $^8\text{Be}$  2004AHZW NUCLEAR REACTIONS  $^7\text{Li}(\text{polarized d}, \text{n})$ , E=160 keV; measured  $\sigma(\theta)$ , vector and tensor analyzing powers; deduced transition matrix elements. REPT TUNL-XLIII,P28,Ahmed
- 2004FR34 NUCLEAR REACTIONS  $^{12}\text{C}(^{12}\text{C}, 2^8\text{Be})$ , E=82-120 MeV; measured excitation energy spectra, angular correlations.  $^{16}\text{O}$  deduced levels, J,  $\pi$ . Comparison with model predictions. JOUR PRVCA 70 064311
- 2005AN23 NUCLEAR REACTIONS  $^2\text{H}(^7\text{Be}, \text{p})$ , E=1.71, 5.545 MeV; measured proton spectra. JOUR NUPAB 758 775c
- 2005AN30 NUCLEAR REACTIONS  $^2\text{H}(^7\text{Be}, 2\alpha)$ , E=1.71, 5.55 MeV; measured particle spectra,  $\sigma$ .  $^7\text{Be}(\text{d}, \text{p})$ , E(cm)  $\approx$  0.38, 1.2 MeV; deduced astrophysical S-factors. Implications for primordial  $^7\text{Li}$  abundance discussed. JOUR ASJOA 630 L105
- 2005AS04 NUCLEAR REACTIONS  $^{12}\text{C}(^{10}\text{Be}, 2\alpha)$ , ( $^{10}\text{Be}, \text{n}2\alpha$ ), E=30 MeV / nucleon; measured En, E $\alpha$ , relative energy spectra,  $\sigma(\text{E})$ .  $^{8,9}\text{Be}$  deduced levels, J,  $\pi$ . Kinematically complete measurement. JOUR PRVCA 72 024314
- 2005BA40 NUCLEAR REACTIONS  $^1\text{H}(^{16}\text{O}, \text{X})^1\text{H} / ^2\text{H} / ^3\text{H} / ^3\text{He} / ^4\text{He} / ^5\text{He} / ^6\text{He} / ^5\text{Li} / ^6\text{Li} / ^7\text{Li} / ^8\text{Li} / ^7\text{Be} / ^8\text{Be} / ^9\text{Be} / ^{10}\text{Be} / ^9\text{B} / ^{10}\text{B} / ^{11}\text{B} / ^{12}\text{B} / ^{10}\text{C} / ^{11}\text{C} / ^{12}\text{C} / ^{13}\text{C} / ^{14}\text{C} / ^{13}\text{N} / ^{14}\text{N} / ^{15}\text{N} / ^{14}\text{O} / ^{15}\text{O} / ^{16}\text{O}$ , E at 3.25 GeV / c / nucleon; measured production  $\sigma$ . JOUR PZETA 81 174
- 2005B045 RADIOACTIVITY  $^{8,9}\text{Li}(\beta^-)$  [from Ta(p, X)]; measured  $\beta$ -asymmetries,  $\beta$ -NMR spectra from polarized sources.  $^{8,9}\text{Li}$  deduced quadrupole moments.  $^9\text{Li}$  deduced  $\mu$ . Comparisons with previous results and model predictions. JOUR PRVCA 72 044309
- 2005DA12 NUCLEAR REACTIONS  $^4\text{He}(\alpha, \alpha')$ , E=22.4, 26.5 MeV; measured E $\gamma$ , E $\alpha$ ,  $\alpha\alpha$ -,  $\gamma\alpha$ -coin; deduced resonance  $\sigma$ .  $^8\text{Be}$  deduced transition B(E2), cluster structure. JOUR PRLTA 94 122502
- 2005MI13 NUCLEAR REACTIONS  $^{6,7}\text{Li}(^6\text{He}, \alpha^6\text{He})$ ,  $^6\text{Li}(^6\text{He}, \text{t}2\alpha)$ , E=18 MeV; measured excitation energy spectra.  $^{6,7}\text{Li}$ ,  $^{8,9,10}\text{Be}$  deduced cluster states. JOUR NUPAB 753 263
- 2005MU26 RADIOACTIVITY  $^{8,9}\text{Li}(\beta^-)$  [from C( $^{12}\text{C}$ , X)]; measured E $\gamma$ ,  $\beta\gamma$ -coin.  $^9\text{Be}$  levels deduced decay widths. Application to triple radiative capture discussed. JOUR NUPAB 758 647c
- 2005RU03 NUCLEAR REACTIONS  $^{12}\text{C}(^{11}\text{B}, ^{15}\text{N})$ , E=49 MeV; measured  $\sigma(\text{E}, \theta)$ ;  $^{12}\text{C}(^{11}\text{B}, ^8\text{Be})$ , E(cm)=10-17 MeV; analyzed  $\sigma(\text{E}, \theta)$ ; deduced reaction mechanism features, optical model parameters. Coupled channels analysis. JOUR ZAANE 23 445
- 2005SCZV NUCLEAR REACTIONS  $^9\text{Be}(^{26}\text{Mg}, ^{27}\text{Mg})$ , E=57 MeV; measured E $\gamma$ , I $\gamma$ ,  $\alpha\alpha$ -coin,  $\sigma(\theta)$ .  $^{27}\text{Mg}$  deduced transitions. REPT MLL 2004 Annual,P4,Schwerdtfeger

**A=8 (continued)**

- 2005SPZY NUCLEAR REACTIONS  $^{12}\text{C}(^{32}\text{S}, ^{36}\text{Ar})$ ,  $E=65$  MeV;  $^{12}\text{C}(^{34}\text{S}, ^{38}\text{Ar})$ ,  $E=67$  MeV; measured  $E_\gamma$ ,  $I_\gamma(\theta, H, t)$ ,  $\alpha\gamma$ -coin.  $^{36,38}\text{Ar}$  levels deduced g factors. Transient field technique. Comparison with shell model predictions. REPT MLL 2004 Annual,P5,Speidel
- $^8\text{B}$  2004REZY NUCLEAR REACTIONS  $^1\text{H}(^{11}\text{C}, \text{p})$ ,  $(^{11}\text{C}, \alpha)$ ,  $E^*=8.7-9.9$  MeV; measured particle spectra, angular distributions,  $\sigma$ .  $^8\text{Be}(\alpha, \text{p})$ ,  $E^*=8.7-9.9$  MeV; deduced excitation function, astrophysical reaction rates. REPT ANL-04/22,P3,Rehm
- 2005JU03 NUCLEAR REACTIONS  $^7\text{Be}(\text{p}, \gamma)$ ,  $E(\text{cm})=116-2460$  MeV; measured  $\sigma$ ; deduced astrophysical S-factors. Comparison with previous results. JOUR NPBSE 138 112
- 2005LI40 NUCLEAR REACTIONS  $^2\text{H}(^7\text{Be}, \text{n})$ ,  $(^{11}\text{C}, \text{n})$ ,  $(^8\text{Li}, \text{p})$ ,  $E \approx 5.8-9.8$  MeV; measured  $\sigma(\theta)$ , total  $\sigma$ ; deduced astrophysical S-factors. JOUR NUPAB 758 110c
- 2005NA15 NUCLEAR REACTIONS  $^7\text{Li}(\text{n}, \gamma)$ ,  $E \approx 10-80$  keV; measured  $E_\gamma$ ,  $I_\gamma$ ,  $\sigma$ ; deduced interaction potential features.  $^7\text{Be}(\text{p}, \gamma)$ ,  $E \approx 0.1-3$  MeV; calculated astrophysical S-factor. JOUR PRVCA 71 055803
- 2005SCZX NUCLEAR REACTIONS  $^{208}\text{Pb}(^8\text{B}, \text{p}^7\text{Be})$ ,  $E=254$  MeV / nucleon; measured fragment spectra, angular correlations.  $^7\text{Be}(\text{p}, \gamma)$ ,  $E=\text{low}$ ; deduced astrophysical S-factor. PREPRINT nucl-ex/0508014,08/11/2005
- 2005SU25 RADIOACTIVITY  $^8\text{B}(\text{EC}\alpha)$  [from  $^6\text{Li}(^3\text{He}, \text{n})$ ];  $^8\text{Li}(\beta^-\alpha)$  [from  $^7\text{Li}(\text{d}, \text{p})$ ]; measured  $\beta$ -NMR spectra; angular correlations; deduced limit on G-parity term. JOUR ZAANE 25 s01 709
- 2005TA32 NUCLEAR REACTIONS  $\text{Be}, \text{C}, \text{Al}(^{12}\text{C}, \text{X})$ ,  $E=30-200$  MeV / nucleon;  $\text{Be}(^9\text{Be}, \text{X})$ ,  $E=70-100$  MeV / nucleon; measured reaction  $\sigma(E)$ ; deduced nucleon-nucleon interaction range.  $^8\text{B}$  deduced nuclear matter density distribution. Comparison with Glauber calculations. JOUR ZAANE 25 s01 217

**A=9**

- $^9\text{He}$  2005R037 NUCLEAR REACTIONS  $^1\text{H}(^8\text{He}, ^8\text{He})$ ,  $E$  not given; measured recoil proton spectrum; deduced excitation function.  $^1\text{H}(^6\text{He}, ^6\text{Li})$ ,  $E$  not given; measured neutron spectrum,  $n\gamma$ -coin; deduced excitation function.  $^{7,9}\text{Li}$  deduced resonance parameters.  $^{7,9}\text{He}$  deduced analog states features. JOUR NIMBE 241 977
- $^9\text{Li}$  2005B045 RADIOACTIVITY  $^{8,9}\text{Li}(\beta^-)$  [from  $\text{Ta}(\text{p}, \text{X})$ ]; measured  $\beta$ -asymmetries,  $\beta$ -NMR spectra from polarized sources.  $^{8,9}\text{Li}$  deduced quadrupole moments.  $^9\text{Li}$  deduced  $\mu$ . Comparisons with previous results and model predictions. JOUR PRVCA 72 044309
- 2005JE01 NUCLEAR REACTIONS  $^2\text{H}(^9\text{Li}, ^9\text{Li})$ ,  $(^9\text{Li}, \text{np})$ ,  $(^9\text{Li}, \text{nX})$ ,  $(^9\text{Li}, \text{pX})$ ,  $E=2.36$  MeV / nucleon; measured particle spectra,  $\sigma(\theta)$ .  $^2\text{H}(^9\text{Li}, \alpha\text{X})$ ,  $(^9\text{Li}, ^6\text{HeX})$ ,  $E=2.36$  MeV / nucleon; measured particle spectra. Post-accelerated radioactive beam. JOUR NUPAB 748 374
- 2005LI19 NUCLEAR REACTIONS  $^2\text{H}(^8\text{Li}, ^9\text{Li})$ ,  $E=39$  MeV; measured particle spectra,  $\sigma(\theta)$ .  $^8\text{Li}(\text{n}, \gamma)$ ,  $E=\text{low}$ ; deduced astrophysical reaction rates. JOUR PRVCA 71 052801

**A=9 (continued)**

- 2005LI35 NUCLEAR REACTIONS  $^2\text{H}(^8\text{Li}, \text{p})$ ,  $E(\text{cm})=7.8$  MeV; measured  $\sigma(\theta)$ ; deduced asymptotic normalization coefficients.  $^9\text{C}$  deduced radius, density distributions, halo structure. JOUR CPLEE 22 1870
- 2005LI40 NUCLEAR REACTIONS  $^2\text{H}(^7\text{Be}, \text{n})$ ,  $(^{11}\text{C}, \text{n})$ ,  $(^8\text{Li}, \text{p})$ ,  $E \approx 5.8\text{-}9.8$  MeV; measured  $\sigma(\theta)$ , total  $\sigma$ ; deduced astrophysical S-factors. JOUR NUPAB 758 110c
- 2005MU26 RADIOACTIVITY  $^{8,9}\text{Li}(\beta^-)$  [from  $\text{C}(^{12}\text{C}, \text{X})$ ]; measured  $E_\gamma$ ,  $\beta\gamma$ -coin.  $^9\text{Be}$  levels deduced decay widths. Application to triple radiative capture discussed. JOUR NUPAB 758 647c
- 2005N015 NUCLEAR MOMENTS  $^{6,7,8,9}\text{Li}$ ; measured hfs, isotope shifts; deduced charge radii. Resonance ionization mass spectroscopy, comparison with model predictions. JOUR ZAANE 25 s01 199
- 2005PR11 RADIOACTIVITY  $^9\text{Li}(\beta^-)$  [from  $\text{Ta}(\text{p}, \text{X})$ ]; measured  $\beta$ -delayed  $E_\alpha$ ,  $\alpha\alpha$ -coin; deduced  $\beta$ -decay branching ratios.  $^9\text{Be}$  deduced levels, J,  $\pi$ , resonance states. JOUR PYLBB 618 43
- 2005R037 NUCLEAR REACTIONS  $^1\text{H}(^8\text{He}, ^8\text{He})$ , E not given; measured recoil proton spectrum; deduced excitation function.  $^1\text{H}(^6\text{He}, ^6\text{Li})$ , E not given; measured neutron spectrum,  $n\gamma$ -coin; deduced excitation function.  $^{7,9}\text{Li}$  deduced resonance parameters.  $^{7,9}\text{He}$  deduced analog states features. JOUR NIMBE 241 977
- 2005WU03 NUCLEAR REACTIONS  $^2\text{H}(^8\text{Li}, \text{p})$ ,  $E \approx 76$  MeV; measured  $E_p$ , excitation energy spectra,  $\sigma(\theta)$ .  $^9\text{Li}$  deduced levels, J,  $\pi$ , spectroscopic factors. Comparison with model predictions. JOUR PRLTA 94 082502
- $^9\text{Be}$  2004S035 NUCLEAR REACTIONS  $^7\text{Li}(^7\text{Li}, 2\alpha)$ ,  $E=8, 30$  MeV;  $^9\text{Be}(^7\text{Li}, ^7\text{Li})$ ,  $(^7\text{Li}, \alpha^6\text{Li})$ ,  $(^7\text{Li}, \alpha^7\text{Li})$ ,  $E=52$  MeV;  $^7\text{Li}(^9\text{Be}, \alpha^9\text{Be})$ ,  $(^9\text{Be}, \alpha^{10}\text{Be})$ ,  $E=70$  MeV; measured excitation energy spectra.  $^{9,10}\text{Be}$ ,  $^{13,14}\text{C}$  deduced excited states, cluster structures. JOUR FIZBE 13 433
- 2005AD35 NUCLEAR REACTIONS  $^6\text{Li}(^6\text{Li}, \alpha\text{X})$ ,  $(^7\text{Li}, \alpha\text{X})$ ,  $E=14\text{-}20$  MeV; measured  $\alpha$ -spectra.  $^{12}\text{C}(\text{n}, \alpha)$ ,  $E=72.8$  MeV;  $^{28}\text{Si}(^6\text{Li}, \alpha)$ ,  $E=36$  MeV; analyzed  $\alpha$ -spectra. Statistical model calculations. Target-projectile symmetry discussed. JOUR ZAANE 25 s01 299
- 2005AS04 NUCLEAR REACTIONS  $^{12}\text{C}(^{10}\text{Be}, 2\alpha)$ ,  $(^{10}\text{Be}, \text{n}2\alpha)$ ,  $E=30$  MeV / nucleon; measured  $E_n$ ,  $E_\alpha$ , relative energy spectra,  $\sigma(E)$ .  $^{8,9}\text{Be}$  deduced levels, J,  $\pi$ . Kinematically complete measurement. JOUR PRVCA 72 024314
- 2005BA40 NUCLEAR REACTIONS  $^1\text{H}(^{16}\text{O}, \text{X})^1\text{H} / ^2\text{H} / ^3\text{H} / ^3\text{He} / ^4\text{He} / ^5\text{He} / ^6\text{He} / ^5\text{Li} / ^6\text{Li} / ^7\text{Li} / ^8\text{Li} / ^7\text{Be} / ^8\text{Be} / ^9\text{Be} / ^{10}\text{Be} / ^9\text{B} / ^{10}\text{B} / ^{11}\text{B} / ^{12}\text{B} / ^{10}\text{C} / ^{11}\text{C} / ^{12}\text{C} / ^{13}\text{C} / ^{14}\text{C} / ^{13}\text{N} / ^{14}\text{N} / ^{15}\text{N} / ^{14}\text{O} / ^{15}\text{O} / ^{16}\text{O}$ , E at  $3.25$  GeV / c / nucleon; measured production  $\sigma$ . JOUR PZETA 81 174
- 2005B045 RADIOACTIVITY  $^{8,9}\text{Li}(\beta^-)$  [from  $\text{Ta}(\text{p}, \text{X})$ ]; measured  $\beta$ -asymmetries,  $\beta$ -NMR spectra from polarized sources.  $^{8,9}\text{Li}$  deduced quadrupole moments.  $^9\text{Li}$  deduced  $\mu$ . Comparisons with previous results and model predictions. JOUR PRVCA 72 044309
- 2005MI13 NUCLEAR REACTIONS  $^{6,7}\text{Li}(^6\text{He}, \alpha^6\text{He})$ ,  $^6\text{Li}(^6\text{He}, \text{t}2\alpha)$ ,  $E=18$  MeV; measured excitation energy spectra.  $^{6,7}\text{Li}$ ,  $^{8,9,10}\text{Be}$  deduced cluster states. JOUR NUPAB 753 263

**A=9 (continued)**

- 2005MU26 RADIOACTIVITY  ${}^8,9\text{Li}(\beta^-)$  [from  $\text{C}({}^{12}\text{C}, \text{X})$ ]; measured  $E\gamma$ ,  $\beta\gamma$ -coin.  ${}^9\text{Be}$  levels deduced decay widths. Application to triple radiative capture discussed. JOUR NUPAB 758 647c
- 2005PR11 RADIOACTIVITY  ${}^9\text{Li}(\beta^-)$  [from  $\text{Ta}(\text{p}, \text{X})$ ]; measured  $\beta$ -delayed  $E\alpha$ ,  $\alpha\alpha$ -coin; deduced  $\beta$ -decay branching ratios.  ${}^9\text{Be}$  deduced levels, J,  $\pi$ , resonance states. JOUR PYLBB 618 43
- 2005TA19 NUCLEAR REACTIONS  ${}^{10}\text{B}$ ,  ${}^{16}\text{O}(\text{K}^-, \pi^-)$ , E at 0.93 GeV / c;  ${}^{11}\text{B}(\pi^+, \text{K}^+)$ , E at 1.05 GeV / c;  ${}^7\text{Li}$ ,  ${}^{10}\text{B}(\text{K}^-, \gamma)$ , E at rest; measured  $E\gamma$ ,  $I\gamma$ .  ${}^7\text{Li}$ ,  ${}^9\text{Be}$ ,  ${}^{10,11}\text{B}$ ,  ${}^{16}\text{O}$  deduced hypernucleus levels, J,  $\pi$ . Hyperball array. JOUR NUPAB 754 58c
- 2005WAZX NUCLEAR REACTIONS  ${}^{12}\text{C}(\text{polarized } \gamma, \text{pd})$ , E=170-350 MeV; measured deuteron and proton spectra, polarization asymmetry; deduced reaction mechanism features. Tagged photons. PREPRINT nucl-ex/0506018,6/14/2005
- 2005YE01 NUCLEAR REACTIONS  ${}^9\text{Be}({}^6\text{He}, {}^6\text{He})$ , E=25 MeV / nucleon; measured quasielastic  $\sigma(\theta)$ ; deduced optical model parameters, inelastic channels contribution. JOUR PRVCA 71 014604
- 2005YE05 NUCLEAR REACTIONS  ${}^9\text{Be}({}^6\text{He}, {}^6\text{He})$ ,  $({}^6\text{He}, {}^5\text{He})$ ,  $({}^6\text{He}, \alpha)$ ,  $({}^6\text{He}, \alpha\text{X})$ ,  $({}^6\text{He}, \text{tX})$ , E=25 MeV / nucleon; measured quasielastic, breakup, and transfer  $\sigma(\theta)$ .  ${}^6\text{He}$  deduced two-triton configuration. JOUR JPGPE 31 S1647
- ${}^9\text{B}$  2005BA40 NUCLEAR REACTIONS  ${}^1\text{H}({}^{16}\text{O}, \text{X}){}^1\text{H} / {}^2\text{H} / {}^3\text{H} / {}^3\text{He} / {}^4\text{He} / {}^5\text{He} / {}^6\text{He} / {}^5\text{Li} / {}^6\text{Li} / {}^7\text{Li} / {}^8\text{Li} / {}^7\text{Be} / {}^8\text{Be} / {}^9\text{Be} / {}^{10}\text{Be} / {}^9\text{B} / {}^{10}\text{B} / {}^{11}\text{B} / {}^{12}\text{B} / {}^{10}\text{C} / {}^{11}\text{C} / {}^{12}\text{C} / {}^{13}\text{C} / {}^{14}\text{C} / {}^{13}\text{N} / {}^{14}\text{N} / {}^{15}\text{N} / {}^{14}\text{O} / {}^{15}\text{O} / {}^{16}\text{O}$ , E at 3.25 GeV / c / nucleon; measured production  $\sigma$ . JOUR PZETA 81 174
- ${}^9\text{C}$  2005GU29 NUCLEAR REACTIONS  ${}^2\text{H}({}^8\text{Li}, {}^9\text{Li})$ , E(cm)=7.8 MeV; measured  $\sigma(\theta)$ ; deduced asymptotic normalization coefficient.  ${}^8\text{B}(\text{p}, \gamma)$ , E=low; calculated astrophysical S-factor. DWBA analysis, inverse kinematics, comparison with data. JOUR NUPAB 761 162
- 2005LI35 NUCLEAR REACTIONS  ${}^2\text{H}({}^8\text{Li}, \text{p})$ , E(cm)=7.8 MeV; measured  $\sigma(\theta)$ ; deduced asymptotic normalization coefficients.  ${}^9\text{C}$  deduced radius, density distributions, halo structure. JOUR CPLEE 22 1870
- 2005WAZW NUCLEAR REACTIONS  $\text{Si}({}^6\text{Li}, \text{X})$ ,  $({}^7\text{Be}, \text{X})$ ,  $({}^{10}\text{B}, \text{X})$ ,  $({}^9\text{C}, \text{X})$ ,  $({}^{10}\text{C}, \text{X})$ ,  $({}^{11}\text{C}, \text{X})$ ,  $({}^{12}\text{N}, \text{X})$ ,  $({}^{13}\text{O}, \text{X})$ ,  $({}^{15}\text{O}, \text{X})$ ,  $({}^{17}\text{Ne}, \text{X})$ , E=15-53 MeV / nucleon; measured reaction and proton-removal  $\sigma$ .  ${}^6\text{Li}$ ,  ${}^7\text{Be}$ ,  ${}^{10}\text{B}$ ,  ${}^{9,10,11}\text{C}$ ,  ${}^{12}\text{N}$ ,  ${}^{13,15}\text{O}$ ,  ${}^{17}\text{Ne}$  deduced radii. Comparisons with model predictions. PREPRINT nucl-ex/0507025,7/18/2005

**A=10**

- ${}^{10}\text{Li}$  2005SA03 NUCLEAR REACTIONS  ${}^{10}\text{B}(\pi^-, \text{K}^+)$ ,  ${}^{10}\text{B}$ ,  ${}^{12}\text{C}(\pi^+, \text{K}^+)$ , E at 1.05, 1.2 GeV / c; measured missing mass spectra, hypernucleus production  $\sigma$ . JOUR PRLTA 94 052502
- ${}^{10}\text{Be}$  2004MAZP NUCLEAR REACTIONS  $\text{C}$ ,  ${}^{27}\text{Al}$ ,  $\text{Cu}$ ,  $\text{Ag}$ ,  ${}^{197}\text{Au}(\alpha, \text{X}){}^7\text{Be}$ , E=400 MeV;  $\text{C}$ ,  ${}^{27}\text{Al}$ ,  $\text{Cu}$ ,  $\text{Ag}$ ,  ${}^{197}\text{Au}(\text{n}, \text{X}){}^7\text{Be}$ , E < 500 MeV;  $\text{Cu}$ ,  $\text{Ag}$ ,  ${}^{197}\text{Au}(\alpha, \text{X}){}^{10}\text{Be}$ , E=400 MeV;  $\text{Cu}$ ,  $\text{Ag}$ ,  ${}^{197}\text{Au}(\text{n}, \text{X}){}^{10}\text{Be}$ , E < 500 MeV; measured yields. REPT KEK Preprint 2004-90,Matsumura

A=10 (*continued*)

- 2004MIZS NUCLEAR REACTIONS Fe(p, X)<sup>52</sup>Mn, E < 2.6 GeV; Pb(p, X)<sup>10</sup>Be, E < 2.6 GeV; <sup>209</sup>Bi(p, 4np), E < 2.6 GeV; Pb(n, X)<sup>196</sup>Au / <sup>95</sup>Zr, E ≈ 70-180 MeV; measured excitation functions. Comparison with model predictions. REPT NEA/NSC/DOC(2004)14,P28,Michel
- 2004S035 NUCLEAR REACTIONS <sup>7</sup>Li(<sup>7</sup>Li, 2α), E=8, 30 MeV; <sup>9</sup>Be(<sup>7</sup>Li, <sup>7</sup>Li), (<sup>7</sup>Li, α<sup>6</sup>Li), (<sup>7</sup>Li, α<sup>7</sup>Li), E=52 MeV; <sup>7</sup>Li(<sup>9</sup>Be, α<sup>9</sup>Be), (<sup>9</sup>Be, α<sup>10</sup>Be), E=70 MeV; measured excitation energy spectra. <sup>9,10</sup>Be, <sup>13,14</sup>C deduced excited states, cluster structures. JOUR FIZBE 13 433
- 2005BA40 NUCLEAR REACTIONS <sup>1</sup>H(<sup>16</sup>O, X)<sup>1</sup>H / <sup>2</sup>H / <sup>3</sup>H / <sup>3</sup>He / <sup>4</sup>He / <sup>5</sup>He / <sup>6</sup>He / <sup>5</sup>Li / <sup>6</sup>Li / <sup>7</sup>Li / <sup>8</sup>Li / <sup>7</sup>Be / <sup>8</sup>Be / <sup>9</sup>Be / <sup>10</sup>Be / <sup>9</sup>B / <sup>10</sup>B / <sup>11</sup>B / <sup>12</sup>B / <sup>10</sup>C / <sup>11</sup>C / <sup>12</sup>C / <sup>13</sup>C / <sup>14</sup>C / <sup>13</sup>N / <sup>14</sup>N / <sup>15</sup>N / <sup>14</sup>O / <sup>15</sup>O / <sup>16</sup>O, E at 3.25 GeV / c / nucleon; measured production σ. JOUR PZETA 81 174
- 2005HI03 RADIOACTIVITY <sup>11</sup>Li(β<sup>-</sup>), (β<sup>-</sup>n); measured β-delayed E<sub>γ</sub>, E<sub>n</sub>, asymmetry following decay of spin-polarized source. <sup>10,11</sup>Be deduced levels, J, π, S-factors. Comparison with antisymmetrized molecular dynamics model predictions. JOUR PYLBB 611 239
- 2005MI13 NUCLEAR REACTIONS <sup>6,7</sup>Li(<sup>6</sup>He, α<sup>6</sup>He), <sup>6</sup>Li(<sup>6</sup>He, t2α), E=18 MeV; measured excitation energy spectra. <sup>6,7</sup>Li, <sup>8,9,10</sup>Be deduced cluster states. JOUR NUPAB 753 263
- 2005SCZW NUCLEAR REACTIONS Pb(p, X)<sup>10</sup>Be / <sup>26</sup>Al / <sup>129</sup>I / <sup>36</sup>Cl, E=200-2600 MeV; measured excitation functions. Stacked foil activation, chemical separation. Comparison with model predictions. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol2,P1517
- 2005TA19 NUCLEAR REACTIONS <sup>10</sup>B, <sup>16</sup>O(K<sup>-</sup>, π<sup>-</sup>), E at 0.93 GeV / c; <sup>11</sup>B(π<sup>+</sup>, K<sup>+</sup>), E at 1.05 GeV / c; <sup>7</sup>Li, <sup>10</sup>B(K<sup>-</sup>, γ), E at rest; measured E<sub>γ</sub>, I<sub>γ</sub>. <sup>7</sup>Li, <sup>9</sup>Be, <sup>10,11</sup>B, <sup>16</sup>O deduced hypernucleus levels, J, π. Hyperball array. JOUR NUPAB 754 58c
- 2005YE05 NUCLEAR REACTIONS <sup>9</sup>Be(<sup>6</sup>He, <sup>6</sup>He), (<sup>6</sup>He, <sup>5</sup>He), (<sup>6</sup>He, α), (<sup>6</sup>He, αX), (<sup>6</sup>He, tX), E=25 MeV / nucleon; measured quasielastic, breakup, and transfer σ(θ). <sup>6</sup>He deduced two-triton configuration. JOUR JPGPE 31 S1647
- <sup>10</sup>B 2005BA40 NUCLEAR REACTIONS <sup>1</sup>H(<sup>16</sup>O, X)<sup>1</sup>H / <sup>2</sup>H / <sup>3</sup>H / <sup>3</sup>He / <sup>4</sup>He / <sup>5</sup>He / <sup>6</sup>He / <sup>5</sup>Li / <sup>6</sup>Li / <sup>7</sup>Li / <sup>8</sup>Li / <sup>7</sup>Be / <sup>8</sup>Be / <sup>9</sup>Be / <sup>10</sup>Be / <sup>9</sup>B / <sup>10</sup>B / <sup>11</sup>B / <sup>12</sup>B / <sup>10</sup>C / <sup>11</sup>C / <sup>12</sup>C / <sup>13</sup>C / <sup>14</sup>C / <sup>13</sup>N / <sup>14</sup>N / <sup>15</sup>N / <sup>14</sup>O / <sup>15</sup>O / <sup>16</sup>O, E at 3.25 GeV / c / nucleon; measured production σ. JOUR PZETA 81 174
- 2005BE43 NUCLEAR REACTIONS <sup>10</sup>B(polarized p, p), (polarized p, p'), E=197 MeV; measured σ(E, θ), analyzing power, polarization transfer coefficients. Comparison with model predictions. JOUR PRVCA 71 064607
- 2005CU06 NUCLEAR REACTIONS <sup>7</sup>Li(<sup>7</sup>Li, <sup>11</sup>B), (<sup>7</sup>Li, <sup>12</sup>B), E=58 MeV; <sup>12</sup>C, <sup>16</sup>O(<sup>7</sup>Li, <sup>10</sup>B), E=58 MeV; measured particle spectra. <sup>10,11,12</sup>B deduced relative yields for α+Li and H+Be decay channels from excited states. JOUR PRVCA 72 044320
- 2005GL05 NUCLEAR REACTIONS <sup>12</sup>C(γ, π<sup>-</sup>p), (γ, π<sup>-</sup>2p), E=500 MeV bremsstrahlung; measured E<sub>p</sub>, pion spectra, σ(E, θ); deduced reaction mechanism features. JOUR PZETA 81 546

**A=10 (continued)**

- 2005SUZV NUCLEAR REACTIONS  $^{12}\text{C}$ (polarized d,  $\alpha$ ), E=130, 180 MeV; measured  $E\alpha$ , asymmetry; deduced beam polarization.  $^1\text{H}$ (polarized d, d), E=130, 180 MeV; measured analyzing powers. REPT CNS-REP-66,P34,Suda
- 2005TA19 NUCLEAR REACTIONS  $^{10}\text{B}$ ,  $^{16}\text{O}$ ( $\text{K}^-$ ,  $\pi^-$ ), E at 0.93 GeV / c;  $^{11}\text{B}$ ( $\pi^+$ ,  $\text{K}^+$ ), E at 1.05 GeV / c;  $^7\text{Li}$ ,  $^{10}\text{B}$ ( $\text{K}^-$ ,  $\gamma$ ), E at rest; measured  $E\gamma$ ,  $I\gamma$ .  $^7\text{Li}$ ,  $^9\text{Be}$ ,  $^{10,11}\text{B}$ ,  $^{16}\text{O}$  deduced hypernucleus levels, J,  $\pi$ . Hyperball array. JOUR NUPAB 754 58c
- 2005WAZW NUCLEAR REACTIONS Si( $^6\text{Li}$ , X), ( $^7\text{Be}$ , X), ( $^{10}\text{B}$ , X), ( $^9\text{C}$ , X), ( $^{10}\text{C}$ , X), ( $^{11}\text{C}$ , X), ( $^{12}\text{N}$ , X), ( $^{13}\text{O}$ , X), ( $^{15}\text{O}$ , X), ( $^{17}\text{Ne}$ , X), E=15-53 MeV / nucleon; measured reaction and proton-removal  $\sigma$ .  $^6\text{Li}$ ,  $^7\text{Be}$ ,  $^{10}\text{B}$ ,  $^{9,10,11}\text{C}$ ,  $^{12}\text{N}$ ,  $^{13,15}\text{O}$ ,  $^{17}\text{Ne}$  deduced radii. Comparisons with model predictions. PREPRINT nucl-ex/0507025,7/18/2005
- $^{10}\text{C}$  2005BA40 NUCLEAR REACTIONS  $^1\text{H}$ ( $^{16}\text{O}$ , X) $^1\text{H}$  /  $^2\text{H}$  /  $^3\text{H}$  /  $^3\text{He}$  /  $^4\text{He}$  /  $^5\text{He}$  /  $^6\text{He}$  /  $^5\text{Li}$  /  $^6\text{Li}$  /  $^7\text{Li}$  /  $^8\text{Li}$  /  $^7\text{Be}$  /  $^8\text{Be}$  /  $^9\text{Be}$  /  $^{10}\text{Be}$  /  $^9\text{B}$  /  $^{10}\text{B}$  /  $^{11}\text{B}$  /  $^{12}\text{B}$  /  $^{10}\text{C}$  /  $^{11}\text{C}$  /  $^{12}\text{C}$  /  $^{13}\text{C}$  /  $^{14}\text{C}$  /  $^{13}\text{N}$  /  $^{14}\text{N}$  /  $^{15}\text{N}$  /  $^{14}\text{O}$  /  $^{15}\text{O}$  /  $^{16}\text{O}$ , E at 3.25 GeV / c / nucleon; measured production  $\sigma$ . JOUR PZETA 81 174
- 2005J012 NUCLEAR REACTIONS  $^1\text{H}$ ( $^{10}\text{C}$ ,  $^{10}\text{C}$ ), ( $^{10}\text{C}$ ,  $^{10}\text{C}'$ ), E=45.3 MeV / nucleon;  $^1\text{H}$ ( $^{11}\text{C}$ ,  $^{11}\text{C}$ ), ( $^{11}\text{C}$ ,  $^{11}\text{C}'$ ), E=40.6 MeV / nucleon;  $^1\text{H}$ ( $^{12}\text{C}$ ,  $^{12}\text{C}$ ), ( $^{12}\text{C}$ ,  $^{12}\text{C}'$ ), E=36.3 MeV / nucleon; measured elastic and inelastic  $\sigma(\theta)$ .  $^{10,11}\text{C}$  deduced radii, transition matrix elements. JOUR PRVCA 72 014308
- 2005SA44 RADIOACTIVITY  $^{46}\text{V}$ (EC); analyzed masses; deduced Q(EC), log ft.  $^{10}\text{C}$ ,  $^{14}\text{O}$ ,  $^{22}\text{Mg}$ ,  $^{26m}\text{Al}$ ,  $^{34}\text{Cl}$ ,  $^{34}\text{Ar}$ ,  $^{38m}\text{K}$ ,  $^{42}\text{Sc}$ ,  $^{46}\text{V}$ ,  $^{50}\text{Mn}$ ,  $^{54}\text{Co}$ ,  $^{74}\text{Rb}$ ; compiled, analyzed log ft; deduced quark-mixing matrix element. JOUR PRLTA 95 102501
- 2005WAZW NUCLEAR REACTIONS Si( $^6\text{Li}$ , X), ( $^7\text{Be}$ , X), ( $^{10}\text{B}$ , X), ( $^9\text{C}$ , X), ( $^{10}\text{C}$ , X), ( $^{11}\text{C}$ , X), ( $^{12}\text{N}$ , X), ( $^{13}\text{O}$ , X), ( $^{15}\text{O}$ , X), ( $^{17}\text{Ne}$ , X), E=15-53 MeV / nucleon; measured reaction and proton-removal  $\sigma$ .  $^6\text{Li}$ ,  $^7\text{Be}$ ,  $^{10}\text{B}$ ,  $^{9,10,11}\text{C}$ ,  $^{12}\text{N}$ ,  $^{13,15}\text{O}$ ,  $^{17}\text{Ne}$  deduced radii. Comparisons with model predictions. PREPRINT nucl-ex/0507025,7/18/2005

**A=11**

- $^{11}\text{Li}$  2005BB01 ATOMIC MASSES  $^{11}\text{Li}$ ; measured mass; deduced two-neutron separation energy.  $^{11}\text{Be}$ ; measured mass. Transmission mass spectrometer. JOUR ZAANE 25 s01 31
- 2005HI03 RADIOACTIVITY  $^{11}\text{Li}$ ( $\beta^-$ ), ( $\beta^-n$ ); measured  $\beta$ -delayed  $E\gamma$ ,  $E_n$ , asymmetry following decay of spin-polarized source.  $^{10,11}\text{Be}$  deduced levels, J,  $\pi$ , S-factors. Comparison with antisymmetrized molecular dynamics model predictions. JOUR PYLBB 611 239
- $^{11}\text{Be}$  2005BB01 ATOMIC MASSES  $^{11}\text{Li}$ ; measured mass; deduced two-neutron separation energy.  $^{11}\text{Be}$ ; measured mass. Transmission mass spectrometer. JOUR ZAANE 25 s01 31



A=11 (*continued*)

- 2005HI03 RADIOACTIVITY  $^{11}\text{Li}(\beta^-)$ ,  $(\beta^-n)$ ; measured  $\beta$ -delayed  $E_\gamma$ ,  $E_n$ , asymmetry following decay of spin-polarized source.  $^{10,11}\text{Be}$  deduced levels,  $J$ ,  $\pi$ , S-factors. Comparison with antisymmetrized molecular dynamics model predictions. JOUR PYLBB 611 239
- 2005PA68 NUCLEAR REACTIONS  $\text{C}(^{12}\text{Be}, n^{11}\text{Be})$ ,  $E=39.3$  MeV / nucleon; measured  $E_n$ ,  $E_\gamma$ , projectile-like fragments spectra, relative energy spectra; deduced  $\sigma(E)$ .  $^{11}\text{Be}$  deduced excited states.  $^{12}\text{Be}$  deduced ground state configuration. Kinematically complete measurement. JOUR ZAANE 25 s01 349
- 2005PAZV NUCLEAR REACTIONS  $\text{C}(^{12}\text{Be}, ^{11}\text{BeX})$ ,  $E(\text{cm}) \approx 39.3$  MeV; measured  $E_\gamma$ ,  $E_n$ , (particle) $\gamma$ -, (particle)n-coin; deduced one-neutron removal  $\sigma(E)$ .  $^{11}\text{Be}$  levels deduced spectroscopic factors.  $^{12}\text{Be}$  deduced ground-state configuration. PREPRINT nucl-ex/0510048,10/16/2005
- 2005PAZZ NUCLEAR REACTIONS  $^{12}\text{C}(^{12}\text{Be}, n^{11}\text{Be})$ ,  $E=41$  MeV / nucleon; measured  $E_\gamma$ ,  $I_\gamma$ , particle spectra,  $\sigma(E)$ .  $^{11}\text{Be}$  deduced levels.  $^{12}\text{Be}$  deduced ground state configuration. CONF Argonne(Nuclei at the Limits),P373,Pain
- 2005YE05 NUCLEAR REACTIONS  $^9\text{Be}(^6\text{He}, ^6\text{He})$ ,  $(^6\text{He}, ^5\text{He})$ ,  $(^6\text{He}, \alpha)$ ,  $(^6\text{He}, \alpha X)$ ,  $(^6\text{He}, tX)$ ,  $E=25$  MeV / nucleon; measured quasielastic, breakup, and transfer  $\sigma(\theta)$ .  $^6\text{He}$  deduced two-triton configuration. JOUR JPGPE 31 S1647
- $^{11}\text{B}$  2004REZY NUCLEAR REACTIONS  $^1\text{H}(^{11}\text{C}, p)$ ,  $(^{11}\text{C}, \alpha)$ ,  $E^*=8.7-9.9$  MeV; measured particle spectra, angular distributions,  $\sigma$ .  $^8\text{Be}(\alpha, p)$ ,  $E^*=8.7-9.9$  MeV; deduced excitation function, astrophysical reaction rates. REPT ANL-04/22,P3,Rehm
- 2005BA40 NUCLEAR REACTIONS  $^1\text{H}(^{16}\text{O}, X)^1\text{H} / ^2\text{H} / ^3\text{H} / ^3\text{He} / ^4\text{He} / ^5\text{He} / ^6\text{He} / ^5\text{Li} / ^6\text{Li} / ^7\text{Li} / ^8\text{Li} / ^7\text{Be} / ^8\text{Be} / ^9\text{Be} / ^{10}\text{Be} / ^9\text{B} / ^{10}\text{B} / ^{11}\text{B} / ^{12}\text{B} / ^{10}\text{C} / ^{11}\text{C} / ^{12}\text{C} / ^{13}\text{C} / ^{14}\text{C} / ^{13}\text{N} / ^{14}\text{N} / ^{15}\text{N} / ^{14}\text{O} / ^{15}\text{O} / ^{16}\text{O}$ ,  $E$  at  $3.25$  GeV /  $c$  / nucleon; measured production  $\sigma$ . JOUR PZETA 81 174
- 2005BU33 NUCLEAR REACTIONS  $^{11}\text{B}(\alpha, \alpha)$ ,  $(\alpha, \alpha')$ ,  $E=40, 50$  MeV; measured  $E_\alpha$ , elastic and inelastic  $\sigma(\theta)$ ; deduced optical model parameters.  $^{11}\text{B}$  deduced spectroscopic factors, deformation parameters. JOUR YAFIA 68 1356
- 2005CU06 NUCLEAR REACTIONS  $^7\text{Li}(^7\text{Li}, ^{11}\text{B})$ ,  $(^7\text{Li}, ^{12}\text{B})$ ,  $E=58$  MeV;  $^{12}\text{C}$ ,  $^{16}\text{O}(^7\text{Li}, ^{10}\text{B})$ ,  $E=58$  MeV; measured particle spectra.  $^{10,11,12}\text{B}$  deduced relative yields for  $\alpha+\text{Li}$  and  $\text{H}+\text{Be}$  decay channels from excited states. JOUR PRVCA 72 044320
- 2005ISZZ NUCLEAR REACTIONS  $^4\text{He}(^8\text{Li}, n)$ ,  $E=14.6$  MeV;  $^4\text{He}(^{16}\text{N}, n)$ ,  $E=32$  MeV; measured  $E_n$ , excitation energy spectra.  $^{16}\text{N}(\alpha, n)$ ,  $E(\text{cm}) \approx 1-4.5$  MeV;  $^8\text{Li}(\alpha, n)$ ,  $E \approx 0.5-3$  MeV; deduced excitation functions. CONF Riken(Origin of Matter) Proc,P316,Ishiyama
- 2005KAZU NUCLEAR REACTIONS  $^{11}\text{B}(d, d')$ ,  $E=200$  MeV; measured  $\sigma(E, \theta)$ .  $^{11}\text{B}$  levels deduced isoscalar monopole and quadrupole strengths, cluster structure. Comparison with antisymmetrized molecular dynamics model predictions. PREPRINT nucl-ex/0512040,12/25/2005
- 2005KAZV NUCLEAR REACTIONS  $^{11}\text{B}(\text{polarized } d, d)$ ,  $(\text{polarized } d, d')$ ,  $E=200$  MeV; measured  $\sigma(E, \theta)$ .  $^{11}\text{B}$  deduced levels,  $B(E2)$ . Comparison with model predictions. REPT CNS-REP-66,P40,Kawabata

A=11 (*continued*)

- 2005MA45 RADIOACTIVITY  ${}^5\text{He}$ ,  ${}^{11}\text{B}$ ,  ${}^{12}\text{C}$ ; measured proton decay asymmetry parameters from polarized hypernuclei. JOUR NUPAB 754 168c
- 2005ME05 NUCLEAR REACTIONS  ${}^{14}\text{C}({}^{11}\text{B}, {}^{11}\text{B})$ ,  $({}^{11}\text{B}, {}^{14}\text{C})$ , E=45 MeV; measured  $\sigma(E, \theta)$ ; deduced optical model parameters.  ${}^{14}\text{C}$  levels deduced deformation parameters, single-particle structure. Coupled-channels analysis. JOUR NUPAB 753 13
- 2005MI19 NUCLEAR REACTIONS  ${}^{11}\text{B}(\pi^+, \text{K}^+)$ , E not given; measured  $E\gamma$ ,  $I\gamma$ , DSA.  ${}^{11}\text{B}$  deduced hypernucleus transitions. Hyperball array, comparison with model predictions. JOUR NUPAB 754 75c
- 2005M004 NUCLEAR REACTIONS  ${}^{12}\text{C}(e, e'p)$ , E=379-585 MeV; measured excitation energy spectra, momentum distributions; deduced longitudinal and transverse response functions.  ${}^{12}\text{C}(e, e'p)$ , E=379-585 MeV;  ${}^{12}\text{C}(\gamma, p)$ , E=61.8, 71.6 MeV; analyzed transverse reduced  $\sigma$ , role of two-body currents. JOUR PRVCA 71 014607
- 2005NIZU NUCLEAR REACTIONS  ${}^4\text{He}({}^8\text{Li}, n)$ , E(cm)  $\approx$  0.5 MeV; measured particle spectra. REPT CNS-REP-66,P9,Nishimura
- 2005PR02 NUCLEAR REACTIONS  ${}^4\text{He}, {}^{12}\text{C}(\text{polarized } e, e'p)$ , E=2.261, 4.461 GeV; measured single spin azimuthal asymmetries vs missing momentum, missing energy; deduced final state interaction effects. Comparisons with model predictions. JOUR NUPAB 748 357
- 2005R0ZX NUCLEAR REACTIONS  ${}^{12}\text{C}(e, e'p)$ , E=3.123, 3.298 GeV; measured electron and proton spectra; deduced nuclear transparency. PREPRINT nucl-ex/0506007,6/05/2005
- 2005RU18 NUCLEAR REACTIONS  ${}^7\text{Li}({}^{11}\text{B}, X)$ , E=44 MeV; measured particle spectra, charge distributions.  ${}^7\text{Li}({}^{11}\text{B}, {}^{11}\text{B})$ ,  $({}^{11}\text{B}, {}^{11}\text{B}')$ , E=44 MeV; measured  $\sigma(E, \theta)$ ;  ${}^{11}\text{B}({}^7\text{Li}, {}^7\text{Li})$ ,  $({}^7\text{Li}, {}^7\text{Li}')$ , E=34 MeV; analyzed  $\sigma(E, \theta)$ ; deduced optical model parameters, transfer channel contributions, reorientation effects.  ${}^7\text{Li}$ ,  ${}^{11}\text{B}$  deduced deformation parameters. Optical model and coupled-reaction-channels analysis. JOUR PRVCA 72 034608
- 2005SH51 NUCLEAR REACTIONS  ${}^4\text{He}(\gamma, p)$ ,  $(\gamma, n)$ ,  $(\gamma, np)$ , E=21.8-29.8 MeV;  ${}^{12}\text{C}(\gamma, p)$ ,  $(\gamma, n)$ , E=22.3-32 MeV; measured charged particle spectra, photodisintegration  $\sigma$ ,  $\sigma(\theta)$ . Monoenergetic pulsed photons, comparison with previous results and model predictions. JOUR PRVCA 72 044004
- 2005S013 NUCLEAR REACTIONS  ${}^{16}\text{O}({}^9\text{Be}, \alpha{}^7\text{Be})$ ,  ${}^7\text{Li}({}^9\text{Be}, \alpha{}^7\text{Li})$ ,  $({}^9\text{Be}, t2\alpha)$ , E=55, 70 MeV; measured excitation energy spectra.  ${}^{11}\text{B}$ ,  ${}^{11}\text{C}$  deduced excited states energies, configurations. JOUR JPGPE 31 S1701
- 2005S0ZZ NUCLEAR REACTIONS  ${}^{16}\text{O}({}^9\text{Be}, \alpha{}^7\text{Be})$ ,  ${}^7\text{Li}({}^9\text{Be}, \alpha{}^7\text{Li})$ ,  $({}^9\text{Be}, t2\alpha)$ , E=55, 70 MeV; measured particle spectra.  ${}^{11}\text{C}$ ,  ${}^{11}\text{B}$  deduced excited states energies, cluster structure, decay features. PREPRINT nucl-ex/0504026,4/25/2005
- 2005TA19 NUCLEAR REACTIONS  ${}^{10}\text{B}$ ,  ${}^{16}\text{O}(\text{K}^-, \pi^-)$ , E at 0.93 GeV / c;  ${}^{11}\text{B}(\pi^+, \text{K}^+)$ , E at 1.05 GeV / c;  ${}^7\text{Li}$ ,  ${}^{10}\text{B}(\text{K}^-, \gamma)$ , E at rest; measured  $E\gamma$ ,  $I\gamma$ .  ${}^7\text{Li}$ ,  ${}^9\text{Be}$ ,  ${}^{10,11}\text{B}$ ,  ${}^{16}\text{O}$  deduced hypernucleus levels, J,  $\pi$ . Hyperball array. JOUR NUPAB 754 58c
- ${}^{11}\text{C}$  2004B047 NUCLEAR REACTIONS  ${}^{12}\text{C}(e, e'\pi^-p)$ , E=855 MeV; measured  $\Delta$ -particle production associated carbon, pion, and proton spectra; deduced medium effects. JOUR FIZBE 13 507

**A=11 (continued)**

- 2004REZY NUCLEAR REACTIONS  $^1\text{H}(^{11}\text{C}, \text{p}), (^{11}\text{C}, \alpha)$ ,  $E^*=8.7\text{-}9.9$  MeV; measured particle spectra, angular distributions,  $\sigma$ .  $^8\text{Be}(\alpha, \text{p})$ ,  $E^*=8.7\text{-}9.9$  MeV; deduced excitation function, astrophysical reaction rates. REPT ANL-04/22,P3,Rehm
- 2005BA40 NUCLEAR REACTIONS  $^1\text{H}(^{16}\text{O}, \text{X})^1\text{H} / ^2\text{H} / ^3\text{H} / ^3\text{He} / ^4\text{He} / ^5\text{He} / ^6\text{He} / ^5\text{Li} / ^6\text{Li} / ^7\text{Li} / ^8\text{Li} / ^7\text{Be} / ^8\text{Be} / ^9\text{Be} / ^{10}\text{Be} / ^9\text{B} / ^{10}\text{B} / ^{11}\text{B} / ^{12}\text{B} / ^{10}\text{C} / ^{11}\text{C} / ^{12}\text{C} / ^{13}\text{C} / ^{14}\text{C} / ^{13}\text{N} / ^{14}\text{N} / ^{15}\text{N} / ^{14}\text{O} / ^{15}\text{O} / ^{16}\text{O}$ , E at 3.25 GeV / c / nucleon; measured production  $\sigma$ . JOUR PZETA 81 174
- 2005GL05 NUCLEAR REACTIONS  $^{12}\text{C}(\gamma, \pi^- \text{p}), (\gamma, \pi^- 2\text{p})$ ,  $E=500$  MeV bremsstrahlung; measured  $E_p$ , pion spectra,  $\sigma(E, \theta)$ ; deduced reaction mechanism features. JOUR PZETA 81 546
- 2005J012 NUCLEAR REACTIONS  $^1\text{H}(^{10}\text{C}, ^{10}\text{C}), (^{10}\text{C}, ^{10}\text{C}')$ ,  $E=45.3$  MeV / nucleon;  $^1\text{H}(^{11}\text{C}, ^{11}\text{C}), (^{11}\text{C}, ^{11}\text{C}')$ ,  $E=40.6$  MeV / nucleon;  $^1\text{H}(^{12}\text{C}, ^{12}\text{C}), (^{12}\text{C}, ^{12}\text{C}')$ ,  $E=36.3$  MeV / nucleon; measured elastic and inelastic  $\sigma(\theta)$ .  $^{10,11}\text{C}$  deduced radii, transition matrix elements. JOUR PRVCA 72 014308
- 2005KI09 NUCLEAR REACTIONS  $^{12}\text{C}(\text{p}, \text{d})$ ,  $E=45$  MeV; measured deuteron spectra,  $\sigma(E, \theta)$ . JOUR KPSJA 46 1318
- 2005SH51 NUCLEAR REACTIONS  $^4\text{He}(\gamma, \text{p}), (\gamma, \text{n}), (\gamma, \text{np})$ ,  $E=21.8\text{-}29.8$  MeV;  $^{12}\text{C}(\gamma, \text{p}), (\gamma, \text{n})$ ,  $E=22.3\text{-}32$  MeV; measured charged particle spectra, photodisintegration  $\sigma, \sigma(\theta)$ . Monoenergetic pulsed photons, comparison with previous results and model predictions. JOUR PRVCA 72 044004
- 2005S013 NUCLEAR REACTIONS  $^{16}\text{O}(^9\text{Be}, \alpha^7\text{Be}), ^7\text{Li}(^9\text{Be}, \alpha^7\text{Li}), (^9\text{Be}, \text{t}2\alpha)$ ,  $E=55, 70$  MeV; measured excitation energy spectra.  $^{11}\text{B}, ^{11}\text{C}$  deduced excited states energies, configurations. JOUR JPGPE 31 S1701
- 2005S0ZZ NUCLEAR REACTIONS  $^{16}\text{O}(^9\text{Be}, \alpha^7\text{Be}), ^7\text{Li}(^9\text{Be}, \alpha^7\text{Li}), (^9\text{Be}, \text{t}2\alpha)$ ,  $E=55, 70$  MeV; measured particle spectra.  $^{11}\text{C}, ^{11}\text{B}$  deduced excited states energies, cluster structure, decay features. PREPRINT nucl-ex/0504026,4/25/2005
- 2005WAZW NUCLEAR REACTIONS  $\text{Si}(^6\text{Li}, \text{X}), (^7\text{Be}, \text{X}), (^{10}\text{B}, \text{X}), (^9\text{C}, \text{X}), (^{10}\text{C}, \text{X}), (^{11}\text{C}, \text{X}), (^{12}\text{N}, \text{X}), (^{13}\text{O}, \text{X}), (^{15}\text{O}, \text{X}), (^{17}\text{Ne}, \text{X})$ ,  $E=15\text{-}53$  MeV / nucleon; measured reaction and proton-removal  $\sigma$ .  $^6\text{Li}, ^7\text{Be}, ^{10}\text{B}, ^9,^{10,11}\text{C}, ^{12}\text{N}, ^{13,15}\text{O}, ^{17}\text{Ne}$  deduced radii. Comparisons with model predictions. PREPRINT nucl-ex/0507025,7/18/2005

**A=12**

- $^{12}\text{Be}$  2005IMZZ NUCLEAR REACTIONS  $^{197}\text{Au}(^{12}\text{Be}, ^{12}\text{Be}')$ ,  $E=40.3$  MeV / nucleon; measured  $E_\gamma, I_\gamma$ , (particle) $\gamma$ -coin, DSA following projectile Coulomb excitation.  $^{12}\text{Be}$  deduced transition. REPT RIKEN 2004 Annual,P41,Imai
- 2005PA68 NUCLEAR REACTIONS  $\text{C}(^{12}\text{Be}, \text{n}^{11}\text{Be})$ ,  $E=39.3$  MeV / nucleon; measured  $E_n, E_\gamma$ , projectile-like fragments spectra, relative energy spectra; deduced  $\sigma(E)$ .  $^{11}\text{Be}$  deduced excited states.  $^{12}\text{Be}$  deduced ground state configuration. Kinematically complete measurement. JOUR ZAANE 25 s01 349

A=12 (*continued*)

- 2005PAZV NUCLEAR REACTIONS C( $^{12}\text{Be}$ ,  $^{11}\text{BeX}$ ),  $E(\text{cm}) \approx 39.3$  MeV; measured  $E\gamma$ ,  $E_n$ , (particle) $\gamma$ -, (particle)n-coin; deduced one-neutron removal  $\sigma(E)$ .  $^{11}\text{Be}$  levels deduced spectroscopic factors.  $^{12}\text{Be}$  deduced ground-state configuration. PREPRINT nucl-ex/0510048,10/16/2005
- 2005PAZZ NUCLEAR REACTIONS  $^{12}\text{C}(^{12}\text{Be}$ , n $^{11}\text{Be}$ ),  $E=41$  MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ , particle spectra,  $\sigma(E)$ .  $^{11}\text{Be}$  deduced levels.  $^{12}\text{Be}$  deduced ground state configuration. CONF Argonne(Nuclei at the Limits),P373,Pain
- $^{12}\text{B}$  2004FU34 NUCLEAR REACTIONS C(e, e' $\text{K}^+$ ),  $E=1.8$  GeV; measured missing mass spectrum.  $^{12}\text{B}$  deduced hypernucleus excited states. JOUR FIZBE 13 645
- 2005BA40 NUCLEAR REACTIONS  $^1\text{H}(^{16}\text{O}$ , X) $^1\text{H} / ^2\text{H} / ^3\text{H} / ^3\text{He} / ^4\text{He} / ^5\text{He} / ^6\text{He} / ^5\text{Li} / ^6\text{Li} / ^7\text{Li} / ^8\text{Li} / ^7\text{Be} / ^8\text{Be} / ^9\text{Be} / ^{10}\text{Be} / ^9\text{B} / ^{10}\text{B} / ^{11}\text{B} / ^{12}\text{B} / ^{10}\text{C} / ^{11}\text{C} / ^{12}\text{C} / ^{13}\text{C} / ^{14}\text{C} / ^{13}\text{N} / ^{14}\text{N} / ^{15}\text{N} / ^{14}\text{O} / ^{15}\text{O} / ^{16}\text{O}$ ,  $E$  at 3.25 GeV / c / nucleon; measured production  $\sigma$ . JOUR PZETA 81 174
- 2005CU06 NUCLEAR REACTIONS  $^7\text{Li}(^7\text{Li}$ ,  $^{11}\text{B}$ ), ( $^7\text{Li}$ ,  $^{12}\text{B}$ ),  $E=58$  MeV;  $^{12}\text{C}$ ,  $^{16}\text{O}(^7\text{Li}$ ,  $^{10}\text{B}$ ),  $E=58$  MeV; measured particle spectra.  $^{10,11,12}\text{B}$  deduced relative yields for  $\alpha+\text{Li}$  and  $\text{H}+\text{Be}$  decay channels from excited states. JOUR PRVCA 72 044320
- 2005DI16 RADIOACTIVITY  $^{12}\text{B}(\beta^-)$ , ( $\beta^-3\alpha$ ) [from Ta(p, X)]; measured  $\beta$ -delayed  $E\alpha$ ,  $\alpha\alpha$ -coin.  $^{12}\text{C}$  deduced excited states, J,  $\pi$ . R-matrix analysis. JOUR NUPAB 760 3
- 2005GA09 NUCLEAR REACTIONS  $^9\text{Be}$ ,  $^{12}\text{C}(e$ , e' $\text{K}^+$ ),  $E=4$  GeV; measured hypernucleus production associated missing energy spectra. JOUR ZAANE 24 s01 91
- 2005KA06 NUCLEAR REACTIONS  $^1\text{H}(^{17}\text{B}$ , X) $^{17}\text{B} / ^{15}\text{B} / ^{14}\text{B} / ^{13}\text{B} / ^{12}\text{B}$ ,  $E \approx 43$  MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin, relative yields.  $^{15,17}\text{B}$  deduced levels, J,  $\pi$ . Comparison with model predictions. JOUR PYLBB 608 206
- 2005K013 NUCLEAR REACTIONS  $^{12}\text{C}(^{17}\text{B}$ ,  $^{17}\text{B}'$ ), ( $^{17}\text{B}$ ,  $^{15}\text{BX}$ ), ( $^{15}\text{B}$ ,  $^{15}\text{B}'$ ), ( $^{17}\text{B}$ ,  $^{14}\text{BX}$ ), ( $^{17}\text{B}$ ,  $^{12}\text{BX}$ ), ( $^{15}\text{B}$ ,  $^{14}\text{BX}$ ), ( $^{15}\text{B}$ ,  $^{12}\text{BX}$ ),  $E \approx 70$  MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin.  $^{12}\text{C}(^{17}\text{B}$ ,  $^{17}\text{B}'$ ), ( $^{15}\text{B}$ ,  $^{15}\text{B}'$ ),  $E \approx 70$  MeV; measured  $\sigma(E, \theta)$ .  $^{15,17}\text{B}$  deduced levels, transitions, quadrupole deformation lengths.  $^{12,14}\text{B}$  deduced transitions. JOUR PRVCA 71 044611
- $^{12}\text{C}$  2005AG04 NUCLEAR REACTIONS  $^{6,7}\text{Li}$ ,  $^{12}\text{C}$ ,  $^{27}\text{Al}$ ,  $^{51}\text{V}(\text{K}^-$ ,  $\pi^-X)$ ,  $E$  at rest; measured hypernucleus production associated mass spectra; deduced hypernucleus decay features.  $^{12}\text{C}$  deduced hypernucleus binding energies. JOUR NUPAB 752 139c
- 2005AG09 NUCLEAR REACTIONS  $^{6,7}\text{Li}$ ,  $^{12}\text{C}$ ,  $^{27}\text{Al}$ ,  $^{51}\text{V}(\text{K}^-$ ,  $\pi^-X)$ ,  $E$  at rest; measured hypernucleus production associated mass spectra; deduced hypernucleus decay features.  $^{12}\text{C}$  deduced hypernucleus ground and excited state energies. JOUR NUPAB 754 399c
- 2005AG11 NUCLEAR REACTIONS  $^{12}\text{C}(\text{K}^-$ ,  $\pi^-)$ ,  $E$  at rest; measured hypernucleus production associated excitation energy spectra.  $^{12}\text{C}$  deduced hyperon binding energies. JOUR PYLBB 622 35

**A=12 (continued)**

- 2005AL37 NUCLEAR REACTIONS  $^{12}\text{C}(^3\text{He}, t\pi^+)$ ,  $E=2$  GeV; measured excitation energy spectra.  $^1\text{H}(d, d'X)$ ,  $(\alpha, \alpha'X)$ ,  $E \approx 1$  GeV / nucleon; measured missing mass spectra. JOUR NIMAE 551 290
- 2005BA40 NUCLEAR REACTIONS  $^1\text{H}(^{16}\text{O}, X)^1\text{H} / ^2\text{H} / ^3\text{H} / ^3\text{He} / ^4\text{He} / ^5\text{He} / ^6\text{He} / ^5\text{Li} / ^6\text{Li} / ^7\text{Li} / ^8\text{Li} / ^7\text{Be} / ^8\text{Be} / ^9\text{Be} / ^{10}\text{Be} / ^9\text{B} / ^{10}\text{B} / ^{11}\text{B} / ^{12}\text{B} / ^{10}\text{C} / ^{11}\text{C} / ^{12}\text{C} / ^{13}\text{C} / ^{14}\text{C} / ^{13}\text{N} / ^{14}\text{N} / ^{15}\text{N} / ^{14}\text{O} / ^{15}\text{O} / ^{16}\text{O}$ ,  $E$  at 3.25 GeV /  $c$  / nucleon; measured production  $\sigma$ . JOUR PZETA 81 174
- 2005B022 NUCLEAR REACTIONS  $^{12}\text{C}(^3\text{He}, t\pi^+)$ ,  $E=2$  GeV;  $^{12}\text{C}(^{12}\text{C}, ^{12}\text{N}\pi^-)$ ,  $E=1.1$  GeV / nucleon; measured  $\sigma(E, \theta)$ . JOUR NUPAB 755 507c
- 2005DA42 NUCLEAR REACTIONS  $^{12}\text{C}(^{132}\text{Te}, ^{132}\text{Te}')$ ,  $(^{130}\text{Te}, ^{130}\text{Te}')$ ,  $(^{126}\text{Te}, ^{126}\text{Te}')$ ,  $(^{122}\text{Te}, ^{122}\text{Te}')$ ,  $E=3$  MeV / nucleon; measured  $E\gamma$ ,  $I\gamma(\theta)$ , (particle) $\gamma$ -coin following projectile Coulomb excitation.  $^{132}\text{Te}$  level deduced g-factor. Recoil-in-vacuum technique. JOUR NIMBE 241 971
- 2005DI16 RADIOACTIVITY  $^{12}\text{B}(\beta^-)$ ,  $(\beta^-3\alpha)$  [from  $\text{Ta}(p, X)$ ]; measured  $\beta$ -delayed  $E\alpha$ ,  $\alpha\alpha$ -coin.  $^{12}\text{C}$  deduced excited states,  $J$ ,  $\pi$ . R-matrix analysis. JOUR NUPAB 760 3
- 2005G036 ATOMIC MASSES  $^{12}\text{C}$ ,  $^{16}\text{O}$ ,  $^{20}\text{Ne}$ ,  $^{32}\text{S}$ ,  $^{36,40}\text{Ar}$ ; measured masses. Cyclotron-based mass spectrometry. JOUR JPGPE 31 S1869
- 2005GR25 NUCLEAR REACTIONS  $^{64}\text{Ni}(^{132}\text{Sn}, X)$ ,  $(^{134}\text{Sn}, X)$ ,  $E=450-620$  MeV; measured fusion  $\sigma$ .  $\text{C}(^{130}\text{Te}, ^{130}\text{Te}')$ ,  $(^{132}\text{Te}, ^{132}\text{Te}')$ ,  $E=3$  MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation.  $^{132}\text{Te}$  level deduced g factor.  $^{13}\text{C}(^{134}\text{Te}, ^{135}\text{Te})$ ,  $E=550$  MeV; measured  $E\gamma$ ,  $I\gamma$ .  $^{135}\text{Te}$  level deduced  $J$ ,  $\pi$ . JOUR JPGPE 31 S1639
- 2005KA23 NUCLEAR REACTIONS  $^6\text{Li}$ ,  $^{12}\text{C}(\pi^+, K^+)$ ,  $(\pi^+, pX)$ ,  $E$  at 1.05 GeV /  $c$ ; measured excitation energy spectra, proton spectra following hypernucleus decay.  $^5\text{He}$  deduced hypernucleus decay width. JOUR NUPAB 754 173c
- 2005KN02 RADIOACTIVITY  $^{13}\text{O}(\beta^+p)$  [from  $^{14}\text{N}(p, 2n)$ ]; measured  $\beta$ -delayed  $E_p$ ,  $I_p$ ; deduced log ft.  $^{13}\text{N}$  deduced branching ratios for proton decay from excited states. JOUR PRVCA 72 044312
- 2005K013 NUCLEAR REACTIONS  $^{12}\text{C}(^{17}\text{B}, ^{17}\text{B}')$ ,  $(^{17}\text{B}, ^{15}\text{BX})$ ,  $(^{15}\text{B}, ^{15}\text{B}')$ ,  $(^{17}\text{B}, ^{14}\text{BX})$ ,  $(^{17}\text{B}, ^{12}\text{BX})$ ,  $(^{15}\text{B}, ^{14}\text{BX})$ ,  $(^{15}\text{B}, ^{12}\text{BX})$ ,  $E \approx 70$  MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin.  $^{12}\text{C}(^{17}\text{B}, ^{17}\text{B}')$ ,  $(^{15}\text{B}, ^{15}\text{B}')$ ,  $E \approx 70$  MeV; measured  $\sigma(E, \theta)$ .  $^{15,17}\text{B}$  deduced levels, transitions, quadrupole deformation lengths.  $^{12,14}\text{B}$  deduced transitions. JOUR PRVCA 71 044611
- 2005KU36 NUCLEAR REACTIONS  $^{15}\text{N}(p, \alpha\gamma)$ ,  $E \approx 429, 897$  keV; measured  $\gamma$ -ray yields for nitrogen in various materials; deduced depth profiles. JOUR NIMBE 240 704
- 2005MA45 RADIOACTIVITY  $^5\text{He}$ ,  $^{11}\text{B}$ ,  $^{12}\text{C}$ ; measured proton decay asymmetry parameters from polarized hypernuclei. JOUR NUPAB 754 168c
- 2005OK02 NUCLEAR REACTIONS  $^6\text{Li}(\pi^+, K^+p)$ ,  $^{12}\text{C}(\pi^+, K^+)$ ,  $E$  at 1.05 GeV /  $c$ ; measured nucleon-nucleon pair spectra, yields following hypernucleus decay; deduced hyperon decay widths. JOUR NUPAB 752 196c

**A=12 (continued)**

- 20050K04 NUCLEAR REACTIONS  ${}^6\text{Li}$ ,  ${}^{12}\text{C}(\pi^+, \text{K}^+)$ , E at 1.05 GeV / c; measured excitation energy spectra,  $\gamma$ -spectra from neutral pion decay.  ${}^5\text{He}$ ,  ${}^{12}\text{C}$  deduced hypernucleus decay branching ratios. JOUR NUPAB 754 178c
- 20050U02 NUCLEAR REACTIONS  ${}^6\text{Li}$ ,  ${}^{12}\text{C}(\pi^+, \text{K}^+)$ , E not given; measured hypernucleus excitation energy spectra, nn-, np-coin following hypernucleus decay.  ${}^5\text{He}$ ,  ${}^{12}\text{C}$  deduced hypernucleus decay widths, branching ratios. JOUR NUPAB 754 157c
- 2005PAZZ NUCLEAR REACTIONS  ${}^{12}\text{C}({}^{12}\text{Be}, \text{n}^{11}\text{Be})$ , E=41 MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ , particle spectra,  $\sigma(E)$ .  ${}^{11}\text{Be}$  deduced levels.  ${}^{12}\text{Be}$  deduced ground state configuration. CONF Argonne(Nuclei at the Limits),P373,Pain
- 2005R029 NUCLEAR REACTIONS  ${}^{12}\text{C}(\text{polarized n}, \text{n})$ , E=2.2-8.5 MeV; measured  $A\gamma(\theta)$ . Comparison with previous data and model predictions. JOUR PRVCA 72 024605
- 2005SA03 NUCLEAR REACTIONS  ${}^{10}\text{B}(\pi^-, \text{K}^+)$ ,  ${}^{10}\text{B}$ ,  ${}^{12}\text{C}(\pi^+, \text{K}^+)$ , E at 1.05, 1.2 GeV / c; measured missing mass spectra, hypernucleus production  $\sigma$ . JOUR PRLTA 94 052502
- 2005SA04 NUCLEAR REACTIONS  ${}^{12}\text{C}$ ,  ${}^{28}\text{Si}$ ,  ${}^{27}\text{Al}$ ,  $\text{Fe}(\pi^+, \text{K}^+)$ , E at 1.06 GeV / c; measured hypernucleus mass spectra, pion and proton spectra following hypernucleus decay.  ${}^{12}\text{C}$ ,  ${}^{28}\text{Si}$ ,  ${}^{27}\text{Al}$ ,  $\text{Fe}$  deduced mesonic and nonmesonic hypernucleus decay widths. Comparison with model predictions. JOUR PRVCA 71 025203
- 2005SAZX NUCLEAR REACTIONS  ${}^{12}\text{C}({}^{24}\text{Mg}, {}^{20}\text{Ne})$ ,  $({}^{24}\text{Mg}, {}^{212}\text{C})$ , E=130 MeV; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -, (particle)(particle)-coin.  ${}^{16}\text{O}$  deduced transitions, branching ratio. Euroball IV array. CONF Bormio (XLIII Winter Meeting) Proc,P224
- 2005S014 NUCLEAR REACTIONS  ${}^{12}\text{C}({}^6\text{Li}, \text{d}\alpha)$ , E=26 MeV;  ${}^{59}\text{Co}({}^6\text{Li}, \text{d}\alpha)$ , E=30 MeV; measured particle spectra,  $\sigma(\theta(\alpha), \theta(\text{d}))$ , three-body final state correlations; deduced reaction mechanism features. JOUR BJPHE 35 888
- ${}^{12}\text{N}$  2005LI40 NUCLEAR REACTIONS  ${}^2\text{H}({}^7\text{Be}, \text{n})$ ,  $({}^{11}\text{C}, \text{n})$ ,  $({}^8\text{Li}, \text{p})$ , E  $\approx$  5.8-9.8 MeV; measured  $\sigma(\theta)$ , total  $\sigma$ ; deduced astrophysical S-factors. JOUR NUPAB 758 110c
- 2005WAZW NUCLEAR REACTIONS  $\text{Si}({}^6\text{Li}, \text{X})$ ,  $({}^7\text{Be}, \text{X})$ ,  $({}^{10}\text{B}, \text{X})$ ,  $({}^9\text{C}, \text{X})$ ,  $({}^{10}\text{C}, \text{X})$ ,  $({}^{11}\text{C}, \text{X})$ ,  $({}^{12}\text{N}, \text{X})$ ,  $({}^{13}\text{O}, \text{X})$ ,  $({}^{15}\text{O}, \text{X})$ ,  $({}^{17}\text{Ne}, \text{X})$ , E=15-53 MeV / nucleon; measured reaction and proton-removal  $\sigma$ .  ${}^6\text{Li}$ ,  ${}^7\text{Be}$ ,  ${}^{10}\text{B}$ ,  ${}^{9,10,11}\text{C}$ ,  ${}^{12}\text{N}$ ,  ${}^{13,15}\text{O}$ ,  ${}^{17}\text{Ne}$  deduced radii. Comparisons with model predictions. PREPRINT nucl-ex/0507025,7/18/2005

**A=13**

- ${}^{13}\text{B}$  2004GU21 NUCLEAR REACTIONS  ${}^9\text{Be}({}^{14}\text{B}, {}^{13}\text{BX})$ , E=60 MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ , particle momentum distribution,  $\sigma(E)$ .  ${}^{13}\text{B}$  deduced levels, J,  $\pi$ , asymptotic normalization coefficients.  ${}^2\text{H}({}^8\text{B}, \alpha)$ , E=28.5 MeV; measured  $E\alpha$ . JOUR BJPHE 34 1012
- 2005GEZY NUCLEAR REACTIONS  ${}^{11}\text{B}(\text{t}, \text{p})$ , E=2.6-7 MeV; measured  $\sigma$ . CONF St Petersburg,P172,Generalov

## A=13 (continued)

- 2005GEZY RADIOACTIVITY  $^{13}\text{B}(\beta^-)$  [from  $^{11}\text{B}(t, p)$ ]; measured  $T_{1/2}$ . CONF St Petersburg,P172,Generalov
- 2005KA06 NUCLEAR REACTIONS  $^1\text{H}(^{17}\text{B}, X)^{17}\text{B} / ^{15}\text{B} / ^{14}\text{B} / ^{13}\text{B} / ^{12}\text{B}$ ,  $E \approx 43$  MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin, relative yields.  $^{15,17}\text{B}$  deduced levels,  $J$ ,  $\pi$ . Comparison with model predictions. JOUR PYLBB 608 206
- $^{13}\text{C}$  2004S035 NUCLEAR REACTIONS  $^7\text{Li}(^7\text{Li}, 2\alpha)$ ,  $E=8, 30$  MeV;  $^9\text{Be}(^7\text{Li}, ^7\text{Li})$ ,  $(^7\text{Li}, \alpha^6\text{Li})$ ,  $(^7\text{Li}, \alpha^7\text{Li})$ ,  $E=52$  MeV;  $^7\text{Li}(^9\text{Be}, \alpha^9\text{Be})$ ,  $(^9\text{Be}, \alpha^{10}\text{Be})$ ,  $E=70$  MeV; measured excitation energy spectra.  $^9,^{10}\text{Be}$ ,  $^{13,14}\text{C}$  deduced excited states, cluster structures. JOUR FIZBE 13 433
- 2005AN15 NUCLEAR MOMENTS  $^{13}\text{C}$ ,  $^{14,15}\text{N}$ ,  $^{17}\text{O}$ ,  $^{19}\text{F}$ ,  $^{31}\text{P}$ ,  $^{33}\text{S}$ ; measured NMR spectra; deduced  $\mu$ . JOUR CHPLB 411 111
- 2005AS04 NUCLEAR REACTIONS  $^{12}\text{C}(^{10}\text{Be}, 2\alpha)$ ,  $(^{10}\text{Be}, n2\alpha)$ ,  $E=30$  MeV / nucleon; measured  $E_n$ ,  $E\alpha$ , relative energy spectra,  $\sigma(E)$ .  $^8,^9\text{Be}$  deduced levels,  $J$ ,  $\pi$ . Kinematically complete measurement. JOUR PRVCA 72 024314
- 2005BA40 NUCLEAR REACTIONS  $^1\text{H}(^{16}\text{O}, X)^1\text{H} / ^2\text{H} / ^3\text{H} / ^3\text{He} / ^4\text{He} / ^5\text{He} / ^6\text{He} / ^5\text{Li} / ^6\text{Li} / ^7\text{Li} / ^8\text{Li} / ^7\text{Be} / ^8\text{Be} / ^9\text{Be} / ^{10}\text{Be} / ^9\text{B} / ^{10}\text{B} / ^{11}\text{B} / ^{12}\text{B} / ^{10}\text{C} / ^{11}\text{C} / ^{12}\text{C} / ^{13}\text{C} / ^{14}\text{C} / ^{13}\text{N} / ^{14}\text{N} / ^{15}\text{N} / ^{14}\text{O} / ^{15}\text{O} / ^{16}\text{O}$ ,  $E$  at 3.25 GeV /  $c$  / nucleon; measured production  $\sigma$ . JOUR PZETA 81 174
- 2005CU06 NUCLEAR REACTIONS  $^7\text{Li}(^7\text{Li}, ^{11}\text{B})$ ,  $(^7\text{Li}, ^{12}\text{B})$ ,  $E=58$  MeV;  $^{12}\text{C}$ ,  $^{16}\text{O}(^7\text{Li}, ^{10}\text{B})$ ,  $E=58$  MeV; measured particle spectra.  $^{10,11,12}\text{B}$  deduced relative yields for  $\alpha+\text{Li}$  and  $\text{H}+\text{Be}$  decay channels from excited states. JOUR PRVCA 72 044320
- 2005GEZY RADIOACTIVITY  $^{13}\text{B}(\beta^-)$  [from  $^{11}\text{B}(t, p)$ ]; measured  $T_{1/2}$ . CONF St Petersburg,P172,Generalov
- 2005TAZY NUCLEAR REACTIONS  $^{14}\text{N}(^{13}\text{N}, ^{14}\text{O})$ ,  $E=11.8$  MeV / nucleon; measured particle spectra; deduced asymptotic normalization coefficient.  $^{13}\text{N}(p, \gamma)$ ,  $E(\text{cm}) \approx 0-600$  keV; deduced astrophysical S-factor, reaction rate. Implications for novae nucleosynthesis discussed. CONF Argonne(Nuclei at the Limits),P329,Tang
- $^{13}\text{N}$  2005BA40 NUCLEAR REACTIONS  $^1\text{H}(^{16}\text{O}, X)^1\text{H} / ^2\text{H} / ^3\text{H} / ^3\text{He} / ^4\text{He} / ^5\text{He} / ^6\text{He} / ^5\text{Li} / ^6\text{Li} / ^7\text{Li} / ^8\text{Li} / ^7\text{Be} / ^8\text{Be} / ^9\text{Be} / ^{10}\text{Be} / ^9\text{B} / ^{10}\text{B} / ^{11}\text{B} / ^{12}\text{B} / ^{10}\text{C} / ^{11}\text{C} / ^{12}\text{C} / ^{13}\text{C} / ^{14}\text{C} / ^{13}\text{N} / ^{14}\text{N} / ^{15}\text{N} / ^{14}\text{O} / ^{15}\text{O} / ^{16}\text{O}$ ,  $E$  at 3.25 GeV /  $c$  / nucleon; measured production  $\sigma$ . JOUR PZETA 81 174
- 2005FE11 NUCLEAR REACTIONS  $^1\text{H}(^{12}\text{C}, \gamma)$ ,  $E(\text{cm})=206.8, 229.5$  keV; measured yields. Accelerator mass spectrometry. JOUR NIMBE 240 495
- 2005KN02 RADIOACTIVITY  $^{13}\text{O}(\beta^+p)$  [from  $^{14}\text{N}(p, 2n)$ ]; measured  $\beta$ -delayed  $E_p$ ,  $I_p$ ; deduced log ft.  $^{13}\text{N}$  deduced branching ratios for proton decay from excited states. JOUR PRVCA 72 044312
- 2005TEZX NUCLEAR REACTIONS  $^1\text{H}(^{13}\text{N}, p)$ ,  $E=3.7$  MeV / nucleon; measured recoil proton spectra.  $^{14}\text{O}$  deduced resonance energies. REPT CNS-REP-66,P5,Teranishi
- 2006LE01 NUCLEAR REACTIONS  $^{13}\text{C}(p, n)$ ,  $E=5-30$  MeV; measured neutron yield. Comparison with previous results. JOUR NIMAE 556 397

**A=13 (continued)**

- <sup>13</sup>O      2005KN02      RADIOACTIVITY <sup>13</sup>O( $\beta^+$ p) [from <sup>14</sup>N(p, 2n)]; measured  $\beta$ -delayed Ep, Ip; deduced log ft. <sup>13</sup>N deduced branching ratios for proton decay from excited states. JOUR PRVCA 72 044312
- 2005WAZW      NUCLEAR REACTIONS Si(<sup>6</sup>Li, X), (<sup>7</sup>Be, X), (<sup>10</sup>B, X), (<sup>9</sup>C, X), (<sup>10</sup>C, X), (<sup>11</sup>C, X), (<sup>12</sup>N, X), (<sup>13</sup>O, X), (<sup>15</sup>O, X), (<sup>17</sup>Ne, X), E=15-53 MeV / nucleon; measured reaction and proton-removal  $\sigma$ . <sup>6</sup>Li, <sup>7</sup>Be, <sup>10</sup>B, <sup>9,10,11</sup>C, <sup>12</sup>N, <sup>13,15</sup>O, <sup>17</sup>Ne deduced radii. Comparisons with model predictions. PREPRINT nucl-ex/0507025,7/18/2005

**A=14**

- <sup>14</sup>B      2005KA06      NUCLEAR REACTIONS <sup>1</sup>H(<sup>17</sup>B, X)<sup>17</sup>B / <sup>15</sup>B / <sup>14</sup>B / <sup>13</sup>B / <sup>12</sup>B, E  $\approx$  43 MeV / nucleon; measured E $\gamma$ , I $\gamma$ , (particle) $\gamma$ -coin, relative yields. <sup>15,17</sup>B deduced levels, J,  $\pi$ . Comparison with model predictions. JOUR PYLBB 608 206
- 2005K013      NUCLEAR REACTIONS <sup>12</sup>C(<sup>17</sup>B, <sup>17</sup>B'), (<sup>17</sup>B, <sup>15</sup>BX), (<sup>15</sup>B, <sup>15</sup>B'), (<sup>17</sup>B, <sup>14</sup>BX), (<sup>17</sup>B, <sup>12</sup>BX), (<sup>15</sup>B, <sup>14</sup>BX), (<sup>15</sup>B, <sup>12</sup>BX), E  $\approx$  70 MeV / nucleon; measured E $\gamma$ , I $\gamma$ , (particle) $\gamma$ -coin. <sup>12</sup>C(<sup>17</sup>B, <sup>17</sup>B'), (<sup>15</sup>B, <sup>15</sup>B'), E  $\approx$  70 MeV; measured  $\sigma(E, \theta)$ . <sup>15,17</sup>B deduced levels, transitions, quadrupole deformation lengths. <sup>12,14</sup>B deduced transitions. JOUR PRVCA 71 044611
- <sup>14</sup>C      2004S035      NUCLEAR REACTIONS <sup>7</sup>Li(<sup>7</sup>Li, 2 $\alpha$ ), E=8, 30 MeV; <sup>9</sup>Be(<sup>7</sup>Li, <sup>7</sup>Li), (<sup>7</sup>Li,  $\alpha^6$ Li), (<sup>7</sup>Li,  $\alpha^7$ Li), E=52 MeV; <sup>7</sup>Li(<sup>9</sup>Be,  $\alpha^9$ Be), (<sup>9</sup>Be,  $\alpha^{10}$ Be), E=70 MeV; measured excitation energy spectra. <sup>9,10</sup>Be, <sup>13,14</sup>C deduced excited states, cluster structures. JOUR FIZBE 13 433
- 2005AS04      NUCLEAR REACTIONS <sup>12</sup>C(<sup>10</sup>Be, 2 $\alpha$ ), (<sup>10</sup>Be, n2 $\alpha$ ), E=30 MeV / nucleon; measured En, E $\alpha$ , relative energy spectra,  $\sigma(E)$ . <sup>8,9</sup>Be deduced levels, J,  $\pi$ . Kinematically complete measurement. JOUR PRVCA 72 024314
- 2005BA40      NUCLEAR REACTIONS <sup>1</sup>H(<sup>16</sup>O, X)<sup>1</sup>H / <sup>2</sup>H / <sup>3</sup>H / <sup>3</sup>He / <sup>4</sup>He / <sup>5</sup>He / <sup>6</sup>He / <sup>5</sup>Li / <sup>6</sup>Li / <sup>7</sup>Li / <sup>8</sup>Li / <sup>7</sup>Be / <sup>8</sup>Be / <sup>9</sup>Be / <sup>10</sup>Be / <sup>9</sup>B / <sup>10</sup>B / <sup>11</sup>B / <sup>12</sup>B / <sup>10</sup>C / <sup>11</sup>C / <sup>12</sup>C / <sup>13</sup>C / <sup>14</sup>C / <sup>13</sup>N / <sup>14</sup>N / <sup>15</sup>N / <sup>14</sup>O / <sup>15</sup>O / <sup>16</sup>O, E at 3.25 GeV / c / nucleon; measured production  $\sigma$ . JOUR PZETA 81 174
- 2005G010      NUCLEAR REACTIONS <sup>14</sup>N( $\mu^-$ ,  $\nu$ ), E at 65 MeV / c; measured Doppler-shifted E $\gamma$ , I $\gamma$ ; deduced recoil nucleus alignment. Comparison with model predictions. JOUR PRVCA 71 035503
- 2005G030      NUCLEAR REACTIONS <sup>14</sup>C( $\alpha$ ,  $\alpha$ ), E=16.3-19.2 MeV; measured  $\sigma(\theta)$ , excitation function. <sup>18</sup>O deduced levels, J,  $\pi$ ,  $\alpha$ -cluster states. JOUR YAFIA 68 1123
- 2005MC12      NUCLEAR REACTIONS <sup>12</sup>C(<sup>16</sup>O, <sup>14</sup>O), E not given; measured excitation energy spectra. <sup>14</sup>C deduced decay branch widths. JOUR JPGPE 31 S1921
- 2005ME05      NUCLEAR REACTIONS <sup>14</sup>C(<sup>11</sup>B, <sup>11</sup>B), (<sup>11</sup>B, <sup>14</sup>C), E=45 MeV; measured  $\sigma(E, \theta)$ ; deduced optical model parameters. <sup>14</sup>C levels deduced deformation parameters, single-particle structure. Coupled-channels analysis. JOUR NUPAB 753 13



A=14 (*continued*)

- 2005NE14 NUCLEAR REACTIONS  $^{14}\text{N}(\text{d}, 2\text{p})$ ,  $E=170$  MeV;  $^{14}\text{N}(\text{}^3\text{He}, \text{t})$ ,  $E=420$  MeV; measured excitation energy spectra; deduced isospin symmetry features. JOUR JPGPE 31 S1931
- 2005PA41 NUCLEAR REACTIONS  $^{16}\text{O}(\text{n}, \text{}^3\text{He})$ ,  $(\text{n}, \text{t})$ ,  $E=15.4\text{-}18.1$  MeV; measured activation  $\sigma$ . Accelerator mass spectrometry. JOUR KPSJA 47 23
- 2005S013 NUCLEAR REACTIONS  $^{16}\text{O}(\text{}^9\text{Be}, \alpha\text{}^7\text{Be})$ ,  ${}^7\text{Li}(\text{}^9\text{Be}, \alpha\text{}^7\text{Li})$ ,  $(\text{}^9\text{Be}, \text{t}2\alpha)$ ,  $E=55, 70$  MeV; measured excitation energy spectra.  $^{11}\text{B}$ ,  $^{11}\text{C}$  deduced excited states energies, configurations. JOUR JPGPE 31 S1701
- 2005SOZZ NUCLEAR REACTIONS  $^{16}\text{O}(\text{}^9\text{Be}, \alpha\text{}^7\text{Be})$ ,  ${}^7\text{Li}(\text{}^9\text{Be}, \alpha\text{}^7\text{Li})$ ,  $(\text{}^9\text{Be}, \text{t}2\alpha)$ ,  $E=55, 70$  MeV; measured particle spectra.  $^{11}\text{C}$ ,  $^{11}\text{B}$  deduced excited states energies, cluster structure, decay features. PREPRINT nucl-ex/0504026,4/25/2005
- $^{14}\text{N}$  2005AN15 NUCLEAR MOMENTS  $^{13}\text{C}$ ,  $^{14,15}\text{N}$ ,  $^{17}\text{O}$ ,  $^{19}\text{F}$ ,  $^{31}\text{P}$ ,  $^{33}\text{S}$ ; measured NMR spectra; deduced  $\mu$ . JOUR CHPLB 411 111
- 2005BA40 NUCLEAR REACTIONS  ${}^1\text{H}(\text{}^{16}\text{O}, \text{X}){}^1\text{H} / {}^2\text{H} / {}^3\text{H} / {}^3\text{He} / {}^4\text{He} / {}^5\text{He} / {}^6\text{He} / {}^5\text{Li} / {}^6\text{Li} / {}^7\text{Li} / {}^8\text{Li} / {}^7\text{Be} / {}^8\text{Be} / {}^9\text{Be} / {}^{10}\text{Be} / {}^9\text{B} / {}^{10}\text{B} / {}^{11}\text{B} / {}^{12}\text{B} / {}^{10}\text{C} / {}^{11}\text{C} / {}^{12}\text{C} / {}^{13}\text{C} / {}^{14}\text{C} / {}^{13}\text{N} / {}^{14}\text{N} / {}^{15}\text{N} / {}^{14}\text{O} / {}^{15}\text{O} / {}^{16}\text{O}$ ,  $E$  at  $3.25$  GeV /  $c$  / nucleon; measured production  $\sigma$ . JOUR PZETA 81 174
- 2005BL23 NUCLEAR REACTIONS  $^{12}\text{C}$ ,  $^{14}\text{N}(\text{}^{17}\text{F}, \text{}^{17}\text{F})$ ,  $E=10$  MeV / nucleon; measured  $\sigma(\theta)$ ; deduced parameters, reaction mechanism features. Double-folding procedure. JOUR PRVCA 72 034606
- 2005CH44 NUCLEAR REACTIONS  $^{14}\text{N}(\alpha, \gamma)$ ,  $E=1775$  keV; measured  $E\gamma$ ,  $I\gamma$ .  $^{17,18}\text{O}(\text{p}, \alpha)$ ,  $E \approx 190\text{-}205$  keV; measured  $E\alpha$ ,  $\sigma$ ,  $\sigma(\theta)$ ; deduced resonance parameters. Astrophysical implications discussed. JOUR PRLTA 95 031101
- 2005MA92 NUCLEAR REACTIONS  $^{13}\text{C}(\text{p}, \gamma)$ ,  $E \approx 450\text{-}680$  MeV; measured  $E\gamma$ ,  $I\gamma$ .  $^{14}\text{N}$  deduced resonance width. Monolayer target. JOUR NIMAE 555 31
- 2005PA41 NUCLEAR REACTIONS  $^{16}\text{O}(\text{n}, \text{}^3\text{He})$ ,  $(\text{n}, \text{t})$ ,  $E=15.4\text{-}18.1$  MeV; measured activation  $\sigma$ . Accelerator mass spectrometry. JOUR KPSJA 47 23
- 2005RA26 NUCLEAR MOMENTS  $^{14}\text{N}$ ; measured hfs; deduced parameters. JOUR CHPLB 415 161
- $^{14}\text{O}$  2005BA40 NUCLEAR REACTIONS  ${}^1\text{H}(\text{}^{16}\text{O}, \text{X}){}^1\text{H} / {}^2\text{H} / {}^3\text{H} / {}^3\text{He} / {}^4\text{He} / {}^5\text{He} / {}^6\text{He} / {}^5\text{Li} / {}^6\text{Li} / {}^7\text{Li} / {}^8\text{Li} / {}^7\text{Be} / {}^8\text{Be} / {}^9\text{Be} / {}^{10}\text{Be} / {}^9\text{B} / {}^{10}\text{B} / {}^{11}\text{B} / {}^{12}\text{B} / {}^{10}\text{C} / {}^{11}\text{C} / {}^{12}\text{C} / {}^{13}\text{C} / {}^{14}\text{C} / {}^{13}\text{N} / {}^{14}\text{N} / {}^{15}\text{N} / {}^{14}\text{O} / {}^{15}\text{O} / {}^{16}\text{O}$ ,  $E$  at  $3.25$  GeV /  $c$  / nucleon; measured production  $\sigma$ . JOUR PZETA 81 174
- 2005BAZP NUCLEAR REACTIONS  ${}^4\text{He}(\text{}^{14}\text{O}, \text{X})$ ,  $E=60$  MeV / nucleon; measured particle spectra,  $\sigma(E, \theta)$ .  $^{14}\text{O}$  deduced  $E0$  and  $E1$  strength distributions. REPT CNS-REP-66,P28,Baba
- 2005BAZQ NUCLEAR REACTIONS  $\text{He}(\text{}^{14}\text{O}, \text{X})$ ,  $E=60$  MeV / nucleon; measured particle spectra; deduced excitation energy spectrum.  $^{14}\text{O}$  deduced electric multipole strength distributions. REPT RIKEN 2004 Annual,P48,Baba

**A=14 (continued)**

- 2005GU25 NUCLEAR REACTIONS  $^1\text{H}(^{14}\text{O}, \text{p})$ ,  $E=120$  MeV; measured recoil proton spectra,  $\sigma(\theta)$ .  $^{15}\text{F}$  deduced resonance energies,  $J, \pi$ . JOUR PRVCA 72 034312
- 2005NE05 NUCLEAR REACTIONS  $^{14}\text{N}(^3\text{He}, \text{t})$ ,  $E=140$  MeV / nucleon; measured triton spectra.  $^{14}\text{O}$  deduced level energies, widths. JOUR PRVCA 71 047303
- 2005NE14 NUCLEAR REACTIONS  $^{14}\text{N}(\text{d}, 2\text{p})$ ,  $E=170$  MeV;  $^{14}\text{N}(^3\text{He}, \text{t})$ ,  $E=420$  MeV; measured excitation energy spectra; deduced isospin symmetry features. JOUR JPGPE 31 S1931
- 2005SA44 RADIOACTIVITY  $^{46}\text{V}(\text{EC})$ ; analyzed masses; deduced  $Q(\text{EC})$ , log ft.  $^{10}\text{C}$ ,  $^{14}\text{O}$ ,  $^{22}\text{Mg}$ ,  $^{26}\text{Al}$ ,  $^{34}\text{Cl}$ ,  $^{34}\text{Ar}$ ,  $^{38}\text{K}$ ,  $^{42}\text{Sc}$ ,  $^{46}\text{V}$ ,  $^{50}\text{Mn}$ ,  $^{54}\text{Co}$ ,  $^{74}\text{Rb}$ ; compiled, analyzed log ft; deduced quark-mixing matrix element. JOUR PRLTA 95 102501
- 2005TAZY NUCLEAR REACTIONS  $^{14}\text{N}(^{13}\text{N}, ^{14}\text{O})$ ,  $E=11.8$  MeV / nucleon; measured particle spectra; deduced asymptotic normalization coefficient.  $^{13}\text{N}(\text{p}, \gamma)$ ,  $E(\text{cm}) \approx 0-600$  keV; deduced astrophysical S-factor, reaction rate. Implications for novae nucleosynthesis discussed. CONF Argonne(Nuclei at the Limits),P329,Tang
- 2005TEZX NUCLEAR REACTIONS  $^1\text{H}(^{13}\text{N}, \text{p})$ ,  $E=3.7$  MeV / nucleon; measured recoil proton spectra.  $^{14}\text{O}$  deduced resonance energies. REPT CNS-REP-66,P5,Teranishi

**A=15**

- $^{15}\text{B}$  2005KA06 NUCLEAR REACTIONS  $^1\text{H}(^{17}\text{B}, \text{X})^{17}\text{B} / ^{15}\text{B} / ^{14}\text{B} / ^{13}\text{B} / ^{12}\text{B}$ ,  $E \approx 43$  MeV / nucleon; measured  $E\gamma, I\gamma$ , (particle) $\gamma$ -coin, relative yields.  $^{15,17}\text{B}$  deduced levels,  $J, \pi$ . Comparison with model predictions. JOUR PYLBB 608 206
- 2005K013 NUCLEAR REACTIONS  $^{12}\text{C}(^{17}\text{B}, ^{17}\text{B}')$ ,  $(^{17}\text{B}, ^{15}\text{BX})$ ,  $(^{15}\text{B}, ^{15}\text{B}')$ ,  $(^{17}\text{B}, ^{14}\text{BX})$ ,  $(^{17}\text{B}, ^{12}\text{BX})$ ,  $(^{15}\text{B}, ^{14}\text{BX})$ ,  $(^{15}\text{B}, ^{12}\text{BX})$ ,  $E \approx 70$  MeV / nucleon; measured  $E\gamma, I\gamma$ , (particle) $\gamma$ -coin.  $^{12}\text{C}(^{17}\text{B}, ^{17}\text{B}')$ ,  $(^{15}\text{B}, ^{15}\text{B}')$ ,  $E \approx 70$  MeV; measured  $\sigma(E, \theta)$ .  $^{15,17}\text{B}$  deduced levels, transitions, quadrupole deformation lengths.  $^{12,14}\text{B}$  deduced transitions. JOUR PRVCA 71 044611
- $^{15}\text{C}$  2005DA38 NUCLEAR REACTIONS  $\text{Pb}(^{17}\text{C}, \text{n}^{16}\text{C})$ ,  $(^{23}\text{O}, \text{n}^{22}\text{O})$ ,  $E \approx 400-600$  MeV / nucleon; measured  $E\gamma, I\gamma$ , Coulomb dissociation  $\sigma$ .  $^{14}\text{C}(\text{n}, \gamma)$ ,  $E(\text{cm})=23$  keV; deduced capture  $\sigma$ . JOUR JPGPE 31 S1583
- 2005DA43 NUCLEAR REACTIONS  $\text{Pb}(^{17}\text{C}, \text{n}^{16}\text{C})$ ,  $(^{23}\text{O}, \text{n}^{22}\text{O})$ ,  $E \approx 400-600$  MeV / nucleon; measured  $E\gamma, I\gamma$ , Coulomb dissociation  $\sigma$ .  $^{14}\text{C}(\text{n}, \gamma)$ ,  $E(\text{cm})=23$  keV; deduced capture  $\sigma$ . JOUR ZAANE 25 s01 339
- 2005NAZZ NUCLEAR REACTIONS  $\text{Pb}(^{15}\text{C}, \text{n}^{14}\text{C})$ ,  $E=68$  MeV / nucleon; measured dissociation  $\sigma$ , relative energy spectra.  $^{14}\text{C}(\text{n}, \gamma)$ ,  $E(\text{cm})=0-2.7$  MeV; deduced  $\sigma$ . CONF Riken(Origin of Matter) Proc,P155,Nakamura
- 2005RE22 NUCLEAR REACTIONS  $^{14}\text{C}(\text{n}, \gamma)$ ,  $E=30, 150, 500$  keV; measured  $\sigma$ . Fast cyclic activation technique. JOUR NUPAB 758 787c
- $^{15}\text{N}$  2004HAZR NUCLEAR REACTIONS  $^{16}\text{O}(\text{e}, \text{e}'\text{p})$ ,  $E=199.53$  MeV; measured  $\sigma(E, \theta)$ , missing momentum spectra. JOUR KKYHB 37 1

## A=15 (continued)

- 2005AN15 NUCLEAR MOMENTS  $^{13}\text{C}$ ,  $^{14,15}\text{N}$ ,  $^{17}\text{O}$ ,  $^{19}\text{F}$ ,  $^{31}\text{P}$ ,  $^{33}\text{S}$ ; measured NMR spectra; deduced  $\mu$ . JOUR CHPLB 411 111
- 2005BA40 NUCLEAR REACTIONS  $^1\text{H}(^{16}\text{O}, \text{X})^1\text{H} / ^2\text{H} / ^3\text{H} / ^3\text{He} / ^4\text{He} / ^5\text{He} / ^6\text{He} / ^5\text{Li} / ^6\text{Li} / ^7\text{Li} / ^8\text{Li} / ^7\text{Be} / ^8\text{Be} / ^9\text{Be} / ^{10}\text{Be} / ^9\text{B} / ^{10}\text{B} / ^{11}\text{B} / ^{12}\text{B} / ^{10}\text{C} / ^{11}\text{C} / ^{12}\text{C} / ^{13}\text{C} / ^{14}\text{C} / ^{13}\text{N} / ^{14}\text{N} / ^{15}\text{N} / ^{14}\text{O} / ^{15}\text{O} / ^{16}\text{O}$ , E at 3.25 GeV / c / nucleon; measured production  $\sigma$ . JOUR PZETA 81 174
- 2005CA42 NUCLEAR MOMENTS  $^2\text{H}$ ,  $^{15}\text{N}$ ; measured hfs; deduced parameters. JOUR APJSA 159 181
- 2005CH44 NUCLEAR REACTIONS  $^{14}\text{N}(\alpha, \gamma)$ , E=1775 keV; measured  $E\gamma$ ,  $I\gamma$ .  $^{17,18}\text{O}(\text{p}, \alpha)$ , E  $\approx$  190-205 keV; measured  $E\alpha$ ,  $\sigma$ ,  $\sigma(\theta)$ ; deduced resonance parameters. Astrophysical implications discussed. JOUR PRLTA 95 031101
- 2005DE45 NUCLEAR REACTIONS  $^2\text{H}(^{18}\text{F}, \text{p}\alpha)$ , E not given; measured excitation energy spectrum.  $^{19}\text{F}$  level deduced spectroscopic factor.  $^{18}\text{F}(\text{p}, \alpha)$ , E(cm)=0-1 MeV; calculated astrophysical S-factor. JOUR NUPAB 758 745c
- 2005KI11 NUCLEAR REACTIONS  $^{16}\text{O}(\text{K}^-, \text{n})$ , ( $\text{K}^-, \text{nX}$ ), E at 0.93 GeV / c; measured neutron spectra; deduced kaonic nuclei. JOUR NUPAB 754 383c
- 2005K002 NUCLEAR REACTIONS  $^{16}\text{O}(\text{p}, 2\text{p})$ , E=392 MeV; measured  $E\text{p}$ ,  $E\gamma$ ,  $\text{pp-}$ ,  $\text{p}\gamma$ -coin.  $^{15}\text{N}$  levels deduced  $\gamma$ -emission probabilities. JOUR NPBSE 139 72
- 2005LA28 NUCLEAR REACTIONS  $^2\text{H}(^{14}\text{N}, \text{p})$ , E=10.6 MeV / nucleon; measured  $E\text{p}$ ,  $E\gamma$ ,  $\sigma(\theta)$ . Comparison with previous results. JOUR JPGPE 31 S1691
- 2005RU03 NUCLEAR REACTIONS  $^{12}\text{C}(^{11}\text{B}, ^{15}\text{N})$ , E=49 MeV; measured  $\sigma(E, \theta)$ ;  $^{12}\text{C}(^{11}\text{B}, ^8\text{Be})$ , E(cm)=10-17 MeV; analyzed  $\sigma(E, \theta)$ ; deduced reaction mechanism features, optical model parameters. Coupled channels analysis. JOUR ZAANE 23 445
- 2005SAZU NUCLEAR REACTIONS  $^{14}\text{N}(\text{n}, \gamma)$ , E=thermal; measured prompt  $E\gamma$ ,  $I\gamma$ ; deduced capture  $\sigma$ . Pair spectrometer, spectrum unfolding procedure. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P1000
- $^{15}\text{O}$  2004C027 NUCLEAR REACTIONS  $^{14}\text{N}(\text{p}, \gamma)$ , E=low; measured astrophysical S-factors. Solid and gas targets. JOUR NIFCA 27 423
- 2005BA40 NUCLEAR REACTIONS  $^1\text{H}(^{16}\text{O}, \text{X})^1\text{H} / ^2\text{H} / ^3\text{H} / ^3\text{He} / ^4\text{He} / ^5\text{He} / ^6\text{He} / ^5\text{Li} / ^6\text{Li} / ^7\text{Li} / ^8\text{Li} / ^7\text{Be} / ^8\text{Be} / ^9\text{Be} / ^{10}\text{Be} / ^9\text{B} / ^{10}\text{B} / ^{11}\text{B} / ^{12}\text{B} / ^{10}\text{C} / ^{11}\text{C} / ^{12}\text{C} / ^{13}\text{C} / ^{14}\text{C} / ^{13}\text{N} / ^{14}\text{N} / ^{15}\text{N} / ^{14}\text{O} / ^{15}\text{O} / ^{16}\text{O}$ , E at 3.25 GeV / c / nucleon; measured production  $\sigma$ . JOUR PZETA 81 174
- 2005BA82 NUCLEAR REACTIONS  $^1\text{H}(^{18}\text{F}, \text{p})$ , E(cm)  $\approx$  0.3-1.3 MeV; measured proton spectra,  $\sigma(\theta)$ , excitation functions.  $^{19}\text{Ne}$  deduced resonance parameters, excited state energy, J,  $\pi$ .  $^{18}\text{F}(\text{p}, \alpha)$ , ( $\text{p}, \gamma$ ), E=low; calculated astrophysical reaction rates. JOUR NUPAB 758 737c
- 2005BB05 NUCLEAR REACTIONS  $^1\text{H}(^{18}\text{F}, \text{p})$ , E(cm)  $\approx$  0.3-1.3 MeV; measured  $E\text{p}$ ,  $\sigma(\theta)$ ; deduced excitation functions.  $^{19}\text{Ne}$  deduced resonance energies, J,  $\pi$ , analog states.  $^{18}\text{F}(\text{p}, \alpha)$ , ( $\text{p}, \gamma$ ), E=low; calculated astrophysical reaction rates. JOUR ZAANE 25 s01 643

**A=15 (continued)**

- 2005BR04 NUCLEAR REACTIONS  $^3\text{He}(^3\text{He}, 2\text{p})$ ,  $E(\text{cm}) \approx 10\text{-}1000$  keV;  $^{14}\text{N}(\text{p}, \gamma)$ ,  $E \approx 0.1\text{-}2.5$  MeV; measured astrophysical S-factors. JOUR NPBSE 143 60
- 2005BR15 NUCLEAR REACTIONS  $^3\text{He}(^3\text{He}, 2\text{p})$ ,  $E(\text{cm}) \approx 16\text{-}100$  keV; measured  $E_{\text{p}}$ , pp-coin, astrophysical S-factor.  $^{14}\text{N}(\text{p}, \gamma)$ ,  $E=130\text{-}240$  keV; measured  $E_{\gamma}$ , astrophysical S-factor. JOUR NPBSE 145 33
- 2005C016 NUCLEAR REACTIONS  $^{14}\text{N}(\text{p}, \gamma)$ ,  $E=\text{low}$ ; measured  $E_{\gamma}$ ,  $I_{\gamma}$ ; deduced S-factors. JOUR NUPAB 758 383c
- 2005DE45 NUCLEAR REACTIONS  $^2\text{H}(^{18}\text{F}, \text{p}\alpha)$ ,  $E$  not given; measured excitation energy spectrum.  $^{19}\text{F}$  level deduced spectroscopic factor.  $^{18}\text{F}(\text{p}, \alpha)$ ,  $E(\text{cm})=0\text{-}1$  MeV; calculated astrophysical S-factor. JOUR NUPAB 758 745c
- 2005IM02 NUCLEAR REACTIONS  $^{14}\text{N}(\text{p}, \gamma)$ ,  $E(\text{cm})=119\text{-}367$  keV; measured  $E_{\gamma}$ ,  $I_{\gamma}$ , excitation functions; deduced astrophysical S-factors. R-matrix analysis. JOUR ZAANE 25 455
- 2005IMZY NUCLEAR REACTIONS  $^{14}\text{N}(\text{p}, \gamma)$ ,  $E(\text{cm})=119\text{-}367$  keV; measured  $E_{\gamma}$ ,  $I_{\gamma}$ , excitation functions; deduced astrophysical S-factors, reaction rates. PREPRINT nucl-ex/0509005,9/01/2005
- 2005K009 NUCLEAR REACTIONS  $^2\text{H}(^{18}\text{F}, \text{p})$ ,  $E=108.5$  MeV; measured  $E_{\text{p}}$ ,  $\sigma(\theta)$ .  $^{19}\text{F}$  levels deduced spectroscopic factors.  $^{19}\text{Ne}$  calculated proton resonance widths.  $^{18}\text{F}(\text{p}, \gamma)$ ,  $(\text{p}, \alpha)$ ,  $E=\text{low}$ ; deduced astrophysical reaction rates. JOUR PRVCA 71 032801
- 2005K031 NUCLEAR REACTIONS  $^2\text{H}(^{18}\text{F}, \text{p})$ ,  $E=108.49$  MeV; measured particle spectra,  $\sigma(\theta)$ .  $^{19}\text{F}$  levels deduced spectroscopic factors.  $^{18}\text{F}(\text{p}, \alpha)$ ,  $E=\text{low}$ ; calculated astrophysical reaction rates. JOUR NUPAB 758 753c
- 2005MAZQ NUCLEAR REACTIONS  $^{15}\text{N}(\text{p}, \text{n})$ ,  $E=5.1$  MeV;  $^2\text{H}(\text{d}, \text{n})$ ,  $E=3.0$  MeV; measured neutron spectra, transmission through iron spheres. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P480
- 2005PR20 NUCLEAR REACTIONS  $^{14}\text{N}(\text{p}, \gamma)$ ,  $E=\text{low}$ ; measured  $E_{\gamma}$ ,  $I_{\gamma}$ ; deduced astrophysical S-factor. Solid and gas targets. JOUR JPGPE 31 S1537
- 2005RU04 NUCLEAR REACTIONS  $^{14}\text{N}(\text{p}, \gamma)$ ,  $E=155\text{-}524$  keV; measured  $E_{\gamma}$ , excitation function; deduced S-factor. R-matrix analysis, astrophysical implications discussed. JOUR PRLTA 94 082503
- 2005WAZW NUCLEAR REACTIONS  $\text{Si}(^6\text{Li}, \text{X})$ ,  $(^7\text{Be}, \text{X})$ ,  $(^{10}\text{B}, \text{X})$ ,  $(^9\text{C}, \text{X})$ ,  $(^{10}\text{C}, \text{X})$ ,  $(^{11}\text{C}, \text{X})$ ,  $(^{12}\text{N}, \text{X})$ ,  $(^{13}\text{O}, \text{X})$ ,  $(^{15}\text{O}, \text{X})$ ,  $(^{17}\text{Ne}, \text{X})$ ,  $E=15\text{-}53$  MeV / nucleon; measured reaction and proton-removal  $\sigma$ .  $^6\text{Li}$ ,  $^7\text{Be}$ ,  $^{10}\text{B}$ ,  $^{9,10,11}\text{C}$ ,  $^{12}\text{N}$ ,  $^{13,15}\text{O}$ ,  $^{17}\text{Ne}$  deduced radii. Comparisons with model predictions. PREPRINT nucl-ex/0507025,7/18/2005
- $^{15}\text{F}$  2005GU25 NUCLEAR REACTIONS  $^1\text{H}(^{14}\text{O}, \text{p})$ ,  $E=120$  MeV; measured recoil proton spectra,  $\sigma(\theta)$ .  $^{15}\text{F}$  deduced resonance energies,  $J$ ,  $\pi$ . JOUR PRVCA 72 034312

## A=16

- <sup>16</sup>Be      2004TH15      NUCLEAR REACTIONS Be(<sup>40</sup>Ar, X), E=140 MeV / nucleon; measured fragment isotopic yields; deduced no evidence for <sup>16</sup>Be. <sup>12</sup>C(<sup>24</sup>F, X), (<sup>25</sup>F, X), (<sup>26</sup>F, X)<sup>20</sup>O / <sup>21</sup>O / <sup>22</sup>O / <sup>23</sup>O / <sup>24</sup>O, E ≈ 50 MeV / nucleon; measured yields; deduced no evidence for <sup>25</sup>O. JOUR APHPF 21 379
- <sup>16</sup>C      2004AS13      NUCLEAR REACTIONS C(<sup>16</sup>C, X), E=46 MeV / nucleon; measured particle spectra, breakup and neutron removal  $\sigma$ ; deduced reaction mechanism features. <sup>16</sup>C deduced no ground-state cluster structure. Comparison with model predictions. JOUR PRVCA 70 064607
- 2005B039      NUCLEAR REACTIONS <sup>13,14</sup>C(<sup>12</sup>C, <sup>9</sup>C), E=231 MeV; measured excitation energy spectra. <sup>16,17</sup>C deduced levels, J,  $\pi$ , configurations. JOUR JPGPE 31 S1461
- 2005ON04      NUCLEAR REACTIONS <sup>1</sup>H(<sup>16</sup>C, <sup>16</sup>C'), E=33 MeV / nucleon; measured E $\gamma$ , I $\gamma$ , (particle) $\gamma$ -coin; deduced  $\sigma$ . <sup>16</sup>C deduced deformation parameter. JOUR ZAANE 25 s01 347
- <sup>16</sup>N      2004TAZW      RADIOACTIVITY <sup>16</sup>N( $\beta^-$ ) [from <sup>2</sup>H(<sup>15</sup>N, n)]; measured  $\beta$ -delayed E $\alpha$ . Gas-filled ionization chambers. REPT ANL-04/22,P5,Tang
- <sup>16</sup>O      2004FR34      NUCLEAR REACTIONS <sup>12</sup>C(<sup>12</sup>C, <sup>28</sup>Be), E=82-120 MeV; measured excitation energy spectra, angular correlations. <sup>16</sup>O deduced levels, J,  $\pi$ . Comparison with model predictions. JOUR PRVCA 70 064311
- 2004PE24      NUCLEAR REACTIONS <sup>16</sup>O(polarized  $\gamma$ ,  $\gamma'$ ), E=25-40 MeV; measured polarization asymmetries; deduced resonance features. JOUR PRVCA 70 064305
- 2004TAZW      RADIOACTIVITY <sup>16</sup>N( $\beta^-$ ) [from <sup>2</sup>H(<sup>15</sup>N, n)]; measured  $\beta$ -delayed E $\alpha$ . Gas-filled ionization chambers. REPT ANL-04/22,P5,Tang
- 2005BA40      NUCLEAR REACTIONS <sup>1</sup>H(<sup>16</sup>O, X)<sup>1</sup>H / <sup>2</sup>H / <sup>3</sup>H / <sup>3</sup>He / <sup>4</sup>He / <sup>5</sup>He / <sup>6</sup>He / <sup>5</sup>Li / <sup>6</sup>Li / <sup>7</sup>Li / <sup>8</sup>Li / <sup>7</sup>Be / <sup>8</sup>Be / <sup>9</sup>Be / <sup>10</sup>Be / <sup>9</sup>B / <sup>10</sup>B / <sup>11</sup>B / <sup>12</sup>B / <sup>10</sup>C / <sup>11</sup>C / <sup>12</sup>C / <sup>13</sup>C / <sup>14</sup>C / <sup>13</sup>N / <sup>14</sup>N / <sup>15</sup>N / <sup>14</sup>O / <sup>15</sup>O / <sup>16</sup>O, E at 3.25 GeV / c / nucleon; measured production  $\sigma$ . JOUR PZETA 81 174
- 2005FUZW      NUCLEAR REACTIONS <sup>4</sup>He(<sup>16</sup>O,  $\alpha$ ), E < 32.5 MeV; measured recoil  $\alpha$  spectrum. REPT CNS-REP-66,P13,Fujikawa
- 2005G036      ATOMIC MASSES <sup>12</sup>C, <sup>16</sup>O, <sup>20</sup>Ne, <sup>32</sup>S, <sup>36,40</sup>Ar; measured masses. Cyclotron-based mass spectrometry. JOUR JPGPE 31 S1869
- 2005HA16      NUCLEAR REACTIONS <sup>12</sup>C( $\alpha$ ,  $\gamma$ ), E(cm)=0.89-2.8 MeV; measured  $\sigma(\theta)$ , S-factors; deduced astrophysical reaction rate. JOUR NUPAB 752 514c
- 2005HA48      NUCLEAR REACTIONS <sup>12</sup>C( $\alpha$ ,  $\gamma$ ), E(cm)=0.89-2.8 MeV; measured E $\gamma$ , I $\gamma$ , angular distributions; deduced S-factors for E1 and E2 capture. Eurogam and Gandi arrays, astrophysical implications discussed. JOUR NUPAB 758 363c
- 2005HAZN      NUCLEAR REACTIONS <sup>13</sup>C( $\alpha$ , n), E=0.8-8.0 MeV; measured  $\sigma$ . PREPRINT nucl-ex/0509014,9/09/2005
- 2005KH13      NUCLEAR REACTIONS <sup>16</sup>O(<sup>16</sup>O, <sup>16</sup>O'), E=250, 350, 480, 704, 1120 MeV; measured  $\sigma(E, \theta)$ ; deduced refractive features. DWBA and folding-model analysis, nuclear rainbow. JOUR NUPAB 759 3

**A=16 (continued)**

- 2005KHZZ NUCLEAR REACTIONS  $^{16}\text{O}(^{16}\text{O}, ^{16}\text{O}')$ ,  $E=250, 350, 480, 704, 1120$  MeV; measured  $\sigma(E, \theta)$ ; deduced refractive features. DWBA and folding-model analyses, nuclear rainbow. PREPRINT nucl-ex/0504020,4/22/2005
- 2005KRZY NUCLEAR REACTIONS  $^{14}\text{N}(^3\text{He}, p)$ ,  $E=2.4$  MeV; measured  $E\gamma$ ,  $E_p$ ,  $p\gamma$ -coin, electron-positron pair spectrum; deduced possible neutral boson production. REPT ATOMKI 2004 Annual,P3,Krasznahorkay
- 2005MA52 NUCLEAR REACTIONS  $^{12}\text{C}(\alpha, \gamma)$ ,  $E=2.27$  MeV;  $^{27}\text{Al}(p, \gamma)$ ,  $E=2.05$  MeV; measured  $E\gamma$ ,  $I\gamma(\theta)$ . JOUR NIMAE 547 411
- 2005MA69 NUCLEAR REACTIONS  $^{12}\text{C}(\alpha, \gamma)$ ,  $E(\text{cm})=1.39, 1.58$  MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\sigma(E2) / \sigma(E1)$ . Pulsed beam. JOUR NUPAB 758 371c
- 2005MA71 NUCLEAR REACTIONS  $^{19}\text{F}(p, \alpha)$ ,  $E=1.95-2.10$  MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{16}\text{O}$  level deduced decay branching ratio. Astrophysical implications discussed. JOUR NUPAB 758 403c
- 2005PL04 NUCLEAR REACTIONS  $^{12}\text{C}(\alpha, \gamma)$ ,  $E(\text{cm})=1.0-1.5$  MeV; measured  $E\gamma$ ,  $I\gamma$ , angular distributions; deduced S-factors. JOUR NUPAB 758 415c
- 2005SAZX NUCLEAR REACTIONS  $^{12}\text{C}(^{24}\text{Mg}, ^{20}\text{Ne})$ ,  $(^{24}\text{Mg}, ^{212}\text{C})$ ,  $E=130$  MeV; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -, (particle)(particle)-coin.  $^{16}\text{O}$  deduced transitions, branching ratio. Euroball IV array. CONF Bormio (XLIII Winter Meeting) Proc,P224
- 2005SC17 NUCLEAR REACTIONS  $^{12}\text{C}(\alpha, \gamma)$ ,  $E(\text{cm})=1.3-5.0$  MeV; measured  $E\gamma$ ,  $I\gamma$ , (recoil) $\gamma$ -coin; deduced astrophysical S-factors. Recoil mass separator. JOUR NUPAB 758 367c
- 2005SC29 NUCLEAR REACTIONS  $^4\text{He}(^{12}\text{C}, \gamma)$ ,  $E=0.7-5.0$  MeV; measured total recoil spectra,  $\sigma$ .  $^{12}\text{C}(\alpha, \gamma)$ ,  $E=1.9-4.9$  MeV; deduced astrophysical S-factors. JOUR ZAANE 26 301
- 2005SCZT NUCLEAR REACTIONS  $^4\text{He}(^{12}\text{C}, \gamma)$ ,  $E$  not given; measured recoil particle spectra.  $^{12}\text{C}(\alpha, \gamma)$ ,  $E=1.9-4.9$  MeV; deduced astrophysical S-factors, resonance features. PREPRINT nucl-ex/0511050,11/29/2005
- 2005SHZZ NUCLEAR REACTIONS  $^{12}\text{C}(\alpha, \gamma)$ ,  $E(\text{cm})=1.3, 1.5$  MeV; measured  $E1$  and  $E2$   $\sigma$ ,  $\sigma(\theta)$ .  $^{12}\text{C}(\alpha, \gamma)$ ,  $E(\text{cm}) \approx 1000-3000$  keV; analyzed data; deduced astrophysical S-factors. CONF Riken(Origin of Matter) Proc,P217,Shima
- 2005TA19 NUCLEAR REACTIONS  $^{10}\text{B}$ ,  $^{16}\text{O}(K^-, \pi^-)$ ,  $E$  at  $0.93$  GeV / c;  $^{11}\text{B}(\pi^+, K^+)$ ,  $E$  at  $1.05$  GeV / c;  $^7\text{Li}$ ,  $^{10}\text{B}(K^-, \gamma)$ ,  $E$  at rest; measured  $E\gamma$ ,  $I\gamma$ .  $^7\text{Li}$ ,  $^9\text{Be}$ ,  $^{10,11}\text{B}$ ,  $^{16}\text{O}$  deduced hypernucleus levels,  $J$ ,  $\pi$ . Hyperball array. JOUR NUPAB 754 58c
- 2005UK01 NUCLEAR REACTIONS  $^{16}\text{O}(K^-, \pi^-)$ ,  $E$  at  $0.93$  GeV / c; measured  $E\gamma$ ,  $I\gamma$ .  $^{16}\text{O}$  deduced hypernucleus levels,  $J$ ,  $\pi$ . Hyperball array. JOUR NUPAB 754 70c

**A=17**

- $^{17}\text{B}$  2005D016 NUCLEAR REACTIONS  $^1\text{H}(^{17}\text{B}, ^{17}\text{B}')$ ,  $E=43.8$  MeV; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin,  $\sigma$ .  $^{17}\text{B}$  deduced deformation parameters, decoupling of valence neutrons from core. JOUR PYLBB 621 81

A=17 (*continued*)

- 2005KA06 NUCLEAR REACTIONS  $^1\text{H}(^{17}\text{B}, \text{X})^{17}\text{B} / ^{15}\text{B} / ^{14}\text{B} / ^{13}\text{B} / ^{12}\text{B}$ ,  $E \approx 43$  MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin, relative yields.  $^{15,17}\text{B}$  deduced levels,  $J$ ,  $\pi$ . Comparison with model predictions. JOUR PYLBB 608 206
- 2005KA26 NUCLEAR REACTIONS  $^1\text{H}(^{19}\text{C}, ^{19}\text{C}')$ ,  $(^{17}\text{C}, ^{17}\text{C}')$ ,  $(^{17}\text{B}, ^{17}\text{B}')$ ,  $E \approx 53$  MeV / nucleon; measured prompt and delayed  $E\gamma$ ,  $I\gamma$ .  $^{17,19}\text{C}$ ,  $^{17}\text{B}$  deduced transitions.  $^{19}\text{C}$  deduced no isomeric state. JOUR NUPAB 757 315
- 2005K013 NUCLEAR REACTIONS  $^{12}\text{C}(^{17}\text{B}, ^{17}\text{B}')$ ,  $(^{17}\text{B}, ^{15}\text{BX})$ ,  $(^{15}\text{B}, ^{15}\text{B}')$ ,  $(^{17}\text{B}, ^{14}\text{BX})$ ,  $(^{17}\text{B}, ^{12}\text{BX})$ ,  $(^{15}\text{B}, ^{14}\text{BX})$ ,  $(^{15}\text{B}, ^{12}\text{BX})$ ,  $E \approx 70$  MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin.  $^{12}\text{C}(^{17}\text{B}, ^{17}\text{B}')$ ,  $(^{15}\text{B}, ^{15}\text{B}')$ ,  $E \approx 70$  MeV; measured  $\sigma(E, \theta)$ .  $^{15,17}\text{B}$  deduced levels, transitions, quadrupole deformation lengths.  $^{12,14}\text{B}$  deduced transitions. JOUR PRVCA 71 044611
- $^{17}\text{C}$  2005B039 NUCLEAR REACTIONS  $^{13,14}\text{C}(^{12}\text{C}, ^9\text{C})$ ,  $E=231$  MeV; measured excitation energy spectra.  $^{16,17}\text{C}$  deduced levels,  $J$ ,  $\pi$ , configurations. JOUR JPGPE 31 S1461
- 2005EL07 NUCLEAR REACTIONS  $^1\text{H}(^{19}\text{C}, ^{19}\text{C}')$ ,  $(^{19}\text{C}, ^{18}\text{CX})$ ,  $(^{19}\text{C}, ^{17}\text{CX})$ ,  $E \approx 49.4$  MeV / nucleon;  $^1\text{H}(^{17}\text{C}, ^{17}\text{C}')$ ,  $(^{17}\text{C}, ^{16}\text{CX})$ ,  $E \approx 43.3$  MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -, (particle) $\gamma$ -coin,  $\sigma$ .  $^{17,19}\text{C}$  deduced levels,  $J$ ,  $\pi$ . Comparison with shell model predictions. JOUR PYLBB 614 174
- 2005KA26 NUCLEAR REACTIONS  $^1\text{H}(^{19}\text{C}, ^{19}\text{C}')$ ,  $(^{17}\text{C}, ^{17}\text{C}')$ ,  $(^{17}\text{B}, ^{17}\text{B}')$ ,  $E \approx 53$  MeV / nucleon; measured prompt and delayed  $E\gamma$ ,  $I\gamma$ .  $^{17,19}\text{C}$ ,  $^{17}\text{B}$  deduced transitions.  $^{19}\text{C}$  deduced no isomeric state. JOUR NUPAB 757 315
- $^{17}\text{O}$  2005AN15 NUCLEAR MOMENTS  $^{13}\text{C}$ ,  $^{14,15}\text{N}$ ,  $^{17}\text{O}$ ,  $^{19}\text{F}$ ,  $^{31}\text{P}$ ,  $^{33}\text{S}$ ; measured NMR spectra; deduced  $\mu$ . JOUR CHPLB 411 111
- 2005DE54 NUCLEAR REACTIONS  $^{14}\text{N}(\alpha, \text{p})$ ,  $E=4893\text{-}6047$  keV; measured  $\sigma(\theta=172^\circ)$ . Application to nitrogen depth profiling discussed. JOUR NIMBE 240 803
- $^{17}\text{F}$  2005AN24 NUCLEAR REACTIONS  $^{14}\text{N}$ ,  $^{12}\text{C}$ ,  $^{16}\text{O}(\text{d}, \text{n})$ ,  $E$  not given; measured activation yields in plasma focus device. JOUR ARISE 63 545
- 2005KU27 NUCLEAR REACTIONS  $^4\text{He}(^{14}\text{O}, \text{p})$ ,  $E(\text{cm}) \approx 1\text{-}3.6$  MeV; measured proton spectrum.  $^1\text{H}(^{23}\text{Mg}, \text{p})$ ,  $E(\text{cm}) \approx 0.6\text{-}3.5$  MeV; measured elastic  $\sigma(\theta)$ .  $^{24}\text{Al}$  deduced excited states energies. JOUR NUPAB 758 733c
- $^{17}\text{Ne}$  2005GE06 NUCLEAR MOMENTS  $^{17,19,21,23,25}\text{Ne}$ ; measured hfs; deduced  $\mu$ , quadrupole moments. Collinear fast-beam laser spectroscopy, comparison with shell model predictions. JOUR PRVCA 71 064319
- 2005KA51 NUCLEAR REACTIONS  $\text{Be}(^{17}\text{Ne}, ^{15}\text{OX})$ ,  $E=64$  MeV / nucleon; measured fragments longitudinal momentum distributions, interaction  $\sigma$ .  $^{17}\text{Ne}$  deduced two-proton halo features. Few-body Glauber model analysis. JOUR ZAANE 25 s01 327
- 2005TA33 NUCLEAR REACTIONS  $^9\text{Be}$ ,  $^{12}\text{C}$ ,  $^{27}\text{Al}(^{17}\text{Ne}, \text{X})$ ,  $E=42, 62$  MeV / nucleon; measured interaction and reaction  $\sigma$ .  $^{17}\text{Ne}$  deduced matter density distribution. JOUR ZAANE 25 s01 221

**A=17 (continued)**

2005WAZW NUCLEAR REACTIONS Si( ${}^6\text{Li}$ , X), ( ${}^7\text{Be}$ , X), ( ${}^{10}\text{B}$ , X), ( ${}^9\text{C}$ , X), ( ${}^{10}\text{C}$ , X), ( ${}^{11}\text{C}$ , X), ( ${}^{12}\text{N}$ , X), ( ${}^{13}\text{O}$ , X), ( ${}^{15}\text{O}$ , X), ( ${}^{17}\text{Ne}$ , X), E=15-53 MeV / nucleon; measured reaction and proton-removal  $\sigma$ .  ${}^6\text{Li}$ ,  ${}^7\text{Be}$ ,  ${}^{10}\text{B}$ ,  ${}^9,{}^{10},{}^{11}\text{C}$ ,  ${}^{12}\text{N}$ ,  ${}^{13},{}^{15}\text{O}$ ,  ${}^{17}\text{Ne}$  deduced radii. Comparisons with model predictions. PREPRINT nucl-ex/0507025,7/18/2005

**A=18**

${}^{18}\text{O}$  2005DE15 NUCLEAR REACTIONS  ${}^1\text{H}({}^{18}\text{O}$ , p), ( ${}^{18}\text{Ne}$ , p), E(cm)  $\approx$  900-6000 keV; measured  $E_p$ , excitation functions,  $\sigma(\theta=180^\circ)$ .  ${}^{19}\text{Na}$  deduced level energies, J,  $\pi$ , widths, two-proton emission features. JOUR ZAANE 24 237

2005G030 NUCLEAR REACTIONS  ${}^{14}\text{C}(\alpha$ ,  $\alpha)$ , E=16.3-19.2 MeV; measured  $\sigma(\theta)$ , excitation function.  ${}^{18}\text{O}$  deduced levels, J,  $\pi$ ,  $\alpha$ -cluster states. JOUR YAFIA 68 1123

2005N013 NUCLEAR REACTIONS  ${}^2\text{H}$ ,  ${}^{3,4}\text{He}$ ,  ${}^{6,7}\text{Li}$ ,  ${}^9\text{Be}$ ,  ${}^{10,11}\text{B}$ ,  ${}^{16}\text{O}$ ,  ${}^{19}\text{F}$ (polarized p, 2p), E=392 MeV; measured analyzing powers. Comparison with model predictions. JOUR PRVCA 72 041602

${}^{18}\text{F}$  2004FOZY NUCLEAR REACTIONS  ${}^{17}\text{O}(\text{p}$ ,  $\gamma)$ , E=185-215 keV; measured  $E_\gamma$ ,  $I_\gamma$ ; deduced excitation function.  ${}^{18}\text{F}$  deduced resonance strengths. Astrophysical implications discussed. REPT TUNL-XLIII,P32,Fox

2005BA82 NUCLEAR REACTIONS  ${}^1\text{H}({}^{18}\text{F}$ , p), E(cm)  $\approx$  0.3-1.3 MeV; measured proton spectra,  $\sigma(\theta)$ , excitation functions.  ${}^{19}\text{Ne}$  deduced resonance parameters, excited state energy, J,  $\pi$ .  ${}^{18}\text{F}(\text{p}$ ,  $\alpha)$ , ( $\text{p}$ ,  $\gamma)$ , E=low; calculated astrophysical reaction rates. JOUR NUPAB 758 737c

2005BB05 NUCLEAR REACTIONS  ${}^1\text{H}({}^{18}\text{F}$ , p), E(cm)  $\approx$  0.3-1.3 MeV; measured  $E_p$ ,  $\sigma(\theta)$ ; deduced excitation functions.  ${}^{19}\text{Ne}$  deduced resonance energies, J,  $\pi$ , analog states.  ${}^{18}\text{F}(\text{p}$ ,  $\alpha)$ , ( $\text{p}$ ,  $\gamma)$ , E=low; calculated astrophysical reaction rates. JOUR ZAANE 25 s01 643

2005CH44 NUCLEAR REACTIONS  ${}^{14}\text{N}(\alpha$ ,  $\gamma)$ , E=1775 keV; measured  $E_\gamma$ ,  $I_\gamma$ .  ${}^{17,18}\text{O}(\text{p}$ ,  $\alpha)$ , E  $\approx$  190-205 keV; measured  $E_\alpha$ ,  $\sigma$ ,  $\sigma(\theta)$ ; deduced resonance parameters. Astrophysical implications discussed. JOUR PRLTA 95 031101

2005FI01 NUCLEAR REACTIONS  ${}^1\text{H}({}^{17}\text{O}$ ,  $\gamma)$ , E=12.5 MeV; measured particle spectra; deduced resonance strength. Recoil separator, other reactions discussed. JOUR NUPAB 748 351

2005F003 NUCLEAR REACTIONS  ${}^{17}\text{O}(\text{p}$ ,  $\gamma)$ , E=140-540 keV; measured  $E_\gamma$ ,  $I_\gamma$ ; deduced resonance parameters, excitation functions, thermonuclear reaction rates. JOUR PRVCA 71 055801

2005HE04 NUCLEAR REACTIONS  ${}^{18}\text{O}(\text{p}$ , n), E=2582 keV; measured neutron spectrum.  ${}^{138}\text{Ba}(\text{n}$ ,  $\gamma)$ , E=spectrum; measured Maxwellian-averaged  $\sigma$ . JOUR PRVCA 71 025803

2005HE19 NUCLEAR REACTIONS  ${}^{18}\text{O}(\text{p}$ , n), E=2582 keV; measured neutron spectra.  ${}^{138}\text{Ba}$ ,  ${}^{139}\text{La}$ ,  ${}^{175}\text{Lu}(\text{n}$ ,  $\gamma)$ , E=spectrum; measured  $\sigma$ . JOUR NUPAB 758 529c



**A=18 (continued)**

- 2005IL02 NUCLEAR REACTIONS  $^{17}\text{O}(\text{p}, \gamma)$ ,  $E \approx 190, 519$  keV; measured  $E\gamma$ ,  $I\gamma$ ; deduced resonance excitation functions.  $^{23}\text{Na}(\text{p}, \gamma)$ ,  $E \approx 150$  keV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin; deduced resonance strength upper limit. Astrophysical implications discussed. JOUR NUPAB 758 73c
- $^{18}\text{Ne}$  2004SIZX NUCLEAR REACTIONS  $^1\text{H}(^{21}\text{Na}, \alpha)$ ,  $E \approx 113$  MeV; measured  $E\alpha$ ,  $\sigma(E, \theta)$ ,  $(^{18}\text{Ne})\alpha$ -coin.  $^{18}\text{Ne}(\alpha, \text{p})$ ,  $E(\text{cm}) \approx 2.5$  MeV; deduced angle-integrated  $\sigma$ . REPT ANL-04/22,P8,Sinha
- 2005DE15 NUCLEAR REACTIONS  $^1\text{H}(^{18}\text{O}, \text{p})$ ,  $(^{18}\text{Ne}, \text{p})$ ,  $E(\text{cm}) \approx 900\text{-}6000$  keV; measured  $E\text{p}$ , excitation functions,  $\sigma(\theta=180^\circ)$ .  $^{19}\text{Na}$  deduced level energies,  $J$ ,  $\pi$ , widths, two-proton emission features. JOUR ZAANE 24 237
- 2005PA50 NUCLEAR REACTIONS  $^{16}\text{O}(^3\text{He}, \text{n})$ ,  $E=9.9\text{-}10.4$  MeV; measured neutron spectra,  $\sigma(\theta)$ .  $^{18}\text{Ne}$  deduced resonance energy, width. Comparison with previous results. JOUR PRVCA 72 025802

**A=19**

- $^{19}\text{C}$  2005EL07 NUCLEAR REACTIONS  $^1\text{H}(^{19}\text{C}, ^{19}\text{C}')$ ,  $(^{19}\text{C}, ^{18}\text{CX})$ ,  $(^{19}\text{C}, ^{17}\text{CX})$ ,  $E \approx 49.4$  MeV / nucleon;  $^1\text{H}(^{17}\text{C}, ^{17}\text{C}')$ ,  $(^{17}\text{C}, ^{16}\text{CX})$ ,  $E \approx 43.3$  MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -, (particle) $\gamma$ -coin,  $\sigma$ .  $^{17,19}\text{C}$  deduced levels,  $J$ ,  $\pi$ . Comparison with shell model predictions. JOUR PYLBB 614 174
- 2005KA26 NUCLEAR REACTIONS  $^1\text{H}(^{19}\text{C}, ^{19}\text{C}')$ ,  $(^{17}\text{C}, ^{17}\text{C}')$ ,  $(^{17}\text{B}, ^{17}\text{B}')$ ,  $E \approx 53$  MeV / nucleon; measured prompt and delayed  $E\gamma$ ,  $I\gamma$ .  $^{17,19}\text{C}$ ,  $^{17}\text{B}$  deduced transitions.  $^{19}\text{C}$  deduced no isomeric state. JOUR NUPAB 757 315
- $^{19}\text{N}$  2005D0ZX NUCLEAR REACTIONS  $^9\text{Be}(^{36}\text{S}, \text{X})^{19}\text{N}$ ,  $E$  not given; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -, (recoil) $\gamma$ -coin.  $^{19}\text{N}$  deduced levels. REPT ATOMKI 2004 Annual,P8,Dombradi
- $^{19}\text{O}$  2005K043 NUCLEAR REACTIONS  $\text{U}(\text{p}, \text{X})^{19}\text{O} / ^{20}\text{O} / ^{21}\text{O} / ^{22}\text{O}$ ,  $E=1.4\text{GeV}$ ; measured yields. JOUR ZAANE 25 s01 729
- $^{19}\text{F}$  2005AN15 NUCLEAR MOMENTS  $^{13}\text{C}$ ,  $^{14,15}\text{N}$ ,  $^{17}\text{O}$ ,  $^{19}\text{F}$ ,  $^{31}\text{P}$ ,  $^{33}\text{S}$ ; measured NMR spectra; deduced  $\mu$ . JOUR CHPLB 411 111
- 2005DE45 NUCLEAR REACTIONS  $^2\text{H}(^{18}\text{F}, \text{p}\alpha)$ ,  $E$  not given; measured excitation energy spectrum.  $^{19}\text{F}$  level deduced spectroscopic factor.  $^{18}\text{F}(\text{p}, \alpha)$ ,  $E(\text{cm})=0\text{-}1$  MeV; calculated astrophysical S-factor. JOUR NUPAB 758 745c
- 2005ISZZ NUCLEAR REACTIONS  $^4\text{He}(^8\text{Li}, \text{n})$ ,  $E=14.6$  MeV;  $^4\text{He}(^{16}\text{N}, \text{n})$ ,  $E=32$  MeV; measured  $E\text{n}$ , excitation energy spectra.  $^{16}\text{N}(\alpha, \text{n})$ ,  $E(\text{cm}) \approx 1\text{-}4.5$  MeV;  $^8\text{Li}(\alpha, \text{n})$ ,  $E \approx 0.5\text{-}3$  MeV; deduced excitation functions. CONF Riken(Origin of Matter) Proc,P316,Ishiyama
- 2005K009 NUCLEAR REACTIONS  $^2\text{H}(^{18}\text{F}, \text{p})$ ,  $E=108.5$  MeV; measured  $E\text{p}$ ,  $\sigma(\theta)$ .  $^{19}\text{F}$  levels deduced spectroscopic factors.  $^{19}\text{Ne}$  calculated proton resonance widths.  $^{18}\text{F}(\text{p}, \gamma)$ ,  $(\text{p}, \alpha)$ ,  $E=\text{low}$ ; deduced astrophysical reaction rates. JOUR PRVCA 71 032801

**A=19 (continued)**

- 2005K031 NUCLEAR REACTIONS  $^2\text{H}(^{18}\text{F}, \text{p})$ ,  $E=108.49$  MeV; measured particle spectra,  $\sigma(\theta)$ .  $^{19}\text{F}$  levels deduced spectroscopic factors.  $^{18}\text{F}(\text{p}, \alpha)$ ,  $E=\text{low}$ ; calculated astrophysical reaction rates. JOUR NUPAB 758 753c
- $^{19}\text{Ne}$  2005BA82 NUCLEAR REACTIONS  $^1\text{H}(^{18}\text{F}, \text{p})$ ,  $E(\text{cm}) \approx 0.3\text{-}1.3$  MeV; measured proton spectra,  $\sigma(\theta)$ , excitation functions.  $^{19}\text{Ne}$  deduced resonance parameters, excited state energy,  $J$ ,  $\pi$ .  $^{18}\text{F}(\text{p}, \alpha)$ ,  $(\text{p}, \gamma)$ ,  $E=\text{low}$ ; calculated astrophysical reaction rates. JOUR NUPAB 758 737c
- 2005BB05 NUCLEAR REACTIONS  $^1\text{H}(^{18}\text{F}, \text{p})$ ,  $E(\text{cm}) \approx 0.3\text{-}1.3$  MeV; measured  $E_p$ ,  $\sigma(\theta)$ ; deduced excitation functions.  $^{19}\text{Ne}$  deduced resonance energies,  $J$ ,  $\pi$ , analog states.  $^{18}\text{F}(\text{p}, \alpha)$ ,  $(\text{p}, \gamma)$ ,  $E=\text{low}$ ; calculated astrophysical reaction rates. JOUR ZAANE 25 s01 643
- 2005GE06 NUCLEAR MOMENTS  $^{17,19,21,23,25}\text{Ne}$ ; measured hfs; deduced  $\mu$ , quadrupole moments. Collinear fast-beam laser spectroscopy, comparison with shell model predictions. JOUR PRVCA 71 064319
- 2005K009 NUCLEAR REACTIONS  $^2\text{H}(^{18}\text{F}, \text{p})$ ,  $E=108.5$  MeV; measured  $E_p$ ,  $\sigma(\theta)$ .  $^{19}\text{F}$  levels deduced spectroscopic factors.  $^{19}\text{Ne}$  calculated proton resonance widths.  $^{18}\text{F}(\text{p}, \gamma)$ ,  $(\text{p}, \alpha)$ ,  $E=\text{low}$ ; deduced astrophysical reaction rates. JOUR PRVCA 71 032801
- 2005TA28 NUCLEAR REACTIONS  $^{17}\text{O}(^3\text{He}, \text{n})$ ,  $E=3.0$  MeV; measured  $E_\gamma$ ,  $I_\gamma$ ,  $n\gamma$ -coin, DSA.  $^{19}\text{Ne}$  levels deduced energies,  $T_{1/2}$ . Astrophysical implications discussed. Comparison with model predictions. JOUR PRVCA 72 041302
- $^{19}\text{Na}$  2005DE15 NUCLEAR REACTIONS  $^1\text{H}(^{18}\text{O}, \text{p})$ ,  $(^{18}\text{Ne}, \text{p})$ ,  $E(\text{cm}) \approx 900\text{-}6000$  keV; measured  $E_p$ , excitation functions,  $\sigma(\theta=180^\circ)$ .  $^{19}\text{Na}$  deduced level energies,  $J$ ,  $\pi$ , widths, two-proton emission features. JOUR ZAANE 24 237

**A=20**

- $^{20}\text{O}$  2004TH15 NUCLEAR REACTIONS  $\text{Be}(^{40}\text{Ar}, \text{X})$ ,  $E=140$  MeV / nucleon; measured fragment isotopic yields; deduced no evidence for  $^{16}\text{Be}$ .  $^{12}\text{C}(^{24}\text{F}, \text{X})$ ,  $(^{25}\text{F}, \text{X})$ ,  $(^{26}\text{F}, \text{X})^{20}\text{O} / ^{21}\text{O} / ^{22}\text{O} / ^{23}\text{O} / ^{24}\text{O}$ ,  $E \approx 50$  MeV / nucleon; measured yields; deduced no evidence for  $^{25}\text{O}$ . JOUR APHPF 21 379
- 2005K043 NUCLEAR REACTIONS  $\text{U}(\text{p}, \text{X})^{19}\text{O} / ^{20}\text{O} / ^{21}\text{O} / ^{22}\text{O}$ ,  $E=1.4\text{GeV}$ ; measured yields. JOUR ZAANE 25 s01 729
- 2005WI05 NUCLEAR REACTIONS  $^{10}\text{Be}(^{14}\text{C}, \alpha)$ ,  $E=21.4$  MeV; measured  $E_\gamma$ ,  $E_\alpha$ ,  $\alpha\gamma$ -,  $\gamma\gamma$ -coin.  $^{20}\text{O}$  deduced levels,  $J$ ,  $\pi$ , core excitation. Comparison with shell model predictions. JOUR PRLTA 94 132501
- $^{20}\text{F}$  2005EG01 NUCLEAR REACTIONS  $^{14}\text{N}$ ,  $^{19}\text{F}(\text{n}, \gamma)$ ,  $E=\text{thermal}$ ; measured  $E_\gamma$ ,  $I_\gamma$ , capture  $\sigma$ . JOUR NIMAE 545 296
- $^{20}\text{Ne}$  2005BB06 NUCLEAR REACTIONS  $^{12}\text{C}(^{12}\text{C}, \text{X})$ ,  $E=5.3\text{-}7$  MeV; measured  $E_\gamma$ ,  $I_\gamma$ , thick-target yields.  $^{12}\text{C}(^{12}\text{C}, \text{p})$ ,  $(^{12}\text{C}, \alpha)$ ,  $E=5.3\text{-}7$  MeV; deduced  $\sigma$ . Astrophysical implications discussed. JOUR ZAANE 25 s01 645
- 2005FR14 NUCLEAR REACTIONS  $^{12}\text{C}(^{12}\text{C}, ^8\text{Be}^{12}\text{C})$ ,  $E=82\text{-}120$  MeV; measured particle spectra, angular distributions.  $^{20}\text{Ne}$  deduced possible resonance states energies,  $J$ ,  $\pi$ . JOUR PRVCA 71 047305

**A=20 (continued)**

- 2005G036 ATOMIC MASSES  $^{12}\text{C}$ ,  $^{16}\text{O}$ ,  $^{20}\text{Ne}$ ,  $^{32}\text{S}$ ,  $^{36,40}\text{Ar}$ ; measured masses. Cyclotron-based mass spectrometry. JOUR JPGPE 31 S1869
- 2005IL03 NUCLEAR REACTIONS  $^{23}\text{Na}(p, \gamma)$ ,  $(p, \alpha)$ ,  $E=130\text{-}155$  keV; measured  $E\gamma$ ,  $I\gamma$ ; deduced resonance strength upper limits, astrophysical reaction rates. JOUR JPGPE 31 S1785
- 2005ST09 NUCLEAR REACTIONS  $^{12}\text{C}(^{12}\text{C}, \alpha)$ ,  $E=34.7$  MeV;  $^{12}\text{C}(^{16}\text{O}, \alpha)$ ,  $E=38.5$  MeV; measured  $E\alpha$ ,  $E\gamma$ ,  $I\gamma(\theta, t)$ ,  $\alpha\gamma$ -coin;  $\text{Gd}(^{24}\text{Mg}, ^{24}\text{Mg}')$ ,  $E=165$  MeV; measured  $E\gamma$ ,  $I\gamma(\theta, t)$ , (particle) $\gamma$ -coin; deduced transient field strengths. JOUR PYLBB 611 81
- $^{20}\text{Na}$  2005C017 NUCLEAR REACTIONS  $^1\text{H}(^{19}\text{Ne}, \gamma)$ ,  $E=10$  MeV; measured particle spectra.  $^{20}\text{Na}$  deduced resonance strength. JOUR NUPAB 758 741c
- 2005RU15 NUCLEAR REACTIONS  $^1\text{H}(^{20}\text{Na}, p)$ ,  $(^{21}\text{Na}, p)$ ,  $E(\text{cm}) \approx 500\text{-}1600$  keV; measured recoil proton spectra; deduced excitation functions.  $^{22}\text{Ne}$  deduced resonance energies, widths. JOUR NUPAB 758 166c
- $^{20}\text{Mg}$  2005IWZX NUCLEAR REACTIONS  $\text{Pb}(^{20}\text{Mg}, ^{20}\text{Mg}')$ ,  $E=58$  MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation.  $^{20}\text{Mg}$  deduced transition. REPT RIKEN 2004 Annual,P58,Iwasa

**A=21**

- $^{21}\text{O}$  2004TH15 NUCLEAR REACTIONS  $\text{Be}(^{40}\text{Ar}, X)$ ,  $E=140$  MeV / nucleon; measured fragment isotopic yields; deduced no evidence for  $^{16}\text{Be}$ .  $^{12}\text{C}(^{24}\text{F}, X)$ ,  $(^{25}\text{F}, X)$ ,  $(^{26}\text{F}, X)^{20}\text{O} / ^{21}\text{O} / ^{22}\text{O} / ^{23}\text{O} / ^{24}\text{O}$ ,  $E \approx 50$  MeV / nucleon; measured yields; deduced no evidence for  $^{25}\text{O}$ . JOUR APHPF 21 379
- 2005K043 NUCLEAR REACTIONS  $\text{U}(p, X)^{19}\text{O} / ^{20}\text{O} / ^{21}\text{O} / ^{22}\text{O}$ ,  $E=1.4\text{GeV}$ ; measured yields. JOUR ZAANE 25 s01 729
- $^{21}\text{Ne}$  2005GE06 NUCLEAR MOMENTS  $^{17,19,21,23,25}\text{Ne}$ ; measured hfs; deduced  $\mu$ , quadrupole moments. Collinear fast-beam laser spectroscopy, comparison with shell model predictions. JOUR PRVCA 71 064319
- 2005LE04 NUCLEAR REACTIONS  $\text{Pb}(p, X)^3\text{He} / ^4\text{He} / ^{21}\text{Ne} / ^{22}\text{Ne} / ^{36}\text{Ar} / ^{38}\text{Ar} / ^{78}\text{Kr} / ^{80}\text{Kr} / ^{81}\text{Kr} / ^{82}\text{Kr} / ^{83}\text{Kr} / ^{84}\text{Kr} / ^{85}\text{Kr} / ^{86}\text{Kr} / ^{124}\text{Xe} / ^{126}\text{Xe} / ^{128}\text{Xe} / ^{129}\text{Xe} / ^{130}\text{Xe} / ^{131}\text{Xe} / ^{132}\text{Xe} / ^{134}\text{Xe}$ ,  $E=44\text{-}2595$  MeV; measured production  $\sigma$ ; deduced reaction mechanism features. Mini-stack approach, comparisons with model predictions. JOUR NIMBE 229 1
- $^{21}\text{Na}$  2004SIZX NUCLEAR REACTIONS  $^1\text{H}(^{21}\text{Na}, \alpha)$ ,  $E \approx 113$  MeV; measured  $E\alpha$ ,  $\sigma(E, \theta)$ ,  $(^{18}\text{Ne})\alpha$ -coin.  $^{18}\text{Ne}(\alpha, p)$ ,  $E(\text{cm}) \approx 2.5$  MeV; deduced angle-integrated  $\sigma$ . REPT ANL-04/22,P8,Sinha
- 2005HEZT NUCLEAR REACTIONS  $^1\text{H}(^{21}\text{Na}, p)$ ,  $E \approx 4$  MeV / nucleon; measured recoil proton spectra,  $\sigma(\theta)$ .  $^{22}\text{Mg}$  deduced level energies, resonance features. REPT CNS-REP-66,P1,He
- 2005RU01 NUCLEAR REACTIONS  $^1\text{H}(^{21}\text{Na}, p)$ ,  $E=580\text{-}1560$  keV / nucleon; measured elastic and inelastic recoil proton spectra,  $\sigma(\theta)$ .  $^{22}\text{Mg}$  deduced resonance energies, widths,  $J$ ,  $\pi$ , analog states.  $^{21}\text{Na}(p, \gamma)$ ,  $E=\text{low}$ ; calculated reaction rate. R-matrix analysis. JOUR PRVCA 71 025802

**A=21 (continued)**

- 2005RU15 NUCLEAR REACTIONS  $^1\text{H}(^{20}\text{Na}, \text{p}), (^{21}\text{Na}, \text{p}), E(\text{cm}) \approx 500\text{-}1600$  keV; measured recoil proton spectra; deduced excitation functions.  $^{22}\text{Ne}$  deduced resonance energies, widths. JOUR NUPAB 758 166c

**A=22**

- $^{22}\text{O}$  2004BEZP NUCLEAR REACTIONS  $^1\text{H}(^{22}\text{O}, \text{p}), (^{22}\text{O}, ^{22}\text{O}'), E \approx 47$  MeV / nucleon; measured particle spectra,  $\sigma(E, \theta)$ .  $^{22}\text{O}$  level deduced deformation parameter. MUST detector array. REPT  
IPNO-T-04-17, Becheva
- 2004TH15 NUCLEAR REACTIONS  $\text{Be}(^{40}\text{Ar}, \text{X}), E=140$  MeV / nucleon; measured fragment isotopic yields; deduced no evidence for  $^{16}\text{Be}$ .  $^{12}\text{C}(^{24}\text{F}, \text{X}), (^{25}\text{F}, \text{X}), (^{26}\text{F}, \text{X})^{20}\text{O} / ^{21}\text{O} / ^{22}\text{O} / ^{23}\text{O} / ^{24}\text{O}, E \approx 50$  MeV / nucleon; measured yields; deduced no evidence for  $^{25}\text{O}$ . JOUR APHPF 21 379
- 2005K043 NUCLEAR REACTIONS  $\text{U}(\text{p}, \text{X})^{19}\text{O} / ^{20}\text{O} / ^{21}\text{O} / ^{22}\text{O}, E=1.4\text{GeV}$ ; measured yields. JOUR ZAANE 25 s01 729
- 2005WE06 RADIOACTIVITY  $^{22}\text{O}, ^{22}\text{F}(\beta^-)$  [from  $\text{U}(\text{p}, \text{X})$  and subsequent decay]; measured  $E\gamma, I\gamma, \gamma\gamma-, \beta\gamma\text{-coin}, T_{1/2}$ .  $^{22}\text{F}$  deduced levels,  $J, \pi, \beta$ -feeding intensities.  $^{22}\text{Ne}$  deduced transitions. Mass separator, comparison with model predictions. JOUR JPGPE 31 553
- $^{22}\text{F}$  2005WE06 RADIOACTIVITY  $^{22}\text{O}, ^{22}\text{F}(\beta^-)$  [from  $\text{U}(\text{p}, \text{X})$  and subsequent decay]; measured  $E\gamma, I\gamma, \gamma\gamma-, \beta\gamma\text{-coin}, T_{1/2}$ .  $^{22}\text{F}$  deduced levels,  $J, \pi, \beta$ -feeding intensities.  $^{22}\text{Ne}$  deduced transitions. Mass separator, comparison with model predictions. JOUR JPGPE 31 553
- $^{22}\text{Ne}$  2005KE08 NUCLEAR REACTIONS  $^{150}\text{Nd}(^{26}\text{Ne}, \text{X})^{22}\text{Ne} / ^{23}\text{Na} / ^{28}\text{Mg}, E=160$  MeV; measured  $E\gamma, I\gamma, \gamma\gamma-, (\text{particle})\gamma\text{-coin}$ .  $^{22}\text{Ne}, ^{23}\text{Na}, ^{28}\text{Mg}$  deduced levels,  $J, \pi$ . Euroball IV array, fragment separator. JOUR JPGPE 31 S1903
- 2005KE11 NUCLEAR REACTIONS  $^{150}\text{Nd}(^{26}\text{Mg}, \text{X}), E=160$  MeV; measured  $E\gamma, I\gamma, \gamma\gamma-, (\text{particle})\gamma\text{-coin}$ .  $^{22}\text{Ne}, ^{23}\text{Na}$  deduced levels,  $J, \pi$ . Euroball IV array, binary reaction spectrometer. JOUR ZAANE 25 s01 431
- 2005LE04 NUCLEAR REACTIONS  $\text{Pb}(\text{p}, \text{X})^3\text{He} / ^4\text{He} / ^{21}\text{Ne} / ^{22}\text{Ne} / ^{36}\text{Ar} / ^{38}\text{Ar} / ^{78}\text{Kr} / ^{80}\text{Kr} / ^{81}\text{Kr} / ^{82}\text{Kr} / ^{83}\text{Kr} / ^{84}\text{Kr} / ^{85}\text{Kr} / ^{86}\text{Kr} / ^{124}\text{Xe} / ^{126}\text{Xe} / ^{128}\text{Xe} / ^{129}\text{Xe} / ^{130}\text{Xe} / ^{131}\text{Xe} / ^{132}\text{Xe} / ^{134}\text{Xe}, E=44\text{-}2595$  MeV; measured production  $\sigma$ ; deduced reaction mechanism features. Mini-stack approach, comparisons with model predictions. JOUR NIMBE 229 1
- 2005RU15 NUCLEAR REACTIONS  $^1\text{H}(^{20}\text{Na}, \text{p}), (^{21}\text{Na}, \text{p}), E(\text{cm}) \approx 500\text{-}1600$  keV; measured recoil proton spectra; deduced excitation functions.  $^{22}\text{Ne}$  deduced resonance energies, widths. JOUR NUPAB 758 166c
- 2005UG04 NUCLEAR REACTIONS  $^{19}\text{F}(\alpha, \text{p}), E=1238\text{-}2009$  keV; measured yields; deduced astrophysical reaction rates. JOUR NUPAB 758 577c
- 2005WE06 RADIOACTIVITY  $^{22}\text{O}, ^{22}\text{F}(\beta^-)$  [from  $\text{U}(\text{p}, \text{X})$  and subsequent decay]; measured  $E\gamma, I\gamma, \gamma\gamma-, \beta\gamma\text{-coin}, T_{1/2}$ .  $^{22}\text{F}$  deduced levels,  $J, \pi, \beta$ -feeding intensities.  $^{22}\text{Ne}$  deduced transitions. Mass separator, comparison with model predictions. JOUR JPGPE 31 553

**A=22 (continued)**

- <sup>22</sup>Na 2005SI14 NUCLEAR REACTIONS C, O, Si, Mg, Al(n, X)<sup>7</sup>Be, E ≈ 0.1-750 MeV; O, Si, Mg, Al(n, X)<sup>22</sup>Na / <sup>23</sup>Na, E ≈ 0.1-750 MeV; <sup>197</sup>Au(n, X)<sup>194</sup>Au / <sup>196</sup>Au / <sup>198</sup>Au, E ≈ 0.1-750 MeV; Ti, Fe, Ni, Cu(n, X)<sup>46</sup>Sc / <sup>48</sup>Sc, E ≈ 0.1-750 MeV; Fe, Ni, Cu(n, X)<sup>48</sup>V / <sup>51</sup>Cr / <sup>52</sup>Mn / <sup>54</sup>Mn, E ≈ 0.1-750 MeV; Ni, Cu(n, X)<sup>56</sup>Ni / <sup>57</sup>Ni / <sup>56</sup>Co / <sup>57</sup>Co / <sup>58</sup>Co / <sup>60</sup>Co / <sup>59</sup>Fe, E ≈ 0.1-750 MeV; measured energy-integrated production  $\sigma$ . JOUR NIMBE 234 419
- <sup>22</sup>Mg 2004SEZX NUCLEAR REACTIONS <sup>12</sup>C(<sup>12</sup>C, 2n), E not given; measured E $\gamma$ , I $\gamma$ , (recoil) $\gamma$ -coin. <sup>22</sup>Mg deduced levels, J,  $\pi$ , mass excess. Gammasphere array, mass separator. REPT ANL-04/22,P12,Seweryniak
- 2005CH30 NUCLEAR REACTIONS <sup>1</sup>H(<sup>21</sup>Na,  $\gamma$ ), E(cm) ≈ 200-1100 keV; measured thick-target yield. <sup>21</sup>Na(p,  $\gamma$ ), E=low; deduced resonance parameters, astrophysical reaction rate. JOUR NUPAB 752 510c
- 2005DAZW NUCLEAR REACTIONS <sup>1</sup>H(<sup>21</sup>Na,  $\gamma$ ), E(cm)=206-1101 keV; measured E $\gamma$ , I $\gamma$ , (particle) $\gamma$ -coin; deduced thick-target yields, resonance strengths. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol2,P1345
- 2005HEZS NUCLEAR REACTIONS <sup>1</sup>H(<sup>22</sup>Mg, p), E ≈ 4 MeV / nucleon; measured recoil proton spectra,  $\sigma(\theta)$ . <sup>23</sup>Al deduced level energies, possible J,  $\pi$ , resonance features. REPT CNS-REP-66,P3,He
- 2005HEZT NUCLEAR REACTIONS <sup>1</sup>H(<sup>21</sup>Na, p), E ≈ 4 MeV / nucleon; measured recoil proton spectra,  $\sigma(\theta)$ . <sup>22</sup>Mg deduced level energies, resonance features. REPT CNS-REP-66,P1,He
- 2005HEZZ NUCLEAR REACTIONS <sup>1</sup>H(<sup>22</sup>Mg, p), E(cm) ≈ 0.5-3.5 MeV; measured proton spectrum. <sup>23</sup>Al deduced levels, J,  $\pi$ . CONF Riken(Origin of Matter) Proc,P481,He
- 2005PA31 NUCLEAR REACTIONS <sup>24</sup>Mg, <sup>28</sup>Si(p, t), E=33 MeV; measured triton spectra; deduced reaction Q-values. <sup>22</sup>Mg, <sup>26</sup>Si deduced mass excesses. JOUR PRVCA 71 055804
- 2005RU01 NUCLEAR REACTIONS <sup>1</sup>H(<sup>21</sup>Na, p), E=580-1560 keV / nucleon; measured elastic and inelastic recoil proton spectra,  $\sigma(\theta)$ . <sup>22</sup>Mg deduced resonance energies, widths, J,  $\pi$ , analog states. <sup>21</sup>Na(p,  $\gamma$ ), E=low; calculated reaction rate. R-matrix analysis. JOUR PRVCA 71 025802
- 2005SA44 RADIOACTIVITY <sup>46</sup>V(EC); analyzed masses; deduced Q(EC), log ft. <sup>10</sup>C, <sup>14</sup>O, <sup>22</sup>Mg, <sup>26m</sup>Al, <sup>34</sup>Cl, <sup>34</sup>Ar, <sup>38m</sup>K, <sup>42</sup>Sc, <sup>46</sup>V, <sup>50</sup>Mn, <sup>54</sup>Co, <sup>74</sup>Rb; compiled, analyzed log ft; deduced quark-mixing matrix element. JOUR PRLTA 95 102501
- 2005SE02 NUCLEAR REACTIONS <sup>12</sup>C(<sup>12</sup>C, 2n), E=52 MeV; measured E $\gamma$ , I $\gamma$ , (recoil) $\gamma$ -coin. <sup>22</sup>Mg deduced levels, J,  $\pi$ , mass excess. Implications for astrophysical reaction rate discussed. Gammasphere array. JOUR PRLTA 94 032501
- 2005SHZY NUCLEAR REACTIONS <sup>24</sup>Mg, <sup>28</sup>Si( $\alpha$ , <sup>6</sup>He), E=205 MeV; measured excitation energy spectra. <sup>22</sup>Mg, <sup>26</sup>Si deduced resonance energies. Astrophysical implications discussed. CONF Riken(Origin of Matter) Proc,P367,Shimizu
- 2005TR11 NUCLEAR REACTIONS <sup>1</sup>H(<sup>21</sup>Na,  $\gamma$ ), E(cm)=200-1135 keV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>22</sup>Mg deduced levels, J,  $\pi$ , resonance strengths. JOUR NUPAB 758 729c

## A=23

- <sup>23</sup>O      2004TH15      NUCLEAR REACTIONS Be(<sup>40</sup>Ar, X), E=140 MeV / nucleon; measured fragment isotopic yields; deduced no evidence for <sup>16</sup>Be. <sup>12</sup>C(<sup>24</sup>F, X), (<sup>25</sup>F, X), (<sup>26</sup>F, X)<sup>20</sup>O / <sup>21</sup>O / <sup>22</sup>O / <sup>23</sup>O / <sup>24</sup>O, E ≈ 50 MeV / nucleon; measured yields; deduced no evidence for <sup>25</sup>O. JOUR APHPF 21 379
- 2005C024      NUCLEAR REACTIONS C(<sup>23</sup>O, <sup>22</sup>OX), E=938 MeV / nucleon; measured longitudinal momentum distributions, one-neutron removal  $\sigma$ . <sup>23</sup>O deduced ground-state J,  $\pi$ , configuration. JOUR ZAANE 25 s01 343
- 2005N001      NUCLEAR REACTIONS Pb(<sup>23</sup>O, n<sup>22</sup>O), E=422 MeV / nucleon; measured En, E $\gamma$ , I $\gamma$ , (fragment) $\gamma$ -, n $\gamma$ -coin,  $\sigma$ (E); deduced final-state interaction effects. <sup>23</sup>O deduced ground state J,  $\pi$ , configuration, spectroscopic factor. JOUR PYLBB 605 79
- <sup>23</sup>F      2004MIZR      NUCLEAR REACTIONS <sup>4</sup>He(<sup>22</sup>O, <sup>23</sup>F), E ≈ 35 MeV / nucleon; measured E $\gamma$ , I $\gamma$ , (particle) $\gamma$ -coin. <sup>23</sup>F deduced levels, transitions. REPT CNS-REP-64,P269,Michimasa
- 2005MI32      NUCLEAR REACTIONS <sup>4</sup>He(<sup>22</sup>O, <sup>23</sup>F), E=35 MeV / nucleon; <sup>4</sup>He(<sup>23</sup>F, <sup>23</sup>F'), E=41.5 MeV / nucleon; <sup>4</sup>He(<sup>24</sup>F, <sup>23</sup>F), E=36 MeV / nucleon; measured E $\gamma$ , I $\gamma$ , (particle) $\gamma$ -,  $\gamma\gamma$ -coin; deduced  $\sigma$ (E). <sup>23</sup>F deduced levels, J,  $\pi$ . DWBA analysis. JOUR ZAANE 25 s01 367
- 2005MIZT      NUCLEAR REACTIONS <sup>4</sup>He(<sup>22</sup>O, <sup>23</sup>F), (<sup>23</sup>F, <sup>23</sup>F'), (<sup>24</sup>F, <sup>23</sup>F), (<sup>25</sup>Ne, <sup>23</sup>F), E ≈ 35-43 MeV / nucleon; measured E $\gamma$ , I $\gamma$ , (particle) $\gamma$ -,  $\gamma\gamma$ -coin. <sup>4</sup>He(<sup>22</sup>O, <sup>23</sup>F), E=35 MeV / nucleon; measured  $\sigma$ ( $\theta$ ). <sup>23</sup>F deduced levels, J,  $\pi$ , configurations. REPT CNS-REP-67,Michimasa
- 2005MIZU      NUCLEAR REACTIONS <sup>4</sup>He(<sup>22</sup>O, <sup>23</sup>F), (<sup>23</sup>F, <sup>23</sup>F'), (<sup>24</sup>F, <sup>23</sup>F), E not given; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin,  $\sigma$ ( $\theta$ ). <sup>23</sup>F deduced levels, J,  $\pi$ . REPT CNS-REP-66,P26,Michimasa
- 2005MIZV      NUCLEAR REACTIONS <sup>4</sup>He(<sup>22</sup>O, <sup>23</sup>F), E ≈ 35 MeV / nucleon; <sup>4</sup>He(<sup>23</sup>F, <sup>23</sup>F'), E ≈ 41.5 MeV / nucleon; <sup>4</sup>He(<sup>24</sup>F, <sup>23</sup>F), E ≈ 36 MeV / nucleon; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -, (particle) $\gamma$ -coin, angular distributions. <sup>23</sup>F deduced levels, J,  $\pi$ . REPT RIKEN 2004 Annual,P51,Michimasa
- 2005SH46      NUCLEAR REACTIONS <sup>4</sup>He(<sup>22</sup>O, <sup>23</sup>F), E=35 MeV / nucleon; measured E $\gamma$ , I $\gamma$ , (particle) $\gamma$ -coin,  $\sigma$ ( $\theta$ ). <sup>23</sup>F deduced levels, J,  $\pi$ . JOUR JPGPE 31 S1759
- <sup>23</sup>Ne      2005GE06      NUCLEAR MOMENTS <sup>17,19,21,23,25</sup>Ne; measured hfs; deduced  $\mu$ , quadrupole moments. Collinear fast-beam laser spectroscopy, comparison with shell model predictions. JOUR PRVCA 71 064319
- 2005K001      NUCLEAR REACTIONS <sup>13</sup>C(<sup>18</sup>O, <sup>8</sup>Be), (<sup>18</sup>O, 2 $\alpha$ ), E=100 MeV; <sup>24</sup>Mg(<sup>28</sup>Si, <sup>12</sup>C), (<sup>28</sup>Si, 3 $\alpha$ ), E=130 MeV; measured particle spectra, E $\gamma$ , I $\gamma$ , (particle) $\gamma$ -coin; deduced cluster emission features. GASP, ISIS arrays. JOUR ZAANE 23 19
- <sup>23</sup>Na      2004V021      NUCLEAR REACTIONS <sup>22</sup>Ne(p,  $\gamma$ ), E=840-2220 keV; measured E $\gamma$ , I $\gamma$ , excitation function. <sup>23</sup>Na deduced levels, J,  $\pi$ , IAS features. Comparison with model predictions. JOUR BRSPPE 68 210
- 2005BB06      NUCLEAR REACTIONS <sup>12</sup>C(<sup>12</sup>C, X), E=5.3-7 MeV; measured E $\gamma$ , I $\gamma$ , thick-target yields. <sup>12</sup>C(<sup>12</sup>C, p), (<sup>12</sup>C,  $\alpha$ ), E=5.3-7 MeV; deduced  $\sigma$ . Astrophysical implications discussed. JOUR ZAANE 25 s01 645

**A=23 (continued)**

- 2005BE03 RADIOACTIVITY  $^{23}\text{Na}$ ,  $^{127}\text{I}$ ; measured  $T_{1/2}$  lower limits for spontaneous decay to superdense state; deduced potential barrier features. NaI detectors. JOUR ZAANE 23 7
- 2005DE42 NUCLEAR REACTIONS  $^{26}\text{Al}(\text{n}, \alpha)$ ,  $(\text{n}, \text{p})$ ,  $E < 140$  keV; measured  $\sigma$ ; deduced resonance features.  $^{36}\text{Cl}(\text{n}, \text{p})$ ,  $^{26}\text{Al}(\text{n}, \alpha)$ ,  $E=\text{stellar}$ ; analyzed astrophysical reaction rates. JOUR NUPAB 758 80c
- 2005JE06 NUCLEAR REACTIONS  $^{12}\text{C}(\text{C}, \text{p})$ ,  $(^{12}\text{C}, \text{n})$ ,  $E=22$  MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{23}\text{Mg}$  levels deduced  $J$ ,  $\pi$ .  $^{22}\text{Na}(\text{p}, \gamma)$ ,  $E=\text{low}$ ; calculated astrophysical reaction rate, resonance contributions. Gammasphere array. JOUR NUPAB 758 749c
- 2005KE08 NUCLEAR REACTIONS  $^{150}\text{Nd}(\text{C}, \text{X})^{22}\text{Ne} / ^{23}\text{Na} / ^{28}\text{Mg}$ ,  $E=160$  MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -,  $(\text{particle})\gamma$ -coin.  $^{22}\text{Ne}$ ,  $^{23}\text{Na}$ ,  $^{28}\text{Mg}$  deduced levels,  $J$ ,  $\pi$ . Euroball IV array, fragment separator. JOUR JPGPE 31 S1903
- 2005KE11 NUCLEAR REACTIONS  $^{150}\text{Nd}(\text{C}, \text{X})$ ,  $E=160$  MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -,  $(\text{particle})\gamma$ -coin.  $^{22}\text{Ne}$ ,  $^{23}\text{Na}$  deduced levels,  $J$ ,  $\pi$ . Euroball IV array, binary reaction spectrometer. JOUR ZAANE 25 s01 431
- 2005SI14 NUCLEAR REACTIONS C, O, Si, Mg, Al( $\text{n}, \text{X}$ ) $^7\text{Be}$ ,  $E \approx 0.1\text{-}750$  MeV; O, Si, Mg, Al( $\text{n}, \text{X}$ ) $^{22}\text{Na} / ^{23}\text{Na}$ ,  $E \approx 0.1\text{-}750$  MeV;  $^{197}\text{Au}(\text{n}, \text{X})^{194}\text{Au} / ^{196}\text{Au} / ^{198}\text{Au}$ ,  $E \approx 0.1\text{-}750$  MeV; Ti, Fe, Ni, Cu( $\text{n}, \text{X}$ ) $^{46}\text{Sc} / ^{48}\text{Sc}$ ,  $E \approx 0.1\text{-}750$  MeV; Fe, Ni, Cu( $\text{n}, \text{X}$ ) $^{48}\text{V} / ^{51}\text{Cr} / ^{52}\text{Mn} / ^{54}\text{Mn}$ ,  $E \approx 0.1\text{-}750$  MeV; Ni, Cu( $\text{n}, \text{X}$ ) $^{56}\text{Ni} / ^{57}\text{Ni} / ^{56}\text{Co} / ^{57}\text{Co} / ^{58}\text{Co} / ^{60}\text{Co} / ^{59}\text{Fe}$ ,  $E \approx 0.1\text{-}750$  MeV; measured energy-integrated production  $\sigma$ . JOUR NIMBE 234 419
- $^{23}\text{Mg}$  2005JE06 NUCLEAR REACTIONS  $^{12}\text{C}(\text{C}, \text{p})$ ,  $(^{12}\text{C}, \text{n})$ ,  $E=22$  MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{23}\text{Mg}$  levels deduced  $J$ ,  $\pi$ .  $^{22}\text{Na}(\text{p}, \gamma)$ ,  $E=\text{low}$ ; calculated astrophysical reaction rate, resonance contributions. Gammasphere array. JOUR NUPAB 758 749c
- 2005KU27 NUCLEAR REACTIONS  $^4\text{He}(\text{C}, \text{p})$ ,  $E(\text{cm}) \approx 1\text{-}3.6$  MeV; measured proton spectrum.  $^1\text{H}(\text{C}, \text{p})$ ,  $E(\text{cm}) \approx 0.6\text{-}3.5$  MeV; measured elastic  $\sigma(\theta)$ .  $^{24}\text{Al}$  deduced excited states energies. JOUR NUPAB 758 733c
- 2005TEZY NUCLEAR REACTIONS  $^1\text{H}(\text{C}, \text{p})$ ,  $E(\text{cm}) \approx 0.5\text{-}3.5$  MeV; measured recoil proton spectra,  $\sigma(\theta)$ . REPT RIKEN 2004 Annual,P59,Teranishi
- 2005TEZZ NUCLEAR REACTIONS  $^1\text{H}(\text{C}, \text{p})$ ,  $(\text{C}, \text{p})$ ,  $E(\text{cm}) \approx 0.5\text{-}3.5$  MeV; measured excitation functions,  $\sigma(\theta)$ ; deduced resonance features. CONF Riken(Origin of Matter) Proc,P361,Teranishi
- $^{23}\text{Al}$  2005G033 NUCLEAR REACTIONS Pb( $^{23}\text{Al}$ ,  $\text{p}^{22}\text{Mg}$ ),  $E=50$  MeV / nucleon; measured particles relative energy spectrum,  $E\gamma$ ,  $I\gamma$ ; deduced Coulomb dissociation  $\sigma(\theta)$ .  $^{23}\text{Al}$  level deduced radiative width. JOUR NUPAB 758 761c
- 2005G034 NUCLEAR REACTIONS  $^{208}\text{Pb}(\text{C}, \text{p}^{22}\text{Mg})$ ,  $E=50$  MeV / nucleon; measured relative energy spectrum,  $\sigma(\theta)$ .  $^{23}\text{Al}$  deduced excited state radiative width. Astrophysical implications discussed. JOUR JPGPE 31 S1517
- 2005HEZS NUCLEAR REACTIONS  $^1\text{H}(\text{C}, \text{p})$ ,  $E \approx 4$  MeV / nucleon; measured recoil proton spectra,  $\sigma(\theta)$ .  $^{23}\text{Al}$  deduced level energies, possible  $J$ ,  $\pi$ , resonance features. REPT CNS-REP-66,P3,He

**A=23 (continued)**

2005HEZZ NUCLEAR REACTIONS  $^1\text{H}(^{22}\text{Mg}, \text{p})$ ,  $E(\text{cm}) \approx 0.5\text{-}3.5$  MeV; measured proton spectrum.  $^{23}\text{Al}$  deduced levels, J,  $\pi$ . CONF Riken(Origin of Matter) Proc,P481,He

**A=24**

- $^{24}\text{O}$  2004TH15 NUCLEAR REACTIONS  $\text{Be}(^{40}\text{Ar}, \text{X})$ ,  $E=140$  MeV / nucleon; measured fragment isotopic yields; deduced no evidence for  $^{16}\text{Be}$ .  $^{12}\text{C}(^{24}\text{F}, \text{X})$ ,  $(^{25}\text{F}, \text{X})$ ,  $(^{26}\text{F}, \text{X})^{20}\text{O} / ^{21}\text{O} / ^{22}\text{O} / ^{23}\text{O} / ^{24}\text{O}$ ,  $E \approx 50$  MeV / nucleon; measured yields; deduced no evidence for  $^{25}\text{O}$ . JOUR APHPF 21 379
- $^{24}\text{Ne}$  2004KRZX NUCLEAR REACTIONS  $^{27}\text{Al}(\text{n}, \text{n}3\text{p})$ ,  $^{59}\text{Co}$ ,  $^{139}\text{La}$ ,  $^{129}\text{I}$ ,  $^{197}\text{Au}$ ,  $^{237}\text{Np}(\text{n}, \gamma)$ ,  $^{59}\text{Co}$ ,  $^{127,129}\text{I}$ ,  $^{197}\text{Au}$ ,  $^{209}\text{Bi}(\text{n}, \text{xn})$ ,  $^{235,238}\text{U}(\text{n}, \text{F})$ ,  $E$ =spectrum; measured yields; deduced reaction rates.  $\text{Pb}(\text{p}, \text{nX})$ ,  $E=1.5$  GeV; deduced neutron spectrum. REPT JINR-E1-2004-79,Krivopustov
- $^{24}\text{Na}$  2005MU21 NUCLEAR REACTIONS  $^{115}\text{In}(\text{n}, \text{n}')$ ,  $^{27}\text{Al}(\text{n}, \alpha)$ ,  $^{93}\text{Nb}(\text{n}, 2\text{n})$ ,  $(\text{n}, 4\text{n})$ ,  $^{209}\text{Bi}(\text{n}, 4\text{n})$ ,  $(\text{n}, 5\text{n})$ ,  $(\text{n}, 6\text{n})$ ,  $(\text{n}, 7\text{n})$ ,  $E \approx 10\text{-}1000$  MeV; measured reaction rates. Comparison with model predictions. JOUR NIMAE 547 555
- 2005NAZY NUCLEAR REACTIONS  $^{27}\text{Al}(\text{d}, \text{X})^{27}\text{Mg} / ^{24}\text{Na}$ ,  $E=22\text{-}40$  MeV;  $\text{Cu}(\text{d}, \text{X})^{62}\text{Zn} / ^{63}\text{Zn} / ^{61}\text{Cu} / ^{64}\text{Cu}$ ,  $E=22\text{-}40$  MeV;  $\text{W}(\text{d}, \text{X})^{181}\text{Re} / ^{182}\text{Re} / ^{183}\text{Re} / ^{184}\text{Re} / ^{186}\text{Re} / ^{187}\text{W}$ ,  $E=22\text{-}40$  MeV; measured activation  $\sigma$ . Comparison with previous results and model predictions. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol2,P1489
- 2005TIZX NUCLEAR REACTIONS  $\text{Pb}$ ,  $^{208}\text{Pb}(\text{p}, \text{X})^{203}\text{Pb} / ^{200}\text{Tl} / ^{199}\text{Tl} / ^{196}\text{Au} / ^{192}\text{Ir} / ^{190}\text{Ir} / ^{173}\text{Lu} / ^{101\text{m}}\text{Rh} / ^{86}\text{Rb} / ^{59}\text{Fe} / ^{24}\text{Na} / ^7\text{Be}$ ,  $E=40\text{-}2600$  MeV; measured excitation functions. Comparison with previous work and model predictions. Other reactions discussed. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol1,P1070
- 2005TIZY NUCLEAR REACTIONS  $\text{Pb}$ ,  $^{208}\text{Pb}$ ,  $^{209}\text{Bi}(\text{p}, \text{X})^{203}\text{Pb} / ^{200}\text{Tl} / ^{199}\text{Tl} / ^{196}\text{Au} / ^{192}\text{Ir} / ^{190}\text{Ir} / ^{173}\text{Lu} / ^{101\text{m}}\text{Rh} / ^{86}\text{Rb} / ^{59}\text{Fe} / ^{24}\text{Na} / ^7\text{Be}$ ,  $E=40\text{-}2600$  MeV; measured production  $\sigma$ . Comparison with model predictions. PREPRINT nucl-ex/0507009,7/05/2005
- $^{24}\text{Mg}$  2005IL02 NUCLEAR REACTIONS  $^{17}\text{O}(\text{p}, \gamma)$ ,  $E \approx 190, 519$  keV; measured  $E_\gamma$ ,  $I_\gamma$ ; deduced resonance excitation functions.  $^{23}\text{Na}(\text{p}, \gamma)$ ,  $E \approx 150$  keV; measured  $E_\gamma$ ,  $I_\gamma$ ,  $\gamma\gamma$ -coin; deduced resonance strength upper limit. Astrophysical implications discussed. JOUR NUPAB 758 73c
- 2005IL03 NUCLEAR REACTIONS  $^{23}\text{Na}(\text{p}, \gamma)$ ,  $(\text{p}, \alpha)$ ,  $E=130\text{-}155$  keV; measured  $E_\gamma$ ,  $I_\gamma$ ; deduced resonance strength upper limits, astrophysical reaction rates. JOUR JPGPE 31 S1785
- 2005JE03 NUCLEAR REACTIONS  $^{12}\text{C}(^{12}\text{C}, \gamma)$ ,  $E(\text{cm}) \approx 8$  MeV; measured  $E_\gamma$ ,  $I_\gamma$ ,  $\sigma$ ; deduced role of doorway states. Gammasphere array. JOUR PRVCA 71 041301
- 2005JEZZ NUCLEAR REACTIONS  $^{12}\text{C}(^{12}\text{C}, \gamma)$ ,  $E \approx 16$  MeV; measured  $E_\gamma$ ,  $I_\gamma$ ,  $\sigma$ ; deduced role of doorway states. Gammasphere array, mass separator. CONF Argonne(Nuclei at the Limits),P367,Jenkins



**A=24 (continued)**

- 2005ST09 NUCLEAR REACTIONS  $^{12}\text{C}(^{12}\text{C}, \alpha)$ ,  $E=34.7$  MeV;  $^{12}\text{C}(^{16}\text{O}, \alpha)$ ,  $E=38.5$  MeV; measured  $E\alpha$ ,  $E\gamma$ ,  $I\gamma(\theta, t)$ ,  $\alpha\gamma$ -coin;  $\text{Gd}(^{24}\text{Mg}, ^{24}\text{Mg}')$ ,  $E=165$  MeV; measured  $E\gamma$ ,  $I\gamma(\theta, t)$ , (particle) $\gamma$ -coin; deduced transient field strengths. JOUR PYLBB 611 81
- 2005TEZZ NUCLEAR REACTIONS  $^1\text{H}(^{23}\text{Mg}, p)$ ,  $(^{24}\text{Mg}, p)$ ,  $E(\text{cm}) \approx 0.5$ -3.5 MeV; measured excitation functions,  $\sigma(\theta)$ ; deduced resonance features. CONF Riken(Origin of Matter) Proc,P361,Teranishi
- $^{24}\text{Al}$  2005KU27 NUCLEAR REACTIONS  $^4\text{He}(^{14}\text{O}, p)$ ,  $E(\text{cm}) \approx 1$ -3.6 MeV; measured proton spectrum.  $^1\text{H}(^{23}\text{Mg}, p)$ ,  $E(\text{cm}) \approx 0.6$ -3.5 MeV; measured elastic  $\sigma(\theta)$ .  $^{24}\text{Al}$  deduced excited states energies. JOUR NUPAB 758 733c

**A=25**

- $^{25}\text{O}$  2004TH15 NUCLEAR REACTIONS  $\text{Be}(^{40}\text{Ar}, X)$ ,  $E=140$  MeV / nucleon; measured fragment isotopic yields; deduced no evidence for  $^{16}\text{Be}$ .  $^{12}\text{C}(^{24}\text{F}, X)$ ,  $(^{25}\text{F}, X)$ ,  $(^{26}\text{F}, X)^{20}\text{O} / ^{21}\text{O} / ^{22}\text{O} / ^{23}\text{O} / ^{24}\text{O}$ ,  $E \approx 50$  MeV / nucleon; measured yields; deduced no evidence for  $^{25}\text{O}$ . JOUR APHPF 21 379
- $^{25}\text{Ne}$  2005BE60 NUCLEAR REACTIONS  $^9\text{Be}, \text{C}(^{36}\text{S}, X)^{25}\text{Ne} / ^{26}\text{Ne} / ^{27}\text{Ne} / ^{28}\text{Ne}$ ,  $E=77.5$  MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{26,28}\text{Ne}$  deduced levels,  $J, \pi$ .  $^{27,29}\text{Ne}$  deduced excited states. Comparison with shell model predictions. JOUR PRVCA 72 054316
- 2005CA44 NUCLEAR REACTIONS  $^2\text{H}(^{24}\text{Ne}, p)$ ,  $E=10$  MeV / nucleon; measured  $E_p$ ,  $E\gamma$ ,  $p\gamma$ -coin,  $\sigma(\theta)$ .  $^{25}\text{Ne}$  deduced levels,  $J, \pi$ . JOUR JPGPE 31 S1655
- 2005CA50 NUCLEAR REACTIONS  $^2\text{H}(^{24}\text{Ne}, p)$ ,  $E=10$  MeV / nucleon; measured  $E_p$ ,  $E\gamma$ ,  $p\gamma$ -coin,  $\sigma(\theta)$ .  $^{25}\text{Ne}$  deduced levels,  $J, \pi$ . JOUR ZAANE 25 s01 245
- 2005GE06 NUCLEAR MOMENTS  $^{17,19,21,23,25}\text{Ne}$ ; measured hfs; deduced  $\mu$ , quadrupole moments. Collinear fast-beam laser spectroscopy, comparison with shell model predictions. JOUR PRVCA 71 064319
- 2005GIZX NUCLEAR REACTIONS  $\text{Pb}(^{26}\text{Ne}, ^{25}\text{NeX})$ ,  $E=58$  MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin.  $^{25}\text{Ne}$  deduced levels, transitions. REPT RIKEN 2004 Annual,P53,Gibelin
- $^{25}\text{Al}$  2005M028 NUCLEAR REACTIONS  $^1\text{H}(^{25}\text{Al}, p)$ ,  $(^{26}\text{Si}, p)$ ,  $E(\text{cm})=0.5$ -3 MeV; measured recoil proton spectra; deduced excitation functions.  $^{26}\text{Si}$ ,  $^{27}\text{P}$  deduced levels, proton resonance states. Comparison with shell model predictions. JOUR NUPAB 758 158c
- 2005MOZU NUCLEAR REACTIONS  $^1\text{H}(^{25}\text{Al}, p)$ ,  $(^{26}\text{Si}, p)$ ,  $E(\text{cm}) \approx 0.5$ -3 MeV; measured elastic  $\sigma(\theta=180^\circ)$ .  $^{27}\text{P}$  deduced resonance energies,  $J, \pi$ . REPT RIKEN 2004 Annual,P63,Moon
- 2005MOZZ NUCLEAR REACTIONS  $^1\text{H}(^{25}\text{Al}, p)$ ,  $E(\text{cm}) \approx 0.5$ -3.44 MeV / nucleon;  $^1\text{H}(^{26}\text{Si}, p)$ ,  $E(\text{cm}) \approx 0.5$ -3.95 MeV / nucleon; measured excitation functions; deduced resonance features. Thick target. CONF Riken(Origin of Matter) Proc,P505,Moon

## A=26

- <sup>26</sup>O      2005SC20      NUCLEAR REACTIONS C(<sup>27</sup>F, X), (<sup>29</sup>Ne, X), E ≈ 90 MeV / nucleon; measured fragment yields, production σ upper limits; deduced no evidence for <sup>26</sup>O, <sup>28</sup>F. JOUR PRVCA 72 037601
- 2005SCZY      NUCLEAR REACTIONS C(<sup>27</sup>F, X), (<sup>29</sup>Ne, X), E ≈ 90 MeV / nucleon; measured isotopic yields following proton-stripping reactions; deduced no evidence for <sup>26</sup>O, <sup>28</sup>F. PREPRINT  
nucl-ex/0504007,4/5/2005
- <sup>26</sup>Ne      2005BE60      NUCLEAR REACTIONS <sup>9</sup>Be, C(<sup>36</sup>S, X)<sup>25</sup>Ne / <sup>26</sup>Ne / <sup>27</sup>Ne / <sup>28</sup>Ne, E=77.5 MeV / nucleon; measured Eγ, Iγ, γγ-coin. <sup>26,28</sup>Ne deduced levels, J, π. <sup>27,29</sup>Ne deduced excited states. Comparison with shell model predictions. JOUR PRVCA 72 054316
- 2005DOZW      NUCLEAR REACTIONS <sup>9</sup>Be(<sup>36</sup>S, X)<sup>26</sup>Ne / <sup>28</sup>Ne, E not given; measured Eγ, Iγ, γγ-, (recoil)γγ-coin. <sup>26,28</sup>Ne deduced transitions. REPT ATOMKI 2004 Annual,P10,Dombradi
- 2005GAZT      ATOMIC MASSES <sup>26</sup>Ne, <sup>26,27,28,29,30</sup>Na, <sup>29,30,31,32,33</sup>Mg; measured masses. Reanalysis of data using new calibration. PREPRINT  
nucl-ex/0511007,11/2/2005
- <sup>26</sup>Na      2005GAZT      ATOMIC MASSES <sup>26</sup>Ne, <sup>26,27,28,29,30</sup>Na, <sup>29,30,31,32,33</sup>Mg; measured masses. Reanalysis of data using new calibration. PREPRINT  
nucl-ex/0511007,11/2/2005
- 2005GR07      RADIOACTIVITY <sup>26</sup>Na(β<sup>-</sup>) [from Si, Ta(p, X)]; measured Eγ, Iγ, T<sub>1/2</sub>; deduced log ft. <sup>26</sup>Mg deduced levels, J, π, β-feeding intensities. JOUR PRVCA 71 044309
- 2005WI20      RADIOACTIVITY <sup>26</sup>Na(β<sup>-</sup>); <sup>152</sup>Eu(β<sup>-</sup>), (EC); measured Eγ, Iγ, γγ-, βγ-coin. <sup>152</sup>Sm level deduced T<sub>1/2</sub>. JOUR JPGPE 31 S1979
- 2005ZEZZ      NUCLEAR REACTIONS <sup>26</sup>Mg(<sup>3</sup>He, t), E=140 MeV / nucleon; <sup>26</sup>Mg(t, <sup>3</sup>He), E=115 MeV / nucleon; measured excitation energy spectra, σ(θ); deduced Gamow-Teller strengths. PREPRINT  
nucl-ex/0512025,12/20/2005
- <sup>26</sup>Mg      2005BE61      NUCLEAR REACTIONS <sup>26</sup>Mg(<sup>76</sup>Kr, <sup>76</sup>Kr'), E=230 MeV; measured Eγ, Iγ(θ, H, t), (particle)γγ-coin following projectile Coulomb excitation. <sup>76</sup>Kr level deduced g factor. Transient field technique. JOUR ZAANE 25 s01 203
- 2005CH66      NUCLEAR REACTIONS <sup>209</sup>Bi(<sup>26</sup>Mg, <sup>26</sup>Mg'), E=78.6 MeV / nucleon; <sup>197</sup>Au(<sup>32</sup>Mg, <sup>32</sup>Mg'), E=81.1 MeV / nucleon; <sup>209</sup>Bi(<sup>34</sup>Mg, <sup>34</sup>Mg'), E=76.4 MeV / nucleon; measured Eγ, Iγ, (particle)γγ-coin following projectile Coulomb excitation. <sup>26,32,34</sup>Mg deduced transitions B(E2), deformation parameters. Comparison with previous work, model predictions. JOUR PRVCA 72 054320
- 2005DE42      NUCLEAR REACTIONS <sup>26</sup>Al(n, α), (n, p), E < 140 keV; measured σ; deduced resonance features. <sup>36</sup>Cl(n, p), <sup>26</sup>Al(n, α), E=stellar; analyzed astrophysical reaction rates. JOUR NUPAB 758 80c
- 2005GR07      RADIOACTIVITY <sup>26</sup>Na(β<sup>-</sup>) [from Si, Ta(p, X)]; measured Eγ, Iγ, T<sub>1/2</sub>; deduced log ft. <sup>26</sup>Mg deduced levels, J, π, β-feeding intensities. JOUR PRVCA 71 044309
- 2005SC01      RADIOACTIVITY <sup>26m</sup>Al(β<sup>+</sup>) [from <sup>27</sup>Al(γ, n)]; measured T<sub>1/2</sub>. JOUR NIMAE 539 191

**A=26 (continued)**

- 2005WI20 RADIOACTIVITY  $^{26}\text{Na}(\beta^-)$ ;  $^{152}\text{Eu}(\beta^-)$ , (EC); measured  $E_\gamma$ ,  $I_\gamma$ ,  $\gamma\gamma^-$ ,  $\beta\gamma$ -coin.  $^{152}\text{Sm}$  level deduced  $T_{1/2}$ . JOUR JPGPE 31 S1979
- $^{26}\text{Al}$  2005HE24 NUCLEAR REACTIONS  $^{14}\text{N}(^{16}\text{O}, \alpha)$ ,  $E(\text{cm})=6.6, 7.9, 9.5$  MeV; measured  $\sigma$ . Accelerator mass spectrometry. JOUR NIMBE 240 612
- 2005SA44 RADIOACTIVITY  $^{46}\text{V}(\text{EC})$ ; analyzed masses; deduced  $Q(\text{EC})$ , log ft.  $^{10}\text{C}$ ,  $^{14}\text{O}$ ,  $^{22}\text{Mg}$ ,  $^{26m}\text{Al}$ ,  $^{34}\text{Cl}$ ,  $^{34}\text{Ar}$ ,  $^{38m}\text{K}$ ,  $^{42}\text{Sc}$ ,  $^{46}\text{V}$ ,  $^{50}\text{Mn}$ ,  $^{54}\text{Co}$ ,  $^{74}\text{Rb}$ ; compiled, analyzed log ft; deduced quark-mixing matrix element. JOUR PRLTA 95 102501
- 2005SC01 RADIOACTIVITY  $^{26m}\text{Al}(\beta^+)$  [from  $^{27}\text{Al}(\gamma, n)$ ]; measured  $T_{1/2}$ . JOUR NIMAE 539 191
- 2005SCZW NUCLEAR REACTIONS  $\text{Pb}(p, X)^{10}\text{Be} / ^{26}\text{Al} / ^{129}\text{I} / ^{36}\text{Cl}$ ,  $E=200\text{-}2600$  MeV; measured excitation functions. Stacked foil activation, chemical separation. Comparison with model predictions. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol2, P1517
- 2005WAZU NUCLEAR REACTIONS  $^{27}\text{Al}(n, 2n)$ ,  $E=13.6\text{-}14.9$  MeV; measured  $\sigma$ . Accelerator mass spectrometry, other potential measurements discussed. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P621
- 2005ZEZZ NUCLEAR REACTIONS  $^{26}\text{Mg}(^3\text{He}, t)$ ,  $E=140$  MeV / nucleon;  $^{26}\text{Mg}(t, ^3\text{He})$ ,  $E=115$  MeV / nucleon; measured excitation energy spectra,  $\sigma(\theta)$ ; deduced Gamow-Teller strengths. PREPRINT nucl-ex/0512025, 12/20/2005
- $^{26}\text{Si}$  2004PA42 NUCLEAR REACTIONS  $^{24}\text{Mg}(^3\text{He}, n)$ ,  $E=7.9, 8.11, 10.0$  MeV; measured  $E_n$ ,  $\sigma(\theta)$ .  $^{26}\text{Si}$  deduced levels,  $J$ ,  $\pi$ .  $^{25}\text{Al}(p, \gamma)$ ,  $E=\text{low}$ ; calculated astrophysical reaction rates. JOUR PRVCA 70 065805
- 2005M028 NUCLEAR REACTIONS  $^1\text{H}(^{25}\text{Al}, p)$ , ( $^{26}\text{Si}, p$ ),  $E(\text{cm})=0.5\text{-}3$  MeV; measured recoil proton spectra; deduced excitation functions.  $^{26}\text{Si}$ ,  $^{27}\text{P}$  deduced levels, proton resonance states. Comparison with shell model predictions. JOUR NUPAB 758 158c
- 2005M0ZR NUCLEAR REACTIONS  $^1\text{H}(^{26}\text{Si}, p)$ ,  $E \approx 4$  MeV / nucleon; measured recoil proton spectra,  $\sigma(\theta)$ .  $^{27}\text{P}$  deduced level energies,  $J$ ,  $\pi$ , resonance features. REPT CNS-REP-66, P6, Moon
- 2005M0ZU NUCLEAR REACTIONS  $^1\text{H}(^{25}\text{Al}, p)$ , ( $^{26}\text{Si}, p$ ),  $E(\text{cm}) \approx 0.5\text{-}3$  MeV; measured elastic  $\sigma(\theta=180^\circ)$ .  $^{27}\text{P}$  deduced resonance energies,  $J$ ,  $\pi$ . REPT RIKEN 2004 Annual, P63, Moon
- 2005M0ZZ NUCLEAR REACTIONS  $^1\text{H}(^{25}\text{Al}, p)$ ,  $E(\text{cm}) \approx 0.5\text{-}3.44$  MeV / nucleon;  $^1\text{H}(^{26}\text{Si}, p)$ ,  $E(\text{cm}) \approx 0.5\text{-}3.95$  MeV / nucleon; measured excitation functions; deduced resonance features. Thick target. CONF Riken(Origin of Matter) Proc, P505, Moon
- 2005PA31 NUCLEAR REACTIONS  $^{24}\text{Mg}$ ,  $^{28}\text{Si}(p, t)$ ,  $E=33$  MeV; measured triton spectra; deduced reaction  $Q$ -values.  $^{22}\text{Mg}$ ,  $^{26}\text{Si}$  deduced mass excesses. JOUR PRVCA 71 055804
- 2005SHZY NUCLEAR REACTIONS  $^{24}\text{Mg}$ ,  $^{28}\text{Si}(\alpha, ^6\text{He})$ ,  $E=205$  MeV; measured excitation energy spectra.  $^{22}\text{Mg}$ ,  $^{26}\text{Si}$  deduced resonance energies. Astrophysical implications discussed. CONF Riken(Origin of Matter) Proc, P367, Shimizu

## A=27

- <sup>27</sup>Ne 2005BE60 NUCLEAR REACTIONS <sup>9</sup>Be, C(<sup>36</sup>S, X)<sup>25</sup>Ne / <sup>26</sup>Ne / <sup>27</sup>Ne / <sup>28</sup>Ne, E=77.5 MeV / nucleon; measured E<sub>γ</sub>, I<sub>γ</sub>, γγ-coin. <sup>26,28</sup>Ne deduced levels, J, π. <sup>27,29</sup>Ne deduced excited states. Comparison with shell model predictions. JOUR PRVCA 72 054316
- <sup>27</sup>Na 2005GAZT ATOMIC MASSES <sup>26,27,28,29,30</sup>Na, <sup>29,30,31,32,33</sup>Mg; measured masses. Reanalysis of data using new calibration. PREPRINT nucl-ex/0511007,11/2/2005
- <sup>27</sup>Mg 2005NAZY NUCLEAR REACTIONS <sup>27</sup>Al(d, X)<sup>27</sup>Mg / <sup>24</sup>Na, E=22-40 MeV; Cu(d, X)<sup>62</sup>Zn / <sup>63</sup>Zn / <sup>61</sup>Cu / <sup>64</sup>Cu, E=22-40 MeV; W(d, X)<sup>181</sup>Re / <sup>182</sup>Re / <sup>183</sup>Re / <sup>184</sup>Re / <sup>186</sup>Re / <sup>187</sup>W, E=22-40 MeV; measured activation σ. Comparison with previous results and model predictions. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol2,P1489
- 2005SCZV NUCLEAR REACTIONS <sup>9</sup>Be(<sup>26</sup>Mg, <sup>27</sup>Mg), E=57 MeV; measured E<sub>γ</sub>, I<sub>γ</sub>, αα-coin, σ(θ). <sup>27</sup>Mg deduced transitions. REPT MLL 2004 Annual,P4,Schwerdtfeger
- <sup>27</sup>Al 2005SA04 NUCLEAR REACTIONS <sup>12</sup>C, <sup>28</sup>Si, <sup>27</sup>Al, Fe(π<sup>+</sup>, K<sup>+</sup>), E at 1.06 GeV / c; measured hypernucleus mass spectra, pion and proton spectra following hypernucleus decay. <sup>12</sup>C, <sup>28</sup>Si, <sup>27</sup>Al, Fe deduced mesonic and nonmesonic hypernucleus decay widths. Comparison with model predictions. JOUR PRVCA 71 025203
- <sup>27</sup>Si 2005LE30 NUCLEAR REACTIONS <sup>27</sup>Al(<sup>3</sup>He, t), E=25 MeV; measured E<sub>p</sub> following residual nucleus decay to ground and metastable states. <sup>27</sup>Si deduced resonance energy. Astrophysical implications discussed. JOUR NUPAB 758 84c
- 2005SA37 NUCLEAR REACTIONS <sup>40</sup>Ca(e, e'n), E=129 MeV; measured E<sub>n</sub>, missing energy spectra, angular correlations, σ(E, θ); <sup>12</sup>C, <sup>28</sup>Si(e, e'n), E not given; analyzed data; deduced core excitation in giant resonance. JOUR PRVCA 71 064313
- <sup>27</sup>P 2005M028 NUCLEAR REACTIONS <sup>1</sup>H(<sup>25</sup>Al, p), (<sup>26</sup>Si, p), E(cm)=0.5-3 MeV; measured recoil proton spectra; deduced excitation functions. <sup>26</sup>Si, <sup>27</sup>P deduced levels, proton resonance states. Comparison with shell model predictions. JOUR NUPAB 758 158c
- 2005M0ZR NUCLEAR REACTIONS <sup>1</sup>H(<sup>26</sup>Si, p), E ≈ 4 MeV / nucleon; measured recoil proton spectra, σ(θ). <sup>27</sup>P deduced level energies, J, π, resonance features. REPT CNS-REP-66,P6,Moon
- 2005M0ZU NUCLEAR REACTIONS <sup>1</sup>H(<sup>25</sup>Al, p), (<sup>26</sup>Si, p), E(cm) ≈ 0.5-3 MeV; measured elastic σ(θ=180°). <sup>27</sup>P deduced resonance energies, J, π. REPT RIKEN 2004 Annual,P63,Moon
- 2005T011 NUCLEAR REACTIONS Pb(<sup>27</sup>P, p<sup>26</sup>Si), E=57 MeV / nucleon; measured relative energy spectrum. <sup>27</sup>P deduced excited state γ-decay width. Comparison with previous results. JOUR NUPAB 758 182c
- 2005TOZZ NUCLEAR REACTIONS <sup>208</sup>Pb(<sup>27</sup>P, p<sup>26</sup>Si), E=57 MeV / nucleon; measured relative energy spectrum, σ(E). <sup>27</sup>P deduced gamma decay width of first excited state. CONF Riken(Origin of Matter) Proc,P549,Togano

## A=28

- <sup>28</sup>F      2005SC20      NUCLEAR REACTIONS C(<sup>27</sup>F, X), (<sup>29</sup>Ne, X), E ≈ 90 MeV / nucleon; measured fragment yields, production  $\sigma$  upper limits; deduced no evidence for <sup>26</sup>O, <sup>28</sup>F. JOUR PRVCA 72 037601
- 2005SCZY      NUCLEAR REACTIONS C(<sup>27</sup>F, X), (<sup>29</sup>Ne, X), E ≈ 90 MeV / nucleon; measured isotopic yields following proton-stripping reactions; deduced no evidence for <sup>26</sup>O, <sup>28</sup>F. PREPRINT  
nucl-ex/0504007,4/5/2005
- <sup>28</sup>Ne      2005BE60      NUCLEAR REACTIONS <sup>9</sup>Be, C(<sup>36</sup>S, X)<sup>25</sup>Ne / <sup>26</sup>Ne / <sup>27</sup>Ne / <sup>28</sup>Ne, E=77.5 MeV / nucleon; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>26,28</sup>Ne deduced levels, J,  $\pi$ . <sup>27,29</sup>Ne deduced excited states. Comparison with shell model predictions. JOUR PRVCA 72 054316
- 2005DOZW      NUCLEAR REACTIONS <sup>9</sup>Be(<sup>36</sup>S, X)<sup>26</sup>Ne / <sup>28</sup>Ne, E not given; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -, (recoil) $\gamma$ -coin. <sup>26,28</sup>Ne deduced transitions. REPT ATOMKI 2004 Annual,P10,Dombradi
- 2005IW02      NUCLEAR REACTIONS C, Pb(<sup>28</sup>Ne, <sup>28</sup>Ne'), E=46 MeV / nucleon; measured E $\gamma$ , I $\gamma$ , (particle) $\gamma$ -coin. <sup>28</sup>Ne deduced transition B(E2), suppressed collectivity. Comparison with neighboring nuclides, model predictions. JOUR PYLBB 620 118
- 2005TR05      RADIOACTIVITY <sup>28,29</sup>Ne( $\beta^-$ ) [from Be(<sup>48</sup>Ca, X)]; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -,  $\beta\gamma$ -coin; deduced log ft. <sup>28,29</sup>Na deduced levels, J,  $\pi$ ,  $\beta$ -feeding intensities, configurations, inverted shell structure. JOUR PRLTA 94 162501
- <sup>28</sup>Na      2005GAZT      ATOMIC MASSES <sup>26</sup>Ne, <sup>26,27,28,29,30</sup>Na, <sup>29,30,31,32,33</sup>Mg; measured masses. Reanalysis of data using new calibration. PREPRINT  
nucl-ex/0511007,11/2/2005
- 2005TR05      RADIOACTIVITY <sup>28,29</sup>Ne( $\beta^-$ ) [from Be(<sup>48</sup>Ca, X)]; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -,  $\beta\gamma$ -coin; deduced log ft. <sup>28,29</sup>Na deduced levels, J,  $\pi$ ,  $\beta$ -feeding intensities, configurations, inverted shell structure. JOUR PRLTA 94 162501
- <sup>28</sup>Mg      2005KE08      NUCLEAR REACTIONS <sup>150</sup>Nd(<sup>26</sup>Ne, X)<sup>22</sup>Ne / <sup>23</sup>Na / <sup>28</sup>Mg, E=160 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -, (particle) $\gamma$ -coin. <sup>22</sup>Ne, <sup>23</sup>Na, <sup>28</sup>Mg deduced levels, J,  $\pi$ . Euroball IV array, fragment separator. JOUR JPGPE 31 S1903
- <sup>28</sup>Al      2005GE07      NUCLEAR REACTIONS <sup>10</sup>B, <sup>27</sup>Al(polarized n,  $\gamma$ ), E=low; measured parity-violating  $\gamma$ -ray asymmetry. JOUR JRNBA 110 215
- <sup>28</sup>Si      2004MB08      NUCLEAR REACTIONS <sup>28</sup>Si(<sup>16</sup>O, <sup>16</sup>O'), E=40-46, 71, 73, 75 MeV; measured E $\gamma$ , I $\gamma$ , (particle) $\gamma$ -coin,  $\sigma(\theta)$ . Gammasphere, Chico arrays. JOUR BJPHE 34 885
- 2005MA52      NUCLEAR REACTIONS <sup>12</sup>C( $\alpha$ ,  $\gamma$ ), E=2.27 MeV; <sup>27</sup>Al(p,  $\gamma$ ), E=2.05 MeV; measured E $\gamma$ , I $\gamma(\theta)$ . JOUR NIMAE 547 411
- 2005SA04      NUCLEAR REACTIONS <sup>12</sup>C, <sup>28</sup>Si, <sup>27</sup>Al, Fe( $\pi^+$ , K<sup>+</sup>), E at 1.06 GeV / c; measured hypernucleus mass spectra, pion and proton spectra following hypernucleus decay. <sup>12</sup>C, <sup>28</sup>Si, <sup>27</sup>Al, Fe deduced mesonic and nonmesonic hypernucleus decay widths. Comparison with model predictions. JOUR PRVCA 71 025203

**A=28 (continued)**

- 2005WE01 NUCLEAR REACTIONS  $^{12}\text{C}(^{29}\text{P}, ^{28}\text{SiX})$ ,  $E=30.7$  MeV / nucleon; measured fragments parallel momentum distribution.  $^{28}\text{Si}$ ,  $^{29}\text{P}$  deduced particle density distributions, related features. Glauber model and Skyrme-Hartree-Fock calculations. JOUR CPLEE 22 61

**A=29**

- $^{29}\text{Ne}$  2005BE60 NUCLEAR REACTIONS  $^9\text{Be}$ ,  $\text{C}(^{36}\text{S}, \text{X})^{25}\text{Ne} / ^{26}\text{Ne} / ^{27}\text{Ne} / ^{28}\text{Ne}$ ,  $E=77.5$  MeV / nucleon; measured  $E_\gamma$ ,  $I_\gamma$ ,  $\gamma\gamma$ -coin.  $^{26,28}\text{Ne}$  deduced levels,  $J$ ,  $\pi$ .  $^{27,29}\text{Ne}$  deduced excited states. Comparison with shell model predictions. JOUR PRVCA 72 054316
- 2005TR05 RADIOACTIVITY  $^{28,29}\text{Ne}(\beta^-)$  [from  $\text{Be}(^{48}\text{Ca}, \text{X})$ ]; measured  $E_\gamma$ ,  $I_\gamma$ ,  $\gamma\gamma$ -,  $\beta\gamma$ -coin; deduced log ft.  $^{28,29}\text{Na}$  deduced levels,  $J$ ,  $\pi$ ,  $\beta$ -feeding intensities, configurations, inverted shell structure. JOUR PRLTA 94 162501
- 2005TR13 RADIOACTIVITY  $^{29}\text{Ne}(\beta^-)$  [from  $\text{Be}(^{48}\text{Ca}, \text{X})$ ]; measured  $E_\gamma$ ,  $E_\beta$ ,  $\gamma\gamma$ -,  $\beta\gamma$ -coin; deduced log ft.  $^{29}\text{Na}$  deduced levels,  $\beta$ -feeding intensities. Comparison with shell model calculations. JOUR ZAANE 25 s01 101
- $^{29}\text{Na}$  2005GAZT ATOMIC MASSES  $^{26}\text{Ne}$ ,  $^{26,27,28,29,30}\text{Na}$ ,  $^{29,30,31,32,33}\text{Mg}$ ; measured masses. Reanalysis of data using new calibration. PREPRINT nucl-ex/0511007,11/2/2005
- 2005TR05 RADIOACTIVITY  $^{28,29}\text{Ne}(\beta^-)$  [from  $\text{Be}(^{48}\text{Ca}, \text{X})$ ]; measured  $E_\gamma$ ,  $I_\gamma$ ,  $\gamma\gamma$ -,  $\beta\gamma$ -coin; deduced log ft.  $^{28,29}\text{Na}$  deduced levels,  $J$ ,  $\pi$ ,  $\beta$ -feeding intensities, configurations, inverted shell structure. JOUR PRLTA 94 162501
- 2005TR13 RADIOACTIVITY  $^{29}\text{Ne}(\beta^-)$  [from  $\text{Be}(^{48}\text{Ca}, \text{X})$ ]; measured  $E_\gamma$ ,  $E_\beta$ ,  $\gamma\gamma$ -,  $\beta\gamma$ -coin; deduced log ft.  $^{29}\text{Na}$  deduced levels,  $\beta$ -feeding intensities. Comparison with shell model calculations. JOUR ZAANE 25 s01 101
- $^{29}\text{Mg}$  2005GAZT ATOMIC MASSES  $^{26}\text{Ne}$ ,  $^{26,27,28,29,30}\text{Na}$ ,  $^{29,30,31,32,33}\text{Mg}$ ; measured masses. Reanalysis of data using new calibration. PREPRINT nucl-ex/0511007,11/2/2005
- $^{29}\text{Si}$  2005DEZW NUCLEAR REACTIONS  $^{28}\text{Si}$ ,  $^{32}\text{S}$ ,  $^{35}\text{Cl}(n, \gamma)$ ,  $E=\text{reactor}$ ; measured  $E_\gamma$ ,  $I_\gamma$ .  $^{29}\text{Si}$ ,  $^{33}\text{S}$ ,  $^{36}\text{Cl}$  deduced binding energies. Flat-crystal spectrometer. PREPRINT nucl-ex/0507011,7/06/2005
- 2005JEZY NUCLEAR REACTIONS  $^{28}\text{Si}$ ,  $^{32}\text{S}$ ,  $^{35}\text{Cl}(n, \gamma)$ ,  $E=\text{thermal}$ ; measured  $E_\gamma$ ,  $I_\gamma$ .  $^{29}\text{Si}$ ,  $^{33}\text{S}$ ,  $^{36}\text{Cl}$  deduced level energies, neutron binding energies. Double crystal spectrometers. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P617
- $^{29}\text{P}$  2005WE01 NUCLEAR REACTIONS  $^{12}\text{C}(^{29}\text{P}, ^{28}\text{SiX})$ ,  $E=30.7$  MeV / nucleon; measured fragments parallel momentum distribution.  $^{28}\text{Si}$ ,  $^{29}\text{P}$  deduced particle density distributions, related features. Glauber model and Skyrme-Hartree-Fock calculations. JOUR CPLEE 22 61

**A=30**

- <sup>30</sup>Na      2005GAZT      ATOMIC MASSES <sup>26</sup>Ne, <sup>26,27,28,29,30</sup>Na, <sup>29,30,31,32,33</sup>Mg; measured masses. Reanalysis of data using new calibration. PREPRINT nucl-ex/0511007,11/2/2005
- 2005MA96      RADIOACTIVITY <sup>30,31,32</sup>Na( $\beta^-$ ); <sup>31,32</sup>Na( $\beta^-n$ ); measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma^-$ ,  $\beta\gamma$ -coin. <sup>30,31,32</sup>Mg deduced levels T<sub>1/2</sub>. Ultra-fast timing techniques. JOUR ZAANE 25 s01 105
- <sup>30</sup>Mg      2005GAZT      ATOMIC MASSES <sup>26</sup>Ne, <sup>26,27,28,29,30</sup>Na, <sup>29,30,31,32,33</sup>Mg; measured masses. Reanalysis of data using new calibration. PREPRINT nucl-ex/0511007,11/2/2005
- 2005MA96      RADIOACTIVITY <sup>30,31,32</sup>Na( $\beta^-$ ); <sup>31,32</sup>Na( $\beta^-n$ ); measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma^-$ ,  $\beta\gamma$ -coin. <sup>30,31,32</sup>Mg deduced levels T<sub>1/2</sub>. Ultra-fast timing techniques. JOUR ZAANE 25 s01 105
- 2005NI09      NUCLEAR REACTIONS Ni(<sup>30</sup>Mg, <sup>30</sup>Mg'), E=2.25 MeV / nucleon; measured E $\gamma$ , I $\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation. <sup>30</sup>Mg deduced transition, B(E2). JOUR NUPAB 752 273c
- 2005NI11      NUCLEAR REACTIONS Ni(<sup>30</sup>Mg, <sup>30</sup>Mg'), E=2.25 MeV / nucleon; measured E $\gamma$ , I $\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation. <sup>30</sup>Mg transition deduced B(E2). JOUR PRLTA 94 172501
- 2005SC27      NUCLEAR REACTIONS Ni(<sup>30</sup>Mg, <sup>30</sup>Mg'), E=2.2 MeV / nucleon; measured E $\gamma$ , I $\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation.<sup>2</sup>Hmeasured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma^-$ , (particle) $\gamma$ -coin. <sup>30</sup>Mg deduced transitions B(E2). <sup>31</sup>Mg deduced transitions. Miniball array. JOUR ZAANE 25 s01 397
- <sup>30</sup>Al      2005UE01      RADIOACTIVITY <sup>30,32</sup>Al( $\beta^-$ ) [from <sup>40</sup>Ar fragmentation]; measured  $\beta$ -NMR spectra, T<sub>1/2</sub>; deduced  $\mu$ . JOUR PYLBB 615 186
- 2005UE01      NUCLEAR MOMENTS <sup>30,32</sup>Al; measured  $\beta$ -NMR spectra; deduced  $\mu$ . JOUR PYLBB 615 186
- <sup>30</sup>Si      2005UE01      RADIOACTIVITY <sup>30,32</sup>Al( $\beta^-$ ) [from <sup>40</sup>Ar fragmentation]; measured  $\beta$ -NMR spectra, T<sub>1/2</sub>; deduced  $\mu$ . JOUR PYLBB 615 186
- <sup>30</sup>P      2005AD35      NUCLEAR REACTIONS <sup>6</sup>Li(<sup>6</sup>Li,  $\alpha$ X), (<sup>7</sup>Li,  $\alpha$ X), E=14-20 MeV; measured  $\alpha$ -spectra. <sup>12</sup>C(n,  $\alpha$ ), E=72.8 MeV; <sup>28</sup>Si(<sup>6</sup>Li,  $\alpha$ ), E=36 MeV; analyzed  $\alpha$ -spectra. Statistical model calculations. Target-projectile symmetry discussed. JOUR ZAANE 25 s01 299
- 2005KA46      RADIOACTIVITY <sup>31</sup>Cl( $\beta^+p$ ) [from S(p, X), E=40 MeV]; measured  $\beta$ -delayed E $\gamma$ , Ep. <sup>58</sup>Zn( $\beta^+$ ) [from Nb(p, X), E=1.4 GeV]; measured E $\gamma$ , I $\gamma$ ,  $\beta\gamma$ -coin, T<sub>1/2</sub>. <sup>58</sup>Cu deduced levels,  $\beta$ -feeding intensities. <sup>81m</sup>Kr(EC), (IT); <sup>81</sup>Y, <sup>81</sup>Sr, <sup>85</sup>Nb, <sup>85</sup>Zr, <sup>86</sup>Mo, <sup>86</sup>Nb(EC) [from Ni, <sup>54</sup>Fe(<sup>32</sup>S, X)]; measured E $\gamma$ , I $\gamma$ , E(ce), I(ce), T<sub>1/2</sub>. <sup>81</sup>Kr, <sup>85</sup>Zr, <sup>85</sup>Nb deduced isomeric transitions T<sub>1/2</sub>, ICC. <sup>85</sup>Zr, <sup>86</sup>Nb deduced levels, J,  $\pi$ , ICC. <sup>81</sup>Br deduced neutrino capture rate. Mass-separated sources. JOUR ZAANE 25 s01 129

**A=31**

- <sup>31</sup>Na      2005MA96      RADIOACTIVITY <sup>30,31,32</sup>Na( $\beta^-$ ); <sup>31,32</sup>Na( $\beta^-n$ ); measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma^-$ ,  $\beta\gamma$ -coin. <sup>30,31,32</sup>Mg deduced levels T<sub>1/2</sub>. Ultra-fast timing techniques. JOUR ZAANE 25 s01 105

**A=31 (continued)**

- <sup>31</sup>Mg    2005GAZT    ATOMIC MASSES <sup>26</sup>Ne, <sup>26,27,28,29,30</sup>Na, <sup>29,30,31,32,33</sup>Mg; measured masses. Reanalysis of data using new calibration. PREPRINT nucl-ex/0511007,11/2/2005
- 2005K041    RADIOACTIVITY <sup>31</sup>Mg( $\beta^-$ ) [from U(p, X)]; measured  $\beta$ -asymmetry and hfs,  $\beta$ -NMR spectra from polarized source. <sup>31</sup>Mg deduced ground-state J,  $\pi$ ,  $\mu$ . JOUR ZAANE 25 s01 193
- 2005MA86    RADIOACTIVITY <sup>31</sup>Mg( $\beta^-$ ) [from Be(<sup>36</sup>S, X)]; measured E $\gamma$ , I $\gamma$ ,  $\beta\gamma$ -coin, T<sub>1/2</sub>; deduced log ft. <sup>31</sup>Al deduced levels, feeding intensities. <sup>31</sup>Mg deduced ground-state intruder configuration. JOUR PRVCA 72 044314
- 2005MA96    RADIOACTIVITY <sup>30,31,32</sup>Na( $\beta^-$ ); <sup>31,32</sup>Na( $\beta^-n$ ); measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma^-$ ,  $\beta\gamma$ -coin. <sup>30,31,32</sup>Mg deduced levels T<sub>1/2</sub>. Ultra-fast timing techniques. JOUR ZAANE 25 s01 105
- 2005NE01    RADIOACTIVITY <sup>31</sup>Mg( $\beta^-$ ) [from U(p, X)]; measured  $\beta$ -asymmetry,  $\beta$ -NMR spectra from polarized source. <sup>31</sup>Mg deduced ground-state J,  $\pi$ ,  $\mu$ . JOUR PRLTA 94 022501
- 2005SC27    NUCLEAR REACTIONS Ni(<sup>30</sup>Mg, <sup>30</sup>Mg'), E=2.2 MeV / nucleon; measured E $\gamma$ , I $\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation. <sup>2</sup>Hmeasured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma^-$ , (particle) $\gamma$ -coin. <sup>30</sup>Mg deduced transitions B(E2). <sup>31</sup>Mg deduced transitions. Miniball array. JOUR ZAANE 25 s01 397
- <sup>31</sup>Al    2005K041    RADIOACTIVITY <sup>31</sup>Mg( $\beta^-$ ) [from U(p, X)]; measured  $\beta$ -asymmetry and hfs,  $\beta$ -NMR spectra from polarized source. <sup>31</sup>Mg deduced ground-state J,  $\pi$ ,  $\mu$ . JOUR ZAANE 25 s01 193
- 2005MA86    RADIOACTIVITY <sup>31</sup>Mg( $\beta^-$ ) [from Be(<sup>36</sup>S, X)]; measured E $\gamma$ , I $\gamma$ ,  $\beta\gamma$ -coin, T<sub>1/2</sub>; deduced log ft. <sup>31</sup>Al deduced levels, feeding intensities. <sup>31</sup>Mg deduced ground-state intruder configuration. JOUR PRVCA 72 044314
- 2005NE01    RADIOACTIVITY <sup>31</sup>Mg( $\beta^-$ ) [from U(p, X)]; measured  $\beta$ -asymmetry,  $\beta$ -NMR spectra from polarized source. <sup>31</sup>Mg deduced ground-state J,  $\pi$ ,  $\mu$ . JOUR PRLTA 94 022501
- <sup>31</sup>P    2004V022    NUCLEAR REACTIONS <sup>30</sup>Si(p,  $\gamma$ ), E=1750-1905 keV; measured E $\gamma$ , I $\gamma$ , excitation function. <sup>31</sup>P deduced levels, J,  $\pi$ , B(M1), IAR features. JOUR BRSP 68 218
- 2005AN15    NUCLEAR MOMENTS <sup>13</sup>C, <sup>14,15</sup>N, <sup>17</sup>O, <sup>19</sup>F, <sup>31</sup>P, <sup>33</sup>S; measured NMR spectra; deduced  $\mu$ . JOUR CHPLB 411 111
- 2005DEZZ    NUCLEAR REACTIONS <sup>24</sup>Mg(<sup>16</sup>O, n2 $\alpha$ ), (<sup>16</sup>O, p2 $\alpha$ ), (<sup>16</sup>O, n $\alpha$ ), (<sup>16</sup>O, p $\alpha$ ), E=70 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma^-$ , (charged particle) $\gamma^-$ , (neutron) $\gamma$ -coin. <sup>31</sup>S, <sup>31</sup>P, <sup>35</sup>Ar, <sup>35</sup>Cl deduced levels, J,  $\pi$ , mirror energy differences. GASP, ISIS arrays. CONF Argonne(Nuclei at the Limits),P205,Della Vedova
- 2005JE07    NUCLEAR REACTIONS <sup>12</sup>C(<sup>20</sup>Ne, p), (<sup>20</sup>Ne, n), E=32 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma^-$ , (recoil) $\gamma$ -coin. <sup>31</sup>S, <sup>31</sup>P deduced high-spin levels, J,  $\pi$ . Gammasphere array, fragment mass analyzer. JOUR PRVCA 72 031303



**A=31 (continued)**

- <sup>31</sup>S      2005DEZZ      NUCLEAR REACTIONS <sup>24</sup>Mg(<sup>16</sup>O, n2α), (<sup>16</sup>O, p2α), (<sup>16</sup>O, nα), (<sup>16</sup>O, pα), E=70 MeV; measured Eγ, Iγ, γγ-, (charged particle)γ-, (neutron)γ-coin. <sup>31</sup>S, <sup>31</sup>P, <sup>35</sup>Ar, <sup>35</sup>Cl deduced levels, J, π, mirror energy differences. GASP, ISIS arrays. CONF Argonne(Nuclei at the Limits),P205,Della Vedova
- 2005GA54      NUCLEAR REACTIONS <sup>9</sup>Be(<sup>32</sup>S, <sup>31</sup>SX), (<sup>33</sup>Cl, <sup>32</sup>ClX), (<sup>32</sup>Ar, <sup>31</sup>ArX), (<sup>34</sup>Ar, <sup>33</sup>ArX), E≈ 65 MeV / nucleon; measured Eγ, Iγ, (particle)γ-coin, particle momentum distributions; deduced one-neutron removal σ. <sup>31</sup>S, <sup>32</sup>Cl, <sup>31,33</sup>Ar levels deduced spectroscopic factors. Comparison with shell model predictions. JOUR ZAANE 25 s01 251
- 2005JE07      NUCLEAR REACTIONS <sup>12</sup>C(<sup>20</sup>Ne, p), (<sup>20</sup>Ne, n), E=32 MeV; measured Eγ, Iγ, γγ-, (recoil)γ-coin. <sup>31</sup>S, <sup>31</sup>P deduced high-spin levels, J, π. Gammasphere array, fragment mass analyzer. JOUR PRVCA 72 031303
- <sup>31</sup>Cl      2005KA46      RADIOACTIVITY <sup>31</sup>Cl(β<sup>+</sup>p) [from S(p, X), E=40 MeV]; measured β-delayed Eγ, Ep. <sup>58</sup>Zn(β<sup>+</sup>) [from Nb(p, X), E=1.4 GeV]; measured Eγ, Iγ, βγ-coin, T<sub>1/2</sub>. <sup>58</sup>Cu deduced levels, β-feeding intensities. <sup>81m</sup>Kr(EC), (IT); <sup>81</sup>Y, <sup>81</sup>Sr, <sup>85</sup>Nb, <sup>85</sup>Zr, <sup>86</sup>Mo, <sup>86</sup>Nb(EC) [from Ni, <sup>54</sup>Fe(<sup>32</sup>S, X)]; measured Eγ, Iγ, E(ce), I(ce), T<sub>1/2</sub>. <sup>81</sup>Kr, <sup>85</sup>Zr, <sup>85</sup>Nb deduced isomeric transitions T<sub>1/2</sub>, ICC. <sup>85</sup>Zr, <sup>86</sup>Nb deduced levels, J, π, ICC. <sup>81</sup>Br deduced neutrino capture rate. Mass-separated sources. JOUR ZAANE 25 s01 129
- <sup>31</sup>Ar      2005GA54      NUCLEAR REACTIONS <sup>9</sup>Be(<sup>32</sup>S, <sup>31</sup>SX), (<sup>33</sup>Cl, <sup>32</sup>ClX), (<sup>32</sup>Ar, <sup>31</sup>ArX), (<sup>34</sup>Ar, <sup>33</sup>ArX), E≈ 65 MeV / nucleon; measured Eγ, Iγ, (particle)γ-coin, particle momentum distributions; deduced one-neutron removal σ. <sup>31</sup>S, <sup>32</sup>Cl, <sup>31,33</sup>Ar levels deduced spectroscopic factors. Comparison with shell model predictions. JOUR ZAANE 25 s01 251

**A=32**

- <sup>32</sup>Na      2005MA81      RADIOACTIVITY <sup>32</sup>Na, <sup>80</sup>Ga(β<sup>-</sup>); measured Eγ, Iγ, γγ-, βγ-coin. <sup>32</sup>Mg, <sup>80</sup>Ge levels deduced T<sub>1/2</sub>. Ultra-fast timing techniques. JOUR JPGPE 31 S1421
- 2005MA96      RADIOACTIVITY <sup>30,31,32</sup>Na(β<sup>-</sup>); <sup>31,32</sup>Na(β<sup>-</sup>n); measured Eγ, Iγ, γγ-, βγ-coin. <sup>30,31,32</sup>Mg deduced levels T<sub>1/2</sub>. Ultra-fast timing techniques. JOUR ZAANE 25 s01 105
- <sup>32</sup>Mg      2004C029      RADIOACTIVITY <sup>74</sup>Kr(EC), (β<sup>+</sup>) [from Nb(p, X)]; measured βγ-coin; deduced Gamow-Teller strength distribution. <sup>33</sup>Na(β<sup>-</sup>), (β<sup>-</sup>n) [from U(p, X)]; measured βγ-, nβ-, γγ-coin, T<sub>1/2</sub>. <sup>33</sup>Mg deduced ground-state J, π. Total absorption spectrometer. JOUR BJPHE 34 850
- 2005CH66      NUCLEAR REACTIONS <sup>209</sup>Bi(<sup>26</sup>Mg, <sup>26</sup>Mg'), E=78.6 MeV / nucleon; <sup>197</sup>Au(<sup>32</sup>Mg, <sup>32</sup>Mg'), E=81.1 MeV / nucleon; <sup>209</sup>Bi(<sup>34</sup>Mg, <sup>34</sup>Mg'), E=76.4 MeV / nucleon; measured Eγ, Iγ, (particle)γ-coin following projectile Coulomb excitation. <sup>26,32,34</sup>Mg deduced transitions B(E2), deformation parameters. Comparison with previous work, model predictions. JOUR PRVCA 72 054320

**A=32 (continued)**

	2005GAZT	ATOMIC MASSES $^{26}\text{Ne}$ , $^{26,27,28,29,30}\text{Na}$ , $^{29,30,31,32,33}\text{Mg}$ ; measured masses. Reanalysis of data using new calibration. PREPRINT nucl-ex/0511007,11/2/2005
	2005MA81	RADIOACTIVITY $^{32}\text{Na}$ , $^{80}\text{Ga}(\beta^-)$ ; measured $E\gamma$ , $I\gamma$ , $\gamma\gamma$ -, $\beta\gamma$ -coin. $^{32}\text{Mg}$ , $^{80}\text{Ge}$ levels deduced $T_{1/2}$ . Ultra-fast timing techniques. JOUR JPGPE 31 S1421
	2005MA96	RADIOACTIVITY $^{30,31,32}\text{Na}(\beta^-)$ ; $^{31,32}\text{Na}(\beta^-n)$ ; measured $E\gamma$ , $I\gamma$ , $\gamma\gamma$ -, $\beta\gamma$ -coin. $^{30,31,32}\text{Mg}$ deduced levels $T_{1/2}$ . Ultra-fast timing techniques. JOUR ZAANE 25 s01 105
$^{32}\text{Al}$	2005UE01	RADIOACTIVITY $^{30,32}\text{Al}(\beta^-)$ [from $^{40}\text{Ar}$ fragmentation]; measured $\beta$ -NMR spectra, $T_{1/2}$ ; deduced $\mu$ . JOUR PYLBB 615 186
	2005UE01	NUCLEAR MOMENTS $^{30,32}\text{Al}$ ; measured $\beta$ -NMR spectra; deduced $\mu$ . JOUR PYLBB 615 186
$^{32}\text{Si}$	2005UE01	RADIOACTIVITY $^{30,32}\text{Al}(\beta^-)$ [from $^{40}\text{Ar}$ fragmentation]; measured $\beta$ -NMR spectra, $T_{1/2}$ ; deduced $\mu$ . JOUR PYLBB 615 186
$^{32}\text{S}$	2005ADZW	NUCLEAR REACTIONS $^{31}\text{P}(p, \gamma)$ , E not given; measured $E\gamma$ , $I\gamma$ . $^{32}\text{S}$ deduced excited state energy. REPT Univ Washington Annual 2005,P58,Adelberger
	2005G036	ATOMIC MASSES $^{12}\text{C}$ , $^{16}\text{O}$ , $^{20}\text{Ne}$ , $^{32}\text{S}$ , $^{36,40}\text{Ar}$ ; measured masses. Cyclotron-based mass spectrometry. JOUR JPGPE 31 S1869
	2005SH38	ATOMIC MASSES $^{32,33}\text{S}$ , $^{84,86}\text{Kr}$ , $^{129,132}\text{Xe}$ ; measured masses. Penning trap. JOUR PLRAA 72 022510
$^{32}\text{Cl}$	2005GA54	NUCLEAR REACTIONS $^9\text{Be}(^{32}\text{S}, ^{31}\text{SX})$ , $(^{33}\text{Cl}, ^{32}\text{ClX})$ , $(^{32}\text{Ar}, ^{31}\text{ArX})$ , $(^{34}\text{Ar}, ^{33}\text{ArX})$ , $E \approx 65$ MeV / nucleon; measured $E\gamma$ , $I\gamma$ , (particle) $\gamma$ -coin, particle momentum distributions; deduced one-neutron removal $\sigma$ . $^{31}\text{S}$ , $^{32}\text{Cl}$ , $^{31,33}\text{Ar}$ levels deduced spectroscopic factors. Comparison with shell model predictions. JOUR ZAANE 25 s01 251

**A=33**

$^{33}\text{Na}$	2004C029	RADIOACTIVITY $^{74}\text{Kr}(\text{EC})$ , $(\beta^+)$ [from $\text{Nb}(p, X)$ ]; measured $\beta\gamma$ -coin; deduced Gamow-Teller strength distribution. $^{33}\text{Na}(\beta^-)$ , $(\beta^-n)$ [from $\text{U}(p, X)$ ]; measured $\beta\gamma$ -, $n\beta$ -, $\gamma\gamma$ -coin, $T_{1/2}$ . $^{33}\text{Mg}$ deduced ground-state $J, \pi$ . Total absorption spectrometer. JOUR BJPHE 34 850
$^{33}\text{Mg}$	2004C029	RADIOACTIVITY $^{74}\text{Kr}(\text{EC})$ , $(\beta^+)$ [from $\text{Nb}(p, X)$ ]; measured $\beta\gamma$ -coin; deduced Gamow-Teller strength distribution. $^{33}\text{Na}(\beta^-)$ , $(\beta^-n)$ [from $\text{U}(p, X)$ ]; measured $\beta\gamma$ -, $n\beta$ -, $\gamma\gamma$ -coin, $T_{1/2}$ . $^{33}\text{Mg}$ deduced ground-state $J, \pi$ . Total absorption spectrometer. JOUR BJPHE 34 850
	2005GAZT	ATOMIC MASSES $^{26}\text{Ne}$ , $^{26,27,28,29,30}\text{Na}$ , $^{29,30,31,32,33}\text{Mg}$ ; measured masses. Reanalysis of data using new calibration. PREPRINT nucl-ex/0511007,11/2/2005
$^{33}\text{S}$	2005AN15	NUCLEAR MOMENTS $^{13}\text{C}$ , $^{14,15}\text{N}$ , $^{17}\text{O}$ , $^{19}\text{F}$ , $^{31}\text{P}$ , $^{33}\text{S}$ ; measured NMR spectra; deduced $\mu$ . JOUR CHPLB 411 111
	2005DEZW	NUCLEAR REACTIONS $^{28}\text{Si}$ , $^{32}\text{S}$ , $^{35}\text{Cl}(n, \gamma)$ , E=reactor; measured $E\gamma$ , $I\gamma$ . $^{29}\text{Si}$ , $^{33}\text{S}$ , $^{36}\text{Cl}$ deduced binding energies. Flat-crystal spectrometer. PREPRINT nucl-ex/0507011,7/06/2005

**A=33 (continued)**

- 2005JEZY NUCLEAR REACTIONS  $^{28}\text{Si}$ ,  $^{32}\text{S}$ ,  $^{35}\text{Cl}(n, \gamma)$ , E=thermal; measured  $E\gamma$ ,  $I\gamma$ .  $^{29}\text{Si}$ ,  $^{33}\text{S}$ ,  $^{36}\text{Cl}$  deduced level energies, neutron binding energies. Double crystal spectrometers. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P617
- 2005SH38 ATOMIC MASSES  $^{32,33}\text{S}$ ,  $^{84,86}\text{Kr}$ ,  $^{129,132}\text{Xe}$ ; measured masses. Penning trap. JOUR PLRAA 72 022510
- $^{33}\text{Cl}$  2005ADZV NUCLEAR REACTIONS  $^{32}\text{S}(p, \gamma)$ , E  $\approx$  3.4 MeV; measured  $E\gamma$ ,  $I\gamma$ .  $^{33}\text{Cl}$  deduced transitions. REPT Univ Washington Annual 2005, P59, Adelberger
- $^{33}\text{Ar}$  2005GA54 NUCLEAR REACTIONS  $^9\text{Be}(^{32}\text{S}, ^{31}\text{SX})$ ,  $(^{33}\text{Cl}, ^{32}\text{ClX})$ ,  $(^{32}\text{Ar}, ^{31}\text{ArX})$ ,  $(^{34}\text{Ar}, ^{33}\text{ArX})$ , E  $\approx$  65 MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin, particle momentum distributions; deduced one-neutron removal  $\sigma$ .  $^{31}\text{S}$ ,  $^{32}\text{Cl}$ ,  $^{31,33}\text{Ar}$  levels deduced spectroscopic factors. Comparison with shell model predictions. JOUR ZAANE 25 s01 251

**A=34**

- $^{34}\text{Mg}$  2005CH66 NUCLEAR REACTIONS  $^{209}\text{Bi}(^{26}\text{Mg}, ^{26}\text{Mg}')$ , E=78.6 MeV / nucleon;  $^{197}\text{Au}(^{32}\text{Mg}, ^{32}\text{Mg}')$ , E=81.1 MeV / nucleon;  $^{209}\text{Bi}(^{34}\text{Mg}, ^{34}\text{Mg}')$ , E=76.4 MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation.  $^{26,32,34}\text{Mg}$  deduced transitions B(E2), deformation parameters. Comparison with previous work, model predictions. JOUR PRVCA 72 054320
- $^{34}\text{Al}$  20050B04 NUCLEAR REACTIONS  $^{251}\text{Cf}(n, F)$ , E=thermal; measured light charged particle yields, energy distributions following ternary fission; deduced evidence for  $^{34}\text{Al}$ ,  $^{36}\text{Si}$ . JOUR NUPAB 761 173
- $^{34}\text{Si}$  2005TI11 RADIOACTIVITY  $^{35}\text{Al}(\beta^-)$ ,  $(\beta^-n)$  [from  $^{36}\text{S}$  fragmentation]; measured  $\beta$ -delayed  $E\gamma$ ,  $E_n$ ,  $T_{1/2}$ , neutron emission probability; deduced log ft.  $^{34,35}\text{Si}$  deduced levels, J,  $\pi$ , feeding intensities. JOUR JPGPE 31 S1965
- $^{34}\text{P}$  20050L02 NUCLEAR REACTIONS  $^{176}\text{Yb}(^{36}\text{S}, X)^{34}\text{P}$ , E=230 MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{34}\text{P}$  deduced levels, J,  $\pi$ , configurations. GASP array, level systematics in neighboring isotopes discussed. JOUR PRVCA 71 034316
- 20050L04 NUCLEAR REACTIONS  $^{176}\text{Yb}(^{36}\text{S}, X)^{34}\text{P}$ , E=230 MeV;  $^{208}\text{Pb}(^{36}\text{S}, X)^{36}\text{S} / ^{38}\text{S} / ^{34}\text{P} / ^{36}\text{P}$ , E=215 MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -, (particle) $\gamma$ -coin.  $^{34}\text{P}$  deduced levels, J,  $\pi$ , configurations. JOUR JPGPE 31 S1935
- $^{34}\text{S}$  2005FU03 NUCLEAR REACTIONS  $^{34}\text{S}(^7\text{Li}, t\alpha)$ , E=26 MeV; measured particle spectra, angular correlations.  $^{38}\text{Ar}$  deduced  $\alpha$ -cluster states energies, J,  $\pi$ . JOUR PRVCA 71 067602
- 2005MA03 NUCLEAR REACTIONS  $^{24}\text{Mg}(^{16}\text{O}, 2p\alpha)$ , E=70 MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -, (charged particle) $\gamma$ -coin, DSA.  $^{34}\text{S}$  deduced high-spin levels, J,  $\pi$ ,  $T_{1/2}$ , B(M1), B(E2). Comparison with shell model calculations. JOUR PRVCA 71 014316

**A=34 (continued)**

- <sup>34</sup>Cl 2005SA44 RADIOACTIVITY <sup>46</sup>V(EC); analyzed masses; deduced Q(EC), log ft. <sup>10</sup>C, <sup>14</sup>O, <sup>22</sup>Mg, <sup>26m</sup>Al, <sup>34</sup>Cl, <sup>34</sup>Ar, <sup>38m</sup>K, <sup>42</sup>Sc, <sup>46</sup>V, <sup>50</sup>Mn, <sup>54</sup>Co, <sup>74</sup>Rb; compiled, analyzed log ft; deduced quark-mixing matrix element. JOUR PRLTA 95 102501
- <sup>34</sup>Ar 2005SA44 RADIOACTIVITY <sup>46</sup>V(EC); analyzed masses; deduced Q(EC), log ft. <sup>10</sup>C, <sup>14</sup>O, <sup>22</sup>Mg, <sup>26m</sup>Al, <sup>34</sup>Cl, <sup>34</sup>Ar, <sup>38m</sup>K, <sup>42</sup>Sc, <sup>46</sup>V, <sup>50</sup>Mn, <sup>54</sup>Co, <sup>74</sup>Rb; compiled, analyzed log ft; deduced quark-mixing matrix element. JOUR PRLTA 95 102501

**A=35**

- <sup>35</sup>Al 2005TI11 RADIOACTIVITY <sup>35</sup>Al( $\beta^-$ ), ( $\beta^-n$ ) [from <sup>36</sup>S fragmentation]; measured  $\beta$ -delayed E $\gamma$ , E<sub>n</sub>, T<sub>1/2</sub>, neutron emission probability; deduced log ft. <sup>34,35</sup>Si deduced levels, J,  $\pi$ , feeding intensities. JOUR JPGPE 31 S1965
- <sup>35</sup>Si 2005TI11 RADIOACTIVITY <sup>35</sup>Al( $\beta^-$ ), ( $\beta^-n$ ) [from <sup>36</sup>S fragmentation]; measured  $\beta$ -delayed E $\gamma$ , E<sub>n</sub>, T<sub>1/2</sub>, neutron emission probability; deduced log ft. <sup>34,35</sup>Si deduced levels, J,  $\pi$ , feeding intensities. JOUR JPGPE 31 S1965
- <sup>35</sup>Cl 2005DEZZ NUCLEAR REACTIONS <sup>24</sup>Mg(<sup>16</sup>O, n $\alpha$ ), (<sup>16</sup>O, p $\alpha$ ), (<sup>16</sup>O, n $\alpha$ ), (<sup>16</sup>O, p $\alpha$ ), E=70 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma^-$ , (charged particle) $\gamma^-$ , (neutron) $\gamma$ -coin. <sup>31</sup>S, <sup>31</sup>P, <sup>35</sup>Ar, <sup>35</sup>Cl deduced levels, J,  $\pi$ , mirror energy differences. GASP, ISIS arrays. CONF Argonne(Nuclei at the Limits),P205,Della Vedova
- 2005EK01 NUCLEAR REACTIONS <sup>16</sup>O(<sup>24</sup>Mg, n $\alpha$ ), (<sup>24</sup>Mg, p $\alpha$ ), E=60 MeV; <sup>28</sup>Si(<sup>32</sup>S, n $\alpha$ ), (<sup>32</sup>S, p $\alpha$ ), E=130 MeV; <sup>24</sup>Mg(<sup>40</sup>Ca, 2np), (<sup>40</sup>Ca, n2p), E=104 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma^-$ , (charged particle) $\gamma^-$ , (neutron) $\gamma$ -coin. <sup>35</sup>Ar, <sup>35</sup>Cl, <sup>51</sup>Fe, <sup>51</sup>Mn, <sup>61</sup>Ga, <sup>61</sup>Zn deduced levels, J,  $\pi$ , mirror energy difference. Discussed electromagnetic spin-orbit effect. Large-scale shell model calculations. JOUR ZAANE 25 s01 363
- 2005KSZZ NUCLEAR REACTIONS <sup>12</sup>C(<sup>28</sup>Si, p $\alpha$ ), E=70, 88 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin, DSA. <sup>35</sup>Cl level deduced T<sub>1/2</sub>, isospin-mixing effects. PREPRINT nucl-ex/0507019,7/13/2005
- <sup>35</sup>Ar 2005DEZZ NUCLEAR REACTIONS <sup>24</sup>Mg(<sup>16</sup>O, n $\alpha$ ), (<sup>16</sup>O, p $\alpha$ ), (<sup>16</sup>O, n $\alpha$ ), (<sup>16</sup>O, p $\alpha$ ), E=70 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma^-$ , (charged particle) $\gamma^-$ , (neutron) $\gamma$ -coin. <sup>31</sup>S, <sup>31</sup>P, <sup>35</sup>Ar, <sup>35</sup>Cl deduced levels, J,  $\pi$ , mirror energy differences. GASP, ISIS arrays. CONF Argonne(Nuclei at the Limits),P205,Della Vedova
- 2005EK01 NUCLEAR REACTIONS <sup>16</sup>O(<sup>24</sup>Mg, n $\alpha$ ), (<sup>24</sup>Mg, p $\alpha$ ), E=60 MeV; <sup>28</sup>Si(<sup>32</sup>S, n $\alpha$ ), (<sup>32</sup>S, p $\alpha$ ), E=130 MeV; <sup>24</sup>Mg(<sup>40</sup>Ca, 2np), (<sup>40</sup>Ca, n2p), E=104 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma^-$ , (charged particle) $\gamma^-$ , (neutron) $\gamma$ -coin. <sup>35</sup>Ar, <sup>35</sup>Cl, <sup>51</sup>Fe, <sup>51</sup>Mn, <sup>61</sup>Ga, <sup>61</sup>Zn deduced levels, J,  $\pi$ , mirror energy difference. Discussed electromagnetic spin-orbit effect. Large-scale shell model calculations. JOUR ZAANE 25 s01 363

## A=36

<sup>36</sup> Si	2005CAZZ	NUCLEAR REACTIONS <sup>1</sup> H( <sup>36</sup> Si, p), ( <sup>38</sup> Si, p), E not given; measured particle spectra, (particle) $\gamma$ -coin. <sup>36,38</sup> Si deduced excited states energies. CONF Argonne(Nuclei at the Limits),P127,Campbell
	20050B04	NUCLEAR REACTIONS <sup>251</sup> Cf(n, F), E=thermal; measured light charged particle yields, energy distributions following ternary fission; deduced evidence for <sup>34</sup> Al, <sup>36</sup> Si. JOUR NUPAB 761 173
<sup>36</sup> P	20050L04	NUCLEAR REACTIONS <sup>176</sup> Yb( <sup>36</sup> S, X) <sup>34</sup> P, E=230 MeV; <sup>208</sup> Pb( <sup>36</sup> S, X) <sup>36</sup> S / <sup>38</sup> S / <sup>34</sup> P / <sup>36</sup> P, E=215 MeV; measured E $\gamma$ , I $\gamma$ , $\gamma\gamma$ -, (particle) $\gamma$ -coin. <sup>34</sup> P deduced levels, J, $\pi$ , configurations. JOUR JPGPE 31 S1935
	2005DE42	NUCLEAR REACTIONS <sup>26</sup> Al(n, $\alpha$ ), (n, p), E < 140 keV; measured $\sigma$ ; deduced resonance features. <sup>36</sup> Cl(n, p), <sup>26</sup> Al(n, $\alpha$ ), E=stellar; analyzed astrophysical reaction rates. JOUR NUPAB 758 80c
<sup>36</sup> S	20050L04	NUCLEAR REACTIONS <sup>176</sup> Yb( <sup>36</sup> S, X) <sup>34</sup> P, E=230 MeV; <sup>208</sup> Pb( <sup>36</sup> S, X) <sup>36</sup> S / <sup>38</sup> S / <sup>34</sup> P / <sup>36</sup> P, E=215 MeV; measured E $\gamma$ , I $\gamma$ , $\gamma\gamma$ -, (particle) $\gamma$ -coin. <sup>34</sup> P deduced levels, J, $\pi$ , configurations. JOUR JPGPE 31 S1935
	2005BEZT	NUCLEAR REACTIONS <sup>35</sup> Cl(n, $\gamma$ ), E not given; measured E $\gamma$ , I $\gamma$ . <sup>36</sup> Cl deduced transitions, level energies, binding energy. <sup>52,54</sup> Cr, <sup>56</sup> Fe, <sup>206</sup> Pb(n, $\gamma$ ), E not given; analyzed E $\gamma$ . <sup>53,55</sup> Cr, <sup>57</sup> Fe, <sup>207</sup> Pb deduced binding energies. GAMS4 spectrometer. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol1,P1074
<sup>36</sup> Cl	2005DEZW	NUCLEAR REACTIONS <sup>28</sup> Si, <sup>32</sup> S, <sup>35</sup> Cl(n, $\gamma$ ), E=reactor; measured E $\gamma$ , I $\gamma$ . <sup>29</sup> Si, <sup>33</sup> S, <sup>36</sup> Cl deduced binding energies. Flat-crystal spectrometer. PREPRINT nucl-ex/0507011,7/06/2005
	2005JEZY	NUCLEAR REACTIONS <sup>28</sup> Si, <sup>32</sup> S, <sup>35</sup> Cl(n, $\gamma$ ), E=thermal; measured E $\gamma$ , I $\gamma$ . <sup>29</sup> Si, <sup>33</sup> S, <sup>36</sup> Cl deduced level energies, neutron binding energies. Double crystal spectrometers. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol1,P617
	2005SCZW	NUCLEAR REACTIONS Pb(p, X) <sup>10</sup> Be / <sup>26</sup> Al / <sup>129</sup> I / <sup>36</sup> Cl, E=200-2600 MeV; measured excitation functions. Stacked foil activation, chemical separation. Comparison with model predictions. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol2,P1517
	2005G036	ATOMIC MASSES <sup>12</sup> C, <sup>16</sup> O, <sup>20</sup> Ne, <sup>32</sup> S, <sup>36,40</sup> Ar; measured masses. Cyclotron-based mass spectrometry. JOUR JPGPE 31 S1869
<sup>36</sup> Ar	2005LE04	NUCLEAR REACTIONS Pb(p, X) <sup>3</sup> He / <sup>4</sup> He / <sup>21</sup> Ne / <sup>22</sup> Ne / <sup>36</sup> Ar / <sup>38</sup> Ar / <sup>78</sup> Kr / <sup>80</sup> Kr / <sup>81</sup> Kr / <sup>82</sup> Kr / <sup>83</sup> Kr / <sup>84</sup> Kr / <sup>85</sup> Kr / <sup>86</sup> Kr / <sup>124</sup> Xe / <sup>126</sup> Xe / <sup>128</sup> Xe / <sup>129</sup> Xe / <sup>130</sup> Xe / <sup>131</sup> Xe / <sup>132</sup> Xe / <sup>134</sup> Xe, E=44-2595 MeV; measured production $\sigma$ ; deduced reaction mechanism features. Mini-stack approach, comparisons with model predictions. JOUR NIMBE 229 1
	2005SPZY	NUCLEAR REACTIONS <sup>12</sup> C( <sup>32</sup> S, <sup>36</sup> Ar), E=65 MeV; <sup>12</sup> C( <sup>34</sup> S, <sup>38</sup> Ar), E=67 MeV; measured E $\gamma$ , I $\gamma$ ( $\theta$ , H, t), $\alpha\gamma$ -coin. <sup>36,38</sup> Ar levels deduced g factors. Transient field technique. Comparison with shell model predictions. REPT MLL 2004 Annual,P5,Speidel

**A=37**

<sup>37</sup> Cl	2005HE03	RADIOACTIVITY <sup>37</sup> K( $\beta^+$ ); <sup>37</sup> Ar(EC); measured T <sub>1/2</sub> . JOUR NJOPF 7 44
<sup>37</sup> Ar	2005HE03	RADIOACTIVITY <sup>37</sup> K( $\beta^+$ ); <sup>37</sup> Ar(EC); measured T <sub>1/2</sub> . JOUR NJOPF 7 44
	2005HE03	ATOMIC MASSES <sup>37</sup> K, <sup>37</sup> Ar; measured masses. Penning trap spectrometer. JOUR NJOPF 7 44
<sup>37</sup> K	2005HE03	RADIOACTIVITY <sup>37</sup> K( $\beta^+$ ); <sup>37</sup> Ar(EC); measured T <sub>1/2</sub> . JOUR NJOPF 7 44
	2005HE03	ATOMIC MASSES <sup>37</sup> K, <sup>37</sup> Ar; measured masses. Penning trap spectrometer. JOUR NJOPF 7 44

**A=38**

<sup>38</sup> Si	2005CAZZ	NUCLEAR REACTIONS <sup>1</sup> H( <sup>36</sup> Si, p), ( <sup>38</sup> Si, p), E not given; measured particle spectra, (particle) $\gamma$ -coin. <sup>36,38</sup> Si deduced excited states energies. CONF Argonne(Nuclei at the Limits),P127,Campbell
<sup>38</sup> S	2005OL04	NUCLEAR REACTIONS <sup>176</sup> Yb( <sup>36</sup> S, X) <sup>34</sup> P, E=230 MeV; <sup>208</sup> Pb( <sup>36</sup> S, X) <sup>36</sup> S / <sup>38</sup> S / <sup>34</sup> P / <sup>36</sup> P, E=215 MeV; measured E $\gamma$ , I $\gamma$ , $\gamma\gamma$ -, (particle) $\gamma$ -coin. <sup>34</sup> P deduced levels, J, $\pi$ , configurations. JOUR JPGPE 31 S1935
<sup>38</sup> Ar	2005FU03	NUCLEAR REACTIONS <sup>34</sup> S( <sup>7</sup> Li, t $\alpha$ ), E=26 MeV; measured particle spectra, angular correlations. <sup>38</sup> Ar deduced $\alpha$ -cluster states energies, J, $\pi$ . JOUR PRVCA 71 067602
	2005G011	RADIOACTIVITY <sup>38m</sup> K( $\beta^+$ ); measured E $\beta$ , recoil spectrum, (recoil) $\beta$ -coin; deduced $\beta$ - $\nu$ correlation parameter. Magneto-optical trap. JOUR PRLTA 94 142501
	2005LE04	NUCLEAR REACTIONS Pb(p, X) <sup>3</sup> He / <sup>4</sup> He / <sup>21</sup> Ne / <sup>22</sup> Ne / <sup>36</sup> Ar / <sup>38</sup> Ar / <sup>78</sup> Kr / <sup>80</sup> Kr / <sup>81</sup> Kr / <sup>82</sup> Kr / <sup>83</sup> Kr / <sup>84</sup> Kr / <sup>85</sup> Kr / <sup>86</sup> Kr / <sup>124</sup> Xe / <sup>126</sup> Xe / <sup>128</sup> Xe / <sup>129</sup> Xe / <sup>130</sup> Xe / <sup>131</sup> Xe / <sup>132</sup> Xe / <sup>134</sup> Xe, E=44-2595 MeV; measured production $\sigma$ ; deduced reaction mechanism features. Mini-stack approach, comparisons with model predictions. JOUR NIMBE 229 1
	2005SPZY	NUCLEAR REACTIONS <sup>12</sup> C( <sup>32</sup> S, <sup>36</sup> Ar), E=65 MeV; <sup>12</sup> C( <sup>34</sup> S, <sup>38</sup> Ar), E=67 MeV; measured E $\gamma$ , I $\gamma$ ( $\theta$ , H, t), $\alpha\gamma$ -coin. <sup>36,38</sup> Ar levels deduced g factors. Transient field technique. Comparison with shell model predictions. REPT MLL 2004 Annual,P5,Speidel
<sup>38</sup> K	2005G011	RADIOACTIVITY <sup>38m</sup> K( $\beta^+$ ); measured E $\beta$ , recoil spectrum, (recoil) $\beta$ -coin; deduced $\beta$ - $\nu$ correlation parameter. Magneto-optical trap. JOUR PRLTA 94 142501
	2005SA44	RADIOACTIVITY <sup>46</sup> V(EC); analyzed masses; deduced Q(EC), log ft. <sup>10</sup> C, <sup>14</sup> O, <sup>22</sup> Mg, <sup>26m</sup> Al, <sup>34</sup> Cl, <sup>34</sup> Ar, <sup>38m</sup> K, <sup>42</sup> Sc, <sup>46</sup> V, <sup>50</sup> Mn, <sup>54</sup> Co, <sup>74</sup> Rb; compiled, analyzed log ft; deduced quark-mixing matrix element. JOUR PRLTA 95 102501

**A=39**

- <sup>39</sup>Ar      2005FUZX      NUCLEAR REACTIONS <sup>3</sup>He(<sup>40</sup>Ar,  $\alpha$ ), E=4.5 MeV / nucleon; measured yield. Application to half-life determination discussed. REPT CNS-REP-66,P8,Fulop
- <sup>39</sup>Ca      2005SA37      NUCLEAR REACTIONS <sup>40</sup>Ca(e, e'n), E=129 MeV; measured En, missing energy spectra, angular correlations,  $\sigma(E, \theta)$ ; <sup>12</sup>C, <sup>28</sup>Si(e, e'n), E not given; analyzed data; deduced core excitation in giant resonance. JOUR PRVCA 71 064313

**A=40**

- <sup>40</sup>Ar      2005G036      ATOMIC MASSES <sup>12</sup>C, <sup>16</sup>O, <sup>20</sup>Ne, <sup>32</sup>S, <sup>36,40</sup>Ar; measured masses. Cyclotron-based mass spectrometry. JOUR JPGPE 31 S1869
- 2005ST22      NUCLEAR REACTIONS C(<sup>40</sup>Ar, <sup>40</sup>Ar'), E=80 MeV; C(<sup>46</sup>Ti, <sup>46</sup>Ti'), E=100 MeV; measured E $\gamma$ , I $\gamma$ ( $\theta$ , H, t), (particle) $\gamma$ -coin following projectile Coulomb excitation. <sup>40</sup>Ar level deduced g factor, configuration. Transient field technique, comparison with shell model calculations. JOUR PRVCA 72 014309
- <sup>40</sup>Ca      2005CA29      NUCLEAR REACTIONS <sup>12</sup>C(p, X), E=180 MeV; <sup>12</sup>C( $\alpha$ , X), E=192.4 MeV; measured reaction  $\sigma$ . <sup>3,4</sup>He(p, p), E  $\approx$  40 MeV; measured  $\sigma(\theta)$ . <sup>40</sup>Ca(<sup>3</sup>He, <sup>3</sup>He'), E=167 MeV; measured particle spectra. Modified attenuation technique for reaction cross section measurement. JOUR NIMAE 547 541
- 2005K001      NUCLEAR REACTIONS <sup>13</sup>C(<sup>18</sup>O, <sup>8</sup>Be), (<sup>18</sup>O, 2 $\alpha$ ), E=100 MeV; <sup>24</sup>Mg(<sup>28</sup>Si, <sup>12</sup>C), (<sup>28</sup>Si, 3 $\alpha$ ), E=130 MeV; measured particle spectra, E $\gamma$ , I $\gamma$ , (particle) $\gamma$ -coin; deduced cluster emission features. GASP, ISIS arrays. JOUR ZAANE 23 19

**A=41**

- <sup>41</sup>K      2005GUZX      NUCLEAR REACTIONS <sup>44</sup>Ca(polarized p,  $\alpha$ ), E=24.6 MeV; measured  $\sigma(\theta)$ , Ay( $\theta$ ). DWBA analysis. REPT MLL 2004 Annual,P6,Guazzoni

**A=42**

- <sup>42</sup>Si      2005FR19      NUCLEAR REACTIONS Be(<sup>44</sup>S, X)<sup>43</sup>P / <sup>42</sup>Si, E=98.6 MeV / nucleon; Be(<sup>46</sup>Ar, X)<sup>44</sup>S, E=98.1 MeV / nucleon; measured particle spectra, E $\gamma$ , I $\gamma$ , (particle) $\gamma$ -coin; deduced  $\sigma$ . <sup>43</sup>P deduced transition. <sup>42</sup>Si, <sup>43</sup>P, <sup>44</sup>S deduced ground-state configurations, shell closure features. JOUR NATUA 435 922
- <sup>42</sup>K      2005IDZZ      NUCLEAR REACTIONS <sup>9</sup>Be(<sup>37</sup>P, X)<sup>42</sup>K, E  $\approx$  5 MeV / nucleon; <sup>9</sup>Be(<sup>46</sup>Ar, X)<sup>49</sup>Ti / <sup>50</sup>Ti / <sup>51</sup>Ti / <sup>46</sup>Ca, E  $\approx$  5 MeV / nucleon; measured E $\gamma$ , I $\gamma$ . <sup>42</sup>K, <sup>49,50,51</sup>Ti, <sup>46</sup>Ca deduced levels, J,  $\pi$ . <sup>9</sup>Be(<sup>46</sup>Ar, xn), E=2-7 MeV / nucleon; measured excitation functions. CONF Argonne(Nuclei at the Limits),P136,Ideguchi

**A=42 (continued)**

- <sup>42</sup>Ca      2004KMZZ      NUCLEAR REACTIONS <sup>28</sup>Si(<sup>18</sup>O, α), E=105 MeV; measured E<sub>γ</sub>, I<sub>γ</sub>, γγ-coin. <sup>46</sup>Ti deduced GDR strength distribution. <sup>42</sup>Ca deduced rotational band feeding intensities. Euroball IV, Hector arrays. PREPRINT nucl-ex/0412046,12/21/2004
- 2005C025      NUCLEAR REACTIONS <sup>208</sup>Pb(<sup>40</sup>Ca, <sup>42</sup>Ca), E=225 MeV; measured σ(E, θ). <sup>42</sup>Ca deduced excited states configurations. <sup>208</sup>Pb(<sup>90</sup>Zr, X), E=560 MeV; measured E<sub>γ</sub>, I<sub>γ</sub>, (fragment)γ-coin, isotopic yields for projectile-like fragments. <sup>90</sup>Zr deduced transitions. JOUR ZAANE 25 s01 427
- 2005GUZW      NUCLEAR REACTIONS <sup>45</sup>Sc(polarized p, α), E=24.6 MeV; measured σ(θ), Ay(θ). <sup>42</sup>Ca levels deduced configurations. REPT MLL 2004 Annual,P7,Guazzoni
- 2005KM01      NUCLEAR REACTIONS <sup>28</sup>Si(<sup>18</sup>O, X), E=105 MeV; measured E<sub>γ</sub>, I<sub>γ</sub>. <sup>46</sup>Ti deduced GDR strength function. <sup>42</sup>Ca deduced feeding of highly-deformed rotational band from GDR decay. Euroball IV and Hector arrays. JOUR APOBB 36 1169
- <sup>42</sup>Sc      2005SA44      RADIOACTIVITY <sup>46</sup>V(EC); analyzed masses; deduced Q(EC), log ft. <sup>10</sup>C, <sup>14</sup>O, <sup>22</sup>Mg, <sup>26m</sup>Al, <sup>34</sup>Cl, <sup>34</sup>Ar, <sup>38m</sup>K, <sup>42</sup>Sc, <sup>46</sup>V, <sup>50</sup>Mn, <sup>54</sup>Co, <sup>74</sup>Rb; compiled, analyzed log ft; deduced quark-mixing matrix element. JOUR PRLTA 95 102501

**A=43**

- <sup>43</sup>P      2005FR19      NUCLEAR REACTIONS Be(<sup>44</sup>S, X)<sup>43</sup>P / <sup>42</sup>Si, E=98.6 MeV / nucleon; Be(<sup>46</sup>Ar, X)<sup>44</sup>S, E=98.1 MeV / nucleon; measured particle spectra, E<sub>γ</sub>, I<sub>γ</sub>, (particle)γ-coin; deduced σ. <sup>43</sup>P deduced transition. <sup>42</sup>Si, <sup>43</sup>P, <sup>44</sup>S deduced ground-state configurations, shell closure features. JOUR NATUA 435 922
- <sup>43</sup>Cr      2005BL31      RADIOACTIVITY <sup>45</sup>Fe, <sup>48</sup>Ni, <sup>54</sup>Zn(2p) [from Ni(<sup>58</sup>Ni, X)]; measured proton spectra, T<sub>1/2</sub>. Comparison with theory. JOUR ZAANE 25 s01 169
- 2005D020      RADIOACTIVITY <sup>45</sup>Fe(2p) [from Ni(<sup>58</sup>Ni, X)]; measured E<sub>p</sub>, T<sub>1/2</sub>, branching ratio. <sup>48</sup>Ni; measured decay energy, T<sub>1/2</sub>; deduced probable two-proton decay. Comparisons with model predictions. JOUR PRVCA 72 054315
- 2005GI15      RADIOACTIVITY <sup>45</sup>Fe, <sup>54</sup>Zn(p), (2p) [from Ni(<sup>58</sup>Ni, X)]; measured proton spectra, T<sub>1/2</sub>. JOUR JPGPE 31 S1509

**A=44**

- <sup>44</sup>S      2005FR19      NUCLEAR REACTIONS Be(<sup>44</sup>S, X)<sup>43</sup>P / <sup>42</sup>Si, E=98.6 MeV / nucleon; Be(<sup>46</sup>Ar, X)<sup>44</sup>S, E=98.1 MeV / nucleon; measured particle spectra, E<sub>γ</sub>, I<sub>γ</sub>, (particle)γ-coin; deduced σ. <sup>43</sup>P deduced transition. <sup>42</sup>Si, <sup>43</sup>P, <sup>44</sup>S deduced ground-state configurations, shell closure features. JOUR NATUA 435 922



**A=44 (continued)**

- 2005GR30 RADIOACTIVITY  $^{44}\text{S(IT)}$  [from  $\text{Be}(^{48}\text{Ca}, \text{X})$ ]; measured  $E(\text{ce})$ ,  $T_{1/2}$ .  $^{44}\text{S}$  deduced levels,  $J$ ,  $\pi$ . Comparison with shell model calculations. JOUR ZAANE 25 s01 111
- $^{44}\text{Ca}$  2005L006 NUCLEAR REACTIONS  $^{44}\text{Ca}(\text{p}, \text{p})$ ,  $(\text{p}, \text{p}')$ ,  $E=2.50\text{-}3.53$  MeV; measured  $E_{\text{p}}$ ,  $\sigma(E, \theta)$ .  $^{45}\text{Sc}$  deduced resonance parameters, level densities. JOUR PRVCA 71 064315
- $^{44}\text{Sc}$  2005LA19 NUCLEAR REACTIONS  $^{30}\text{Si}(^{18}\text{O}, 3\text{np})$ ,  $E=68$  MeV; measured  $E_{\gamma}$ ,  $I_{\gamma}$ ,  $\gamma\gamma$ -, (recoil) $\gamma$ -coin,  $\gamma$ -ray polarization.  $^{44}\text{Sc}$  deduced high-spin levels,  $J$ ,  $\pi$ ,  $T_{1/2}$ ,  $B(E2)$ , configurations. Euroball IV array. JOUR ZAANE 25 1
- $^{44}\text{Ti}$  2005BRZU NUCLEAR REACTIONS  $\text{Ti}(\text{p}, \text{X})^{44}\text{Ti}$ ,  $E=21\text{-}29$  MeV;  $\text{Ni}(\text{p}, \text{X})^{56}\text{Ni}$ ,  $E=18\text{-}28$  MeV;  $\text{Zr}(\text{p}, \text{X})^{88}\text{Zr}$ ,  $E=19\text{-}28$  MeV; measured production  $\sigma$ . Activation technique, comparison with previous results. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol2, P1374
- 2005NA30 NUCLEAR REACTIONS  $^4\text{He}(^{40}\text{Ca}, \gamma)$ ,  $E=72$  MeV; measured yields. Radiochemical separation, accelerator mass spectrometry. Astrophysical implications discussed. JOUR NUPAB 758 411c
- 2005NAZW NUCLEAR REACTIONS  $^4\text{He}(^{40}\text{Ca}, \gamma)$ ,  $E(\text{cm})=0.6\text{-}1.2$  MeV / nucleon; measured yields. Radiochemical separation, accelerator mass spectrometry. Astrophysical implications discussed. PREPRINT nucl-ex/0509006.9/03/2005
- $^{44}\text{Mn}$  2005GI15 RADIOACTIVITY  $^{45}\text{Fe}$ ,  $^{54}\text{Zn}(\text{p})$ ,  $(2\text{p})$  [from  $\text{Ni}(^{58}\text{Ni}, \text{X})$ ]; measured proton spectra,  $T_{1/2}$ . JOUR JPGPE 31 S1509

**A=45**

- $^{45}\text{Ar}$  2005GA18 NUCLEAR REACTIONS  $^9\text{Be}(^{46}\text{Ar}, ^{45}\text{ArX})$ ,  $E=70$  MeV / nucleon; measured  $E_{\gamma}$ ,  $I_{\gamma}$ , fragments parallel momentum distributions following one-neutron removal; deduced dissipative effects.  $^{45}\text{Ar}$  levels deduced branching ratios, spectroscopic factors. Comparison with eikonal theory. JOUR PRVCA 71 051301
- 2005GA45 NUCLEAR REACTIONS  $^2\text{H}(^{44}\text{Ar}, ^{45}\text{Ar})$ ,  $(^{40}\text{Ar}, ^{41}\text{Ar})$ ,  $E=10$  MeV / nucleon; measured particle spectra,  $\sigma(E, \theta)$ .  $^{45}\text{Ar}$  deduced levels, spectroscopic factors. JOUR JPGPE 31 S1623
- $^{45}\text{Ca}$  2005DAZX NUCLEAR REACTIONS  $^{48}\text{Ti}(\text{n}, \text{n}')$ ,  $(\text{n}, 2\text{n})$ ,  $(\text{n}, \text{p})$ ,  $(\text{n}, \alpha)$ ,  $E=1\text{-}250$  MeV; measured  $E_{\gamma}$ ,  $I_{\gamma}$ ; deduced partial  $\gamma$ -ray transition  $\sigma$ . Other exit channels discussed. Comparison with model predictions. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P1035
- 2005KEZZ NUCLEAR REACTIONS  $\text{Ti}(\text{p}, \text{X})^{45}\text{Ca}$ ,  $E=30\text{-}200$  MeV;  $^{85}\text{Rb}(\text{p}, 4\text{n})$ ,  $E=35\text{-}70$  MeV; measured excitation functions.  $^{89}\text{Y}(\text{n}, \text{p})$ ,  $E=\text{fast}$ ; measured spectrum-averaged  $\sigma$ . Activation technique, radiochemical separation, x-ray spectrometry. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P758
- $^{45}\text{Sc}$  2005L006 NUCLEAR REACTIONS  $^{44}\text{Ca}(\text{p}, \text{p})$ ,  $(\text{p}, \text{p}')$ ,  $E=2.50\text{-}3.53$  MeV; measured  $E_{\text{p}}$ ,  $\sigma(E, \theta)$ .  $^{45}\text{Sc}$  deduced resonance parameters, level densities. JOUR PRVCA 71 064315

**A=45 (continued)**

- <sup>45</sup>Fe 2005BL31 RADIOACTIVITY <sup>45</sup>Fe, <sup>48</sup>Ni, <sup>54</sup>Zn(2p) [from Ni(<sup>58</sup>Ni, X)]; measured proton spectra, T<sub>1/2</sub>. Comparison with theory. JOUR ZAANE 25 s01 169
- 2005D020 NUCLEAR REACTIONS Ni(<sup>58</sup>Ni, X), E=74.5 MeV / nucleon; measured fragments isotopic yields; deduced evidence for <sup>48</sup>Ni, <sup>45</sup>Fe. JOUR PRVCA 72 054315
- 2005D020 RADIOACTIVITY <sup>45</sup>Fe(2p) [from Ni(<sup>58</sup>Ni, X)]; measured E<sub>p</sub>, T<sub>1/2</sub>, branching ratio. <sup>48</sup>Ni; measured decay energy, T<sub>1/2</sub>; deduced probable two-proton decay. Comparisons with model predictions. JOUR PRVCA 72 054315
- 2005GI15 RADIOACTIVITY <sup>45</sup>Fe, <sup>54</sup>Zn(p), (2p) [from Ni(<sup>58</sup>Ni, X)]; measured proton spectra, T<sub>1/2</sub>. JOUR JPGPE 31 S1509

**A=46**

- <sup>46</sup>Ar 2005RI11 NUCLEAR REACTIONS <sup>1</sup>H, C(<sup>46</sup>Ar, <sup>46</sup>Ar'), E ≈ 68 MeV / nucleon; measured E<sub>γ</sub>, I<sub>γ</sub>, (particle)γ-coin. <sup>46</sup>Ar deduced levels, J, π, B(E2), deformation lengths. Optical model analysis. JOUR PRVCA 72 024311
- <sup>46</sup>Ca 2005IDZZ NUCLEAR REACTIONS <sup>9</sup>Be(<sup>37</sup>P, X)<sup>42</sup>K, E ≈ 5 MeV / nucleon; <sup>9</sup>Be(<sup>46</sup>Ar, X)<sup>49</sup>Ti / <sup>50</sup>Ti / <sup>51</sup>Ti / <sup>46</sup>Ca, E ≈ 5 MeV / nucleon; measured E<sub>γ</sub>, I<sub>γ</sub>. <sup>42</sup>K, <sup>49,50,51</sup>Ti, <sup>46</sup>Ca deduced levels, J, π. <sup>9</sup>Be(<sup>46</sup>Ar, xn), E=2-7 MeV / nucleon; measured excitation functions. CONF Argonne(Nuclei at the Limits),P136,Ideguchi
- 2005TA02 NUCLEAR REACTIONS C(<sup>46</sup>Ca, <sup>46</sup>Ca'), E=95 MeV; measured E<sub>γ</sub>, I<sub>γ</sub>(θ, H, t), (particle)γ-coin following projectile Coulomb excitation. <sup>46</sup>Ca level deduced g-factor, configuration. Transient field technique, comparisons with neighboring isotopes. JOUR PYLBB 605 265
- <sup>46</sup>Sc 2005SI14 NUCLEAR REACTIONS C, O, Si, Mg, Al(n, X)<sup>7</sup>Be, E ≈ 0.1-750 MeV; O, Si, Mg, Al(n, X)<sup>22</sup>Na / <sup>23</sup>Na, E ≈ 0.1-750 MeV; <sup>197</sup>Au(n, X)<sup>194</sup>Au / <sup>196</sup>Au / <sup>198</sup>Au, E ≈ 0.1-750 MeV; Ti, Fe, Ni, Cu(n, X)<sup>46</sup>Sc / <sup>48</sup>Sc, E ≈ 0.1-750 MeV; Fe, Ni, Cu(n, X)<sup>48</sup>V / <sup>51</sup>Cr / <sup>52</sup>Mn / <sup>54</sup>Mn, E ≈ 0.1-750 MeV; Ni, Cu(n, X)<sup>56</sup>Ni / <sup>57</sup>Ni / <sup>56</sup>Co / <sup>57</sup>Co / <sup>58</sup>Co / <sup>60</sup>Co / <sup>59</sup>Fe, E ≈ 0.1-750 MeV; measured energy-integrated production σ. JOUR NIMBE 234 419
- <sup>46</sup>Ti 2004KMZZ NUCLEAR REACTIONS <sup>28</sup>Si(<sup>18</sup>O, α), E=105 MeV; measured E<sub>γ</sub>, I<sub>γ</sub>, γγ-coin. <sup>46</sup>Ti deduced GDR strength distribution. <sup>42</sup>Ca deduced rotational band feeding intensities. Euroball IV, Hector arrays. PREPRINT nucl-ex/0412046,12/21/2004
- 2005KM01 NUCLEAR REACTIONS <sup>28</sup>Si(<sup>18</sup>O, X), E=105 MeV; measured E<sub>γ</sub>, I<sub>γ</sub>. <sup>46</sup>Ti deduced GDR strength function. <sup>42</sup>Ca deduced feeding of highly-deformed rotational band from GDR decay. Euroball IV and Hector arrays. JOUR APOBB 36 1169
- 2005SA44 ATOMIC MASSES <sup>46</sup>Ti, <sup>46</sup>V; measured masses; deduced Q(EC). Penning trap mass spectrometer. JOUR PRLTA 95 102501
- 2005SA44 RADIOACTIVITY <sup>46</sup>V(EC); analyzed masses; deduced Q(EC), log ft. <sup>10</sup>C, <sup>14</sup>O, <sup>22</sup>Mg, <sup>26m</sup>Al, <sup>34</sup>Cl, <sup>34</sup>Ar, <sup>38m</sup>K, <sup>42</sup>Sc, <sup>46</sup>V, <sup>50</sup>Mn, <sup>54</sup>Co, <sup>74</sup>Rb; compiled, analyzed log ft; deduced quark-mixing matrix element. JOUR PRLTA 95 102501

**A=46 (continued)**

- <sup>46</sup>V      20040NZZ      RADIOACTIVITY <sup>46</sup>Cr(EC) [from Be(<sup>50</sup>Cr, X)]; measured E $\gamma$ , I $\gamma$ ,  $\beta\gamma$ -coin, T<sub>1/2</sub>; deduced Gamow-Teller transition, branching ratio, log ft. <sup>46</sup>V deduced  $\beta$ -feeding intensity. Comparison with model predictions. REPT CNS-REP-64,P235,Onishi
- 20050N03      RADIOACTIVITY <sup>46</sup>Cr( $\beta^+$ ) [from <sup>9</sup>Be(<sup>50</sup>Cr, X)]; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -,  $\beta\gamma$ -coin, T<sub>1/2</sub>; deduced Gamow-Teller decay branching ratio, B(GT). <sup>46</sup>V deduced transitions. Comparison with model predictions. JOUR PRVCA 72 024308
- 2005SA44      ATOMIC MASSES <sup>46</sup>Ti, <sup>46</sup>V; measured masses; deduced Q(EC). Penning trap mass spectrometer. JOUR PRLTA 95 102501
- 2005SA44      RADIOACTIVITY <sup>46</sup>V(EC); analyzed masses; deduced Q(EC), log ft. <sup>10</sup>C, <sup>14</sup>O, <sup>22</sup>Mg, <sup>26m</sup>Al, <sup>34</sup>Cl, <sup>34</sup>Ar, <sup>38m</sup>K, <sup>42</sup>Sc, <sup>46</sup>V, <sup>50</sup>Mn, <sup>54</sup>Co, <sup>74</sup>Rb; compiled, analyzed log ft; deduced quark-mixing matrix element. JOUR PRLTA 95 102501
- <sup>46</sup>Cr      20040NZZ      RADIOACTIVITY <sup>46</sup>Cr(EC) [from Be(<sup>50</sup>Cr, X)]; measured E $\gamma$ , I $\gamma$ ,  $\beta\gamma$ -coin, T<sub>1/2</sub>; deduced Gamow-Teller transition, branching ratio, log ft. <sup>46</sup>V deduced  $\beta$ -feeding intensity. Comparison with model predictions. REPT CNS-REP-64,P235,Onishi
- 20050N03      RADIOACTIVITY <sup>46</sup>Cr( $\beta^+$ ) [from <sup>9</sup>Be(<sup>50</sup>Cr, X)]; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -,  $\beta\gamma$ -coin, T<sub>1/2</sub>; deduced Gamow-Teller decay branching ratio, B(GT). <sup>46</sup>V deduced transitions. Comparison with model predictions. JOUR PRVCA 72 024308
- 2005YA26      NUCLEAR REACTIONS Pb(<sup>46</sup>Cr, <sup>46</sup>Cr'), (<sup>50</sup>Fe, <sup>50</sup>Fe'), (<sup>54</sup>Ni, <sup>54</sup>Ni'), E=41-44 MeV / nucleon; measured  $\sigma(\theta)$ , E $\gamma$ , I $\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation. <sup>46</sup>Cr, <sup>50</sup>Fe, <sup>54</sup>Ni deduced excitation B(E2). DWBA analysis. JOUR ZAANE 25 s01 409
- <sup>46</sup>Fe      2005BL31      RADIOACTIVITY <sup>45</sup>Fe, <sup>48</sup>Ni, <sup>54</sup>Zn(2p) [from Ni(<sup>58</sup>Ni, X)]; measured proton spectra, T<sub>1/2</sub>. Comparison with theory. JOUR ZAANE 25 s01 169

**A=47**

- <sup>47</sup>K      2004ISZX      NUCLEAR REACTIONS <sup>198</sup>Pt(<sup>48</sup>Ca, X)<sup>47</sup>K / <sup>48</sup>K, E=8.5 MeV / nucleon; measured prompt and delayed E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -, (particle) $\gamma$ -coin. <sup>47,48</sup>K deduced levels, J,  $\pi$ , isomeric states T<sub>1/2</sub>. REPT CNS-REP-64,P27,Ishii
- <sup>47</sup>Sc      2005DIZY      NUCLEAR REACTIONS Fe(p, X)<sup>57</sup>Co / <sup>56</sup>Co / <sup>55</sup>Co / <sup>54</sup>Mn / <sup>52</sup>Mn / <sup>48</sup>V / <sup>51</sup>Cr / <sup>48</sup>Cr / <sup>47</sup>Sc, E  $\approx$  20-70 MeV; measured activation  $\sigma$ . Comparison with previous results. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol1,P1011
- <sup>47</sup>Ti      2005DAZX      NUCLEAR REACTIONS <sup>48</sup>Ti(n, n'), (n, 2n), (n, p), (n,  $\alpha$ ), E=1-250 MeV; measured E $\gamma$ , I $\gamma$ ; deduced partial  $\gamma$ -ray transition  $\sigma$ . Other exit channels discussed. Comparison with model predictions. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol1,P1035

## A=48

<sup>48</sup> K	2004ISZX	NUCLEAR REACTIONS <sup>198</sup> Pt( <sup>48</sup> Ca, X) <sup>47</sup> K / <sup>48</sup> K, E=8.5 MeV / nucleon; measured prompt and delayed E $\gamma$ , I $\gamma$ , $\gamma\gamma$ -, (particle) $\gamma$ -coin. <sup>47,48</sup> K deduced levels, J, $\pi$ , isomeric states T <sub>1/2</sub> . REPT CNS-REP-64,P27,Ishii
<sup>48</sup> Ca	2005ZD02	RADIOACTIVITY <sup>48</sup> Ca(2 $\beta^-$ ); measured 0 $\nu\beta\beta$ -decay T <sub>1/2</sub> lower limit. CaWO <sub>4</sub> crystal scintillators. JOUR APHYE 23 249
<sup>48</sup> Sc	2005DAZX	NUCLEAR REACTIONS <sup>48</sup> Ti(n, n'), (n, 2n), (n, p), (n, $\alpha$ ), E=1-250 MeV; measured E $\gamma$ , I $\gamma$ ; deduced partial $\gamma$ -ray transition $\sigma$ . Other exit channels discussed. Comparison with model predictions. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol1,P1035
	2005SI14	NUCLEAR REACTIONS C, O, Si, Mg, Al(n, X) <sup>7</sup> Be, E $\approx$ 0.1-750 MeV; O, Si, Mg, Al(n, X) <sup>22</sup> Na / <sup>23</sup> Na, E $\approx$ 0.1-750 MeV; <sup>197</sup> Au(n, X) <sup>194</sup> Au / <sup>196</sup> Au / <sup>198</sup> Au, E $\approx$ 0.1-750 MeV; Ti, Fe, Ni, Cu(n, X) <sup>46</sup> Sc / <sup>48</sup> Sc, E $\approx$ 0.1-750 MeV; Fe, Ni, Cu(n, X) <sup>48</sup> V / <sup>51</sup> Cr / <sup>52</sup> Mn / <sup>54</sup> Mn, E $\approx$ 0.1-750 MeV; Ni, Cu(n, X) <sup>56</sup> Ni / <sup>57</sup> Ni / <sup>56</sup> Co / <sup>57</sup> Co / <sup>58</sup> Co / <sup>60</sup> Co / <sup>59</sup> Fe, E $\approx$ 0.1-750 MeV; measured energy-integrated production $\sigma$ . JOUR NIMBE 234 419
<sup>48</sup> Ti	2005DAZX	NUCLEAR REACTIONS <sup>48</sup> Ti(n, n'), (n, 2n), (n, p), (n, $\alpha$ ), E=1-250 MeV; measured E $\gamma$ , I $\gamma$ ; deduced partial $\gamma$ -ray transition $\sigma$ . Other exit channels discussed. Comparison with model predictions. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol1,P1035
	2005PA23	NUCLEAR REACTIONS C( <sup>78</sup> Ge, <sup>78</sup> Ge'), ( <sup>80</sup> Ge, <sup>80</sup> Ge'), E=2.24 MeV / nucleon; <sup>48</sup> Ti( <sup>82</sup> Ge, <sup>82</sup> Ge'), E=220 MeV; measured E $\gamma$ , I $\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation. <sup>78,80,82</sup> Ge deduced excitation B(E2). Systematic trends in B(E2) values discussed. JOUR PRLTA 94 122501
	2005TRZZ	RADIOACTIVITY <sup>48</sup> V(EC), ( $\beta^+$ ) [from Ti(p, X)]; measured E $\gamma$ , I $\gamma$ ; deduced log ft. <sup>48</sup> Ti deduced transition intensities. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol1,P261
	2005VA31	NUCLEAR REACTIONS <sup>48</sup> Ti( <sup>132</sup> Sn, <sup>132</sup> Sn'), E=470-495 MeV; <sup>90</sup> Zr( <sup>134</sup> Sn, <sup>134</sup> Sn'), E=400 MeV; measured E $\gamma$ , I $\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation. <sup>132,134</sup> Sn deduced transitions B(E2). JOUR ZAANE 25 s01 391
	2005ZD02	RADIOACTIVITY <sup>48</sup> Ca(2 $\beta^-$ ); measured 0 $\nu\beta\beta$ -decay T <sub>1/2</sub> lower limit. CaWO <sub>4</sub> crystal scintillators. JOUR APHYE 23 249
<sup>48</sup> V	2005B010	NUCLEAR REACTIONS Zn(p, X) <sup>64</sup> Cu / <sup>57</sup> Ni / <sup>56</sup> Ni / <sup>52</sup> Mn / <sup>54</sup> Mn / <sup>62</sup> Zn / <sup>65</sup> Zn / <sup>51</sup> Cr / <sup>48</sup> V / <sup>55</sup> Co / <sup>56</sup> Co / <sup>57</sup> Co / <sup>58</sup> Co / <sup>60</sup> Co / <sup>66</sup> Ga / <sup>67</sup> Ga / <sup>52</sup> Fe / <sup>59</sup> Fe, E $\approx$ 31-141 MeV; measured production $\sigma$ . Stacked-foil activation. JOUR JRNCD 264 101
	2005CHZY	NUCLEAR REACTIONS <sup>10</sup> B( <sup>40</sup> Ca, X) <sup>48</sup> Mn / <sup>48</sup> V, E=110 MeV; measured E $\gamma$ , I $\gamma$ , $\gamma\gamma$ -, (recoil) $\gamma$ -coin. <sup>48</sup> Mn, <sup>48</sup> V deduced levels, J, $\pi$ , Coulomb energy differences. Gammasphere array, mass separator. CONF Argonne(Nuclei at the Limits),P199,Chandler
	2005DIZY	NUCLEAR REACTIONS Fe(p, X) <sup>57</sup> Co / <sup>56</sup> Co / <sup>55</sup> Co / <sup>54</sup> Mn / <sup>52</sup> Mn / <sup>48</sup> V / <sup>51</sup> Cr / <sup>48</sup> Cr / <sup>47</sup> Sc, E $\approx$ 20-70 MeV; measured activation $\sigma$ . Comparison with previous results. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol1,P1011

**A=48 (continued)**

- 2005MIZZ NUCLEAR REACTIONS Cu(n, X)<sup>56</sup>Co, E=40-180 MeV; Fe(n, X)<sup>54</sup>Mn / <sup>52</sup>Mn / <sup>51</sup>Cr / <sup>48</sup>V, E ≈ 0-180 MeV; Pb(n, X)<sup>196</sup>Au / <sup>200</sup>Pb / <sup>103</sup>Ru, E ≈ 40-180 MeV; U(n, X)<sup>99</sup>Mo, E ≈ 0-180 MeV; measured excitation functions. Comparison with proton-induced reactions. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P861
- 2005SI14 NUCLEAR REACTIONS C, O, Si, Mg, Al(n, X)<sup>7</sup>Be, E ≈ 0.1-750 MeV; O, Si, Mg, Al(n, X)<sup>22</sup>Na / <sup>23</sup>Na, E ≈ 0.1-750 MeV; <sup>197</sup>Au(n, X)<sup>194</sup>Au / <sup>196</sup>Au / <sup>198</sup>Au, E ≈ 0.1-750 MeV; Ti, Fe, Ni, Cu(n, X)<sup>46</sup>Sc / <sup>48</sup>Sc, E ≈ 0.1-750 MeV; Fe, Ni, Cu(n, X)<sup>48</sup>V / <sup>51</sup>Cr / <sup>52</sup>Mn / <sup>54</sup>Mn, E ≈ 0.1-750 MeV; Ni, Cu(n, X)<sup>56</sup>Ni / <sup>57</sup>Ni / <sup>56</sup>Co / <sup>57</sup>Co / <sup>58</sup>Co / <sup>60</sup>Co / <sup>59</sup>Fe, E ≈ 0.1-750 MeV; measured energy-integrated production  $\sigma$ . JOUR NIMBE 234 419
- 2005TRZZ RADIOACTIVITY <sup>48</sup>V(EC), ( $\beta^+$ ) [from Ti(p, X)]; measured  $E\gamma$ ,  $I\gamma$ ; deduced log ft. <sup>48</sup>Ti deduced transition intensities. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P261
- <sup>48</sup>Cr 2005DIZY NUCLEAR REACTIONS Fe(p, X)<sup>57</sup>Co / <sup>56</sup>Co / <sup>55</sup>Co / <sup>54</sup>Mn / <sup>52</sup>Mn / <sup>48</sup>V / <sup>51</sup>Cr / <sup>48</sup>Cr / <sup>47</sup>Sc, E ≈ 20-70 MeV; measured activation  $\sigma$ . Comparison with previous results. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P1011
- <sup>48</sup>Mn 2005CHZY NUCLEAR REACTIONS <sup>10</sup>B(<sup>40</sup>Ca, X)<sup>48</sup>Mn / <sup>48</sup>V, E=110 MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -, (recoil) $\gamma$ -coin. <sup>48</sup>Mn, <sup>48</sup>V deduced levels, J,  $\pi$ , Coulomb energy differences. Gammasphere array, mass separator. CONF Argonne(Nuclei at the Limits), P199, Chandler
- <sup>48</sup>Ni 2005BL31 RADIOACTIVITY <sup>45</sup>Fe, <sup>48</sup>Ni, <sup>54</sup>Zn(2p) [from Ni(<sup>58</sup>Ni, X)]; measured proton spectra,  $T_{1/2}$ . Comparison with theory. JOUR ZAANE 25 s01 169
- 2005D020 NUCLEAR REACTIONS Ni(<sup>58</sup>Ni, X), E=74.5 MeV / nucleon; measured fragments isotopic yields; deduced evidence for <sup>48</sup>Ni, <sup>45</sup>Fe. JOUR PRVCA 72 054315
- 2005D020 RADIOACTIVITY <sup>45</sup>Fe(2p) [from Ni(<sup>58</sup>Ni, X)]; measured  $E_p$ ,  $T_{1/2}$ , branching ratio. <sup>48</sup>Ni; measured decay energy,  $T_{1/2}$ ; deduced probable two-proton decay. Comparisons with model predictions. JOUR PRVCA 72 054315
- 2005GI15 NUCLEAR REACTIONS Ni(<sup>58</sup>Ni, X), E=75 MeV / nucleon; measured fragments isotopic yields; deduced evidence for <sup>48</sup>Ni. JOUR JPGPE 31 S1509

**A=49**

- <sup>49</sup>Ca 2005MAZM NUCLEAR REACTIONS <sup>2</sup>H(<sup>48</sup>Ca, <sup>49</sup>Ca), E=105 MeV; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin. <sup>48</sup>Ca(polarized d, p), E=14 MeV; measured proton spectra,  $\sigma(\theta)$ . <sup>49</sup>Ca deduced levels, J,  $\pi$ . REPT MLL 2004 Annual, P8, Maierbeck
- <sup>49</sup>Ti 2005ID03 NUCLEAR REACTIONS <sup>9</sup>Be(<sup>46</sup>Ar, 3n), (<sup>46</sup>Ar, 4n), (<sup>46</sup>Ar, 5n), (<sup>46</sup>Ar, 6n), E ≈ 2-6 MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin; deduced excitation functions. <sup>49,50,51</sup>Ti deduced high-spin levels, J,  $\pi$ . JOUR ZAANE 25 s01 429

**A=49 (continued)**

- 2005IDZZ NUCLEAR REACTIONS  ${}^9\text{Be}({}^{37}\text{P}, \text{X}){}^{42}\text{K}$ ,  $E \approx 5$  MeV / nucleon;  ${}^9\text{Be}({}^{46}\text{Ar}, \text{X}){}^{49}\text{Ti} / {}^{50}\text{Ti} / {}^{51}\text{Ti} / {}^{46}\text{Ca}$ ,  $E \approx 5$  MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ .  ${}^{42}\text{K}$ ,  ${}^{49,50,51}\text{Ti}$ ,  ${}^{46}\text{Ca}$  deduced levels, J,  $\pi$ .  ${}^9\text{Be}({}^{46}\text{Ar}, \text{xn})$ ,  $E=2-7$  MeV / nucleon; measured excitation functions. CONF Argonne(Nuclei at the Limits),P136,Ideguchi
- 2005NIZT NUCLEAR REACTIONS  ${}^9\text{Be}({}^{46}\text{Ar}, \text{xn})$ ,  $E \approx 2.5-4.5$  MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin; deduced excitation functions.  ${}^{49,50}\text{Ti}$  deduced transitions.  ${}^{51}\text{Ti}$  deduced levels, J,  $\pi$ . REPT CNS-REP-66,P22,Niikura
- 2005NIZV NUCLEAR REACTIONS  ${}^9\text{Be}({}^{46}\text{Ar}, 3\text{n})$ ,  $({}^{46}\text{Ar}, 4\text{n})$ ,  $({}^{46}\text{Ar}, 5\text{n})$ ,  $({}^{46}\text{Ar}, 6\text{n})$ ,  $E=2-7$  MeV / nucleon; measured excitation functions. Comparison with statistical model predictions. REPT RIKEN 2004 Annual,P67,Niikura

**A=50**

- ${}^{50}\text{Ca}$  2005BR18 NUCLEAR REACTIONS  ${}^{48}\text{Ca}({}^{48}\text{Ca}, \text{X}){}^{50}\text{Ca} / {}^{51}\text{Sc}$ ,  $E=210$  MeV;  ${}^{208}\text{Pb}({}^{48}\text{Ca}, \text{X}){}^{50}\text{Ca} / {}^{51}\text{Sc}$ ,  $E=280$  MeV;  ${}^{238}\text{U}({}^{48}\text{Ca}, \text{X}){}^{50}\text{Ca} / {}^{51}\text{Sc}$ ,  $E=330$  MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  ${}^{50}\text{Ca}$ ,  ${}^{51}\text{Sc}$  deduced levels, J,  $\pi$ , configurations. GASP, Gammasphere arrays. JOUR APOBB 36 1343
- ${}^{50}\text{Ti}$  2005BA14 NUCLEAR REACTIONS  ${}^{50}\text{V}(\text{d}, 2\text{p})$ ,  $E=171$  MeV; measured  $E_p$ , pp-coin,  $\sigma(E, \theta)$ .  ${}^{50}\text{V}$  deduced Gamow-Teller strength distribution. Comparison with model predictions. JOUR PRVCA 71 024603
- 2005ID03 NUCLEAR REACTIONS  ${}^9\text{Be}({}^{46}\text{Ar}, 3\text{n})$ ,  $({}^{46}\text{Ar}, 4\text{n})$ ,  $({}^{46}\text{Ar}, 5\text{n})$ ,  $({}^{46}\text{Ar}, 6\text{n})$ ,  $E \approx 2-6$  MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin; deduced excitation functions.  ${}^{49,50,51}\text{Ti}$  deduced high-spin levels, J,  $\pi$ . JOUR ZAANE 25 s01 429
- 2005IDZZ NUCLEAR REACTIONS  ${}^9\text{Be}({}^{37}\text{P}, \text{X}){}^{42}\text{K}$ ,  $E \approx 5$  MeV / nucleon;  ${}^9\text{Be}({}^{46}\text{Ar}, \text{X}){}^{49}\text{Ti} / {}^{50}\text{Ti} / {}^{51}\text{Ti} / {}^{46}\text{Ca}$ ,  $E \approx 5$  MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ .  ${}^{42}\text{K}$ ,  ${}^{49,50,51}\text{Ti}$ ,  ${}^{46}\text{Ca}$  deduced levels, J,  $\pi$ .  ${}^9\text{Be}({}^{46}\text{Ar}, \text{xn})$ ,  $E=2-7$  MeV / nucleon; measured excitation functions. CONF Argonne(Nuclei at the Limits),P136,Ideguchi
- 2005NIZT NUCLEAR REACTIONS  ${}^9\text{Be}({}^{46}\text{Ar}, \text{xn})$ ,  $E \approx 2.5-4.5$  MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin; deduced excitation functions.  ${}^{49,50}\text{Ti}$  deduced transitions.  ${}^{51}\text{Ti}$  deduced levels, J,  $\pi$ . REPT CNS-REP-66,P22,Niikura
- 2005NIZV NUCLEAR REACTIONS  ${}^9\text{Be}({}^{46}\text{Ar}, 3\text{n})$ ,  $({}^{46}\text{Ar}, 4\text{n})$ ,  $({}^{46}\text{Ar}, 5\text{n})$ ,  $({}^{46}\text{Ar}, 6\text{n})$ ,  $E=2-7$  MeV / nucleon; measured excitation functions. Comparison with statistical model predictions. REPT RIKEN 2004 Annual,P67,Niikura
- 2005YU07 NUCLEAR REACTIONS  ${}^{50}\text{Ti}({}^{129}\text{Sb}, {}^{129}\text{Sb}')$ ,  $({}^{129}\text{Te}, {}^{129}\text{Te}')$ ,  $E=400$  MeV; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation.  ${}^{129}\text{Te}$ ,  ${}^{129}\text{Sb}$  deduced transitions B(E2). Clarion, Hyball arrays. JOUR ZAANE 25 s01 395
- ${}^{50}\text{V}$  2005BA14 NUCLEAR REACTIONS  ${}^{50}\text{V}(\text{d}, 2\text{p})$ ,  $E=171$  MeV; measured  $E_p$ , pp-coin,  $\sigma(E, \theta)$ .  ${}^{50}\text{V}$  deduced Gamow-Teller strength distribution. Comparison with model predictions. JOUR PRVCA 71 024603

**A=50 (continued)**

- 2005SU07 NUCLEAR REACTIONS  $^{51}\text{V}(^3\text{He}, ^3\text{He}')$ ,  $(^3\text{He}, \alpha)$ , E not given; measured  $E\gamma$ ,  $I\gamma$ .  $^{50,51}\text{V}$  deduced radiative strength functions, thermodynamic properties. JOUR APOBB 36 1197
- 2005SUZU NUCLEAR REACTIONS  $^{51}\text{V}(^3\text{He}, ^3\text{He}')$ ,  $(^3\text{He}, \alpha)$ , E=30 MeV; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin.  $^{50,51}\text{V}$  deduced level densities, radiative strength functions, microcanonical entropies. PREPRINT nucl-ex/0511054,11/30/2005
- $^{50}\text{Cr}$  2005SAZY NUCLEAR REACTIONS  $^{197}\text{Au}(^{54}\text{Cr}, ^{54}\text{Cr}')$ ,  $(^{56}\text{Cr}, ^{56}\text{Cr}')$ ,  $(^{58}\text{Cr}, ^{58}\text{Cr}')$ , E=100 MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation.  $^{54,56,58}\text{Cr}$  deduced transitions.  $\text{Be}(^{55}\text{Ni}, \text{X})^{50}\text{Cr}$ , E=171 MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin.  $^{50}\text{Cr}$  deduced transitions.  $\text{Be}(^{55}\text{Ni}, \text{X})$ ,  $^{197}\text{Au}(^{108}\text{Sn}, \text{X})$ , E not given; measured fragment yields. CONF Argonne(Nuclei at the Limits),P151,Saito
- 2005W001 NUCLEAR REACTIONS  $^{197}\text{Au}(^{84}\text{Kr}, ^{84}\text{Kr}')$ ,  $(^{56}\text{Cr}, ^{56}\text{Cr}')$ ,  $(^{108}\text{Sn}, ^{108}\text{Sn}')$ , E=113-142 MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$  following projectile Coulomb excitation.  $^{84}\text{Kr}$ ,  $^{56}\text{Cr}$ ,  $^{108}\text{Sn}$  deduced transitions.  $^9\text{Be}(^{55}\text{Ni}, \text{X})^{54}\text{Co} / ^{52}\text{Fe} / ^{50}\text{Cr}$ , E=171 MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin. JOUR NIMAE 537 637
- $^{50}\text{Mn}$  2005FU16 NUCLEAR REACTIONS  $^{50}\text{Cr}(^3\text{He}, \text{t})$ , E=140 MeV / nucleon; measured triton spectra; deduced Gamow-Teller transition strengths.  $^{50}\text{Mn}$  deduced level energies.  $^{50}\text{Fe}$  deduced  $\beta$ -decay intensities. Astrophysical implications discussed. JOUR PRLTA 95 212501
- 2005SA44 RADIOACTIVITY  $^{46}\text{V}(\text{EC})$ ; analyzed masses; deduced  $Q(\text{EC})$ , log ft.  $^{10}\text{C}$ ,  $^{14}\text{O}$ ,  $^{22}\text{Mg}$ ,  $^{26m}\text{Al}$ ,  $^{34}\text{Cl}$ ,  $^{34}\text{Ar}$ ,  $^{38m}\text{K}$ ,  $^{42}\text{Sc}$ ,  $^{46}\text{V}$ ,  $^{50}\text{Mn}$ ,  $^{54}\text{Co}$ ,  $^{74}\text{Rb}$ ; compiled, analyzed log ft; deduced quark-mixing matrix element. JOUR PRLTA 95 102501
- $^{50}\text{Fe}$  2005FU16 NUCLEAR REACTIONS  $^{50}\text{Cr}(^3\text{He}, \text{t})$ , E=140 MeV / nucleon; measured triton spectra; deduced Gamow-Teller transition strengths.  $^{50}\text{Mn}$  deduced level energies.  $^{50}\text{Fe}$  deduced  $\beta$ -decay intensities. Astrophysical implications discussed. JOUR PRLTA 95 212501
- 2005YA26 NUCLEAR REACTIONS  $\text{Pb}(^{46}\text{Cr}, ^{46}\text{Cr}')$ ,  $(^{50}\text{Fe}, ^{50}\text{Fe}')$ ,  $(^{54}\text{Ni}, ^{54}\text{Ni}')$ , E=41-44 MeV / nucleon; measured  $\sigma(\theta)$ ,  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation.  $^{46}\text{Cr}$ ,  $^{50}\text{Fe}$ ,  $^{54}\text{Ni}$  deduced excitation  $B(E2)$ . DWBA analysis. JOUR ZAANE 25 s01 409

**A=51**

- $^{51}\text{Sc}$  2005BR18 NUCLEAR REACTIONS  $^{48}\text{Ca}(^{48}\text{Ca}, \text{X})^{50}\text{Ca} / ^{51}\text{Sc}$ , E=210 MeV;  $^{208}\text{Pb}(^{48}\text{Ca}, \text{X})^{50}\text{Ca} / ^{51}\text{Sc}$ , E=280 MeV;  $^{238}\text{U}(^{48}\text{Ca}, \text{X})^{50}\text{Ca} / ^{51}\text{Sc}$ , E=330 MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{50}\text{Ca}$ ,  $^{51}\text{Sc}$  deduced levels, J,  $\pi$ , configurations. GASP, Gammasphere arrays. JOUR APOBB 36 1343
- $^{51}\text{Ti}$  2005ID03 NUCLEAR REACTIONS  $^9\text{Be}(^{46}\text{Ar}, 3\text{n})$ ,  $(^{46}\text{Ar}, 4\text{n})$ ,  $(^{46}\text{Ar}, 5\text{n})$ ,  $(^{46}\text{Ar}, 6\text{n})$ , E  $\approx$  2-6 MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin; deduced excitation functions.  $^{49,50,51}\text{Ti}$  deduced high-spin levels, J,  $\pi$ . JOUR ZAANE 25 s01 429

## A=51 (continued)

- 2005IDZZ NUCLEAR REACTIONS  ${}^9\text{Be}({}^{37}\text{P}, \text{X}){}^{42}\text{K}$ ,  $E \approx 5$  MeV / nucleon;  ${}^9\text{Be}({}^{46}\text{Ar}, \text{X}){}^{49}\text{Ti} / {}^{50}\text{Ti} / {}^{51}\text{Ti} / {}^{46}\text{Ca}$ ,  $E \approx 5$  MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ .  ${}^{42}\text{K}$ ,  ${}^{49,50,51}\text{Ti}$ ,  ${}^{46}\text{Ca}$  deduced levels, J,  $\pi$ .  ${}^9\text{Be}({}^{46}\text{Ar}, \text{xn})$ ,  $E=2-7$  MeV / nucleon; measured excitation functions. CONF Argonne(Nuclei at the Limits),P136,Ideguchi
- 2005NIZT NUCLEAR REACTIONS  ${}^9\text{Be}({}^{46}\text{Ar}, \text{xn})$ ,  $E \approx 2.5-4.5$  MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin; deduced excitation functions.  ${}^{49,50}\text{Ti}$  deduced transitions.  ${}^{51}\text{Ti}$  deduced levels, J,  $\pi$ . REPT CNS-REP-66,P22,Niikura
- 2005NIZV NUCLEAR REACTIONS  ${}^9\text{Be}({}^{46}\text{Ar}, 3\text{n})$ ,  $({}^{46}\text{Ar}, 4\text{n})$ ,  $({}^{46}\text{Ar}, 5\text{n})$ ,  $({}^{46}\text{Ar}, 6\text{n})$ ,  $E=2-7$  MeV / nucleon; measured excitation functions. Comparison with statistical model predictions. REPT RIKEN 2004 Annual,P67,Niikura
- ${}^{51}\text{V}$  2005SU07 NUCLEAR REACTIONS  ${}^{51}\text{V}({}^3\text{He}, {}^3\text{He}')$ ,  $({}^3\text{He}, \alpha)$ , E not given; measured  $E\gamma$ ,  $I\gamma$ .  ${}^{50,51}\text{V}$  deduced radiative strength functions, thermodynamic properties. JOUR APOBB 36 1197
- 2005SUZU NUCLEAR REACTIONS  ${}^{51}\text{V}({}^3\text{He}, {}^3\text{He}')$ ,  $({}^3\text{He}, \alpha)$ ,  $E=30$  MeV; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin.  ${}^{50,51}\text{V}$  deduced level densities, radiative strength functions, microcanonical entropies. PREPRINT nucl-ex/0511054,11/30/2005
- ${}^{51}\text{Cr}$  2005BAZR NUCLEAR REACTIONS  ${}^{107}\text{Ag}(\alpha, \gamma)$ ,  $E=7.8-11.9$  MeV;  ${}^{48}\text{Ti}(\alpha, \text{n})$ ,  $E \approx 6.5-11.5$  MeV; measured  $\sigma$ . Stacked-foil activation technique, comparison with model predictions. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol2,P1370
- 2005B010 NUCLEAR REACTIONS  $\text{Zn}(\text{p}, \text{X}){}^{64}\text{Cu} / {}^{57}\text{Ni} / {}^{56}\text{Ni} / {}^{52}\text{Mn} / {}^{54}\text{Mn} / {}^{62}\text{Zn} / {}^{65}\text{Zn} / {}^{51}\text{Cr} / {}^{48}\text{V} / {}^{55}\text{Co} / {}^{56}\text{Co} / {}^{57}\text{Co} / {}^{58}\text{Co} / {}^{60}\text{Co} / {}^{66}\text{Ga} / {}^{67}\text{Ga} / {}^{52}\text{Fe} / {}^{59}\text{Fe}$ ,  $E \approx 31-141$  MeV; measured production  $\sigma$ . Stacked-foil activation. JOUR JRNCD 264 101
- 2005DIZY NUCLEAR REACTIONS  $\text{Fe}(\text{p}, \text{X}){}^{57}\text{Co} / {}^{56}\text{Co} / {}^{55}\text{Co} / {}^{54}\text{Mn} / {}^{52}\text{Mn} / {}^{48}\text{V} / {}^{51}\text{Cr} / {}^{48}\text{Cr} / {}^{47}\text{Sc}$ ,  $E \approx 20-70$  MeV; measured activation  $\sigma$ . Comparison with previous results. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol1,P1011
- 2005MIZZ NUCLEAR REACTIONS  $\text{Cu}(\text{n}, \text{X}){}^{56}\text{Co}$ ,  $E=40-180$  MeV;  $\text{Fe}(\text{n}, \text{X}){}^{54}\text{Mn} / {}^{52}\text{Mn} / {}^{51}\text{Cr} / {}^{48}\text{V}$ ,  $E \approx 0-180$  MeV;  $\text{Pb}(\text{n}, \text{X}){}^{196}\text{Au} / {}^{200}\text{Pb} / {}^{103}\text{Ru}$ ,  $E \approx 40-180$  MeV;  $\text{U}(\text{n}, \text{X}){}^{99}\text{Mo}$ ,  $E \approx 0-180$  MeV; measured excitation functions. Comparison with proton-induced reactions. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol1,P861
- 2005SI14 NUCLEAR REACTIONS C, O, Si, Mg,  $\text{Al}(\text{n}, \text{X}){}^7\text{Be}$ ,  $E \approx 0.1-750$  MeV; O, Si, Mg,  $\text{Al}(\text{n}, \text{X}){}^{22}\text{Na} / {}^{23}\text{Na}$ ,  $E \approx 0.1-750$  MeV;  ${}^{197}\text{Au}(\text{n}, \text{X}){}^{194}\text{Au} / {}^{196}\text{Au} / {}^{198}\text{Au}$ ,  $E \approx 0.1-750$  MeV; Ti, Fe, Ni,  $\text{Cu}(\text{n}, \text{X}){}^{46}\text{Sc} / {}^{48}\text{Sc}$ ,  $E \approx 0.1-750$  MeV; Fe, Ni,  $\text{Cu}(\text{n}, \text{X}){}^{48}\text{V} / {}^{51}\text{Cr} / {}^{52}\text{Mn} / {}^{54}\text{Mn}$ ,  $E \approx 0.1-750$  MeV; Ni,  $\text{Cu}(\text{n}, \text{X}){}^{56}\text{Ni} / {}^{57}\text{Ni} / {}^{56}\text{Co} / {}^{57}\text{Co} / {}^{58}\text{Co} / {}^{60}\text{Co} / {}^{59}\text{Fe}$ ,  $E \approx 0.1-750$  MeV; measured energy-integrated production  $\sigma$ . JOUR NIMBE 234 419



**A=51 (continued)**

- <sup>51</sup>Mn 2005EK01 NUCLEAR REACTIONS <sup>16</sup>O(<sup>24</sup>Mg, nα), (<sup>24</sup>Mg, pα), E=60 MeV; <sup>28</sup>Si(<sup>32</sup>S, n2α), (<sup>32</sup>S, p2α), E=130 MeV; <sup>24</sup>Mg(<sup>40</sup>Ca, 2np), (<sup>40</sup>Ca, n2p), E=104 MeV; measured Eγ, Iγ, γγ-, (charged particle)γ-, (neutron)γ-coin. <sup>35</sup>Ar, <sup>35</sup>Cl, <sup>51</sup>Fe, <sup>51</sup>Mn, <sup>61</sup>Ga, <sup>61</sup>Zn deduced levels, J, π, mirror energy difference. Discussed electromagnetic spin-orbit effect. Large-scale shell model calculations. JOUR ZAANE 25 s01 363
- 2005MA81 NUCLEAR REACTIONS <sup>40</sup>Ca(<sup>14</sup>N, n2p), E not given; measured Eγ, Iγ, γγ-coin. <sup>51</sup>Mn levels deduced T<sub>1/2</sub>. Ultra-fast timing techniques. JOUR JPGPE 31 S1421
- <sup>51</sup>Fe 2005EK01 NUCLEAR REACTIONS <sup>16</sup>O(<sup>24</sup>Mg, nα), (<sup>24</sup>Mg, pα), E=60 MeV; <sup>28</sup>Si(<sup>32</sup>S, n2α), (<sup>32</sup>S, p2α), E=130 MeV; <sup>24</sup>Mg(<sup>40</sup>Ca, 2np), (<sup>40</sup>Ca, n2p), E=104 MeV; measured Eγ, Iγ, γγ-, (charged particle)γ-, (neutron)γ-coin. <sup>35</sup>Ar, <sup>35</sup>Cl, <sup>51</sup>Fe, <sup>51</sup>Mn, <sup>61</sup>Ga, <sup>61</sup>Zn deduced levels, J, π, mirror energy difference. Discussed electromagnetic spin-orbit effect. Large-scale shell model calculations. JOUR ZAANE 25 s01 363

**A=52**

- <sup>52</sup>Ti 2005DI05 NUCLEAR REACTIONS <sup>197</sup>Au(<sup>76</sup>Ge, <sup>76</sup>Ge'), (<sup>52</sup>Ti, <sup>52</sup>Ti'), (<sup>54</sup>Ti, <sup>54</sup>Ti'), (<sup>56</sup>Ti, <sup>56</sup>Ti'), E ≈ 80-90 MeV; measured Eγ, Iγ, (particle)γ-coin following projectile Coulomb excitation. <sup>52,54,56</sup>Ti deduced transitions B(E2), subshell closures. Comparison with large-scale shell model calculations. JOUR PRVCA 71 041302
- 2005DIZZ NUCLEAR REACTIONS <sup>238</sup>U(<sup>48</sup>Ca, X)<sup>56</sup>Ti, E=330 MeV; measured Eγ, Iγ, γγ-coin. <sup>56</sup>Ti deduced levels, J, π. <sup>197</sup>Au(<sup>76</sup>Ge, <sup>76</sup>Ge'), (<sup>52</sup>Ti, <sup>52</sup>Ti'), (<sup>54</sup>Ti, <sup>54</sup>Ti'), (<sup>56</sup>Ti, <sup>56</sup>Ti'), E ≈ 80-90 MeV; measured Eγ, Iγ, (particle)γ-coin following projectile Coulomb excitation. <sup>52,54,56</sup>Ti, <sup>76</sup>Ge, <sup>197</sup>Au deduced transitions B(E2). CONF Argonne(Nuclei at the Limits),P131,Dinca
- 2005ID03 NUCLEAR REACTIONS <sup>9</sup>Be(<sup>46</sup>Ar, 3n), (<sup>46</sup>Ar, 4n), (<sup>46</sup>Ar, 5n), (<sup>46</sup>Ar, 6n), E ≈ 2-6 MeV / nucleon; measured Eγ, Iγ, (particle)γ-coin; deduced excitation functions. <sup>49,50,51</sup>Ti deduced high-spin levels, J, π. JOUR ZAANE 25 s01 429
- 2005NIZW NUCLEAR REACTIONS <sup>9</sup>Be(<sup>46</sup>Ar, 3n), (<sup>46</sup>Ar, 4n), (<sup>46</sup>Ar, 5n), (<sup>46</sup>Ar, 6n), E=2-7 MeV / nucleon; measured excitation functions. Comparison with statistical model predictions. REPT RIKEN 2004 Annual,P67,Niikura
- <sup>52</sup>Mn 2004ADZW NUCLEAR REACTIONS <sup>209</sup>Bi(n, 4n), (n, 5n), (n, 6n), (n, 7n), (n, 9n), <sup>232</sup>Th(n, γ), <sup>197</sup>Au(n, 2n), (n, 4n), (n, 6n), (n, 7n), (n, γ), <sup>115</sup>In(n, 5n), (n, 6n), (n, 7n), <sup>59</sup>Co(n, 2n), (n, 3n), (n, 4n), (n, 5n), (n, γ), (n, p), (n, 6n2p), E=spectrum; measured Eγ, Iγ; deduced reaction rates. Pb(p, nX), E=1 GeV; deduced spallation neutron spectrum. REPT JINR-E1-2004-16,Adam
- 2004MIZS NUCLEAR REACTIONS Fe(p, X)<sup>52</sup>Mn, E < 2.6 GeV; Pb(p, X)<sup>10</sup>Be, E < 2.6 GeV; <sup>209</sup>Bi(p, 4np), E < 2.6 GeV; Pb(n, X)<sup>196</sup>Au / <sup>95</sup>Zr, E ≈ 70-180 MeV; measured excitation functions. Comparison with model predictions. REPT NEA/NSC/DOC(2004)14,P28,Michel

## A=52 (continued)

- 2004QAZZ NUCLEAR REACTIONS  $^{52}\text{Cr}(p, n)$ ,  $(^3\text{He}, t)$ ,  $^{54}\text{Fe}(d, \alpha)$ ,  $(^3\text{He}, p\alpha)$ ,  $E \approx 5\text{-}35$  MeV; measured isomer production ratios. REPT  
NEA/NSC/DOC(2004)14,P11,Qaim
- 2005AD01 NUCLEAR REACTIONS  $^{209}\text{Bi}(n, 4n)$ ,  $(n, 5n)$ ,  $(n, 6n)$ ,  $(n, 7n)$ ,  $(n, 9n)$ ,  $^{232}\text{Th}(n, \gamma)$ ,  $^{197}\text{Au}(n, 2n)$ ,  $(n, 4n)$ ,  $(n, 6n)$ ,  $(n, 7n)$ ,  $(n, \gamma)$ ,  $^{59}\text{Co}(n, 2n)$ ,  $(n, 3n)$ ,  $(n, 4n)$ ,  $(n, 5n)$ ,  $(n, p)$ ,  $(n, 6n2p)$ ,  $^{115}\text{In}(n, 5n)$ ,  $(n, 6n)$ ,  $(n, 7n)$ ,  $E=\text{spectrum}$ ; measured  $E\gamma$ ,  $I\gamma$ ; deduced reaction rates. Activation technique, spallation neutrons from 1 GeV proton beam, comparison with model predictions. JOUR ZAANE 23 61
- 2005B010 NUCLEAR REACTIONS  $\text{Zn}(p, X)^{64}\text{Cu} / ^{57}\text{Ni} / ^{56}\text{Ni} / ^{52}\text{Mn} / ^{54}\text{Mn} / ^{62}\text{Zn} / ^{65}\text{Zn} / ^{51}\text{Cr} / ^{48}\text{V} / ^{55}\text{Co} / ^{56}\text{Co} / ^{57}\text{Co} / ^{58}\text{Co} / ^{60}\text{Co} / ^{66}\text{Ga} / ^{67}\text{Ga} / ^{52}\text{Fe} / ^{59}\text{Fe}$ ,  $E \approx 31\text{-}141$  MeV; measured production  $\sigma$ . Stacked-foil activation. JOUR JRNCD 264 101
- 2005DIZY NUCLEAR REACTIONS  $\text{Fe}(p, X)^{57}\text{Co} / ^{56}\text{Co} / ^{55}\text{Co} / ^{54}\text{Mn} / ^{52}\text{Mn} / ^{48}\text{V} / ^{51}\text{Cr} / ^{48}\text{Cr} / ^{47}\text{Sc}$ ,  $E \approx 20\text{-}70$  MeV; measured activation  $\sigma$ . Comparison with previous results. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P1011
- 2005MIZZ NUCLEAR REACTIONS  $\text{Cu}(n, X)^{56}\text{Co}$ ,  $E=40\text{-}180$  MeV;  $\text{Fe}(n, X)^{54}\text{Mn} / ^{52}\text{Mn} / ^{51}\text{Cr} / ^{48}\text{V}$ ,  $E \approx 0\text{-}180$  MeV;  $\text{Pb}(n, X)^{196}\text{Au} / ^{200}\text{Pb} / ^{103}\text{Ru}$ ,  $E \approx 40\text{-}180$  MeV;  $\text{U}(n, X)^{99}\text{Mo}$ ,  $E \approx 0\text{-}180$  MeV; measured excitation functions. Comparison with proton-induced reactions. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P861
- 2005SI14 NUCLEAR REACTIONS  $\text{C}$ ,  $\text{O}$ ,  $\text{Si}$ ,  $\text{Mg}$ ,  $\text{Al}(n, X)^7\text{Be}$ ,  $E \approx 0.1\text{-}750$  MeV;  $\text{O}$ ,  $\text{Si}$ ,  $\text{Mg}$ ,  $\text{Al}(n, X)^{22}\text{Na} / ^{23}\text{Na}$ ,  $E \approx 0.1\text{-}750$  MeV;  $^{197}\text{Au}(n, X)^{194}\text{Au} / ^{196}\text{Au} / ^{198}\text{Au}$ ,  $E \approx 0.1\text{-}750$  MeV;  $\text{Ti}$ ,  $\text{Fe}$ ,  $\text{Ni}$ ,  $\text{Cu}(n, X)^{46}\text{Sc} / ^{48}\text{Sc}$ ,  $E \approx 0.1\text{-}750$  MeV;  $\text{Fe}$ ,  $\text{Ni}$ ,  $\text{Cu}(n, X)^{48}\text{V} / ^{51}\text{Cr} / ^{52}\text{Mn} / ^{54}\text{Mn}$ ,  $E \approx 0.1\text{-}750$  MeV;  $\text{Ni}$ ,  $\text{Cu}(n, X)^{56}\text{Ni} / ^{57}\text{Ni} / ^{56}\text{Co} / ^{57}\text{Co} / ^{58}\text{Co} / ^{60}\text{Co} / ^{59}\text{Fe}$ ,  $E \approx 0.1\text{-}750$  MeV; measured energy-integrated production  $\sigma$ . JOUR NIMBE 234 419
- $^{52}\text{Fe}$  2005B010 NUCLEAR REACTIONS  $\text{Zn}(p, X)^{64}\text{Cu} / ^{57}\text{Ni} / ^{56}\text{Ni} / ^{52}\text{Mn} / ^{54}\text{Mn} / ^{62}\text{Zn} / ^{65}\text{Zn} / ^{51}\text{Cr} / ^{48}\text{V} / ^{55}\text{Co} / ^{56}\text{Co} / ^{57}\text{Co} / ^{58}\text{Co} / ^{60}\text{Co} / ^{66}\text{Ga} / ^{67}\text{Ga} / ^{52}\text{Fe} / ^{59}\text{Fe}$ ,  $E \approx 31\text{-}141$  MeV; measured production  $\sigma$ . Stacked-foil activation. JOUR JRNCD 264 101
- 2005GA15 NUCLEAR REACTIONS  $^{197}\text{Au}(^{52}\text{Fe}, ^{52}\text{Fe}')$ ,  $(^{54}\text{Ni}, ^{54}\text{Ni}')$ ,  $(^{56}\text{Ni}, ^{56}\text{Ni}')$ ,  $(^{58}\text{Ni}, ^{58}\text{Ni}')$ ,  $E$  not given; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation.  $^{52}\text{Fe}$ ,  $^{54,56,58}\text{Ni}$  transitions deduced  $B(E2)$ .  $^9\text{Be}(^{32}\text{S}, ^{31}\text{SX})$ ,  $(^{33}\text{Cl}, ^{32}\text{ClX})$ ,  $(^{34}\text{Ar}, ^{33}\text{ArX})$ ,  $E$  not given; measured one-neutron removal  $\sigma$ . JOUR APOBB 36 1227
- 2005GA20 RADIOACTIVITY  $^{52}\text{Fe}(\text{IT})$  [from  $\text{Si}(^{36}\text{Ar}, X)$ ]; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{52}\text{Fe}$  deduced levels,  $J$ ,  $\pi$ ,  $T_{1/2}$ ,  $B(E4)$ , yrast trap. Comparison with shell model predictions. JOUR PYLBB 619 88
- 2005W001 NUCLEAR REACTIONS  $^{197}\text{Au}(^{84}\text{Kr}, ^{84}\text{Kr}')$ ,  $(^{56}\text{Cr}, ^{56}\text{Cr}')$ ,  $(^{108}\text{Sn}, ^{108}\text{Sn}')$ ,  $E=113\text{-}142$  MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$  following projectile Coulomb excitation.  $^{84}\text{Kr}$ ,  $^{56}\text{Cr}$ ,  $^{108}\text{Sn}$  deduced transitions.  $^9\text{Be}(^{55}\text{Ni}, X)^{54}\text{Co} / ^{52}\text{Fe} / ^{50}\text{Cr}$ ,  $E=171$  MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin. JOUR NIMAE 537 637
- $^{52}\text{Ni}$  2005BL15 RADIOACTIVITY  $^{54}\text{Zn}(2p)$  [from  $\text{Ni}(^{58}\text{Ni}, X)$ ]; measured  $E_p$ ,  $T_{1/2}$ , two-proton decay branching ratio. Comparison with model predictions. JOUR PRLTA 94 232501

**A=52 (continued)**

- 2005BL31 RADIOACTIVITY  $^{45}\text{Fe}$ ,  $^{48}\text{Ni}$ ,  $^{54}\text{Zn}(2p)$  [from Ni( $^{58}\text{Ni}$ , X)]; measured proton spectra,  $T_{1/2}$ . Comparison with theory. JOUR ZAANE 25 s01 169
- 2005BLZZ RADIOACTIVITY  $^{54}\text{Zn}(2p)$  [from Ni( $^{58}\text{Ni}$ , X)]; measured  $E_p$ ,  $T_{1/2}$ , two-proton decay branching ratio. Comparison with model predictions. PREPRINT nucl-ex/0505016,5/13/2005
- 2005GI15 RADIOACTIVITY  $^{45}\text{Fe}$ ,  $^{54}\text{Zn}(p)$ ,  $(2p)$  [from Ni( $^{58}\text{Ni}$ , X)]; measured proton spectra,  $T_{1/2}$ . JOUR JPGPE 31 S1509

**A=53**

- $^{53}\text{Ti}$  2005F014 NUCLEAR REACTIONS  $^{208}\text{Pb}(^{48}\text{Ca}, X)$ ,  $E=305$  MeV;  $^{238}\text{U}(^{48}\text{Ca}, X)$ ,  $E=330$  MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{53}\text{Ti}$  deduced levels,  $J$ ,  $\pi$ . Gammasphere array, cross-coincidence with reaction partners. Comparison with model predictions. JOUR PRVCA 72 044315
- $^{53}\text{Cr}$  2005BEZT NUCLEAR REACTIONS  $^{35}\text{Cl}(n, \gamma)$ ,  $E$  not given; measured  $E\gamma$ ,  $I\gamma$ .  $^{36}\text{Cl}$  deduced transitions, level energies, binding energy.  $^{52,54}\text{Cr}$ ,  $^{56}\text{Fe}$ ,  $^{206}\text{Pb}(n, \gamma)$ ,  $E$  not given; analyzed  $E\gamma$ .  $^{53,55}\text{Cr}$ ,  $^{57}\text{Fe}$ ,  $^{207}\text{Pb}$  deduced binding energies. GAMS4 spectrometer. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P1074
- $^{53}\text{Fe}$  2005DU19 NUCLEAR REACTIONS  $^{28}\text{Si}(^{32}\text{S}, n2p\alpha)$ ,  $E=125$  MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -, (charged particle) $\gamma$ -, (neutron) $\gamma$ -coin.  $^{24}\text{Mg}(^{32}\text{S}, n2p)$ ,  $E=95$  MeV; measured Doppler-shifted  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{53}\text{Fe}$  deduced high-spin levels,  $J$ ,  $\pi$ ,  $T_{1/2}$ , configurations. Gammasphere, Microball, GASP arrays, recoil-distance technique. Comparison with shell-model predictions. JOUR PRVCA 72 014307
- $^{53}\text{Cu}$  2005GI15 RADIOACTIVITY  $^{45}\text{Fe}$ ,  $^{54}\text{Zn}(p)$ ,  $(2p)$  [from Ni( $^{58}\text{Ni}$ , X)]; measured proton spectra,  $T_{1/2}$ . JOUR JPGPE 31 S1509

**A=54**

- $^{54}\text{Sc}$  2004LI75 RADIOACTIVITY  $^{54,55,56}\text{Sc}(\beta^-)$  [from Be( $^{86}\text{Kr}$ , X)]; measured  $E\beta$ ,  $E\gamma$ ,  $\beta\gamma$ -coin,  $T_{1/2}$ .  $^{54,55,56}\text{Ti}$  deduced levels,  $J$ ,  $\pi$ , configurations. Comparison with model predictions. JOUR PRVCA 70 064303
- $^{54}\text{Ti}$  2004F009 NUCLEAR REACTIONS  $^{238}\text{U}(^{48}\text{Ca}, X)^{54}\text{Ti} / ^{56}\text{Ti}$ ,  $E=330$  MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{54,56}\text{Ti}$  deduced levels,  $J$ ,  $\pi$ , configurations. Gammasphere array. JOUR PRVCA 70 064304
- 2004LI75 RADIOACTIVITY  $^{54,55,56}\text{Sc}(\beta^-)$  [from Be( $^{86}\text{Kr}$ , X)]; measured  $E\beta$ ,  $E\gamma$ ,  $\beta\gamma$ -coin,  $T_{1/2}$ .  $^{54,55,56}\text{Ti}$  deduced levels,  $J$ ,  $\pi$ , configurations. Comparison with model predictions. JOUR PRVCA 70 064303
- 2005DI05 NUCLEAR REACTIONS  $^{197}\text{Au}(^{76}\text{Ge}, ^{76}\text{Ge}')$ ,  $(^{52}\text{Ti}, ^{52}\text{Ti}')$ ,  $(^{54}\text{Ti}, ^{54}\text{Ti}')$ ,  $(^{56}\text{Ti}, ^{56}\text{Ti}')$ ,  $E \approx 80-90$  MeV; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation.  $^{52,54,56}\text{Ti}$  deduced transitions B(E2), subshell closures. Comparison with large-scale shell model calculations. JOUR PRVCA 71 041302

A=54 (*continued*)

- 2005DIZZ NUCLEAR REACTIONS  $^{238}\text{U}(^{48}\text{Ca}, \text{X})^{56}\text{Ti}$ , E=330 MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{56}\text{Ti}$  deduced levels, J,  $\pi$ .  $^{197}\text{Au}(^{76}\text{Ge}, ^{76}\text{Ge}')$ , ( $^{52}\text{Ti}$ ,  $^{52}\text{Ti}'$ ), ( $^{54}\text{Ti}$ ,  $^{54}\text{Ti}'$ ), ( $^{56}\text{Ti}$ ,  $^{56}\text{Ti}'$ ), E  $\approx$  80-90 MeV; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation.  $^{52,54,56}\text{Ti}$ ,  $^{76}\text{Ge}$ ,  $^{197}\text{Au}$  deduced transitions B(E2). CONF Argonne(Nuclei at the Limits),P131,Dinca
- $^{54}\text{Cr}$  2005BE33 NUCLEAR REACTIONS  $^{197}\text{Au}(^{54}\text{Cr}, ^{54}\text{Cr}')$ , E=136 MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation.  $^{54}\text{Cr}$  deduced transitions. JOUR APOBB 36 1235
- 2005BU14 NUCLEAR REACTIONS  $^{197}\text{Au}(^{54}\text{Cr}, ^{54}\text{Cr}')$ , ( $^{56}\text{Cr}$ ,  $^{56}\text{Cr}'$ ), ( $^{58}\text{Cr}$ ,  $^{58}\text{Cr}'$ ), E  $\approx$  135 MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation.  $^{54,56,58}\text{Cr}$  deduced transitions. JOUR APOBB 36 1249
- 2005BU29 NUCLEAR REACTIONS  $^{197}\text{Au}(^{54}\text{Cr}, ^{54}\text{Cr}')$ , ( $^{56}\text{Cr}$ ,  $^{56}\text{Cr}'$ ), ( $^{58}\text{Cr}$ ,  $^{58}\text{Cr}'$ ), E  $\approx$  100 MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation.  $^{54,56,58}\text{Cr}$  deduced transitions B(E2). Comparison with shell model predictions. JOUR PYLBB 622 29
- 2005HUZZ NUCLEAR REACTIONS  $^{197}\text{Au}(^{54}\text{Cr}, ^{54}\text{Cr}')$ , ( $^{56}\text{Cr}$ ,  $^{56}\text{Cr}'$ ), ( $^{58}\text{Cr}$ ,  $^{58}\text{Cr}'$ ), E  $\approx$  136 MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation.  $^{54,56,58}\text{Cr}$  deduced levels, B(E2). CONF Bormio (XLIII Winter Meeting) Proc,P232
- 2005SAZY NUCLEAR REACTIONS  $^{197}\text{Au}(^{54}\text{Cr}, ^{54}\text{Cr}')$ , ( $^{56}\text{Cr}$ ,  $^{56}\text{Cr}'$ ), ( $^{58}\text{Cr}$ ,  $^{58}\text{Cr}'$ ), E=100 MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation.  $^{54,56,58}\text{Cr}$  deduced transitions.  $\text{Be}(^{55}\text{Ni}, \text{X})^{50}\text{Cr}$ , E=171 MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin.  $^{50}\text{Cr}$  deduced transitions.  $\text{Be}(^{55}\text{Ni}, \text{X})$ ,  $^{197}\text{Au}(^{108}\text{Sn}, \text{X})$ , E not given; measured fragment yields. CONF Argonne(Nuclei at the Limits),P151,Saito
- 2006B001 RADIOACTIVITY  $^{54}\text{Mn}$ ,  $^{65}\text{Zn}(\text{EC})$ ; measured  $\beta\gamma$ -coin. Triple to double coincidence ratio method. JOUR ARISE 64 124
- $^{54}\text{Mn}$  2005B010 NUCLEAR REACTIONS  $\text{Zn}(\text{p}, \text{X})^{64}\text{Cu} / ^{57}\text{Ni} / ^{56}\text{Ni} / ^{52}\text{Mn} / ^{54}\text{Mn} / ^{62}\text{Zn} / ^{65}\text{Zn} / ^{51}\text{Cr} / ^{48}\text{V} / ^{55}\text{Co} / ^{56}\text{Co} / ^{57}\text{Co} / ^{58}\text{Co} / ^{60}\text{Co} / ^{66}\text{Ga} / ^{67}\text{Ga} / ^{52}\text{Fe} / ^{59}\text{Fe}$ , E  $\approx$  31-141 MeV; measured production  $\sigma$ . Stacked-foil activation. JOUR JRNCD 264 101
- 2005DIZY NUCLEAR REACTIONS  $\text{Fe}(\text{p}, \text{X})^{57}\text{Co} / ^{56}\text{Co} / ^{55}\text{Co} / ^{54}\text{Mn} / ^{52}\text{Mn} / ^{48}\text{V} / ^{51}\text{Cr} / ^{48}\text{Cr} / ^{47}\text{Sc}$ , E  $\approx$  20-70 MeV; measured activation  $\sigma$ . Comparison with previous results. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol1,P1011
- 2005MIZZ NUCLEAR REACTIONS  $\text{Cu}(\text{n}, \text{X})^{56}\text{Co}$ , E=40-180 MeV;  $\text{Fe}(\text{n}, \text{X})^{54}\text{Mn} / ^{52}\text{Mn} / ^{51}\text{Cr} / ^{48}\text{V}$ , E  $\approx$  0-180 MeV;  $\text{Pb}(\text{n}, \text{X})^{196}\text{Au} / ^{200}\text{Pb} / ^{103}\text{Ru}$ , E  $\approx$  40-180 MeV;  $\text{U}(\text{n}, \text{X})^{99}\text{Mo}$ , E  $\approx$  0-180 MeV; measured excitation functions. Comparison with proton-induced reactions. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol1,P861

## A=54 (continued)

- 2005SI14 NUCLEAR REACTIONS C, O, Si, Mg, Al(n, X)<sup>7</sup>Be, E ≈ 0.1-750 MeV; O, Si, Mg, Al(n, X)<sup>22</sup>Na / <sup>23</sup>Na, E ≈ 0.1-750 MeV; <sup>197</sup>Au(n, X)<sup>194</sup>Au / <sup>196</sup>Au / <sup>198</sup>Au, E ≈ 0.1-750 MeV; Ti, Fe, Ni, Cu(n, X)<sup>46</sup>Sc / <sup>48</sup>Sc, E ≈ 0.1-750 MeV; Fe, Ni, Cu(n, X)<sup>48</sup>V / <sup>51</sup>Cr / <sup>52</sup>Mn / <sup>54</sup>Mn, E ≈ 0.1-750 MeV; Ni, Cu(n, X)<sup>56</sup>Ni / <sup>57</sup>Ni / <sup>56</sup>Co / <sup>57</sup>Co / <sup>58</sup>Co / <sup>60</sup>Co / <sup>59</sup>Fe, E ≈ 0.1-750 MeV; measured energy-integrated production  $\sigma$ . JOUR NIMBE 234 419
- 2005SI32 NUCLEAR REACTIONS Cu(n, X)<sup>54</sup>Mn / <sup>59</sup>Fe / <sup>56</sup>Co / <sup>57</sup>Co / <sup>58</sup>Co / <sup>60</sup>Co, E ≈ 70.7, 110.8 MeV; measured  $\sigma$ . Comparison with previous results, model predictions. JOUR NIMBE 240 617
- 2006B001 RADIOACTIVITY <sup>54</sup>Mn, <sup>65</sup>Zn(EC); measured  $\beta\gamma$ -coin. Triple to double coincidence ratio method. JOUR ARISE 64 124
- <sup>54</sup>Fe 2005HA25 NUCLEAR REACTIONS <sup>9</sup>Be(<sup>55</sup>Ni, X)<sup>54</sup>Ni, E not given; <sup>9</sup>Be(<sup>55</sup>Co, X)<sup>54</sup>Fe, E not given; measured E $\gamma$ , I $\gamma$ , (particle) $\gamma$ -coin. Two-step fragmentation of <sup>58</sup>Ni primary beam. JOUR APOBB 36 1253
- 2005TA27 NUCLEAR REACTIONS <sup>9</sup>Be(<sup>55</sup>Ni, X), (<sup>55</sup>Co, X), E ≈ 170 MeV / nucleon; measured E $\gamma$ , I $\gamma$ , (fragment) $\gamma$ -coin. <sup>54</sup>Ni, <sup>54</sup>Fe deduced transitions. JOUR JPGPE 31 S1527
- <sup>54</sup>Co 2005SA44 RADIOACTIVITY <sup>46</sup>V(EC); analyzed masses; deduced Q(EC), log ft. <sup>10</sup>C, <sup>14</sup>O, <sup>22</sup>Mg, <sup>26m</sup>Al, <sup>34</sup>Cl, <sup>34</sup>Ar, <sup>38m</sup>K, <sup>42</sup>Sc, <sup>46</sup>V, <sup>50</sup>Mn, <sup>54</sup>Co, <sup>74</sup>Rb; compiled, analyzed log ft; deduced quark-mixing matrix element. JOUR PRLTA 95 102501
- 2005W001 NUCLEAR REACTIONS <sup>197</sup>Au(<sup>84</sup>Kr, <sup>84</sup>Kr'), (<sup>56</sup>Cr, <sup>56</sup>Cr'), (<sup>108</sup>Sn, <sup>108</sup>Sn'), E=113-142 MeV / nucleon; measured E $\gamma$ , I $\gamma$  following projectile Coulomb excitation. <sup>84</sup>Kr, <sup>56</sup>Cr, <sup>108</sup>Sn deduced transitions. <sup>9</sup>Be(<sup>55</sup>Ni, X)<sup>54</sup>Co / <sup>52</sup>Fe / <sup>50</sup>Cr, E=171 MeV / nucleon; measured E $\gamma$ , I $\gamma$ , (particle) $\gamma$ -coin. JOUR NIMAE 537 637
- <sup>54</sup>Ni 2005GA15 NUCLEAR REACTIONS <sup>197</sup>Au(<sup>52</sup>Fe, <sup>52</sup>Fe'), (<sup>54</sup>Ni, <sup>54</sup>Ni'), (<sup>56</sup>Ni, <sup>56</sup>Ni'), (<sup>58</sup>Ni, <sup>58</sup>Ni'), E not given; measured E $\gamma$ , I $\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation. <sup>52</sup>Fe, <sup>54,56,58</sup>Ni transitions deduced B(E2). <sup>9</sup>Be(<sup>32</sup>S, <sup>31</sup>SX), (<sup>33</sup>Cl, <sup>32</sup>ClX), (<sup>34</sup>Ar, <sup>33</sup>ArX), E not given; measured one-neutron removal  $\sigma$ . JOUR APOBB 36 1227
- 2005HA25 NUCLEAR REACTIONS <sup>9</sup>Be(<sup>55</sup>Ni, X)<sup>54</sup>Ni, E not given; <sup>9</sup>Be(<sup>55</sup>Co, X)<sup>54</sup>Fe, E not given; measured E $\gamma$ , I $\gamma$ , (particle) $\gamma$ -coin. Two-step fragmentation of <sup>58</sup>Ni primary beam. JOUR APOBB 36 1253
- 2005TA27 NUCLEAR REACTIONS <sup>9</sup>Be(<sup>55</sup>Ni, X), (<sup>55</sup>Co, X), E ≈ 170 MeV / nucleon; measured E $\gamma$ , I $\gamma$ , (fragment) $\gamma$ -coin. <sup>54</sup>Ni, <sup>54</sup>Fe deduced transitions. JOUR JPGPE 31 S1527
- 2005YA26 NUCLEAR REACTIONS Pb(<sup>46</sup>Cr, <sup>46</sup>Cr'), (<sup>50</sup>Fe, <sup>50</sup>Fe'), (<sup>54</sup>Ni, <sup>54</sup>Ni'), E=41-44 MeV / nucleon; measured  $\sigma(\theta)$ , E $\gamma$ , I $\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation. <sup>46</sup>Cr, <sup>50</sup>Fe, <sup>54</sup>Ni deduced excitation B(E2). DWBA analysis. JOUR ZAANE 25 s01 409
- <sup>54</sup>Zn 2005BL15 NUCLEAR REACTIONS Ni(<sup>58</sup>Ni, X), E=74.5 MeV / nucleon; measured fragment yields; deduced evidence for <sup>54</sup>Zn. JOUR PRLTA 94 232501
- 2005BL15 RADIOACTIVITY <sup>54</sup>Zn(2p) [from Ni(<sup>58</sup>Ni, X)]; measured E<sub>p</sub>, T<sub>1/2</sub>, two-proton decay branching ratio. Comparison with model predictions. JOUR PRLTA 94 232501

**A=54 (continued)**

- 2005BL31 RADIOACTIVITY  $^{45}\text{Fe}$ ,  $^{48}\text{Ni}$ ,  $^{54}\text{Zn}(2p)$  [from  $\text{Ni}(^{58}\text{Ni}, X)$ ]; measured proton spectra,  $T_{1/2}$ . Comparison with theory. JOUR ZAANE 25 s01 169
- 2005BLZZ NUCLEAR REACTIONS  $\text{Ni}(^{58}\text{Ni}, X)$ ,  $E=74.5$  MeV / nucleon; measured fragment yields; deduced evidence for  $^{54}\text{Zn}$ . PREPRINT nucl-ex/0505016,5/13/2005
- 2005BLZZ RADIOACTIVITY  $^{54}\text{Zn}(2p)$  [from  $\text{Ni}(^{58}\text{Ni}, X)$ ]; measured  $E_p$ ,  $T_{1/2}$ , two-proton decay branching ratio. Comparison with model predictions. PREPRINT nucl-ex/0505016,5/13/2005
- 2005GI15 RADIOACTIVITY  $^{45}\text{Fe}$ ,  $^{54}\text{Zn}(p)$ ,  $(2p)$  [from  $\text{Ni}(^{58}\text{Ni}, X)$ ]; measured proton spectra,  $T_{1/2}$ . JOUR JPGPE 31 S1509

**A=55**

- $^{55}\text{Sc}$  2004LI75 RADIOACTIVITY  $^{54,55,56}\text{Sc}(\beta^-)$  [from  $\text{Be}(^{86}\text{Kr}, X)$ ]; measured  $E\beta$ ,  $E\gamma$ ,  $\beta\gamma$ -coin,  $T_{1/2}$ .  $^{54,55,56}\text{Ti}$  deduced levels,  $J$ ,  $\pi$ , configurations. Comparison with model predictions. JOUR PRVCA 70 064303
- $^{55}\text{Ti}$  2004LI75 RADIOACTIVITY  $^{54,55,56}\text{Sc}(\beta^-)$  [from  $\text{Be}(^{86}\text{Kr}, X)$ ]; measured  $E\beta$ ,  $E\gamma$ ,  $\beta\gamma$ -coin,  $T_{1/2}$ .  $^{54,55,56}\text{Ti}$  deduced levels,  $J$ ,  $\pi$ , configurations. Comparison with model predictions. JOUR PRVCA 70 064303
- $^{55}\text{Cr}$  2005BEZT NUCLEAR REACTIONS  $^{35}\text{Cl}(n, \gamma)$ ,  $E$  not given; measured  $E\gamma$ ,  $I\gamma$ .  $^{36}\text{Cl}$  deduced transitions, level energies, binding energy.  $^{52,54}\text{Cr}$ ,  $^{56}\text{Fe}$ ,  $^{206}\text{Pb}(n, \gamma)$ ,  $E$  not given; analyzed  $E\gamma$ .  $^{53,55}\text{Cr}$ ,  $^{57}\text{Fe}$ ,  $^{207}\text{Pb}$  deduced binding energies. GAMS4 spectrometer. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P1074
- $^{55}\text{Fe}$  2005MAZL NUCLEAR REACTIONS  $^{58}\text{Ni}$  (polarized p, d),  $E=24.6$  MeV; measured  $\sigma(\theta)$ ,  $A_y(\theta)$ .  $^2\text{H}(^{54}\text{Fe}, p)$ ,  $E=4.8$  MeV / nucleon; measured  $\sigma(\theta)$ . Other reactions discussed. REPT MLL 2004 Annual, P9, Mahgoub
- $^{55}\text{Co}$  2004ADZW NUCLEAR REACTIONS  $^{209}\text{Bi}(n, 4n)$ ,  $(n, 5n)$ ,  $(n, 6n)$ ,  $(n, 7n)$ ,  $(n, 9n)$ ,  $^{232}\text{Th}(n, \gamma)$ ,  $^{197}\text{Au}(n, 2n)$ ,  $(n, 4n)$ ,  $(n, 6n)$ ,  $(n, 7n)$ ,  $(n, \gamma)$ ,  $^{115}\text{In}(n, 5n)$ ,  $(n, 6n)$ ,  $(n, 7n)$ ,  $^{59}\text{Co}(n, 2n)$ ,  $(n, 3n)$ ,  $(n, 4n)$ ,  $(n, 5n)$ ,  $(n, \gamma)$ ,  $(n, p)$ ,  $(n, 6n2p)$ ,  $E$ =spectrum; measured  $E\gamma$ ,  $I\gamma$ ; deduced reaction rates.  $\text{Pb}(p, nX)$ ,  $E=1$  GeV; deduced spallation neutron spectrum. REPT JINR-E1-2004-16, Adam
- 2005AD01 NUCLEAR REACTIONS  $^{209}\text{Bi}(n, 4n)$ ,  $(n, 5n)$ ,  $(n, 6n)$ ,  $(n, 7n)$ ,  $(n, 9n)$ ,  $^{232}\text{Th}(n, \gamma)$ ,  $^{197}\text{Au}(n, 2n)$ ,  $(n, 4n)$ ,  $(n, 6n)$ ,  $(n, 7n)$ ,  $(n, \gamma)$ ,  $^{59}\text{Co}(n, 2n)$ ,  $(n, 3n)$ ,  $(n, 4n)$ ,  $(n, 5n)$ ,  $(n, p)$ ,  $(n, 6n2p)$ ,  $^{115}\text{In}(n, 5n)$ ,  $(n, 6n)$ ,  $(n, 7n)$ ,  $E$ =spectrum; measured  $E\gamma$ ,  $I\gamma$ ; deduced reaction rates. Activation technique, spallation neutrons from 1 GeV proton beam, comparison with model predictions. JOUR ZAANE 23 61
- 2005B010 NUCLEAR REACTIONS  $\text{Zn}(p, X)^{64}\text{Cu} / ^{57}\text{Ni} / ^{56}\text{Ni} / ^{52}\text{Mn} / ^{54}\text{Mn} / ^{62}\text{Zn} / ^{65}\text{Zn} / ^{51}\text{Cr} / ^{48}\text{V} / ^{55}\text{Co} / ^{56}\text{Co} / ^{57}\text{Co} / ^{58}\text{Co} / ^{60}\text{Co} / ^{66}\text{Ga} / ^{67}\text{Ga} / ^{52}\text{Fe} / ^{59}\text{Fe}$ ,  $E \approx 31-141$  MeV; measured production  $\sigma$ . Stacked-foil activation. JOUR JRNCD 264 101
- 2005DIZY NUCLEAR REACTIONS  $\text{Fe}(p, X)^{57}\text{Co} / ^{56}\text{Co} / ^{55}\text{Co} / ^{54}\text{Mn} / ^{52}\text{Mn} / ^{48}\text{V} / ^{51}\text{Cr} / ^{48}\text{Cr} / ^{47}\text{Sc}$ ,  $E \approx 20-70$  MeV; measured activation  $\sigma$ . Comparison with previous results. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P1011

**A=55 (continued)**

<sup>55</sup>Ni      2004YU11      NUCLEAR REACTIONS <sup>197</sup>Au(<sup>55</sup>Ni, <sup>55</sup>Ni'), E=84.8 MeV; measured E $\gamma$ , I $\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation. <sup>55</sup>Ni deduced level, transition B(E2). Comparison with model predictions. JOUR PRVCA 70 064321

**A=56**

<sup>56</sup>Sc      2004LI75      RADIOACTIVITY <sup>54,55,56</sup>Sc( $\beta^-$ ) [from Be(<sup>86</sup>Kr, X)]; measured E $\beta$ , E $\gamma$ ,  $\beta\gamma$ -coin, T<sub>1/2</sub>. <sup>54,55,56</sup>Ti deduced levels, J,  $\pi$ , configurations. Comparison with model predictions. JOUR PRVCA 70 064303

2005MA93      RADIOACTIVITY <sup>56</sup>Sc( $\beta^-$ ) [from Be(<sup>78</sup>Kr, X)]; measured E $\gamma$ , I $\gamma$ ,  $\beta\gamma$ -coin. <sup>56</sup>Ti deduced levels. Mass-separated source. JOUR NIMBE 241 195

<sup>56</sup>Ti      2004F009      NUCLEAR REACTIONS <sup>238</sup>U(<sup>48</sup>Ca, X)<sup>54</sup>Ti / <sup>56</sup>Ti, E=330 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>54,56</sup>Ti deduced levels, J,  $\pi$ , configurations. Gammasphere array. JOUR PRVCA 70 064304

2004LI75      RADIOACTIVITY <sup>54,55,56</sup>Sc( $\beta^-$ ) [from Be(<sup>86</sup>Kr, X)]; measured E $\beta$ , E $\gamma$ ,  $\beta\gamma$ -coin, T<sub>1/2</sub>. <sup>54,55,56</sup>Ti deduced levels, J,  $\pi$ , configurations. Comparison with model predictions. JOUR PRVCA 70 064303

2005DI05      NUCLEAR REACTIONS <sup>197</sup>Au(<sup>76</sup>Ge, <sup>76</sup>Ge'), (<sup>52</sup>Ti, <sup>52</sup>Ti'), (<sup>54</sup>Ti, <sup>54</sup>Ti'), (<sup>56</sup>Ti, <sup>56</sup>Ti'), E  $\approx$  80-90 MeV; measured E $\gamma$ , I $\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation. <sup>52,54,56</sup>Ti deduced transitions B(E2), subshell closures. Comparison with large-scale shell model calculations. JOUR PRVCA 71 041302

2005DIZZ      NUCLEAR REACTIONS <sup>238</sup>U(<sup>48</sup>Ca, X)<sup>56</sup>Ti, E=330 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>56</sup>Ti deduced levels, J,  $\pi$ . <sup>197</sup>Au(<sup>76</sup>Ge, <sup>76</sup>Ge'), (<sup>52</sup>Ti, <sup>52</sup>Ti'), (<sup>54</sup>Ti, <sup>54</sup>Ti'), (<sup>56</sup>Ti, <sup>56</sup>Ti'), E  $\approx$  80-90 MeV; measured E $\gamma$ , I $\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation. <sup>52,54,56</sup>Ti, <sup>76</sup>Ge, <sup>197</sup>Au deduced transitions B(E2). CONF Argonne(Nuclei at the Limits),P131,Dinca

2005MA93      RADIOACTIVITY <sup>56</sup>Sc( $\beta^-$ ) [from Be(<sup>78</sup>Kr, X)]; measured E $\gamma$ , I $\gamma$ ,  $\beta\gamma$ -coin. <sup>56</sup>Ti deduced levels. Mass-separated source. JOUR NIMBE 241 195

<sup>56</sup>Cr      2005BU14      NUCLEAR REACTIONS <sup>197</sup>Au(<sup>54</sup>Cr, <sup>54</sup>Cr'), (<sup>56</sup>Cr, <sup>56</sup>Cr'), (<sup>58</sup>Cr, <sup>58</sup>Cr'), E  $\approx$  135 MeV / nucleon; measured measured E $\gamma$ , I $\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation. <sup>54,56,58</sup>Cr deduced transitions. JOUR APOBB 36 1249

2005BU29      NUCLEAR REACTIONS <sup>197</sup>Au(<sup>54</sup>Cr, <sup>54</sup>Cr'), (<sup>56</sup>Cr, <sup>56</sup>Cr'), (<sup>58</sup>Cr, <sup>58</sup>Cr'), E  $\approx$  100 MeV / nucleon; measured E $\gamma$ , I $\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation. <sup>54,56,58</sup>Cr deduced transitions B(E2). Comparison with shell model predictions. JOUR PYLBB 622 29

2005GU27      ATOMIC MASSES <sup>56,57</sup>Cr; measured masses. Penning trap mass spectrometer. JOUR JPGPE 31 S1765

2005HUZZ      NUCLEAR REACTIONS <sup>197</sup>Au(<sup>54</sup>Cr, <sup>54</sup>Cr'), (<sup>56</sup>Cr, <sup>56</sup>Cr'), (<sup>58</sup>Cr, <sup>58</sup>Cr'), E  $\approx$  136 MeV / nucleon; measured E $\gamma$ , I $\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation. <sup>54,56,58</sup>Cr deduced levels, B(E2). CONF Bormio (XLIII Winter Meeting) Proc,P232

## A=56 (continued)

- 2005SAZY NUCLEAR REACTIONS  $^{197}\text{Au}(^{54}\text{Cr}, ^{54}\text{Cr}')$ ,  $(^{56}\text{Cr}, ^{56}\text{Cr}')$ ,  $(^{58}\text{Cr}, ^{58}\text{Cr}')$ , E=100 MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation.  $^{54,56,58}\text{Cr}$  deduced transitions. Be( $^{55}\text{Ni}$ , X) $^{50}\text{Cr}$ , E=171 MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin.  $^{50}\text{Cr}$  deduced transitions. Be( $^{55}\text{Ni}$ , X),  $^{197}\text{Au}(^{108}\text{Sn}, \text{X})$ , E not given; measured fragment yields. CONF Argonne(Nuclei at the Limits),P151,Saito
- 2005W001 NUCLEAR REACTIONS  $^{197}\text{Au}(^{84}\text{Kr}, ^{84}\text{Kr}')$ ,  $(^{56}\text{Cr}, ^{56}\text{Cr}')$ ,  $(^{108}\text{Sn}, ^{108}\text{Sn}')$ , E=113-142 MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$  following projectile Coulomb excitation.  $^{84}\text{Kr}$ ,  $^{56}\text{Cr}$ ,  $^{108}\text{Sn}$  deduced transitions.  $^9\text{Be}(^{55}\text{Ni}, \text{X})^{54}\text{Co} / ^{52}\text{Fe} / ^{50}\text{Cr}$ , E=171 MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin. JOUR NIMAE 537 637
- $^{56}\text{Mn}$  2004AG09 NUCLEAR REACTIONS  $^{103}\text{Rh}(n, n')^{103m}\text{Rh}$ , E  $\approx$  4.8 MeV;  $^{115}\text{In}(n, n')^{115m}\text{In}$ , E  $\approx$  5 MeV;  $^{232}\text{Th}$ ,  $^{238}\text{U}(n, \text{F})$ , E  $\approx$  5 MeV;  $^{24}\text{Mg}$ ,  $^{27}\text{Al}$ ,  $^{46,47,48}\text{Ti}$ ,  $^{54,56}\text{Fe}$ ,  $^{58}\text{Ni}$ ,  $^{64}\text{Zn}(n, \text{p})$ , E  $\approx$  2-8 MeV;  $^{27}\text{Al}$ ,  $^{59}\text{Co}(n, \alpha)$ , E  $\approx$  8.3 MeV; measured activation  $\sigma$ . Spectrum average technique, comparison with previous results. JOUR RAACA 92 63
- 2005GU37 ATOMIC MASSES  $^{56,57}\text{Mn}$ ,  $^{82m}\text{Rb}$ ,  $^{92}\text{Sr}$ ,  $^{124,127}\text{Cs}$ ,  $^{130}\text{Ba}$ ; measured masses. Penning trap mass spectrometer. JOUR ZAANE 25 s01 35
- $^{56}\text{Fe}$  2005EGZZ NUCLEAR REACTIONS  $^3,4\text{He}$ ,  $^{12}\text{C}$ ,  $^{56}\text{Fe}(e, e')$ , E  $\approx$  4.4-4.7 GeV; measured relative  $\sigma(Q^2, x)$ ; deduced 2- and 3-nucleon short range correlation probabilities. PREPRINT nucl-ex/0508026,8/24/2005
- 2005NEZY NUCLEAR REACTIONS Fe,  $^{56}\text{Fe}(n, n'\gamma)$ , E  $\approx$  14 MeV; measured absolute  $\sigma$  for production of 847-keV  $\gamma$ -ray. Cr( $n, n'\gamma$ ), E  $\approx$  14 MeV; measured relative  $\sigma$  for production of 1434-keV  $\gamma$ -ray. Comparison with previous results. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol1,P838
- $^{56}\text{Co}$  2004ADZW NUCLEAR REACTIONS  $^{209}\text{Bi}(n, 4n)$ ,  $(n, 5n)$ ,  $(n, 6n)$ ,  $(n, 7n)$ ,  $(n, 9n)$ ,  $^{232}\text{Th}(n, \gamma)$ ,  $^{197}\text{Au}(n, 2n)$ ,  $(n, 4n)$ ,  $(n, 6n)$ ,  $(n, 7n)$ ,  $(n, \gamma)$ ,  $^{115}\text{In}(n, 5n)$ ,  $(n, 6n)$ ,  $(n, 7n)$ ,  $^{59}\text{Co}(n, 2n)$ ,  $(n, 3n)$ ,  $(n, 4n)$ ,  $(n, 5n)$ ,  $(n, \gamma)$ ,  $(n, \text{p})$ ,  $(n, 6n2p)$ , E=spectrum; measured  $E\gamma$ ,  $I\gamma$ ; deduced reaction rates. Pb( $\text{p}, n\text{X}$ ), E=1 GeV; deduced spallation neutron spectrum. REPT JINR-E1-2004-16,Adam
- 2005AD01 NUCLEAR REACTIONS  $^{209}\text{Bi}(n, 4n)$ ,  $(n, 5n)$ ,  $(n, 6n)$ ,  $(n, 7n)$ ,  $(n, 9n)$ ,  $^{232}\text{Th}(n, \gamma)$ ,  $^{197}\text{Au}(n, 2n)$ ,  $(n, 4n)$ ,  $(n, 6n)$ ,  $(n, 7n)$ ,  $(n, \gamma)$ ,  $^{59}\text{Co}(n, 2n)$ ,  $(n, 3n)$ ,  $(n, 4n)$ ,  $(n, 5n)$ ,  $(n, \text{p})$ ,  $(n, 6n2p)$ ,  $^{115}\text{In}(n, 5n)$ ,  $(n, 6n)$ ,  $(n, 7n)$ , E=spectrum; measured  $E\gamma$ ,  $I\gamma$ ; deduced reaction rates. Activation technique, spallation neutrons from 1 GeV proton beam, comparison with model predictions. JOUR ZAANE 23 61
- 2005B010 NUCLEAR REACTIONS Zn( $\text{p}, \text{X}$ ) $^{64}\text{Cu} / ^{57}\text{Ni} / ^{56}\text{Ni} / ^{52}\text{Mn} / ^{54}\text{Mn} / ^{62}\text{Zn} / ^{65}\text{Zn} / ^{51}\text{Cr} / ^{48}\text{V} / ^{55}\text{Co} / ^{56}\text{Co} / ^{57}\text{Co} / ^{58}\text{Co} / ^{60}\text{Co} / ^{66}\text{Ga} / ^{67}\text{Ga} / ^{52}\text{Fe} / ^{59}\text{Fe}$ , E  $\approx$  31-141 MeV; measured production  $\sigma$ . Stacked-foil activation. JOUR JRNCD 264 101
- 2005DIZY NUCLEAR REACTIONS Fe( $\text{p}, \text{X}$ ) $^{57}\text{Co} / ^{56}\text{Co} / ^{55}\text{Co} / ^{54}\text{Mn} / ^{52}\text{Mn} / ^{48}\text{V} / ^{51}\text{Cr} / ^{48}\text{Cr} / ^{47}\text{Sc}$ , E  $\approx$  20-70 MeV; measured activation  $\sigma$ . Comparison with previous results. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol1,P1011



## A=56 (continued)

- 2005MIZZ NUCLEAR REACTIONS Cu(n, X)<sup>56</sup>Co, E=40-180 MeV; Fe(n, X)<sup>54</sup>Mn / <sup>52</sup>Mn / <sup>51</sup>Cr / <sup>48</sup>V, E ≈ 0-180 MeV; Pb(n, X)<sup>196</sup>Au / <sup>200</sup>Pb / <sup>103</sup>Ru, E ≈ 40-180 MeV; U(n, X)<sup>99</sup>Mo, E ≈ 0-180 MeV; measured excitation functions. Comparison with proton-induced reactions. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P861
- 2005SEZW NUCLEAR REACTIONS <sup>58</sup>Ni(n, t), <sup>59</sup>Co(n, p), <sup>63</sup>Cu(n, α), E=14-20 MeV; measured activation σ. Comparison with previous results. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P1019
- 2005SI14 NUCLEAR REACTIONS C, O, Si, Mg, Al(n, X)<sup>7</sup>Be, E ≈ 0.1-750 MeV; O, Si, Mg, Al(n, X)<sup>22</sup>Na / <sup>23</sup>Na, E ≈ 0.1-750 MeV; <sup>197</sup>Au(n, X)<sup>194</sup>Au / <sup>196</sup>Au / <sup>198</sup>Au, E ≈ 0.1-750 MeV; Ti, Fe, Ni, Cu(n, X)<sup>46</sup>Sc / <sup>48</sup>Sc, E ≈ 0.1-750 MeV; Fe, Ni, Cu(n, X)<sup>48</sup>V / <sup>51</sup>Cr / <sup>52</sup>Mn / <sup>54</sup>Mn, E ≈ 0.1-750 MeV; Ni, Cu(n, X)<sup>56</sup>Ni / <sup>57</sup>Ni / <sup>56</sup>Co / <sup>57</sup>Co / <sup>58</sup>Co / <sup>60</sup>Co / <sup>59</sup>Fe, E ≈ 0.1-750 MeV; measured energy-integrated production σ. JOUR NIMBE 234 419
- 2005SI21 NUCLEAR REACTIONS Ni(α, X)<sup>62</sup>Zn / <sup>61</sup>Cu / <sup>56</sup>Ni / <sup>57</sup>Ni / <sup>56</sup>Co / <sup>58</sup>Co, E=21-50 MeV; measured excitation functions. Stacked-foil activation, comparison with model predictions. JOUR IMPEE 14 611
- 2005SI32 NUCLEAR REACTIONS Cu(n, X)<sup>54</sup>Mn / <sup>59</sup>Fe / <sup>56</sup>Co / <sup>57</sup>Co / <sup>58</sup>Co / <sup>60</sup>Co, E ≈ 70.7, 110.8 MeV; measured σ. Comparison with previous results, model predictions. JOUR NIMBE 240 617
- 2005ZHZZ NUCLEAR REACTIONS <sup>56,57</sup>Fe, <sup>90,94</sup>Zr(p, n), E=7-11 MeV; measured En, σ(E). <sup>56,57</sup>Co, <sup>90,94</sup>Nb deduced level densities. Statistical equilibrium and pre-equilibrium model analysis. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P931
- <sup>56</sup>Ni 2005B010 NUCLEAR REACTIONS Zn(p, X)<sup>64</sup>Cu / <sup>57</sup>Ni / <sup>56</sup>Ni / <sup>52</sup>Mn / <sup>54</sup>Mn / <sup>62</sup>Zn / <sup>65</sup>Zn / <sup>51</sup>Cr / <sup>48</sup>V / <sup>55</sup>Co / <sup>56</sup>Co / <sup>57</sup>Co / <sup>58</sup>Co / <sup>60</sup>Co / <sup>66</sup>Ga / <sup>67</sup>Ga / <sup>52</sup>Fe / <sup>59</sup>Fe, E ≈ 31-141 MeV; measured production σ. Stacked-foil activation. JOUR JRNCD 264 101
- 2005BRZU NUCLEAR REACTIONS Ti(p, X)<sup>44</sup>Ti, E=21-29 MeV; Ni(p, X)<sup>56</sup>Ni, E=18-28 MeV; Zr(p, X)<sup>88</sup>Zr, E=19-28 MeV; measured production σ. Activation technique, comparison with previous results. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol2, P1374
- 2005GA15 NUCLEAR REACTIONS <sup>197</sup>Au(<sup>52</sup>Fe, <sup>52</sup>Fe'), (<sup>54</sup>Ni, <sup>54</sup>Ni'), (<sup>56</sup>Ni, <sup>56</sup>Ni'), (<sup>58</sup>Ni, <sup>58</sup>Ni'), E not given; measured Eγ, Iγ, (particle)γ-coin following projectile Coulomb excitation. <sup>52</sup>Fe, <sup>54,56,58</sup>Ni transitions deduced B(E2). <sup>9</sup>Be(<sup>32</sup>S, <sup>31</sup>SX), (<sup>33</sup>Cl, <sup>32</sup>ClX), (<sup>34</sup>Ar, <sup>33</sup>ArX), E not given; measured one-neutron removal σ. JOUR APOBB 36 1227
- 2005SI14 NUCLEAR REACTIONS C, O, Si, Mg, Al(n, X)<sup>7</sup>Be, E ≈ 0.1-750 MeV; O, Si, Mg, Al(n, X)<sup>22</sup>Na / <sup>23</sup>Na, E ≈ 0.1-750 MeV; <sup>197</sup>Au(n, X)<sup>194</sup>Au / <sup>196</sup>Au / <sup>198</sup>Au, E ≈ 0.1-750 MeV; Ti, Fe, Ni, Cu(n, X)<sup>46</sup>Sc / <sup>48</sup>Sc, E ≈ 0.1-750 MeV; Fe, Ni, Cu(n, X)<sup>48</sup>V / <sup>51</sup>Cr / <sup>52</sup>Mn / <sup>54</sup>Mn, E ≈ 0.1-750 MeV; Ni, Cu(n, X)<sup>56</sup>Ni / <sup>57</sup>Ni / <sup>56</sup>Co / <sup>57</sup>Co / <sup>58</sup>Co / <sup>60</sup>Co / <sup>59</sup>Fe, E ≈ 0.1-750 MeV; measured energy-integrated production σ. JOUR NIMBE 234 419
- 2005SI21 NUCLEAR REACTIONS Ni(α, X)<sup>62</sup>Zn / <sup>61</sup>Cu / <sup>56</sup>Ni / <sup>57</sup>Ni / <sup>56</sup>Co / <sup>58</sup>Co, E=21-50 MeV; measured excitation functions. Stacked-foil activation, comparison with model predictions. JOUR IMPEE 14 611

**A=56 (continued)**

2005TAZZ NUCLEAR REACTIONS  $^{13}\text{C}$ ,  $^{56}\text{Fe}(^{11}\text{B}, ^{11}\text{Li})$ ,  $E=758$  MeV; measured  $\sigma(E)$ ; deduced Gamow-Teller resonance, IAS features. CONF Riken(Origin of Matter) Proc,P533,Takahisa

**A=57**

$^{57}\text{Sc}$  2005GA01 RADIOACTIVITY  $^{57,58}\text{Sc}$ ,  $^{58,59,60}\text{Ti}$ ,  $^{61}\text{V}$ ,  $^{62,63,64,65,66}\text{Cr}(\beta^-)$  [from  $^{58}\text{Ni}(^{76}\text{Ge}, \text{X})$ ]; measured  $E\gamma$ ,  $E\beta$ ,  $\beta\gamma$ -coin,  $T_{1/2}$ .  $^{58}\text{V}$ ,  $^{61}\text{Cr}$ ,  $^{62}\text{Mn}$  deduced levels,  $J$ ,  $\pi$ .  $^{58}\text{V}$ ,  $^{61}\text{Cr}$ ,  $^{62,63,64,65}\text{Mn}$  deduced transitions.  $^{60}\text{V}$ ,  $^{62}\text{Mn}$  deduced isomeric states. Comparison with model predictions. JOUR ZAANE 23 41

2005GA01 NUCLEAR REACTIONS  $^{58}\text{Ni}(^{76}\text{Ge}, \text{X})^{57}\text{Sc} / ^{58}\text{Sc} / ^{58}\text{Ti} / ^{59}\text{Ti} / ^{60}\text{Ti} / ^{60}\text{V} / ^{61}\text{V} / ^{62}\text{V} / ^{63}\text{V} / ^{62}\text{Cr} / ^{63}\text{Cr} / ^{64}\text{Cr} / ^{65}\text{Cr} / ^{66}\text{Cr} / ^{65}\text{Mn} / ^{66}\text{Mn}$ ,  $E=61.8$  MeV / nucleon; measured yields. JOUR ZAANE 23 41

$^{57}\text{Ti}$  2005GA01 RADIOACTIVITY  $^{57,58}\text{Sc}$ ,  $^{58,59,60}\text{Ti}$ ,  $^{61}\text{V}$ ,  $^{62,63,64,65,66}\text{Cr}(\beta^-)$  [from  $^{58}\text{Ni}(^{76}\text{Ge}, \text{X})$ ]; measured  $E\gamma$ ,  $E\beta$ ,  $\beta\gamma$ -coin,  $T_{1/2}$ .  $^{58}\text{V}$ ,  $^{61}\text{Cr}$ ,  $^{62}\text{Mn}$  deduced levels,  $J$ ,  $\pi$ .  $^{58}\text{V}$ ,  $^{61}\text{Cr}$ ,  $^{62,63,64,65}\text{Mn}$  deduced transitions.  $^{60}\text{V}$ ,  $^{62}\text{Mn}$  deduced isomeric states. Comparison with model predictions. JOUR ZAANE 23 41

2005LI53 RADIOACTIVITY  $^{57}\text{Ti}$ ,  $^{59}\text{V}$ ,  $^{59}\text{Cr}(\beta^-)$  [from  $\text{Be}(^{86}\text{Kr}, \text{X})$ ]; measured  $\beta$ -delayed  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin,  $T_{1/2}$ ; deduced log ft.  $^{57}\text{V}$ ,  $^{59}\text{Cr}$ ,  $^{59}\text{Mn}$  deduced levels,  $\beta$ -feeding intensities, deformation. Comparison with shell-model predictions. JOUR PRVCA 72 054321

$^{57}\text{V}$  2005LI53 RADIOACTIVITY  $^{57}\text{Ti}$ ,  $^{59}\text{V}$ ,  $^{59}\text{Cr}(\beta^-)$  [from  $\text{Be}(^{86}\text{Kr}, \text{X})$ ]; measured  $\beta$ -delayed  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin,  $T_{1/2}$ ; deduced log ft.  $^{57}\text{V}$ ,  $^{59}\text{Cr}$ ,  $^{59}\text{Mn}$  deduced levels,  $\beta$ -feeding intensities, deformation. Comparison with shell-model predictions. JOUR PRVCA 72 054321

$^{57}\text{Cr}$  2005DE34 NUCLEAR REACTIONS  $^{14}\text{C}(^{48}\text{Ca}, n\alpha)$ ,  $E=130$  MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -, (recoil) $\gamma$ -coin.  $^{57}\text{Cr}$  deduced high-spin levels,  $J$ ,  $\pi$ , configurations. Gammasphere array, mass separator. JOUR PYLBB 622 151

2005GU27 ATOMIC MASSES  $^{56,57}\text{Cr}$ ; measured masses. Penning trap mass spectrometer. JOUR JPGPE 31 S1765

$^{57}\text{Mn}$  2005GU37 ATOMIC MASSES  $^{56,57}\text{Mn}$ ,  $^{82m}\text{Rb}$ ,  $^{92}\text{Sr}$ ,  $^{124,127}\text{Cs}$ ,  $^{130}\text{Ba}$ ; measured masses. Penning trap mass spectrometer. JOUR ZAANE 25 s01 35

$^{57}\text{Fe}$  2005BEZT NUCLEAR REACTIONS  $^{35}\text{Cl}(n, \gamma)$ ,  $E$  not given; measured  $E\gamma$ ,  $I\gamma$ .  $^{36}\text{Cl}$  deduced transitions, level energies, binding energy.  $^{52,54}\text{Cr}$ ,  $^{56}\text{Fe}$ ,  $^{206}\text{Pb}(n, \gamma)$ ,  $E$  not given; analyzed  $E\gamma$ .  $^{53,55}\text{Cr}$ ,  $^{57}\text{Fe}$ ,  $^{207}\text{Pb}$  deduced binding energies. GAMS4 spectrometer. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol1,P1074

$^{57}\text{Co}$  2004ADZW NUCLEAR REACTIONS  $^{209}\text{Bi}(n, 4n)$ ,  $(n, 5n)$ ,  $(n, 6n)$ ,  $(n, 7n)$ ,  $(n, 9n)$ ,  $^{232}\text{Th}(n, \gamma)$ ,  $^{197}\text{Au}(n, 2n)$ ,  $(n, 4n)$ ,  $(n, 6n)$ ,  $(n, 7n)$ ,  $(n, \gamma)$ ,  $^{115}\text{In}(n, 5n)$ ,  $(n, 6n)$ ,  $(n, 7n)$ ,  $^{59}\text{Co}(n, 2n)$ ,  $(n, 3n)$ ,  $(n, 4n)$ ,  $(n, 5n)$ ,  $(n, \gamma)$ ,  $(n, p)$ ,  $(n, 6n2p)$ ,  $E$ =spectrum; measured  $E\gamma$ ,  $I\gamma$ ; deduced reaction rates.  $\text{Pb}(p, nX)$ ,  $E=1$  GeV; deduced spallation neutron spectrum. REPT JINR-E1-2004-16,Adam

**A=57 (continued)**

- 2005AD01 NUCLEAR REACTIONS  $^{209}\text{Bi}(n, 4n)$ ,  $(n, 5n)$ ,  $(n, 6n)$ ,  $(n, 7n)$ ,  $(n, 9n)$ ,  $^{232}\text{Th}(n, \gamma)$ ,  $^{197}\text{Au}(n, 2n)$ ,  $(n, 4n)$ ,  $(n, 6n)$ ,  $(n, 7n)$ ,  $(n, \gamma)$ ,  $^{59}\text{Co}(n, 2n)$ ,  $(n, 3n)$ ,  $(n, 4n)$ ,  $(n, 5n)$ ,  $(n, p)$ ,  $(n, 6n2p)$ ,  $^{115}\text{In}(n, 5n)$ ,  $(n, 6n)$ ,  $(n, 7n)$ , E=spectrum; measured  $E\gamma$ ,  $I\gamma$ ; deduced reaction rates. Activation technique, spallation neutrons from 1 GeV proton beam, comparison with model predictions. JOUR ZAANE 23 61
- 2005B010 NUCLEAR REACTIONS  $\text{Zn}(p, X)^{64}\text{Cu} / ^{57}\text{Ni} / ^{56}\text{Ni} / ^{52}\text{Mn} / ^{54}\text{Mn} / ^{62}\text{Zn} / ^{65}\text{Zn} / ^{51}\text{Cr} / ^{48}\text{V} / ^{55}\text{Co} / ^{56}\text{Co} / ^{57}\text{Co} / ^{58}\text{Co} / ^{60}\text{Co} / ^{66}\text{Ga} / ^{67}\text{Ga} / ^{52}\text{Fe} / ^{59}\text{Fe}$ ,  $E \approx 31\text{-}141$  MeV; measured production  $\sigma$ . Stacked-foil activation. JOUR JRNCD 264 101
- 2005DIZY NUCLEAR REACTIONS  $\text{Fe}(p, X)^{57}\text{Co} / ^{56}\text{Co} / ^{55}\text{Co} / ^{54}\text{Mn} / ^{52}\text{Mn} / ^{48}\text{V} / ^{51}\text{Cr} / ^{48}\text{Cr} / ^{47}\text{Sc}$ ,  $E \approx 20\text{-}70$  MeV; measured activation  $\sigma$ . Comparison with previous results. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P1011
- 2005SI14 NUCLEAR REACTIONS C, O, Si, Mg,  $\text{Al}(n, X)^7\text{Be}$ ,  $E \approx 0.1\text{-}750$  MeV; O, Si, Mg,  $\text{Al}(n, X)^{22}\text{Na} / ^{23}\text{Na}$ ,  $E \approx 0.1\text{-}750$  MeV;  $^{197}\text{Au}(n, X)^{194}\text{Au} / ^{196}\text{Au} / ^{198}\text{Au}$ ,  $E \approx 0.1\text{-}750$  MeV; Ti, Fe, Ni,  $\text{Cu}(n, X)^{46}\text{Sc} / ^{48}\text{Sc}$ ,  $E \approx 0.1\text{-}750$  MeV; Fe, Ni,  $\text{Cu}(n, X)^{48}\text{V} / ^{51}\text{Cr} / ^{52}\text{Mn} / ^{54}\text{Mn}$ ,  $E \approx 0.1\text{-}750$  MeV; Ni,  $\text{Cu}(n, X)^{56}\text{Ni} / ^{57}\text{Ni} / ^{56}\text{Co} / ^{57}\text{Co} / ^{58}\text{Co} / ^{60}\text{Co} / ^{59}\text{Fe}$ ,  $E \approx 0.1\text{-}750$  MeV; measured energy-integrated production  $\sigma$ . JOUR NIMBE 234 419
- 2005SI32 NUCLEAR REACTIONS  $\text{Cu}(n, X)^{54}\text{Mn} / ^{59}\text{Fe} / ^{56}\text{Co} / ^{57}\text{Co} / ^{58}\text{Co} / ^{60}\text{Co}$ ,  $E \approx 70.7, 110.8$  MeV; measured  $\sigma$ . Comparison with previous results, model predictions. JOUR NIMBE 240 617
- 2005ZHZZ NUCLEAR REACTIONS  $^{56,57}\text{Fe}$ ,  $^{90,94}\text{Zr}(p, n)$ ,  $E=7\text{-}11$  MeV; measured  $E_n$ ,  $\sigma(E)$ .  $^{56,57}\text{Co}$ ,  $^{90,94}\text{Nb}$  deduced level densities. Statistical equilibrium and pre-equilibrium model analysis. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P931
- $^{57}\text{Ni}$  2005B010 NUCLEAR REACTIONS  $\text{Zn}(p, X)^{64}\text{Cu} / ^{57}\text{Ni} / ^{56}\text{Ni} / ^{52}\text{Mn} / ^{54}\text{Mn} / ^{62}\text{Zn} / ^{65}\text{Zn} / ^{51}\text{Cr} / ^{48}\text{V} / ^{55}\text{Co} / ^{56}\text{Co} / ^{57}\text{Co} / ^{58}\text{Co} / ^{60}\text{Co} / ^{66}\text{Ga} / ^{67}\text{Ga} / ^{52}\text{Fe} / ^{59}\text{Fe}$ ,  $E \approx 31\text{-}141$  MeV; measured production  $\sigma$ . Stacked-foil activation. JOUR JRNCD 264 101
- 2005MAZL NUCLEAR REACTIONS  $^{58}\text{Ni}$ (polarized p, d),  $E=24.6$  MeV; measured  $\sigma(\theta)$ ,  $A_y(\theta)$ .  $^2\text{H}(^{54}\text{Fe}, p)$ ,  $E=4.8$  MeV / nucleon; measured  $\sigma(\theta)$ . Other reactions discussed. REPT MLL 2004 Annual, P9, Mahgoub
- 2005SI14 NUCLEAR REACTIONS C, O, Si, Mg,  $\text{Al}(n, X)^7\text{Be}$ ,  $E \approx 0.1\text{-}750$  MeV; O, Si, Mg,  $\text{Al}(n, X)^{22}\text{Na} / ^{23}\text{Na}$ ,  $E \approx 0.1\text{-}750$  MeV;  $^{197}\text{Au}(n, X)^{194}\text{Au} / ^{196}\text{Au} / ^{198}\text{Au}$ ,  $E \approx 0.1\text{-}750$  MeV; Ti, Fe, Ni,  $\text{Cu}(n, X)^{46}\text{Sc} / ^{48}\text{Sc}$ ,  $E \approx 0.1\text{-}750$  MeV; Fe, Ni,  $\text{Cu}(n, X)^{48}\text{V} / ^{51}\text{Cr} / ^{52}\text{Mn} / ^{54}\text{Mn}$ ,  $E \approx 0.1\text{-}750$  MeV; Ni,  $\text{Cu}(n, X)^{56}\text{Ni} / ^{57}\text{Ni} / ^{56}\text{Co} / ^{57}\text{Co} / ^{58}\text{Co} / ^{60}\text{Co} / ^{59}\text{Fe}$ ,  $E \approx 0.1\text{-}750$  MeV; measured energy-integrated production  $\sigma$ . JOUR NIMBE 234 419
- 2005SI21 NUCLEAR REACTIONS  $\text{Ni}(\alpha, X)^{62}\text{Zn} / ^{61}\text{Cu} / ^{56}\text{Ni} / ^{57}\text{Ni} / ^{56}\text{Co} / ^{58}\text{Co}$ ,  $E=21\text{-}50$  MeV; measured excitation functions. Stacked-foil activation, comparison with model predictions. JOUR IMPEE 14 611

## A=58

<sup>58</sup> Sc	2005GA01	RADIOACTIVITY <sup>57,58</sup> Sc, <sup>58,59,60</sup> Ti, <sup>61</sup> V, <sup>62,63,64,65,66</sup> Cr( $\beta^-$ ) [from <sup>58</sup> Ni( <sup>76</sup> Ge, X)]; measured E $\gamma$ , E $\beta$ , $\beta\gamma$ -coin, T <sub>1/2</sub> . <sup>58</sup> V, <sup>61</sup> Cr, <sup>62</sup> Mn deduced levels, J, $\pi$ . <sup>58</sup> V, <sup>61</sup> Cr, <sup>62,63,64,65</sup> Mn deduced transitions. <sup>60</sup> V, <sup>62</sup> Mn deduced isomeric states. Comparison with model predictions. JOUR ZAANE 23 41
	2005GA01	NUCLEAR REACTIONS <sup>58</sup> Ni( <sup>76</sup> Ge, X) <sup>57</sup> Sc / <sup>58</sup> Sc / <sup>58</sup> Ti / <sup>59</sup> Ti / <sup>60</sup> Ti / <sup>60</sup> V / <sup>61</sup> V / <sup>62</sup> V / <sup>63</sup> V / <sup>62</sup> Cr / <sup>63</sup> Cr / <sup>64</sup> Cr / <sup>65</sup> Cr / <sup>66</sup> Cr / <sup>65</sup> Mn / <sup>66</sup> Mn, E=61.8 MeV / nucleon; measured yields. JOUR ZAANE 23 41
<sup>58</sup> Ti	2005GA01	RADIOACTIVITY <sup>57,58</sup> Sc, <sup>58,59,60</sup> Ti, <sup>61</sup> V, <sup>62,63,64,65,66</sup> Cr( $\beta^-$ ) [from <sup>58</sup> Ni( <sup>76</sup> Ge, X)]; measured E $\gamma$ , E $\beta$ , $\beta\gamma$ -coin, T <sub>1/2</sub> . <sup>58</sup> V, <sup>61</sup> Cr, <sup>62</sup> Mn deduced levels, J, $\pi$ . <sup>58</sup> V, <sup>61</sup> Cr, <sup>62,63,64,65</sup> Mn deduced transitions. <sup>60</sup> V, <sup>62</sup> Mn deduced isomeric states. Comparison with model predictions. JOUR ZAANE 23 41
	2005GA01	NUCLEAR REACTIONS <sup>58</sup> Ni( <sup>76</sup> Ge, X) <sup>57</sup> Sc / <sup>58</sup> Sc / <sup>58</sup> Ti / <sup>59</sup> Ti / <sup>60</sup> Ti / <sup>60</sup> V / <sup>61</sup> V / <sup>62</sup> V / <sup>63</sup> V / <sup>62</sup> Cr / <sup>63</sup> Cr / <sup>64</sup> Cr / <sup>65</sup> Cr / <sup>66</sup> Cr / <sup>65</sup> Mn / <sup>66</sup> Mn, E=61.8 MeV / nucleon; measured yields. JOUR ZAANE 23 41
<sup>58</sup> V	2005GA01	RADIOACTIVITY <sup>57,58</sup> Sc, <sup>58,59,60</sup> Ti, <sup>61</sup> V, <sup>62,63,64,65,66</sup> Cr( $\beta^-$ ) [from <sup>58</sup> Ni( <sup>76</sup> Ge, X)]; measured E $\gamma$ , E $\beta$ , $\beta\gamma$ -coin, T <sub>1/2</sub> . <sup>58</sup> V, <sup>61</sup> Cr, <sup>62</sup> Mn deduced levels, J, $\pi$ . <sup>58</sup> V, <sup>61</sup> Cr, <sup>62,63,64,65</sup> Mn deduced transitions. <sup>60</sup> V, <sup>62</sup> Mn deduced isomeric states. Comparison with model predictions. JOUR ZAANE 23 41
<sup>58</sup> Cr	2005BU14	NUCLEAR REACTIONS <sup>197</sup> Au( <sup>54</sup> Cr, <sup>54</sup> Cr'), ( <sup>56</sup> Cr, <sup>56</sup> Cr'), ( <sup>58</sup> Cr, <sup>58</sup> Cr'), E $\approx$ 135 MeV / nucleon; measured measured E $\gamma$ , I $\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation. <sup>54,56,58</sup> Cr deduced transitions. JOUR APOBB 36 1249
	2005BU29	NUCLEAR REACTIONS <sup>197</sup> Au( <sup>54</sup> Cr, <sup>54</sup> Cr'), ( <sup>56</sup> Cr, <sup>56</sup> Cr'), ( <sup>58</sup> Cr, <sup>58</sup> Cr'), E $\approx$ 100 MeV / nucleon; measured E $\gamma$ , I $\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation. <sup>54,56,58</sup> Cr deduced transitions B(E2). Comparison with shell model predictions. JOUR PYLBB 622 29
	2005GA44	NUCLEAR REACTIONS <sup>208</sup> Pb( <sup>90</sup> Zr, X) <sup>90</sup> Zr / <sup>92</sup> Zr / <sup>88</sup> Sr, E=560 MeV; <sup>238</sup> U( <sup>64</sup> Ni, X) <sup>58</sup> Cr, E=400 MeV; measured E $\gamma$ , I $\gamma$ , $\gamma\gamma$ -, (recoil) $\gamma$ -coin. <sup>58</sup> Cr, <sup>90,92</sup> Zr, <sup>88</sup> Sr deduced transitions. Clara array, mass separator. JOUR JPGPE 31 S1443
	2005GA56	NUCLEAR REACTIONS <sup>238</sup> U( <sup>82</sup> Se, X), E=505 MeV; <sup>238</sup> U( <sup>64</sup> Ni, X), E=400 MeV; measured E $\gamma$ , I $\gamma$ , $\gamma\gamma$ -, (fragment) $\gamma$ -coin, projectile-like fragments isotopic yields. <sup>58</sup> Cr, <sup>80</sup> As, <sup>82</sup> Ge, <sup>84</sup> Se deduced levels, J, $\pi$ . Clara array, Prisma spectrometer. JOUR ZAANE 25 s01 421
	2005HUZZ	NUCLEAR REACTIONS <sup>197</sup> Au( <sup>54</sup> Cr, <sup>54</sup> Cr'), ( <sup>56</sup> Cr, <sup>56</sup> Cr'), ( <sup>58</sup> Cr, <sup>58</sup> Cr'), E $\approx$ 136 MeV / nucleon; measured E $\gamma$ , I $\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation. <sup>54,56,58</sup> Cr deduced levels, B(E2). CONF Bormio (XLIII Winter Meeting) Proc,P232

## A=58 (continued)

- 2005SAZY NUCLEAR REACTIONS  $^{197}\text{Au}(^{54}\text{Cr}, ^{54}\text{Cr}')$ , ( $^{56}\text{Cr}, ^{56}\text{Cr}'$ ), ( $^{58}\text{Cr}, ^{58}\text{Cr}'$ ), E=100 MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation.  $^{54,56,58}\text{Cr}$  deduced transitions. Be( $^{55}\text{Ni}, \text{X}$ ) $^{50}\text{Cr}$ , E=171 MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin.  $^{50}\text{Cr}$  deduced transitions. Be( $^{55}\text{Ni}, \text{X}$ ),  $^{197}\text{Au}(^{108}\text{Sn}, \text{X})$ , E not given; measured fragment yields. CONF Argonne(Nuclei at the Limits),P151,Saito
- $^{58}\text{Co}$  2004ADZW NUCLEAR REACTIONS  $^{209}\text{Bi}(n, 4n)$ , ( $n, 5n$ ), ( $n, 6n$ ), ( $n, 7n$ ), ( $n, 9n$ ),  $^{232}\text{Th}(n, \gamma)$ ,  $^{197}\text{Au}(n, 2n)$ , ( $n, 4n$ ), ( $n, 6n$ ), ( $n, 7n$ ), ( $n, \gamma$ ),  $^{115}\text{In}(n, 5n)$ , ( $n, 6n$ ), ( $n, 7n$ ),  $^{59}\text{Co}(n, 2n)$ , ( $n, 3n$ ), ( $n, 4n$ ), ( $n, 5n$ ), ( $n, \gamma$ ), ( $n, p$ ), ( $n, 6n2p$ ), E=spectrum; measured  $E\gamma$ ,  $I\gamma$ ; deduced reaction rates. Pb(p, nX), E=1 GeV; deduced spallation neutron spectrum. REPT JINR-E1-2004-16,Adam
- 2005AD01 NUCLEAR REACTIONS  $^{209}\text{Bi}(n, 4n)$ , ( $n, 5n$ ), ( $n, 6n$ ), ( $n, 7n$ ), ( $n, 9n$ ),  $^{232}\text{Th}(n, \gamma)$ ,  $^{197}\text{Au}(n, 2n)$ , ( $n, 4n$ ), ( $n, 6n$ ), ( $n, 7n$ ), ( $n, \gamma$ ),  $^{59}\text{Co}(n, 2n)$ , ( $n, 3n$ ), ( $n, 4n$ ), ( $n, 5n$ ), ( $n, p$ ), ( $n, 6n2p$ ),  $^{115}\text{In}(n, 5n)$ , ( $n, 6n$ ), ( $n, 7n$ ), E=spectrum; measured  $E\gamma$ ,  $I\gamma$ ; deduced reaction rates. Activation technique, spallation neutrons from 1 GeV proton beam, comparison with model predictions. JOUR ZAANE 23 61
- 2005B010 NUCLEAR REACTIONS Zn(p, X) $^{64}\text{Cu}$  /  $^{57}\text{Ni}$  /  $^{56}\text{Ni}$  /  $^{52}\text{Mn}$  /  $^{54}\text{Mn}$  /  $^{62}\text{Zn}$  /  $^{65}\text{Zn}$  /  $^{51}\text{Cr}$  /  $^{48}\text{V}$  /  $^{55}\text{Co}$  /  $^{56}\text{Co}$  /  $^{57}\text{Co}$  /  $^{58}\text{Co}$  /  $^{60}\text{Co}$  /  $^{66}\text{Ga}$  /  $^{67}\text{Ga}$  /  $^{52}\text{Fe}$  /  $^{59}\text{Fe}$ , E  $\approx$  31-141 MeV; measured production  $\sigma$ . Stacked-foil activation. JOUR JRNCD 264 101
- 2005HA03 NUCLEAR REACTIONS  $^{58}\text{Ni}(d, 2p)$ , E=170 MeV; measured  $E_p$ , pp-coin,  $\sigma(E, \theta)$ .  $^{58}\text{Co}$  deduced levels, Gamow-Teller strengths, related features.  $^{58}\text{Ni}$ ,  $^{58}\text{Co}$  deduced analog states Coulomb displacement energy. Comparison with large-scale shell model calculations. JOUR PRVCA 71 014606
- 2005SI14 NUCLEAR REACTIONS C, O, Si, Mg, Al(n, X) $^7\text{Be}$ , E  $\approx$  0.1-750 MeV; O, Si, Mg, Al(n, X) $^{22}\text{Na}$  /  $^{23}\text{Na}$ , E  $\approx$  0.1-750 MeV;  $^{197}\text{Au}(n, \text{X})^{194}\text{Au}$  /  $^{196}\text{Au}$  /  $^{198}\text{Au}$ , E  $\approx$  0.1-750 MeV; Ti, Fe, Ni, Cu(n, X) $^{46}\text{Sc}$  /  $^{48}\text{Sc}$ , E  $\approx$  0.1-750 MeV; Fe, Ni, Cu(n, X) $^{48}\text{V}$  /  $^{51}\text{Cr}$  /  $^{52}\text{Mn}$  /  $^{54}\text{Mn}$ , E  $\approx$  0.1-750 MeV; Ni, Cu(n, X) $^{56}\text{Ni}$  /  $^{57}\text{Ni}$  /  $^{56}\text{Co}$  /  $^{57}\text{Co}$  /  $^{58}\text{Co}$  /  $^{60}\text{Co}$  /  $^{59}\text{Fe}$ , E  $\approx$  0.1-750 MeV; measured energy-integrated production  $\sigma$ . JOUR NIMBE 234 419
- 2005SI21 NUCLEAR REACTIONS Ni( $\alpha$ , X) $^{62}\text{Zn}$  /  $^{61}\text{Cu}$  /  $^{56}\text{Ni}$  /  $^{57}\text{Ni}$  /  $^{56}\text{Co}$  /  $^{58}\text{Co}$ , E=21-50 MeV; measured excitation functions. Stacked-foil activation, comparison with model predictions. JOUR IMPEE 14 611
- 2005SI28 NUCLEAR REACTIONS  $^{51}\text{V}(^{10}\text{B}, 2np)$ , E=33, 36 MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin, DSA.  $^{58}\text{Co}$  deduced levels, J,  $\pi$ ,  $T_{1/2}$ , B(M1). Comparison with shell model predictions. JOUR JPGPE 31 S1577
- 2005SI32 NUCLEAR REACTIONS Cu(n, X) $^{54}\text{Mn}$  /  $^{59}\text{Fe}$  /  $^{56}\text{Co}$  /  $^{57}\text{Co}$  /  $^{58}\text{Co}$  /  $^{60}\text{Co}$ , E  $\approx$  70.7, 110.8 MeV; measured  $\sigma$ . Comparison with previous results, model predictions. JOUR NIMBE 240 617
- 2005SI37 NUCLEAR REACTIONS  $^{51}\text{V}(^{10}\text{B}, 2np)$ , E=33 MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -, (charged particle) $\gamma$ -coin.  $^{58}\text{Co}$  deduced levels, J,  $\pi$ , configurations. Comparison with shell model predictions. JOUR BJPHE 35 821

## A=58 (continued)

- 2005ZE04 NUCLEAR REACTIONS  $^{58}\text{Ni}(t, ^3\text{He})$ , E=112 MeV / nucleon; measured  $\sigma(E, \theta)$ ; deduced Gamow-Teller strength distribution. JOUR NUPAB 758 67c
- $^{58}\text{Ni}$  2005AL03 NUCLEAR REACTIONS  $^{58}\text{Ni}(^{16}\text{O}, ^{16}\text{O})$ ,  $(^{16}\text{O}, ^{16}\text{O}')$ ,  $(^{16}\text{O}, ^{12}\text{C})$ , E=46 MeV;  $^{58}\text{Ni}(^{18}\text{O}, ^{18}\text{O})$ ,  $(^{18}\text{O}, ^{18}\text{O}')$ ,  $(^{18}\text{O}, ^{17}\text{O})$ ,  $(^{18}\text{O}, ^{16}\text{O})$ , E=46 MeV; measured elastic, inelastic, and transfer  $\sigma(E, \theta)$ . Coupled-channels analysis, comparison with previous results. JOUR NUPAB 748 59
- 2005AL45 NUCLEAR REACTIONS  $^{58}\text{Ni}(^{16}\text{O}, ^{16}\text{O})$ ,  $(^{16}\text{O}, ^{16}\text{O}')$ ,  $(^{16}\text{O}, \text{X})$ ,  $(^{18}\text{O}, ^{18}\text{O})$ ,  $(^{18}\text{O}, ^{18}\text{O}')$ ,  $(^{18}\text{O}, \text{X})$ , E=46 MeV; measured elastic, inelastic, and transfer  $\sigma(\theta)$ . Comparison with model predictions. JOUR BJPHE 35 909
- 2005C022 NUCLEAR REACTIONS  $^{58}\text{Ni}(p, p'\gamma)$ ,  $(p, n\gamma)$ , E=14 MeV; measured prompt and delayed  $E\gamma$ ,  $I\gamma$ .  $^{58}\text{Cu}$  level deduced  $T_{1/2}$ , B(E2), collective features. Comparison with model predictions. JOUR PRVCA 72 054305
- 2005GA15 NUCLEAR REACTIONS  $^{197}\text{Au}(^{52}\text{Fe}, ^{52}\text{Fe}')$ ,  $(^{54}\text{Ni}, ^{54}\text{Ni}')$ ,  $(^{56}\text{Ni}, ^{56}\text{Ni}')$ ,  $(^{58}\text{Ni}, ^{58}\text{Ni}')$ , E not given; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation.  $^{52}\text{Fe}$ ,  $^{54,56,58}\text{Ni}$  transitions deduced B(E2).  $^9\text{Be}(^{32}\text{S}, ^{31}\text{SX})$ ,  $(^{33}\text{Cl}, ^{32}\text{ClX})$ ,  $(^{34}\text{Ar}, ^{33}\text{ArX})$ , E not given; measured one-neutron removal  $\sigma$ . JOUR APOBB 36 1227
- 2005HA03 NUCLEAR REACTIONS  $^{58}\text{Ni}(d, 2p)$ , E=170 MeV; measured  $E_p$ , pp-coin,  $\sigma(E, \theta)$ .  $^{58}\text{Co}$  deduced levels, Gamow-Teller strengths, related features.  $^{58}\text{Ni}$ ,  $^{58}\text{Co}$  deduced analog states Coulomb displacement energy. Comparison with large-scale shell model calculations. JOUR PRVCA 71 014606
- 2005H010 NUCLEAR REACTIONS  $^{58}\text{Ni}(\text{polarized } p, p')$ , (polarized p, p), E=172 MeV; measured elastic and inelastic  $\sigma(E, \theta)$ , analyzing powers. Comparison with model predictions. JOUR PYLBB 612 165
- $^{58}\text{Cu}$  2005C022 NUCLEAR REACTIONS  $^{58}\text{Ni}(p, p'\gamma)$ ,  $(p, n\gamma)$ , E=14 MeV; measured prompt and delayed  $E\gamma$ ,  $I\gamma$ .  $^{58}\text{Cu}$  level deduced  $T_{1/2}$ , B(E2), collective features. Comparison with model predictions. JOUR PRVCA 72 054305
- 2005KA46 RADIOACTIVITY  $^{31}\text{Cl}(\beta^+p)$  [from S(p, X), E=40 MeV]; measured  $\beta$ -delayed  $E\gamma$ ,  $E_p$ .  $^{58}\text{Zn}(\beta^+)$  [from Nb(p, X), E=1.4 GeV]; measured  $E\gamma$ ,  $I\gamma$ ,  $\beta\gamma$ -coin,  $T_{1/2}$ .  $^{58}\text{Cu}$  deduced levels,  $\beta$ -feeding intensities.  $^{81m}\text{Kr}(\text{EC})$ , (IT);  $^{81}\text{Y}$ ,  $^{81}\text{Sr}$ ,  $^{85}\text{Nb}$ ,  $^{85}\text{Zr}$ ,  $^{86}\text{Mo}$ ,  $^{86}\text{Nb}(\text{EC})$  [from Ni,  $^{54}\text{Fe}(^{32}\text{S}, \text{X})$ ]; measured  $E\gamma$ ,  $I\gamma$ , E(ce), I(ce),  $T_{1/2}$ .  $^{81}\text{Kr}$ ,  $^{85}\text{Zr}$ ,  $^{85}\text{Nb}$  deduced isomeric transitions  $T_{1/2}$ , ICC.  $^{85}\text{Zr}$ ,  $^{86}\text{Nb}$  deduced levels, J,  $\pi$ , ICC.  $^{81}\text{Br}$  deduced neutrino capture rate. Mass-separated sources. JOUR ZAANE 25 s01 129
- $^{58}\text{Zn}$  2005KA46 RADIOACTIVITY  $^{31}\text{Cl}(\beta^+p)$  [from S(p, X), E=40 MeV]; measured  $\beta$ -delayed  $E\gamma$ ,  $E_p$ .  $^{58}\text{Zn}(\beta^+)$  [from Nb(p, X), E=1.4 GeV]; measured  $E\gamma$ ,  $I\gamma$ ,  $\beta\gamma$ -coin,  $T_{1/2}$ .  $^{58}\text{Cu}$  deduced levels,  $\beta$ -feeding intensities.  $^{81m}\text{Kr}(\text{EC})$ , (IT);  $^{81}\text{Y}$ ,  $^{81}\text{Sr}$ ,  $^{85}\text{Nb}$ ,  $^{85}\text{Zr}$ ,  $^{86}\text{Mo}$ ,  $^{86}\text{Nb}(\text{EC})$  [from Ni,  $^{54}\text{Fe}(^{32}\text{S}, \text{X})$ ]; measured  $E\gamma$ ,  $I\gamma$ , E(ce), I(ce),  $T_{1/2}$ .  $^{81}\text{Kr}$ ,  $^{85}\text{Zr}$ ,  $^{85}\text{Nb}$  deduced isomeric transitions  $T_{1/2}$ , ICC.  $^{85}\text{Zr}$ ,  $^{86}\text{Nb}$  deduced levels, J,  $\pi$ , ICC.  $^{81}\text{Br}$  deduced neutrino capture rate. Mass-separated sources. JOUR ZAANE 25 s01 129

## A=59

- <sup>59</sup>Ti      2005GA01      RADIOACTIVITY <sup>57,58</sup>Sc, <sup>58,59,60</sup>Ti, <sup>61</sup>V, <sup>62,63,64,65,66</sup>Cr( $\beta^-$ ) [from <sup>58</sup>Ni(<sup>76</sup>Ge, X)]; measured E $\gamma$ , E $\beta$ ,  $\beta\gamma$ -coin, T<sub>1/2</sub>. <sup>58</sup>V, <sup>61</sup>Cr, <sup>62</sup>Mn deduced levels, J,  $\pi$ . <sup>58</sup>V, <sup>61</sup>Cr, <sup>62,63,64,65</sup>Mn deduced transitions. <sup>60</sup>V, <sup>62</sup>Mn deduced isomeric states. Comparison with model predictions. JOUR ZAANE 23 41
- 2005GA01      NUCLEAR REACTIONS <sup>58</sup>Ni(<sup>76</sup>Ge, X)<sup>57</sup>Sc / <sup>58</sup>Sc / <sup>58</sup>Ti / <sup>59</sup>Ti / <sup>60</sup>Ti / <sup>60</sup>V / <sup>61</sup>V / <sup>62</sup>V / <sup>63</sup>V / <sup>62</sup>Cr / <sup>63</sup>Cr / <sup>64</sup>Cr / <sup>65</sup>Cr / <sup>66</sup>Cr / <sup>65</sup>Mn / <sup>66</sup>Mn, E=61.8 MeV / nucleon; measured yields. JOUR ZAANE 23 41
- <sup>59</sup>V      2005GA01      RADIOACTIVITY <sup>57,58</sup>Sc, <sup>58,59,60</sup>Ti, <sup>61</sup>V, <sup>62,63,64,65,66</sup>Cr( $\beta^-$ ) [from <sup>58</sup>Ni(<sup>76</sup>Ge, X)]; measured E $\gamma$ , E $\beta$ ,  $\beta\gamma$ -coin, T<sub>1/2</sub>. <sup>58</sup>V, <sup>61</sup>Cr, <sup>62</sup>Mn deduced levels, J,  $\pi$ . <sup>58</sup>V, <sup>61</sup>Cr, <sup>62,63,64,65</sup>Mn deduced transitions. <sup>60</sup>V, <sup>62</sup>Mn deduced isomeric states. Comparison with model predictions. JOUR ZAANE 23 41
- 2005LI53      RADIOACTIVITY <sup>57</sup>Ti, <sup>59</sup>V, <sup>59</sup>Cr( $\beta^-$ ) [from Be(<sup>86</sup>Kr, X)]; measured  $\beta$ -delayed E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin, T<sub>1/2</sub>; deduced log ft. <sup>57</sup>V, <sup>59</sup>Cr, <sup>59</sup>Mn deduced levels,  $\beta$ -feeding intensities, deformation. Comparison with shell-model predictions. JOUR PRVCA 72 054321
- <sup>59</sup>Cr      2005FR29      NUCLEAR REACTIONS <sup>13,14</sup>C(<sup>48</sup>Ca, 2p), E=130 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -, (recoil) $\gamma$ -coin. <sup>59,60</sup>Cr deduced levels, J,  $\pi$ . Gammasphere array, comparison with model predictions. JOUR JPGPE 31 S1465
- 2005FRZZ      NUCLEAR REACTIONS <sup>13,14</sup>C(<sup>48</sup>Ca, 2p), E=130 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -, (recoil) $\gamma$ -coin. <sup>59,60</sup>Cr deduced levels, J,  $\pi$ . Gammasphere array, comparison with model predictions. CONF Argonne(Nuclei at the Limits),P142,Freeman
- 2005LI53      RADIOACTIVITY <sup>57</sup>Ti, <sup>59</sup>V, <sup>59</sup>Cr( $\beta^-$ ) [from Be(<sup>86</sup>Kr, X)]; measured  $\beta$ -delayed E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin, T<sub>1/2</sub>; deduced log ft. <sup>57</sup>V, <sup>59</sup>Cr, <sup>59</sup>Mn deduced levels,  $\beta$ -feeding intensities, deformation. Comparison with shell-model predictions. JOUR PRVCA 72 054321
- <sup>59</sup>Mn      2005LI53      RADIOACTIVITY <sup>57</sup>Ti, <sup>59</sup>V, <sup>59</sup>Cr( $\beta^-$ ) [from Be(<sup>86</sup>Kr, X)]; measured  $\beta$ -delayed E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin, T<sub>1/2</sub>; deduced log ft. <sup>57</sup>V, <sup>59</sup>Cr, <sup>59</sup>Mn deduced levels,  $\beta$ -feeding intensities, deformation. Comparison with shell-model predictions. JOUR PRVCA 72 054321
- <sup>59</sup>Fe      2004ADZW      NUCLEAR REACTIONS <sup>209</sup>Bi(n, 4n), (n, 5n), (n, 6n), (n, 7n), (n, 9n), <sup>232</sup>Th(n,  $\gamma$ ), <sup>197</sup>Au(n, 2n), (n, 4n), (n, 6n), (n, 7n), (n,  $\gamma$ ), <sup>115</sup>In(n, 5n), (n, 6n), (n, 7n), <sup>59</sup>Co(n, 2n), (n, 3n), (n, 4n), (n, 5n), (n,  $\gamma$ ), (n, p), (n, 6n2p), E=spectrum; measured E $\gamma$ , I $\gamma$ ; deduced reaction rates. Pb(p, nX), E=1 GeV; deduced spallation neutron spectrum. REPT JINR-E1-2004-16,Adam
- 2005AD01      NUCLEAR REACTIONS <sup>209</sup>Bi(n, 4n), (n, 5n), (n, 6n), (n, 7n), (n, 9n), <sup>232</sup>Th(n,  $\gamma$ ), <sup>197</sup>Au(n, 2n), (n, 4n), (n, 6n), (n, 7n), (n,  $\gamma$ ), <sup>59</sup>Co(n, 2n), (n, 3n), (n, 4n), (n, 5n), (n, p), (n, 6n2p), <sup>115</sup>In(n, 5n), (n, 6n), (n, 7n), E=spectrum; measured E $\gamma$ , I $\gamma$ ; deduced reaction rates. Activation technique, spallation neutrons from 1 GeV proton beam, comparison with model predictions. JOUR ZAANE 23 61
- 2005B010      NUCLEAR REACTIONS Zn(p, X)<sup>64</sup>Cu / <sup>57</sup>Ni / <sup>56</sup>Ni / <sup>52</sup>Mn / <sup>54</sup>Mn / <sup>62</sup>Zn / <sup>65</sup>Zn / <sup>51</sup>Cr / <sup>48</sup>V / <sup>55</sup>Co / <sup>56</sup>Co / <sup>57</sup>Co / <sup>58</sup>Co / <sup>60</sup>Co / <sup>66</sup>Ga / <sup>67</sup>Ga / <sup>52</sup>Fe / <sup>59</sup>Fe, E  $\approx$  31-141 MeV; measured production  $\sigma$ . Stacked-foil activation. JOUR JRNC D 264 101

## A=59 (continued)

- 2005SEZW NUCLEAR REACTIONS  $^{58}\text{Ni}(n, t)$ ,  $^{59}\text{Co}(n, p)$ ,  $^{63}\text{Cu}(n, \alpha)$ , E=14-20 MeV; measured activation  $\sigma$ . Comparison with previous results. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P1019
- 2005SI14 NUCLEAR REACTIONS C, O, Si, Mg, Al(n, X) $^7\text{Be}$ , E  $\approx$  0.1-750 MeV; O, Si, Mg, Al(n, X) $^{22}\text{Na}$  /  $^{23}\text{Na}$ , E  $\approx$  0.1-750 MeV;  $^{197}\text{Au}(n, X)^{194}\text{Au}$  /  $^{196}\text{Au}$  /  $^{198}\text{Au}$ , E  $\approx$  0.1-750 MeV; Ti, Fe, Ni, Cu(n, X) $^{46}\text{Sc}$  /  $^{48}\text{Sc}$ , E  $\approx$  0.1-750 MeV; Fe, Ni, Cu(n, X) $^{48}\text{V}$  /  $^{51}\text{Cr}$  /  $^{52}\text{Mn}$  /  $^{54}\text{Mn}$ , E  $\approx$  0.1-750 MeV; Ni, Cu(n, X) $^{56}\text{Ni}$  /  $^{57}\text{Ni}$  /  $^{56}\text{Co}$  /  $^{57}\text{Co}$  /  $^{58}\text{Co}$  /  $^{60}\text{Co}$  /  $^{59}\text{Fe}$ , E  $\approx$  0.1-750 MeV; measured energy-integrated production  $\sigma$ . JOUR NIMBE 234 419
- 2005SI32 NUCLEAR REACTIONS Cu(n, X) $^{54}\text{Mn}$  /  $^{59}\text{Fe}$  /  $^{56}\text{Co}$  /  $^{57}\text{Co}$  /  $^{58}\text{Co}$  /  $^{60}\text{Co}$ , E  $\approx$  70.7, 110.8 MeV; measured  $\sigma$ . Comparison with previous results, model predictions. JOUR NIMBE 240 617
- 2005TIZX NUCLEAR REACTIONS Pb,  $^{208}\text{Pb}(p, X)^{203}\text{Pb}$  /  $^{200}\text{Tl}$  /  $^{199}\text{Tl}$  /  $^{196}\text{Au}$  /  $^{192}\text{Ir}$  /  $^{190}\text{Ir}$  /  $^{173}\text{Lu}$  /  $^{101m}\text{Rh}$  /  $^{86}\text{Rb}$  /  $^{59}\text{Fe}$  /  $^{24}\text{Na}$  /  $^7\text{Be}$ , E=40-2600 MeV; measured excitation functions. Comparison with previous work and model predictions. Other reactions discussed. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P1070
- 2005TIZY NUCLEAR REACTIONS Pb,  $^{208}\text{Pb}$ ,  $^{209}\text{Bi}(p, X)^{203}\text{Pb}$  /  $^{200}\text{Tl}$  /  $^{199}\text{Tl}$  /  $^{196}\text{Au}$  /  $^{192}\text{Ir}$  /  $^{190}\text{Ir}$  /  $^{173}\text{Lu}$  /  $^{101m}\text{Rh}$  /  $^{86}\text{Rb}$  /  $^{59}\text{Fe}$  /  $^{24}\text{Na}$  /  $^7\text{Be}$ , E=40-2600 MeV; measured production  $\sigma$ . Comparison with model predictions. PREPRINT nucl-ex/0507009,7/05/2005
- $^{59}\text{Co}$  2004S036 NUCLEAR REACTIONS  $^{59}\text{Co}(^6\text{Li}, X)$ , ( $^7\text{Li}, X$ ), E=12-26 MeV; measured fusion  $\sigma$ ; deduced breakup effects.  $^{59}\text{Co}(^6\text{Li}, d\alpha)$ , E=26 MeV; measured  $E\alpha$ ,  $E_d$ ,  $d\alpha$ -coin. JOUR BJPHE 34 907
- 2005S014 NUCLEAR REACTIONS  $^{12}\text{C}(^6\text{Li}, d\alpha)$ , E=26 MeV;  $^{59}\text{Co}(^6\text{Li}, d\alpha)$ , E=30 MeV; measured particle spectra,  $\sigma(\theta(\alpha), \theta(d))$ , three-body final state correlations; deduced reaction mechanism features. JOUR BJPHE 35 888
- $^{59}\text{Ni}$  2005AL03 NUCLEAR REACTIONS  $^{58}\text{Ni}(^{16}\text{O}, ^{16}\text{O})$ , ( $^{16}\text{O}, ^{16}\text{O}'$ ), ( $^{16}\text{O}, ^{12}\text{C}$ ), E=46 MeV;  $^{58}\text{Ni}(^{18}\text{O}, ^{18}\text{O})$ , ( $^{18}\text{O}, ^{18}\text{O}'$ ), ( $^{18}\text{O}, ^{17}\text{O}$ ), ( $^{18}\text{O}, ^{16}\text{O}$ ), E=46 MeV; measured elastic, inelastic, and transfer  $\sigma(E, \theta)$ . Coupled-channels analysis, comparison with previous results. JOUR NUPAB 748 59
- $^{59}\text{Ga}$  2005ST29 NUCLEAR REACTIONS  $^9\text{Be}(^{78}\text{Kr}, X)^{60}\text{Ge}$  /  $^{61}\text{Ge}$  /  $^{62}\text{Ge}$  /  $^{63}\text{Ge}$  /  $^{64}\text{Ge}$  /  $^{64}\text{Se}$  /  $^{65}\text{Se}$  /  $^{66}\text{Se}$  /  $^{67}\text{Se}$  /  $^{68}\text{Se}$ , E=140 MeV / nucleon; measured production  $\sigma$ , isotopic yields; deduced no evidence for  $^{59}\text{Ga}$ ,  $^{63}\text{As}$ .  $^{60}\text{Ge}$ ,  $^{64}\text{Se}$  deduced  $T_{1/2}$  lower limits.  $^{59}\text{Ga}$ ,  $^{63}\text{As}$  deduced  $T_{1/2}$  upper limits. JOUR PYLBB 627 32
- 2005ST34 NUCLEAR REACTIONS  $^9\text{Be}(^{78}\text{Kr}, X)^{60}\text{Ge}$  /  $^{61}\text{Ge}$  /  $^{62}\text{Ge}$  /  $^{63}\text{Ge}$  /  $^{64}\text{Ge}$  /  $^{64}\text{Se}$  /  $^{65}\text{Se}$  /  $^{66}\text{Se}$  /  $^{67}\text{Se}$  /  $^{68}\text{Se}$ , E=140 MeV / nucleon; measured production  $\sigma$ , isotopic yields; deduced no evidence for  $^{59}\text{Ga}$ ,  $^{63}\text{As}$ . JOUR ZAANE 25 s01 335



## A=60

- <sup>60</sup>Ti      2005GA01      RADIOACTIVITY <sup>57,58</sup>Sc, <sup>58,59,60</sup>Ti, <sup>61</sup>V, <sup>62,63,64,65,66</sup>Cr( $\beta^-$ ) [from <sup>58</sup>Ni(<sup>76</sup>Ge, X)]; measured E $\gamma$ , E $\beta$ ,  $\beta\gamma$ -coin, T<sub>1/2</sub>. <sup>58</sup>V, <sup>61</sup>Cr, <sup>62</sup>Mn deduced levels, J,  $\pi$ . <sup>58</sup>V, <sup>61</sup>Cr, <sup>62,63,64,65</sup>Mn deduced transitions. <sup>60</sup>V, <sup>62</sup>Mn deduced isomeric states. Comparison with model predictions. JOUR ZAANE 23 41
- 2005GA01      NUCLEAR REACTIONS <sup>58</sup>Ni(<sup>76</sup>Ge, X)<sup>57</sup>Sc / <sup>58</sup>Sc / <sup>58</sup>Ti / <sup>59</sup>Ti / <sup>60</sup>Ti / <sup>60</sup>V / <sup>61</sup>V / <sup>62</sup>V / <sup>63</sup>V / <sup>62</sup>Cr / <sup>63</sup>Cr / <sup>64</sup>Cr / <sup>65</sup>Cr / <sup>66</sup>Cr / <sup>65</sup>Mn / <sup>66</sup>Mn, E=61.8 MeV / nucleon; measured yields. JOUR ZAANE 23 41
- <sup>60</sup>V      2005GA01      RADIOACTIVITY <sup>57,58</sup>Sc, <sup>58,59,60</sup>Ti, <sup>61</sup>V, <sup>62,63,64,65,66</sup>Cr( $\beta^-$ ) [from <sup>58</sup>Ni(<sup>76</sup>Ge, X)]; measured E $\gamma$ , E $\beta$ ,  $\beta\gamma$ -coin, T<sub>1/2</sub>. <sup>58</sup>V, <sup>61</sup>Cr, <sup>62</sup>Mn deduced levels, J,  $\pi$ . <sup>58</sup>V, <sup>61</sup>Cr, <sup>62,63,64,65</sup>Mn deduced transitions. <sup>60</sup>V, <sup>62</sup>Mn deduced isomeric states. Comparison with model predictions. JOUR ZAANE 23 41
- 2005GA01      NUCLEAR REACTIONS <sup>58</sup>Ni(<sup>76</sup>Ge, X)<sup>57</sup>Sc / <sup>58</sup>Sc / <sup>58</sup>Ti / <sup>59</sup>Ti / <sup>60</sup>Ti / <sup>60</sup>V / <sup>61</sup>V / <sup>62</sup>V / <sup>63</sup>V / <sup>62</sup>Cr / <sup>63</sup>Cr / <sup>64</sup>Cr / <sup>65</sup>Cr / <sup>66</sup>Cr / <sup>65</sup>Mn / <sup>66</sup>Mn, E=61.8 MeV / nucleon; measured yields. JOUR ZAANE 23 41
- <sup>60</sup>Cr      2005FR29      NUCLEAR REACTIONS <sup>13,14</sup>C(<sup>48</sup>Ca, 2p), E=130 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -, (recoil) $\gamma$ -coin. <sup>59,60</sup>Cr deduced levels, J,  $\pi$ . Gammasphere array, comparison with model predictions. JOUR JPGPE 31 S1465
- 2005FRZZ      NUCLEAR REACTIONS <sup>13,14</sup>C(<sup>48</sup>Ca, 2p), E=130 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -, (recoil) $\gamma$ -coin. <sup>59,60</sup>Cr deduced levels, J,  $\pi$ . Gammasphere array, comparison with model predictions. CONF Argonne(Nuclei at the Limits),P142,Freeman
- <sup>60</sup>Co      2004ADZW      NUCLEAR REACTIONS <sup>209</sup>Bi(n, 4n), (n, 5n), (n, 6n), (n, 7n), (n, 9n), <sup>232</sup>Th(n,  $\gamma$ ), <sup>197</sup>Au(n, 2n), (n, 4n), (n, 6n), (n, 7n), (n,  $\gamma$ ), <sup>115</sup>In(n, 5n), (n, 6n), (n, 7n), <sup>59</sup>Co(n, 2n), (n, 3n), (n, 4n), (n, 5n), (n,  $\gamma$ ), (n, p), (n, 6n2p), E=spectrum; measured E $\gamma$ , I $\gamma$ ; deduced reaction rates. Pb(p, nX), E=1 GeV; deduced spallation neutron spectrum. REPT JINR-E1-2004-16,Adam
- 2004GE20      RADIOACTIVITY <sup>155</sup>Sm( $\beta^-$ ) [from <sup>154</sup>Sm(n,  $\gamma$ )]; <sup>60</sup>Co, <sup>133</sup>Ba, <sup>152</sup>Eu; measured  $\gamma$ -ray angular correlations. <sup>155</sup>Eu, <sup>60</sup>Ni, <sup>133</sup>Cs, <sup>152</sup>Gd transitions deduced  $\delta$ . Comparison with previous results. JOUR BJPHE 34 722
- 2005B010      NUCLEAR REACTIONS Zn(p, X)<sup>64</sup>Cu / <sup>57</sup>Ni / <sup>56</sup>Ni / <sup>52</sup>Mn / <sup>54</sup>Mn / <sup>62</sup>Zn / <sup>65</sup>Zn / <sup>51</sup>Cr / <sup>48</sup>V / <sup>55</sup>Co / <sup>56</sup>Co / <sup>57</sup>Co / <sup>58</sup>Co / <sup>60</sup>Co / <sup>66</sup>Ga / <sup>67</sup>Ga / <sup>52</sup>Fe / <sup>59</sup>Fe, E  $\approx$  31-141 MeV; measured production  $\sigma$ . Stacked-foil activation. JOUR JRNCD 264 101
- 2005N004      NUCLEAR REACTIONS Ge, Mo, Te(p, X)<sup>60</sup>Co, E=0.8, 1.85 GeV; measured production  $\sigma$ . Comparison with model predictions. JOUR NPBSE 143 508
- 2005SEZW      NUCLEAR REACTIONS <sup>58</sup>Ni(n, t), <sup>59</sup>Co(n, p), <sup>63</sup>Cu(n,  $\alpha$ ), E=14-20 MeV; measured activation  $\sigma$ . Comparison with previous results. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol1,P1019

**A=60 (continued)**

- 2005SI14 NUCLEAR REACTIONS C, O, Si, Mg, Al(n, X)<sup>7</sup>Be, E ≈ 0.1-750 MeV; O, Si, Mg, Al(n, X)<sup>22</sup>Na / <sup>23</sup>Na, E ≈ 0.1-750 MeV; <sup>197</sup>Au(n, X)<sup>194</sup>Au / <sup>196</sup>Au / <sup>198</sup>Au, E ≈ 0.1-750 MeV; Ti, Fe, Ni, Cu(n, X)<sup>46</sup>Sc / <sup>48</sup>Sc, E ≈ 0.1-750 MeV; Fe, Ni, Cu(n, X)<sup>48</sup>V / <sup>51</sup>Cr / <sup>52</sup>Mn / <sup>54</sup>Mn, E ≈ 0.1-750 MeV; Ni, Cu(n, X)<sup>56</sup>Ni / <sup>57</sup>Ni / <sup>56</sup>Co / <sup>57</sup>Co / <sup>58</sup>Co / <sup>60</sup>Co / <sup>59</sup>Fe, E ≈ 0.1-750 MeV; measured energy-integrated production  $\sigma$ . JOUR NIMBE 234 419
- 2005SI32 NUCLEAR REACTIONS Cu(n, X)<sup>54</sup>Mn / <sup>59</sup>Fe / <sup>56</sup>Co / <sup>57</sup>Co / <sup>58</sup>Co / <sup>60</sup>Co, E ≈ 70.7, 110.8 MeV; measured  $\sigma$ . Comparison with previous results, model predictions. JOUR NIMBE 240 617
- <sup>60</sup>Ni 2004GE20 RADIOACTIVITY <sup>155</sup>Sm( $\beta^-$ ) [from <sup>154</sup>Sm(n,  $\gamma$ )] ; <sup>60</sup>Co, <sup>133</sup>Ba, <sup>152</sup>Eu; measured  $\gamma$ -ray angular correlations. <sup>155</sup>Eu, <sup>60</sup>Ni, <sup>133</sup>Cs, <sup>152</sup>Gd transitions deduced  $\delta$ . Comparison with previous results. JOUR BJPHE 34 722
- 2005AL03 NUCLEAR REACTIONS <sup>58</sup>Ni(<sup>16</sup>O, <sup>16</sup>O), (<sup>16</sup>O, <sup>16</sup>O'), (<sup>16</sup>O, <sup>12</sup>C), E=46 MeV; <sup>58</sup>Ni(<sup>18</sup>O, <sup>18</sup>O), (<sup>18</sup>O, <sup>18</sup>O'), (<sup>18</sup>O, <sup>17</sup>O), (<sup>18</sup>O, <sup>16</sup>O), E=46 MeV; measured elastic, inelastic, and transfer  $\sigma(E, \theta)$ . Coupled-channels analysis, comparison with previous results. JOUR NUPAB 748 59
- 2005WI23 NUCLEAR REACTIONS <sup>100</sup>Mo(<sup>11</sup>B, xnypz $\alpha$ )<sup>104</sup>Rh / <sup>105</sup>Rh / <sup>107</sup>Pd / <sup>108</sup>Pd, E=43 MeV; <sup>51</sup>V(<sup>16</sup>O, xnypz $\alpha$ )<sup>60</sup>Ni / <sup>61</sup>Ni / <sup>61</sup>Cu / <sup>62</sup>Cu, E=70 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -, (charged particle) $\gamma$ -coin; deduced  $\gamma$ -ray yield ratios. Application to exit channel determination discussed. JOUR BJPHE 35 898
- <sup>60</sup>Ge 2005ST29 NUCLEAR REACTIONS <sup>9</sup>Be(<sup>78</sup>Kr, X)<sup>60</sup>Ge / <sup>61</sup>Ge / <sup>62</sup>Ge / <sup>63</sup>Ge / <sup>64</sup>Ge / <sup>64</sup>Se / <sup>65</sup>Se / <sup>66</sup>Se / <sup>67</sup>Se / <sup>68</sup>Se, E=140 MeV / nucleon; measured production  $\sigma$ , isotopic yields; deduced no evidence for <sup>59</sup>Ga, <sup>63</sup>As. <sup>60</sup>Ge, <sup>64</sup>Se deduced T<sub>1/2</sub> lower limits. <sup>59</sup>Ga, <sup>63</sup>As deduced T<sub>1/2</sub> upper limits. JOUR PYLBB 627 32
- 2005ST34 NUCLEAR REACTIONS <sup>9</sup>Be(<sup>78</sup>Kr, X)<sup>60</sup>Ge / <sup>61</sup>Ge / <sup>62</sup>Ge / <sup>63</sup>Ge / <sup>64</sup>Ge / <sup>64</sup>Se / <sup>65</sup>Se / <sup>66</sup>Se / <sup>67</sup>Se / <sup>68</sup>Se, E=140 MeV / nucleon; measured production  $\sigma$ , isotopic yields; deduced no evidence for <sup>59</sup>Ga, <sup>63</sup>As. JOUR ZAANE 25 s01 335

**A=61**

- <sup>61</sup>V 2005GA01 RADIOACTIVITY <sup>57,58</sup>Sc, <sup>58,59,60</sup>Ti, <sup>61</sup>V, <sup>62,63,64,65,66</sup>Cr( $\beta^-$ ) [from <sup>58</sup>Ni(<sup>76</sup>Ge, X)]; measured E $\gamma$ , E $\beta$ ,  $\beta\gamma$ -coin, T<sub>1/2</sub>. <sup>58</sup>V, <sup>61</sup>Cr, <sup>62</sup>Mn deduced levels, J,  $\pi$ . <sup>58</sup>V, <sup>61</sup>Cr, <sup>62,63,64,65</sup>Mn deduced transitions. <sup>60</sup>V, <sup>62</sup>Mn deduced isomeric states. Comparison with model predictions. JOUR ZAANE 23 41
- 2005GA01 NUCLEAR REACTIONS <sup>58</sup>Ni(<sup>76</sup>Ge, X)<sup>57</sup>Sc / <sup>58</sup>Sc / <sup>58</sup>Ti / <sup>59</sup>Ti / <sup>60</sup>Ti / <sup>60</sup>V / <sup>61</sup>V / <sup>62</sup>V / <sup>63</sup>V / <sup>62</sup>Cr / <sup>63</sup>Cr / <sup>64</sup>Cr / <sup>65</sup>Cr / <sup>66</sup>Cr / <sup>65</sup>Mn / <sup>66</sup>Mn, E=61.8 MeV / nucleon; measured yields. JOUR ZAANE 23 41

A=61 (*continued*)

- <sup>61</sup>Cr 2005GA01 RADIOACTIVITY <sup>57,58</sup>Sc, <sup>58,59,60</sup>Ti, <sup>61</sup>V, <sup>62,63,64,65,66</sup>Cr( $\beta^-$ ) [from <sup>58</sup>Ni(<sup>76</sup>Ge, X)]; measured E $\gamma$ , E $\beta$ ,  $\beta\gamma$ -coin, T<sub>1/2</sub>. <sup>58</sup>V, <sup>61</sup>Cr, <sup>62</sup>Mn deduced levels, J,  $\pi$ . <sup>58</sup>V, <sup>61</sup>Cr, <sup>62,63,64,65</sup>Mn deduced transitions. <sup>60</sup>V, <sup>62</sup>Mn deduced isomeric states. Comparison with model predictions. JOUR ZAANE 23 41
- <sup>61</sup>Ni 2005R011 NUCLEAR REACTIONS <sup>61</sup>Ni( $\gamma$ ,  $\gamma'$ ), E  $\approx$  67.41 keV; measured E $\gamma$ , I $\gamma$ (t). <sup>61</sup>Ni level deduced T<sub>1/2</sub>. Synchrotron radiation, nuclear lighthouse effect. JOUR PRBMD 71 140401
- 2005WI23 NUCLEAR REACTIONS <sup>100</sup>Mo(<sup>11</sup>B, xnypz $\alpha$ )<sup>104</sup>Rh / <sup>105</sup>Rh / <sup>107</sup>Pd / <sup>108</sup>Pd, E=43 MeV; <sup>51</sup>V(<sup>16</sup>O, xnypz $\alpha$ )<sup>60</sup>Ni / <sup>61</sup>Ni / <sup>61</sup>Cu / <sup>62</sup>Cu, E=70 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma^-$ , (charged particle) $\gamma$ -coin; deduced  $\gamma$ -ray yield ratios. Application to exit channel determination discussed. JOUR BJPHE 35 898
- <sup>61</sup>Cu 2005NAZY NUCLEAR REACTIONS <sup>27</sup>Al(d, X)<sup>27</sup>Mg / <sup>24</sup>Na, E=22-40 MeV; Cu(d, X)<sup>62</sup>Zn / <sup>63</sup>Zn / <sup>61</sup>Cu / <sup>64</sup>Cu, E=22-40 MeV; W(d, X)<sup>181</sup>Re / <sup>182</sup>Re / <sup>183</sup>Re / <sup>184</sup>Re / <sup>186</sup>Re / <sup>187</sup>W, E=22-40 MeV; measured activation  $\sigma$ . Comparison with previous results and model predictions. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol2, P1489
- 2005SI21 NUCLEAR REACTIONS Ni( $\alpha$ , X)<sup>62</sup>Zn / <sup>61</sup>Cu / <sup>56</sup>Ni / <sup>57</sup>Ni / <sup>56</sup>Co / <sup>58</sup>Co, E=21-50 MeV; measured excitation functions. Stacked-foil activation, comparison with model predictions. JOUR IMPEE 14 611
- 2005WI23 NUCLEAR REACTIONS <sup>100</sup>Mo(<sup>11</sup>B, xnypz $\alpha$ )<sup>104</sup>Rh / <sup>105</sup>Rh / <sup>107</sup>Pd / <sup>108</sup>Pd, E=43 MeV; <sup>51</sup>V(<sup>16</sup>O, xnypz $\alpha$ )<sup>60</sup>Ni / <sup>61</sup>Ni / <sup>61</sup>Cu / <sup>62</sup>Cu, E=70 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma^-$ , (charged particle) $\gamma$ -coin; deduced  $\gamma$ -ray yield ratios. Application to exit channel determination discussed. JOUR BJPHE 35 898
- <sup>61</sup>Zn 2005EK01 NUCLEAR REACTIONS <sup>16</sup>O(<sup>24</sup>Mg, n $\alpha$ ), (<sup>24</sup>Mg, p $\alpha$ ), E=60 MeV; <sup>28</sup>Si(<sup>32</sup>S, n2 $\alpha$ ), (<sup>32</sup>S, p2 $\alpha$ ), E=130 MeV; <sup>24</sup>Mg(<sup>40</sup>Ca, 2np), (<sup>40</sup>Ca, n2p), E=104 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma^-$ , (charged particle) $\gamma^-$ , (neutron) $\gamma$ -coin. <sup>35</sup>Ar, <sup>35</sup>Cl, <sup>51</sup>Fe, <sup>51</sup>Mn, <sup>61</sup>Ga, <sup>61</sup>Zn deduced levels, J,  $\pi$ , mirror energy difference. Discussed electromagnetic spin-orbit effect. Large-scale shell model calculations. JOUR ZAANE 25 s01 363
- <sup>61</sup>Ga 2005AN03 NUCLEAR REACTIONS <sup>24</sup>Mg(<sup>40</sup>Ca, 2np), E=104 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma^-$ , (recoil) $\gamma$ -coin. <sup>61</sup>Ga deduced levels, J,  $\pi$ , analog states features. Clarion array, mass separator. JOUR PRVCA 71 011303
- 2005EK01 NUCLEAR REACTIONS <sup>16</sup>O(<sup>24</sup>Mg, n $\alpha$ ), (<sup>24</sup>Mg, p $\alpha$ ), E=60 MeV; <sup>28</sup>Si(<sup>32</sup>S, n2 $\alpha$ ), (<sup>32</sup>S, p2 $\alpha$ ), E=130 MeV; <sup>24</sup>Mg(<sup>40</sup>Ca, 2np), (<sup>40</sup>Ca, n2p), E=104 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma^-$ , (charged particle) $\gamma^-$ , (neutron) $\gamma$ -coin. <sup>35</sup>Ar, <sup>35</sup>Cl, <sup>51</sup>Fe, <sup>51</sup>Mn, <sup>61</sup>Ga, <sup>61</sup>Zn deduced levels, J,  $\pi$ , mirror energy difference. Discussed electromagnetic spin-orbit effect. Large-scale shell model calculations. JOUR ZAANE 25 s01 363
- 2005RU06 NUCLEAR REACTIONS <sup>24</sup>Mg(<sup>40</sup>Ca, 2np), (<sup>40</sup>Ca, 2n), E=104 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma^-$ , (recoil) $\gamma$ -coin. <sup>61</sup>Ga, <sup>62</sup>Ge deduced levels, transitions. JOUR NUPAB 752 241c
- <sup>61</sup>Ge 2005ST29 NUCLEAR REACTIONS <sup>9</sup>Be(<sup>78</sup>Kr, X)<sup>60</sup>Ge / <sup>61</sup>Ge / <sup>62</sup>Ge / <sup>63</sup>Ge / <sup>64</sup>Ge / <sup>64</sup>Se / <sup>65</sup>Se / <sup>66</sup>Se / <sup>67</sup>Se / <sup>68</sup>Se, E=140 MeV / nucleon; measured production  $\sigma$ , isotopic yields; deduced no evidence for <sup>59</sup>Ga, <sup>63</sup>As. <sup>60</sup>Ge, <sup>64</sup>Se deduced T<sub>1/2</sub> lower limits. <sup>59</sup>Ga, <sup>63</sup>As deduced T<sub>1/2</sub> upper limits. JOUR PYLBB 627 32

**A=61 (continued)**

- 2005ST34 NUCLEAR REACTIONS  ${}^9\text{Be}({}^{78}\text{Kr}, \text{X}){}^{60}\text{Ge} / {}^{61}\text{Ge} / {}^{62}\text{Ge} / {}^{63}\text{Ge} / {}^{64}\text{Ge} / {}^{64}\text{Se} / {}^{65}\text{Se} / {}^{66}\text{Se} / {}^{67}\text{Se} / {}^{68}\text{Se}$ ,  $E=140$  MeV / nucleon; measured production  $\sigma$ , isotopic yields; deduced no evidence for  ${}^{59}\text{Ga}$ ,  ${}^{63}\text{As}$ . JOUR ZAANE 25 s01 335

**A=62**

- ${}^{62}\text{V}$  2005GA01 NUCLEAR REACTIONS  ${}^{58}\text{Ni}({}^{76}\text{Ge}, \text{X}){}^{57}\text{Sc} / {}^{58}\text{Sc} / {}^{58}\text{Ti} / {}^{59}\text{Ti} / {}^{60}\text{Ti} / {}^{60}\text{V} / {}^{61}\text{V} / {}^{62}\text{V} / {}^{63}\text{V} / {}^{62}\text{Cr} / {}^{63}\text{Cr} / {}^{64}\text{Cr} / {}^{65}\text{Cr} / {}^{66}\text{Cr} / {}^{65}\text{Mn} / {}^{66}\text{Mn}$ ,  $E=61.8$  MeV / nucleon; measured yields. JOUR ZAANE 23 41
- ${}^{62}\text{Cr}$  2005GA01 RADIOACTIVITY  ${}^{57,58}\text{Sc}$ ,  ${}^{58,59,60}\text{Ti}$ ,  ${}^{61}\text{V}$ ,  ${}^{62,63,64,65,66}\text{Cr}(\beta^-)$  [from  ${}^{58}\text{Ni}({}^{76}\text{Ge}, \text{X})$ ]; measured  $E\gamma$ ,  $E\beta$ ,  $\beta\gamma$ -coin,  $T_{1/2}$ .  ${}^{58}\text{V}$ ,  ${}^{61}\text{Cr}$ ,  ${}^{62}\text{Mn}$  deduced levels,  $J$ ,  $\pi$ .  ${}^{58}\text{V}$ ,  ${}^{61}\text{Cr}$ ,  ${}^{62,63,64,65}\text{Mn}$  deduced transitions.  ${}^{60}\text{V}$ ,  ${}^{62}\text{Mn}$  deduced isomeric states. Comparison with model predictions. JOUR ZAANE 23 41
- 2005GA01 NUCLEAR REACTIONS  ${}^{58}\text{Ni}({}^{76}\text{Ge}, \text{X}){}^{57}\text{Sc} / {}^{58}\text{Sc} / {}^{58}\text{Ti} / {}^{59}\text{Ti} / {}^{60}\text{Ti} / {}^{60}\text{V} / {}^{61}\text{V} / {}^{62}\text{V} / {}^{63}\text{V} / {}^{62}\text{Cr} / {}^{63}\text{Cr} / {}^{64}\text{Cr} / {}^{65}\text{Cr} / {}^{66}\text{Cr} / {}^{65}\text{Mn} / {}^{66}\text{Mn}$ ,  $E=61.8$  MeV / nucleon; measured yields. JOUR ZAANE 23 41
- ${}^{62}\text{Mn}$  2005GA01 RADIOACTIVITY  ${}^{57,58}\text{Sc}$ ,  ${}^{58,59,60}\text{Ti}$ ,  ${}^{61}\text{V}$ ,  ${}^{62,63,64,65,66}\text{Cr}(\beta^-)$  [from  ${}^{58}\text{Ni}({}^{76}\text{Ge}, \text{X})$ ]; measured  $E\gamma$ ,  $E\beta$ ,  $\beta\gamma$ -coin,  $T_{1/2}$ .  ${}^{58}\text{V}$ ,  ${}^{61}\text{Cr}$ ,  ${}^{62}\text{Mn}$  deduced levels,  $J$ ,  $\pi$ .  ${}^{58}\text{V}$ ,  ${}^{61}\text{Cr}$ ,  ${}^{62,63,64,65}\text{Mn}$  deduced transitions.  ${}^{60}\text{V}$ ,  ${}^{62}\text{Mn}$  deduced isomeric states. Comparison with model predictions. JOUR ZAANE 23 41
- ${}^{62}\text{Co}$  2005PE12 NUCLEAR REACTIONS  ${}^{197}\text{Au}({}^{65}\text{Cu}, \text{X}){}^{62}\text{Co} / {}^{63}\text{Co}$ ,  $E \approx 400-460$  MeV; measured yields. Ion-guide isotope separator. JOUR NIMAE 546 418
- ${}^{62}\text{Ni}$  2005T014 NUCLEAR REACTIONS  ${}^{62}\text{Ni}(\nu, \gamma)$ ,  $E=5.5-90$  keV; measured  $E\gamma$ , capture  $\sigma$ ; deduced Maxwellian-averaged  $\sigma$ . JOUR ASJOA 623 L153
- ${}^{62}\text{Cu}$  2005ERZZ ATOMIC MASSES  ${}^{62}\text{Ga}$ ,  ${}^{62}\text{Zn}$ ,  ${}^{62}\text{Cu}$ ; measured masses.  ${}^{62}\text{Ga}$  deduced Q(EC) for superallowed  $\beta$ -decay. Penning trap. PREPRINT nucl-ex/0512010,12/12/2005
- 2005MAZP NUCLEAR REACTIONS  ${}^{64}\text{Zn}(\text{n}, \text{p})$ ,  ${}^{64}\text{Zn}$ ,  ${}^{63,65}\text{Cu}(\text{n}, 2\text{n})$ ,  $E \approx 10-15$  MeV; measured  $\sigma$ . Comparison with previous results. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Voll,P609
- 2005PE23 NUCLEAR REACTIONS  ${}^{197}\text{Au}({}^{65}\text{Cu}, \text{X}){}^{62}\text{Cu} / {}^{63}\text{Cu}$ ,  $E=443$  MeV; measured yields. JOUR ZAANE 25 s01 749
- 2005WI23 NUCLEAR REACTIONS  ${}^{100}\text{Mo}({}^{11}\text{B}, \text{xnpz}\alpha){}^{104}\text{Rh} / {}^{105}\text{Rh} / {}^{107}\text{Pd} / {}^{108}\text{Pd}$ ,  $E=43$  MeV;  ${}^{51}\text{V}({}^{16}\text{O}, \text{xnpz}\alpha){}^{60}\text{Ni} / {}^{61}\text{Ni} / {}^{61}\text{Cu} / {}^{62}\text{Cu}$ ,  $E=70$  MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma^-$ , (charged particle) $\gamma$ -coin; deduced  $\gamma$ -ray yield ratios. Application to exit channel determination discussed. JOUR BJPHE 35 898
- ${}^{62}\text{Zn}$  2005AL03 NUCLEAR REACTIONS  ${}^{58}\text{Ni}({}^{16}\text{O}, {}^{16}\text{O})$ ,  $({}^{16}\text{O}, {}^{16}\text{O}')$ ,  $({}^{16}\text{O}, {}^{12}\text{C})$ ,  $E=46$  MeV;  ${}^{58}\text{Ni}({}^{18}\text{O}, {}^{18}\text{O})$ ,  $({}^{18}\text{O}, {}^{18}\text{O}')$ ,  $({}^{18}\text{O}, {}^{17}\text{O})$ ,  $({}^{18}\text{O}, {}^{16}\text{O})$ ,  $E=46$  MeV; measured elastic, inelastic, and transfer  $\sigma(E, \theta)$ . Coupled-channels analysis, comparison with previous results. JOUR NUPAB 748 59

**A=62 (continued)**

- 2005B010 NUCLEAR REACTIONS Zn(p, X)<sup>64</sup>Cu / <sup>57</sup>Ni / <sup>56</sup>Ni / <sup>52</sup>Mn / <sup>54</sup>Mn / <sup>62</sup>Zn / <sup>65</sup>Zn / <sup>51</sup>Cr / <sup>48</sup>V / <sup>55</sup>Co / <sup>56</sup>Co / <sup>57</sup>Co / <sup>58</sup>Co / <sup>60</sup>Co / <sup>66</sup>Ga / <sup>67</sup>Ga / <sup>52</sup>Fe / <sup>59</sup>Fe, E ≈ 31-141 MeV; measured production  $\sigma$ . Stacked-foil activation. JOUR JRNCD 264 101
- 2005CA06 RADIOACTIVITY <sup>62</sup>Ga(EC) [from <sup>64</sup>Zn(p, 3n)]; measured E $\gamma$ , I $\gamma$ ,  $\beta\gamma$ -coin, T<sub>1/2</sub>; deduced branching ratios. <sup>62</sup>Zn deduced levels,  $\beta$ -feeding intensities. JOUR ZAANE 23 409
- 2005ERZZ ATOMIC MASSES <sup>62</sup>Ga, <sup>62</sup>Zn, <sup>62</sup>Cu; measured masses. <sup>62</sup>Ga deduced Q(EC) for superallowed  $\beta$ -decay. Penning trap. PREPRINT nucl-ex/0512010,12/12/2005
- 2005HY04 RADIOACTIVITY <sup>62</sup>Ga( $\beta^+$ ); measured T<sub>1/2</sub>. Comparison with previous results. JOUR JPGPE 31 S1885
- 2005NAZY NUCLEAR REACTIONS <sup>27</sup>Al(d, X)<sup>27</sup>Mg / <sup>24</sup>Na, E=22-40 MeV; Cu(d, X)<sup>62</sup>Zn / <sup>63</sup>Zn / <sup>61</sup>Cu / <sup>64</sup>Cu, E=22-40 MeV; W(d, X)<sup>181</sup>Re / <sup>182</sup>Re / <sup>183</sup>Re / <sup>184</sup>Re / <sup>186</sup>Re / <sup>187</sup>W, E=22-40 MeV; measured activation  $\sigma$ . Comparison with previous results and model predictions. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol2, P1489
- 2005SI21 NUCLEAR REACTIONS Ni( $\alpha$ , X)<sup>62</sup>Zn / <sup>61</sup>Cu / <sup>56</sup>Ni / <sup>57</sup>Ni / <sup>56</sup>Co / <sup>58</sup>Co, E=21-50 MeV; measured excitation functions. Stacked-foil activation, comparison with model predictions. JOUR IMPEE 14 611
- <sup>62</sup>Ga 2005CA06 RADIOACTIVITY <sup>62</sup>Ga(EC) [from <sup>64</sup>Zn(p, 3n)]; measured E $\gamma$ , I $\gamma$ ,  $\beta\gamma$ -coin, T<sub>1/2</sub>; deduced branching ratios. <sup>62</sup>Zn deduced levels,  $\beta$ -feeding intensities. JOUR ZAANE 23 409
- 2005ERZZ ATOMIC MASSES <sup>62</sup>Ga, <sup>62</sup>Zn, <sup>62</sup>Cu; measured masses. <sup>62</sup>Ga deduced Q(EC) for superallowed  $\beta$ -decay. Penning trap. PREPRINT nucl-ex/0512010,12/12/2005
- 2005HY04 RADIOACTIVITY <sup>62</sup>Ga( $\beta^+$ ); measured T<sub>1/2</sub>. Comparison with previous results. JOUR JPGPE 31 S1885
- <sup>62</sup>Ge 2005RU06 NUCLEAR REACTIONS <sup>24</sup>Mg(<sup>40</sup>Ca, 2np), (<sup>40</sup>Ca, 2n), E=104 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -, (recoil) $\gamma$ -coin. <sup>61</sup>Ga, <sup>62</sup>Ge deduced levels, transitions. JOUR NUPAB 752 241c
- 2005ST29 NUCLEAR REACTIONS <sup>9</sup>Be(<sup>78</sup>Kr, X)<sup>60</sup>Ge / <sup>61</sup>Ge / <sup>62</sup>Ge / <sup>63</sup>Ge / <sup>64</sup>Ge / <sup>64</sup>Se / <sup>65</sup>Se / <sup>66</sup>Se / <sup>67</sup>Se / <sup>68</sup>Se, E=140 MeV / nucleon; measured production  $\sigma$ , isotopic yields; deduced no evidence for <sup>59</sup>Ga, <sup>63</sup>As. <sup>60</sup>Ge, <sup>64</sup>Se deduced T<sub>1/2</sub> lower limits. <sup>59</sup>Ga, <sup>63</sup>As deduced T<sub>1/2</sub> upper limits. JOUR PYLBB 627 32
- 2005ST34 NUCLEAR REACTIONS <sup>9</sup>Be(<sup>78</sup>Kr, X)<sup>60</sup>Ge / <sup>61</sup>Ge / <sup>62</sup>Ge / <sup>63</sup>Ge / <sup>64</sup>Ge / <sup>64</sup>Se / <sup>65</sup>Se / <sup>66</sup>Se / <sup>67</sup>Se / <sup>68</sup>Se, E=140 MeV / nucleon; measured production  $\sigma$ , isotopic yields; deduced no evidence for <sup>59</sup>Ga, <sup>63</sup>As. JOUR ZAANE 25 s01 335

**A=63**

- <sup>63</sup>V 2005GA01 NUCLEAR REACTIONS <sup>58</sup>Ni(<sup>76</sup>Ge, X)<sup>57</sup>Sc / <sup>58</sup>Sc / <sup>58</sup>Ti / <sup>59</sup>Ti / <sup>60</sup>Ti / <sup>60</sup>V / <sup>61</sup>V / <sup>62</sup>V / <sup>63</sup>V / <sup>62</sup>Cr / <sup>63</sup>Cr / <sup>64</sup>Cr / <sup>65</sup>Cr / <sup>66</sup>Cr / <sup>65</sup>Mn / <sup>66</sup>Mn, E=61.8 MeV / nucleon; measured yields. JOUR ZAANE 23 41

## A=63 (continued)

- <sup>63</sup>Cr 2005GA01 RADIOACTIVITY <sup>57,58</sup>Sc, <sup>58,59,60</sup>Ti, <sup>61</sup>V, <sup>62,63,64,65,66</sup>Cr( $\beta^-$ ) [from <sup>58</sup>Ni(<sup>76</sup>Ge, X)]; measured E $\gamma$ , E $\beta$ ,  $\beta\gamma$ -coin, T<sub>1/2</sub>. <sup>58</sup>V, <sup>61</sup>Cr, <sup>62</sup>Mn deduced levels, J,  $\pi$ . <sup>58</sup>V, <sup>61</sup>Cr, <sup>62,63,64,65</sup>Mn deduced transitions. <sup>60</sup>V, <sup>62</sup>Mn deduced isomeric states. Comparison with model predictions. JOUR ZAANE 23 41
- 2005GA01 NUCLEAR REACTIONS <sup>58</sup>Ni(<sup>76</sup>Ge, X)<sup>57</sup>Sc / <sup>58</sup>Sc / <sup>58</sup>Ti / <sup>59</sup>Ti / <sup>60</sup>Ti / <sup>60</sup>V / <sup>61</sup>V / <sup>62</sup>V / <sup>63</sup>V / <sup>62</sup>Cr / <sup>63</sup>Cr / <sup>64</sup>Cr / <sup>65</sup>Cr / <sup>66</sup>Cr / <sup>65</sup>Mn / <sup>66</sup>Mn, E=61.8 MeV / nucleon; measured yields. JOUR ZAANE 23 41
- 2005NIZZ RADIOACTIVITY <sup>63,64</sup>Cr, <sup>65,66</sup>Mn, <sup>67,68</sup>Fe, <sup>69,70</sup>Co( $\beta^-$ ) [from Be(<sup>86</sup>Kr, X)]; measured E $\beta$ , T<sub>1/2</sub>. Fragment separator, comparisons with previous results and model predictions. CONF Riken(Origin of Matter) Proc,P304,Nishimura
- <sup>63</sup>Mn 2005GA01 RADIOACTIVITY <sup>57,58</sup>Sc, <sup>58,59,60</sup>Ti, <sup>61</sup>V, <sup>62,63,64,65,66</sup>Cr( $\beta^-$ ) [from <sup>58</sup>Ni(<sup>76</sup>Ge, X)]; measured E $\gamma$ , E $\beta$ ,  $\beta\gamma$ -coin, T<sub>1/2</sub>. <sup>58</sup>V, <sup>61</sup>Cr, <sup>62</sup>Mn deduced levels, J,  $\pi$ . <sup>58</sup>V, <sup>61</sup>Cr, <sup>62,63,64,65</sup>Mn deduced transitions. <sup>60</sup>V, <sup>62</sup>Mn deduced isomeric states. Comparison with model predictions. JOUR ZAANE 23 41
- 2005NIZZ RADIOACTIVITY <sup>63,64</sup>Cr, <sup>65,66</sup>Mn, <sup>67,68</sup>Fe, <sup>69,70</sup>Co( $\beta^-$ ) [from Be(<sup>86</sup>Kr, X)]; measured E $\beta$ , T<sub>1/2</sub>. Fragment separator, comparisons with previous results and model predictions. CONF Riken(Origin of Matter) Proc,P304,Nishimura
- <sup>63</sup>Co 2005PE12 NUCLEAR REACTIONS <sup>197</sup>Au(<sup>65</sup>Cu, X)<sup>62</sup>Co / <sup>63</sup>Co, E  $\approx$  400-460 MeV; measured yields. Ion-guide isotope separator. JOUR NIMAE 546 418
- 2005PE12 RADIOACTIVITY <sup>63</sup>Co( $\beta^-$ ) [from <sup>197</sup>Au(<sup>65</sup>Cu, X)]; measured  $\beta$ -delayed E $\gamma$ , I $\gamma$ . Ion-guide isotope separator. JOUR NIMAE 546 418
- <sup>63</sup>Ni 2004AHZZ NUCLEAR REACTIONS <sup>62</sup>Ni(n,  $\gamma$ ), E=low; measured capture  $\sigma$  for neutron spectrum with kT=25 keV. Accelerator mass spectrometry. REPT ANL-04/22,P15,Ahmad
- 2005GE09 NUCLEAR REACTIONS <sup>62,64</sup>Ni(d, p), E not given; measured E $\gamma$ , I $\gamma$ ( $\theta$ , H, t). <sup>65</sup>Ni deduced isomeric state g factor. Time dependent perturbed angular correlation technique, comparison with model predictions. JOUR JPGPE 31 S1439
- 2005NA08 NUCLEAR REACTIONS <sup>62</sup>Ni(n,  $\gamma$ ), E=spectrum; measured total  $\sigma$ . Fast-neutron activation, accelerator mass spectrometry. Astrophysical implications discussed. JOUR PRLTA 94 092504
- 2005NA31 NUCLEAR REACTIONS <sup>62</sup>Ni(n,  $\gamma$ ), E=5, 5-90 MeV; measured E $\gamma$ , I $\gamma$ , capture  $\sigma$ ; deduced Maxwellian averaged  $\sigma$ . JOUR NUPAB 758 537c
- 2005PE12 RADIOACTIVITY <sup>63</sup>Co( $\beta^-$ ) [from <sup>197</sup>Au(<sup>65</sup>Cu, X)]; measured  $\beta$ -delayed E $\gamma$ , I $\gamma$ . Ion-guide isotope separator. JOUR NIMAE 546 418
- 2005PE23 RADIOACTIVITY <sup>63</sup>Cu(EC) [from <sup>197</sup>Au(<sup>65</sup>Cu, X)]; measured  $\beta$ -delayed E $\gamma$ , I $\gamma$ . JOUR ZAANE 25 s01 749
- 2005SE23 NUCLEAR REACTIONS <sup>197</sup>Au(n,  $\gamma$ ), E=spectrum; measured E $\gamma$ , I $\gamma$ ; deduced neutron flux. <sup>7</sup>Li(p, n), E not given; deduced neutron spectrum. <sup>62</sup>Ni(n,  $\gamma$ ), E  $\approx$  5.5-20 keV; measured  $\sigma$ ; deduced Maxwellian-averaged  $\sigma$ . JOUR JUPSA 74 2981
- <sup>63</sup>Cu 2005PE23 RADIOACTIVITY <sup>63</sup>Cu(EC) [from <sup>197</sup>Au(<sup>65</sup>Cu, X)]; measured  $\beta$ -delayed E $\gamma$ , I $\gamma$ . JOUR ZAANE 25 s01 749

**A=63 (continued)**

- 2005PE23 NUCLEAR REACTIONS  $^{197}\text{Au}(^{65}\text{Cu}, \text{X})^{62}\text{Cu} / ^{63}\text{Cu}$ , E=443 MeV; measured yields. JOUR ZAANE 25 s01 749
- $^{63}\text{Zn}$  2005NAZY NUCLEAR REACTIONS  $^{27}\text{Al}(\text{d}, \text{X})^{27}\text{Mg} / ^{24}\text{Na}$ , E=22-40 MeV;  $\text{Cu}(\text{d}, \text{X})^{62}\text{Zn} / ^{63}\text{Zn} / ^{61}\text{Cu} / ^{64}\text{Cu}$ , E=22-40 MeV;  $\text{W}(\text{d}, \text{X})^{181}\text{Re} / ^{182}\text{Re} / ^{183}\text{Re} / ^{184}\text{Re} / ^{186}\text{Re} / ^{187}\text{W}$ , E=22-40 MeV; measured activation  $\sigma$ . Comparison with previous results and model predictions. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol2, P1489
- $^{63}\text{Ge}$  2005ST29 NUCLEAR REACTIONS  $^9\text{Be}(^{78}\text{Kr}, \text{X})^{60}\text{Ge} / ^{61}\text{Ge} / ^{62}\text{Ge} / ^{63}\text{Ge} / ^{64}\text{Ge} / ^{64}\text{Se} / ^{65}\text{Se} / ^{66}\text{Se} / ^{67}\text{Se} / ^{68}\text{Se}$ , E=140 MeV / nucleon; measured production  $\sigma$ , isotopic yields; deduced no evidence for  $^{59}\text{Ga}$ ,  $^{63}\text{As}$ .  $^{60}\text{Ge}$ ,  $^{64}\text{Se}$  deduced  $T_{1/2}$  lower limits.  $^{59}\text{Ga}$ ,  $^{63}\text{As}$  deduced  $T_{1/2}$  upper limits. JOUR PYLBB 627 32
- 2005ST34 NUCLEAR REACTIONS  $^9\text{Be}(^{78}\text{Kr}, \text{X})^{60}\text{Ge} / ^{61}\text{Ge} / ^{62}\text{Ge} / ^{63}\text{Ge} / ^{64}\text{Ge} / ^{64}\text{Se} / ^{65}\text{Se} / ^{66}\text{Se} / ^{67}\text{Se} / ^{68}\text{Se}$ , E=140 MeV / nucleon; measured production  $\sigma$ , isotopic yields; deduced no evidence for  $^{59}\text{Ga}$ ,  $^{63}\text{As}$ . JOUR ZAANE 25 s01 335
- $^{63}\text{As}$  2005ST29 NUCLEAR REACTIONS  $^9\text{Be}(^{78}\text{Kr}, \text{X})^{60}\text{Ge} / ^{61}\text{Ge} / ^{62}\text{Ge} / ^{63}\text{Ge} / ^{64}\text{Ge} / ^{64}\text{Se} / ^{65}\text{Se} / ^{66}\text{Se} / ^{67}\text{Se} / ^{68}\text{Se}$ , E=140 MeV / nucleon; measured production  $\sigma$ , isotopic yields; deduced no evidence for  $^{59}\text{Ga}$ ,  $^{63}\text{As}$ .  $^{60}\text{Ge}$ ,  $^{64}\text{Se}$  deduced  $T_{1/2}$  lower limits.  $^{59}\text{Ga}$ ,  $^{63}\text{As}$  deduced  $T_{1/2}$  upper limits. JOUR PYLBB 627 32
- 2005ST34 NUCLEAR REACTIONS  $^9\text{Be}(^{78}\text{Kr}, \text{X})^{60}\text{Ge} / ^{61}\text{Ge} / ^{62}\text{Ge} / ^{63}\text{Ge} / ^{64}\text{Ge} / ^{64}\text{Se} / ^{65}\text{Se} / ^{66}\text{Se} / ^{67}\text{Se} / ^{68}\text{Se}$ , E=140 MeV / nucleon; measured production  $\sigma$ , isotopic yields; deduced no evidence for  $^{59}\text{Ga}$ ,  $^{63}\text{As}$ . JOUR ZAANE 25 s01 335

**A=64**

- $^{64}\text{Cr}$  2005GA01 RADIOACTIVITY  $^{57,58}\text{Sc}$ ,  $^{58,59,60}\text{Ti}$ ,  $^{61}\text{V}$ ,  $^{62,63,64,65,66}\text{Cr}(\beta^-)$  [from  $^{58}\text{Ni}(^{76}\text{Ge}, \text{X})$ ]; measured  $E\gamma$ ,  $E\beta$ ,  $\beta\gamma$ -coin,  $T_{1/2}$ .  $^{58}\text{V}$ ,  $^{61}\text{Cr}$ ,  $^{62}\text{Mn}$  deduced levels, J,  $\pi$ .  $^{58}\text{V}$ ,  $^{61}\text{Cr}$ ,  $^{62,63,64,65}\text{Mn}$  deduced transitions.  $^{60}\text{V}$ ,  $^{62}\text{Mn}$  deduced isomeric states. Comparison with model predictions. JOUR ZAANE 23 41
- 2005GA01 NUCLEAR REACTIONS  $^{58}\text{Ni}(^{76}\text{Ge}, \text{X})^{57}\text{Sc} / ^{58}\text{Sc} / ^{58}\text{Ti} / ^{59}\text{Ti} / ^{60}\text{Ti} / ^{60}\text{V} / ^{61}\text{V} / ^{62}\text{V} / ^{63}\text{V} / ^{62}\text{Cr} / ^{63}\text{Cr} / ^{64}\text{Cr} / ^{65}\text{Cr} / ^{66}\text{Cr} / ^{65}\text{Mn} / ^{66}\text{Mn}$ , E=61.8 MeV / nucleon; measured yields. JOUR ZAANE 23 41
- 2005NIZZ RADIOACTIVITY  $^{63,64}\text{Cr}$ ,  $^{65,66}\text{Mn}$ ,  $^{67,68}\text{Fe}$ ,  $^{69,70}\text{Co}(\beta^-)$  [from  $\text{Be}(^{86}\text{Kr}, \text{X})$ ]; measured  $E\beta$ ,  $T_{1/2}$ . Fragment separator, comparisons with previous results and model predictions. CONF Riken(Origin of Matter) Proc, P304, Nishimura
- $^{64}\text{Mn}$  2005GA01 RADIOACTIVITY  $^{57,58}\text{Sc}$ ,  $^{58,59,60}\text{Ti}$ ,  $^{61}\text{V}$ ,  $^{62,63,64,65,66}\text{Cr}(\beta^-)$  [from  $^{58}\text{Ni}(^{76}\text{Ge}, \text{X})$ ]; measured  $E\gamma$ ,  $E\beta$ ,  $\beta\gamma$ -coin,  $T_{1/2}$ .  $^{58}\text{V}$ ,  $^{61}\text{Cr}$ ,  $^{62}\text{Mn}$  deduced levels, J,  $\pi$ .  $^{58}\text{V}$ ,  $^{61}\text{Cr}$ ,  $^{62,63,64,65}\text{Mn}$  deduced transitions.  $^{60}\text{V}$ ,  $^{62}\text{Mn}$  deduced isomeric states. Comparison with model predictions. JOUR ZAANE 23 41

## A=64 (continued)

- 2005NIZZ RADIOACTIVITY  $^{63,64}\text{Cr}$ ,  $^{65,66}\text{Mn}$ ,  $^{67,68}\text{Fe}$ ,  $^{69,70}\text{Co}(\beta^-)$  [from  $\text{Be}(^{86}\text{Kr}, \text{X})$ ]; measured  $E\beta$ ,  $T_{1/2}$ . Fragment separator, comparisons with previous results and model predictions. CONF Riken(Origin of Matter) Proc,P304,Nishimura
- $^{64}\text{Ni}$  2005ZU01 RADIOACTIVITY  $^{120}\text{Te}(\beta^+\text{EC})$ ;  $^{64}\text{Zn}$ ,  $^{106,108}\text{Cd}$ ,  $^{120}\text{Te}(2\text{EC})$ ; measured  $T_{1/2}$  lower limits. JOUR NPBSE 138 236
- $^{64}\text{Cu}$  2004AG09 NUCLEAR REACTIONS  $^{103}\text{Rh}(\text{n}, \text{n}')^{103\text{m}}\text{Rh}$ ,  $E \approx 4.8$  MeV;  $^{115}\text{In}(\text{n}, \text{n}')^{115\text{m}}\text{In}$ ,  $E \approx 5$  MeV;  $^{232}\text{Th}$ ,  $^{238}\text{U}(\text{n}, \text{F})$ ,  $E \approx 5$  MeV;  $^{24}\text{Mg}$ ,  $^{27}\text{Al}$ ,  $^{46,47,48}\text{Ti}$ ,  $^{54,56}\text{Fe}$ ,  $^{58}\text{Ni}$ ,  $^{64}\text{Zn}(\text{n}, \text{p})$ ,  $E \approx 2-8$  MeV;  $^{27}\text{Al}$ ,  $^{59}\text{Co}(\text{n}, \alpha)$ ,  $E \approx 8.3$  MeV; measured activation  $\sigma$ . Spectrum average technique, comparison with previous results. JOUR RAACA 92 63
- 2005B010 NUCLEAR REACTIONS  $\text{Zn}(\text{p}, \text{X})^{64}\text{Cu}$  /  $^{57}\text{Ni}$  /  $^{56}\text{Ni}$  /  $^{52}\text{Mn}$  /  $^{54}\text{Mn}$  /  $^{62}\text{Zn}$  /  $^{65}\text{Zn}$  /  $^{51}\text{Cr}$  /  $^{48}\text{V}$  /  $^{55}\text{Co}$  /  $^{56}\text{Co}$  /  $^{57}\text{Co}$  /  $^{58}\text{Co}$  /  $^{60}\text{Co}$  /  $^{66}\text{Ga}$  /  $^{67}\text{Ga}$  /  $^{52}\text{Fe}$  /  $^{59}\text{Fe}$ ,  $E \approx 31-141$  MeV; measured production  $\sigma$ . Stacked-foil activation. JOUR JRNCD 264 101
- 2005HIZX NUCLEAR REACTIONS  $^{66}\text{Zn}(\text{d}, \alpha)$ ,  $E=5-14$  MeV;  $\text{Ce}(^3\text{He}, \text{xn})^{140}\text{Nd}$ ,  $E=16-35$  MeV;  $^{141}\text{Ce}(\text{p}, 2\text{n})$ ,  $E=10-45$  MeV;  $^{192}\text{Os}(\text{p}, \text{n})$ ,  $E=6-19$  MeV; measured excitation functions; deduced thick-target yields. Stacked-foil activation technique. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol2,P1631
- 2005MAZP NUCLEAR REACTIONS  $^{64}\text{Zn}(\text{n}, \text{p})$ ,  $^{64}\text{Zn}$ ,  $^{63,65}\text{Cu}(\text{n}, 2\text{n})$ ,  $E \approx 10-15$  MeV; measured  $\sigma$ . Comparison with previous results. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol1,P609
- 2005NAZY NUCLEAR REACTIONS  $^{27}\text{Al}(\text{d}, \text{X})^{27}\text{Mg}$  /  $^{24}\text{Na}$ ,  $E=22-40$  MeV;  $\text{Cu}(\text{d}, \text{X})^{62}\text{Zn}$  /  $^{63}\text{Zn}$  /  $^{61}\text{Cu}$  /  $^{64}\text{Cu}$ ,  $E=22-40$  MeV;  $\text{W}(\text{d}, \text{X})^{181}\text{Re}$  /  $^{182}\text{Re}$  /  $^{183}\text{Re}$  /  $^{184}\text{Re}$  /  $^{186}\text{Re}$  /  $^{187}\text{W}$ ,  $E=22-40$  MeV; measured activation  $\sigma$ . Comparison with previous results and model predictions. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol2,P1489
- 2005P017 NUCLEAR REACTIONS  $^{64}\text{Ni}(^3\text{He}, \text{t})$ ,  $E=140$  MeV / nucleon; measured triton spectra,  $\sigma(\theta)$ .  $^{64}\text{Cu}$  deduced levels,  $J$ ,  $\pi$ , Gamow-Teller strength distribution. JOUR JPGPE 31 S1945
- 2005SHZS NUCLEAR REACTIONS  $^{65}\text{Cu}(^6\text{Li}, \text{d}\alpha)$ ,  $(^6\text{Li}, ^7\text{Li})$ ,  $(^6\text{Li}, ^3\text{He})$ ,  $(^6\text{Li}, \alpha)$ ,  $(^6\text{Li}, \alpha\text{X})$ ,  $(^7\text{Li}, \text{t}\alpha)$ ,  $(^7\text{Li}, \text{d}\alpha)$ ,  $(^7\text{Li}, ^6\text{Li})$ ,  $(^7\text{Li}, ^6\text{He})$ ,  $(^7\text{Li}, \alpha)$ ,  $(^7\text{Li}, \alpha\text{X})$ ,  $E=25$  MeV; measured particle spectra,  $\sigma$ ,  $\sigma(\theta)$ ; deduced reaction mechanism features. Comparison with coupled channels predictions. PREPRINT nucl-ex/0512032,12/21/2005
- 2005SZ04 NUCLEAR REACTIONS  $\text{Zn}$ ,  $^{68}\text{Zn}(\text{p}, \text{X})^{64}\text{Cu}$ ,  $E \approx 18-100$  MeV;  $^{66}\text{Zn}(\text{p}, \text{n}2\text{p})$ ,  $E \approx 35-100$  MeV; measured production  $\sigma$ . Stacked-foil activation technique. JOUR NIMBE 240 625
- $^{64}\text{Zn}$  2005CH60 ATOMIC MASSES  $^{64}\text{Zn}$ ,  $^{64}\text{Ga}$ ,  $^{68}\text{Ge}$ ,  $^{68}\text{As}$ ,  $^{68,72}\text{Se}$ ,  $^{76}\text{Kr}$ ,  $^{76}\text{Rb}$ ,  $^{80}\text{Sr}$ ,  $^{80}\text{Y}$ ; measured masses. Direct time-of-flight technique, comparison with previous results. JOUR JPGPE 31 S1771
- 2005G009 NUCLEAR REACTIONS  $^{64}\text{Zn}(^6\text{Li}, \text{X})$ ,  $(^7\text{Li}, \text{X})$ ,  $(^9\text{Be}, \text{X})$ ,  $(^{16}\text{O}, \text{X})$ ,  $E \approx 16-69$  MeV; measured fusion and reaction  $\sigma$ ; deduced reaction mechanism features.  $^{64}\text{Zn}(^9\text{Be}, ^9\text{Be})$ ,  $E=17-28$  MeV;  $^{64}\text{Zn}(^{16}\text{O}, ^{16}\text{O})$ ,  $E=40-64$  MeV; measured elastic  $\sigma(\theta)$ . Coupled channels analysis. JOUR PRVCA 71 034608



**A=64 (continued)**

- 2005LE12 NUCLEAR REACTIONS C( $^{64}\text{Zn}$ ,  $^{64}\text{Zn}'$ ), ( $^{68}\text{Zn}$ ,  $^{68}\text{Zn}'$ ), E=180 MeV; measured  $E\gamma$ ,  $I\gamma(\theta, H, t)$ ,  $\gamma\gamma$ -, (particle) $\gamma$ -coin, DSA following projectile Coulomb excitation.  $^{64,68}\text{Zn}$  levels deduced g factors,  $T_{1/2}$ , B(E2). Transient-field technique, large-scale shell model calculations. JOUR PRVCA 71 034303
- 2005LE38 NUCLEAR REACTIONS C( $^{68}\text{Zn}$ ,  $^{68}\text{Zn}'$ ), E=180 MeV; measured  $E\gamma$ ,  $I\gamma(\theta, H, t)$  (particle) $\gamma$ -coin following projectile Coulomb excitation.  $^{68}\text{Zn}$  levels deduced g factors,  $T_{1/2}$ , B(E2), configurations.  $^{64}\text{Zn}$  levels analyzed g factors, B(E2). Large-scale shell-model calculations. JOUR PRVCA 72 044301
- 2005ZU01 RADIOACTIVITY  $^{120}\text{Te}(\beta^+\text{EC})$ ;  $^{64}\text{Zn}$ ,  $^{106,108}\text{Cd}$ ,  $^{120}\text{Te}(2\text{EC})$ ; measured  $T_{1/2}$  lower limits. JOUR NPBSE 138 236
- $^{64}\text{Ga}$  2005CH60 ATOMIC MASSES  $^{64}\text{Zn}$ ,  $^{64}\text{Ga}$ ,  $^{68}\text{Ge}$ ,  $^{68}\text{As}$ ,  $^{68,72}\text{Se}$ ,  $^{76}\text{Kr}$ ,  $^{76}\text{Rb}$ ,  $^{80}\text{Sr}$ ,  $^{80}\text{Y}$ ; measured masses. Direct time-of-flight technique, comparison with previous results. JOUR JPGPE 31 S1771
- $^{64}\text{Ge}$  2005CL08 ATOMIC MASSES  $^{64}\text{Ge}$ ,  $^{68}\text{Se}$ ; analyzed masses; deduced effective  $T_{1/2}$ .  $^{90,91}\text{Mo}$ ,  $^{90,91,92,93}\text{Tc}$ ,  $^{93,94}\text{Ru}$ ,  $^{94,95}\text{Rh}$ ,  $^{104,105,106,107}\text{In}$ ,  $^{104,105,107,108}\text{Sn}$ ,  $^{107,108}\text{Sb}$ ; measured masses. Penning trap, astrophysical implications discussed. JOUR ZAANE 25 s01 629
- 2005ST29 NUCLEAR REACTIONS  $^9\text{Be}(^{78}\text{Kr}, X)^{60}\text{Ge} / ^{61}\text{Ge} / ^{62}\text{Ge} / ^{63}\text{Ge} / ^{64}\text{Ge} / ^{64}\text{Se} / ^{65}\text{Se} / ^{66}\text{Se} / ^{67}\text{Se} / ^{68}\text{Se}$ , E=140 MeV / nucleon; measured production  $\sigma$ , isotopic yields; deduced no evidence for  $^{59}\text{Ga}$ ,  $^{63}\text{As}$ .  $^{60}\text{Ge}$ ,  $^{64}\text{Se}$  deduced  $T_{1/2}$  lower limits.  $^{59}\text{Ga}$ ,  $^{63}\text{As}$  deduced  $T_{1/2}$  upper limits. JOUR PYLBB 627 32
- 2005ST34 NUCLEAR REACTIONS  $^9\text{Be}(^{78}\text{Kr}, X)^{60}\text{Ge} / ^{61}\text{Ge} / ^{62}\text{Ge} / ^{63}\text{Ge} / ^{64}\text{Ge} / ^{64}\text{Se} / ^{65}\text{Se} / ^{66}\text{Se} / ^{67}\text{Se} / ^{68}\text{Se}$ , E=140 MeV / nucleon; measured production  $\sigma$ , isotopic yields; deduced no evidence for  $^{59}\text{Ga}$ ,  $^{63}\text{As}$ . JOUR ZAANE 25 s01 335
- $^{64}\text{Se}$  2005ST29 NUCLEAR REACTIONS  $^9\text{Be}(^{78}\text{Kr}, X)^{60}\text{Ge} / ^{61}\text{Ge} / ^{62}\text{Ge} / ^{63}\text{Ge} / ^{64}\text{Ge} / ^{64}\text{Se} / ^{65}\text{Se} / ^{66}\text{Se} / ^{67}\text{Se} / ^{68}\text{Se}$ , E=140 MeV / nucleon; measured production  $\sigma$ , isotopic yields; deduced no evidence for  $^{59}\text{Ga}$ ,  $^{63}\text{As}$ .  $^{60}\text{Ge}$ ,  $^{64}\text{Se}$  deduced  $T_{1/2}$  lower limits.  $^{59}\text{Ga}$ ,  $^{63}\text{As}$  deduced  $T_{1/2}$  upper limits. JOUR PYLBB 627 32
- 2005ST34 NUCLEAR REACTIONS  $^9\text{Be}(^{78}\text{Kr}, X)^{60}\text{Ge} / ^{61}\text{Ge} / ^{62}\text{Ge} / ^{63}\text{Ge} / ^{64}\text{Ge} / ^{64}\text{Se} / ^{65}\text{Se} / ^{66}\text{Se} / ^{67}\text{Se} / ^{68}\text{Se}$ , E=140 MeV / nucleon; measured production  $\sigma$ , isotopic yields; deduced no evidence for  $^{59}\text{Ga}$ ,  $^{63}\text{As}$ . JOUR ZAANE 25 s01 335

**A=65**

- $^{65}\text{Cr}$  2005GA01 RADIOACTIVITY  $^{57,58}\text{Sc}$ ,  $^{58,59,60}\text{Ti}$ ,  $^{61}\text{V}$ ,  $^{62,63,64,65,66}\text{Cr}(\beta^-)$  [from  $^{58}\text{Ni}(^{76}\text{Ge}, X)$ ]; measured  $E\gamma$ ,  $E\beta$ ,  $\beta\gamma$ -coin,  $T_{1/2}$ .  $^{58}\text{V}$ ,  $^{61}\text{Cr}$ ,  $^{62}\text{Mn}$  deduced levels, J,  $\pi$ .  $^{58}\text{V}$ ,  $^{61}\text{Cr}$ ,  $^{62,63,64,65}\text{Mn}$  deduced transitions.  $^{60}\text{V}$ ,  $^{62}\text{Mn}$  deduced isomeric states. Comparison with model predictions. JOUR ZAANE 23 41
- 2005GA01 NUCLEAR REACTIONS  $^{58}\text{Ni}(^{76}\text{Ge}, X)^{57}\text{Sc} / ^{58}\text{Sc} / ^{58}\text{Ti} / ^{59}\text{Ti} / ^{60}\text{Ti} / ^{60}\text{V} / ^{61}\text{V} / ^{62}\text{V} / ^{63}\text{V} / ^{62}\text{Cr} / ^{63}\text{Cr} / ^{64}\text{Cr} / ^{65}\text{Cr} / ^{66}\text{Cr} / ^{65}\text{Mn} / ^{66}\text{Mn}$ , E=61.8 MeV / nucleon; measured yields. JOUR ZAANE 23 41

## A=65 (continued)

- <sup>65</sup>Mn      2005GA01      RADIOACTIVITY <sup>57,58</sup>Sc, <sup>58,59,60</sup>Ti, <sup>61</sup>V, <sup>62,63,64,65,66</sup>Cr( $\beta^-$ ) [from <sup>58</sup>Ni(<sup>76</sup>Ge, X)]; measured E $\gamma$ , E $\beta$ ,  $\beta\gamma$ -coin, T<sub>1/2</sub>. <sup>58</sup>V, <sup>61</sup>Cr, <sup>62</sup>Mn deduced levels, J,  $\pi$ . <sup>58</sup>V, <sup>61</sup>Cr, <sup>62,63,64,65</sup>Mn deduced transitions. <sup>60</sup>V, <sup>62</sup>Mn deduced isomeric states. Comparison with model predictions. JOUR ZAANE 23 41
- 2005GA01      NUCLEAR REACTIONS <sup>58</sup>Ni(<sup>76</sup>Ge, X)<sup>57</sup>Sc / <sup>58</sup>Sc / <sup>58</sup>Ti / <sup>59</sup>Ti / <sup>60</sup>Ti / <sup>60</sup>V / <sup>61</sup>V / <sup>62</sup>V / <sup>63</sup>V / <sup>62</sup>Cr / <sup>63</sup>Cr / <sup>64</sup>Cr / <sup>65</sup>Cr / <sup>66</sup>Cr / <sup>65</sup>Mn / <sup>66</sup>Mn, E=61.8 MeV / nucleon; measured yields. JOUR ZAANE 23 41
- 2005NIZZ      RADIOACTIVITY <sup>63,64</sup>Cr, <sup>65,66</sup>Mn, <sup>67,68</sup>Fe, <sup>69,70</sup>Co( $\beta^-$ ) [from Be(<sup>86</sup>Kr, X)]; measured E $\beta$ , T<sub>1/2</sub>. Fragment separator, comparisons with previous results and model predictions. CONF Riken(Origin of Matter) Proc,P304,Nishimura
- <sup>65</sup>Fe      2005NIZZ      RADIOACTIVITY <sup>63,64</sup>Cr, <sup>65,66</sup>Mn, <sup>67,68</sup>Fe, <sup>69,70</sup>Co( $\beta^-$ ) [from Be(<sup>86</sup>Kr, X)]; measured E $\beta$ , T<sub>1/2</sub>. Fragment separator, comparisons with previous results and model predictions. CONF Riken(Origin of Matter) Proc,P304,Nishimura
- <sup>65</sup>Ni      2005GE09      NUCLEAR REACTIONS <sup>62,64</sup>Ni(d, p), E not given; measured E $\gamma$ , I $\gamma$ ( $\theta$ , H, t). <sup>65</sup>Ni deduced isomeric state g factor. Time dependent perturbed angular correlation technique, comparison with model predictions. JOUR JPGPE 31 S1439
- <sup>65</sup>Cu      2005BEZX      RADIOACTIVITY <sup>65</sup>Zn( $\beta^+$ ), (EC); measured E $\gamma$ , I $\gamma$ ,  $\beta\gamma$ -coin; deduced  $\gamma$ -emission intensities. <sup>65</sup>Cu levels deduced  $\beta$ -feeding intensities. EUROMET project 721. REPT CEA-R-6081,Be
- 2005IW01      RADIOACTIVITY <sup>65</sup>Zn( $\beta^+$ ), (EC); measured E $\gamma$ , I $\gamma$ , (X-ray) $\gamma$ -coin; deduced  $\gamma$ -ray emission probability. <sup>241</sup>Am( $\alpha$ ); measured E $\gamma$ , I $\gamma$ ,  $\alpha\gamma$ -coin; deduced  $\gamma$ -ray emission probabilities. <sup>65</sup>Cu, <sup>237</sup>Np deduced transitions. JOUR ARISE 63 107
- 2005SHZS      NUCLEAR REACTIONS <sup>65</sup>Cu(<sup>6</sup>Li, d $\alpha$ ), (<sup>6</sup>Li, <sup>7</sup>Li), (<sup>6</sup>Li, <sup>3</sup>He), (<sup>6</sup>Li,  $\alpha$ ), (<sup>6</sup>Li,  $\alpha$ X), (<sup>7</sup>Li, t $\alpha$ ), (<sup>7</sup>Li, d $\alpha$ ), (<sup>7</sup>Li, <sup>6</sup>Li), (<sup>7</sup>Li, <sup>6</sup>He), (<sup>7</sup>Li,  $\alpha$ ), (<sup>7</sup>Li,  $\alpha$ X), E=25 MeV; measured particle spectra,  $\sigma$ ,  $\sigma(\theta)$ ; deduced reaction mechanism features. Comparison with coupled channels predictions. PREPRINT nucl-ex/0512032,12/21/2005
- 2006B001      RADIOACTIVITY <sup>54</sup>Mn, <sup>65</sup>Zn(EC); measured  $\beta\gamma$ -coin. Triple to double coincidence ratio method. JOUR ARISE 64 124
- <sup>65</sup>Zn      2005BEZX      RADIOACTIVITY <sup>65</sup>Zn( $\beta^+$ ), (EC); measured E $\gamma$ , I $\gamma$ ,  $\beta\gamma$ -coin; deduced  $\gamma$ -emission intensities. <sup>65</sup>Cu levels deduced  $\beta$ -feeding intensities. EUROMET project 721. REPT CEA-R-6081,Be
- 2005B010      NUCLEAR REACTIONS Zn(p, X)<sup>64</sup>Cu / <sup>57</sup>Ni / <sup>56</sup>Ni / <sup>52</sup>Mn / <sup>54</sup>Mn / <sup>62</sup>Zn / <sup>65</sup>Zn / <sup>51</sup>Cr / <sup>48</sup>V / <sup>55</sup>Co / <sup>56</sup>Co / <sup>57</sup>Co / <sup>58</sup>Co / <sup>60</sup>Co / <sup>66</sup>Ga / <sup>67</sup>Ga / <sup>52</sup>Fe / <sup>59</sup>Fe, E  $\approx$  31-141 MeV; measured production  $\sigma$ . Stacked-foil activation. JOUR JRNCD 264 101
- 2005IW01      RADIOACTIVITY <sup>65</sup>Zn( $\beta^+$ ), (EC); measured E $\gamma$ , I $\gamma$ , (X-ray) $\gamma$ -coin; deduced  $\gamma$ -ray emission probability. <sup>241</sup>Am( $\alpha$ ); measured E $\gamma$ , I $\gamma$ ,  $\alpha\gamma$ -coin; deduced  $\gamma$ -ray emission probabilities. <sup>65</sup>Cu, <sup>237</sup>Np deduced transitions. JOUR ARISE 63 107
- 2006B001      RADIOACTIVITY <sup>54</sup>Mn, <sup>65</sup>Zn(EC); measured  $\beta\gamma$ -coin. Triple to double coincidence ratio method. JOUR ARISE 64 124

**A=65 (continued)**

- <sup>65</sup>Se      2005ST29      NUCLEAR REACTIONS <sup>9</sup>Be(<sup>78</sup>Kr, X)<sup>60</sup>Ge / <sup>61</sup>Ge / <sup>62</sup>Ge / <sup>63</sup>Ge / <sup>64</sup>Ge / <sup>64</sup>Se / <sup>65</sup>Se / <sup>66</sup>Se / <sup>67</sup>Se / <sup>68</sup>Se, E=140 MeV / nucleon; measured production  $\sigma$ , isotopic yields; deduced no evidence for <sup>59</sup>Ga, <sup>63</sup>As. <sup>60</sup>Ge, <sup>64</sup>Se deduced T<sub>1/2</sub> lower limits. <sup>59</sup>Ga, <sup>63</sup>As deduced T<sub>1/2</sub> upper limits. JOUR PYLBB 627 32
- 2005ST34      NUCLEAR REACTIONS <sup>9</sup>Be(<sup>78</sup>Kr, X)<sup>60</sup>Ge / <sup>61</sup>Ge / <sup>62</sup>Ge / <sup>63</sup>Ge / <sup>64</sup>Ge / <sup>64</sup>Se / <sup>65</sup>Se / <sup>66</sup>Se / <sup>67</sup>Se / <sup>68</sup>Se, E=140 MeV / nucleon; measured production  $\sigma$ , isotopic yields; deduced no evidence for <sup>59</sup>Ga, <sup>63</sup>As. JOUR ZAANE 25 s01 335

**A=66**

- <sup>66</sup>Cr      2005GA01      RADIOACTIVITY <sup>57,58</sup>Sc, <sup>58,59,60</sup>Ti, <sup>61</sup>V, <sup>62,63,64,65,66</sup>Cr( $\beta^-$ ) [from <sup>58</sup>Ni(<sup>76</sup>Ge, X)]; measured E $\gamma$ , E $\beta$ ,  $\beta\gamma$ -coin, T<sub>1/2</sub>. <sup>58</sup>V, <sup>61</sup>Cr, <sup>62</sup>Mn deduced levels, J,  $\pi$ . <sup>58</sup>V, <sup>61</sup>Cr, <sup>62,63,64,65</sup>Mn deduced transitions. <sup>60</sup>V, <sup>62</sup>Mn deduced isomeric states. Comparison with model predictions. JOUR ZAANE 23 41
- 2005GA01      NUCLEAR REACTIONS <sup>58</sup>Ni(<sup>76</sup>Ge, X)<sup>57</sup>Sc / <sup>58</sup>Sc / <sup>58</sup>Ti / <sup>59</sup>Ti / <sup>60</sup>Ti / <sup>60</sup>V / <sup>61</sup>V / <sup>62</sup>V / <sup>63</sup>V / <sup>62</sup>Cr / <sup>63</sup>Cr / <sup>64</sup>Cr / <sup>65</sup>Cr / <sup>66</sup>Cr / <sup>65</sup>Mn / <sup>66</sup>Mn, E=61.8 MeV / nucleon; measured yields. JOUR ZAANE 23 41
- <sup>66</sup>Mn      2005GA01      RADIOACTIVITY <sup>57,58</sup>Sc, <sup>58,59,60</sup>Ti, <sup>61</sup>V, <sup>62,63,64,65,66</sup>Cr( $\beta^-$ ) [from <sup>58</sup>Ni(<sup>76</sup>Ge, X)]; measured E $\gamma$ , E $\beta$ ,  $\beta\gamma$ -coin, T<sub>1/2</sub>. <sup>58</sup>V, <sup>61</sup>Cr, <sup>62</sup>Mn deduced levels, J,  $\pi$ . <sup>58</sup>V, <sup>61</sup>Cr, <sup>62,63,64,65</sup>Mn deduced transitions. <sup>60</sup>V, <sup>62</sup>Mn deduced isomeric states. Comparison with model predictions. JOUR ZAANE 23 41
- 2005GA01      NUCLEAR REACTIONS <sup>58</sup>Ni(<sup>76</sup>Ge, X)<sup>57</sup>Sc / <sup>58</sup>Sc / <sup>58</sup>Ti / <sup>59</sup>Ti / <sup>60</sup>Ti / <sup>60</sup>V / <sup>61</sup>V / <sup>62</sup>V / <sup>63</sup>V / <sup>62</sup>Cr / <sup>63</sup>Cr / <sup>64</sup>Cr / <sup>65</sup>Cr / <sup>66</sup>Cr / <sup>65</sup>Mn / <sup>66</sup>Mn, E=61.8 MeV / nucleon; measured yields. JOUR ZAANE 23 41
- 2005NIZZ      RADIOACTIVITY <sup>63,64</sup>Cr, <sup>65,66</sup>Mn, <sup>67,68</sup>Fe, <sup>69,70</sup>Co( $\beta^-$ ) [from Be(<sup>86</sup>Kr, X)]; measured E $\beta$ , T<sub>1/2</sub>. Fragment separator, comparisons with previous results and model predictions. CONF Riken(Origin of Matter) Proc,P304,Nishimura
- <sup>66</sup>Fe      2005NIZZ      RADIOACTIVITY <sup>63,64</sup>Cr, <sup>65,66</sup>Mn, <sup>67,68</sup>Fe, <sup>69,70</sup>Co( $\beta^-$ ) [from Be(<sup>86</sup>Kr, X)]; measured E $\beta$ , T<sub>1/2</sub>. Fragment separator, comparisons with previous results and model predictions. CONF Riken(Origin of Matter) Proc,P304,Nishimura
- <sup>66</sup>Cu      2005SHZS      NUCLEAR REACTIONS <sup>65</sup>Cu(<sup>6</sup>Li, d $\alpha$ ), (<sup>6</sup>Li, <sup>7</sup>Li), (<sup>6</sup>Li, <sup>3</sup>He), (<sup>6</sup>Li,  $\alpha$ ), (<sup>6</sup>Li,  $\alpha$ X), (<sup>7</sup>Li, t $\alpha$ ), (<sup>7</sup>Li, d $\alpha$ ), (<sup>7</sup>Li, <sup>6</sup>Li), (<sup>7</sup>Li, <sup>6</sup>He), (<sup>7</sup>Li,  $\alpha$ ), (<sup>7</sup>Li,  $\alpha$ X), E=25 MeV; measured particle spectra,  $\sigma$ ,  $\sigma(\theta)$ ; deduced reaction mechanism features. Comparison with coupled channels predictions. PREPRINT nucl-ex/0512032,12/21/2005
- <sup>66</sup>Zn      2005SHZS      NUCLEAR REACTIONS <sup>65</sup>Cu(<sup>6</sup>Li, d $\alpha$ ), (<sup>6</sup>Li, <sup>7</sup>Li), (<sup>6</sup>Li, <sup>3</sup>He), (<sup>6</sup>Li,  $\alpha$ ), (<sup>6</sup>Li,  $\alpha$ X), (<sup>7</sup>Li, t $\alpha$ ), (<sup>7</sup>Li, d $\alpha$ ), (<sup>7</sup>Li, <sup>6</sup>Li), (<sup>7</sup>Li, <sup>6</sup>He), (<sup>7</sup>Li,  $\alpha$ ), (<sup>7</sup>Li,  $\alpha$ X), E=25 MeV; measured particle spectra,  $\sigma$ ,  $\sigma(\theta)$ ; deduced reaction mechanism features. Comparison with coupled channels predictions. PREPRINT nucl-ex/0512032,12/21/2005

**A=66 (continued)**

- <sup>66</sup>Ga 2005B010 NUCLEAR REACTIONS Zn(p, X)<sup>64</sup>Cu / <sup>57</sup>Ni / <sup>56</sup>Ni / <sup>52</sup>Mn / <sup>54</sup>Mn / <sup>62</sup>Zn / <sup>65</sup>Zn / <sup>51</sup>Cr / <sup>48</sup>V / <sup>55</sup>Co / <sup>56</sup>Co / <sup>57</sup>Co / <sup>58</sup>Co / <sup>60</sup>Co / <sup>66</sup>Ga / <sup>67</sup>Ga / <sup>52</sup>Fe / <sup>59</sup>Fe, E ≈ 31-141 MeV; measured production  $\sigma$ . Stacked-foil activation. JOUR JRNC D 264 101
- 2005SZ02 NUCLEAR REACTIONS <sup>66</sup>Zn(p, n), <sup>68</sup>Zn(p, 2n), (p, 3n), E ≈ 5-100 MeV; Zn(p, X)<sup>66</sup>Ga / <sup>67</sup>Ga, E ≈ 5-100 MeV; measured production  $\sigma$ . Stacked-foil activation, comparison with previous results. JOUR NIMBE 234 375
- <sup>66</sup>Se 2005ST29 NUCLEAR REACTIONS <sup>9</sup>Be(<sup>78</sup>Kr, X)<sup>60</sup>Ge / <sup>61</sup>Ge / <sup>62</sup>Ge / <sup>63</sup>Ge / <sup>64</sup>Ge / <sup>64</sup>Se / <sup>65</sup>Se / <sup>66</sup>Se / <sup>67</sup>Se / <sup>68</sup>Se, E=140 MeV / nucleon; measured production  $\sigma$ , isotopic yields; deduced no evidence for <sup>59</sup>Ga, <sup>63</sup>As. <sup>60</sup>Ge, <sup>64</sup>Se deduced T<sub>1/2</sub> lower limits. <sup>59</sup>Ga, <sup>63</sup>As deduced T<sub>1/2</sub> upper limits. JOUR PYLBB 627 32
- 2005ST34 NUCLEAR REACTIONS <sup>9</sup>Be(<sup>78</sup>Kr, X)<sup>60</sup>Ge / <sup>61</sup>Ge / <sup>62</sup>Ge / <sup>63</sup>Ge / <sup>64</sup>Ge / <sup>64</sup>Se / <sup>65</sup>Se / <sup>66</sup>Se / <sup>67</sup>Se / <sup>68</sup>Se, E=140 MeV / nucleon; measured production  $\sigma$ , isotopic yields; deduced no evidence for <sup>59</sup>Ga, <sup>63</sup>As. JOUR ZAANE 25 s01 335

**A=67**

- <sup>67</sup>Fe 2005NIZZ RADIOACTIVITY <sup>63,64</sup>Cr, <sup>65,66</sup>Mn, <sup>67,68</sup>Fe, <sup>69,70</sup>Co( $\beta^-$ ) [from Be(<sup>86</sup>Kr, X)]; measured E $\beta$ , T<sub>1/2</sub>. Fragment separator, comparisons with previous results and model predictions. CONF Riken(Origin of Matter) Proc,P304,Nishimura
- <sup>67</sup>Co 2005NIZZ RADIOACTIVITY <sup>63,64</sup>Cr, <sup>65,66</sup>Mn, <sup>67,68</sup>Fe, <sup>69,70</sup>Co( $\beta^-$ ) [from Be(<sup>86</sup>Kr, X)]; measured E $\beta$ , T<sub>1/2</sub>. Fragment separator, comparisons with previous results and model predictions. CONF Riken(Origin of Matter) Proc,P304,Nishimura
- <sup>67</sup>Zn 2005SHZS NUCLEAR REACTIONS <sup>65</sup>Cu(<sup>6</sup>Li, d $\alpha$ ), (<sup>6</sup>Li, <sup>7</sup>Li), (<sup>6</sup>Li, <sup>3</sup>He), (<sup>6</sup>Li,  $\alpha$ ), (<sup>6</sup>Li,  $\alpha$ X), (<sup>7</sup>Li, t $\alpha$ ), (<sup>7</sup>Li, d $\alpha$ ), (<sup>7</sup>Li, <sup>6</sup>Li), (<sup>7</sup>Li, <sup>6</sup>He), (<sup>7</sup>Li,  $\alpha$ ), (<sup>7</sup>Li,  $\alpha$ X), E=25 MeV; measured particle spectra,  $\sigma$ ,  $\sigma(\theta)$ ; deduced reaction mechanism features. Comparison with coupled channels predictions. PREPRINT nucl-ex/0512032,12/21/2005
- <sup>67</sup>Ga 2005BA30 NUCLEAR REACTIONS <sup>63</sup>Cu( $\alpha$ ,  $\gamma$ ), E=5.9-8.7 MeV; measured  $\sigma$ . Stacked-foil activation technique, comparison with model predictions. Astrophysical implications discussed. JOUR PRVCA 71 035801
- 2005BAZS NUCLEAR REACTIONS <sup>63</sup>Cu( $\alpha$ ,  $\gamma$ ), E=5.9-8.7 MeV; measured  $\sigma$ . Activation technique, comparison with model predictions. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol2,P1366
- 2005B010 NUCLEAR REACTIONS Zn(p, X)<sup>64</sup>Cu / <sup>57</sup>Ni / <sup>56</sup>Ni / <sup>52</sup>Mn / <sup>54</sup>Mn / <sup>62</sup>Zn / <sup>65</sup>Zn / <sup>51</sup>Cr / <sup>48</sup>V / <sup>55</sup>Co / <sup>56</sup>Co / <sup>57</sup>Co / <sup>58</sup>Co / <sup>60</sup>Co / <sup>66</sup>Ga / <sup>67</sup>Ga / <sup>52</sup>Fe / <sup>59</sup>Fe, E ≈ 31-141 MeV; measured production  $\sigma$ . Stacked-foil activation. JOUR JRNC D 264 101
- 2005SZ02 NUCLEAR REACTIONS <sup>66</sup>Zn(p, n), <sup>68</sup>Zn(p, 2n), (p, 3n), E ≈ 5-100 MeV; Zn(p, X)<sup>66</sup>Ga / <sup>67</sup>Ga, E ≈ 5-100 MeV; measured production  $\sigma$ . Stacked-foil activation, comparison with previous results. JOUR NIMBE 234 375

**A=67 (continued)**

- <sup>67</sup>Se      2005ST29      NUCLEAR REACTIONS <sup>9</sup>Be(<sup>78</sup>Kr, X)<sup>60</sup>Ge / <sup>61</sup>Ge / <sup>62</sup>Ge / <sup>63</sup>Ge / <sup>64</sup>Ge / <sup>64</sup>Se / <sup>65</sup>Se / <sup>66</sup>Se / <sup>67</sup>Se / <sup>68</sup>Se, E=140 MeV / nucleon; measured production  $\sigma$ , isotopic yields; deduced no evidence for <sup>59</sup>Ga, <sup>63</sup>As. <sup>60</sup>Ge, <sup>64</sup>Se deduced T<sub>1/2</sub> lower limits. <sup>59</sup>Ga, <sup>63</sup>As deduced T<sub>1/2</sub> upper limits. JOUR PYLBB 627 32
- 2005ST34      NUCLEAR REACTIONS <sup>9</sup>Be(<sup>78</sup>Kr, X)<sup>60</sup>Ge / <sup>61</sup>Ge / <sup>62</sup>Ge / <sup>63</sup>Ge / <sup>64</sup>Ge / <sup>64</sup>Se / <sup>65</sup>Se / <sup>66</sup>Se / <sup>67</sup>Se / <sup>68</sup>Se, E=140 MeV / nucleon; measured production  $\sigma$ , isotopic yields; deduced no evidence for <sup>59</sup>Ga, <sup>63</sup>As. JOUR ZAANE 25 s01 335

**A=68**

- <sup>68</sup>Fe      2005NIZZ      RADIOACTIVITY <sup>63,64</sup>Cr, <sup>65,66</sup>Mn, <sup>67,68</sup>Fe, <sup>69,70</sup>Co( $\beta^-$ ) [from Be(<sup>86</sup>Kr, X)]; measured E $\beta$ , T<sub>1/2</sub>. Fragment separator, comparisons with previous results and model predictions. CONF Riken(Origin of Matter) Proc,P304,Nishimura
- <sup>68</sup>Co      2005NIZZ      RADIOACTIVITY <sup>63,64</sup>Cr, <sup>65,66</sup>Mn, <sup>67,68</sup>Fe, <sup>69,70</sup>Co( $\beta^-$ ) [from Be(<sup>86</sup>Kr, X)]; measured E $\beta$ , T<sub>1/2</sub>. Fragment separator, comparisons with previous results and model predictions. CONF Riken(Origin of Matter) Proc,P304,Nishimura
- <sup>68</sup>Zn      2005LE12      NUCLEAR REACTIONS C(<sup>64</sup>Zn, <sup>64</sup>Zn'), (<sup>68</sup>Zn, <sup>68</sup>Zn'), E=180 MeV; measured E $\gamma$ , I $\gamma$ ( $\theta$ , H, t),  $\gamma\gamma$ -, (particle) $\gamma$ -coin, DSA following projectile Coulomb excitation. <sup>64,68</sup>Zn levels deduced g factors, T<sub>1/2</sub>, B(E2). Transient-field technique, large-scale shell model calculations. JOUR PRVCA 71 034303
- 2005LE38      NUCLEAR REACTIONS C(<sup>68</sup>Zn, <sup>68</sup>Zn'), E=180 MeV; measured E $\gamma$ , I $\gamma$ ( $\theta$ , H, t) (particle) $\gamma$ -coin following projectile Coulomb excitation. <sup>68</sup>Zn levels deduced g factors, T<sub>1/2</sub>, B(E2), configurations. <sup>64</sup>Zn levels analyzed g factors, B(E2). Large-scale shell-model calculations. JOUR PRVCA 72 044301
- 2005LEZX      NUCLEAR REACTIONS C(<sup>68</sup>Zn, <sup>68</sup>Zn'), E=180 MeV; measured E $\gamma$ , I $\gamma$ ( $\theta$ , H, t), (particle) $\gamma$ -coin, DSA following projectile Coulomb excitation. <sup>68</sup>Zn levels deduced T<sub>1/2</sub>, g factors. Transient field technique, comparison with shell model predictions. PREPRINT nucl-ex/0506006,6/05/2005
- 2005SHZS      NUCLEAR REACTIONS <sup>65</sup>Cu(<sup>6</sup>Li, d $\alpha$ ), (<sup>6</sup>Li, <sup>7</sup>Li), (<sup>6</sup>Li, <sup>3</sup>He), (<sup>6</sup>Li,  $\alpha$ ), (<sup>6</sup>Li,  $\alpha$ X), (<sup>7</sup>Li, t $\alpha$ ), (<sup>7</sup>Li, d $\alpha$ ), (<sup>7</sup>Li, <sup>6</sup>Li), (<sup>7</sup>Li, <sup>6</sup>He), (<sup>7</sup>Li,  $\alpha$ ), (<sup>7</sup>Li,  $\alpha$ X), E=25 MeV; measured particle spectra,  $\sigma$ ,  $\sigma(\theta)$ ; deduced reaction mechanism features. Comparison with coupled channels predictions. PREPRINT nucl-ex/0512032,12/21/2005
- <sup>68</sup>Ge      2005CH60      ATOMIC MASSES <sup>64</sup>Zn, <sup>64</sup>Ga, <sup>68</sup>Ge, <sup>68</sup>As, <sup>68,72</sup>Se, <sup>76</sup>Kr, <sup>76</sup>Rb, <sup>80</sup>Sr, <sup>80</sup>Y; measured masses. Direct time-of-flight technique, comparison with previous results. JOUR JPGPE 31 S1771
- 2005LE19      NUCLEAR REACTIONS <sup>12</sup>C(<sup>64</sup>Zn, 2 $\alpha$ ), E=180 MeV; measured E $\gamma$ , I $\gamma$ ( $\theta$ , H, t),  $\alpha\alpha$ -,  $\alpha\gamma$ -coin. <sup>68</sup>Ge deduced level energies, B(E2), g factor. Transient field technique. JOUR PRVCA 71 044316

**A=68 (continued)**

- <sup>68</sup>As      2005CH60      ATOMIC MASSES <sup>64</sup>Zn, <sup>64</sup>Ga, <sup>68</sup>Ge, <sup>68</sup>As, <sup>68,72</sup>Se, <sup>76</sup>Kr, <sup>76</sup>Rb, <sup>80</sup>Sr, <sup>80</sup>Y; measured masses. Direct time-of-flight technique, comparison with previous results. JOUR JPGPE 31 S1771
- 2005ST08      NUCLEAR REACTIONS <sup>40</sup>Ca(<sup>32</sup>S, n3p), E=95, 105 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -, (charged particle) $\gamma$ -, (neutron) $\gamma$ -coin. <sup>68</sup>As deduced high-spin levels, J,  $\pi$ , configurations. Euroball and Euclides arrays, total Routhian surface calculations. JOUR ZAANE 24 1
- <sup>68</sup>Se      2005CH60      ATOMIC MASSES <sup>64</sup>Zn, <sup>64</sup>Ga, <sup>68</sup>Ge, <sup>68</sup>As, <sup>68,72</sup>Se, <sup>76</sup>Kr, <sup>76</sup>Rb, <sup>80</sup>Sr, <sup>80</sup>Y; measured masses. Direct time-of-flight technique, comparison with previous results. JOUR JPGPE 31 S1771
- 2005CL08      ATOMIC MASSES <sup>64</sup>Ge, <sup>68</sup>Se; analyzed masses; deduced effective T<sub>1/2</sub>. <sup>90,91</sup>Mo, <sup>90,91,92,93</sup>Tc, <sup>93,94</sup>Ru, <sup>94,95</sup>Rh, <sup>104,105,106,107</sup>In, <sup>104,105,107,108</sup>Sn, <sup>107,108</sup>Sb; measured masses. Penning trap, astrophysical implications discussed. JOUR ZAANE 25 s01 629
- 2005ST29      NUCLEAR REACTIONS <sup>9</sup>Be(<sup>78</sup>Kr, X)<sup>60</sup>Ge / <sup>61</sup>Ge / <sup>62</sup>Ge / <sup>63</sup>Ge / <sup>64</sup>Ge / <sup>64</sup>Se / <sup>65</sup>Se / <sup>66</sup>Se / <sup>67</sup>Se / <sup>68</sup>Se, E=140 MeV / nucleon; measured production  $\sigma$ , isotopic yields; deduced no evidence for <sup>59</sup>Ga, <sup>63</sup>As. <sup>60</sup>Ge, <sup>64</sup>Se deduced T<sub>1/2</sub> lower limits. <sup>59</sup>Ga, <sup>63</sup>As deduced T<sub>1/2</sub> upper limits. JOUR PYLBB 627 32
- 2005ST34      NUCLEAR REACTIONS <sup>9</sup>Be(<sup>78</sup>Kr, X)<sup>60</sup>Ge / <sup>61</sup>Ge / <sup>62</sup>Ge / <sup>63</sup>Ge / <sup>64</sup>Ge / <sup>64</sup>Se / <sup>65</sup>Se / <sup>66</sup>Se / <sup>67</sup>Se / <sup>68</sup>Se, E=140 MeV / nucleon; measured production  $\sigma$ , isotopic yields; deduced no evidence for <sup>59</sup>Ga, <sup>63</sup>As. JOUR ZAANE 25 s01 335

**A=69**

- <sup>69</sup>Co      2005NIZZ      RADIOACTIVITY <sup>63,64</sup>Cr, <sup>65,66</sup>Mn, <sup>67,68</sup>Fe, <sup>69,70</sup>Co( $\beta^-$ ) [from Be(<sup>86</sup>Kr, X)]; measured E $\beta$ , T<sub>1/2</sub>. Fragment separator, comparisons with previous results and model predictions. CONF Riken(Origin of Matter) Proc,P304,Nishimura
- <sup>69</sup>Ni      2005NIZZ      RADIOACTIVITY <sup>63,64</sup>Cr, <sup>65,66</sup>Mn, <sup>67,68</sup>Fe, <sup>69,70</sup>Co( $\beta^-$ ) [from Be(<sup>86</sup>Kr, X)]; measured E $\beta$ , T<sub>1/2</sub>. Fragment separator, comparisons with previous results and model predictions. CONF Riken(Origin of Matter) Proc,P304,Nishimura

**A=70**

- <sup>70</sup>Co      2005NIZZ      RADIOACTIVITY <sup>63,64</sup>Cr, <sup>65,66</sup>Mn, <sup>67,68</sup>Fe, <sup>69,70</sup>Co( $\beta^-$ ) [from Be(<sup>86</sup>Kr, X)]; measured E $\beta$ , T<sub>1/2</sub>. Fragment separator, comparisons with previous results and model predictions. CONF Riken(Origin of Matter) Proc,P304,Nishimura
- <sup>70</sup>Ni      2004PEZW      NUCLEAR REACTIONS <sup>208</sup>Pb(<sup>70</sup>Ni, <sup>70</sup>Ni'), (<sup>74</sup>Zn, <sup>74</sup>Zn'), (<sup>76</sup>Ge, <sup>76</sup>Ge'), E  $\approx$  40 MeV / nucleon; measured E $\gamma$ , I $\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation. <sup>70</sup>Ni, <sup>74</sup>Zn deduced transitions B(E2). REPT IPNO-T-05-02,Perru

**A=70 (continued)**

- 2005MA95 RADIOACTIVITY  $^{71,72,73,74}\text{Co}(\beta^-)$ ,  $(\beta^-n)$  [from  $^9\text{Be}(^{86}\text{Kr}, X)$ ]; measured  $E\gamma$ ,  $E\beta$ ,  $\beta\gamma$ -coin; deduced  $\beta n$  branching fraction.  $^{70,71,72,73,74}\text{Ni}$  deduced levels,  $J$ ,  $\pi$ . JOUR ZAANE 25 s01 93
- 2005MAZX RADIOACTIVITY  $^{71,72,73,74}\text{Co}(\beta^-)$ ,  $(\beta^-n)$  [from  $^9\text{Be}(^{86}\text{Kr}, X)$ ]; measured  $\beta$ -delayed  $E\gamma$ ,  $I\gamma$ ; deduced branching ratios.  $^{70,71}\text{Ni}$  deduced transitions.  $^{76}\text{Ni}(\text{IT})$  [from  $^9\text{Be}(^{86}\text{Kr}, X)$ ]; measured  $E\gamma$ ,  $I\gamma$ ,  $T_{1/2}$ .  $^{76}\text{Ni}$  deduced levels. CONF Argonne(Nuclei at the Limits),P164,Mazzocchi
- 2005NIZZ RADIOACTIVITY  $^{63,64}\text{Cr}$ ,  $^{65,66}\text{Mn}$ ,  $^{67,68}\text{Fe}$ ,  $^{69,70}\text{Co}(\beta^-)$  [from  $\text{Be}(^{86}\text{Kr}, X)$ ]; measured  $E\beta$ ,  $T_{1/2}$ . Fragment separator, comparisons with previous results and model predictions. CONF Riken(Origin of Matter) Proc,P304,Nishimura
- $^{70}\text{Ga}$  2005WA29 NUCLEAR REACTIONS  $^{71}\text{Ga}(n, 2n)$ ,  $E=13.5, 14.1, 14.7$  MeV; measured  $\sigma$ . Activation technique, comparison with previous results. JOUR PRVCA 72 037604
- $^{70}\text{Ge}$  2004K064 NUCLEAR REACTIONS  $^6\text{Li}$ ,  $^{16}\text{O}$ ,  $^{32}\text{S}$ ,  $^{50,51}\text{V}$ ,  $^{70,72}\text{Ge}(d, d)$ ,  $(d, d')$ ,  $E=171$  MeV;  $^{90}\text{Zr}$ ,  $^{116}\text{Sn}(d, d)$ ,  $(d, d')$ ,  $E=183$  MeV; measured  $\sigma(\theta)$ ; deduced optical model parameters. JOUR PRVCA 70 067601
- 2005BA13 NUCLEAR REACTIONS  $^{70,72,74}\text{Ge}(^6\text{Li}, ^6\text{Li})$ ,  $(^6\text{Li}, ^6\text{Li}')$ ,  $E=28$  MeV; measured  $\sigma(E, \theta)$ , elastic  $\sigma(\theta)$ ; deduced Coulomb-nuclear interference effects.  $^{70,72,74}\text{Ge}$  levels deduced  $B(E2) / B(\text{IS}2)$  ratio, mixed-symmetry effects. JOUR PRVCA 71 024303

**A=71**

- $^{71}\text{Co}$  2005MA95 RADIOACTIVITY  $^{71,72,73,74}\text{Co}(\beta^-)$ ,  $(\beta^-n)$  [from  $^9\text{Be}(^{86}\text{Kr}, X)$ ]; measured  $E\gamma$ ,  $E\beta$ ,  $\beta\gamma$ -coin; deduced  $\beta n$  branching fraction.  $^{70,71,72,73,74}\text{Ni}$  deduced levels,  $J$ ,  $\pi$ . JOUR ZAANE 25 s01 93
- 2005MAZX RADIOACTIVITY  $^{71,72,73,74}\text{Co}(\beta^-)$ ,  $(\beta^-n)$  [from  $^9\text{Be}(^{86}\text{Kr}, X)$ ]; measured  $\beta$ -delayed  $E\gamma$ ,  $I\gamma$ ; deduced branching ratios.  $^{70,71}\text{Ni}$  deduced transitions.  $^{76}\text{Ni}(\text{IT})$  [from  $^9\text{Be}(^{86}\text{Kr}, X)$ ]; measured  $E\gamma$ ,  $I\gamma$ ,  $T_{1/2}$ .  $^{76}\text{Ni}$  deduced levels. CONF Argonne(Nuclei at the Limits),P164,Mazzocchi
- $^{71}\text{Ni}$  2005MA95 RADIOACTIVITY  $^{71,72,73,74}\text{Co}(\beta^-)$ ,  $(\beta^-n)$  [from  $^9\text{Be}(^{86}\text{Kr}, X)$ ]; measured  $E\gamma$ ,  $E\beta$ ,  $\beta\gamma$ -coin; deduced  $\beta n$  branching fraction.  $^{70,71,72,73,74}\text{Ni}$  deduced levels,  $J$ ,  $\pi$ . JOUR ZAANE 25 s01 93
- 2005MAZX RADIOACTIVITY  $^{71,72,73,74}\text{Co}(\beta^-)$ ,  $(\beta^-n)$  [from  $^9\text{Be}(^{86}\text{Kr}, X)$ ]; measured  $\beta$ -delayed  $E\gamma$ ,  $I\gamma$ ; deduced branching ratios.  $^{70,71}\text{Ni}$  deduced transitions.  $^{76}\text{Ni}(\text{IT})$  [from  $^9\text{Be}(^{86}\text{Kr}, X)$ ]; measured  $E\gamma$ ,  $I\gamma$ ,  $T_{1/2}$ .  $^{76}\text{Ni}$  deduced levels. CONF Argonne(Nuclei at the Limits),P164,Mazzocchi
- $^{71}\text{Ge}$  2004H025 NUCLEAR REACTIONS  $^{70,73}\text{Ge}(n, \gamma)$ ,  $E=\text{thermal}$ ; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{71,74}\text{Ge}$  deduced transitions, two-quantum cascade intensities. JOUR BRSPPE 68 1324
- 2005SE14 RADIOACTIVITY  $^{71}\text{As}(\beta^+)$ ; measured  $E\gamma$ ,  $E\beta$ ,  $\beta$ -decay angular distributions from oriented nuclei; deduced  $\beta$ -asymmetry parameter.  $^{71}\text{As}$  deduced ground-state admixture. Low-temperature nuclear orientation technique. JOUR PRVCA 71 064310

**A=71 (continued)**

- <sup>71</sup>As      2005SE14      NUCLEAR MOMENTS <sup>71</sup>As; measured E $\gamma$ , E $\beta$ ,  $\beta$ -decay angular distributions from oriented nuclei; deduced  $\beta$ -asymmetry parameter. <sup>71</sup>As deduced ground-state admixture. Low-temperature nuclear orientation technique. JOUR PRVCA 71 064310
- 2005SE14      RADIOACTIVITY <sup>71</sup>As( $\beta^+$ ); measured E $\gamma$ , E $\beta$ ,  $\beta$ -decay angular distributions from oriented nuclei; deduced  $\beta$ -asymmetry parameter. <sup>71</sup>As deduced ground-state admixture. Low-temperature nuclear orientation technique. JOUR PRVCA 71 064310
- <sup>71</sup>Br      2005FI10      NUCLEAR REACTIONS <sup>40</sup>Ca(<sup>40</sup>Ca, p2 $\alpha$ ), E=160 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -, (charged particle) $\gamma$ -coin. <sup>71</sup>Br deduced levels, J,  $\pi$ ,  $\delta$ , rotational bands, shape coexistence features. <sup>71</sup>Kr; analyzed data; deduced ground-state J,  $\pi$ . Gammasphere, Microball arrays. JOUR PRVCA 72 024321
- <sup>71</sup>Kr      2005FI10      NUCLEAR REACTIONS <sup>40</sup>Ca(<sup>40</sup>Ca, p2 $\alpha$ ), E=160 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -, (charged particle) $\gamma$ -coin. <sup>71</sup>Br deduced levels, J,  $\pi$ ,  $\delta$ , rotational bands, shape coexistence features. <sup>71</sup>Kr; analyzed data; deduced ground-state J,  $\pi$ . Gammasphere, Microball arrays. JOUR PRVCA 72 024321

**A=72**

- <sup>72</sup>Co      2005MA59      RADIOACTIVITY <sup>72,74</sup>Co( $\beta^-$ ) [from Be(<sup>86</sup>Kr, X)]; measured E $\gamma$ , I $\gamma$ ,  $\beta\gamma$ -coin. <sup>76</sup>Ni(IT) [from Be(<sup>86</sup>Kr, X)]; measured E $\gamma$ , I $\gamma$ . <sup>72,74,76</sup>Ni deduced levels, J,  $\pi$ . Level systematics in neighboring isotopes discussed. JOUR PYLBB 622 45
- 2005MA95      RADIOACTIVITY <sup>71,72,73,74</sup>Co( $\beta^-$ ), ( $\beta^-$ n) [from <sup>9</sup>Be(<sup>86</sup>Kr, X)]; measured E $\gamma$ , E $\beta$ ,  $\beta\gamma$ -coin; deduced  $\beta$ n branching fraction. <sup>70,71,72,73,74</sup>Ni deduced levels, J,  $\pi$ . JOUR ZAANE 25 s01 93
- 2005MAZX      RADIOACTIVITY <sup>71,72,73,74</sup>Co( $\beta^-$ ), ( $\beta^-$ n) [from <sup>9</sup>Be(<sup>86</sup>Kr, X)]; measured  $\beta$ -delayed E $\gamma$ , I $\gamma$ ; deduced branching ratios. <sup>70,71</sup>Ni deduced transitions. <sup>76</sup>Ni(IT) [from <sup>9</sup>Be(<sup>86</sup>Kr, X)]; measured E $\gamma$ , I $\gamma$ , T<sub>1/2</sub>. <sup>76</sup>Ni deduced levels. CONF Argonne(Nuclei at the Limits),P164,Mazzocchi
- <sup>72</sup>Ni      2005MA59      RADIOACTIVITY <sup>72,74</sup>Co( $\beta^-$ ) [from Be(<sup>86</sup>Kr, X)]; measured E $\gamma$ , I $\gamma$ ,  $\beta\gamma$ -coin. <sup>76</sup>Ni(IT) [from Be(<sup>86</sup>Kr, X)]; measured E $\gamma$ , I $\gamma$ . <sup>72,74,76</sup>Ni deduced levels, J,  $\pi$ . Level systematics in neighboring isotopes discussed. JOUR PYLBB 622 45
- 2005MA95      RADIOACTIVITY <sup>71,72,73,74</sup>Co( $\beta^-$ ), ( $\beta^-$ n) [from <sup>9</sup>Be(<sup>86</sup>Kr, X)]; measured E $\gamma$ , E $\beta$ ,  $\beta\gamma$ -coin; deduced  $\beta$ n branching fraction. <sup>70,71,72,73,74</sup>Ni deduced levels, J,  $\pi$ . JOUR ZAANE 25 s01 93
- 2005MAZX      RADIOACTIVITY <sup>71,72,73,74</sup>Co( $\beta^-$ ), ( $\beta^-$ n) [from <sup>9</sup>Be(<sup>86</sup>Kr, X)]; measured  $\beta$ -delayed E $\gamma$ , I $\gamma$ ; deduced branching ratios. <sup>70,71</sup>Ni deduced transitions. <sup>76</sup>Ni(IT) [from <sup>9</sup>Be(<sup>86</sup>Kr, X)]; measured E $\gamma$ , I $\gamma$ , T<sub>1/2</sub>. <sup>76</sup>Ni deduced levels. CONF Argonne(Nuclei at the Limits),P164,Mazzocchi
- <sup>72</sup>Zn      2005DE12      NUCLEAR REACTIONS <sup>238</sup>U(<sup>82</sup>Se, X), E=505 MeV; measured fragments isotopic yields. <sup>238</sup>U(<sup>82</sup>Se, X)<sup>72</sup>Zn / <sup>84</sup>Se / <sup>85</sup>Br, E=505 MeV; measured E $\gamma$ , I $\gamma$ , (particle) $\gamma$ -coin. <sup>72</sup>Zn, <sup>84</sup>Se, <sup>85</sup>Br deduced levels, J,  $\pi$ . JOUR NUPAB 751 533c



**A=72 (continued)**

- $^{72}\text{Ga}$  2005LI02 RADIOACTIVITY  $^{72}\text{Ga}(\beta^-)$  [from  $^{71}\text{Ga}(n, \gamma)$ ]; measured  $\beta$ -delayed  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin; deduced log ft.  $^{72}\text{Ge}$  deduced levels, J,  $\pi$ ,  $\beta$ -feeding intensities. JOUR CHPHD 14 95
- 2005SH03 RADIOACTIVITY  $^{72}\text{Ga}(\beta^-)$  [from  $^{71}\text{Ga}(n, \gamma)$ ]; measured  $\beta$ -delayed  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin; deduced log ft.  $^{72}\text{Ge}$  deduced levels, J,  $\pi$ ,  $\beta$ -feeding intensities. JOUR JUPSA 74 299
- $^{72}\text{Ge}$  2004K064 NUCLEAR REACTIONS  $^6\text{Li}$ ,  $^{16}\text{O}$ ,  $^{32}\text{S}$ ,  $^{50,51}\text{V}$ ,  $^{70,72}\text{Ge}(d, d)$ ,  $(d, d')$ ,  $E=171$  MeV;  $^{90}\text{Zr}$ ,  $^{116}\text{Sn}(d, d)$ ,  $(d, d')$ ,  $E=183$  MeV; measured  $\sigma(\theta)$ ; deduced optical model parameters. JOUR PRVCA 70 067601
- 2005BA13 NUCLEAR REACTIONS  $^{70,72,74}\text{Ge}(^6\text{Li}, ^6\text{Li})$ ,  $(^6\text{Li}, ^6\text{Li}')$ ,  $E=28$  MeV; measured  $\sigma(E, \theta)$ , elastic  $\sigma(\theta)$ ; deduced Coulomb-nuclear interference effects.  $^{70,72,74}\text{Ge}$  levels deduced  $B(E2) / B(\text{IS}2)$  ratio, mixed-symmetry effects. JOUR PRVCA 71 024303
- 2005G015 NUCLEAR REACTIONS  $^{208}\text{Pb}(^{74}\text{Kr}, ^{74}\text{Kr}')$ ,  $(^{76}\text{Kr}, ^{76}\text{Kr}')$ ,  $E=4.5$  MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation.  $^{74,76}\text{Kr}$  deduced levels, J,  $\pi$ , quadrupole moments.  $^{208}\text{Pb}(^{72}\text{Ge}, ^{72}\text{Ge}')$ ,  $E$  not given; measured  $E\gamma$ ,  $I\gamma$ ,  $E(\text{ce})$ ,  $I(\text{ce})$ , (particle) $\gamma$ -coin following projectile Coulomb excitation.  $^{72}\text{Ge}$  deduced transitions. Exogam array. JOUR APOBB 36 1281
- 2005LI02 RADIOACTIVITY  $^{72}\text{Ga}(\beta^-)$  [from  $^{71}\text{Ga}(n, \gamma)$ ]; measured  $\beta$ -delayed  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin; deduced log ft.  $^{72}\text{Ge}$  deduced levels, J,  $\pi$ ,  $\beta$ -feeding intensities. JOUR CHPHD 14 95
- 2005LI09 RADIOACTIVITY  $^{72}\text{As}(\text{EC})$  [from  $^{72}\text{Ge}(p, n)$ ]; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin; deduced log ft.  $^{72}\text{Ge}$  deduced levels, J,  $\pi$ . JOUR CHPHD 14 487
- 2005SH03 RADIOACTIVITY  $^{72}\text{Ga}(\beta^-)$  [from  $^{71}\text{Ga}(n, \gamma)$ ]; measured  $\beta$ -delayed  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin; deduced log ft.  $^{72}\text{Ge}$  deduced levels, J,  $\pi$ ,  $\beta$ -feeding intensities. JOUR JUPSA 74 299
- $^{72}\text{As}$  2005LI09 RADIOACTIVITY  $^{72}\text{As}(\text{EC})$  [from  $^{72}\text{Ge}(p, n)$ ]; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin; deduced log ft.  $^{72}\text{Ge}$  deduced levels, J,  $\pi$ . JOUR CHPHD 14 487
- $^{72}\text{Se}$  2005CH60 ATOMIC MASSES  $^{64}\text{Zn}$ ,  $^{64}\text{Ga}$ ,  $^{68}\text{Ge}$ ,  $^{68}\text{As}$ ,  $^{68,72}\text{Se}$ ,  $^{76}\text{Kr}$ ,  $^{76}\text{Rb}$ ,  $^{80}\text{Sr}$ ,  $^{80}\text{Y}$ ; measured masses. Direct time-of-flight technique, comparison with previous results. JOUR JPGPE 31 S1771
- $^{72}\text{Kr}$  2005CLZZ NUCLEAR REACTIONS  $\text{Be}(^{78}\text{Kr}, \text{X})^{72}\text{Kr} / ^{74}\text{Kr}$ ,  $E=73$  MeV; measured delayed  $E\gamma$ ,  $I\gamma$ ,  $E(\text{ce})$ ,  $I(\text{ce})$ , (recoil) $\gamma$ -, (recoil)(ce)-coin.  $^{72,74}\text{Kr}$  deduced isomeric levels, J,  $\pi$ ,  $T_{1/2}$ ,  $E0$  strength.  $^{72}\text{Kr}$  deduced shape isomer.  $^{208}\text{Pb}(^{76}\text{Kr}, ^{76}\text{Kr}')$ ,  $(^{74}\text{Kr}, ^{74}\text{Kr}')$ ,  $E \approx 4.5$  MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation.  $^{74,76}\text{Kr}$  deduced levels, J,  $\pi$ . CONF Argonne(Nuclei at the Limits),P55,Clement
- 2005GA22 NUCLEAR REACTIONS  $^{197}\text{Au}(^{72}\text{Kr}, ^{72}\text{Kr}')$ ,  $E=69.3$  MeV / nucleon;  $^{197}\text{Au}(^{78}\text{Kr}, ^{78}\text{Kr}')$ ,  $E=57.4$  MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation.  $^{72,78}\text{Kr}$  deduced excitation  $B(E2)$ , quadrupole moments, deformation. Comparison with shell-model Monte Carlo predictions. JOUR PRLTA 95 022502
- 2005R039 ATOMIC MASSES  $^{72,73,74}\text{Kr}$ ,  $^{73}\text{Rb}$ ,  $^{74}\text{Sr}$ ; measured masses. Penning trap mass spectrometer. JOUR ZAANE 25 s01 41

**A=73**

<sup>73</sup> Co	2005MA95	RADIOACTIVITY <sup>71,72,73,74</sup> Co( $\beta^-$ ), ( $\beta^-$ n) [from <sup>9</sup> Be( <sup>86</sup> Kr, X)]; measured E $\gamma$ , E $\beta$ , $\beta\gamma$ -coin; deduced $\beta$ n branching fraction. <sup>70,71,72,73,74</sup> Ni deduced levels, J, $\pi$ . JOUR ZAANE 25 s01 93
	2005MAZX	RADIOACTIVITY <sup>71,72,73,74</sup> Co( $\beta^-$ ), ( $\beta^-$ n) [from <sup>9</sup> Be( <sup>86</sup> Kr, X)]; measured $\beta$ -delayed E $\gamma$ , I $\gamma$ ; deduced branching ratios. <sup>70,71</sup> Ni deduced transitions. <sup>76</sup> Ni(IT) [from <sup>9</sup> Be( <sup>86</sup> Kr, X)]; measured E $\gamma$ , I $\gamma$ , T <sub>1/2</sub> . <sup>76</sup> Ni deduced levels. CONF Argonne(Nuclei at the Limits),P164,Mazzocchi
<sup>73</sup> Ni	2005MA95	RADIOACTIVITY <sup>71,72,73,74</sup> Co( $\beta^-$ ), ( $\beta^-$ n) [from <sup>9</sup> Be( <sup>86</sup> Kr, X)]; measured E $\gamma$ , E $\beta$ , $\beta\gamma$ -coin; deduced $\beta$ n branching fraction. <sup>70,71,72,73,74</sup> Ni deduced levels, J, $\pi$ . JOUR ZAANE 25 s01 93
	2005MAZX	RADIOACTIVITY <sup>71,72,73,74</sup> Co( $\beta^-$ ), ( $\beta^-$ n) [from <sup>9</sup> Be( <sup>86</sup> Kr, X)]; measured $\beta$ -delayed E $\gamma$ , I $\gamma$ ; deduced branching ratios. <sup>70,71</sup> Ni deduced transitions. <sup>76</sup> Ni(IT) [from <sup>9</sup> Be( <sup>86</sup> Kr, X)]; measured E $\gamma$ , I $\gamma$ , T <sub>1/2</sub> . <sup>76</sup> Ni deduced levels. CONF Argonne(Nuclei at the Limits),P164,Mazzocchi
<sup>73</sup> Ge	2004VA37	RADIOACTIVITY <sup>73</sup> Ge( $\beta^-$ ); measured T <sub>1/2</sub> lower limit for charge-nonconserving $\beta$ -decay. JOUR BRSPE 68 1255
<sup>73</sup> As	2004VA37	RADIOACTIVITY <sup>73</sup> Ge( $\beta^-$ ); measured T <sub>1/2</sub> lower limit for charge-nonconserving $\beta$ -decay. JOUR BRSPE 68 1255
<sup>73</sup> Kr	2005R039	ATOMIC MASSES <sup>72,73,74</sup> Kr, <sup>73</sup> Rb, <sup>74</sup> Sr; measured masses. Penning trap mass spectrometer. JOUR ZAANE 25 s01 41
<sup>73</sup> Rb	2005R039	ATOMIC MASSES <sup>72,73,74</sup> Kr, <sup>73</sup> Rb, <sup>74</sup> Sr; measured masses. Penning trap mass spectrometer. JOUR ZAANE 25 s01 41

**A=74**

<sup>74</sup> Co	2005MA59	RADIOACTIVITY <sup>72,74</sup> Co( $\beta^-$ ) [from Be( <sup>86</sup> Kr, X)]; measured E $\gamma$ , I $\gamma$ , $\beta\gamma$ -coin. <sup>76</sup> Ni(IT) [from Be( <sup>86</sup> Kr, X)]; measured E $\gamma$ , I $\gamma$ . <sup>72,74,76</sup> Ni deduced levels, J, $\pi$ . Level systematics in neighboring isotopes discussed. JOUR PYLBB 622 45
	2005MA95	RADIOACTIVITY <sup>71,72,73,74</sup> Co( $\beta^-$ ), ( $\beta^-$ n) [from <sup>9</sup> Be( <sup>86</sup> Kr, X)]; measured E $\gamma$ , E $\beta$ , $\beta\gamma$ -coin; deduced $\beta$ n branching fraction. <sup>70,71,72,73,74</sup> Ni deduced levels, J, $\pi$ . JOUR ZAANE 25 s01 93
	2005MAZX	NUCLEAR REACTIONS <sup>9</sup> Be( <sup>86</sup> Kr, X), E=140 MeV / nucleon; measured fragment yields; deduced evidence for <sup>74</sup> Co, <sup>76</sup> Ni. CONF Argonne(Nuclei at the Limits),P164,Mazzocchi
	2005MAZX	RADIOACTIVITY <sup>71,72,73,74</sup> Co( $\beta^-$ ), ( $\beta^-$ n) [from <sup>9</sup> Be( <sup>86</sup> Kr, X)]; measured $\beta$ -delayed E $\gamma$ , I $\gamma$ ; deduced branching ratios. <sup>70,71</sup> Ni deduced transitions. <sup>76</sup> Ni(IT) [from <sup>9</sup> Be( <sup>86</sup> Kr, X)]; measured E $\gamma$ , I $\gamma$ , T <sub>1/2</sub> . <sup>76</sup> Ni deduced levels. CONF Argonne(Nuclei at the Limits),P164,Mazzocchi
<sup>74</sup> Ni	2005MA59	RADIOACTIVITY <sup>72,74</sup> Co( $\beta^-$ ) [from Be( <sup>86</sup> Kr, X)]; measured E $\gamma$ , I $\gamma$ , $\beta\gamma$ -coin. <sup>76</sup> Ni(IT) [from Be( <sup>86</sup> Kr, X)]; measured E $\gamma$ , I $\gamma$ . <sup>72,74,76</sup> Ni deduced levels, J, $\pi$ . Level systematics in neighboring isotopes discussed. JOUR PYLBB 622 45
	2005MA95	RADIOACTIVITY <sup>71,72,73,74</sup> Co( $\beta^-$ ), ( $\beta^-$ n) [from <sup>9</sup> Be( <sup>86</sup> Kr, X)]; measured E $\gamma$ , E $\beta$ , $\beta\gamma$ -coin; deduced $\beta$ n branching fraction. <sup>70,71,72,73,74</sup> Ni deduced levels, J, $\pi$ . JOUR ZAANE 25 s01 93

A=74 (*continued*)

- 2005MAZX RADIOACTIVITY  $^{71,72,73,74}\text{Co}(\beta^-)$ ,  $(\beta^-n)$  [from  $^9\text{Be}(^{86}\text{Kr}, X)$ ]; measured  $\beta$ -delayed  $E\gamma$ ,  $I\gamma$ ; deduced branching ratios.  $^{70,71}\text{Ni}$  deduced transitions.  $^{76}\text{Ni}(\text{IT})$  [from  $^9\text{Be}(^{86}\text{Kr}, X)$ ]; measured  $E\gamma$ ,  $I\gamma$ ,  $T_{1/2}$ .  $^{76}\text{Ni}$  deduced levels. CONF Argonne(Nuclei at the Limits),P164,Mazzocchi
- $^{74}\text{Cu}$  2005VA19 RADIOACTIVITY  $^{74,76,78}\text{Cu}(\beta^-)$ ;  $^{78}\text{Cu}(\beta^-n)$  [from  $^{238}\text{U}(n, F)$ ,  $(p, F)$ ]; measured  $E\gamma$ ,  $I\gamma$ ,  $\beta\gamma$ -coin,  $T_{1/2}$ .  $^{74,76,77,78}\text{Zn}$  deduced levels,  $J$ ,  $\pi$ , configurations. Mass separator, comparisons with model predictions. JOUR PRVCA 71 054307
- $^{74}\text{Zn}$  2004PEZW NUCLEAR REACTIONS  $^{208}\text{Pb}(^{70}\text{Ni}, ^{70}\text{Ni}')$ ,  $(^{74}\text{Zn}, ^{74}\text{Zn}')$ ,  $(^{76}\text{Ge}, ^{76}\text{Ge}')$ ,  $E \approx 40$  MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation.  $^{70}\text{Ni}$ ,  $^{74}\text{Zn}$  deduced transitions B(E2). REPT IPNO-T-05-02,Perru
- 2005VA19 RADIOACTIVITY  $^{74,76,78}\text{Cu}(\beta^-)$ ;  $^{78}\text{Cu}(\beta^-n)$  [from  $^{238}\text{U}(n, F)$ ,  $(p, F)$ ]; measured  $E\gamma$ ,  $I\gamma$ ,  $\beta\gamma$ -coin,  $T_{1/2}$ .  $^{74,76,77,78}\text{Zn}$  deduced levels,  $J$ ,  $\pi$ , configurations. Mass separator, comparisons with model predictions. JOUR PRVCA 71 054307
- $^{74}\text{Ge}$  2004H025 NUCLEAR REACTIONS  $^{70,73}\text{Ge}(n, \gamma)$ ,  $E=\text{thermal}$ ; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{71,74}\text{Ge}$  deduced transitions, two-quantum cascade intensities. JOUR BRSPPE 68 1324
- 2005BA13 NUCLEAR REACTIONS  $^{70,72,74}\text{Ge}(^6\text{Li}, ^6\text{Li})$ ,  $(^6\text{Li}, ^6\text{Li}')$ ,  $E=28$  MeV; measured  $\sigma(E, \theta)$ , elastic  $\sigma(\theta)$ ; deduced Coulomb-nuclear interference effects.  $^{70,72,74}\text{Ge}$  levels deduced B(E2) / B(IS2) ratio, mixed-symmetry effects. JOUR PRVCA 71 024303
- $^{74}\text{Br}$  2004C029 RADIOACTIVITY  $^{74}\text{Kr}(\text{EC})$ ,  $(\beta^+)$  [from  $\text{Nb}(p, X)$ ]; measured  $\beta\gamma$ -coin; deduced Gamow-Teller strength distribution.  $^{33}\text{Na}(\beta^-)$ ,  $(\beta^-n)$  [from  $\text{U}(p, X)$ ]; measured  $\beta\gamma^-$ ,  $n\beta^-$ ,  $\gamma\gamma$ -coin,  $T_{1/2}$ .  $^{33}\text{Mg}$  deduced ground-state  $J$ ,  $\pi$ . Total absorption spectrometer. JOUR BJPHE 34 850
- $^{74}\text{Kr}$  2004C029 RADIOACTIVITY  $^{74}\text{Kr}(\text{EC})$ ,  $(\beta^+)$  [from  $\text{Nb}(p, X)$ ]; measured  $\beta\gamma$ -coin; deduced Gamow-Teller strength distribution.  $^{33}\text{Na}(\beta^-)$ ,  $(\beta^-n)$  [from  $\text{U}(p, X)$ ]; measured  $\beta\gamma^-$ ,  $n\beta^-$ ,  $\gamma\gamma$ -coin,  $T_{1/2}$ .  $^{33}\text{Mg}$  deduced ground-state  $J$ ,  $\pi$ . Total absorption spectrometer. JOUR BJPHE 34 850
- 2005CLZZ NUCLEAR REACTIONS  $\text{Be}(^{78}\text{Kr}, X)^{72}\text{Kr} / ^{74}\text{Kr}$ ,  $E=73$  MeV; measured delayed  $E\gamma$ ,  $I\gamma$ ,  $E(\text{ce})$ ,  $I(\text{ce})$ , (recoil) $\gamma^-$ , (recoil)(ce)-coin.  $^{72,74}\text{Kr}$  deduced isomeric levels,  $J$ ,  $\pi$ ,  $T_{1/2}$ ,  $E0$  strength.  $^{72}\text{Kr}$  deduced shape isomer.  $^{208}\text{Pb}(^{76}\text{Kr}, ^{76}\text{Kr}')$ ,  $(^{74}\text{Kr}, ^{74}\text{Kr}')$ ,  $E \approx 4.5$  MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation.  $^{74,76}\text{Kr}$  deduced levels,  $J$ ,  $\pi$ . CONF Argonne(Nuclei at the Limits),P55,Clement
- 2005G015 NUCLEAR REACTIONS  $^{208}\text{Pb}(^{74}\text{Kr}, ^{74}\text{Kr}')$ ,  $(^{76}\text{Kr}, ^{76}\text{Kr}')$ ,  $E=4.5$  MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation.  $^{74,76}\text{Kr}$  deduced levels,  $J$ ,  $\pi$ , quadrupole moments.  $^{208}\text{Pb}(^{72}\text{Ge}, ^{72}\text{Ge}')$ ,  $E$  not given; measured  $E\gamma$ ,  $I\gamma$ ,  $E(\text{ce})$ ,  $I(\text{ce})$ , (particle) $\gamma$ -coin following projectile Coulomb excitation.  $^{72}\text{Ge}$  deduced transitions. Exogam array. JOUR APOBB 36 1281
- 2005G043 NUCLEAR REACTIONS  $^{40}\text{Ca}(^{40}\text{Ca}, 2p\alpha)$ ,  $(^{40}\text{Ca}, 4p)$ ,  $E=147$  MeV; measured Doppler-shifted  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{74,76}\text{Kr}$  levels deduced  $T_{1/2}$ , B(E2). GASP array, recoil-distance technique. JOUR ZAANE 26 153

**A=74 (continued)**

- 2005K011 NUCLEAR REACTIONS  $^{208}\text{Pb}(^{74}\text{Kr}, ^{74}\text{Kr}')$ , ( $^{76}\text{Kr}, ^{76}\text{Kr}'$ ),  $E \approx 350$  MeV; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation.  $^{74,76}\text{Kr}$  deduced levels, J,  $\pi$ , quadrupole moments. Exogam array. JOUR NUPAB 752 255c
- 2005R039 ATOMIC MASSES  $^{72,73,74}\text{Kr}$ ,  $^{73}\text{Rb}$ ,  $^{74}\text{Sr}$ ; measured masses. Penning trap mass spectrometer. JOUR ZAANE 25 s01 41
- 2005VA30 NUCLEAR REACTIONS  $^{40}\text{Ca}(^{40}\text{Ca}, 2p\alpha)$ ,  $E=165, 185$  MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -, (charged particle) $\gamma$ -, (neutron) $\gamma$ -coin, DSA.  $^{74}\text{Kr}$  deduced high-spin levels, J,  $\pi$ ,  $T_{1/2}$ , transition quadrupole moments, configurations, nontermination of rotational bands. Euroball III, ISIS, Gammasphere, and Microball arrays. JOUR PRLTA 95 232501
- $^{74}\text{Rb}$  2005SA44 RADIOACTIVITY  $^{46}\text{V}(\text{EC})$ ; analyzed masses; deduced  $Q(\text{EC})$ , log ft.  $^{10}\text{C}$ ,  $^{14}\text{O}$ ,  $^{22}\text{Mg}$ ,  $^{26m}\text{Al}$ ,  $^{34}\text{Cl}$ ,  $^{34}\text{Ar}$ ,  $^{38m}\text{K}$ ,  $^{42}\text{Sc}$ ,  $^{46}\text{V}$ ,  $^{50}\text{Mn}$ ,  $^{54}\text{Co}$ ,  $^{74}\text{Rb}$ ; compiled, analyzed log ft; deduced quark-mixing matrix element. JOUR PRLTA 95 102501
- $^{74}\text{Sr}$  2005R039 ATOMIC MASSES  $^{72,73,74}\text{Kr}$ ,  $^{73}\text{Rb}$ ,  $^{74}\text{Sr}$ ; measured masses. Penning trap mass spectrometer. JOUR ZAANE 25 s01 41

**A=75**

- $^{75}\text{Ni}$  2005H008 RADIOACTIVITY  $^{75,76,77,78}\text{Ni}$ ,  $^{77,78}\text{Cu}(\beta^-)$  [from  $\text{Be}(^{86}\text{Kr}, \text{X})$ ]; measured  $T_{1/2}$ . Astrophysical implications discussed. JOUR PRLTA 94 112501
- $^{75}\text{Cu}$  2005H008 RADIOACTIVITY  $^{75,76,77,78}\text{Ni}$ ,  $^{77,78}\text{Cu}(\beta^-)$  [from  $\text{Be}(^{86}\text{Kr}, \text{X})$ ]; measured  $T_{1/2}$ . Astrophysical implications discussed. JOUR PRLTA 94 112501
- $^{75}\text{As}$  2005RA29 RADIOACTIVITY  $^{75}\text{Se}(\text{EC})$ ; measured  $E\gamma$ ,  $I\gamma$ ,  $E(\text{ce})$ ,  $I(\text{ce})$ ; deduced log ft.  $^{75}\text{As}$  deduced levels, J,  $\pi$ , ICC,  $B(E2)$ ,  $\delta$ . Mini-orange spectrometer. JOUR ZAANE 26 41
- $^{75}\text{Se}$  2005RA29 RADIOACTIVITY  $^{75}\text{Se}(\text{EC})$ ; measured  $E\gamma$ ,  $I\gamma$ ,  $E(\text{ce})$ ,  $I(\text{ce})$ ; deduced log ft.  $^{75}\text{As}$  deduced levels, J,  $\pi$ , ICC,  $B(E2)$ ,  $\delta$ . Mini-orange spectrometer. JOUR ZAANE 26 41
- $^{75}\text{Br}$  2004SC48 NUCLEAR REACTIONS  $^{78}\text{Kr}(\text{d}, \text{n})$ ,  $(\text{d}, \text{p})$ ,  $(\text{d}, \alpha)$ ,  $(\text{d}, \text{n}\alpha)$ ,  $E \approx 4\text{-}13$  MeV; measured excitation functions. Stacked gas cell activation technique. JOUR RAACA 92 203

**A=76**

- $^{76}\text{Ni}$  2005H008 RADIOACTIVITY  $^{75,76,77,78}\text{Ni}$ ,  $^{77,78}\text{Cu}(\beta^-)$  [from  $\text{Be}(^{86}\text{Kr}, \text{X})$ ]; measured  $T_{1/2}$ . Astrophysical implications discussed. JOUR PRLTA 94 112501
- 2005MA59 RADIOACTIVITY  $^{72,74}\text{Co}(\beta^-)$  [from  $\text{Be}(^{86}\text{Kr}, \text{X})$ ]; measured  $E\gamma$ ,  $I\gamma$ ,  $\beta\gamma$ -coin.  $^{76}\text{Ni}(\text{IT})$  [from  $\text{Be}(^{86}\text{Kr}, \text{X})$ ]; measured  $E\gamma$ ,  $I\gamma$ .  $^{72,74,76}\text{Ni}$  deduced levels, J,  $\pi$ . Level systematics in neighboring isotopes discussed. JOUR PYLBB 622 45

**A=76 (continued)**

- 2005MAZX NUCLEAR REACTIONS  ${}^9\text{Be}({}^{86}\text{Kr}, \text{X})$ ,  $E=140$  MeV / nucleon; measured fragment yields; deduced evidence for  ${}^{74}\text{Co}$ ,  ${}^{76}\text{Ni}$ . CONF Argonne(Nuclei at the Limits),P164,Mazzocchi
- 2005MAZX RADIOACTIVITY  ${}^{71,72,73,74}\text{Co}(\beta^-)$ ,  $(\beta^-n)$  [from  ${}^9\text{Be}({}^{86}\text{Kr}, \text{X})$ ]; measured  $\beta$ -delayed  $E\gamma$ ,  $I\gamma$ ; deduced branching ratios.  ${}^{70,71}\text{Ni}$  deduced transitions.  ${}^{76}\text{Ni}(\text{IT})$  [from  ${}^9\text{Be}({}^{86}\text{Kr}, \text{X})$ ]; measured  $E\gamma$ ,  $I\gamma$ ,  $T_{1/2}$ .  ${}^{76}\text{Ni}$  deduced levels. CONF Argonne(Nuclei at the Limits),P164,Mazzocchi
- ${}^{76}\text{Cu}$  2005H008 RADIOACTIVITY  ${}^{75,76,77,78}\text{Ni}$ ,  ${}^{77,78}\text{Cu}(\beta^-)$  [from  ${}^9\text{Be}({}^{86}\text{Kr}, \text{X})$ ]; measured  $T_{1/2}$ . Astrophysical implications discussed. JOUR PRLTA 94 112501
- 2005VA19 RADIOACTIVITY  ${}^{74,76,78}\text{Cu}(\beta^-)$ ;  ${}^{78}\text{Cu}(\beta^-n)$  [from  ${}^{238}\text{U}(n, \text{F})$ ,  $(p, \text{F})$ ]; measured  $E\gamma$ ,  $I\gamma$ ,  $\beta\gamma$ -coin,  $T_{1/2}$ .  ${}^{74,76,77,78}\text{Zn}$  deduced levels,  $J$ ,  $\pi$ , configurations. Mass separator, comparisons with model predictions. JOUR PRVCA 71 054307
- ${}^{76}\text{Zn}$  2005VA19 RADIOACTIVITY  ${}^{74,76,78}\text{Cu}(\beta^-)$ ;  ${}^{78}\text{Cu}(\beta^-n)$  [from  ${}^{238}\text{U}(n, \text{F})$ ,  $(p, \text{F})$ ]; measured  $E\gamma$ ,  $I\gamma$ ,  $\beta\gamma$ -coin,  $T_{1/2}$ .  ${}^{74,76,77,78}\text{Zn}$  deduced levels,  $J$ ,  $\pi$ , configurations. Mass separator, comparisons with model predictions. JOUR PRVCA 71 054307
- ${}^{76}\text{Ge}$  2005BA60 RADIOACTIVITY  ${}^{76}\text{Ge}(2\beta^-)$ ; measured  $2\nu\beta\beta$ -decay  $T_{1/2}$ ,  $0\nu\beta\beta$ -decay  $T_{1/2}$  lower limit. JOUR FECLA 125 21
- 2005DIZZ NUCLEAR REACTIONS  ${}^{238}\text{U}({}^{48}\text{Ca}, \text{X}){}^{56}\text{Ti}$ ,  $E=330$  MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  ${}^{56}\text{Ti}$  deduced levels,  $J$ ,  $\pi$ .  ${}^{197}\text{Au}({}^{76}\text{Ge}, {}^{76}\text{Ge}')$ ,  $({}^{52}\text{Ti}, {}^{52}\text{Ti}')$ ,  $({}^{54}\text{Ti}, {}^{54}\text{Ti}')$ ,  $({}^{56}\text{Ti}, {}^{56}\text{Ti}')$ ,  $E \approx 80$ -90 MeV; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation.  ${}^{52,54,56}\text{Ti}$ ,  ${}^{76}\text{Ge}$ ,  ${}^{197}\text{Au}$  deduced transitions  $B(E2)$ . CONF Argonne(Nuclei at the Limits),P131,Dinca
- 2005IW03 NUCLEAR REACTIONS  $\text{Pb}({}^{76}\text{Ge}, {}^{76}\text{Ge}')$ ,  $({}^{78}\text{Ge}, {}^{78}\text{Ge}')$ ,  $({}^{80}\text{Ge}, {}^{80}\text{Ge}')$ ,  $({}^{82}\text{Ge}, {}^{82}\text{Ge}')$ ,  $E \approx 40$  MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation.  ${}^{76,78,80,82}\text{Ge}$  deduced transitions  $B(E2)$ . JOUR ZAANE 25 s01 415
- 2005KL02 RADIOACTIVITY  ${}^{76}\text{Ge}(2\beta^-)$ ; measured  $0\nu\beta\beta$ -decay  $T_{1/2}$ ; deduced non-conservation of lepton number. JOUR NPBSE 143 229
- ${}^{76}\text{Se}$  2005BA60 RADIOACTIVITY  ${}^{76}\text{Ge}(2\beta^-)$ ; measured  $2\nu\beta\beta$ -decay  $T_{1/2}$ ,  $0\nu\beta\beta$ -decay  $T_{1/2}$  lower limit. JOUR FECLA 125 21
- 2005KL02 RADIOACTIVITY  ${}^{76}\text{Ge}(2\beta^-)$ ; measured  $0\nu\beta\beta$ -decay  $T_{1/2}$ ; deduced non-conservation of lepton number. JOUR NPBSE 143 229
- ${}^{76}\text{Br}$  2004SC48 NUCLEAR REACTIONS  ${}^{78}\text{Kr}(d, n)$ ,  $(d, p)$ ,  $(d, \alpha)$ ,  $(d, n\alpha)$ ,  $E \approx 4$ -13 MeV; measured excitation functions. Stacked gas cell activation technique. JOUR RAACA 92 203
- 2004SCZU NUCLEAR REACTIONS  ${}^{76}\text{Se}(p, n)$ ,  $E \approx 5$ -40 MeV;  ${}^{78}\text{Kr}(d, \alpha)$ ,  $E \approx 4$ -14 MeV; measured  $\sigma$ .  ${}^{126}\text{Te}(p, 3n)$ ,  $E=8$ -70 MeV;  ${}^{85}\text{Rb}(p, 4n)$ ,  $E=44$ -66 MeV; measured yields. REPT
- ${}^{76}\text{Kr}$  2005BE61 NEA/NSC/DOC(2004)14,P13,Scholten  
NUCLEAR REACTIONS  ${}^{26}\text{Mg}({}^{76}\text{Kr}, {}^{76}\text{Kr}')$ ,  $E=230$  MeV; measured  $E\gamma$ ,  $I\gamma(\theta, \text{H}, \text{t})$ , (particle) $\gamma$ -coin following projectile Coulomb excitation.  ${}^{76}\text{Kr}$  level deduced  $g$  factor. Transient field technique. JOUR ZAANE 25 s01 203

**A=76 (continued)**

- 2005CH60 ATOMIC MASSES  $^{64}\text{Zn}$ ,  $^{64}\text{Ga}$ ,  $^{68}\text{Ge}$ ,  $^{68}\text{As}$ ,  $^{68,72}\text{Se}$ ,  $^{76}\text{Kr}$ ,  $^{76}\text{Rb}$ ,  $^{80}\text{Sr}$ ,  $^{80}\text{Y}$ ; measured masses. Direct time-of-flight technique, comparison with previous results. JOUR JPGPE 31 S1771
- 2005CLZZ NUCLEAR REACTIONS  $\text{Be}(^{78}\text{Kr}, \text{X})^{72}\text{Kr} / ^{74}\text{Kr}$ ,  $E=73$  MeV; measured delayed  $E\gamma$ ,  $I\gamma$ ,  $E(\text{ce})$ ,  $I(\text{ce})$ ,  $(\text{recoil})\gamma^-$ ,  $(\text{recoil})(\text{ce})\text{-coin}$ .  $^{72,74}\text{Kr}$  deduced isomeric levels,  $J$ ,  $\pi$ ,  $T_{1/2}$ ,  $E0$  strength.  $^{72}\text{Kr}$  deduced shape isomer.  $^{208}\text{Pb}(^{76}\text{Kr}, ^{76}\text{Kr}')$ ,  $(^{74}\text{Kr}, ^{74}\text{Kr}')$ ,  $E \approx 4.5$  MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ ,  $(\text{particle})\gamma\text{-coin}$  following projectile Coulomb excitation.  $^{74,76}\text{Kr}$  deduced levels,  $J$ ,  $\pi$ . CONF Argonne(Nuclei at the Limits),P55,Clement
- 2005GI17 RADIOACTIVITY  $^{76}\text{Rb}(\beta^+)$ ,  $(\text{EC})$  [from  $\text{Nb}(\text{p}, \text{X})$ ]; measured  $E\gamma$ ,  $I\gamma$ ,  $E(\text{ce})$ ,  $I(\text{ce})$ ,  $\gamma\gamma^-$ ,  $\beta\gamma\text{-coin}$ ; deduced log ft.  $^{76}\text{Kr}$  deduced levels  $J$ ,  $\pi$ ,  $T_{1/2}$ , ICC.  $^{76}\text{Rb}$  deduced ground state  $J$ ,  $\pi$ . JOUR PRVCA 72 044308
- 2005G015 NUCLEAR REACTIONS  $^{208}\text{Pb}(^{74}\text{Kr}, ^{74}\text{Kr}')$ ,  $(^{76}\text{Kr}, ^{76}\text{Kr}')$ ,  $E=4.5$  MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ ,  $(\text{particle})\gamma\text{-coin}$  following projectile Coulomb excitation.  $^{74,76}\text{Kr}$  deduced levels,  $J$ ,  $\pi$ , quadrupole moments.  $^{208}\text{Pb}(^{72}\text{Ge}, ^{72}\text{Ge}')$ ,  $E$  not given; measured  $E\gamma$ ,  $I\gamma$ ,  $E(\text{ce})$ ,  $I(\text{ce})$ ,  $(\text{particle})\gamma\text{-coin}$  following projectile Coulomb excitation.  $^{72}\text{Ge}$  deduced transitions. Exogam array. JOUR APOBB 36 1281
- 2005G043 NUCLEAR REACTIONS  $^{40}\text{Ca}(^{40}\text{Ca}, 2\text{p}\alpha)$ ,  $(^{40}\text{Ca}, 4\text{p})$ ,  $E=147$  MeV; measured Doppler-shifted  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma\text{-coin}$ .  $^{74,76}\text{Kr}$  levels deduced  $T_{1/2}$ ,  $B(E2)$ . GASP array, recoil-distance technique. JOUR ZAANE 26 153
- 2005K011 NUCLEAR REACTIONS  $^{208}\text{Pb}(^{74}\text{Kr}, ^{74}\text{Kr}')$ ,  $(^{76}\text{Kr}, ^{76}\text{Kr}')$ ,  $E \approx 350$  MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $(\text{particle})\gamma\text{-coin}$  following projectile Coulomb excitation.  $^{74,76}\text{Kr}$  deduced levels,  $J$ ,  $\pi$ , quadrupole moments. Exogam array. JOUR NUPAB 752 255c
- 2005VA09 NUCLEAR REACTIONS  $^{40}\text{Ca}(^{40}\text{Ca}, 4\text{p})$ ,  $E=165$  MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma^-$ ,  $(\text{charged particle})\gamma\text{-coin}$ , DSA.  $^{76}\text{Kr}$  deduced high-spin levels,  $J$ ,  $\pi$ ,  $T_{1/2}$ , transition quadrupole moments, configurations. Gammasphere, Microball arrays, comparison with cranked mean-field model predictions. JOUR PRVCA 71 034311
- 2005VA18 NUCLEAR REACTIONS  $^{40}\text{Ca}(^{40}\text{Ca}, 4\text{p})$ ,  $E=165$  MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma^-$ ,  $(\text{charged particle})\gamma\text{-coin}$ , DSA.  $^{76}\text{Kr}$  deduced high-spin levels,  $J$ ,  $\pi$ ,  $T_{1/2}$ , configurations. Gammasphere, Microball arrays. JOUR APOBB 36 1339
- $^{76}\text{Rb}$  2005CH60 ATOMIC MASSES  $^{64}\text{Zn}$ ,  $^{64}\text{Ga}$ ,  $^{68}\text{Ge}$ ,  $^{68}\text{As}$ ,  $^{68,72}\text{Se}$ ,  $^{76}\text{Kr}$ ,  $^{76}\text{Rb}$ ,  $^{80}\text{Sr}$ ,  $^{80}\text{Y}$ ; measured masses. Direct time-of-flight technique, comparison with previous results. JOUR JPGPE 31 S1771
- 2005GI17 RADIOACTIVITY  $^{76}\text{Rb}(\beta^+)$ ,  $(\text{EC})$  [from  $\text{Nb}(\text{p}, \text{X})$ ]; measured  $E\gamma$ ,  $I\gamma$ ,  $E(\text{ce})$ ,  $I(\text{ce})$ ,  $\gamma\gamma^-$ ,  $\beta\gamma\text{-coin}$ ; deduced log ft.  $^{76}\text{Kr}$  deduced levels  $J$ ,  $\pi$ ,  $T_{1/2}$ , ICC.  $^{76}\text{Rb}$  deduced ground state  $J$ ,  $\pi$ . JOUR PRVCA 72 044308
- 2005RU07 RADIOACTIVITY  $^{76}\text{Sr}(\text{EC})$ ,  $(\beta^+)$  [from  $\text{Nb}(\text{p}, \text{X})$ ]; measured  $E\beta$ ,  $I\beta$ ,  $E\gamma$ ; deduced Gamow-Teller strength distribution.  $^{76}\text{Sr}$  deduced ground-state deformation. Total absorption technique. JOUR NUPAB 752 251c
- $^{76}\text{Sr}$  2005RU07 RADIOACTIVITY  $^{76}\text{Sr}(\text{EC})$ ,  $(\beta^+)$  [from  $\text{Nb}(\text{p}, \text{X})$ ]; measured  $E\beta$ ,  $I\beta$ ,  $E\gamma$ ; deduced Gamow-Teller strength distribution.  $^{76}\text{Sr}$  deduced ground-state deformation. Total absorption technique. JOUR NUPAB 752 251c

**A=76 (continued)**

2005SI34 ATOMIC MASSES <sup>76,77,80,81,86,88</sup>Sr, <sup>124,129,130,131,132</sup>Sn; measured masses. Penning trap mass spectrometer, comparison with previous results. JOUR NUPAB 763 45

**A=77**

<sup>77</sup>Ni 2005H008 RADIOACTIVITY <sup>75,76,77,78</sup>Ni, <sup>77,78</sup>Cu( $\beta^-$ ) [from Be(<sup>86</sup>Kr, X)]; measured T<sub>1/2</sub>. Astrophysical implications discussed. JOUR PRLTA 94 112501

<sup>77</sup>Cu 2005H008 RADIOACTIVITY <sup>75,76,77,78</sup>Ni, <sup>77,78</sup>Cu( $\beta^-$ ) [from Be(<sup>86</sup>Kr, X)]; measured T<sub>1/2</sub>. Astrophysical implications discussed. JOUR PRLTA 94 112501

<sup>77</sup>Zn 2005H008 RADIOACTIVITY <sup>75,76,77,78</sup>Ni, <sup>77,78</sup>Cu( $\beta^-$ ) [from Be(<sup>86</sup>Kr, X)]; measured T<sub>1/2</sub>. Astrophysical implications discussed. JOUR PRLTA 94 112501

2005VA19 RADIOACTIVITY <sup>74,76,78</sup>Cu( $\beta^-$ ); <sup>78</sup>Cu( $\beta^-$ n) [from <sup>238</sup>U(n, F), (p, F)]; measured E $\gamma$ , I $\gamma$ ,  $\beta\gamma$ -coin, T<sub>1/2</sub>. <sup>74,76,77,78</sup>Zn deduced levels, J,  $\pi$ , configurations. Mass separator, comparisons with model predictions. JOUR PRVCA 71 054307

<sup>77</sup>As 2005LU07 NUCLEAR REACTIONS <sup>238</sup>U(<sup>82</sup>Se, X), E=505 MeV; measured E $\gamma$ , I $\gamma$ , fragments isotopic yields. <sup>77,78,79,80,81,82,83</sup>As deduced transitions. <sup>192</sup>Os(<sup>82</sup>Se, X), E=460 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>80</sup>As, <sup>87</sup>Rb, <sup>84</sup>Se deduced levels. Fragment separator. JOUR APOBB 36 1301

<sup>77</sup>Sr 2005SI34 ATOMIC MASSES <sup>76,77,80,81,86,88</sup>Sr, <sup>124,129,130,131,132</sup>Sn; measured masses. Penning trap mass spectrometer, comparison with previous results. JOUR NUPAB 763 45

**A=78**

<sup>78</sup>Ni 2005H008 RADIOACTIVITY <sup>75,76,77,78</sup>Ni, <sup>77,78</sup>Cu( $\beta^-$ ) [from Be(<sup>86</sup>Kr, X)]; measured T<sub>1/2</sub>. Astrophysical implications discussed. JOUR PRLTA 94 112501

2005SC28 RADIOACTIVITY <sup>78</sup>Ni( $\beta^-$ ) [from <sup>86</sup>Kr fragmentation]; measured T<sub>1/2</sub>. Comparison with model predictions, astrophysical implications discussed. JOUR ZAANE 25 s01 639

<sup>78</sup>Cu 2005H008 RADIOACTIVITY <sup>75,76,77,78</sup>Ni, <sup>77,78</sup>Cu( $\beta^-$ ) [from Be(<sup>86</sup>Kr, X)]; measured T<sub>1/2</sub>. Astrophysical implications discussed. JOUR PRLTA 94 112501

2005SC28 RADIOACTIVITY <sup>78</sup>Ni( $\beta^-$ ) [from <sup>86</sup>Kr fragmentation]; measured T<sub>1/2</sub>. Comparison with model predictions, astrophysical implications discussed. JOUR ZAANE 25 s01 639

2005VA19 RADIOACTIVITY <sup>74,76,78</sup>Cu( $\beta^-$ ); <sup>78</sup>Cu( $\beta^-$ n) [from <sup>238</sup>U(n, F), (p, F)]; measured E $\gamma$ , I $\gamma$ ,  $\beta\gamma$ -coin, T<sub>1/2</sub>. <sup>74,76,77,78</sup>Zn deduced levels, J,  $\pi$ , configurations. Mass separator, comparisons with model predictions. JOUR PRVCA 71 054307

**A=78 (continued)**

- <sup>78</sup>Zn      2005H008      RADIOACTIVITY <sup>75,76,77,78</sup>Ni, <sup>77,78</sup>Cu( $\beta^-$ ) [from Be(<sup>86</sup>Kr, X)]; measured  $T_{1/2}$ . Astrophysical implications discussed. JOUR PRLTA 94 112501
- 2005VA19      RADIOACTIVITY <sup>74,76,78</sup>Cu( $\beta^-$ ); <sup>78</sup>Cu( $\beta^-n$ ) [from <sup>238</sup>U(n, F), (p, F)]; measured  $E\gamma$ ,  $I\gamma$ ,  $\beta\gamma$ -coin,  $T_{1/2}$ . <sup>74,76,77,78</sup>Zn deduced levels, J,  $\pi$ , configurations. Mass separator, comparisons with model predictions. JOUR PRVCA 71 054307
- <sup>78</sup>Ge      2005BE17      RADIOACTIVITY <sup>127</sup>I(<sup>24</sup>Ne), (<sup>28</sup>Mg), (<sup>30</sup>Mg), (<sup>32</sup>Si), (<sup>34</sup>Si), (<sup>48</sup>Ca), (<sup>49</sup>Sc); measured cluster decay  $T_{1/2}$  lower limits. JOUR ZAANE 24 51
- 2005IW03      NUCLEAR REACTIONS Pb(<sup>76</sup>Ge, <sup>76</sup>Ge'), (<sup>78</sup>Ge, <sup>78</sup>Ge'), (<sup>80</sup>Ge, <sup>80</sup>Ge'), (<sup>82</sup>Ge, <sup>82</sup>Ge'),  $E \approx 40$  MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation. <sup>76,78,80,82</sup>Ge deduced transitions B(E2). JOUR ZAANE 25 s01 415
- 2005PA23      NUCLEAR REACTIONS C(<sup>78</sup>Ge, <sup>78</sup>Ge'), (<sup>80</sup>Ge, <sup>80</sup>Ge'),  $E=2.24$  MeV / nucleon; <sup>48</sup>Ti(<sup>82</sup>Ge, <sup>82</sup>Ge'),  $E=220$  MeV; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation. <sup>78,80,82</sup>Ge deduced excitation B(E2). Systematic trends in B(E2) values discussed. JOUR PRLTA 94 122501
- <sup>78</sup>As      2005LU07      NUCLEAR REACTIONS <sup>238</sup>U(<sup>82</sup>Se, X),  $E=505$  MeV; measured  $E\gamma$ ,  $I\gamma$ , fragments isotopic yields. <sup>77,78,79,80,81,82,83</sup>As deduced transitions. <sup>192</sup>Os(<sup>82</sup>Se, X),  $E=460$  MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin. <sup>80</sup>As, <sup>87</sup>Rb, <sup>84</sup>Se deduced levels. Fragment separator. JOUR APOBB 36 1301
- <sup>78</sup>Se      2005GAZV      RADIOACTIVITY <sup>78</sup>Kr(2EC); measured 2K(2 $\nu$ )-capture  $T_{1/2}$  lower limit. PREPRINT nucl-ex/0510070,10/26/2005
- <sup>78</sup>Kr      2005GA22      NUCLEAR REACTIONS <sup>197</sup>Au(<sup>72</sup>Kr, <sup>72</sup>Kr'),  $E=69.3$  MeV / nucleon; <sup>197</sup>Au(<sup>78</sup>Kr, <sup>78</sup>Kr'),  $E=57.4$  MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation. <sup>72,78</sup>Kr deduced excitation B(E2), quadrupole moments, deformation. Comparison with shell-model Monte Carlo predictions. JOUR PRLTA 95 022502
- 2005GAZV      RADIOACTIVITY <sup>78</sup>Kr(2EC); measured 2K(2 $\nu$ )-capture  $T_{1/2}$  lower limit. PREPRINT nucl-ex/0510070,10/26/2005
- 2005LE04      NUCLEAR REACTIONS Pb(p, X)<sup>3</sup>He / <sup>4</sup>He / <sup>21</sup>Ne / <sup>22</sup>Ne / <sup>36</sup>Ar / <sup>38</sup>Ar / <sup>78</sup>Kr / <sup>80</sup>Kr / <sup>81</sup>Kr / <sup>82</sup>Kr / <sup>83</sup>Kr / <sup>84</sup>Kr / <sup>85</sup>Kr / <sup>86</sup>Kr / <sup>124</sup>Xe / <sup>126</sup>Xe / <sup>128</sup>Xe / <sup>129</sup>Xe / <sup>130</sup>Xe / <sup>131</sup>Xe / <sup>132</sup>Xe / <sup>134</sup>Xe,  $E=44-2595$  MeV; measured production  $\sigma$ ; deduced reaction mechanism features. Mini-stack approach, comparisons with model predictions. JOUR NIMBE 229 1
- 2005SC26      ATOMIC MASSES <sup>78,80,82,83,84,86</sup>Kr; measured masses. Penning trap mass spectrometer. JOUR ZAANE 25 s01 51

**A=79**

- <sup>79</sup>As      2005BE17      RADIOACTIVITY <sup>127</sup>I(<sup>24</sup>Ne), (<sup>28</sup>Mg), (<sup>30</sup>Mg), (<sup>32</sup>Si), (<sup>34</sup>Si), (<sup>48</sup>Ca), (<sup>49</sup>Sc); measured cluster decay  $T_{1/2}$  lower limits. JOUR ZAANE 24 51



**A=79 (continued)**

- 2005LU07 NUCLEAR REACTIONS  $^{238}\text{U}(^{82}\text{Se}, \text{X})$ , E=505 MeV; measured  $E\gamma$ ,  $I\gamma$ , fragments isotopic yields.  $^{77,78,79,80,81,82,83}\text{As}$  deduced transitions.  $^{192}\text{Os}(^{82}\text{Se}, \text{X})$ , E=460 MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{80}\text{As}$ ,  $^{87}\text{Rb}$ ,  $^{84}\text{Se}$  deduced levels. Fragment separator. JOUR APOBB 36 1301
- $^{79}\text{Kr}$  2004SC48 NUCLEAR REACTIONS  $^{78}\text{Kr}(\text{d}, \text{n})$ ,  $(\text{d}, \text{p})$ ,  $(\text{d}, \alpha)$ ,  $(\text{d}, \text{n}\alpha)$ , E  $\approx$  4-13 MeV; measured excitation functions. Stacked gas cell activation technique. JOUR RAACA 92 203
- $^{79}\text{Rb}$  2004SC48 NUCLEAR REACTIONS  $^{78}\text{Kr}(\text{d}, \text{n})$ ,  $(\text{d}, \text{p})$ ,  $(\text{d}, \alpha)$ ,  $(\text{d}, \text{n}\alpha)$ , E  $\approx$  4-13 MeV; measured excitation functions. Stacked gas cell activation technique. JOUR RAACA 92 203

**A=80**

- $^{80}\text{Ga}$  2005MA81 RADIOACTIVITY  $^{32}\text{Na}$ ,  $^{80}\text{Ga}(\beta^-)$ ; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -,  $\beta\gamma$ -coin.  $^{32}\text{Mg}$ ,  $^{80}\text{Ge}$  levels deduced  $T_{1/2}$ . Ultra-fast timing techniques. JOUR JPGPE 31 S1421
- $^{80}\text{Ge}$  2005IW03 NUCLEAR REACTIONS  $\text{Pb}(^{76}\text{Ge}, ^{76}\text{Ge}')$ ,  $(^{78}\text{Ge}, ^{78}\text{Ge}')$ ,  $(^{80}\text{Ge}, ^{80}\text{Ge}')$ ,  $(^{82}\text{Ge}, ^{82}\text{Ge}')$ , E  $\approx$  40 MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation.  $^{76,78,80,82}\text{Ge}$  deduced transitions B(E2). JOUR ZAANE 25 s01 415
- 2005MA81 RADIOACTIVITY  $^{32}\text{Na}$ ,  $^{80}\text{Ga}(\beta^-)$ ; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -,  $\beta\gamma$ -coin.  $^{32}\text{Mg}$ ,  $^{80}\text{Ge}$  levels deduced  $T_{1/2}$ . Ultra-fast timing techniques. JOUR JPGPE 31 S1421
- 2005PA23 NUCLEAR REACTIONS  $\text{C}(^{78}\text{Ge}, ^{78}\text{Ge}')$ ,  $(^{80}\text{Ge}, ^{80}\text{Ge}')$ , E=2.24 MeV / nucleon;  $^{48}\text{Ti}(^{82}\text{Ge}, ^{82}\text{Ge}')$ , E=220 MeV; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation.  $^{78,80,82}\text{Ge}$  deduced excitation B(E2). Systematic trends in B(E2) values discussed. JOUR PRLTA 94 122501
- $^{80}\text{As}$  2005GA56 NUCLEAR REACTIONS  $^{238}\text{U}(^{82}\text{Se}, \text{X})$ , E=505 MeV;  $^{238}\text{U}(^{64}\text{Ni}, \text{X})$ , E=400 MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -, (fragment) $\gamma$ -coin, projectile-like fragments isotopic yields.  $^{58}\text{Cr}$ ,  $^{80}\text{As}$ ,  $^{82}\text{Ge}$ ,  $^{84}\text{Se}$  deduced levels, J,  $\pi$ . Clara array, Prisma spectrometer. JOUR ZAANE 25 s01 421
- 2005LU07 NUCLEAR REACTIONS  $^{238}\text{U}(^{82}\text{Se}, \text{X})$ , E=505 MeV; measured  $E\gamma$ ,  $I\gamma$ , fragments isotopic yields.  $^{77,78,79,80,81,82,83}\text{As}$  deduced transitions.  $^{192}\text{Os}(^{82}\text{Se}, \text{X})$ , E=460 MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{80}\text{As}$ ,  $^{87}\text{Rb}$ ,  $^{84}\text{Se}$  deduced levels. Fragment separator. JOUR APOBB 36 1301
- $^{80}\text{Kr}$  2005LE04 NUCLEAR REACTIONS  $\text{Pb}(\text{p}, \text{X})^3\text{He} / ^4\text{He} / ^{21}\text{Ne} / ^{22}\text{Ne} / ^{36}\text{Ar} / ^{38}\text{Ar} / ^{78}\text{Kr} / ^{80}\text{Kr} / ^{81}\text{Kr} / ^{82}\text{Kr} / ^{83}\text{Kr} / ^{84}\text{Kr} / ^{85}\text{Kr} / ^{86}\text{Kr} / ^{124}\text{Xe} / ^{126}\text{Xe} / ^{128}\text{Xe} / ^{129}\text{Xe} / ^{130}\text{Xe} / ^{131}\text{Xe} / ^{132}\text{Xe} / ^{134}\text{Xe}$ , E=44-2595 MeV; measured production  $\sigma$ ; deduced reaction mechanism features. Mini-stack approach, comparisons with model predictions. JOUR NIMBE 229 1
- 2005SC26 ATOMIC MASSES  $^{78,80,82,83,84,86}\text{Kr}$ ; measured masses. Penning trap mass spectrometer. JOUR ZAANE 25 s01 51
- $^{80}\text{Sr}$  2005CH60 ATOMIC MASSES  $^{64}\text{Zn}$ ,  $^{64}\text{Ga}$ ,  $^{68}\text{Ge}$ ,  $^{68}\text{As}$ ,  $^{68,72}\text{Se}$ ,  $^{76}\text{Kr}$ ,  $^{76}\text{Rb}$ ,  $^{80}\text{Sr}$ ,  $^{80}\text{Y}$ ; measured masses. Direct time-of-flight technique, comparison with previous results. JOUR JPGPE 31 S1771

**A=80 (continued)**

- 2005SI34 ATOMIC MASSES  $^{76,77,80,81,86,88}\text{Sr}$ ,  $^{124,129,130,131,132}\text{Sn}$ ; measured masses. Penning trap mass spectrometer, comparison with previous results. JOUR NUPAB 763 45
- 2005XU04 RADIOACTIVITY  $^{81}\text{Zr}$ ,  $^{85}\text{Mo}$ ,  $^{89}\text{Ru}$ ,  $^{92}\text{Rh}$ ,  $^{93}\text{Pd}$ ,  $^{121}\text{Ce}$ ,  $^{125}\text{Nd}$ ,  $^{128}\text{Pm}$ ,  $^{129}\text{Sm}$ ,  $^{135,137}\text{Gd}$ ,  $^{139}\text{Dy}$ ,  $^{142}\text{Ho}$ ,  $^{149}\text{Yb}(\beta^+\text{p})$ ; measured  $\beta$ -delayed  $E\gamma$ ,  $I\gamma$ , proton spectra,  $p\gamma$ -coin,  $T_{1/2}$ . Comparison with model predictions. JOUR PRVCA 71 054318
- $^{80}\text{Y}$  2005CH60 ATOMIC MASSES  $^{64}\text{Zn}$ ,  $^{64}\text{Ga}$ ,  $^{68}\text{Ge}$ ,  $^{68}\text{As}$ ,  $^{68,72}\text{Se}$ ,  $^{76}\text{Kr}$ ,  $^{76}\text{Rb}$ ,  $^{80}\text{Sr}$ ,  $^{80}\text{Y}$ ; measured masses. Direct time-of-flight technique, comparison with previous results. JOUR JPGPE 31 S1771

**A=81**

- $^{81}\text{Zn}$  2004VE14 RADIOACTIVITY  $^{83}\text{Ga}$ ,  $^{81}\text{Zn}(\beta^-)$  [from U(d, X)]; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -,  $\beta\gamma$ -coin,  $T_{1/2}$ .  $^{81}\text{Ga}$ ,  $^{83}\text{As}$  deduced levels. JOUR BJPHE 34 979
- $^{81}\text{Ga}$  2004VE14 RADIOACTIVITY  $^{83}\text{Ga}$ ,  $^{81}\text{Zn}(\beta^-)$  [from U(d, X)]; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -,  $\beta\gamma$ -coin,  $T_{1/2}$ .  $^{81}\text{Ga}$ ,  $^{83}\text{As}$  deduced levels. JOUR BJPHE 34 979
- $^{81}\text{As}$  2005LU07 NUCLEAR REACTIONS  $^{238}\text{U}(\text{}^{82}\text{Se}, \text{X})$ ,  $E=505$  MeV; measured  $E\gamma$ ,  $I\gamma$ , fragments isotopic yields.  $^{77,78,79,80,81,82,83}\text{As}$  deduced transitions.  $^{192}\text{Os}(\text{}^{82}\text{Se}, \text{X})$ ,  $E=460$  MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{80}\text{As}$ ,  $^{87}\text{Rb}$ ,  $^{84}\text{Se}$  deduced levels. Fragment separator. JOUR APOBB 36 1301
- $^{81}\text{Br}$  2005KA39 RADIOACTIVITY  $^{81m}\text{Kr}(\text{EC})$ , (IT);  $^{81}\text{Y}$ ,  $^{81}\text{Sr}$ ,  $^{85}\text{Nb}$ ,  $^{85}\text{Zr}$ ,  $^{86}\text{Mo}$ ,  $^{86}\text{Nb}(\text{EC})$  [from Ni,  $^{54}\text{Fe}(\text{}^{32}\text{S}, \text{X})$ ]; measured  $E\gamma$ ,  $I\gamma$ ,  $E(\text{ce})$ ,  $I(\text{ce})$ ,  $T_{1/2}$ .  $^{81}\text{Kr}$ ,  $^{85}\text{Zr}$ ,  $^{85}\text{Nb}$  deduced isomeric transitions  $T_{1/2}$ , ICC.  $^{85}\text{Zr}$ ,  $^{86}\text{Nb}$  deduced levels, J,  $\pi$ , ICC.  $^{81}\text{Br}$  deduced neutrino capture rate. Astrophysical implications discussed. JOUR ZAANE 25 355
- 2005KA46 RADIOACTIVITY  $^{31}\text{Cl}(\beta^+\text{p})$  [from S(p, X),  $E=40$  MeV]; measured  $\beta$ -delayed  $E\gamma$ , Ep.  $^{58}\text{Zn}(\beta^+)$  [from Nb(p, X),  $E=1.4$  GeV]; measured  $E\gamma$ ,  $I\gamma$ ,  $\beta\gamma$ -coin,  $T_{1/2}$ .  $^{58}\text{Cu}$  deduced levels,  $\beta$ -feeding intensities.  $^{81m}\text{Kr}(\text{EC})$ , (IT);  $^{81}\text{Y}$ ,  $^{81}\text{Sr}$ ,  $^{85}\text{Nb}$ ,  $^{85}\text{Zr}$ ,  $^{86}\text{Mo}$ ,  $^{86}\text{Nb}(\text{EC})$  [from Ni,  $^{54}\text{Fe}(\text{}^{32}\text{S}, \text{X})$ ]; measured  $E\gamma$ ,  $I\gamma$ ,  $E(\text{ce})$ ,  $I(\text{ce})$ ,  $T_{1/2}$ .  $^{81}\text{Kr}$ ,  $^{85}\text{Zr}$ ,  $^{85}\text{Nb}$  deduced isomeric transitions  $T_{1/2}$ , ICC.  $^{85}\text{Zr}$ ,  $^{86}\text{Nb}$  deduced levels, J,  $\pi$ , ICC.  $^{81}\text{Br}$  deduced neutrino capture rate. Mass-separated sources. JOUR ZAANE 25 s01 129
- $^{81}\text{Kr}$  2005KA39 RADIOACTIVITY  $^{81m}\text{Kr}(\text{EC})$ , (IT);  $^{81}\text{Y}$ ,  $^{81}\text{Sr}$ ,  $^{85}\text{Nb}$ ,  $^{85}\text{Zr}$ ,  $^{86}\text{Mo}$ ,  $^{86}\text{Nb}(\text{EC})$  [from Ni,  $^{54}\text{Fe}(\text{}^{32}\text{S}, \text{X})$ ]; measured  $E\gamma$ ,  $I\gamma$ ,  $E(\text{ce})$ ,  $I(\text{ce})$ ,  $T_{1/2}$ .  $^{81}\text{Kr}$ ,  $^{85}\text{Zr}$ ,  $^{85}\text{Nb}$  deduced isomeric transitions  $T_{1/2}$ , ICC.  $^{85}\text{Zr}$ ,  $^{86}\text{Nb}$  deduced levels, J,  $\pi$ , ICC.  $^{81}\text{Br}$  deduced neutrino capture rate. Astrophysical implications discussed. JOUR ZAANE 25 355
- 2005KA39 NUCLEAR REACTIONS  $^{54}\text{Fe}(\text{}^{32}\text{S}, \text{X})$   $^{81}\text{Zr}$  /  $^{81}\text{Y}$  /  $^{81}\text{Sr}$  /  $^{81m}\text{Kr}$ ,  $E=150-170$  MeV; Ni( $^{32}\text{S}, \text{X}$ )  $^{85}\text{Nb}$  /  $^{85m}\text{Nb}$  /  $^{85}\text{Zr}$  /  $^{85m}\text{Zr}$  /  $^{86}\text{Mo}$  /  $^{86}\text{Nb}$ ,  $E=150-170$  MeV; measured yields. JOUR ZAANE 25 355

A=81 (*continued*)

- 2005KA46 RADIOACTIVITY  $^{31}\text{Cl}(\beta^+\text{p})$  [from S(p, X), E=40 MeV]; measured  $\beta$ -delayed  $E\gamma$ , Ep.  $^{58}\text{Zn}(\beta^+)$  [from Nb(p, X), E=1.4 GeV]; measured  $E\gamma$ ,  $I\gamma$ ,  $\beta\gamma$ -coin,  $T_{1/2}$ .  $^{58}\text{Cu}$  deduced levels,  $\beta$ -feeding intensities.  $^{81m}\text{Kr}(\text{EC})$ , (IT);  $^{81}\text{Y}$ ,  $^{81}\text{Sr}$ ,  $^{85}\text{Nb}$ ,  $^{85}\text{Zr}$ ,  $^{86}\text{Mo}$ ,  $^{86}\text{Nb}(\text{EC})$  [from Ni,  $^{54}\text{Fe}(^{32}\text{S}, \text{X})$ ]; measured  $E\gamma$ ,  $I\gamma$ , E(ce), I(ce),  $T_{1/2}$ .  $^{81}\text{Kr}$ ,  $^{85}\text{Zr}$ ,  $^{85}\text{Nb}$  deduced isomeric transitions  $T_{1/2}$ , ICC.  $^{85}\text{Zr}$ ,  $^{86}\text{Nb}$  deduced levels, J,  $\pi$ , ICC.  $^{81}\text{Br}$  deduced neutrino capture rate. Mass-separated sources. JOUR ZAANE 25 s01 129
- 2005LE04 NUCLEAR REACTIONS Pb(p, X)  $^3\text{He}$  /  $^4\text{He}$  /  $^{21}\text{Ne}$  /  $^{22}\text{Ne}$  /  $^{36}\text{Ar}$  /  $^{38}\text{Ar}$  /  $^{78}\text{Kr}$  /  $^{80}\text{Kr}$  /  $^{81}\text{Kr}$  /  $^{82}\text{Kr}$  /  $^{83}\text{Kr}$  /  $^{84}\text{Kr}$  /  $^{85}\text{Kr}$  /  $^{86}\text{Kr}$  /  $^{124}\text{Xe}$  /  $^{126}\text{Xe}$  /  $^{128}\text{Xe}$  /  $^{129}\text{Xe}$  /  $^{130}\text{Xe}$  /  $^{131}\text{Xe}$  /  $^{132}\text{Xe}$  /  $^{134}\text{Xe}$ , E=44-2595 MeV; measured production  $\sigma$ ; deduced reaction mechanism features. Mini-stack approach, comparisons with model predictions. JOUR NIMBE 229 1
- 2005MUZY NUCLEAR REACTIONS  $^{84}\text{Kr}(\text{n}, \text{X})$ , E=0-400 keV; measured total  $\sigma$ .  $^{82,84,86}\text{Kr}(\text{n}, \gamma)$ , E=0-400 keV;  $^{80,83}\text{Kr}(\text{n}, \gamma)$ , E=0-5 keV; measured capture  $\sigma$ .  $^{80,82,83,84,86}\text{Kr}(\text{n}, \gamma)$ , E=5-100 keV; deduced Maxwellian-averaged  $\sigma$ . Astrophysical implications discussed. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol2, P1327
- $^{81}\text{Rb}$  2004KA68 NUCLEAR REACTIONS  $^{85}\text{Rb}(\text{p}, \text{np})$ , (p, 2np), (p, 3np), (p, 4np), E  $\approx$  17-100 MeV; measured excitation functions. Activation technique, comparison with model predictions. JOUR RAACA 92 449
- 2005KA39 RADIOACTIVITY  $^{81m}\text{Kr}(\text{EC})$ , (IT);  $^{81}\text{Y}$ ,  $^{81}\text{Sr}$ ,  $^{85}\text{Nb}$ ,  $^{85}\text{Zr}$ ,  $^{86}\text{Mo}$ ,  $^{86}\text{Nb}(\text{EC})$  [from Ni,  $^{54}\text{Fe}(^{32}\text{S}, \text{X})$ ]; measured  $E\gamma$ ,  $I\gamma$ , E(ce), I(ce),  $T_{1/2}$ .  $^{81}\text{Kr}$ ,  $^{85}\text{Zr}$ ,  $^{85}\text{Nb}$  deduced isomeric transitions  $T_{1/2}$ , ICC.  $^{85}\text{Zr}$ ,  $^{86}\text{Nb}$  deduced levels, J,  $\pi$ , ICC.  $^{81}\text{Br}$  deduced neutrino capture rate. Astrophysical implications discussed. JOUR ZAANE 25 355
- 2005KA46 RADIOACTIVITY  $^{31}\text{Cl}(\beta^+\text{p})$  [from S(p, X), E=40 MeV]; measured  $\beta$ -delayed  $E\gamma$ , Ep.  $^{58}\text{Zn}(\beta^+)$  [from Nb(p, X), E=1.4 GeV]; measured  $E\gamma$ ,  $I\gamma$ ,  $\beta\gamma$ -coin,  $T_{1/2}$ .  $^{58}\text{Cu}$  deduced levels,  $\beta$ -feeding intensities.  $^{81m}\text{Kr}(\text{EC})$ , (IT);  $^{81}\text{Y}$ ,  $^{81}\text{Sr}$ ,  $^{85}\text{Nb}$ ,  $^{85}\text{Zr}$ ,  $^{86}\text{Mo}$ ,  $^{86}\text{Nb}(\text{EC})$  [from Ni,  $^{54}\text{Fe}(^{32}\text{S}, \text{X})$ ]; measured  $E\gamma$ ,  $I\gamma$ , E(ce), I(ce),  $T_{1/2}$ .  $^{81}\text{Kr}$ ,  $^{85}\text{Zr}$ ,  $^{85}\text{Nb}$  deduced isomeric transitions  $T_{1/2}$ , ICC.  $^{85}\text{Zr}$ ,  $^{86}\text{Nb}$  deduced levels, J,  $\pi$ , ICC.  $^{81}\text{Br}$  deduced neutrino capture rate. Mass-separated sources. JOUR ZAANE 25 s01 129
- $^{81}\text{Sr}$  2005KA39 RADIOACTIVITY  $^{81m}\text{Kr}(\text{EC})$ , (IT);  $^{81}\text{Y}$ ,  $^{81}\text{Sr}$ ,  $^{85}\text{Nb}$ ,  $^{85}\text{Zr}$ ,  $^{86}\text{Mo}$ ,  $^{86}\text{Nb}(\text{EC})$  [from Ni,  $^{54}\text{Fe}(^{32}\text{S}, \text{X})$ ]; measured  $E\gamma$ ,  $I\gamma$ , E(ce), I(ce),  $T_{1/2}$ .  $^{81}\text{Kr}$ ,  $^{85}\text{Zr}$ ,  $^{85}\text{Nb}$  deduced isomeric transitions  $T_{1/2}$ , ICC.  $^{85}\text{Zr}$ ,  $^{86}\text{Nb}$  deduced levels, J,  $\pi$ , ICC.  $^{81}\text{Br}$  deduced neutrino capture rate. Astrophysical implications discussed. JOUR ZAANE 25 355
- 2005KA39 NUCLEAR REACTIONS  $^{54}\text{Fe}(^{32}\text{S}, \text{X})$   $^{81}\text{Zr}$  /  $^{81}\text{Y}$  /  $^{81}\text{Sr}$  /  $^{81m}\text{Kr}$ , E=150-170 MeV; Ni( $^{32}\text{S}, \text{X}$ )  $^{85}\text{Nb}$  /  $^{85m}\text{Nb}$  /  $^{85}\text{Zr}$  /  $^{85m}\text{Zr}$  /  $^{86}\text{Mo}$  /  $^{86}\text{Nb}$ , E=150-170 MeV; measured yields. JOUR ZAANE 25 355

**A=81 (continued)**

- 2005KA46 RADIOACTIVITY  $^{31}\text{Cl}(\beta^+p)$  [from  $\text{S}(p, X)$ ,  $E=40$  MeV]; measured  $\beta$ -delayed  $E\gamma$ , Ep.  $^{58}\text{Zn}(\beta^+)$  [from  $\text{Nb}(p, X)$ ,  $E=1.4$  GeV]; measured  $E\gamma$ ,  $I\gamma$ ,  $\beta\gamma$ -coin,  $T_{1/2}$ .  $^{58}\text{Cu}$  deduced levels,  $\beta$ -feeding intensities.  $^{81m}\text{Kr}(\text{EC})$ , (IT);  $^{81}\text{Y}$ ,  $^{81}\text{Sr}$ ,  $^{85}\text{Nb}$ ,  $^{85}\text{Zr}$ ,  $^{86}\text{Mo}$ ,  $^{86}\text{Nb}(\text{EC})$  [from Ni,  $^{54}\text{Fe}(^{32}\text{S}, X)$ ]; measured  $E\gamma$ ,  $I\gamma$ ,  $E(\text{ce})$ ,  $I(\text{ce})$ ,  $T_{1/2}$ .  $^{81}\text{Kr}$ ,  $^{85}\text{Zr}$ ,  $^{85}\text{Nb}$  deduced isomeric transitions  $T_{1/2}$ , ICC.  $^{85}\text{Zr}$ ,  $^{86}\text{Nb}$  deduced levels, J,  $\pi$ , ICC.  $^{81}\text{Br}$  deduced neutrino capture rate. Mass-separated sources. JOUR ZAANE 25 s01 129
- 2005SI34 ATOMIC MASSES  $^{76,77,80,81,86,88}\text{Sr}$ ,  $^{124,129,130,131,132}\text{Sn}$ ; measured masses. Penning trap mass spectrometer, comparison with previous results. JOUR NUPAB 763 45
- $^{81}\text{Y}$  2005KA39 RADIOACTIVITY  $^{81m}\text{Kr}(\text{EC})$ , (IT);  $^{81}\text{Y}$ ,  $^{81}\text{Sr}$ ,  $^{85}\text{Nb}$ ,  $^{85}\text{Zr}$ ,  $^{86}\text{Mo}$ ,  $^{86}\text{Nb}(\text{EC})$  [from Ni,  $^{54}\text{Fe}(^{32}\text{S}, X)$ ]; measured  $E\gamma$ ,  $I\gamma$ ,  $E(\text{ce})$ ,  $I(\text{ce})$ ,  $T_{1/2}$ .  $^{81}\text{Kr}$ ,  $^{85}\text{Zr}$ ,  $^{85}\text{Nb}$  deduced isomeric transitions  $T_{1/2}$ , ICC.  $^{85}\text{Zr}$ ,  $^{86}\text{Nb}$  deduced levels, J,  $\pi$ , ICC.  $^{81}\text{Br}$  deduced neutrino capture rate. Astrophysical implications discussed. JOUR ZAANE 25 355
- 2005KA39 NUCLEAR REACTIONS  $^{54}\text{Fe}(^{32}\text{S}, X)^{81}\text{Zr} / ^{81}\text{Y} / ^{81}\text{Sr} / ^{81m}\text{Kr}$ ,  $E=150-170$  MeV;  $\text{Ni}(^{32}\text{S}, X)^{85}\text{Nb} / ^{85m}\text{Nb} / ^{85}\text{Zr} / ^{85m}\text{Zr} / ^{86}\text{Mo} / ^{86}\text{Nb}$ ,  $E=150-170$  MeV; measured yields. JOUR ZAANE 25 355
- 2005KA46 RADIOACTIVITY  $^{31}\text{Cl}(\beta^+p)$  [from  $\text{S}(p, X)$ ,  $E=40$  MeV]; measured  $\beta$ -delayed  $E\gamma$ , Ep.  $^{58}\text{Zn}(\beta^+)$  [from  $\text{Nb}(p, X)$ ,  $E=1.4$  GeV]; measured  $E\gamma$ ,  $I\gamma$ ,  $\beta\gamma$ -coin,  $T_{1/2}$ .  $^{58}\text{Cu}$  deduced levels,  $\beta$ -feeding intensities.  $^{81m}\text{Kr}(\text{EC})$ , (IT);  $^{81}\text{Y}$ ,  $^{81}\text{Sr}$ ,  $^{85}\text{Nb}$ ,  $^{85}\text{Zr}$ ,  $^{86}\text{Mo}$ ,  $^{86}\text{Nb}(\text{EC})$  [from Ni,  $^{54}\text{Fe}(^{32}\text{S}, X)$ ]; measured  $E\gamma$ ,  $I\gamma$ ,  $E(\text{ce})$ ,  $I(\text{ce})$ ,  $T_{1/2}$ .  $^{81}\text{Kr}$ ,  $^{85}\text{Zr}$ ,  $^{85}\text{Nb}$  deduced isomeric transitions  $T_{1/2}$ , ICC.  $^{85}\text{Zr}$ ,  $^{86}\text{Nb}$  deduced levels, J,  $\pi$ , ICC.  $^{81}\text{Br}$  deduced neutrino capture rate. Mass-separated sources. JOUR ZAANE 25 s01 129
- $^{81}\text{Zr}$  2005KA39 NUCLEAR REACTIONS  $^{54}\text{Fe}(^{32}\text{S}, X)^{81}\text{Zr} / ^{81}\text{Y} / ^{81}\text{Sr} / ^{81m}\text{Kr}$ ,  $E=150-170$  MeV;  $\text{Ni}(^{32}\text{S}, X)^{85}\text{Nb} / ^{85m}\text{Nb} / ^{85}\text{Zr} / ^{85m}\text{Zr} / ^{86}\text{Mo} / ^{86}\text{Nb}$ ,  $E=150-170$  MeV; measured yields. JOUR ZAANE 25 355
- 2005XU04 RADIOACTIVITY  $^{81}\text{Zr}$ ,  $^{85}\text{Mo}$ ,  $^{89}\text{Ru}$ ,  $^{92}\text{Rh}$ ,  $^{93}\text{Pd}$ ,  $^{121}\text{Ce}$ ,  $^{125}\text{Nd}$ ,  $^{128}\text{Pm}$ ,  $^{129}\text{Sm}$ ,  $^{135,137}\text{Gd}$ ,  $^{139}\text{Dy}$ ,  $^{142}\text{Ho}$ ,  $^{149}\text{Yb}(\beta^+p)$ ; measured  $\beta$ -delayed  $E\gamma$ ,  $I\gamma$ , proton spectra,  $p\gamma$ -coin,  $T_{1/2}$ . Comparison with model predictions. JOUR PRVCA 71 054318

**A=82**

- $^{82}\text{Ga}$  2004PEZW RADIOACTIVITY  $^{82,83}\text{Ga}(\beta^-)$  [from  $^{238}\text{U}(n, F)$ ]; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma^-$ ,  $\beta\gamma$ -coin,  $T_{1/2}$ .  $^{82,83}\text{Ge}$  deduced levels, configurations. REPT IPNO-T-05-02,Perru
- $^{82}\text{Ge}$  2004PEZW RADIOACTIVITY  $^{82,83}\text{Ga}(\beta^-)$  [from  $^{238}\text{U}(n, F)$ ]; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma^-$ ,  $\beta\gamma$ -coin,  $T_{1/2}$ .  $^{82,83}\text{Ge}$  deduced levels, configurations. REPT IPNO-T-05-02,Perru
- 2005GA56 NUCLEAR REACTIONS  $^{238}\text{U}(^{82}\text{Se}, X)$ ,  $E=505$  MeV;  $^{238}\text{U}(^{64}\text{Ni}, X)$ ,  $E=400$  MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma^-$ , (fragment) $\gamma$ -coin, projectile-like fragments isotopic yields.  $^{58}\text{Cr}$ ,  $^{80}\text{As}$ ,  $^{82}\text{Ge}$ ,  $^{84}\text{Se}$  deduced levels, J,  $\pi$ . Clara array, Prisma spectrometer. JOUR ZAANE 25 s01 421

## A=82 (continued)

- 2005IW03 NUCLEAR REACTIONS Pb( $^{76}\text{Ge}$ ,  $^{76}\text{Ge}'$ ), ( $^{78}\text{Ge}$ ,  $^{78}\text{Ge}'$ ), ( $^{80}\text{Ge}$ ,  $^{80}\text{Ge}'$ ), ( $^{82}\text{Ge}$ ,  $^{82}\text{Ge}'$ ),  $E \approx 40$  MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation.  $^{76,78,80,82}\text{Ge}$  deduced transitions B(E2). JOUR ZAANE 25 s01 415
- 2005PA23 NUCLEAR REACTIONS C( $^{78}\text{Ge}$ ,  $^{78}\text{Ge}'$ ), ( $^{80}\text{Ge}$ ,  $^{80}\text{Ge}'$ ),  $E=2.24$  MeV / nucleon;  $^{48}\text{Ti}$ ( $^{82}\text{Ge}$ ,  $^{82}\text{Ge}'$ ),  $E=220$  MeV; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation.  $^{78,80,82}\text{Ge}$  deduced excitation B(E2). Systematic trends in B(E2) values discussed. JOUR PRLTA 94 122501
- $^{82}\text{As}$  2005LU07 NUCLEAR REACTIONS  $^{238}\text{U}$ ( $^{82}\text{Se}$ , X),  $E=505$  MeV; measured  $E\gamma$ ,  $I\gamma$ , fragments isotopic yields.  $^{77,78,79,80,81,82,83}\text{As}$  deduced transitions.  $^{192}\text{Os}$ ( $^{82}\text{Se}$ , X),  $E=460$  MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{80}\text{As}$ ,  $^{87}\text{Rb}$ ,  $^{84}\text{Se}$  deduced levels. Fragment separator. JOUR APOBB 36 1301
- $^{82}\text{Se}$  2005AR27 RADIOACTIVITY  $^{82}\text{Se}$ ,  $^{100}\text{Mo}(2\beta^-)$ ; measured  $2\nu\beta\beta$ -decay  $T_{1/2}$ ,  $0\nu\beta\beta$ -decay  $T_{1/2}$  lower limits; deduced neutrino mass limits. JOUR PRLTA 95 182302
- 2005BA33 RADIOACTIVITY  $^{82}\text{Se}$ ,  $^{100}\text{Mo}$ ,  $^{116}\text{Cd}$ ,  $^{150}\text{Nd}(2\beta^-)$ ; measured  $2\nu\beta\beta$ -decay  $T_{1/2}$ ,  $0\nu\beta\beta$ -decay  $T_{1/2}$  lower limits. JOUR YAFIA 68 443
- 2005SA07 RADIOACTIVITY  $^{82}\text{Se}$ ,  $^{96}\text{Zr}$ ,  $^{100}\text{Mo}$ ,  $^{116}\text{Cd}$ ,  $^{150}\text{Nd}(2\beta^-)$ ; measured  $2\nu\beta\beta$ -decay  $T_{1/2}$ .  $^{82}\text{Se}$ ,  $^{100}\text{Mo}(2\beta^-)$ ; measured  $0\nu\beta\beta$ -decay  $T_{1/2}$  lower limits; deduced neutrino mass limits. JOUR NPBSE 143 221
- 2005SHZW RADIOACTIVITY  $^{100}\text{Mo}$ ,  $^{82}\text{Se}(2\beta^-)$ ; measured  $0\nu\beta\beta$ -decay  $T_{1/2}$  limits. NEMO-3 detector, underground laboratory in Modane. CONF St Petersburg,P42,Shitov
- 2005SI06 RADIOACTIVITY  $^{82}\text{Se}$ ,  $^{96}\text{Zr}$ ,  $^{100}\text{Mo}$ ,  $^{116}\text{Cd}$ ,  $^{150}\text{Nd}(2\beta^-)$ ; measured  $2\nu\beta\beta$ -decay  $T_{1/2}$ .  $^{82}\text{Se}$ ,  $^{100}\text{Mo}(2\beta^-)$ ; measured  $0\nu\beta\beta$ -decay  $T_{1/2}$  lower limits; deduced neutrino mass limits. JOUR NPBSE 145 272
- $^{82}\text{Kr}$  2005AR27 RADIOACTIVITY  $^{82}\text{Se}$ ,  $^{100}\text{Mo}(2\beta^-)$ ; measured  $2\nu\beta\beta$ -decay  $T_{1/2}$ ,  $0\nu\beta\beta$ -decay  $T_{1/2}$  lower limits; deduced neutrino mass limits. JOUR PRLTA 95 182302
- 2005BA33 RADIOACTIVITY  $^{82}\text{Se}$ ,  $^{100}\text{Mo}$ ,  $^{116}\text{Cd}$ ,  $^{150}\text{Nd}(2\beta^-)$ ; measured  $2\nu\beta\beta$ -decay  $T_{1/2}$ ,  $0\nu\beta\beta$ -decay  $T_{1/2}$  lower limits. JOUR YAFIA 68 443
- 2005LE04 NUCLEAR REACTIONS Pb(p, X) $^3\text{He}$  /  $^4\text{He}$  /  $^{21}\text{Ne}$  /  $^{22}\text{Ne}$  /  $^{36}\text{Ar}$  /  $^{38}\text{Ar}$  /  $^{78}\text{Kr}$  /  $^{80}\text{Kr}$  /  $^{81}\text{Kr}$  /  $^{82}\text{Kr}$  /  $^{83}\text{Kr}$  /  $^{84}\text{Kr}$  /  $^{85}\text{Kr}$  /  $^{86}\text{Kr}$  /  $^{124}\text{Xe}$  /  $^{126}\text{Xe}$  /  $^{128}\text{Xe}$  /  $^{129}\text{Xe}$  /  $^{130}\text{Xe}$  /  $^{131}\text{Xe}$  /  $^{132}\text{Xe}$  /  $^{134}\text{Xe}$ ,  $E=44-2595$  MeV; measured production  $\sigma$ ; deduced reaction mechanism features. Mini-stack approach, comparisons with model predictions. JOUR NIMBE 229 1
- 2005SA07 RADIOACTIVITY  $^{82}\text{Se}$ ,  $^{96}\text{Zr}$ ,  $^{100}\text{Mo}$ ,  $^{116}\text{Cd}$ ,  $^{150}\text{Nd}(2\beta^-)$ ; measured  $2\nu\beta\beta$ -decay  $T_{1/2}$ .  $^{82}\text{Se}$ ,  $^{100}\text{Mo}(2\beta^-)$ ; measured  $0\nu\beta\beta$ -decay  $T_{1/2}$  lower limits; deduced neutrino mass limits. JOUR NPBSE 143 221
- 2005SC26 ATOMIC MASSES  $^{78,80,82,83,84,86}\text{Kr}$ ; measured masses. Penning trap mass spectrometer. JOUR ZAANE 25 s01 51
- 2005SHZW RADIOACTIVITY  $^{100}\text{Mo}$ ,  $^{82}\text{Se}(2\beta^-)$ ; measured  $0\nu\beta\beta$ -decay  $T_{1/2}$  limits. NEMO-3 detector, underground laboratory in Modane. CONF St Petersburg,P42,Shitov
- 2005SI06 RADIOACTIVITY  $^{82}\text{Se}$ ,  $^{96}\text{Zr}$ ,  $^{100}\text{Mo}$ ,  $^{116}\text{Cd}$ ,  $^{150}\text{Nd}(2\beta^-)$ ; measured  $2\nu\beta\beta$ -decay  $T_{1/2}$ .  $^{82}\text{Se}$ ,  $^{100}\text{Mo}(2\beta^-)$ ; measured  $0\nu\beta\beta$ -decay  $T_{1/2}$  lower limits; deduced neutrino mass limits. JOUR NPBSE 145 272

**A=82 (continued)**

- <sup>82</sup>Rb      2004KA68      NUCLEAR REACTIONS <sup>85</sup>Rb(p, np), (p, 2np), (p, 3np), (p, 4np), E ≈ 17-100 MeV; measured excitation functions. Activation technique, comparison with model predictions. JOUR RAACA 92 449
- 2005GU37      ATOMIC MASSES <sup>56,57</sup>Mn, <sup>82m</sup>Rb, <sup>92</sup>Sr, <sup>124,127</sup>Cs, <sup>130</sup>Ba; measured masses. Penning trap mass spectrometer. JOUR ZAANE 25 s01 35
- <sup>82</sup>Sr      2004SCZU      NUCLEAR REACTIONS <sup>76</sup>Se(p, n), E ≈ 5-40 MeV; <sup>78</sup>Kr(d, α), E ≈ 4-14 MeV; measured σ. <sup>126</sup>Te(p, 3n), E=8-70 MeV; <sup>85</sup>Rb(p, 4n), E=44-66 MeV; measured yields. REPT
- 2005KEZZ      NUCLEAR REACTIONS Ti(p, X)<sup>45</sup>Ca, E=30-200 MeV; <sup>85</sup>Rb(p, 4n), E=35-70 MeV; measured excitation functions. <sup>89</sup>Y(n, p), E=fast; measured spectrum-averaged σ. Activation technique, radiochemical separation, x-ray spectrometry. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol1,P758
- 2005UD02      NUCLEAR REACTIONS <sup>89</sup>Y(p, X)<sup>89</sup>Zr / <sup>88</sup>Zr / <sup>86</sup>Zr / <sup>88</sup>Y / <sup>87</sup>Y / <sup>87m</sup>Y / <sup>86</sup>Y / <sup>85</sup>Sr / <sup>83</sup>Sr / <sup>82</sup>Sr / <sup>84</sup>Rb / <sup>83</sup>Rb, E=15-80 MeV; measured excitation functions; deduced integral yields. Stacked-foil activation technique. JOUR ARISE 63 367

**A=83**

- <sup>83</sup>Ga      2004PEZW      RADIOACTIVITY <sup>82,83</sup>Ga(β<sup>-</sup>) [from <sup>238</sup>U(n, F)]; measured E<sub>γ</sub>, I<sub>γ</sub>, γγ-, βγ-coin, T<sub>1/2</sub>. <sup>82,83</sup>Ge deduced levels, configurations. REPT
- 2004VE14      RADIOACTIVITY <sup>83</sup>Ga, <sup>81</sup>Zn(β<sup>-</sup>) [from U(d, X)]; measured E<sub>γ</sub>, I<sub>γ</sub>, γγ-, βγ-coin, T<sub>1/2</sub>. <sup>81</sup>Ga, <sup>83</sup>As deduced levels. JOUR BJPHE 34 979
- <sup>83</sup>Ge      2004PEZW      RADIOACTIVITY <sup>82,83</sup>Ga(β<sup>-</sup>) [from <sup>238</sup>U(n, F)]; measured E<sub>γ</sub>, I<sub>γ</sub>, γγ-, βγ-coin, T<sub>1/2</sub>. <sup>82,83</sup>Ge deduced levels, configurations. REPT
- 2004VE14      RADIOACTIVITY <sup>83</sup>Ga, <sup>81</sup>Zn(β<sup>-</sup>) [from U(d, X)]; measured E<sub>γ</sub>, I<sub>γ</sub>, γγ-, βγ-coin, T<sub>1/2</sub>. <sup>81</sup>Ga, <sup>83</sup>As deduced levels. JOUR BJPHE 34 979
- 2005CI07      NUCLEAR REACTIONS <sup>2</sup>H(<sup>82</sup>Ge, p), (<sup>84</sup>Se, p), E=4 MeV / nucleon; measured E<sub>p</sub>, σ(θ). <sup>83</sup>Ge, <sup>85</sup>Se deduced ground and excited states energies, J, π. JOUR NIMBE 241 200
- 2005J0ZZ      NUCLEAR REACTIONS <sup>2</sup>H(<sup>82</sup>Ge, p), (<sup>84</sup>Se, p), E=4 MeV / nucleon; measured σ(E, θ). <sup>83</sup>Ge, <sup>85</sup>Se deduced ground and excited states energies, L. <sup>2</sup>H(<sup>124</sup>Sn, p), E=562 MeV; measured σ(E, θ). <sup>125</sup>Sn levels deduced spectroscopic factors. CONF Argonne(Nuclei at the Limits),P176,Jones
- 2005TH03      NUCLEAR REACTIONS <sup>2</sup>H(<sup>82</sup>Ge, p), E=330 MeV; measured proton spectra, σ(θ), Q value. <sup>83</sup>Ge deduced levels, J, π, spectroscopic factors, mass excess. JOUR PRVCA 71 021302
- 2005TH12      NUCLEAR REACTIONS <sup>2</sup>H(<sup>82</sup>Ge, p), E=4 MeV / nucleon; <sup>2</sup>H(<sup>84</sup>Se, p), E=4.5 MeV / nucleon; measured E<sub>p</sub>, recoil particle spectrum, proton angular distribution. <sup>83</sup>Ge, <sup>85</sup>Se deduced levels J, π, spectroscopic factors. DWBA analysis. JOUR ZAANE 25 s01 371
- <sup>83</sup>As      2004VE14      RADIOACTIVITY <sup>83</sup>Ga, <sup>81</sup>Zn(β<sup>-</sup>) [from U(d, X)]; measured E<sub>γ</sub>, I<sub>γ</sub>, γγ-, βγ-coin, T<sub>1/2</sub>. <sup>81</sup>Ga, <sup>83</sup>As deduced levels. JOUR BJPHE 34 979

## A=83 (continued)

- 2005LU07 NUCLEAR REACTIONS  $^{238}\text{U}(^{82}\text{Se}, \text{X})$ , E=505 MeV; measured  $E\gamma$ ,  $I\gamma$ , fragments isotopic yields.  $^{77,78,79,80,81,82,83}\text{As}$  deduced transitions.  $^{192}\text{Os}(^{82}\text{Se}, \text{X})$ , E=460 MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{80}\text{As}$ ,  $^{87}\text{Rb}$ ,  $^{84}\text{Se}$  deduced levels. Fragment separator. JOUR APOBB 36 1301
- $^{83}\text{Kr}$  2005LE04 NUCLEAR REACTIONS  $\text{Pb}(p, \text{X})^3\text{He} / ^4\text{He} / ^{21}\text{Ne} / ^{22}\text{Ne} / ^{36}\text{Ar} / ^{38}\text{Ar} / ^{78}\text{Kr} / ^{80}\text{Kr} / ^{81}\text{Kr} / ^{82}\text{Kr} / ^{83}\text{Kr} / ^{84}\text{Kr} / ^{85}\text{Kr} / ^{86}\text{Kr} / ^{124}\text{Xe} / ^{126}\text{Xe} / ^{128}\text{Xe} / ^{129}\text{Xe} / ^{130}\text{Xe} / ^{131}\text{Xe} / ^{132}\text{Xe} / ^{134}\text{Xe}$ , E=44-2595 MeV; measured production  $\sigma$ ; deduced reaction mechanism features. Mini-stack approach, comparisons with model predictions. JOUR NIMBE 229 1
- 2005MUZY NUCLEAR REACTIONS  $^{84}\text{Kr}(n, \text{X})$ , E=0-400 keV; measured total  $\sigma$ .  $^{82,84,86}\text{Kr}(n, \gamma)$ , E=0-400 keV;  $^{80,83}\text{Kr}(n, \gamma)$ , E=0-5 keV; measured capture  $\sigma$ .  $^{80,82,83,84,86}\text{Kr}(n, \gamma)$ , E=5-100 keV; deduced Maxwellian-averaged  $\sigma$ . Astrophysical implications discussed. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol2, P1327
- 2005SC26 ATOMIC MASSES  $^{78,80,82,83,84,86}\text{Kr}$ ; measured masses. Penning trap mass spectrometer. JOUR ZAANE 25 s01 51
- $^{83}\text{Rb}$  2004KA68 NUCLEAR REACTIONS  $^{85}\text{Rb}(p, np)$ ,  $(p, 2np)$ ,  $(p, 3np)$ ,  $(p, 4np)$ , E  $\approx$  17-100 MeV; measured excitation functions. Activation technique, comparison with model predictions. JOUR RAACA 92 449
- 2005UD02 NUCLEAR REACTIONS  $^{89}\text{Y}(p, \text{X})^{89}\text{Zr} / ^{88}\text{Zr} / ^{86}\text{Zr} / ^{88}\text{Y} / ^{87}\text{Y} / ^{87m}\text{Y} / ^{86}\text{Y} / ^{85}\text{Sr} / ^{83}\text{Sr} / ^{82}\text{Sr} / ^{84}\text{Rb} / ^{83}\text{Rb}$ , E=15-80 MeV; measured excitation functions; deduced integral yields. Stacked-foil activation technique. JOUR ARISE 63 367
- $^{83}\text{Sr}$  2005DU23 NUCLEAR REACTIONS  $\text{Ge}(^{18}\text{O}, \text{X})^{83m}\text{Sr} / ^{83}\text{Y} / ^{84m}\text{Y} / ^{88m}\text{Y} / ^{85}\text{Zr} / ^{87}\text{Zr}$ , E=82.8 GeV;  $^{84}\text{Se}(^{18}\text{O}, \text{X})^{86m}\text{Y} / ^{85}\text{Zr} / ^{87}\text{Nb} / ^{87m}\text{Nb} / ^{88}\text{Nb} / ^{88}\text{Mo}$ , E=82.7 MeV;  $^{124}\text{Sn}(^{50}\text{Ti}, \text{X})^{168m}\text{Lu} / ^{167}\text{Hf} / ^{168}\text{Hf}$ , E=223.7 MeV;  $^{116}\text{Sn}(^{50}\text{Ti}, \text{X})^{162}\text{Tm} / ^{161}\text{Yb} / ^{162}\text{Yb} / ^{163}\text{Yb} / ^{162}\text{Lu} / ^{162}\text{Hf}$ , E=224.4 MeV; measured delayed  $E\gamma$ ,  $I\gamma$  following residual nucleus decay. Physical preseparation technique. JOUR NIMAE 551 528
- 2005UD02 NUCLEAR REACTIONS  $^{89}\text{Y}(p, \text{X})^{89}\text{Zr} / ^{88}\text{Zr} / ^{86}\text{Zr} / ^{88}\text{Y} / ^{87}\text{Y} / ^{87m}\text{Y} / ^{86}\text{Y} / ^{85}\text{Sr} / ^{83}\text{Sr} / ^{82}\text{Sr} / ^{84}\text{Rb} / ^{83}\text{Rb}$ , E=15-80 MeV; measured excitation functions; deduced integral yields. Stacked-foil activation technique. JOUR ARISE 63 367
- $^{83}\text{Y}$  2005DU23 NUCLEAR REACTIONS  $\text{Ge}(^{18}\text{O}, \text{X})^{83m}\text{Sr} / ^{83}\text{Y} / ^{84m}\text{Y} / ^{88m}\text{Y} / ^{85}\text{Zr} / ^{87}\text{Zr}$ , E=82.8 GeV;  $^{84}\text{Se}(^{18}\text{O}, \text{X})^{86m}\text{Y} / ^{85}\text{Zr} / ^{87}\text{Nb} / ^{87m}\text{Nb} / ^{88}\text{Nb} / ^{88}\text{Mo}$ , E=82.7 MeV;  $^{124}\text{Sn}(^{50}\text{Ti}, \text{X})^{168m}\text{Lu} / ^{167}\text{Hf} / ^{168}\text{Hf}$ , E=223.7 MeV;  $^{116}\text{Sn}(^{50}\text{Ti}, \text{X})^{162}\text{Tm} / ^{161}\text{Yb} / ^{162}\text{Yb} / ^{163}\text{Yb} / ^{162}\text{Lu} / ^{162}\text{Hf}$ , E=224.4 MeV; measured delayed  $E\gamma$ ,  $I\gamma$  following residual nucleus decay. Physical preseparation technique. JOUR NIMAE 551 528
- 2005YU04 NUCLEAR REACTIONS  $^{58}\text{Ni}(^{28}\text{Si}, 3p)$ , E=98 MeV; measured  $E\gamma$ ,  $I\gamma(\theta, H, t)$ ,  $\gamma\gamma$ -coin.  $^{83}\text{Y}$  deduced g-factors for rotational band levels. Transient field technique, comparison with cranking model predictions. JOUR CPLEE 22 1628

## A=84

- <sup>84</sup>Se      2005DE12      NUCLEAR REACTIONS <sup>238</sup>U(<sup>82</sup>Se, X), E=505 MeV; measured fragments isotopic yields. <sup>238</sup>U(<sup>82</sup>Se, X)<sup>72</sup>Zn / <sup>84</sup>Se / <sup>85</sup>Br, E=505 MeV; measured E $\gamma$ , I $\gamma$ , (particle) $\gamma$ -coin. <sup>72</sup>Zn, <sup>84</sup>Se, <sup>85</sup>Br deduced levels, J,  $\pi$ . JOUR NUPAB 751 533c
- 2005GA56      NUCLEAR REACTIONS <sup>238</sup>U(<sup>82</sup>Se, X), E=505 MeV; <sup>238</sup>U(<sup>64</sup>Ni, X), E=400 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -, (fragment) $\gamma$ -coin, projectile-like fragments isotopic yields. <sup>58</sup>Cr, <sup>80</sup>As, <sup>82</sup>Ge, <sup>84</sup>Se deduced levels, J,  $\pi$ . Clara array, Prisma spectrometer. JOUR ZAANE 25 s01 421
- 2005LU07      NUCLEAR REACTIONS <sup>238</sup>U(<sup>82</sup>Se, X), E=505 MeV; measured E $\gamma$ , I $\gamma$ , fragments isotopic yields. <sup>77,78,79,80,81,82,83</sup>As deduced transitions. <sup>192</sup>Os(<sup>82</sup>Se, X), E=460 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>80</sup>As, <sup>87</sup>Rb, <sup>84</sup>Se deduced levels. Fragment separator. JOUR APOBB 36 1301
- <sup>84</sup>Br      2005BEZW      NUCLEAR REACTIONS <sup>238</sup>U( $\gamma$ , F)<sup>84</sup>Br / <sup>130</sup>Sb / <sup>132</sup>Sb / <sup>131</sup>Te / <sup>133</sup>Te / <sup>134</sup>I / <sup>135</sup>Xe, E=16 MeV bremsstrahlung; <sup>237</sup>Np( $\gamma$ , F)<sup>134</sup>I / <sup>135</sup>Xe, E=16 MeV bremsstrahlung; measured E $\gamma$ , I $\gamma$ ; deduced isomer yield ratios, fission fragments mean angular momenta. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P641
- <sup>84</sup>Kr      2005LE04      NUCLEAR REACTIONS Pb(p, X)<sup>3</sup>He / <sup>4</sup>He / <sup>21</sup>Ne / <sup>22</sup>Ne / <sup>36</sup>Ar / <sup>38</sup>Ar / <sup>78</sup>Kr / <sup>80</sup>Kr / <sup>81</sup>Kr / <sup>82</sup>Kr / <sup>83</sup>Kr / <sup>84</sup>Kr / <sup>85</sup>Kr / <sup>86</sup>Kr / <sup>124</sup>Xe / <sup>126</sup>Xe / <sup>128</sup>Xe / <sup>129</sup>Xe / <sup>130</sup>Xe / <sup>131</sup>Xe / <sup>132</sup>Xe / <sup>134</sup>Xe, E=44-2595 MeV; measured production  $\sigma$ ; deduced reaction mechanism features. Mini-stack approach, comparisons with model predictions. JOUR NIMBE 229 1
- 2005MUZY      NUCLEAR REACTIONS <sup>84</sup>Kr(n, X), E=0-400 keV; measured total  $\sigma$ . <sup>82,84,86</sup>Kr(n,  $\gamma$ ), E=0-400 keV; <sup>80,83</sup>Kr(n,  $\gamma$ ), E=0-5 keV; measured capture  $\sigma$ . <sup>80,82,83,84,86</sup>Kr(n,  $\gamma$ ), E=5-100 keV; deduced Maxwellian-averaged  $\sigma$ . Astrophysical implications discussed. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol2, P1327
- 2005SC26      ATOMIC MASSES <sup>78,80,82,83,84,86</sup>Kr; measured masses. Penning trap mass spectrometer. JOUR ZAANE 25 s01 51
- 2005SH38      ATOMIC MASSES <sup>32,33</sup>S, <sup>84,86</sup>Kr, <sup>129,132</sup>Xe; measured masses. Penning trap. JOUR PLRAA 72 022510
- 2005W001      NUCLEAR REACTIONS <sup>197</sup>Au(<sup>84</sup>Kr, <sup>84</sup>Kr'), (<sup>56</sup>Cr, <sup>56</sup>Cr'), (<sup>108</sup>Sn, <sup>108</sup>Sn'), E=113-142 MeV / nucleon; measured E $\gamma$ , I $\gamma$  following projectile Coulomb excitation. <sup>84</sup>Kr, <sup>56</sup>Cr, <sup>108</sup>Sn deduced transitions. <sup>9</sup>Be(<sup>55</sup>Ni, X)<sup>54</sup>Co / <sup>52</sup>Fe / <sup>50</sup>Cr, E=171 MeV / nucleon; measured E $\gamma$ , I $\gamma$ , (particle) $\gamma$ -coin. JOUR NIMAE 537 637
- <sup>84</sup>Rb      2004KA68      NUCLEAR REACTIONS <sup>85</sup>Rb(p, np), (p, 2np), (p, 3np), (p, 4np), E  $\approx$  17-100 MeV; measured excitation functions. Activation technique, comparison with model predictions. JOUR RAACA 92 449
- 2005PA33      NUCLEAR REACTIONS <sup>85,87</sup>Rb( $\gamma$ , n), E=13-30 MeV bremsstrahlung; measured isomeric yield ratios. Activation technique. JOUR AENGA 98 238
- 2005UD02      NUCLEAR REACTIONS <sup>89</sup>Y(p, X)<sup>89</sup>Zr / <sup>88</sup>Zr / <sup>86</sup>Zr / <sup>88</sup>Y / <sup>87</sup>Y / <sup>87m</sup>Y / <sup>86</sup>Y / <sup>85</sup>Sr / <sup>83</sup>Sr / <sup>82</sup>Sr / <sup>84</sup>Rb / <sup>83</sup>Rb, E=15-80 MeV; measured excitation functions; deduced integral yields. Stacked-foil activation technique. JOUR ARISE 63 367



**A=84 (continued)**

- <sup>84</sup>Y      2005DU23      NUCLEAR REACTIONS Ge(<sup>18</sup>O, X)<sup>83m</sup>Sr / <sup>83</sup>Y / <sup>84m</sup>Y / <sup>88m</sup>Y / <sup>85</sup>Zr / <sup>87</sup>Zr, E=82.8 GeV; <sup>84</sup>Se(<sup>18</sup>O, X)<sup>86m</sup>Y / <sup>85</sup>Zr / <sup>87</sup>Nb / <sup>87m</sup>Nb / <sup>88</sup>Nb / <sup>88</sup>Mo, E=82.7 MeV; <sup>124</sup>Sn(<sup>50</sup>Ti, X)<sup>168m</sup>Lu / <sup>167</sup>Hf / <sup>168</sup>Hf, E=223.7 MeV; <sup>116</sup>Sn(<sup>50</sup>Ti, X)<sup>162</sup>Tm / <sup>161</sup>Yb / <sup>162</sup>Yb / <sup>163</sup>Yb / <sup>162</sup>Lu / <sup>162</sup>Hf, E=224.4 MeV; measured delayed E $\gamma$ , I $\gamma$  following residual nucleus decay. Physical pre-separation technique. JOUR NIMAE 551 528
- 2005I002      NUCLEAR REACTIONS <sup>84</sup>Sr(p, n), E=13.5 MeV; measured E $\gamma$ , I $\gamma$ ( $\theta$ , H, t). <sup>84</sup>Y deduced levels, J,  $\pi$ , configurations, g factors, isomeric states T<sub>1/2</sub>. Time-differential perturbed angular distribution method. JOUR PRVCA 72 044313
- <sup>84</sup>Zr      2005CHZZ      NUCLEAR REACTIONS <sup>58</sup>Ni(<sup>32</sup>S, 2p $\alpha$ ), E=140 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -, (charged particle) $\gamma$ -coin. <sup>84</sup>Zr deduced high-spin levels, J,  $\pi$ , superdeformed band, linking transitions, band mixing features. Gammasphere, Microball arrays. CONF Argonne(Nuclei at the Limits),P40,Chiara
- 2005XU04      RADIOACTIVITY <sup>81</sup>Zr, <sup>85</sup>Mo, <sup>89</sup>Ru, <sup>92</sup>Rh, <sup>93</sup>Pd, <sup>121</sup>Ce, <sup>125</sup>Nd, <sup>128</sup>Pm, <sup>129</sup>Sm, <sup>135,137</sup>Gd, <sup>139</sup>Dy, <sup>142</sup>Ho, <sup>149</sup>Yb( $\beta^+$ p); measured  $\beta$ -delayed E $\gamma$ , I $\gamma$ , proton spectra, p $\gamma$ -coin, T<sub>1/2</sub>. Comparison with model predictions. JOUR PRVCA 71 054318

**A=85**

- <sup>85</sup>Se      2005CI07      NUCLEAR REACTIONS <sup>2</sup>H(<sup>82</sup>Ge, p), (<sup>84</sup>Se, p), E=4 MeV / nucleon; measured E<sub>p</sub>,  $\sigma$ ( $\theta$ ). <sup>83</sup>Ge, <sup>85</sup>Se deduced ground and excited states energies, J,  $\pi$ . JOUR NIMBE 241 200
- 2005J0ZZ      NUCLEAR REACTIONS <sup>2</sup>H(<sup>82</sup>Ge, p), (<sup>84</sup>Se, p), E=4 MeV / nucleon; measured  $\sigma$ (E,  $\theta$ ). <sup>83</sup>Ge, <sup>85</sup>Se deduced ground and excited states energies, L. <sup>2</sup>H(<sup>124</sup>Sn, p), E=562 MeV; measured  $\sigma$ (E,  $\theta$ ). <sup>125</sup>Sn levels deduced spectroscopic factors. CONF Argonne(Nuclei at the Limits),P176,Jones
- 2005TH09      NUCLEAR REACTIONS <sup>2</sup>H(<sup>84</sup>Se, p), (<sup>124</sup>Sn, p), E=4.5 MeV / nucleon; measured recoil proton spectra,  $\sigma$ (E,  $\theta$ ). <sup>85</sup>Se, <sup>125</sup>Sn deduced levels, J,  $\pi$ . JOUR NUPAB 758 663c
- 2005TH12      NUCLEAR REACTIONS <sup>2</sup>H(<sup>82</sup>Ge, p), E=4 MeV / nucleon; <sup>2</sup>H(<sup>84</sup>Se, p), E=4.5 MeV / nucleon; measured E<sub>p</sub>, recoil particle spectrum, proton angular distribution. <sup>83</sup>Ge, <sup>85</sup>Se deduced levels J,  $\pi$ , spectroscopic factors. DWBA analysis. JOUR ZAANE 25 s01 371
- <sup>85</sup>Br      2005DE12      NUCLEAR REACTIONS <sup>238</sup>U(<sup>82</sup>Se, X), E=505 MeV; measured fragments isotopic yields. <sup>238</sup>U(<sup>82</sup>Se, X)<sup>72</sup>Zn / <sup>84</sup>Se / <sup>85</sup>Br, E=505 MeV; measured E $\gamma$ , I $\gamma$ , (particle) $\gamma$ -coin. <sup>72</sup>Zn, <sup>84</sup>Se, <sup>85</sup>Br deduced levels, J,  $\pi$ . JOUR NUPAB 751 533c
- 2005F005      NUCLEAR REACTIONS <sup>173</sup>Yb(<sup>24</sup>Mg, X), E=134.5 MeV; <sup>176</sup>Yb(<sup>23</sup>Na, X), E=129 MeV; <sup>208</sup>Pb(<sup>18</sup>O, X), E=91 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin following compound nucleus fission. <sup>85</sup>Br, <sup>87</sup>Rb deduced high-spin levels, J,  $\pi$ , configurations. Comparison with shell model predictions. JOUR PRVCA 71 064312

## A=85 (continued)

- <sup>85</sup>Kr      2005LE04      NUCLEAR REACTIONS Pb(p, X)<sup>3</sup>He / <sup>4</sup>He / <sup>21</sup>Ne / <sup>22</sup>Ne / <sup>36</sup>Ar / <sup>38</sup>Ar / <sup>78</sup>Kr / <sup>80</sup>Kr / <sup>81</sup>Kr / <sup>82</sup>Kr / <sup>83</sup>Kr / <sup>84</sup>Kr / <sup>85</sup>Kr / <sup>86</sup>Kr / <sup>124</sup>Xe / <sup>126</sup>Xe / <sup>128</sup>Xe / <sup>129</sup>Xe / <sup>130</sup>Xe / <sup>131</sup>Xe / <sup>132</sup>Xe / <sup>134</sup>Xe, E=44-2595 MeV; measured production  $\sigma$ ; deduced reaction mechanism features. Mini-stack approach, comparisons with model predictions. JOUR NIMBE 229 1
- 2005MUZY      NUCLEAR REACTIONS <sup>84</sup>Kr(n, X), E=0-400 keV; measured total  $\sigma$ . <sup>82,84,86</sup>Kr(n,  $\gamma$ ), E=0-400 keV; <sup>80,83</sup>Kr(n,  $\gamma$ ), E=0-5 keV; measured capture  $\sigma$ . <sup>80,82,83,84,86</sup>Kr(n,  $\gamma$ ), E=5-100 keV; deduced Maxwellian-averaged  $\sigma$ . Astrophysical implications discussed. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol2, P1327
- <sup>85</sup>Rb      2005KR15      NUCLEAR MOMENTS <sup>85,87</sup>Rb; measured excited-state hfs. Electromagnetically induced transparency. JOUR EULEE 72 221
- <sup>85</sup>Sr      2005DI15      NUCLEAR REACTIONS <sup>74</sup>Se, <sup>84</sup>Sr(n,  $\gamma$ ), E=spectrum; measured  $\sigma$ , isomer ratio. Activation technique. JOUR NUPAB 758 513c
- 2005UD02      NUCLEAR REACTIONS <sup>89</sup>Y(p, X)<sup>89</sup>Zr / <sup>88</sup>Zr / <sup>86</sup>Zr / <sup>88</sup>Y / <sup>87</sup>Y / <sup>87m</sup>Y / <sup>86</sup>Y / <sup>85</sup>Sr / <sup>83</sup>Sr / <sup>82</sup>Sr / <sup>84</sup>Rb / <sup>83</sup>Rb, E=15-80 MeV; measured excitation functions; deduced integral yields. Stacked-foil activation technique. JOUR ARISE 63 367
- <sup>85</sup>Y      2005KA39      RADIOACTIVITY <sup>81m</sup>Kr(EC), (IT); <sup>81</sup>Y, <sup>81</sup>Sr, <sup>85</sup>Nb, <sup>85</sup>Zr, <sup>86</sup>Mo, <sup>86</sup>Nb(EC) [from Ni, <sup>54</sup>Fe(<sup>32</sup>S, X)]; measured E $\gamma$ , I $\gamma$ , E(ce), I(ce), T<sub>1/2</sub>. <sup>81</sup>Kr, <sup>85</sup>Zr, <sup>85</sup>Nb deduced isomeric transitions T<sub>1/2</sub>, ICC. <sup>85</sup>Zr, <sup>86</sup>Nb deduced levels, J,  $\pi$ , ICC. <sup>81</sup>Br deduced neutrino capture rate. Astrophysical implications discussed. JOUR ZAANE 25 355
- 2005KA46      RADIOACTIVITY <sup>31</sup>Cl( $\beta^+$ p) [from S(p, X), E=40 MeV]; measured  $\beta$ -delayed E $\gamma$ , Ep. <sup>58</sup>Zn( $\beta^+$ ) [from Nb(p, X), E=1.4 GeV]; measured E $\gamma$ , I $\gamma$ ,  $\beta\gamma$ -coin, T<sub>1/2</sub>. <sup>58</sup>Cu deduced levels,  $\beta$ -feeding intensities. <sup>81m</sup>Kr(EC), (IT); <sup>81</sup>Y, <sup>81</sup>Sr, <sup>85</sup>Nb, <sup>85</sup>Zr, <sup>86</sup>Mo, <sup>86</sup>Nb(EC) [from Ni, <sup>54</sup>Fe(<sup>32</sup>S, X)]; measured E $\gamma$ , I $\gamma$ , E(ce), I(ce), T<sub>1/2</sub>. <sup>81</sup>Kr, <sup>85</sup>Zr, <sup>85</sup>Nb deduced isomeric transitions T<sub>1/2</sub>, ICC. <sup>85</sup>Zr, <sup>86</sup>Nb deduced levels, J,  $\pi$ , ICC. <sup>81</sup>Br deduced neutrino capture rate. Mass-separated sources. JOUR ZAANE 25 s01 129
- <sup>85</sup>Zr      2005DU23      NUCLEAR REACTIONS Ge(<sup>18</sup>O, X)<sup>83m</sup>Sr / <sup>83</sup>Y / <sup>84m</sup>Y / <sup>88m</sup>Y / <sup>85</sup>Zr / <sup>87</sup>Zr, E=82.8 GeV; <sup>84</sup>Se(<sup>18</sup>O, X)<sup>86m</sup>Y / <sup>85</sup>Zr / <sup>87</sup>Nb / <sup>87m</sup>Nb / <sup>88</sup>Nb / <sup>88</sup>Mo, E=82.7 MeV; <sup>124</sup>Sn(<sup>50</sup>Ti, X)<sup>168m</sup>Lu / <sup>167</sup>Hf / <sup>168</sup>Hf, E=223.7 MeV; <sup>116</sup>Sn(<sup>50</sup>Ti, X)<sup>162</sup>Tm / <sup>161</sup>Yb / <sup>162</sup>Yb / <sup>163</sup>Yb / <sup>162</sup>Lu / <sup>162</sup>Hf, E=224.4 MeV; measured delayed E $\gamma$ , I $\gamma$  following residual nucleus decay. Physical preseparation technique. JOUR NIMAE 551 528
- 2005KA39      RADIOACTIVITY <sup>81m</sup>Kr(EC), (IT); <sup>81</sup>Y, <sup>81</sup>Sr, <sup>85</sup>Nb, <sup>85</sup>Zr, <sup>86</sup>Mo, <sup>86</sup>Nb(EC) [from Ni, <sup>54</sup>Fe(<sup>32</sup>S, X)]; measured E $\gamma$ , I $\gamma$ , E(ce), I(ce), T<sub>1/2</sub>. <sup>81</sup>Kr, <sup>85</sup>Zr, <sup>85</sup>Nb deduced isomeric transitions T<sub>1/2</sub>, ICC. <sup>85</sup>Zr, <sup>86</sup>Nb deduced levels, J,  $\pi$ , ICC. <sup>81</sup>Br deduced neutrino capture rate. Astrophysical implications discussed. JOUR ZAANE 25 355

**A=85 (continued)**

- 2005KA46 RADIOACTIVITY  $^{31}\text{Cl}(\beta^+\text{p})$  [from  $\text{S}(\text{p}, \text{X})$ ,  $E=40$  MeV]; measured  $\beta$ -delayed  $E\gamma$ , Ep.  $^{58}\text{Zn}(\beta^+)$  [from  $\text{Nb}(\text{p}, \text{X})$ ,  $E=1.4$  GeV]; measured  $E\gamma$ ,  $I\gamma$ ,  $\beta\gamma$ -coin,  $T_{1/2}$ .  $^{58}\text{Cu}$  deduced levels,  $\beta$ -feeding intensities.  $^{81\text{m}}\text{Kr}(\text{EC})$ , (IT);  $^{81}\text{Y}$ ,  $^{81}\text{Sr}$ ,  $^{85}\text{Nb}$ ,  $^{85}\text{Zr}$ ,  $^{86}\text{Mo}$ ,  $^{86}\text{Nb}(\text{EC})$  [from  $\text{Ni}$ ,  $^{54}\text{Fe}(\text{32S}, \text{X})$ ]; measured  $E\gamma$ ,  $I\gamma$ ,  $E(\text{ce})$ ,  $I(\text{ce})$ ,  $T_{1/2}$ .  $^{81}\text{Kr}$ ,  $^{85}\text{Zr}$ ,  $^{85}\text{Nb}$  deduced isomeric transitions  $T_{1/2}$ , ICC.  $^{85}\text{Zr}$ ,  $^{86}\text{Nb}$  deduced levels,  $J$ ,  $\pi$ , ICC.  $^{81}\text{Br}$  deduced neutrino capture rate. Mass-separated sources. JOUR ZAANE 25 s01 129
- $^{85}\text{Nb}$  2005KA39 RADIOACTIVITY  $^{81\text{m}}\text{Kr}(\text{EC})$ , (IT);  $^{81}\text{Y}$ ,  $^{81}\text{Sr}$ ,  $^{85}\text{Nb}$ ,  $^{85}\text{Zr}$ ,  $^{86}\text{Mo}$ ,  $^{86}\text{Nb}(\text{EC})$  [from  $\text{Ni}$ ,  $^{54}\text{Fe}(\text{32S}, \text{X})$ ]; measured  $E\gamma$ ,  $I\gamma$ ,  $E(\text{ce})$ ,  $I(\text{ce})$ ,  $T_{1/2}$ .  $^{81}\text{Kr}$ ,  $^{85}\text{Zr}$ ,  $^{85}\text{Nb}$  deduced isomeric transitions  $T_{1/2}$ , ICC.  $^{85}\text{Zr}$ ,  $^{86}\text{Nb}$  deduced levels,  $J$ ,  $\pi$ , ICC.  $^{81}\text{Br}$  deduced neutrino capture rate. Astrophysical implications discussed. JOUR ZAANE 25 355
- 2005KA39 NUCLEAR REACTIONS  $^{54}\text{Fe}(\text{32S}, \text{X})^{81}\text{Zr} / ^{81}\text{Y} / ^{81}\text{Sr} / ^{81\text{m}}\text{Kr}$ ,  $E=150\text{-}170$  MeV;  $\text{Ni}(\text{32S}, \text{X})^{85}\text{Nb} / ^{85\text{m}}\text{Nb} / ^{85}\text{Zr} / ^{85\text{m}}\text{Zr} / ^{86}\text{Mo} / ^{86}\text{Nb}$ ,  $E=150\text{-}170$  MeV; measured yields. JOUR ZAANE 25 355
- 2005KA46 RADIOACTIVITY  $^{31}\text{Cl}(\beta^+\text{p})$  [from  $\text{S}(\text{p}, \text{X})$ ,  $E=40$  MeV]; measured  $\beta$ -delayed  $E\gamma$ , Ep.  $^{58}\text{Zn}(\beta^+)$  [from  $\text{Nb}(\text{p}, \text{X})$ ,  $E=1.4$  GeV]; measured  $E\gamma$ ,  $I\gamma$ ,  $\beta\gamma$ -coin,  $T_{1/2}$ .  $^{58}\text{Cu}$  deduced levels,  $\beta$ -feeding intensities.  $^{81\text{m}}\text{Kr}(\text{EC})$ , (IT);  $^{81}\text{Y}$ ,  $^{81}\text{Sr}$ ,  $^{85}\text{Nb}$ ,  $^{85}\text{Zr}$ ,  $^{86}\text{Mo}$ ,  $^{86}\text{Nb}(\text{EC})$  [from  $\text{Ni}$ ,  $^{54}\text{Fe}(\text{32S}, \text{X})$ ]; measured  $E\gamma$ ,  $I\gamma$ ,  $E(\text{ce})$ ,  $I(\text{ce})$ ,  $T_{1/2}$ .  $^{81}\text{Kr}$ ,  $^{85}\text{Zr}$ ,  $^{85}\text{Nb}$  deduced isomeric transitions  $T_{1/2}$ , ICC.  $^{85}\text{Zr}$ ,  $^{86}\text{Nb}$  deduced levels,  $J$ ,  $\pi$ , ICC.  $^{81}\text{Br}$  deduced neutrino capture rate. Mass-separated sources. JOUR ZAANE 25 s01 129
- $^{85}\text{Mo}$  2005XU04 RADIOACTIVITY  $^{81}\text{Zr}$ ,  $^{85}\text{Mo}$ ,  $^{89}\text{Ru}$ ,  $^{92}\text{Rh}$ ,  $^{93}\text{Pd}$ ,  $^{121}\text{Ce}$ ,  $^{125}\text{Nd}$ ,  $^{128}\text{Pm}$ ,  $^{129}\text{Sm}$ ,  $^{135,137}\text{Gd}$ ,  $^{139}\text{Dy}$ ,  $^{142}\text{Ho}$ ,  $^{149}\text{Yb}(\beta^+\text{p})$ ; measured  $\beta$ -delayed  $E\gamma$ ,  $I\gamma$ , proton spectra,  $p\gamma$ -coin,  $T_{1/2}$ . Comparison with model predictions. JOUR PRVCA 71 054318

**A=86**

- $^{86}\text{Kr}$  2005LE04 NUCLEAR REACTIONS  $\text{Pb}(\text{p}, \text{X})^3\text{He} / ^4\text{He} / ^{21}\text{Ne} / ^{22}\text{Ne} / ^{36}\text{Ar} / ^{38}\text{Ar} / ^{78}\text{Kr} / ^{80}\text{Kr} / ^{81}\text{Kr} / ^{82}\text{Kr} / ^{83}\text{Kr} / ^{84}\text{Kr} / ^{85}\text{Kr} / ^{86}\text{Kr} / ^{124}\text{Xe} / ^{126}\text{Xe} / ^{128}\text{Xe} / ^{129}\text{Xe} / ^{130}\text{Xe} / ^{131}\text{Xe} / ^{132}\text{Xe} / ^{134}\text{Xe}$ ,  $E=44\text{-}2595$  MeV; measured production  $\sigma$ ; deduced reaction mechanism features. Mini-stack approach, comparisons with model predictions. JOUR NIMBE 229 1
- 2005SC26 ATOMIC MASSES  $^{78,80,82,83,84,86}\text{Kr}$ ; measured masses. Penning trap mass spectrometer. JOUR ZAANE 25 s01 51
- 2005SH38 ATOMIC MASSES  $^{32,33}\text{S}$ ,  $^{84,86}\text{Kr}$ ,  $^{129,132}\text{Xe}$ ; measured masses. Penning trap. JOUR PLRAA 72 022510
- $^{86}\text{Rb}$  2005PA33 NUCLEAR REACTIONS  $^{85,87}\text{Rb}(\gamma, \text{n})$ ,  $E=13\text{-}30$  MeV bremsstrahlung; measured isomeric yield ratios. Activation technique. JOUR AENGA 98 238

## A=86 (continued)

- 2005TIZX NUCLEAR REACTIONS Pb,  $^{208}\text{Pb}(p, X)^{203}\text{Pb}$  /  $^{200}\text{Tl}$  /  $^{199}\text{Tl}$  /  $^{196}\text{Au}$  /  $^{192}\text{Ir}$  /  $^{190}\text{Ir}$  /  $^{173}\text{Lu}$  /  $^{101m}\text{Rh}$  /  $^{86}\text{Rb}$  /  $^{59}\text{Fe}$  /  $^{24}\text{Na}$  /  $^7\text{Be}$ , E=40-2600 MeV; measured excitation functions. Comparison with previous work and model predictions. Other reactions discussed. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P1070
- 2005TIZY NUCLEAR REACTIONS Pb,  $^{208}\text{Pb}$ ,  $^{209}\text{Bi}(p, X)^{203}\text{Pb}$  /  $^{200}\text{Tl}$  /  $^{199}\text{Tl}$  /  $^{196}\text{Au}$  /  $^{192}\text{Ir}$  /  $^{190}\text{Ir}$  /  $^{173}\text{Lu}$  /  $^{101m}\text{Rh}$  /  $^{86}\text{Rb}$  /  $^{59}\text{Fe}$  /  $^{24}\text{Na}$  /  $^7\text{Be}$ , E=40-2600 MeV; measured production  $\sigma$ . Comparison with model predictions. PREPRINT nucl-ex/0507009,7/05/2005
- $^{86}\text{Sr}$  2005SI34 ATOMIC MASSES  $^{76,77,80,81,86,88}\text{Sr}$ ,  $^{124,129,130,131,132}\text{Sn}$ ; measured masses. Penning trap mass spectrometer, comparison with previous results. JOUR NUPAB 763 45
- $^{86}\text{Y}$  2005DU23 NUCLEAR REACTIONS Ge( $^{18}\text{O}$ , X) $^{83m}\text{Sr}$  /  $^{83}\text{Y}$  /  $^{84m}\text{Y}$  /  $^{88m}\text{Y}$  /  $^{85}\text{Zr}$  /  $^{87}\text{Zr}$ , E=82.8 GeV;  $^{84}\text{Se}(^{18}\text{O}, X)^{86m}\text{Y}$  /  $^{85}\text{Zr}$  /  $^{87}\text{Nb}$  /  $^{87m}\text{Nb}$  /  $^{88}\text{Nb}$  /  $^{88}\text{Mo}$ , E=82.7 MeV;  $^{124}\text{Sn}(^{50}\text{Ti}, X)^{168m}\text{Lu}$  /  $^{167}\text{Hf}$  /  $^{168}\text{Hf}$ , E=223.7 MeV;  $^{116}\text{Sn}(^{50}\text{Ti}, X)^{162}\text{Tm}$  /  $^{161}\text{Yb}$  /  $^{162}\text{Yb}$  /  $^{163}\text{Yb}$  /  $^{162}\text{Lu}$  /  $^{162}\text{Hf}$ , E=224.4 MeV; measured delayed  $E\gamma$ ,  $I\gamma$  following residual nucleus decay. Physical pre-separation technique. JOUR NIMAE 551 528
- 2005UD02 NUCLEAR REACTIONS  $^{89}\text{Y}(p, X)^{89}\text{Zr}$  /  $^{88}\text{Zr}$  /  $^{86}\text{Zr}$  /  $^{88}\text{Y}$  /  $^{87}\text{Y}$  /  $^{87m}\text{Y}$  /  $^{86}\text{Y}$  /  $^{85}\text{Sr}$  /  $^{83}\text{Sr}$  /  $^{82}\text{Sr}$  /  $^{84}\text{Rb}$  /  $^{83}\text{Rb}$ , E=15-80 MeV; measured excitation functions; deduced integral yields. Stacked-foil activation technique. JOUR ARISE 63 367
- $^{86}\text{Zr}$  2005BI25 NUCLEAR MOMENTS  $^{86,87,88,89,90,91,92,93,94,95,96,97,98,99,100,101,102}\text{Zr}$ ; measured charge radii.  $^{176}\text{Yb}$ ; measured isomer shift. Ion-beam cooler, laser spectroscopy. JOUR ZAANE 25 s01 187
- 2005KA39 RADIOACTIVITY  $^{81m}\text{Kr}(\text{EC})$ , (IT);  $^{81}\text{Y}$ ,  $^{81}\text{Sr}$ ,  $^{85}\text{Nb}$ ,  $^{85}\text{Zr}$ ,  $^{86}\text{Mo}$ ,  $^{86}\text{Nb}(\text{EC})$  [from Ni,  $^{54}\text{Fe}(^{32}\text{S}, X)$ ]; measured  $E\gamma$ ,  $I\gamma$ ,  $E(\text{ce})$ ,  $I(\text{ce})$ ,  $T_{1/2}$ .  $^{81}\text{Kr}$ ,  $^{85}\text{Zr}$ ,  $^{85}\text{Nb}$  deduced isomeric transitions  $T_{1/2}$ , ICC.  $^{85}\text{Zr}$ ,  $^{86}\text{Nb}$  deduced levels, J,  $\pi$ , ICC.  $^{81}\text{Br}$  deduced neutrino capture rate. Astrophysical implications discussed. JOUR ZAANE 25 355
- 2005KA46 RADIOACTIVITY  $^{31}\text{Cl}(\beta^+p)$  [from S(p, X), E=40 MeV]; measured  $\beta$ -delayed  $E\gamma$ , Ep.  $^{58}\text{Zn}(\beta^+)$  [from Nb(p, X), E=1.4 GeV]; measured  $E\gamma$ ,  $I\gamma$ ,  $\beta\gamma$ -coin,  $T_{1/2}$ .  $^{58}\text{Cu}$  deduced levels,  $\beta$ -feeding intensities.  $^{81m}\text{Kr}(\text{EC})$ , (IT);  $^{81}\text{Y}$ ,  $^{81}\text{Sr}$ ,  $^{85}\text{Nb}$ ,  $^{85}\text{Zr}$ ,  $^{86}\text{Mo}$ ,  $^{86}\text{Nb}(\text{EC})$  [from Ni,  $^{54}\text{Fe}(^{32}\text{S}, X)$ ]; measured  $E\gamma$ ,  $I\gamma$ ,  $E(\text{ce})$ ,  $I(\text{ce})$ ,  $T_{1/2}$ .  $^{81}\text{Kr}$ ,  $^{85}\text{Zr}$ ,  $^{85}\text{Nb}$  deduced isomeric transitions  $T_{1/2}$ , ICC.  $^{85}\text{Zr}$ ,  $^{86}\text{Nb}$  deduced levels, J,  $\pi$ , ICC.  $^{81}\text{Br}$  deduced neutrino capture rate. Mass-separated sources. JOUR ZAANE 25 s01 129
- 2005UD02 NUCLEAR REACTIONS  $^{89}\text{Y}(p, X)^{89}\text{Zr}$  /  $^{88}\text{Zr}$  /  $^{86}\text{Zr}$  /  $^{88}\text{Y}$  /  $^{87}\text{Y}$  /  $^{87m}\text{Y}$  /  $^{86}\text{Y}$  /  $^{85}\text{Sr}$  /  $^{83}\text{Sr}$  /  $^{82}\text{Sr}$  /  $^{84}\text{Rb}$  /  $^{83}\text{Rb}$ , E=15-80 MeV; measured excitation functions; deduced integral yields. Stacked-foil activation technique. JOUR ARISE 63 367
- $^{86}\text{Nb}$  2005KA39 RADIOACTIVITY  $^{81m}\text{Kr}(\text{EC})$ , (IT);  $^{81}\text{Y}$ ,  $^{81}\text{Sr}$ ,  $^{85}\text{Nb}$ ,  $^{85}\text{Zr}$ ,  $^{86}\text{Mo}$ ,  $^{86}\text{Nb}(\text{EC})$  [from Ni,  $^{54}\text{Fe}(^{32}\text{S}, X)$ ]; measured  $E\gamma$ ,  $I\gamma$ ,  $E(\text{ce})$ ,  $I(\text{ce})$ ,  $T_{1/2}$ .  $^{81}\text{Kr}$ ,  $^{85}\text{Zr}$ ,  $^{85}\text{Nb}$  deduced isomeric transitions  $T_{1/2}$ , ICC.  $^{85}\text{Zr}$ ,  $^{86}\text{Nb}$  deduced levels, J,  $\pi$ , ICC.  $^{81}\text{Br}$  deduced neutrino capture rate. Astrophysical implications discussed. JOUR ZAANE 25 355

**A=86 (continued)**

- 2005KA46 RADIOACTIVITY  $^{31}\text{Cl}(\beta^+\text{p})$  [from  $\text{S}(\text{p}, \text{X})$ ,  $E=40$  MeV]; measured  $\beta$ -delayed  $E\gamma$ , Ep.  $^{58}\text{Zn}(\beta^+)$  [from  $\text{Nb}(\text{p}, \text{X})$ ,  $E=1.4$  GeV]; measured  $E\gamma$ ,  $I\gamma$ ,  $\beta\gamma$ -coin,  $T_{1/2}$ .  $^{58}\text{Cu}$  deduced levels,  $\beta$ -feeding intensities.  $^{81m}\text{Kr}(\text{EC})$ , (IT);  $^{81}\text{Y}$ ,  $^{81}\text{Sr}$ ,  $^{85}\text{Nb}$ ,  $^{85}\text{Zr}$ ,  $^{86}\text{Mo}$ ,  $^{86}\text{Nb}(\text{EC})$  [from  $\text{Ni}$ ,  $^{54}\text{Fe}(^{32}\text{S}, \text{X})$ ]; measured  $E\gamma$ ,  $I\gamma$ ,  $E(\text{ce})$ ,  $I(\text{ce})$ ,  $T_{1/2}$ .  $^{81}\text{Kr}$ ,  $^{85}\text{Zr}$ ,  $^{85}\text{Nb}$  deduced isomeric transitions  $T_{1/2}$ , ICC.  $^{85}\text{Zr}$ ,  $^{86}\text{Nb}$  deduced levels,  $J$ ,  $\pi$ , ICC.  $^{81}\text{Br}$  deduced neutrino capture rate. Mass-separated sources. JOUR ZAANE 25 s01 129
- $^{86}\text{Mo}$  2005KA39 RADIOACTIVITY  $^{81m}\text{Kr}(\text{EC})$ , (IT);  $^{81}\text{Y}$ ,  $^{81}\text{Sr}$ ,  $^{85}\text{Nb}$ ,  $^{85}\text{Zr}$ ,  $^{86}\text{Mo}$ ,  $^{86}\text{Nb}(\text{EC})$  [from  $\text{Ni}$ ,  $^{54}\text{Fe}(^{32}\text{S}, \text{X})$ ]; measured  $E\gamma$ ,  $I\gamma$ ,  $E(\text{ce})$ ,  $I(\text{ce})$ ,  $T_{1/2}$ .  $^{81}\text{Kr}$ ,  $^{85}\text{Zr}$ ,  $^{85}\text{Nb}$  deduced isomeric transitions  $T_{1/2}$ , ICC.  $^{85}\text{Zr}$ ,  $^{86}\text{Nb}$  deduced levels,  $J$ ,  $\pi$ , ICC.  $^{81}\text{Br}$  deduced neutrino capture rate. Astrophysical implications discussed. JOUR ZAANE 25 355
- 2005KA46 RADIOACTIVITY  $^{31}\text{Cl}(\beta^+\text{p})$  [from  $\text{S}(\text{p}, \text{X})$ ,  $E=40$  MeV]; measured  $\beta$ -delayed  $E\gamma$ , Ep.  $^{58}\text{Zn}(\beta^+)$  [from  $\text{Nb}(\text{p}, \text{X})$ ,  $E=1.4$  GeV]; measured  $E\gamma$ ,  $I\gamma$ ,  $\beta\gamma$ -coin,  $T_{1/2}$ .  $^{58}\text{Cu}$  deduced levels,  $\beta$ -feeding intensities.  $^{81m}\text{Kr}(\text{EC})$ , (IT);  $^{81}\text{Y}$ ,  $^{81}\text{Sr}$ ,  $^{85}\text{Nb}$ ,  $^{85}\text{Zr}$ ,  $^{86}\text{Mo}$ ,  $^{86}\text{Nb}(\text{EC})$  [from  $\text{Ni}$ ,  $^{54}\text{Fe}(^{32}\text{S}, \text{X})$ ]; measured  $E\gamma$ ,  $I\gamma$ ,  $E(\text{ce})$ ,  $I(\text{ce})$ ,  $T_{1/2}$ .  $^{81}\text{Kr}$ ,  $^{85}\text{Zr}$ ,  $^{85}\text{Nb}$  deduced isomeric transitions  $T_{1/2}$ , ICC.  $^{85}\text{Zr}$ ,  $^{86}\text{Nb}$  deduced levels,  $J$ ,  $\pi$ , ICC.  $^{81}\text{Br}$  deduced neutrino capture rate. Mass-separated sources. JOUR ZAANE 25 s01 129

**A=87**

- $^{87}\text{Kr}$  2005MUZY NUCLEAR REACTIONS  $^{84}\text{Kr}(\text{n}, \text{X})$ ,  $E=0-400$  keV; measured total  $\sigma$ .  $^{82,84,86}\text{Kr}(\text{n}, \gamma)$ ,  $E=0-400$  keV;  $^{80,83}\text{Kr}(\text{n}, \gamma)$ ,  $E=0-5$  keV; measured capture  $\sigma$ .  $^{80,82,83,84,86}\text{Kr}(\text{n}, \gamma)$ ,  $E=5-100$  keV; deduced Maxwellian-averaged  $\sigma$ . Astrophysical implications discussed. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol2, P1327
- $^{87}\text{Rb}$  2005F005 NUCLEAR REACTIONS  $^{173}\text{Yb}(^{24}\text{Mg}, \text{X})$ ,  $E=134.5$  MeV;  $^{176}\text{Yb}(^{23}\text{Na}, \text{X})$ ,  $E=129$  MeV;  $^{208}\text{Pb}(^{18}\text{O}, \text{X})$ ,  $E=91$  MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin following compound nucleus fission.  $^{85}\text{Br}$ ,  $^{87}\text{Rb}$  deduced high-spin levels,  $J$ ,  $\pi$ , configurations. Comparison with shell model predictions. JOUR PRVCA 71 064312
- 2005KR15 NUCLEAR MOMENTS  $^{85,87}\text{Rb}$ ; measured excited-state hfs. Electromagnetically induced transparency. JOUR EULEE 72 221
- 2005LU07 NUCLEAR REACTIONS  $^{238}\text{U}(^{82}\text{Se}, \text{X})$ ,  $E=505$  MeV; measured  $E\gamma$ ,  $I\gamma$ , fragments isotopic yields.  $^{77,78,79,80,81,82,83}\text{As}$  deduced transitions.  $^{192}\text{Os}(^{82}\text{Se}, \text{X})$ ,  $E=460$  MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{80}\text{As}$ ,  $^{87}\text{Rb}$ ,  $^{84}\text{Se}$  deduced levels. Fragment separator. JOUR APOBB 36 1301
- $^{87}\text{Sr}$  2005SEZX NUCLEAR REACTIONS  $^{90,94}\text{Zr}(\text{n}, \alpha)$ ,  $^{90,91,92,94}\text{Zr}(\text{n}, \text{p})$ ,  $^{91,92}\text{Zr}(\text{n}, \text{np}+\text{d})$ ,  $E=14-20$  MeV; measured activation  $\sigma$ . Comparison with model predictions. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P981
- $^{87}\text{Y}$  2005UD02 NUCLEAR REACTIONS  $^{89}\text{Y}(\text{p}, \text{X})$   $^{89}\text{Zr} / ^{88}\text{Zr} / ^{86}\text{Zr} / ^{88}\text{Y} / ^{87}\text{Y} / ^{87m}\text{Y} / ^{86}\text{Y} / ^{85}\text{Sr} / ^{83}\text{Sr} / ^{82}\text{Sr} / ^{84}\text{Rb} / ^{83}\text{Rb}$ ,  $E=15-80$  MeV; measured excitation functions; deduced integral yields. Stacked-foil activation technique. JOUR ARISE 63 367

**A=87 (continued)**

- <sup>87</sup>Zr      2005BI25      NUCLEAR MOMENTS <sup>86,87,88,89,90,91,92,93,94,95,96,97,98,99,100,101,102</sup>Zr; measured charge radii. <sup>176</sup>Yb; measured isomer shift. Ion-beam cooler, laser spectroscopy. JOUR ZAANE 25 s01 187
- 2005DU23      NUCLEAR REACTIONS Ge(<sup>18</sup>O, X)<sup>83m</sup>Sr / <sup>83</sup>Y / <sup>84m</sup>Y / <sup>88m</sup>Y / <sup>85</sup>Zr / <sup>87</sup>Zr, E=82.8 GeV; <sup>84</sup>Se(<sup>18</sup>O, X)<sup>86m</sup>Y / <sup>85</sup>Zr / <sup>87</sup>Nb / <sup>87m</sup>Nb / <sup>88</sup>Nb / <sup>88</sup>Mo, E=82.7 MeV; <sup>124</sup>Sn(<sup>50</sup>Ti, X)<sup>168m</sup>Lu / <sup>167</sup>Hf / <sup>168</sup>Hf, E=223.7 MeV; <sup>116</sup>Sn(<sup>50</sup>Ti, X)<sup>162</sup>Tm / <sup>161</sup>Yb / <sup>162</sup>Yb / <sup>163</sup>Yb / <sup>162</sup>Lu / <sup>162</sup>Hf, E=224.4 MeV; measured delayed E $\gamma$ , I $\gamma$  following residual nucleus decay. Physical preseparation technique. JOUR NIMAE 551 528
- <sup>87</sup>Nb      2005DU23      NUCLEAR REACTIONS Ge(<sup>18</sup>O, X)<sup>83m</sup>Sr / <sup>83</sup>Y / <sup>84m</sup>Y / <sup>88m</sup>Y / <sup>85</sup>Zr / <sup>87</sup>Zr, E=82.8 GeV; <sup>84</sup>Se(<sup>18</sup>O, X)<sup>86m</sup>Y / <sup>85</sup>Zr / <sup>87</sup>Nb / <sup>87m</sup>Nb / <sup>88</sup>Nb / <sup>88</sup>Mo, E=82.7 MeV; <sup>124</sup>Sn(<sup>50</sup>Ti, X)<sup>168m</sup>Lu / <sup>167</sup>Hf / <sup>168</sup>Hf, E=223.7 MeV; <sup>116</sup>Sn(<sup>50</sup>Ti, X)<sup>162</sup>Tm / <sup>161</sup>Yb / <sup>162</sup>Yb / <sup>163</sup>Yb / <sup>162</sup>Lu / <sup>162</sup>Hf, E=224.4 MeV; measured delayed E $\gamma$ , I $\gamma$  following residual nucleus decay. Physical preseparation technique. JOUR NIMAE 551 528

**A=88**

- <sup>88</sup>Kr      2005ADZZ      NUCLEAR REACTIONS <sup>129</sup>I(n, 7n), (n, 6n), (n, 4n), (n,  $\gamma$ ), E=fast; <sup>237</sup>Np(n,  $\gamma$ ), E=fast; measured yields. <sup>237</sup>Np(n, F)<sup>91</sup>Sr / <sup>97</sup>Zr / <sup>132</sup>Te / <sup>133</sup>I / <sup>135</sup>I, E=fast; <sup>238</sup>Pu(n, F)<sup>97</sup>Zr / <sup>129</sup>Sb / <sup>132</sup>I / <sup>133</sup>I / <sup>135</sup>Xe / <sup>105</sup>Ru, E=fast; <sup>239</sup>Pu(n, F)<sup>88</sup>Kr / <sup>91</sup>Sr / <sup>92</sup>Sr / <sup>92</sup>Y / <sup>97</sup>Zr / <sup>99</sup>Mo / <sup>103</sup>Ru / <sup>105</sup>Ru / <sup>128</sup>Sb / <sup>129</sup>Sb / <sup>132</sup>Te / <sup>131</sup>I / <sup>132</sup>I / <sup>133</sup>I / <sup>135</sup>I / <sup>135</sup>Xe / <sup>143</sup>Ce / <sup>140</sup>Ba / <sup>140</sup>La, E=fast; measured fission fragment yields. Secondary neutrons from proton irradiation. JINR nuclotron. CONF St Petersburg,P195,Adam
- <sup>88</sup>Sr      2004KA62      NUCLEAR REACTIONS <sup>88</sup>Sr( $\gamma$ ,  $\gamma'$ ), E=6.8 MeV bremsstrahlung; measured E $\gamma$ , I $\gamma$ . <sup>88</sup>Sr deduced levels, J,  $\pi$ , configurations, B(E1), B(M1), B(E2). Comparison with model predictions. JOUR PRVCA 70 064307
- 2005GA44      NUCLEAR REACTIONS <sup>208</sup>Pb(<sup>90</sup>Zr, X)<sup>90</sup>Zr / <sup>92</sup>Zr / <sup>88</sup>Sr, E=560 MeV; <sup>238</sup>U(<sup>64</sup>Ni, X)<sup>58</sup>Cr, E=400 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma^-$ , (recoil) $\gamma$ -coin. <sup>58</sup>Cr, <sup>90,92</sup>Zr, <sup>88</sup>Sr deduced transitions. Clara array, mass separator. JOUR JPGPE 31 S1443
- 2005SI34      ATOMIC MASSES <sup>76,77,80,81,86,88</sup>Sr, <sup>124,129,130,131,132</sup>Sn; measured masses. Penning trap mass spectrometer, comparison with previous results. JOUR NUPAB 763 45
- <sup>88</sup>Y      2005DU23      NUCLEAR REACTIONS Ge(<sup>18</sup>O, X)<sup>83m</sup>Sr / <sup>83</sup>Y / <sup>84m</sup>Y / <sup>88m</sup>Y / <sup>85</sup>Zr / <sup>87</sup>Zr, E=82.8 GeV; <sup>84</sup>Se(<sup>18</sup>O, X)<sup>86m</sup>Y / <sup>85</sup>Zr / <sup>87</sup>Nb / <sup>87m</sup>Nb / <sup>88</sup>Nb / <sup>88</sup>Mo, E=82.7 MeV; <sup>124</sup>Sn(<sup>50</sup>Ti, X)<sup>168m</sup>Lu / <sup>167</sup>Hf / <sup>168</sup>Hf, E=223.7 MeV; <sup>116</sup>Sn(<sup>50</sup>Ti, X)<sup>162</sup>Tm / <sup>161</sup>Yb / <sup>162</sup>Yb / <sup>163</sup>Yb / <sup>162</sup>Lu / <sup>162</sup>Hf, E=224.4 MeV; measured delayed E $\gamma$ , I $\gamma$  following residual nucleus decay. Physical preseparation technique. JOUR NIMAE 551 528

## A=88 (continued)

- 2005TAZT NUCLEAR REACTIONS Mo, Nb, Zr, Y(p, X)<sup>88</sup>Zr / <sup>88</sup>Y, E ≈ 20-80 MeV; Mo, Zr, Y(d, X)<sup>88</sup>Zr / <sup>88</sup>Y, E ≈ 5-50 MeV; measured excitation functions; deduced thick-target yields. Comparison with previous results. Stacked-foil activation technique. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol2, P1658
- 2005UD02 NUCLEAR REACTIONS <sup>89</sup>Y(p, X)<sup>89</sup>Zr / <sup>88</sup>Zr / <sup>86</sup>Zr / <sup>88</sup>Y / <sup>87</sup>Y / <sup>87m</sup>Y / <sup>86</sup>Y / <sup>85</sup>Sr / <sup>83</sup>Sr / <sup>82</sup>Sr / <sup>84</sup>Rb / <sup>83</sup>Rb, E=15-80 MeV; measured excitation functions; deduced integral yields. Stacked-foil activation technique. JOUR ARISE 63 367
- <sup>88</sup>Zr 2005BI25 NUCLEAR MOMENTS <sup>86,87,88,89,90,91,92,93,94,95,96,97,98,99,100,101,102</sup>Zr; measured charge radii. <sup>176</sup>Yb; measured isomer shift. Ion-beam cooler, laser spectroscopy. JOUR ZAANE 25 s01 187
- 2005BRZU NUCLEAR REACTIONS Ti(p, X)<sup>44</sup>Ti, E=21-29 MeV; Ni(p, X)<sup>56</sup>Ni, E=18-28 MeV; Zr(p, X)<sup>88</sup>Zr, E=19-28 MeV; measured production  $\sigma$ . Activation technique, comparison with previous results. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol2, P1374
- 2005TAZT NUCLEAR REACTIONS Mo, Nb, Zr, Y(p, X)<sup>88</sup>Zr / <sup>88</sup>Y, E ≈ 20-80 MeV; Mo, Zr, Y(d, X)<sup>88</sup>Zr / <sup>88</sup>Y, E ≈ 5-50 MeV; measured excitation functions; deduced thick-target yields. Comparison with previous results. Stacked-foil activation technique. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol2, P1658
- 2005UD02 NUCLEAR REACTIONS <sup>89</sup>Y(p, X)<sup>89</sup>Zr / <sup>88</sup>Zr / <sup>86</sup>Zr / <sup>88</sup>Y / <sup>87</sup>Y / <sup>87m</sup>Y / <sup>86</sup>Y / <sup>85</sup>Sr / <sup>83</sup>Sr / <sup>82</sup>Sr / <sup>84</sup>Rb / <sup>83</sup>Rb, E=15-80 MeV; measured excitation functions; deduced integral yields. Stacked-foil activation technique. JOUR ARISE 63 367
- 2005WA31 NUCLEAR REACTIONS <sup>92,98,100</sup>Mo( $\gamma$ ,  $\gamma'$ ), E=13.2 MeV bremsstrahlung; measured E $\gamma$ , I $\gamma$ . <sup>92,100</sup>Mo, <sup>197</sup>Au( $\gamma$ , n), <sup>92</sup>Mo( $\gamma$ , p), ( $\gamma$ ,  $\alpha$ ), E ≈ 11.8-16.5 MeV bremsstrahlung; measured integrated  $\sigma$ . JOUR JPGPE 31 S1969
- <sup>88</sup>Nb 2005DU23 NUCLEAR REACTIONS Ge(<sup>18</sup>O, X)<sup>83m</sup>Sr / <sup>83</sup>Y / <sup>84m</sup>Y / <sup>88m</sup>Y / <sup>85</sup>Zr / <sup>87</sup>Zr, E=82.8 GeV; <sup>84</sup>Se(<sup>18</sup>O, X)<sup>86m</sup>Y / <sup>85</sup>Zr / <sup>87</sup>Nb / <sup>87m</sup>Nb / <sup>88</sup>Nb / <sup>88</sup>Mo, E=82.7 MeV; <sup>124</sup>Sn(<sup>50</sup>Ti, X)<sup>168m</sup>Lu / <sup>167</sup>Hf / <sup>168</sup>Hf, E=223.7 MeV; <sup>116</sup>Sn(<sup>50</sup>Ti, X)<sup>162</sup>Tm / <sup>161</sup>Yb / <sup>162</sup>Yb / <sup>163</sup>Yb / <sup>162</sup>Lu / <sup>162</sup>Hf, E=224.4 MeV; measured delayed E $\gamma$ , I $\gamma$  following residual nucleus decay. Physical preseparation technique. JOUR NIMAE 551 528
- <sup>88</sup>Mo 2005DU23 NUCLEAR REACTIONS Ge(<sup>18</sup>O, X)<sup>83m</sup>Sr / <sup>83</sup>Y / <sup>84m</sup>Y / <sup>88m</sup>Y / <sup>85</sup>Zr / <sup>87</sup>Zr, E=82.8 GeV; <sup>84</sup>Se(<sup>18</sup>O, X)<sup>86m</sup>Y / <sup>85</sup>Zr / <sup>87</sup>Nb / <sup>87m</sup>Nb / <sup>88</sup>Nb / <sup>88</sup>Mo, E=82.7 MeV; <sup>124</sup>Sn(<sup>50</sup>Ti, X)<sup>168m</sup>Lu / <sup>167</sup>Hf / <sup>168</sup>Hf, E=223.7 MeV; <sup>116</sup>Sn(<sup>50</sup>Ti, X)<sup>162</sup>Tm / <sup>161</sup>Yb / <sup>162</sup>Yb / <sup>163</sup>Yb / <sup>162</sup>Lu / <sup>162</sup>Hf, E=224.4 MeV; measured delayed E $\gamma$ , I $\gamma$  following residual nucleus decay. Physical preseparation technique. JOUR NIMAE 551 528
- 2005XU04 RADIOACTIVITY <sup>81</sup>Zr, <sup>85</sup>Mo, <sup>89</sup>Ru, <sup>92</sup>Rh, <sup>93</sup>Pd, <sup>121</sup>Ce, <sup>125</sup>Nd, <sup>128</sup>Pm, <sup>129</sup>Sm, <sup>135,137</sup>Gd, <sup>139</sup>Dy, <sup>142</sup>Ho, <sup>149</sup>Yb( $\beta^+$  p); measured  $\beta$ -delayed E $\gamma$ , I $\gamma$ , proton spectra, p $\gamma$ -coin, T<sub>1/2</sub>. Comparison with model predictions. JOUR PRVCA 71 054318

## A=89

- <sup>89</sup>Kr      2004GA60      NUCLEAR REACTIONS <sup>237</sup>Np( $\gamma$ , F)<sup>135</sup>Xe / <sup>137</sup>Xe / <sup>138</sup>Xe / <sup>139</sup>Xe / <sup>140</sup>Xe / <sup>141</sup>Xe / <sup>142</sup>Xe / <sup>89</sup>Kr / <sup>91</sup>Kr / <sup>92</sup>Kr / <sup>93</sup>Kr, E=25 MeV  
bremsstrahlung; measured fission yields, isotopic distribution parameters. Comparison with results from other targets. JOUR BRSPE 68 1298
- 2004GAZV      NUCLEAR REACTIONS <sup>237</sup>Np, <sup>243</sup>Am( $\gamma$ , F)<sup>89</sup>Kr / <sup>91</sup>Kr / <sup>92</sup>Kr / <sup>93</sup>Kr / <sup>135</sup>Xe / <sup>137</sup>Xe / <sup>138</sup>Xe / <sup>139</sup>Xe / <sup>140</sup>Xe / <sup>141</sup>Xe / <sup>142</sup>Xe,  $E_{max}$ =25 MeV; measured  $E\gamma$ ,  $I\gamma$ ; deduced fission fragment yields. REPT JINR-P15-2004-119, Gangrsky
- 2005GA25      NUCLEAR REACTIONS <sup>248</sup>Cm( $\gamma$ , F)<sup>89</sup>Kr / <sup>91</sup>Kr / <sup>92</sup>Kr / <sup>93</sup>Kr / <sup>135</sup>Xe / <sup>137</sup>Xe / <sup>138</sup>Xe / <sup>139</sup>Xe / <sup>140</sup>Xe / <sup>141</sup>Xe / <sup>142</sup>Xe, E=25 MeV  
bremsstrahlung; measured  $E\gamma$ ,  $I\gamma$ ; deduced yields. JOUR FECLA 125 44
- 2005GA50      NUCLEAR REACTIONS <sup>237</sup>Np, <sup>243</sup>Am( $\gamma$ , F)<sup>135</sup>Xe / <sup>137</sup>Xe / <sup>138</sup>Xe / <sup>139</sup>Xe / <sup>140</sup>Xe / <sup>141</sup>Xe / <sup>142</sup>Xe / <sup>89</sup>Kr / <sup>91</sup>Kr / <sup>92</sup>Kr / <sup>93</sup>Kr, E=25 MeV  
bremsstrahlung; measured fission yields, isotopic distribution parameters. JOUR YAFIA 68 1475
- <sup>89</sup>Rb      2005AN01      NUCLEAR REACTIONS <sup>238</sup>U(p, F)<sup>89</sup>Rb / <sup>90</sup>Rb / <sup>91</sup>Rb / <sup>93</sup>Rb / <sup>94</sup>Rb / <sup>95</sup>Rb / <sup>139</sup>Cs / <sup>140</sup>Cs / <sup>141</sup>Cs / <sup>142</sup>Cs / <sup>144</sup>Cs / <sup>145</sup>Cs, E=1 GeV; measured yields. JOUR ZAANE 23 257
- <sup>89</sup>Sr      2004SP06      NUCLEAR REACTIONS <sup>64,67</sup>Zn, <sup>89</sup>Y(n, p), E=14 MeV; measured  $\sigma$ . Comparison with results using fission neutrons. JOUR RAACA 92 183
- 2005KEZZ      NUCLEAR REACTIONS Ti(p, X)<sup>45</sup>Ca, E=30-200 MeV; <sup>85</sup>Rb(p, 4n), E=35-70 MeV; measured excitation functions. <sup>89</sup>Y(n, p), E=fast; measured spectrum-averaged  $\sigma$ . Activation technique, radiochemical separation, x-ray spectrometry. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P758
- <sup>89</sup>Y      2005KIZV      NUCLEAR REACTIONS <sup>89</sup>Y( $\alpha$ ,  $\alpha$ ), E=16.165 MeV; measured  $\sigma(\theta)$ . REPT ATOMKI 2004 Annual, P14, Kiss
- 2005WAZS      NUCLEAR REACTIONS <sup>82</sup>Se(<sup>17</sup>N, X), E=104 MeV; measured prompt and delayed  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin. <sup>89,90</sup>Y, <sup>93</sup>Nb deduced transitions, possible high-spin isomers. REPT CNS-REP-66, P15, Wakabayashi
- <sup>89</sup>Zr      2005BI25      NUCLEAR MOMENTS <sup>86,87,88,89,90,91,92,93,94,95,96,97,98,99,100,101,102</sup>Zr; measured charge radii. <sup>176</sup>Yb; measured isomer shift. Ion-beam cooler, laser spectroscopy. JOUR ZAANE 25 s01 187
- 2005RE09      NUCLEAR REACTIONS <sup>92,94</sup>Mo(n, 2n), <sup>92,100</sup>Mo(n,  $\alpha$ ), <sup>95,96,97</sup>Mo(n, p), <sup>96,97,98</sup>Mo(n, np+d), E  $\approx$  13.5-21 MeV; measured activation  $\sigma$ ; deduced reaction mechanism features. <sup>93</sup>Nb(p, n), (p,  $\gamma$ ), E  $\approx$  1-6 MeV; <sup>92,93,94,95,96,97,98,100</sup>Mo, <sup>93</sup>Nb(n,  $\gamma$ ), E < 4 MeV; <sup>92,94,100</sup>Mo(n, 2n), <sup>92,94,95,96,97,98</sup>Mo(n, p), <sup>92,94,95,96,97,98,100</sup>Mo(n, np+d), <sup>92,98,100</sup>Mo(n,  $\alpha$ ), E < 21 MeV; compiled, analyzed  $\sigma$ . Analysis with local and global approaches compared. JOUR PRVCA 71 044617
- 2005UD02      NUCLEAR REACTIONS <sup>89</sup>Y(p, X)<sup>89</sup>Zr / <sup>88</sup>Zr / <sup>86</sup>Zr / <sup>88</sup>Y / <sup>87</sup>Y / <sup>87m</sup>Y / <sup>86</sup>Y / <sup>85</sup>Sr / <sup>83</sup>Sr / <sup>82</sup>Sr / <sup>84</sup>Rb / <sup>83</sup>Rb, E=15-80 MeV; measured excitation functions; deduced integral yields. Stacked-foil activation technique. JOUR ARISE 63 367



**A=89 (continued)**

<sup>89</sup>Ru 2005XU04 RADIOACTIVITY <sup>81</sup>Zr, <sup>85</sup>Mo, <sup>89</sup>Ru, <sup>92</sup>Rh, <sup>93</sup>Pd, <sup>121</sup>Ce, <sup>125</sup>Nd, <sup>128</sup>Pm, <sup>129</sup>Sm, <sup>135,137</sup>Gd, <sup>139</sup>Dy, <sup>142</sup>Ho, <sup>149</sup>Yb( $\beta^+$ p); measured  $\beta$ -delayed E $\gamma$ , I $\gamma$ , proton spectra, p $\gamma$ -coin, T<sub>1/2</sub>. Comparison with model predictions. JOUR PRVCA 71 054318

**A=90**

<sup>90</sup>Rb 2005AN01 NUCLEAR REACTIONS <sup>238</sup>U(p, F)<sup>89</sup>Rb / <sup>90</sup>Rb / <sup>91</sup>Rb / <sup>93</sup>Rb / <sup>94</sup>Rb / <sup>95</sup>Rb / <sup>139</sup>Cs / <sup>140</sup>Cs / <sup>141</sup>Cs / <sup>142</sup>Cs / <sup>144</sup>Cs / <sup>145</sup>Cs, E=1 GeV; measured yields. JOUR ZAANE 23 257

<sup>90</sup>Y 2005SEZX NUCLEAR REACTIONS <sup>90,94</sup>Zr(n,  $\alpha$ ), <sup>90,91,92,94</sup>Zr(n, p), <sup>91,92</sup>Zr(n, np+d), E=14-20 MeV; measured activation  $\sigma$ . Comparison with model predictions. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P981

2005WAZS NUCLEAR REACTIONS <sup>82</sup>Se(<sup>17</sup>N, X), E=104 MeV; measured prompt and delayed E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>89,90</sup>Y, <sup>93</sup>Nb deduced transitions, possible high-spin isomers. REPT CNS-REP-66, P15, Wakabayashi

2005YA11 NUCLEAR REACTIONS <sup>90</sup>Zr(n, p), E=293 MeV; measured  $\sigma(E, \theta)$ ; <sup>90</sup>Zr(p, n), E=295 MeV; analyzed  $\sigma(E, \theta)$ ; deduced Gamow-Teller strengths, quenching factor. JOUR PYLBB 615 193

<sup>90</sup>Zr 2005BI25 NUCLEAR MOMENTS <sup>86,87,88,89,90,91,92,93,94,95,96,97,98,99,100,101,102</sup>Zr; measured charge radii. <sup>176</sup>Yb; measured isomer shift. Ion-beam cooler, laser spectroscopy. JOUR ZAANE 25 s01 187

2005CH53 NUCLEAR REACTIONS <sup>92</sup>Zr( $\alpha, \alpha'$ ), ( $\alpha, ^3\text{HeX}$ ), ( $\alpha, \text{tX}$ ), ( $\alpha, \text{dX}$ ), ( $\alpha, \text{pX}$ ), E=51 MeV; measured particle spectra. <sup>92</sup>Zr( $\alpha, \alpha'$ ), ( $\alpha, \text{xn}\alpha$ ), E=51 MeV; measured E $\gamma$ , I $\gamma$ ,  $\alpha\gamma$ -coin. <sup>90,91,92</sup>Zr deduced transitions. Surrogate reaction technique. JOUR NUPAB 758 126c

2005C025 NUCLEAR REACTIONS <sup>208</sup>Pb(<sup>40</sup>Ca, <sup>42</sup>Ca), E=225 MeV; measured  $\sigma(E, \theta)$ . <sup>42</sup>Ca deduced excited states configurations. <sup>208</sup>Pb(<sup>90</sup>Zr, X), E=560 MeV; measured E $\gamma$ , I $\gamma$ , (fragment) $\gamma$ -coin, isotopic yields for projectile-like fragments. <sup>90</sup>Zr deduced transitions. JOUR ZAANE 25 s01 427

2005GA44 NUCLEAR REACTIONS <sup>208</sup>Pb(<sup>90</sup>Zr, X)<sup>90</sup>Zr / <sup>92</sup>Zr / <sup>88</sup>Sr, E=560 MeV; <sup>238</sup>U(<sup>64</sup>Ni, X)<sup>58</sup>Cr, E=400 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -, (recoil) $\gamma$ -coin. <sup>58</sup>Cr, <sup>90,92</sup>Zr, <sup>88</sup>Sr deduced transitions. Clara array, mass separator. JOUR JPGPE 31 S1443

2005HU10 NUCLEAR REACTIONS <sup>90</sup>Zr, <sup>116</sup>Sn, <sup>208</sup>Pb( $\alpha, \alpha'n$ ), E=200 MeV; <sup>208</sup>Pb( $\alpha, \alpha'p$ ), E=200 MeV; measured E $\alpha$ ,  $\sigma(\theta)$ , p $\alpha$ -, n $\alpha$ -coin. <sup>90</sup>Zr, <sup>116</sup>Sn, <sup>208</sup>Pb deduced isoscalar GDR parameters, particle decay features. JOUR APOBB 36 1115

2005VA31 NUCLEAR REACTIONS <sup>48</sup>Ti(<sup>132</sup>Sn, <sup>132</sup>Sn'), E=470-495 MeV; <sup>90</sup>Zr(<sup>134</sup>Sn, <sup>134</sup>Sn'), E=400 MeV; measured E $\gamma$ , I $\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation. <sup>132,134</sup>Sn deduced transitions B(E2). JOUR ZAANE 25 s01 391

<sup>90</sup>Nb 2004ZH45 NUCLEAR REACTIONS <sup>90,94</sup>Zr(p, n), E=7-11 MeV; measured E $n$ ,  $\sigma(E, \theta)$ , excitation functions. <sup>90,94</sup>Nb deduced level densities, shell effects. Optical-statistical analysis. JOUR BRSPE 68 1319

**A=90 (continued)**

- 2005ALZZ NUCLEAR REACTIONS  $^{93}\text{Nb}(\gamma, n)$ ,  $(\gamma, 3n)$ , , E=50 MeV  
bremsstrahlung; measured  $E\gamma$ ,  $I\gamma$ ; deduced yield ratio. HPGe  
detectors, microtron. CONF St Petersburg,P56,Aliev
- 2005CH65 NUCLEAR REACTIONS  $^{63}\text{Cu}(^{31}\text{P}, n3p)$ , E=120, 125 MeV; measured  
prompt and delayed  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -, (recoil) $\gamma$ -coin.  $^{90}\text{Nb}$  deduced levels, J,  
 $\pi$ , configurations, isomeric states  $T_{1/2}$ , B(E2). Large-basis shell model  
calculations. JOUR PRVCA 72 054309
- 2005CU07 NUCLEAR REACTIONS  $^{76}\text{Ge}(^{19}\text{F}, 5n)$ , E=80 MeV; measured  $E\gamma$ ,  $I\gamma$ ,  
 $\gamma\gamma$ -coin.  $^{90}\text{Nb}$  deduced high-spin levels, J,  $\pi$ , configurations.  
Semi-empirical shell model calculations. JOUR PRVCA 72 044322
- 2005MU21 NUCLEAR REACTIONS  $^{115}\text{In}(n, n')$ ,  $^{27}\text{Al}(n, \alpha)$ ,  $^{93}\text{Nb}(n, 2n)$ ,  $(n, 4n)$ ,  
 $^{209}\text{Bi}(n, 4n)$ ,  $(n, 5n)$ ,  $(n, 6n)$ ,  $(n, 7n)$ , E  $\approx$  10-1000 MeV; measured  
reaction rates. Comparison with model predictions. JOUR NIMAE 547  
555
- 2005YA11 NUCLEAR REACTIONS  $^{90}\text{Zr}(n, p)$ , E=293 MeV; measured  $\sigma(E, \theta)$ ;  
 $^{90}\text{Zr}(p, n)$ , E=295 MeV; analyzed  $\sigma(E, \theta)$ ; deduced Gamow-Teller  
strengths, quenching factor. JOUR PYLBB 615 193
- 2005ZHZZ NUCLEAR REACTIONS  $^{56,57}\text{Fe}$ ,  $^{90,94}\text{Zr}(p, n)$ , E=7-11 MeV;  
measured  $E_n$ ,  $\sigma(E)$ .  $^{56,57}\text{Co}$ ,  $^{90,94}\text{Nb}$  deduced level densities. Statistical  
equilibrium and pre-equilibrium model analysis. CONF Santa Fe (Nucl  
Data for Sci and Technol) Proc,Vol1,P931
- $^{90}\text{Mo}$  2005CL08 ATOMIC MASSES  $^{64}\text{Ge}$ ,  $^{68}\text{Se}$ ; analyzed masses; deduced effective  
 $T_{1/2}$ .  $^{90,91}\text{Mo}$ ,  $^{90,91,92,93}\text{Tc}$ ,  $^{93,94}\text{Ru}$ ,  $^{94,95}\text{Rh}$ ,  $^{104,105,106,107}\text{In}$ ,  
 $^{104,105,107,108}\text{Sn}$ ,  $^{107,108}\text{Sb}$ ; measured masses. Penning trap,  
astrophysical implications discussed. JOUR ZAANE 25 s01 629
- $^{90}\text{Tc}$  2005CL08 ATOMIC MASSES  $^{64}\text{Ge}$ ,  $^{68}\text{Se}$ ; analyzed masses; deduced effective  
 $T_{1/2}$ .  $^{90,91}\text{Mo}$ ,  $^{90,91,92,93}\text{Tc}$ ,  $^{93,94}\text{Ru}$ ,  $^{94,95}\text{Rh}$ ,  $^{104,105,106,107}\text{In}$ ,  
 $^{104,105,107,108}\text{Sn}$ ,  $^{107,108}\text{Sb}$ ; measured masses. Penning trap,  
astrophysical implications discussed. JOUR ZAANE 25 s01 629

**A=91**

- $^{91}\text{Kr}$  2004GA60 NUCLEAR REACTIONS  $^{237}\text{Np}(\gamma, F)^{135}\text{Xe} / ^{137}\text{Xe} / ^{138}\text{Xe} / ^{139}\text{Xe} /$   
 $^{140}\text{Xe} / ^{141}\text{Xe} / ^{142}\text{Xe} / ^{89}\text{Kr} / ^{91}\text{Kr} / ^{92}\text{Kr} / ^{93}\text{Kr}$ , E=25 MeV  
bremsstrahlung; measured fission yields, isotopic distribution  
parameters. Comparison with results from other targets. JOUR  
BRSPE 68 1298
- 2004GAZV NUCLEAR REACTIONS  $^{237}\text{Np}$ ,  $^{243}\text{Am}(\gamma, F)^{89}\text{Kr} / ^{91}\text{Kr} / ^{92}\text{Kr} /$   
 $^{93}\text{Kr} / ^{135}\text{Xe} / ^{137}\text{Xe} / ^{138}\text{Xe} / ^{139}\text{Xe} / ^{140}\text{Xe} / ^{141}\text{Xe} / ^{142}\text{Xe}$ ,  
 $E_{max}=25$  MeV; measured  $E\gamma$ ,  $I\gamma$ ; deduced fission fragment yields.  
REPT JINR-P15-2004-119,Gangrsky
- 2005GA25 NUCLEAR REACTIONS  $^{248}\text{Cm}(\gamma, F)^{89}\text{Kr} / ^{91}\text{Kr} / ^{92}\text{Kr} / ^{93}\text{Kr} /$   
 $^{135}\text{Xe} / ^{137}\text{Xe} / ^{138}\text{Xe} / ^{139}\text{Xe} / ^{140}\text{Xe} / ^{141}\text{Xe} / ^{142}\text{Xe}$ , E=25 MeV  
bremsstrahlung; measured  $E\gamma$ ,  $I\gamma$ ; deduced yields. JOUR FECLA 125  
44

## A=91 (continued)

- 2005GA50 NUCLEAR REACTIONS  $^{237}\text{Np}$ ,  $^{243}\text{Am}(\gamma, \text{F})^{135}\text{Xe} / ^{137}\text{Xe} / ^{138}\text{Xe} / ^{139}\text{Xe} / ^{140}\text{Xe} / ^{141}\text{Xe} / ^{142}\text{Xe} / ^{89}\text{Kr} / ^{91}\text{Kr} / ^{92}\text{Kr} / ^{93}\text{Kr}$ , E=25 MeV  
bremsstrahlung; measured fission yields, isotopic distribution parameters. JOUR YAFIA 68 1475
- $^{91}\text{Rb}$  2005AN01 NUCLEAR REACTIONS  $^{238}\text{U}(\text{p}, \text{F})^{89}\text{Rb} / ^{90}\text{Rb} / ^{91}\text{Rb} / ^{93}\text{Rb} / ^{94}\text{Rb} / ^{95}\text{Rb} / ^{139}\text{Cs} / ^{140}\text{Cs} / ^{141}\text{Cs} / ^{142}\text{Cs} / ^{144}\text{Cs} / ^{145}\text{Cs}$ , E=1 GeV; measured yields. JOUR ZAANE 23 257
- $^{91}\text{Sr}$  2005ADZZ NUCLEAR REACTIONS  $^{129}\text{I}(\text{n}, 7\text{n})$ , (n, 6n), (n, 4n), (n,  $\gamma$ ), E=fast;  $^{237}\text{Np}(\text{n}, \gamma)$ , E=fast; measured yields.  $^{237}\text{Np}(\text{n}, \text{F})^{91}\text{Sr} / ^{97}\text{Zr} / ^{132}\text{Te} / ^{133}\text{I} / ^{135}\text{I}$ , E=fast;  $^{238}\text{Pu}(\text{n}, \text{F})^{97}\text{Zr} / ^{129}\text{Sb} / ^{132}\text{I} / ^{133}\text{I} / ^{135}\text{Xe} / ^{105}\text{Ru}$ , E=fast;  $^{239}\text{Pu}(\text{n}, \text{F})^{88}\text{Kr} / ^{91}\text{Sr} / ^{92}\text{Sr} / ^{92}\text{Y} / ^{97}\text{Zr} / ^{99}\text{Mo} / ^{103}\text{Ru} / ^{105}\text{Ru} / ^{128}\text{Sb} / ^{129}\text{Sb} / ^{132}\text{Te} / ^{131}\text{I} / ^{132}\text{I} / ^{133}\text{I} / ^{135}\text{I} / ^{135}\text{Xe} / ^{143}\text{Ce} / ^{140}\text{Ba} / ^{140}\text{La}$ , E=fast; measured fission fragment yields. Secondary neutrons from proton irradiation. JINR nuclotron. CONF St Petersburg,P195,Adam
- 2005SEZX NUCLEAR REACTIONS  $^{90,94}\text{Zr}(\text{n}, \alpha)$ ,  $^{90,91,92,94}\text{Zr}(\text{n}, \text{p})$ ,  $^{91,92}\text{Zr}(\text{n}, \text{np}+\text{d})$ , E=14-20 MeV; measured activation  $\sigma$ . Comparison with model predictions. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol1,P981
- $^{91}\text{Y}$  2005BU08 NUCLEAR REACTIONS  $^{82}\text{Se}(^{12}\text{C}, 2\text{np})$ , E=38 MeV;  $^{82}\text{Se}(^{16}\text{O}, 2\text{np})$ , E=48 MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -, (charged particle) $\gamma$ -, (neutron) $\gamma$ -coin.  $^{12}\text{C}$ ,  $^{16}\text{O}(^{82}\text{Se}, \text{X})^{91}\text{Y} / ^{95}\text{Nb}$ , E=470 MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{91}\text{Y}$ ,  $^{95}\text{Nb}$  deduced high-spin levels, J,  $\pi$ , configurations. GASP array, comparison with shell model predictions, level systematics in neighboring isotones discussed. JOUR PRVCA 71 034315
- 2005SEZX NUCLEAR REACTIONS  $^{90,94}\text{Zr}(\text{n}, \alpha)$ ,  $^{90,91,92,94}\text{Zr}(\text{n}, \text{p})$ ,  $^{91,92}\text{Zr}(\text{n}, \text{np}+\text{d})$ , E=14-20 MeV; measured activation  $\sigma$ . Comparison with model predictions. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol1,P981
- $^{91}\text{Zr}$  2005BI25 NUCLEAR MOMENTS  $^{86,87,88,89,90,91,92,93,94,95,96,97,98,99,100,101,102}\text{Zr}$ ; measured charge radii.  $^{176}\text{Yb}$ ; measured isomer shift. Ion-beam cooler, laser spectroscopy. JOUR ZAANE 25 s01 187
- 2005CH53 NUCLEAR REACTIONS  $^{92}\text{Zr}(\alpha, \alpha')$ , ( $\alpha$ ,  $^3\text{HeX}$ ), ( $\alpha$ , tX), ( $\alpha$ , dX), ( $\alpha$ , pX), E=51 MeV; measured particle spectra.  $^{92}\text{Zr}(\alpha, \alpha')$ , ( $\alpha$ , xn $\alpha$ ), E=51 MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\alpha\gamma$ -coin.  $^{90,91,92}\text{Zr}$  deduced transitions. Surrogate reaction technique. JOUR NUPAB 758 126c
- 2005FUZV NUCLEAR REACTIONS  $^{82}\text{Se}(^{16}\text{O}, 3\text{n}\alpha)$ , E not given; measured prompt and delayed  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{91}\text{Zr}$  deduced high-spin levels. REPT CNS-REP-66,P17,Fukuchi
- 2005MOZW NUCLEAR REACTIONS  $^{90,91,92,94,96}\text{Zr}(\text{n}, \gamma)$ , E<100 keV; measured  $E\gamma$ ,  $I\gamma$ , capture yields. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol1,P880
- 2005TA23 NUCLEAR REACTIONS  $^{90,91,92,94,96}\text{Zr}(\text{n}, \gamma)$ , E<1 MeV; measured  $E\gamma$ ,  $I\gamma$ , capture yields. JOUR NUPAB 758 573c
- $^{91}\text{Nb}$  2005WA31 NUCLEAR REACTIONS  $^{92,98,100}\text{Mo}(\gamma, \gamma')$ , E=13.2 MeV bremsstrahlung; measured  $E\gamma$ ,  $I\gamma$ .  $^{92,100}\text{Mo}$ ,  $^{197}\text{Au}(\gamma, \text{n})$ ,  $^{92}\text{Mo}(\gamma, \text{p})$ , ( $\gamma$ ,  $\alpha$ ), E  $\approx$  11.8-16.5 MeV bremsstrahlung; measured integrated  $\sigma$ . JOUR JPGPE 31 S1969

**A=91 (continued)**

- <sup>91</sup>Mo 2005CL08 ATOMIC MASSES <sup>64</sup>Ge, <sup>68</sup>Se; analyzed masses; deduced effective  $T_{1/2}$ . <sup>90,91</sup>Mo, <sup>90,91,92,93</sup>Tc, <sup>93,94</sup>Ru, <sup>94,95</sup>Rh, <sup>104,105,106,107</sup>In, <sup>104,105,107,108</sup>Sn, <sup>107,108</sup>Sb; measured masses. Penning trap, astrophysical implications discussed. JOUR ZAANE 25 s01 629
- 2005RE09 NUCLEAR REACTIONS <sup>92,94</sup>Mo(n, 2n), <sup>92,100</sup>Mo(n,  $\alpha$ ), <sup>95,96,97</sup>Mo(n, p), <sup>96,97,98</sup>Mo(n, np+d),  $E \approx 13.5$ -21 MeV; measured activation  $\sigma$ ; deduced reaction mechanism features. <sup>93</sup>Nb(p, n), (p,  $\gamma$ ),  $E \approx 1$ -6 MeV; <sup>92,93,94,95,96,97,98,100</sup>Mo, <sup>93</sup>Nb(n,  $\gamma$ ),  $E < 4$  MeV; <sup>92,94,100</sup>Mo(n, 2n), <sup>92,94,95,96,97,98</sup>Mo(n, p), <sup>92,94,95,96,97,98,100</sup>Mo(n, np+d), <sup>92,98,100</sup>Mo(n,  $\alpha$ ),  $E < 21$  MeV; compiled, analyzed  $\sigma$ . Analysis with local and global approaches compared. JOUR PRVCA 71 044617
- <sup>91</sup>Tc 2005CL08 ATOMIC MASSES <sup>64</sup>Ge, <sup>68</sup>Se; analyzed masses; deduced effective  $T_{1/2}$ . <sup>90,91</sup>Mo, <sup>90,91,92,93</sup>Tc, <sup>93,94</sup>Ru, <sup>94,95</sup>Rh, <sup>104,105,106,107</sup>In, <sup>104,105,107,108</sup>Sn, <sup>107,108</sup>Sb; measured masses. Penning trap, astrophysical implications discussed. JOUR ZAANE 25 s01 629
- 2005XU04 RADIOACTIVITY <sup>81</sup>Zr, <sup>85</sup>Mo, <sup>89</sup>Ru, <sup>92</sup>Rh, <sup>93</sup>Pd, <sup>121</sup>Ce, <sup>125</sup>Nd, <sup>128</sup>Pm, <sup>129</sup>Sm, <sup>135,137</sup>Gd, <sup>139</sup>Dy, <sup>142</sup>Ho, <sup>149</sup>Yb( $\beta^+$ p); measured  $\beta$ -delayed  $E\gamma$ ,  $I\gamma$ , proton spectra,  $p\gamma$ -coin,  $T_{1/2}$ . Comparison with model predictions. JOUR PRVCA 71 054318
- <sup>91</sup>Rh 2005MA55 NUCLEAR REACTIONS <sup>54</sup>Fe(<sup>40</sup>Ca, 2np),  $E=130$  MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -, (charged particle) $\gamma$ -, (neutron) $\gamma$ -coin. <sup>91</sup>Rh deduced high-spin levels, J,  $\pi$ , configurations, possible isomeric state. GASP, ISIS arrays, comparison with shell model predictions. JOUR PRVCA 72 014302

**A=92**

- <sup>92</sup>Kr 2004GA60 NUCLEAR REACTIONS <sup>237</sup>Np( $\gamma$ , F)<sup>135</sup>Xe / <sup>137</sup>Xe / <sup>138</sup>Xe / <sup>139</sup>Xe / <sup>140</sup>Xe / <sup>141</sup>Xe / <sup>142</sup>Xe / <sup>89</sup>Kr / <sup>91</sup>Kr / <sup>92</sup>Kr / <sup>93</sup>Kr,  $E=25$  MeV bremsstrahlung; measured fission yields, isotopic distribution parameters. Comparison with results from other targets. JOUR BRSPE 68 1298
- 2004GAZV NUCLEAR REACTIONS <sup>237</sup>Np, <sup>243</sup>Am( $\gamma$ , F)<sup>89</sup>Kr / <sup>91</sup>Kr / <sup>92</sup>Kr / <sup>93</sup>Kr / <sup>135</sup>Xe / <sup>137</sup>Xe / <sup>138</sup>Xe / <sup>139</sup>Xe / <sup>140</sup>Xe / <sup>141</sup>Xe / <sup>142</sup>Xe,  $E_{max}=25$  MeV; measured  $E\gamma$ ,  $I\gamma$ ; deduced fission fragment yields. REPT JINR-P15-2004-119, Gangrsky
- 2005GA25 NUCLEAR REACTIONS <sup>248</sup>Cm( $\gamma$ , F)<sup>89</sup>Kr / <sup>91</sup>Kr / <sup>92</sup>Kr / <sup>93</sup>Kr / <sup>135</sup>Xe / <sup>137</sup>Xe / <sup>138</sup>Xe / <sup>139</sup>Xe / <sup>140</sup>Xe / <sup>141</sup>Xe / <sup>142</sup>Xe,  $E=25$  MeV bremsstrahlung; measured  $E\gamma$ ,  $I\gamma$ ; deduced yields. JOUR FECLA 125 44
- 2005GA50 NUCLEAR REACTIONS <sup>237</sup>Np, <sup>243</sup>Am( $\gamma$ , F)<sup>135</sup>Xe / <sup>137</sup>Xe / <sup>138</sup>Xe / <sup>139</sup>Xe / <sup>140</sup>Xe / <sup>141</sup>Xe / <sup>142</sup>Xe / <sup>89</sup>Kr / <sup>91</sup>Kr / <sup>92</sup>Kr / <sup>93</sup>Kr,  $E=25$  MeV bremsstrahlung; measured fission yields, isotopic distribution parameters. JOUR YAFIA 68 1475

## A=92 (continued)

- <sup>92</sup>Sr      2005ADZZ      NUCLEAR REACTIONS <sup>129</sup>I(n, 7n), (n, 6n), (n, 4n), (n,  $\gamma$ ), E=fast; <sup>237</sup>Np(n,  $\gamma$ ), E=fast; measured yields. <sup>237</sup>Np(n, F)<sup>91</sup>Sr / <sup>97</sup>Zr / <sup>132</sup>Te / <sup>133</sup>I / <sup>135</sup>I, E=fast; <sup>238</sup>Pu(n, F)<sup>97</sup>Zr / <sup>129</sup>Sb / <sup>132</sup>I / <sup>133</sup>I / <sup>135</sup>Xe / <sup>105</sup>Ru, E=fast; <sup>239</sup>Pu(n, F)<sup>88</sup>Kr / <sup>91</sup>Sr / <sup>92</sup>Sr / <sup>92</sup>Y / <sup>97</sup>Zr / <sup>99</sup>Mo / <sup>103</sup>Ru / <sup>105</sup>Ru / <sup>128</sup>Sb / <sup>129</sup>Sb / <sup>132</sup>Te / <sup>131</sup>I / <sup>132</sup>I / <sup>133</sup>I / <sup>135</sup>I / <sup>135</sup>Xe / <sup>143</sup>Ce / <sup>140</sup>Ba / <sup>140</sup>La, E=fast; measured fission fragment yields. Secondary neutrons from proton irradiation. JINR nuclotron. CONF St Petersburg,P195,Adam
- 2005GU37      ATOMIC MASSES <sup>56,57</sup>Mn, <sup>82m</sup>Rb, <sup>92</sup>Sr, <sup>124,127</sup>Cs, <sup>130</sup>Ba; measured masses. Penning trap mass spectrometer. JOUR ZAANE 25 s01 35
- <sup>92</sup>Y      2005ADZZ      NUCLEAR REACTIONS <sup>129</sup>I(n, 7n), (n, 6n), (n, 4n), (n,  $\gamma$ ), E=fast; <sup>237</sup>Np(n,  $\gamma$ ), E=fast; measured yields. <sup>237</sup>Np(n, F)<sup>91</sup>Sr / <sup>97</sup>Zr / <sup>132</sup>Te / <sup>133</sup>I / <sup>135</sup>I, E=fast; <sup>238</sup>Pu(n, F)<sup>97</sup>Zr / <sup>129</sup>Sb / <sup>132</sup>I / <sup>133</sup>I / <sup>135</sup>Xe / <sup>105</sup>Ru, E=fast; <sup>239</sup>Pu(n, F)<sup>88</sup>Kr / <sup>91</sup>Sr / <sup>92</sup>Sr / <sup>92</sup>Y / <sup>97</sup>Zr / <sup>99</sup>Mo / <sup>103</sup>Ru / <sup>105</sup>Ru / <sup>128</sup>Sb / <sup>129</sup>Sb / <sup>132</sup>Te / <sup>131</sup>I / <sup>132</sup>I / <sup>133</sup>I / <sup>135</sup>I / <sup>135</sup>Xe / <sup>143</sup>Ce / <sup>140</sup>Ba / <sup>140</sup>La, E=fast; measured fission fragment yields. Secondary neutrons from proton irradiation. JINR nuclotron. CONF St Petersburg,P195,Adam
- 2005SEZX      NUCLEAR REACTIONS <sup>90,94</sup>Zr(n,  $\alpha$ ), <sup>90,91,92,94</sup>Zr(n, p), <sup>91,92</sup>Zr(n, np+d), E=14-20 MeV; measured activation  $\sigma$ . Comparison with model predictions. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol1,P981
- <sup>92</sup>Zr      2005BI25      NUCLEAR MOMENTS <sup>86,87,88,89,90,91,92,93,94,95,96,97,98,99,100,101,102</sup>Zr; measured charge radii. <sup>176</sup>Yb; measured isomer shift. Ion-beam cooler, laser spectroscopy. JOUR ZAANE 25 s01 187
- 2005CH53      NUCLEAR REACTIONS <sup>92</sup>Zr( $\alpha$ ,  $\alpha'$ ), ( $\alpha$ , <sup>3</sup>HeX), ( $\alpha$ , tX), ( $\alpha$ , dX), ( $\alpha$ , pX), E=51 MeV; measured particle spectra. <sup>92</sup>Zr( $\alpha$ ,  $\alpha'$ ), ( $\alpha$ , xn $\alpha$ ), E=51 MeV; measured E $\gamma$ , I $\gamma$ ,  $\alpha\gamma$ -coin. <sup>90,91,92</sup>Zr deduced transitions. Surrogate reaction technique. JOUR NUPAB 758 126c
- 2005FR17      NUCLEAR REACTIONS <sup>92</sup>Zr(n, n' $\gamma$ ), E=2.2, 3.9 MeV; measured E $\gamma$ , I $\gamma$ , angular distributions, DSA. <sup>92</sup>Zr(n, n' $\gamma$ ), E=2.6-3.9 MeV; measured excitation functions. <sup>92</sup>Zr deduced levels, J,  $\pi$ , T<sub>1/2</sub>,  $\delta$ . Comparison with model predictions, neighboring nuclides. JOUR PRVCA 71 054304
- 2005GA44      NUCLEAR REACTIONS <sup>208</sup>Pb(<sup>90</sup>Zr, X)<sup>90</sup>Zr / <sup>92</sup>Zr / <sup>88</sup>Sr, E=560 MeV; <sup>238</sup>U(<sup>64</sup>Ni, X)<sup>58</sup>Cr, E=400 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -, (recoil) $\gamma$ -coin. <sup>58</sup>Cr, <sup>90,92</sup>Zr, <sup>88</sup>Sr deduced transitions. Clara array, mass separator. JOUR JPGPE 31 S1443
- 2005LA13      NUCLEAR REACTIONS Zr, <sup>91</sup>Zr(n,  $\gamma$ ), E  $\approx$  0.1-5000 eV; measured E $\gamma$ , capture  $\sigma$ , baseline shift effect. JOUR NIMAE 543 502
- 2005MOZW      NUCLEAR REACTIONS <sup>90,91,92,94,96</sup>Zr(n,  $\gamma$ ), E<100 keV; measured E $\gamma$ , I $\gamma$ , capture yields. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol1,P880
- 2005OH04      NUCLEAR REACTIONS <sup>91,92</sup>Zr(n,  $\gamma$ ), E=15-550 keV; measured E $\gamma$ ,  $\gamma$ -ray multiplicity, capture  $\sigma$ . JOUR JNSTA 42 333

## A=92 (continued)

- 2005PA48 NUCLEAR REACTIONS  $^{176}\text{Yb}(^{28}\text{Si}, \text{X})^{92}\text{Zr} / ^{93}\text{Zr} / ^{94}\text{Zr} / ^{95}\text{Zr} / ^{96}\text{Zr}$ , E=145 MeV;  $^{176}\text{Yb}(^{31}\text{P}, \text{X})^{92}\text{Zr} / ^{93}\text{Zr} / ^{94}\text{Zr} / ^{95}\text{Zr} / ^{96}\text{Zr}$ , E=152 MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{92,93,94,95,96}\text{Zr}$  deduced high-spin levels, J,  $\pi$ , configurations. Eurogam II and Euroball IV arrays, comparisons with shell-model predictions. JOUR PRVCA 72 024304
- 2005TA23 NUCLEAR REACTIONS  $^{90,91,92,94,96}\text{Zr}(n, \gamma)$ , E<1 MeV; measured  $E\gamma$ ,  $I\gamma$ , capture yields. JOUR NUPAB 758 573c
- $^{92}\text{Nb}$  20040DZZ NUCLEAR REACTIONS  $^{82}\text{Se}(^{17}\text{N}, 7n)$ , ( $^{17}\text{N}, 6n$ ), E  $\approx$  104 MeV; measured  $E\gamma$ ,  $I\gamma$ .  $^{92,93}\text{Nb}$  deduced transitions. REPT CNS-REP-64,P289,Odahara
- 2005ALZZ NUCLEAR REACTIONS  $^{93}\text{Nb}(\gamma, n)$ , ( $\gamma, 3n$ ), , E=50 MeV bremsstrahlung; measured  $E\gamma$ ,  $I\gamma$ ; deduced yield ratio. HPGe detectors, microtron. CONF St Petersburg,P56,Aliev
- 2005MU21 NUCLEAR REACTIONS  $^{115}\text{In}(n, n')$ ,  $^{27}\text{Al}(n, \alpha)$ ,  $^{93}\text{Nb}(n, 2n)$ , ( $n, 4n$ ),  $^{209}\text{Bi}(n, 4n)$ , ( $n, 5n$ ), ( $n, 6n$ ), ( $n, 7n$ ), E  $\approx$  10-1000 MeV; measured reaction rates. Comparison with model predictions. JOUR NIMAE 547 555
- 2005RE09 NUCLEAR REACTIONS  $^{92,94}\text{Mo}(n, 2n)$ ,  $^{92,100}\text{Mo}(n, \alpha)$ ,  $^{95,96,97}\text{Mo}(n, p)$ ,  $^{96,97,98}\text{Mo}(n, np+d)$ , E  $\approx$  13.5-21 MeV; measured activation  $\sigma$ ; deduced reaction mechanism features.  $^{93}\text{Nb}(p, n)$ , ( $p, \gamma$ ), E  $\approx$  1-6 MeV;  $^{92,93,94,95,96,97,98,100}\text{Mo}$ ,  $^{93}\text{Nb}(n, \gamma)$ , E < 4 MeV;  $^{92,94,100}\text{Mo}(n, 2n)$ ,  $^{92,94,95,96,97,98}\text{Mo}(n, p)$ ,  $^{92,94,95,96,97,98,100}\text{Mo}(n, np+d)$ ,  $^{92,98,100}\text{Mo}(n, \alpha)$ , E < 21 MeV; compiled, analyzed  $\sigma$ . Analysis with local and global approaches compared. JOUR PRVCA 71 044617
- $^{92}\text{Mo}$  2005FU01 NUCLEAR REACTIONS  $^{82}\text{Se}(^{16}\text{O}, 5n)$ , ( $^{16}\text{O}, 6n$ ), E=100 MeV; measured prompt and delayed  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin,  $\gamma$ -ray linear polarization.  $^{93}\text{Mo}$  deduced high-spin levels, J,  $\pi$ , configurations, isomeric states  $T_{1/2}$ .  $^{92}\text{Mo}$  deduced levels, J,  $\pi$ . JOUR ZAANE 24 249
- 2005RUZZ NUCLEAR REACTIONS  $^{92,98,100}\text{Mo}(\gamma, \gamma')$ , E=14 MeV bremsstrahlung; measured  $E\gamma$ ,  $I\gamma$ .  $^{92,98,100}\text{Mo}$  deduced dipole strength functions, resonance features. PREPRINT nucl-ex/0512027,12/20/2005
- 2005WA31 NUCLEAR REACTIONS  $^{92,98,100}\text{Mo}(\gamma, \gamma')$ , E=13.2 MeV bremsstrahlung; measured  $E\gamma$ ,  $I\gamma$ .  $^{92,100}\text{Mo}$ ,  $^{197}\text{Au}(\gamma, n)$ ,  $^{92}\text{Mo}(\gamma, p)$ , ( $\gamma, \alpha$ ), E  $\approx$  11.8-16.5 MeV bremsstrahlung; measured integrated  $\sigma$ . JOUR JPGPE 31 S1969
- $^{92}\text{Tc}$  2005CL08 ATOMIC MASSES  $^{64}\text{Ge}$ ,  $^{68}\text{Se}$ ; analyzed masses; deduced effective  $T_{1/2}$ .  $^{90,91}\text{Mo}$ ,  $^{90,91,92,93}\text{Tc}$ ,  $^{93,94}\text{Ru}$ ,  $^{94,95}\text{Rh}$ ,  $^{104,105,106,107}\text{In}$ ,  $^{104,105,107,108}\text{Sn}$ ,  $^{107,108}\text{Sb}$ ; measured masses. Penning trap, astrophysical implications discussed. JOUR ZAANE 25 s01 629
- $^{92}\text{Ru}$  2005XU04 RADIOACTIVITY  $^{81}\text{Zr}$ ,  $^{85}\text{Mo}$ ,  $^{89}\text{Ru}$ ,  $^{92}\text{Rh}$ ,  $^{93}\text{Pd}$ ,  $^{121}\text{Ce}$ ,  $^{125}\text{Nd}$ ,  $^{128}\text{Pm}$ ,  $^{129}\text{Sm}$ ,  $^{135,137}\text{Gd}$ ,  $^{139}\text{Dy}$ ,  $^{142}\text{Ho}$ ,  $^{149}\text{Yb}(\beta^+p)$ ; measured  $\beta$ -delayed  $E\gamma$ ,  $I\gamma$ , proton spectra,  $p\gamma$ -coin,  $T_{1/2}$ . Comparison with model predictions. JOUR PRVCA 71 054318
- $^{92}\text{Rh}$  2005MUZX RADIOACTIVITY  $^{94m}\text{Ag}(2p)$  [from  $^{58}\text{Ni}(^{40}\text{Ca}, 3np)$ ]; measured  $E\gamma$ ,  $E_p$ ,  $pp^-$ ,  $\gamma\gamma^-$ ,  $p\gamma$ -coin; deduced two-proton decay branching ratio.  $^{92}\text{Rh}$  deduced levels, J,  $\pi$ . REPT GSI 2005-1,P87,Mukha

**A=92 (continued)**

2005XU04 RADIOACTIVITY  $^{81}\text{Zr}$ ,  $^{85}\text{Mo}$ ,  $^{89}\text{Ru}$ ,  $^{92}\text{Rh}$ ,  $^{93}\text{Pd}$ ,  $^{121}\text{Ce}$ ,  $^{125}\text{Nd}$ ,  $^{128}\text{Pm}$ ,  $^{129}\text{Sm}$ ,  $^{135,137}\text{Gd}$ ,  $^{139}\text{Dy}$ ,  $^{142}\text{Ho}$ ,  $^{149}\text{Yb}(\beta^+\text{p})$ ; measured  $\beta$ -delayed  $E\gamma$ ,  $I\gamma$ , proton spectra,  $p\gamma$ -coin,  $T_{1/2}$ . Comparison with model predictions. JOUR PRVCA 71 054318

**A=93**

- $^{93}\text{Kr}$  2004GA60 NUCLEAR REACTIONS  $^{237}\text{Np}(\gamma, \text{F})^{135}\text{Xe} / ^{137}\text{Xe} / ^{138}\text{Xe} / ^{139}\text{Xe} / ^{140}\text{Xe} / ^{141}\text{Xe} / ^{142}\text{Xe} / ^{89}\text{Kr} / ^{91}\text{Kr} / ^{92}\text{Kr} / ^{93}\text{Kr}$ ,  $E=25$  MeV bremsstrahlung; measured fission yields, isotopic distribution parameters. Comparison with results from other targets. JOUR BRSPPE 68 1298
- 2004GAZV NUCLEAR REACTIONS  $^{237}\text{Np}$ ,  $^{243}\text{Am}(\gamma, \text{F})^{89}\text{Kr} / ^{91}\text{Kr} / ^{92}\text{Kr} / ^{93}\text{Kr} / ^{135}\text{Xe} / ^{137}\text{Xe} / ^{138}\text{Xe} / ^{139}\text{Xe} / ^{140}\text{Xe} / ^{141}\text{Xe} / ^{142}\text{Xe}$ ,  $E_{max}=25$  MeV; measured  $E\gamma$ ,  $I\gamma$ ; deduced fission fragment yields. REPT JINR-P15-2004-119, Gangrsky
- 2005GA25 NUCLEAR REACTIONS  $^{248}\text{Cm}(\gamma, \text{F})^{89}\text{Kr} / ^{91}\text{Kr} / ^{92}\text{Kr} / ^{93}\text{Kr} / ^{135}\text{Xe} / ^{137}\text{Xe} / ^{138}\text{Xe} / ^{139}\text{Xe} / ^{140}\text{Xe} / ^{141}\text{Xe} / ^{142}\text{Xe}$ ,  $E=25$  MeV bremsstrahlung; measured  $E\gamma$ ,  $I\gamma$ ; deduced yields. JOUR FECLA 125 44
- 2005GA50 NUCLEAR REACTIONS  $^{237}\text{Np}$ ,  $^{243}\text{Am}(\gamma, \text{F})^{135}\text{Xe} / ^{137}\text{Xe} / ^{138}\text{Xe} / ^{139}\text{Xe} / ^{140}\text{Xe} / ^{141}\text{Xe} / ^{142}\text{Xe} / ^{89}\text{Kr} / ^{91}\text{Kr} / ^{92}\text{Kr} / ^{93}\text{Kr}$ ,  $E=25$  MeV bremsstrahlung; measured fission yields, isotopic distribution parameters. JOUR YAFIA 68 1475
- $^{93}\text{Rb}$  2005AN01 NUCLEAR REACTIONS  $^{238}\text{U}(\text{p}, \text{F})^{89}\text{Rb} / ^{90}\text{Rb} / ^{91}\text{Rb} / ^{93}\text{Rb} / ^{94}\text{Rb} / ^{95}\text{Rb} / ^{139}\text{Cs} / ^{140}\text{Cs} / ^{141}\text{Cs} / ^{142}\text{Cs} / ^{144}\text{Cs} / ^{145}\text{Cs}$ ,  $E=1$  GeV; measured yields. JOUR ZAANE 23 257
- $^{93}\text{Y}$  2005BE17 RADIOACTIVITY  $^{127}\text{I}(^{24}\text{Ne})$ ,  $(^{28}\text{Mg})$ ,  $(^{30}\text{Mg})$ ,  $(^{32}\text{Si})$ ,  $(^{34}\text{Si})$ ,  $(^{48}\text{Ca})$ ,  $(^{49}\text{Sc})$ ; measured cluster decay  $T_{1/2}$  lower limits. JOUR ZAANE 24 51
- $^{93}\text{Zr}$  2005BI25 NUCLEAR MOMENTS  $^{86,87,88,89,90,91,92,93,94,95,96,97,98,99,100,101,102}\text{Zr}$ ; measured charge radii.  $^{176}\text{Yb}$ ; measured isomer shift. Ion-beam cooler, laser spectroscopy. JOUR ZAANE 25 s01 187
- 2005MOZW NUCLEAR REACTIONS  $^{90,91,92,94,96}\text{Zr}(\text{n}, \gamma)$ ,  $E<100$  keV; measured  $E\gamma$ ,  $I\gamma$ , capture yields. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P880
- 2005OH04 NUCLEAR REACTIONS  $^{91,92}\text{Zr}(\text{n}, \gamma)$ ,  $E=15-550$  keV; measured  $E\gamma$ ,  $\gamma$ -ray multiplicity, capture  $\sigma$ . JOUR JNSTA 42 333
- 2005OHZX NUCLEAR REACTIONS  $^{92}\text{Zr}(\text{n}, \gamma)$ ,  $E=15-90, 550$  keV; measured  $E\gamma$ , capture  $\sigma$ . CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P945
- 2005PA48 NUCLEAR REACTIONS  $^{176}\text{Yb}(^{28}\text{Si}, \text{X})^{92}\text{Zr} / ^{93}\text{Zr} / ^{94}\text{Zr} / ^{95}\text{Zr} / ^{96}\text{Zr}$ ,  $E=145$  MeV;  $^{176}\text{Yb}(^{31}\text{P}, \text{X})^{92}\text{Zr} / ^{93}\text{Zr} / ^{94}\text{Zr} / ^{95}\text{Zr} / ^{96}\text{Zr}$ ,  $E=152$  MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{92,93,94,95,96}\text{Zr}$  deduced high-spin levels,  $J$ ,  $\pi$ , configurations. Eurogam II and Euroball IV arrays, comparisons with shell-model predictions. JOUR PRVCA 72 024304
- 2005TA23 NUCLEAR REACTIONS  $^{90,91,92,94,96}\text{Zr}(\text{n}, \gamma)$ ,  $E<1$  MeV; measured  $E\gamma$ ,  $I\gamma$ , capture yields. JOUR NUPAB 758 573c

## A=93 (continued)

<sup>93</sup> Nb	20040DZZ	NUCLEAR REACTIONS <sup>82</sup> Se( <sup>17</sup> N, 7n), ( <sup>17</sup> N, 6n), E ≈ 104 MeV; measured E $\gamma$ , I $\gamma$ . <sup>92,93</sup> Nb deduced transitions. REPT CNS-REP-64,P289,Odahara
	2005MC13	NUCLEAR REACTIONS <sup>93</sup> Nb(n, n'), E=1.5-2.6 MeV; <sup>94</sup> Zr(p, 2n), E=11.5-19 MeV; measured E $\gamma$ , I $\gamma$ , DSA, branching ratios, excitation functions. <sup>93</sup> Nb deduced levels J, $\pi$ , T <sub>1/2</sub> , mixed-symmetry states. JOUR ZAANE 25 s01 377
	2005WAZS	NUCLEAR REACTIONS <sup>82</sup> Se( <sup>17</sup> N, X), E=104 MeV; measured prompt and delayed E $\gamma$ , I $\gamma$ , $\gamma\gamma$ -coin. <sup>89,90</sup> Y, <sup>93</sup> Nb deduced transitions, possible high-spin isomers. REPT CNS-REP-66,P15,Wakabayashi
<sup>93</sup> Mo	2004FUZX	NUCLEAR REACTIONS <sup>82</sup> Se( <sup>16</sup> O, 5n), E=100 MeV; measured E $\gamma$ , I $\gamma$ , $\gamma\gamma$ -coin. <sup>93</sup> Mo deduced high-spin levels, J, $\pi$ , configurations, isomeric states T <sub>1/2</sub> . REPT CNS-REP-64,P109,Fukuchi
	2005CHZW	NUCLEAR REACTIONS <sup>94,96</sup> Mo( <sup>3</sup> He, <sup>3</sup> He'), ( <sup>3</sup> He, $\alpha$ ), E=30 MeV; <sup>97,98</sup> Mo( <sup>3</sup> He, <sup>3</sup> He'), ( <sup>3</sup> He, $\alpha$ ), E=45 MeV; measured particle spectra, E $\gamma$ , I $\gamma$ , (particle) $\gamma$ -coin. <sup>93,94,95,96,97,98</sup> Mo deduced level density parameters, thermodynamic quantities. PREPRINT nucl-ex/0507007,7/04/2005
	2005FU01	NUCLEAR REACTIONS <sup>82</sup> Se( <sup>16</sup> O, 5n), ( <sup>16</sup> O, 6n), E=100 MeV; measured prompt and delayed E $\gamma$ , I $\gamma$ , $\gamma\gamma$ -coin, $\gamma$ -ray linear polarization. <sup>93</sup> Mo deduced high-spin levels, J, $\pi$ , configurations, isomeric states T <sub>1/2</sub> . <sup>92</sup> Mo deduced levels, J, $\pi$ . JOUR ZAANE 24 249
	2005GU16	NUCLEAR REACTIONS <sup>94,96</sup> Mo( <sup>3</sup> He, <sup>3</sup> He'), ( <sup>3</sup> He, $\alpha$ ), E=30 MeV; <sup>97,98</sup> Mo( <sup>3</sup> He, <sup>3</sup> He'), ( <sup>3</sup> He, $\alpha$ ), E=45 MeV; measured particle spectra, E $\gamma$ , I $\gamma$ , (particle) $\gamma$ -coin. <sup>93,94,95,96,97,98</sup> Mo deduced radiative strength functions. JOUR PRVCA 71 044307
	2005RE09	NUCLEAR REACTIONS <sup>92,94</sup> Mo(n, 2n), <sup>92,100</sup> Mo(n, $\alpha$ ), <sup>95,96,97</sup> Mo(n, p), <sup>96,97,98</sup> Mo(n, np+d), E ≈ 13.5-21 MeV; measured activation $\sigma$ ; deduced reaction mechanism features. <sup>93</sup> Nb(p, n), (p, $\gamma$ ), E ≈ 1-6 MeV; <sup>92,93,94,95,96,97,98,100</sup> Mo, <sup>93</sup> Nb(n, $\gamma$ ), E < 4 MeV; <sup>92,94,100</sup> Mo(n, 2n), <sup>92,94,95,96,97,98</sup> Mo(n, p), <sup>92,94,95,96,97,98,100</sup> Mo(n, np+d), <sup>92,98,100</sup> Mo(n, $\alpha$ ), E < 21 MeV; compiled, analyzed $\sigma$ . Analysis with local and global approaches compared. JOUR PRVCA 71 044617
<sup>93</sup> Tc	2005CL08	ATOMIC MASSES <sup>64</sup> Ge, <sup>68</sup> Se; analyzed masses; deduced effective T <sub>1/2</sub> . <sup>90,91</sup> Mo, <sup>90,91,92,93</sup> Tc, <sup>93,94</sup> Ru, <sup>94,95</sup> Rh, <sup>104,105,106,107</sup> In, <sup>104,105,107,108</sup> Sn, <sup>107,108</sup> Sb; measured masses. Penning trap, astrophysical implications discussed. JOUR ZAANE 25 s01 629
	2005NA28	RADIOACTIVITY <sup>93m</sup> Tc(IT) [from <sup>45</sup> Sc( <sup>52</sup> Cr, 2n2p)]; measured E $\gamma$ , I $\gamma$ , $\gamma$ asymmetry from polarized nucleus decay. <sup>93</sup> Tc deduced parity nonconservation in isomeric state decay. JOUR PRVCA 72 027303
	2005NA43	RADIOACTIVITY <sup>93m</sup> Tc(IT) [from <sup>45</sup> Sc( <sup>52</sup> Cr, 2n2p)]; measured $\gamma$ -ray anisotropies from oriented source; deduced parity-nonconserving matrix element. JOUR ZAANE 25 s01 703
<sup>93</sup> Ru	2005CL08	ATOMIC MASSES <sup>64</sup> Ge, <sup>68</sup> Se; analyzed masses; deduced effective T <sub>1/2</sub> . <sup>90,91</sup> Mo, <sup>90,91,92,93</sup> Tc, <sup>93,94</sup> Ru, <sup>94,95</sup> Rh, <sup>104,105,106,107</sup> In, <sup>104,105,107,108</sup> Sn, <sup>107,108</sup> Sb; measured masses. Penning trap, astrophysical implications discussed. JOUR ZAANE 25 s01 629



**A=93 (continued)**

- <sup>93</sup>Pd 2005MU15 RADIOACTIVITY <sup>94m</sup>Ag(p) [from <sup>58</sup>Ni(<sup>40</sup>Ca, 3np)]; measured Ep,  $\gamma\gamma$ -, p $\gamma$ -coin, T<sub>1/2</sub> following decay of high-spin isomer; deduced branching ratios, Q-value. <sup>94</sup>Ag deduced isomer configuration, deformation. <sup>93</sup>Pd deduced levels. JOUR PRLTA 95 022501
- 2005XU04 RADIOACTIVITY <sup>81</sup>Zr, <sup>85</sup>Mo, <sup>89</sup>Ru, <sup>92</sup>Rh, <sup>93</sup>Pd, <sup>121</sup>Ce, <sup>125</sup>Nd, <sup>128</sup>Pm, <sup>129</sup>Sm, <sup>135,137</sup>Gd, <sup>139</sup>Dy, <sup>142</sup>Ho, <sup>149</sup>Yb( $\beta^+$ p); measured  $\beta$ -delayed E $\gamma$ , I $\gamma$ , proton spectra, p $\gamma$ -coin, T<sub>1/2</sub>. Comparison with model predictions. JOUR PRVCA 71 054318

**A=94**

- <sup>94</sup>Rb 2005AN01 NUCLEAR REACTIONS <sup>238</sup>U(p, F)<sup>89</sup>Rb / <sup>90</sup>Rb / <sup>91</sup>Rb / <sup>93</sup>Rb / <sup>94</sup>Rb / <sup>95</sup>Rb / <sup>139</sup>Cs / <sup>140</sup>Cs / <sup>141</sup>Cs / <sup>142</sup>Cs / <sup>144</sup>Cs / <sup>145</sup>Cs, E=1 GeV; measured yields. JOUR ZAANE 23 257
- <sup>94</sup>Y 2005SEZX NUCLEAR REACTIONS <sup>90,94</sup>Zr(n,  $\alpha$ ), <sup>90,91,92,94</sup>Zr(n, p), <sup>91,92</sup>Zr(n, np+d), E=14-20 MeV; measured activation  $\sigma$ . Comparison with model predictions. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P981
- <sup>94</sup>Zr 2005BI25 NUCLEAR MOMENTS <sup>86,87,88,89,90,91,92,93,94,95,96,97,98,99,100,101,102</sup>Zr; measured charge radii. <sup>176</sup>Yb; measured isomer shift. Ion-beam cooler, laser spectroscopy. JOUR ZAANE 25 s01 187
- 2005PA48 NUCLEAR REACTIONS <sup>176</sup>Yb(<sup>28</sup>Si, X)<sup>92</sup>Zr / <sup>93</sup>Zr / <sup>94</sup>Zr / <sup>95</sup>Zr / <sup>96</sup>Zr, E=145 MeV; <sup>176</sup>Yb(<sup>31</sup>P, X)<sup>92</sup>Zr / <sup>93</sup>Zr / <sup>94</sup>Zr / <sup>95</sup>Zr / <sup>96</sup>Zr, E=152 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>92,93,94,95,96</sup>Zr deduced high-spin levels, J,  $\pi$ , configurations. Eurogam II and Euroball IV arrays, comparisons with shell-model predictions. JOUR PRVCA 72 024304
- <sup>94</sup>Nb 2004ZH45 NUCLEAR REACTIONS <sup>90,94</sup>Zr(p, n), E=7-11 MeV; measured En,  $\sigma(E, \theta)$ , excitation functions. <sup>90,94</sup>Nb deduced level densities, shell effects. Optical-statistical analysis. JOUR BRSPPE 68 1319
- 2005RE09 NUCLEAR REACTIONS <sup>92,94</sup>Mo(n, 2n), <sup>92,100</sup>Mo(n,  $\alpha$ ), <sup>95,96,97</sup>Mo(n, p), <sup>96,97,98</sup>Mo(n, np+d), E  $\approx$  13.5-21 MeV; measured activation  $\sigma$ ; deduced reaction mechanism features. <sup>93</sup>Nb(p, n), (p,  $\gamma$ ), E  $\approx$  1-6 MeV; <sup>92,93,94,95,96,97,98,100</sup>Mo, <sup>93</sup>Nb(n,  $\gamma$ ), E < 4 MeV; <sup>92,94,100</sup>Mo(n, 2n), <sup>92,94,95,96,97,98</sup>Mo(n, p), <sup>92,94,95,96,97,98,100</sup>Mo(n, np+d), <sup>92,98,100</sup>Mo(n,  $\alpha$ ), E < 21 MeV; compiled, analyzed  $\sigma$ . Analysis with local and global approaches compared. JOUR PRVCA 71 044617
- 2005ZHZZ NUCLEAR REACTIONS <sup>56,57</sup>Fe, <sup>90,94</sup>Zr(p, n), E=7-11 MeV; measured En,  $\sigma(E)$ . <sup>56,57</sup>Co, <sup>90,94</sup>Nb deduced level densities. Statistical equilibrium and pre-equilibrium model analysis. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P931
- <sup>94</sup>Mo 2005CHZW NUCLEAR REACTIONS <sup>94,96</sup>Mo(<sup>3</sup>He, <sup>3</sup>He'), (<sup>3</sup>He,  $\alpha$ ), E=30 MeV; <sup>97,98</sup>Mo(<sup>3</sup>He, <sup>3</sup>He'), (<sup>3</sup>He,  $\alpha$ ), E=45 MeV; measured particle spectra, E $\gamma$ , I $\gamma$ , (particle) $\gamma$ -coin. <sup>93,94,95,96,97,98</sup>Mo deduced level density parameters, thermodynamic quantities. PREPRINT nucl-ex/0507007,7/04/2005

**A=94 (continued)**

- 2005GU16 NUCLEAR REACTIONS  $^{94,96}\text{Mo}({}^3\text{He}, {}^3\text{He}')$ ,  $({}^3\text{He}, \alpha)$ ,  $E=30$  MeV;  $^{97,98}\text{Mo}({}^3\text{He}, {}^3\text{He}')$ ,  $({}^3\text{He}, \alpha)$ ,  $E=45$  MeV; measured particle spectra,  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin.  $^{93,94,95,96,97,98}\text{Mo}$  deduced radiative strength functions. JOUR PRVCA 71 044307
- 2005RE09 NUCLEAR REACTIONS  $^{92,94}\text{Mo}(n, 2n)$ ,  $^{92,100}\text{Mo}(n, \alpha)$ ,  $^{95,96,97}\text{Mo}(n, p)$ ,  $^{96,97,98}\text{Mo}(n, np+d)$ ,  $E \approx 13.5\text{-}21$  MeV; measured activation  $\sigma$ ; deduced reaction mechanism features.  $^{93}\text{Nb}(p, n)$ ,  $(p, \gamma)$ ,  $E \approx 1\text{-}6$  MeV;  $^{92,93,94,95,96,97,98,100}\text{Mo}$ ,  $^{93}\text{Nb}(n, \gamma)$ ,  $E < 4$  MeV;  $^{92,94,100}\text{Mo}(n, 2n)$ ,  $^{92,94,95,96,97,98}\text{Mo}(n, p)$ ,  $^{92,94,95,96,97,98,100}\text{Mo}(n, np+d)$ ,  $^{92,98,100}\text{Mo}(n, \alpha)$ ,  $E < 21$  MeV; compiled, analyzed  $\sigma$ . Analysis with local and global approaches compared. JOUR PRVCA 71 044617
- $^{94}\text{Ru}$  2005CL08 ATOMIC MASSES  $^{64}\text{Ge}$ ,  $^{68}\text{Se}$ ; analyzed masses; deduced effective  $T_{1/2}$ .  $^{90,91}\text{Mo}$ ,  $^{90,91,92,93}\text{Tc}$ ,  $^{93,94}\text{Ru}$ ,  $^{94,95}\text{Rh}$ ,  $^{104,105,106,107}\text{In}$ ,  $^{104,105,107,108}\text{Sn}$ ,  $^{107,108}\text{Sb}$ ; measured masses. Penning trap, astrophysical implications discussed. JOUR ZAANE 25 s01 629
- $^{94}\text{Rh}$  2005CL08 ATOMIC MASSES  $^{64}\text{Ge}$ ,  $^{68}\text{Se}$ ; analyzed masses; deduced effective  $T_{1/2}$ .  $^{90,91}\text{Mo}$ ,  $^{90,91,92,93}\text{Tc}$ ,  $^{93,94}\text{Ru}$ ,  $^{94,95}\text{Rh}$ ,  $^{104,105,106,107}\text{In}$ ,  $^{104,105,107,108}\text{Sn}$ ,  $^{107,108}\text{Sb}$ ; measured masses. Penning trap, astrophysical implications discussed. JOUR ZAANE 25 s01 629
- $^{94}\text{Ag}$  2005MU15 RADIOACTIVITY  $^{94m}\text{Ag}(p)$  [from  $^{58}\text{Ni}({}^{40}\text{Ca}, 3np)$ ]; measured  $E_p$ ,  $\gamma\gamma$ -,  $p\gamma$ -coin,  $T_{1/2}$  following decay of high-spin isomer; deduced branching ratios, Q-value.  $^{94}\text{Ag}$  deduced isomer configuration, deformation.  $^{93}\text{Pd}$  deduced levels. JOUR PRLTA 95 022501
- 2005MUZX RADIOACTIVITY  $^{94m}\text{Ag}(2p)$  [from  $^{58}\text{Ni}({}^{40}\text{Ca}, 3np)$ ]; measured  $E\gamma$ ,  $E_p$ ,  $pp$ -,  $\gamma\gamma$ -,  $p\gamma$ -coin; deduced two-proton decay branching ratio.  $^{92}\text{Rh}$  deduced levels, J,  $\pi$ . REPT GSI 2005-1,P87,Mukha

**A=95**

- $^{95}\text{Rb}$  2005AN01 NUCLEAR REACTIONS  $^{238}\text{U}(p, F)^{89}\text{Rb}$  /  $^{90}\text{Rb}$  /  $^{91}\text{Rb}$  /  $^{93}\text{Rb}$  /  $^{94}\text{Rb}$  /  $^{95}\text{Rb}$  /  $^{139}\text{Cs}$  /  $^{140}\text{Cs}$  /  $^{141}\text{Cs}$  /  $^{142}\text{Cs}$  /  $^{144}\text{Cs}$  /  $^{145}\text{Cs}$ ,  $E=1$  GeV; measured yields. JOUR ZAANE 23 257
- $^{95}\text{Sr}$  2005HW06 RADIOACTIVITY  $^{252}\text{Cf}(\text{SF})$ ; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{95,97}\text{Sr}$ ,  $^{99}\text{Zr}$ ,  $^{108}\text{Tc}$ ,  $^{133,134}\text{Te}$ ,  $^{137}\text{Xe}$  levels deduced  $T_{1/2}$ . Gammasphere array, time-gated triple-coincidence method. JOUR ZAANE 25 s01 463
- $^{95}\text{Y}$  2005BE17 RADIOACTIVITY  $^{127}\text{I}({}^{24}\text{Ne})$ ,  $({}^{28}\text{Mg})$ ,  $({}^{30}\text{Mg})$ ,  $({}^{32}\text{Si})$ ,  $({}^{34}\text{Si})$ ,  $({}^{48}\text{Ca})$ ,  $({}^{49}\text{Sc})$ ; measured cluster decay  $T_{1/2}$  lower limits. JOUR ZAANE 24 51
- $^{95}\text{Zr}$  2004MIZS NUCLEAR REACTIONS  $\text{Fe}(p, X)^{52}\text{Mn}$ ,  $E < 2.6$  GeV;  $\text{Pb}(p, X)^{10}\text{Be}$ ,  $E < 2.6$  GeV;  $^{209}\text{Bi}(p, 4np)$ ,  $E < 2.6$  GeV;  $\text{Pb}(n, X)^{196}\text{Au}$  /  $^{95}\text{Zr}$ ,  $E \approx 70\text{-}180$  MeV; measured excitation functions. Comparison with model predictions. REPT NEA/NSC/DOC(2004)14,P28,Michel
- 2005BI25 NUCLEAR MOMENTS  $^{86,87,88,89,90,91,92,93,94,95,96,97,98,99,100,101,102}\text{Zr}$ ; measured charge radii.  $^{176}\text{Yb}$ ; measured isomer shift. Ion-beam cooler, laser spectroscopy. JOUR ZAANE 25 s01 187
- 2005MOZW NUCLEAR REACTIONS  $^{90,91,92,94,96}\text{Zr}(n, \gamma)$ ,  $E < 100$  keV; measured  $E\gamma$ ,  $I\gamma$ , capture yields. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P880

## A=95 (continued)

- 2005PA48 NUCLEAR REACTIONS  $^{176}\text{Yb}(^{28}\text{Si}, \text{X})^{92}\text{Zr} / ^{93}\text{Zr} / ^{94}\text{Zr} / ^{95}\text{Zr} / ^{96}\text{Zr}$ , E=145 MeV;  $^{176}\text{Yb}(^{31}\text{P}, \text{X})^{92}\text{Zr} / ^{93}\text{Zr} / ^{94}\text{Zr} / ^{95}\text{Zr} / ^{96}\text{Zr}$ , E=152 MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{92,93,94,95,96}\text{Zr}$  deduced high-spin levels, J,  $\pi$ , configurations. Eurogam II and Euroball IV arrays, comparisons with shell-model predictions. JOUR PRVCA 72 024304
- 2005RE09 NUCLEAR REACTIONS  $^{92,94}\text{Mo}(n, 2n)$ ,  $^{92,100}\text{Mo}(n, \alpha)$ ,  $^{95,96,97}\text{Mo}(n, p)$ ,  $^{96,97,98}\text{Mo}(n, np+d)$ , E  $\approx$  13.5-21 MeV; measured activation  $\sigma$ ; deduced reaction mechanism features.  $^{93}\text{Nb}(p, n)$ ,  $(p, \gamma)$ , E  $\approx$  1-6 MeV;  $^{92,93,94,95,96,97,98,100}\text{Mo}$ ,  $^{93}\text{Nb}(n, \gamma)$ , E < 4 MeV;  $^{92,94,100}\text{Mo}(n, 2n)$ ,  $^{92,94,95,96,97,98}\text{Mo}(n, p)$ ,  $^{92,94,95,96,97,98,100}\text{Mo}(n, np+d)$ ,  $^{92,98,100}\text{Mo}(n, \alpha)$ , E < 21 MeV; compiled, analyzed  $\sigma$ . Analysis with local and global approaches compared. JOUR PRVCA 71 044617
- 2005TA23 NUCLEAR REACTIONS  $^{90,91,92,94,96}\text{Zr}(n, \gamma)$ , E < 1 MeV; measured  $E\gamma$ ,  $I\gamma$ , capture yields. JOUR NUPAB 758 573c
- 2005U0ZZ NUCLEAR REACTIONS  $\text{U}(p, F)^{95}\text{Zr} / ^{115}\text{Cd} / ^{134}\text{Cs} / ^{136}\text{Cs} / ^{137}\text{Cs} / ^{147}\text{Nd}$ , E  $\approx$  20-70 MeV; measured production  $\sigma$ . Stacked-foil activation technique, comparison with model predictions. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol2, P1547
- $^{95}\text{Nb}$  2005BU08 NUCLEAR REACTIONS  $^{82}\text{Se}(^{12}\text{C}, 2np)$ , E=38 MeV;  $^{82}\text{Se}(^{16}\text{O}, 2np)$ , E=48 MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -, (charged particle) $\gamma$ -, (neutron) $\gamma$ -coin.  $^{12}\text{C}$ ,  $^{16}\text{O}(^{82}\text{Se}, \text{X})^{91}\text{Y} / ^{95}\text{Nb}$ , E=470 MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{91}\text{Y}$ ,  $^{95}\text{Nb}$  deduced high-spin levels, J,  $\pi$ , configurations. GASP array, comparison with shell model predictions, level systematics in neighboring isotones discussed. JOUR PRVCA 71 034315
- 2005RA30 NUCLEAR REACTIONS  $^{93}\text{Nb}(t, p)$ , E=12 MeV; measured  $E_p$ ,  $\sigma(E, \theta)$ .  $^{95}\text{Nb}$  deduced levels, J,  $\pi$ . Comparison with previous results and model predictions. JOUR PRVCA 72 054303
- 2005RE09 NUCLEAR REACTIONS  $^{92,94}\text{Mo}(n, 2n)$ ,  $^{92,100}\text{Mo}(n, \alpha)$ ,  $^{95,96,97}\text{Mo}(n, p)$ ,  $^{96,97,98}\text{Mo}(n, np+d)$ , E  $\approx$  13.5-21 MeV; measured activation  $\sigma$ ; deduced reaction mechanism features.  $^{93}\text{Nb}(p, n)$ ,  $(p, \gamma)$ , E  $\approx$  1-6 MeV;  $^{92,93,94,95,96,97,98,100}\text{Mo}$ ,  $^{93}\text{Nb}(n, \gamma)$ , E < 4 MeV;  $^{92,94,100}\text{Mo}(n, 2n)$ ,  $^{92,94,95,96,97,98}\text{Mo}(n, p)$ ,  $^{92,94,95,96,97,98,100}\text{Mo}(n, np+d)$ ,  $^{92,98,100}\text{Mo}(n, \alpha)$ , E < 21 MeV; compiled, analyzed  $\sigma$ . Analysis with local and global approaches compared. JOUR PRVCA 71 044617
- $^{95}\text{Mo}$  2005CHZW NUCLEAR REACTIONS  $^{94,96}\text{Mo}(^3\text{He}, ^3\text{He}')$ ,  $(^3\text{He}, \alpha)$ , E=30 MeV;  $^{97,98}\text{Mo}(^3\text{He}, ^3\text{He}')$ ,  $(^3\text{He}, \alpha)$ , E=45 MeV; measured particle spectra,  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin.  $^{93,94,95,96,97,98}\text{Mo}$  deduced level density parameters, thermodynamic quantities. PREPRINT nucl-ex/0507007,7/04/2005
- 2005GU16 NUCLEAR REACTIONS  $^{94,96}\text{Mo}(^3\text{He}, ^3\text{He}')$ ,  $(^3\text{He}, \alpha)$ , E=30 MeV;  $^{97,98}\text{Mo}(^3\text{He}, ^3\text{He}')$ ,  $(^3\text{He}, \alpha)$ , E=45 MeV; measured particle spectra,  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin.  $^{93,94,95,96,97,98}\text{Mo}$  deduced radiative strength functions. JOUR PRVCA 71 044307
- 2005HA49 NUCLEAR REACTIONS  $^{92}\text{Mo}(\alpha, \gamma)$ , E=9 MeV;  $^{91}\text{Zr}(\alpha, \gamma)$ , E=10.5 MeV;  $^{118}\text{Sn}(\alpha, \gamma)$ , E=11.5 MeV; measured  $E\gamma$ ,  $I\gamma$ .  $^{91}\text{Zr}$ ,  $^{118}\text{Sn}(\alpha, \gamma)$ , E(cm)  $\approx$  9-11 MeV; measured  $\sigma$ . Comparison with model predictions. JOUR NUPAB 758 505c

**A=95 (continued)**

<sup>95</sup> Tc	2005MU22	NUCLEAR REACTIONS <sup>93</sup> Nb( $\alpha$ , 2n), E $\approx$ 20-120 MeV; measured excitation function, isomer yield ratio. Activation technique, comparison with model predictions. JOUR PRVCA 72 014609
<sup>95</sup> Rh	2005CL08	ATOMIC MASSES <sup>64</sup> Ge, <sup>68</sup> Se; analyzed masses; deduced effective T <sub>1/2</sub> . <sup>90,91</sup> Mo, <sup>90,91,92,93</sup> Tc, <sup>93,94</sup> Ru, <sup>94,95</sup> Rh, <sup>104,105,106,107</sup> In, <sup>104,105,107,108</sup> Sn, <sup>107,108</sup> Sb; measured masses. Penning trap, astrophysical implications discussed. JOUR ZAANE 25 s01 629
<sup>95</sup> Pd	2005HA45	RADIOACTIVITY <sup>95</sup> Ag(EC) [from <sup>58</sup> Ni( <sup>40</sup> Ca, 2np)]; measured $\beta$ -delayed E $\gamma$ , I $\gamma$ , $\gamma\gamma$ -, $\beta\gamma$ -coin. <sup>95</sup> Pd deduced levels, J, $\pi$ . Mass separator. Comparison with shell-model predictions. JOUR PRVCA 72 024303
<sup>95</sup> Ag	2005HA45	RADIOACTIVITY <sup>95</sup> Ag(EC) [from <sup>58</sup> Ni( <sup>40</sup> Ca, 2np)]; measured $\beta$ -delayed E $\gamma$ , I $\gamma$ , $\gamma\gamma$ -, $\beta\gamma$ -coin. <sup>95</sup> Pd deduced levels, J, $\pi$ . Mass separator. Comparison with shell-model predictions. JOUR PRVCA 72 024303

**A=96**

<sup>96</sup> Rb	2005PI13	NUCLEAR REACTIONS <sup>241</sup> Pu(n, F) <sup>96</sup> Rb, E=thermal; measured delayed E $\gamma$ , I $\gamma$ , E(ce), I(ce), $\gamma\gamma$ -, (ce) $\gamma$ -coin, X-ray spectra. <sup>96</sup> Rb deduced levels, J, $\pi$ , configurations, deformation, isomer T <sub>1/2</sub> . Mass separator, comparisons with neighboring nuclides. JOUR PRVCA 71 064327
<sup>96</sup> Sr	2004WU08	NUCLEAR REACTIONS <sup>238</sup> U( $\alpha$ , F) <sup>96</sup> Sr / <sup>97</sup> Sr / <sup>98</sup> Zr / <sup>99</sup> Zr, E=30 MeV; measured E $\gamma$ , I $\gamma$ , $\gamma\gamma$ -, (fragment) $\gamma$ -coin. <sup>96,97</sup> Sr, <sup>98,99</sup> Zr deduced high-spin levels, J, $\pi$ , configurations. Gammasphere, Chico arrays. JOUR PRVCA 70 064312
<sup>96</sup> Zr	2005BI25	NUCLEAR MOMENTS <sup>86,87,88,89,90,91,92,93,94,95,96,97,98,99,100,101,102</sup> Zr; measured charge radii. <sup>176</sup> Yb; measured isomer shift. Ion-beam cooler, laser spectroscopy. JOUR ZAANE 25 s01 187
	2005PA48	NUCLEAR REACTIONS <sup>176</sup> Yb( <sup>28</sup> Si, X) <sup>92</sup> Zr / <sup>93</sup> Zr / <sup>94</sup> Zr / <sup>95</sup> Zr / <sup>96</sup> Zr, E=145 MeV; <sup>176</sup> Yb( <sup>31</sup> P, X) <sup>92</sup> Zr / <sup>93</sup> Zr / <sup>94</sup> Zr / <sup>95</sup> Zr / <sup>96</sup> Zr, E=152 MeV; measured E $\gamma$ , I $\gamma$ , $\gamma\gamma$ -coin. <sup>92,93,94,95,96</sup> Zr deduced high-spin levels, J, $\pi$ , configurations. Eurogam II and Euroball IV arrays, comparisons with shell-model predictions. JOUR PRVCA 72 024304
	2005SA07	RADIOACTIVITY <sup>82</sup> Se, <sup>96</sup> Zr, <sup>100</sup> Mo, <sup>116</sup> Cd, <sup>150</sup> Nd( $2\beta^-$ ); measured $2\nu\beta\beta$ -decay T <sub>1/2</sub> . <sup>82</sup> Se, <sup>100</sup> Mo( $2\beta^-$ ); measured $0\nu\beta\beta$ -decay T <sub>1/2</sub> lower limits; deduced neutrino mass limits. JOUR NPBSE 143 221
	2005SI06	RADIOACTIVITY <sup>82</sup> Se, <sup>96</sup> Zr, <sup>100</sup> Mo, <sup>116</sup> Cd, <sup>150</sup> Nd( $2\beta^-$ ); measured $2\nu\beta\beta$ -decay T <sub>1/2</sub> . <sup>82</sup> Se, <sup>100</sup> Mo( $2\beta^-$ ); measured $0\nu\beta\beta$ -decay T <sub>1/2</sub> lower limits; deduced neutrino mass limits. JOUR NPBSE 145 272
	2005SM08	RADIOACTIVITY <sup>252</sup> Cf(SF); measured E $\gamma$ , I $\gamma$ ( $\theta$ , H, t), $\gamma\gamma$ -coin. <sup>96,100,102</sup> Zr, <sup>102,104,106,108</sup> Mo, <sup>106,108,110,112</sup> Ru, <sup>110,114,116</sup> Pd levels deduced g factors, B(E2). Gammasphere array, time-integral perturbed angular correlation technique. Comparison with interacting boson model predictions. JOUR JPGPE 31 S1433

**A=96 (continued)**

- <sup>96</sup>Nb 2005RE09 NUCLEAR REACTIONS <sup>92,94</sup>Mo(n, 2n), <sup>92,100</sup>Mo(n, α), <sup>95,96,97</sup>Mo(n, p), <sup>96,97,98</sup>Mo(n, np+d), E ≈ 13.5-21 MeV; measured activation σ; deduced reaction mechanism features. <sup>93</sup>Nb(p, n), (p, γ), E ≈ 1-6 MeV; <sup>92,93,94,95,96,97,98,100</sup>Mo, <sup>93</sup>Nb(n, γ), E < 4 MeV; <sup>92,94,100</sup>Mo(n, 2n), <sup>92,94,95,96,97,98</sup>Mo(n, p), <sup>92,94,95,96,97,98,100</sup>Mo(n, np+d), <sup>92,98,100</sup>Mo(n, α), E < 21 MeV; compiled, analyzed σ. Analysis with local and global approaches compared. JOUR PRVCA 71 044617
- <sup>96</sup>Mo 2005CHZW NUCLEAR REACTIONS <sup>94,96</sup>Mo(<sup>3</sup>He, <sup>3</sup>He'), (<sup>3</sup>He, α), E=30 MeV; <sup>97,98</sup>Mo(<sup>3</sup>He, <sup>3</sup>He'), (<sup>3</sup>He, α), E=45 MeV; measured particle spectra, Eγ, Iγ, (particle)γ-coin. <sup>93,94,95,96,97,98</sup>Mo deduced level density parameters, thermodynamic quantities. PREPRINT nucl-ex/0507007,7/04/2005
- 2005GU16 NUCLEAR REACTIONS <sup>94,96</sup>Mo(<sup>3</sup>He, <sup>3</sup>He'), (<sup>3</sup>He, α), E=30 MeV; <sup>97,98</sup>Mo(<sup>3</sup>He, <sup>3</sup>He'), (<sup>3</sup>He, α), E=45 MeV; measured particle spectra, Eγ, Iγ, (particle)γ-coin. <sup>93,94,95,96,97,98</sup>Mo deduced radiative strength functions. JOUR PRVCA 71 044307
- 2005SA07 RADIOACTIVITY <sup>82</sup>Se, <sup>96</sup>Zr, <sup>100</sup>Mo, <sup>116</sup>Cd, <sup>150</sup>Nd(2β<sup>-</sup>); measured 2νββ-decay T<sub>1/2</sub>. <sup>82</sup>Se, <sup>100</sup>Mo(2β<sup>-</sup>); measured 0νββ-decay T<sub>1/2</sub> lower limits; deduced neutrino mass limits. JOUR NPBSE 143 221
- 2005SI06 RADIOACTIVITY <sup>82</sup>Se, <sup>96</sup>Zr, <sup>100</sup>Mo, <sup>116</sup>Cd, <sup>150</sup>Nd(2β<sup>-</sup>); measured 2νββ-decay T<sub>1/2</sub>. <sup>82</sup>Se, <sup>100</sup>Mo(2β<sup>-</sup>); measured 0νββ-decay T<sub>1/2</sub> lower limits; deduced neutrino mass limits. JOUR NPBSE 145 272
- 2005ZI02 NUCLEAR REACTIONS <sup>96</sup>Mo(<sup>20</sup>Ne, <sup>20</sup>Ne'), (<sup>40</sup>Ar, <sup>40</sup>Ar'), E=2.5 MeV / nucleon; Pb(<sup>96</sup>Mo, <sup>96</sup>Mo'), E=424 MeV; measured Eγ, Iγ, (particle)γ-coin following Coulomb excitation. <sup>96</sup>Mo deduced transitions. JOUR APOBB 36 1289
- <sup>96</sup>Ru 2005HA49 NUCLEAR REACTIONS <sup>92</sup>Mo(α, γ), E=9 MeV; <sup>91</sup>Zr(α, γ), E=10.5 MeV; <sup>118</sup>Sn(α, γ), E=11.5 MeV; measured Eγ, Iγ. <sup>91</sup>Zr, <sup>118</sup>Sn(α, γ), E(cm) ≈ 9-11 MeV; measured σ. Comparison with model predictions. JOUR NUPAB 758 505c

**A=97**

- <sup>97</sup>Sr 2004WU08 NUCLEAR REACTIONS <sup>238</sup>U(α, F)<sup>96</sup>Sr / <sup>97</sup>Sr / <sup>98</sup>Zr / <sup>99</sup>Zr, E=30 MeV; measured Eγ, Iγ, γγ-, (fragment)γ-coin. <sup>96,97</sup>Sr, <sup>98,99</sup>Zr deduced high-spin levels, J, π, configurations. Gammasphere, Chico arrays. JOUR PRVCA 70 064312
- 2005HW06 RADIOACTIVITY <sup>252</sup>Cf(SF); measured Eγ, Iγ, γγ-coin. <sup>95,97</sup>Sr, <sup>99</sup>Zr, <sup>108</sup>Tc, <sup>133,134</sup>Te, <sup>137</sup>Xe levels deduced T<sub>1/2</sub>. Gammasphere array, time-gated triple-coincidence method. JOUR ZAANE 25 s01 463
- <sup>97</sup>Zr 2005ADZZ NUCLEAR REACTIONS <sup>129</sup>I(n, 7n), (n, 6n), (n, 4n), (n, γ), E=fast; <sup>237</sup>Np(n, γ), E=fast; measured yields. <sup>237</sup>Np(n, F)<sup>91</sup>Sr / <sup>97</sup>Zr / <sup>132</sup>Te / <sup>133</sup>I / <sup>135</sup>I, E=fast; <sup>238</sup>Pu(n, F)<sup>97</sup>Zr / <sup>129</sup>Sb / <sup>132</sup>I / <sup>133</sup>I / <sup>135</sup>Xe / <sup>105</sup>Ru, E=fast; <sup>239</sup>Pu(n, F)<sup>88</sup>Kr / <sup>91</sup>Sr / <sup>92</sup>Sr / <sup>92</sup>Y / <sup>97</sup>Zr / <sup>99</sup>Mo / <sup>103</sup>Ru / <sup>105</sup>Ru / <sup>128</sup>Sb / <sup>129</sup>Sb / <sup>132</sup>Te / <sup>131</sup>I / <sup>132</sup>I / <sup>133</sup>I / <sup>135</sup>I / <sup>135</sup>Xe / <sup>143</sup>Ce / <sup>140</sup>Ba / <sup>140</sup>La, E=fast; measured fission fragment yields. Secondary neutrons from proton irradiation. JINR nuclotron. CONF St Petersburg,P195,Adam

A=97 (*continued*)

- 2005BI25 NUCLEAR MOMENTS <sup>86,87,88,89,90,91,92,93,94,95,96,97,98,99,100,101,102</sup>Zr; measured charge radii. <sup>176</sup>Yb; measured isomer shift. Ion-beam cooler, laser spectroscopy. JOUR ZAANE 25 s01 187
- 2005HU14 RADIOACTIVITY <sup>97</sup>Zr( $\beta^-$ ) [from Zr(n, X)]; measured T<sub>1/2</sub>. JOUR JRNCD 265 499
- 2005MOZW NUCLEAR REACTIONS <sup>90,91,92,94,96</sup>Zr(n,  $\gamma$ ), E<100 keV; measured E $\gamma$ , I $\gamma$ , capture yields. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol1,P880
- 2005RE09 NUCLEAR REACTIONS <sup>92,94</sup>Mo(n, 2n), <sup>92,100</sup>Mo(n,  $\alpha$ ), <sup>95,96,97</sup>Mo(n, p), <sup>96,97,98</sup>Mo(n, np+d), E  $\approx$  13.5-21 MeV; measured activation  $\sigma$ ; deduced reaction mechanism features. <sup>93</sup>Nb(p, n), (p,  $\gamma$ ), E  $\approx$  1-6 MeV; <sup>92,93,94,95,96,97,98,100</sup>Mo, <sup>93</sup>Nb(n,  $\gamma$ ), E < 4 MeV; <sup>92,94,100</sup>Mo(n, 2n), <sup>92,94,95,96,97,98</sup>Mo(n, p), <sup>92,94,95,96,97,98,100</sup>Mo(n, np+d), <sup>92,98,100</sup>Mo(n,  $\alpha$ ), E < 21 MeV; compiled, analyzed  $\sigma$ . Analysis with local and global approaches compared. JOUR PRVCA 71 044617
- 2005TA23 NUCLEAR REACTIONS <sup>90,91,92,94,96</sup>Zr(n,  $\gamma$ ), E<1 MeV; measured E $\gamma$ , I $\gamma$ , capture yields. JOUR NUPAB 758 573c
- <sup>97</sup>Nb 2005BE17 RADIOACTIVITY <sup>127</sup>I(<sup>24</sup>Ne), (<sup>28</sup>Mg), (<sup>30</sup>Mg), (<sup>32</sup>Si), (<sup>34</sup>Si), (<sup>48</sup>Ca), (<sup>49</sup>Sc); measured cluster decay T<sub>1/2</sub> lower limits. JOUR ZAANE 24 51
- 2005HU14 RADIOACTIVITY <sup>97</sup>Zr( $\beta^-$ ) [from Zr(n, X)]; measured T<sub>1/2</sub>. JOUR JRNCD 265 499
- 2005RE09 NUCLEAR REACTIONS <sup>92,94</sup>Mo(n, 2n), <sup>92,100</sup>Mo(n,  $\alpha$ ), <sup>95,96,97</sup>Mo(n, p), <sup>96,97,98</sup>Mo(n, np+d), E  $\approx$  13.5-21 MeV; measured activation  $\sigma$ ; deduced reaction mechanism features. <sup>93</sup>Nb(p, n), (p,  $\gamma$ ), E  $\approx$  1-6 MeV; <sup>92,93,94,95,96,97,98,100</sup>Mo, <sup>93</sup>Nb(n,  $\gamma$ ), E < 4 MeV; <sup>92,94,100</sup>Mo(n, 2n), <sup>92,94,95,96,97,98</sup>Mo(n, p), <sup>92,94,95,96,97,98,100</sup>Mo(n, np+d), <sup>92,98,100</sup>Mo(n,  $\alpha$ ), E < 21 MeV; compiled, analyzed  $\sigma$ . Analysis with local and global approaches compared. JOUR PRVCA 71 044617
- <sup>97</sup>Mo 2005CHZW NUCLEAR REACTIONS <sup>94,96</sup>Mo(<sup>3</sup>He, <sup>3</sup>He'), (<sup>3</sup>He,  $\alpha$ ), E=30 MeV; <sup>97,98</sup>Mo(<sup>3</sup>He, <sup>3</sup>He'), (<sup>3</sup>He,  $\alpha$ ), E=45 MeV; measured particle spectra, E $\gamma$ , I $\gamma$ , (particle) $\gamma$ -coin. <sup>93,94,95,96,97,98</sup>Mo deduced level density parameters, thermodynamic quantities. PREPRINT nucl-ex/0507007,7/04/2005
- 2005GU16 NUCLEAR REACTIONS <sup>94,96</sup>Mo(<sup>3</sup>He, <sup>3</sup>He'), (<sup>3</sup>He,  $\alpha$ ), E=30 MeV; <sup>97,98</sup>Mo(<sup>3</sup>He, <sup>3</sup>He'), (<sup>3</sup>He,  $\alpha$ ), E=45 MeV; measured particle spectra, E $\gamma$ , I $\gamma$ , (particle) $\gamma$ -coin. <sup>93,94,95,96,97,98</sup>Mo deduced radiative strength functions. JOUR PRVCA 71 044307
- <sup>97</sup>Ru 2005UD01 NUCLEAR REACTIONS Ag(p, X)<sup>106m</sup>Ag / <sup>105</sup>Ag / <sup>103</sup>Pd / <sup>101</sup>Pd / <sup>100</sup>Pd / <sup>105</sup>Rh / <sup>102</sup>Rh / <sup>101m</sup>Rh / <sup>100</sup>Rh / <sup>99</sup>Rh / <sup>97</sup>Ru, E=11-80 MeV; measured excitation functions. Stacked-foil activation. JOUR ARISE 62 533
- <sup>97</sup>Rh 2005T015 NUCLEAR REACTIONS <sup>93</sup>Nb(<sup>12</sup>C, X)<sup>97</sup>Rh / <sup>99</sup>Rh, E=55.7-77.5 MeV; <sup>89</sup>Y(<sup>16</sup>O, X)<sup>99</sup>Rh, E=68-81 MeV; measured isomeric  $\sigma$  ratios following complete and incomplete fusion; deduced angular momentum transfer. Recoil catcher technique. JOUR PRAMC 64 1

**A=98**

- <sup>98</sup>Sr      2005F017      RADIOACTIVITY <sup>252</sup>Cf(SF); measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>98</sup>Sr, <sup>102,104</sup>Zr, <sup>137</sup>Xe, <sup>143</sup>Ba, <sup>152</sup>Ce levels deduced T<sub>1/2</sub>. Gammasphere array, time-gated triple-coincidence method. JOUR ZAANE 25 s01 465
- <sup>98</sup>Zr      2004WU08      NUCLEAR REACTIONS <sup>238</sup>U( $\alpha$ , F)<sup>96</sup>Sr / <sup>97</sup>Sr / <sup>98</sup>Zr / <sup>99</sup>Zr, E=30 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -, (fragment) $\gamma$ -coin. <sup>96,97</sup>Sr, <sup>98,99</sup>Zr deduced high-spin levels, J,  $\pi$ , configurations. Gammasphere, Chico arrays. JOUR PRVCA 70 064312
- 2005BI25      NUCLEAR MOMENTS <sup>86,87,88,89,90,91,92,93,94,95,96,97,98,99,100,101,102</sup>Zr; measured charge radii. <sup>176</sup>Yb; measured isomer shift. Ion-beam cooler, laser spectroscopy. JOUR ZAANE 25 s01 187
- 2005J022      ATOMIC MASSES <sup>98,99,100,101,102,103,104,105</sup>Zr; measured masses. Penning trap mass spectrometer. JOUR ZAANE 25 s01 27
- <sup>98</sup>Nb      2005RE09      NUCLEAR REACTIONS <sup>92,94</sup>Mo(n, 2n), <sup>92,100</sup>Mo(n,  $\alpha$ ), <sup>95,96,97</sup>Mo(n, p), <sup>96,97,98</sup>Mo(n, np+d), E  $\approx$  13.5-21 MeV; measured activation  $\sigma$ ; deduced reaction mechanism features. <sup>93</sup>Nb(p, n), (p,  $\gamma$ ), E  $\approx$  1-6 MeV; <sup>92,93,94,95,96,97,98,100</sup>Mo, <sup>93</sup>Nb(n,  $\gamma$ ), E < 4 MeV; <sup>92,94,100</sup>Mo(n, 2n), <sup>92,94,95,96,97,98</sup>Mo(n, p), <sup>92,94,95,96,97,98,100</sup>Mo(n, np+d), <sup>92,98,100</sup>Mo(n,  $\alpha$ ), E < 21 MeV; compiled, analyzed  $\sigma$ . Analysis with local and global approaches compared. JOUR PRVCA 71 044617
- <sup>98</sup>Mo      2005CHZW      NUCLEAR REACTIONS <sup>94,96</sup>Mo(<sup>3</sup>He, <sup>3</sup>He'), (<sup>3</sup>He,  $\alpha$ ), E=30 MeV; <sup>97,98</sup>Mo(<sup>3</sup>He, <sup>3</sup>He'), (<sup>3</sup>He,  $\alpha$ ), E=45 MeV; measured particle spectra, E $\gamma$ , I $\gamma$ , (particle) $\gamma$ -coin. <sup>93,94,95,96,97,98</sup>Mo deduced level density parameters, thermodynamic quantities. PREPRINT nucl-ex/0507007,7/04/2005
- 2005GU16      NUCLEAR REACTIONS <sup>94,96</sup>Mo(<sup>3</sup>He, <sup>3</sup>He'), (<sup>3</sup>He,  $\alpha$ ), E=30 MeV; <sup>97,98</sup>Mo(<sup>3</sup>He, <sup>3</sup>He'), (<sup>3</sup>He,  $\alpha$ ), E=45 MeV; measured particle spectra, E $\gamma$ , I $\gamma$ , (particle) $\gamma$ -coin. <sup>93,94,95,96,97,98</sup>Mo deduced radiative strength functions. JOUR PRVCA 71 044307
- 2005RU14      NUCLEAR REACTIONS <sup>98,100</sup>Mo( $\gamma$ ,  $\gamma'$ ), E=3.2-3.8 MeV bremsstrahlung; measured E $\gamma$ , I $\gamma$ . <sup>98,100</sup>Mo deduced levels, J,  $\pi$ , branching ratios, transition probabilities, shape isomer configuration mixing features. JOUR PRLTA 95 062501
- 2005RUZZ      NUCLEAR REACTIONS <sup>92,98,100</sup>Mo( $\gamma$ ,  $\gamma'$ ), E=14 MeV bremsstrahlung; measured E $\gamma$ , I $\gamma$ . <sup>92,98,100</sup>Mo deduced dipole strength functions, resonance features. PREPRINT nucl-ex/0512027,12/20/2005
- 2005WA31      NUCLEAR REACTIONS <sup>92,98,100</sup>Mo( $\gamma$ ,  $\gamma'$ ), E=13.2 MeV bremsstrahlung; measured E $\gamma$ , I $\gamma$ . <sup>92,100</sup>Mo, <sup>197</sup>Au( $\gamma$ , n), <sup>92</sup>Mo( $\gamma$ , p), ( $\gamma$ ,  $\alpha$ ), E  $\approx$  11.8-16.5 MeV bremsstrahlung; measured integrated  $\sigma$ . JOUR JPGPE 31 S1969

**A=99**

- <sup>99</sup>Y      2005LH01      RADIOACTIVITY <sup>99</sup>Y( $\beta^-$ ); measured  $\beta$ -delayed E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin; deduced logft. <sup>99</sup>Zr deduced levels, J,  $\pi$ , configurations. Interacting boson-fermion model calculations. JOUR PRVCA 72 034308

## A=99 (continued)

- 2005LU21 RADIOACTIVITY  $^{252}\text{Cf}(\text{SF})$ ; measured  $E_\gamma$ ,  $I_\gamma$ ,  $\gamma\gamma$ -coin.  $^{99,101}\text{Y}$ ,  $^{101,105}\text{Nb}$  deduced levels, J,  $\pi$ , configurations, rotational bands, shape transition features. Gammasphere array, triaxial-rotor-plus-quasiparticle calculations. JOUR JPGPE 31 1303
- 2005LU24 RADIOACTIVITY  $^{252}\text{Cf}(\text{SF})$ ; measured  $E_\gamma$ ,  $I_\gamma$ ,  $\gamma\gamma$ -coin.  $^{99,101}\text{Y}$ ,  $^{101,105}\text{Nb}$  deduced levels, J,  $\pi$ , configurations, deformation. Gammasphere array, triaxial-rotor-plus-particle calculations. JOUR ZAANE 25 s01 469
- $^{99}\text{Zr}$  2004WU08 NUCLEAR REACTIONS  $^{238}\text{U}(\alpha, \text{F})^{96}\text{Sr} / ^{97}\text{Sr} / ^{98}\text{Zr} / ^{99}\text{Zr}$ , E=30 MeV; measured  $E_\gamma$ ,  $I_\gamma$ ,  $\gamma\gamma$ -, (fragment) $\gamma$ -coin.  $^{96,97}\text{Sr}$ ,  $^{98,99}\text{Zr}$  deduced high-spin levels, J,  $\pi$ , configurations. Gammasphere, Chico arrays. JOUR PRVCA 70 064312
- 2005BI25 NUCLEAR MOMENTS  $^{86,87,88,89,90,91,92,93,94,95,96,97,98,99,100,101,102}\text{Zr}$ ; measured charge radii.  $^{176}\text{Yb}$ ; measured isomer shift. Ion-beam cooler, laser spectroscopy. JOUR ZAANE 25 s01 187
- 2005HW06 RADIOACTIVITY  $^{252}\text{Cf}(\text{SF})$ ; measured  $E_\gamma$ ,  $I_\gamma$ ,  $\gamma\gamma$ -coin.  $^{95,97}\text{Sr}$ ,  $^{99}\text{Zr}$ ,  $^{108}\text{Tc}$ ,  $^{133,134}\text{Te}$ ,  $^{137}\text{Xe}$  levels deduced  $T_{1/2}$ . Gammasphere array, time-gated triple-coincidence method. JOUR ZAANE 25 s01 463
- 2005J022 ATOMIC MASSES  $^{98,99,100,101,102,103,104,105}\text{Zr}$ ; measured masses. Penning trap mass spectrometer. JOUR ZAANE 25 s01 27
- 2005LH01 RADIOACTIVITY  $^{99}\text{Y}(\beta^-)$ ; measured  $\beta$ -delayed  $E_\gamma$ ,  $I_\gamma$ ,  $\gamma\gamma$ -coin; deduced logft.  $^{99}\text{Zr}$  deduced levels, J,  $\pi$ , configurations. Interacting boson-fermion model calculations. JOUR PRVCA 72 034308
- $^{99}\text{Nb}$  2005BE17 RADIOACTIVITY  $^{127}\text{I}(^{24}\text{Ne})$ ,  $(^{28}\text{Mg})$ ,  $(^{30}\text{Mg})$ ,  $(^{32}\text{Si})$ ,  $(^{34}\text{Si})$ ,  $(^{48}\text{Ca})$ ,  $(^{49}\text{Sc})$ ; measured cluster decay  $T_{1/2}$  lower limits. JOUR ZAANE 24 51
- $^{99}\text{Mo}$  2005ADZZ NUCLEAR REACTIONS  $^{129}\text{I}(\text{n}, \text{7n})$ ,  $(\text{n}, \text{6n})$ ,  $(\text{n}, \text{4n})$ ,  $(\text{n}, \gamma)$ , E=fast;  $^{237}\text{Np}(\text{n}, \gamma)$ , E=fast; measured yields.  $^{237}\text{Np}(\text{n}, \text{F})^{91}\text{Sr} / ^{97}\text{Zr} / ^{132}\text{Te} / ^{133}\text{I} / ^{135}\text{I}$ , E=fast;  $^{238}\text{Pu}(\text{n}, \text{F})^{97}\text{Zr} / ^{129}\text{Sb} / ^{132}\text{I} / ^{133}\text{I} / ^{135}\text{Xe} / ^{105}\text{Ru}$ , E=fast;  $^{239}\text{Pu}(\text{n}, \text{F})^{88}\text{Kr} / ^{91}\text{Sr} / ^{92}\text{Sr} / ^{92}\text{Y} / ^{97}\text{Zr} / ^{99}\text{Mo} / ^{103}\text{Ru} / ^{105}\text{Ru} / ^{128}\text{Sb} / ^{129}\text{Sb} / ^{132}\text{Te} / ^{131}\text{I} / ^{132}\text{I} / ^{133}\text{I} / ^{135}\text{I} / ^{135}\text{Xe} / ^{143}\text{Ce} / ^{140}\text{Ba} / ^{140}\text{La}$ , E=fast; measured fission fragment yields. Secondary neutrons from proton irradiation. JINR nuclotron. CONF St Petersburg,P195,Adam
- 2005MIZZ NUCLEAR REACTIONS  $\text{Cu}(\text{n}, \text{X})^{56}\text{Co}$ , E=40-180 MeV;  $\text{Fe}(\text{n}, \text{X})^{54}\text{Mn} / ^{52}\text{Mn} / ^{51}\text{Cr} / ^{48}\text{V}$ , E  $\approx$  0-180 MeV;  $\text{Pb}(\text{n}, \text{X})^{196}\text{Au} / ^{200}\text{Pb} / ^{103}\text{Ru}$ , E  $\approx$  40-180 MeV;  $\text{U}(\text{n}, \text{X})^{99}\text{Mo}$ , E  $\approx$  0-180 MeV; measured excitation functions. Comparison with proton-induced reactions. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol1,P861
- 2005RE09 NUCLEAR REACTIONS  $^{92,94}\text{Mo}(\text{n}, \text{2n})$ ,  $^{92,100}\text{Mo}(\text{n}, \alpha)$ ,  $^{95,96,97}\text{Mo}(\text{n}, \text{p})$ ,  $^{96,97,98}\text{Mo}(\text{n}, \text{np+d})$ , E  $\approx$  13.5-21 MeV; measured activation  $\sigma$ ; deduced reaction mechanism features.  $^{93}\text{Nb}(\text{p}, \text{n})$ ,  $(\text{p}, \gamma)$ , E  $\approx$  1-6 MeV;  $^{92,93,94,95,96,97,98,100}\text{Mo}$ ,  $^{93}\text{Nb}(\text{n}, \gamma)$ , E < 4 MeV;  $^{92,94,100}\text{Mo}(\text{n}, \text{2n})$ ,  $^{92,94,95,96,97,98}\text{Mo}(\text{n}, \text{p})$ ,  $^{92,94,95,96,97,98,100}\text{Mo}(\text{n}, \text{np+d})$ ,  $^{92,98,100}\text{Mo}(\text{n}, \alpha)$ , E < 21 MeV; compiled, analyzed  $\sigma$ . Analysis with local and global approaches compared. JOUR PRVCA 71 044617
- $^{99}\text{Ru}$  2004R047 NUCLEAR REACTIONS  $^{99,101}\text{Ru}(\text{d}, \text{d}')$ , E=13 MeV; measured  $\sigma(E, \theta)$ .  $^{99,101}\text{Ru}$  levels deduced deformation lengths, Coulomb-nuclear interference parameters. DWBA-deformed optical model analysis. JOUR BJPHE 34 760



**A=99 (continued)**

- <sup>99</sup>Rh 2005T015 NUCLEAR REACTIONS <sup>93</sup>Nb(<sup>12</sup>C, X)<sup>97</sup>Rh / <sup>99</sup>Rh, E=55.7-77.5 MeV; <sup>89</sup>Y(<sup>16</sup>O, X)<sup>99</sup>Rh, E=68-81 MeV; measured isomeric  $\sigma$  ratios following complete and incomplete fusion; deduced angular momentum transfer. Recoil catcher technique. JOUR PRAMC 64 1
- 2005UD01 NUCLEAR REACTIONS Ag(p, X)<sup>106m</sup>Ag / <sup>105</sup>Ag / <sup>103</sup>Pd / <sup>101</sup>Pd / <sup>100</sup>Pd / <sup>105</sup>Rh / <sup>102</sup>Rh / <sup>101m</sup>Rh / <sup>100</sup>Rh / <sup>99</sup>Rh / <sup>97</sup>Ru, E=11-80 MeV; measured excitation functions. Stacked-foil activation. JOUR ARISE 62 533

**A=100**

- <sup>100</sup>Zr 2005BI25 NUCLEAR MOMENTS <sup>86,87,88,89,90,91,92,93,94,95,96,97,98,99,100,101,102</sup>Zr; measured charge radii. <sup>176</sup>Yb; measured isomer shift. Ion-beam cooler, laser spectroscopy. JOUR ZAANE 25 s01 187
- 2005JA12 RADIOACTIVITY <sup>252</sup>Cf(SF); measured E $\gamma$ , I $\gamma$ ,  $\alpha\gamma$ -,  $\gamma\gamma$ -coin for  $\alpha$ -accompanied ternary fission; deduced fission fragments average angular momentum. <sup>100,102</sup>Zr, <sup>106</sup>Mo, <sup>144,146</sup>Ba, <sup>138,140,142</sup>Xe; deduced transition intensities. Gammasphere array. JOUR ZAANE 24 373
- 2005J022 ATOMIC MASSES <sup>98,99,100,101,102,103,104,105</sup>Zr; measured masses. Penning trap mass spectrometer. JOUR ZAANE 25 s01 27
- 2005SM08 RADIOACTIVITY <sup>252</sup>Cf(SF); measured E $\gamma$ , I $\gamma$ ( $\theta$ , H, t),  $\gamma\gamma$ -coin. <sup>96,100,102</sup>Zr, <sup>102,104,106,108</sup>Mo, <sup>106,108,110,112</sup>Ru, <sup>110,114,116</sup>Pd levels deduced g factors, B(E2). Gammasphere array, time-integral perturbed angular correlation technique. Comparison with interacting boson model predictions. JOUR JPGPE 31 S1433
- <sup>100</sup>Mo 2005AR27 RADIOACTIVITY <sup>82</sup>Se, <sup>100</sup>Mo( $2\beta^-$ ); measured  $2\nu\beta\beta$ -decay T<sub>1/2</sub>,  $0\nu\beta\beta$ -decay T<sub>1/2</sub> lower limits; deduced neutrino mass limits. JOUR PRLTA 95 182302
- 2005BA01 RADIOACTIVITY <sup>100</sup>Mo( $2\beta^-$ ); measured  $2\nu\beta\beta$ -decay E $\beta$ , T<sub>1/2</sub>. JOUR NPBSE 138 207
- 2005BA33 RADIOACTIVITY <sup>82</sup>Se, <sup>100</sup>Mo, <sup>116</sup>Cd, <sup>150</sup>Nd( $2\beta^-$ ); measured  $2\nu\beta\beta$ -decay T<sub>1/2</sub>,  $0\nu\beta\beta$ -decay T<sub>1/2</sub> lower limits. JOUR YAFIA 68 443
- 2005HOZW RADIOACTIVITY <sup>100</sup>Mo( $2\beta^-$ ); measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin, T<sub>1/2</sub> for decay to excited states. <sup>100</sup>Ru levels deduced feeding intensities. PREPRINT nucl-ex/0512030,12/20/2005
- 2005RU14 NUCLEAR REACTIONS <sup>98,100</sup>Mo( $\gamma$ ,  $\gamma'$ ), E=3.2-3.8 MeV bremsstrahlung; measured E $\gamma$ , I $\gamma$ . <sup>98,100</sup>Mo deduced levels, J,  $\pi$ , branching ratios, transition probabilities, shape isomer configuration mixing features. JOUR PRLTA 95 062501
- 2005RUZZ NUCLEAR REACTIONS <sup>92,98,100</sup>Mo( $\gamma$ ,  $\gamma'$ ), E=14 MeV bremsstrahlung; measured E $\gamma$ , I $\gamma$ . <sup>92,98,100</sup>Mo deduced dipole strength functions, resonance features. PREPRINT nucl-ex/0512027,12/20/2005
- 2005SA07 RADIOACTIVITY <sup>82</sup>Se, <sup>96</sup>Zr, <sup>100</sup>Mo, <sup>116</sup>Cd, <sup>150</sup>Nd( $2\beta^-$ ); measured  $2\nu\beta\beta$ -decay T<sub>1/2</sub>. <sup>82</sup>Se, <sup>100</sup>Mo( $2\beta^-$ ); measured  $0\nu\beta\beta$ -decay T<sub>1/2</sub> lower limits; deduced neutrino mass limits. JOUR NPBSE 143 221
- 2005SHZW RADIOACTIVITY <sup>100</sup>Mo, <sup>82</sup>Se( $2\beta^-$ ); measured  $0\nu\beta\beta$ -decay T<sub>1/2</sub> limits. NEMO-3 detector, underground laboratory in Modane. CONF St Petersburg,P42,Shitov

## A=100 (continued)

- 2005SI06 RADIOACTIVITY  $^{82}\text{Se}$ ,  $^{96}\text{Zr}$ ,  $^{100}\text{Mo}$ ,  $^{116}\text{Cd}$ ,  $^{150}\text{Nd}(2\beta^-)$ ; measured  $2\nu\beta\beta$ -decay  $T_{1/2}$ .  $^{82}\text{Se}$ ,  $^{100}\text{Mo}(2\beta^-)$ ; measured  $0\nu\beta\beta$ -decay  $T_{1/2}$  lower limits; deduced neutrino mass limits. JOUR NPBSE 145 272
- 2005WA31 NUCLEAR REACTIONS  $^{92,98,100}\text{Mo}(\gamma, \gamma')$ ,  $E=13.2$  MeV bremsstrahlung; measured  $E\gamma$ ,  $I\gamma$ .  $^{92,100}\text{Mo}$ ,  $^{197}\text{Au}(\gamma, n)$ ,  $^{92}\text{Mo}(\gamma, p)$ ,  $(\gamma, \alpha)$ ,  $E \approx 11.8$ - $16.5$  MeV bremsstrahlung; measured integrated  $\sigma$ . JOUR JPGPE 31 S1969
- 2005WR01 NUCLEAR REACTIONS  $^{100}\text{Mo}(^{40}\text{Ar}, ^{40}\text{Ar}')$ ,  $E=90$  MeV; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin following Coulomb excitation.  $^{100}\text{Mo}$  deduced levels,  $J$ ,  $\pi$ . JOUR IMPEE 14 359
- $^{100}\text{Tc}$  2004FU30 NUCLEAR REACTIONS  $^{99}\text{Tc}(n, \gamma)$ ,  $E=\text{thermal}$ ; measured  $E\gamma$ ,  $I\gamma$ , capture  $\sigma$ .  $^{100}\text{Tc}$  deduced levels,  $J$ ,  $\pi$ . JOUR JNSTA 41 1033
- 2005FUZY NUCLEAR REACTIONS  $^{99}\text{Tc}(n, \gamma)$ ,  $E=\text{thermal}$ ; measured prompt and delayed  $E\gamma$ ,  $I\gamma$ ; deduced capture  $\sigma$ , reaction  $\sigma$  lower limit. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol2, P1454
- 2005FUZY RADIOACTIVITY  $^{100}\text{Tc}(\beta^-)$  [from  $^{99}\text{Tc}(n, \gamma)$ ]; measured  $E\gamma$ ,  $I\gamma$ .  $^{100}\text{Ru}$  deduced transitions. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol2, P1454
- 2005J004 NUCLEAR REACTIONS  $^{96}\text{Zr}(^7\text{Li}, 3n)$ ,  $E=27$  MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{100}\text{Tc}$  deduced levels,  $J$ ,  $\pi$ ,  $B(M1)$  /  $B(E2)$ , chiral partner bands. Total Routhian surface and core quasi-particle coupling model calculations. JOUR ZAANE 24 23
- $^{100}\text{Ru}$  2005AR27 RADIOACTIVITY  $^{82}\text{Se}$ ,  $^{100}\text{Mo}(2\beta^-)$ ; measured  $2\nu\beta\beta$ -decay  $T_{1/2}$ ,  $0\nu\beta\beta$ -decay  $T_{1/2}$  lower limits; deduced neutrino mass limits. JOUR PRLTA 95 182302
- 2005BA01 RADIOACTIVITY  $^{100}\text{Mo}(2\beta^-)$ ; measured  $2\nu2\beta$ -decay  $E\beta$ ,  $T_{1/2}$ . JOUR NPBSE 138 207
- 2005BA33 RADIOACTIVITY  $^{82}\text{Se}$ ,  $^{100}\text{Mo}$ ,  $^{116}\text{Cd}$ ,  $^{150}\text{Nd}(2\beta^-)$ ; measured  $2\nu\beta\beta$ -decay  $T_{1/2}$ ,  $0\nu\beta\beta$ -decay  $T_{1/2}$  lower limits. JOUR YAFIA 68 443
- 2005FUZY RADIOACTIVITY  $^{100}\text{Tc}(\beta^-)$  [from  $^{99}\text{Tc}(n, \gamma)$ ]; measured  $E\gamma$ ,  $I\gamma$ .  $^{100}\text{Ru}$  deduced transitions. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol2, P1454
- 2005HOZW RADIOACTIVITY  $^{100}\text{Mo}(2\beta^-)$ ; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin,  $T_{1/2}$  for decay to excited states.  $^{100}\text{Ru}$  levels deduced feeding intensities. PREPRINT nucl-ex/0512030, 12/20/2005
- 2005SA07 RADIOACTIVITY  $^{82}\text{Se}$ ,  $^{96}\text{Zr}$ ,  $^{100}\text{Mo}$ ,  $^{116}\text{Cd}$ ,  $^{150}\text{Nd}(2\beta^-)$ ; measured  $2\nu\beta\beta$ -decay  $T_{1/2}$ .  $^{82}\text{Se}$ ,  $^{100}\text{Mo}(2\beta^-)$ ; measured  $0\nu\beta\beta$ -decay  $T_{1/2}$  lower limits; deduced neutrino mass limits. JOUR NPBSE 143 221
- 2005SHZW RADIOACTIVITY  $^{100}\text{Mo}$ ,  $^{82}\text{Se}(2\beta^-)$ ; measured  $0\nu\beta\beta$ -decay  $T_{1/2}$  limits. NEMO-3 detector, underground laboratory in Modane. CONF St Petersburg, P42, Shitov
- 2005SI06 RADIOACTIVITY  $^{82}\text{Se}$ ,  $^{96}\text{Zr}$ ,  $^{100}\text{Mo}$ ,  $^{116}\text{Cd}$ ,  $^{150}\text{Nd}(2\beta^-)$ ; measured  $2\nu\beta\beta$ -decay  $T_{1/2}$ .  $^{82}\text{Se}$ ,  $^{100}\text{Mo}(2\beta^-)$ ; measured  $0\nu\beta\beta$ -decay  $T_{1/2}$  lower limits; deduced neutrino mass limits. JOUR NPBSE 145 272
- $^{100}\text{Rh}$  2005UD01 NUCLEAR REACTIONS  $\text{Ag}(p, X)^{106m}\text{Ag}$  /  $^{105}\text{Ag}$  /  $^{103}\text{Pd}$  /  $^{101}\text{Pd}$  /  $^{100}\text{Pd}$  /  $^{105}\text{Rh}$  /  $^{102}\text{Rh}$  /  $^{101m}\text{Rh}$  /  $^{100}\text{Rh}$  /  $^{99}\text{Rh}$  /  $^{97}\text{Ru}$ ,  $E=11$ - $80$  MeV; measured excitation functions. Stacked-foil activation. JOUR ARISE 62 533

**A=100 (continued)**

- <sup>100</sup>Pd 2005UD01 NUCLEAR REACTIONS Ag(p, X)<sup>106m</sup>Ag / <sup>105</sup>Ag / <sup>103</sup>Pd / <sup>101</sup>Pd / <sup>100</sup>Pd / <sup>105</sup>Rh / <sup>102</sup>Rh / <sup>101m</sup>Rh / <sup>100</sup>Rh / <sup>99</sup>Rh / <sup>97</sup>Ru, E=11-80 MeV; measured excitation functions. Stacked-foil activation. JOUR ARISE 62 533
- <sup>100</sup>In 2005KA47 RADIOACTIVITY <sup>102</sup>Sn( $\beta^+$ ) [from <sup>58</sup>Ni(<sup>50</sup>Cr, X)]; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin, E $\beta$ , B(GT). <sup>102</sup>In levels deduced  $\beta$ -feeding intensities, log ft, hindrance factor. <sup>100</sup>Sn( $\beta^+$ ); analyzed data; deduced B(GT), hindrance factor. JOUR ZAANE 25 s01 135
- <sup>100</sup>Sn 2005KA47 RADIOACTIVITY <sup>102</sup>Sn( $\beta^+$ ) [from <sup>58</sup>Ni(<sup>50</sup>Cr, X)]; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin, E $\beta$ , B(GT). <sup>102</sup>In levels deduced  $\beta$ -feeding intensities, log ft, hindrance factor. <sup>100</sup>Sn( $\beta^+$ ); analyzed data; deduced B(GT), hindrance factor. JOUR ZAANE 25 s01 135
- 2005KA47 NUCLEAR REACTIONS <sup>58</sup>Ni(<sup>50</sup>Cr, X)<sup>101</sup>Sn / <sup>102</sup>Sn / <sup>103</sup>Sn / <sup>104</sup>Sn / <sup>105</sup>Sn, E  $\approx$  5 MeV / nucleon; measured production  $\sigma$ . <sup>58</sup>Ni(<sup>50</sup>Cr, X)<sup>100</sup>Sn, E=5.8 MeV / nucleon; deduced approximate production  $\sigma$ . JOUR ZAANE 25 s01 135

**A=101**

- <sup>101</sup>Y 2005LU21 RADIOACTIVITY <sup>252</sup>Cf(SF); measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>99,101</sup>Y, <sup>101,105</sup>Nb deduced levels, J,  $\pi$ , configurations, rotational bands, shape transition features. Gammasphere array, triaxial-rotor-plus-quasiparticle calculations. JOUR JPGPE 31 1303
- 2005LU24 RADIOACTIVITY <sup>252</sup>Cf(SF); measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>99,101</sup>Y, <sup>101,105</sup>Nb deduced levels, J,  $\pi$ , configurations, deformation. Gammasphere array, triaxial-rotor-plus-particle calculations. JOUR ZAANE 25 s01 469
- <sup>101</sup>Zr 2005BI25 NUCLEAR MOMENTS <sup>86,87,88,89,90,91,92,93,94,95,96,97,98,99,100,101,102</sup>Zr; measured charge radii. <sup>176</sup>Yb; measured isomer shift. Ion-beam cooler, laser spectroscopy. JOUR ZAANE 25 s01 187
- 2005J022 ATOMIC MASSES <sup>98,99,100,101,102,103,104,105</sup>Zr; measured masses. Penning trap mass spectrometer. JOUR ZAANE 25 s01 27
- <sup>101</sup>Nb 2005LU21 RADIOACTIVITY <sup>252</sup>Cf(SF); measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>99,101</sup>Y, <sup>101,105</sup>Nb deduced levels, J,  $\pi$ , configurations, rotational bands, shape transition features. Gammasphere array, triaxial-rotor-plus-quasiparticle calculations. JOUR JPGPE 31 1303
- 2005LU24 RADIOACTIVITY <sup>252</sup>Cf(SF); measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>99,101</sup>Y, <sup>101,105</sup>Nb deduced levels, J,  $\pi$ , configurations, deformation. Gammasphere array, triaxial-rotor-plus-particle calculations. JOUR ZAANE 25 s01 469
- <sup>101</sup>Mo 2005RE11 NUCLEAR REACTIONS <sup>100</sup>Mo(<sup>136</sup>Xe, X)<sup>101</sup>Mo / <sup>103</sup>Ru / <sup>104</sup>Ru, E=700 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -, (particle) $\gamma$ -coin. <sup>101</sup>Mo, <sup>103,104</sup>Ru deduced high-spin levels, J,  $\pi$ , configurations. Gammasphere, Chico arrays. JOUR APOBB 36 1313
- <sup>101</sup>Ru 2004R047 NUCLEAR REACTIONS <sup>99,101</sup>Ru(d, d'), E=13 MeV; measured  $\sigma$ (E,  $\theta$ ). <sup>99,101</sup>Ru levels deduced deformation lengths, Coulomb-nuclear interference parameters. DWBA-deformed optical model analysis. JOUR BJPHE 34 760

**A=101 (continued)**

<sup>101</sup> Rh	2005TIZX	NUCLEAR REACTIONS Pb, <sup>208</sup> Pb(p, X) <sup>203</sup> Pb / <sup>200</sup> Tl / <sup>199</sup> Tl / <sup>196</sup> Au / <sup>192</sup> Ir / <sup>190</sup> Ir / <sup>173</sup> Lu / <sup>101m</sup> Rh / <sup>86</sup> Rb / <sup>59</sup> Fe / <sup>24</sup> Na / <sup>7</sup> Be, E=40-2600 MeV; measured excitation functions. Comparison with previous work and model predictions. Other reactions discussed. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P1070
	2005TIZY	NUCLEAR REACTIONS Pb, <sup>208</sup> Pb, <sup>209</sup> Bi(p, X) <sup>203</sup> Pb / <sup>200</sup> Tl / <sup>199</sup> Tl / <sup>196</sup> Au / <sup>192</sup> Ir / <sup>190</sup> Ir / <sup>173</sup> Lu / <sup>101m</sup> Rh / <sup>86</sup> Rb / <sup>59</sup> Fe / <sup>24</sup> Na / <sup>7</sup> Be, E=40-2600 MeV; measured production $\sigma$ . Comparison with model predictions. PREPRINT nucl-ex/0507009,7/05/2005
	2005UD01	NUCLEAR REACTIONS Ag(p, X) <sup>106m</sup> Ag / <sup>105</sup> Ag / <sup>103</sup> Pd / <sup>101</sup> Pd / <sup>100</sup> Pd / <sup>105</sup> Rh / <sup>102</sup> Rh / <sup>101m</sup> Rh / <sup>100</sup> Rh / <sup>99</sup> Rh / <sup>97</sup> Ru, E=11-80 MeV; measured excitation functions. Stacked-foil activation. JOUR ARISE 62 533
<sup>101</sup> Pd	2005UD01	NUCLEAR REACTIONS Ag(p, X) <sup>106m</sup> Ag / <sup>105</sup> Ag / <sup>103</sup> Pd / <sup>101</sup> Pd / <sup>100</sup> Pd / <sup>105</sup> Rh / <sup>102</sup> Rh / <sup>101m</sup> Rh / <sup>100</sup> Rh / <sup>99</sup> Rh / <sup>97</sup> Ru, E=11-80 MeV; measured excitation functions. Stacked-foil activation. JOUR ARISE 62 533
<sup>101</sup> Sn	2005KA47	NUCLEAR REACTIONS <sup>58</sup> Ni( <sup>50</sup> Cr, X) <sup>101</sup> Sn / <sup>102</sup> Sn / <sup>103</sup> Sn / <sup>104</sup> Sn / <sup>105</sup> Sn, E $\approx$ 5 MeV / nucleon; measured production $\sigma$ . <sup>58</sup> Ni( <sup>50</sup> Cr, X) <sup>100</sup> Sn, E=5.8 MeV / nucleon; deduced approximate production $\sigma$ . JOUR ZAANE 25 s01 135

**A=102**

<sup>102</sup> Zr	2005BI25	NUCLEAR MOMENTS <sup>86,87,88,89,90,91,92,93,94,95,96,97,98,99,100,101,102</sup> Zr; measured charge radii. <sup>176</sup> Yb; measured isomer shift. Ion-beam cooler, laser spectroscopy. JOUR ZAANE 25 s01 187
	2005F017	RADIOACTIVITY <sup>252</sup> Cf(SF); measured E $\gamma$ , I $\gamma$ , $\gamma\gamma$ -coin. <sup>98</sup> Sr, <sup>102,104</sup> Zr, <sup>137</sup> Xe, <sup>143</sup> Ba, <sup>152</sup> Ce levels deduced T <sub>1/2</sub> . Gammasphere array, time-gated triple-coincidence method. JOUR ZAANE 25 s01 465
	2005JA12	RADIOACTIVITY <sup>252</sup> Cf(SF); measured E $\gamma$ , I $\gamma$ , $\alpha\gamma$ -, $\gamma\gamma$ -coin for $\alpha$ -accompanied ternary fission; deduced fission fragments average angular momentum. <sup>100,102</sup> Zr, <sup>106</sup> Mo, <sup>144,146</sup> Ba, <sup>138,140,142</sup> Xe; deduced transition intensities. Gammasphere array. JOUR ZAANE 24 373
	2005J022	ATOMIC MASSES <sup>98,99,100,101,102,103,104,105</sup> Zr; measured masses. Penning trap mass spectrometer. JOUR ZAANE 25 s01 27
	2005SM08	RADIOACTIVITY <sup>252</sup> Cf(SF); measured E $\gamma$ , I $\gamma$ ( $\theta$ , H, t), $\gamma\gamma$ -coin. <sup>96,100,102</sup> Zr, <sup>102,104,106,108</sup> Mo, <sup>106,108,110,112</sup> Ru, <sup>110,114,116</sup> Pd levels deduced g factors, B(E2). Gammasphere array, time-integral perturbed angular correlation technique. Comparison with interacting boson model predictions. JOUR JPGPE 31 S1433
<sup>102</sup> Mo	2005SM08	RADIOACTIVITY <sup>252</sup> Cf(SF); measured E $\gamma$ , I $\gamma$ ( $\theta$ , H, t), $\gamma\gamma$ -coin. <sup>96,100,102</sup> Zr, <sup>102,104,106,108</sup> Mo, <sup>106,108,110,112</sup> Ru, <sup>110,114,116</sup> Pd levels deduced g factors, B(E2). Gammasphere array, time-integral perturbed angular correlation technique. Comparison with interacting boson model predictions. JOUR JPGPE 31 S1433

**A=102 (continued)**

- <sup>102</sup>Ru 2005LA07 NUCLEAR REACTIONS <sup>96</sup>Zr(<sup>10</sup>B, 3np), E=42 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>102</sup>Ru deduced levels, J,  $\pi$ , rotational bands, triaxial deformation. Gammasphere array. JOUR PRVCA 71 034318
- 2005S009 NUCLEAR REACTIONS <sup>96</sup>Zr(<sup>13</sup>C, 3n $\alpha$ ), E=51, 58 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -,  $\gamma\alpha$ -coin. <sup>102</sup>Ru deduced high-spin levels J,  $\pi$ , configurations, B(M1) / B(E2). Euroball IV and Diamant arrays. JOUR PRVCA 71 064302
- <sup>102</sup>Rh 2005UD01 NUCLEAR REACTIONS Ag(p, X)<sup>106m</sup>Ag / <sup>105</sup>Ag / <sup>103</sup>Pd / <sup>101</sup>Pd / <sup>100</sup>Pd / <sup>105</sup>Rh / <sup>102</sup>Rh / <sup>101m</sup>Rh / <sup>100</sup>Rh / <sup>99</sup>Rh / <sup>97</sup>Ru, E=11-80 MeV; measured excitation functions. Stacked-foil activation. JOUR ARISE 62 533
- <sup>102</sup>Cd 2005KA34 RADIOACTIVITY <sup>103</sup>Sn( $\beta^+$ ), (EC), (ECp), ( $\beta^+$ p) [from <sup>50</sup>Cr(<sup>58</sup>Ni, n $\alpha$ )]; measured E $\gamma$ , I $\gamma$ ,  $\beta\gamma$ -,  $\gamma\gamma$ -coin, T<sub>1/2</sub>, Q(EC),  $\beta$ -delayed proton spectra; deduced log ft, Gamow-Teller strength distribution, proton decay branching ratio. <sup>103</sup>In deduced levels, J,  $\pi$ . Total absorption spectrometer. JOUR ZAANE 25 211
- <sup>102</sup>In 2005KA47 RADIOACTIVITY <sup>102</sup>Sn( $\beta^+$ ) [from <sup>58</sup>Ni(<sup>50</sup>Cr, X)]; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin, E $\beta$ , B(GT). <sup>102</sup>In levels deduced  $\beta$ -feeding intensities, log ft, hindrance factor. <sup>100</sup>Sn( $\beta^+$ ); analyzed data; deduced B(GT), hindrance factor. JOUR ZAANE 25 s01 135
- <sup>102</sup>Sn 2005HA57 RADIOACTIVITY <sup>106</sup>Te( $\alpha$ ) [from <sup>54</sup>Fe(<sup>54</sup>Fe, 2n)]; measured E $\alpha$ , T<sub>1/2</sub>. JOUR PRVCA 72 041303
- 2005JA03 RADIOACTIVITY <sup>110</sup>Xe, <sup>106</sup>Te( $\alpha$ ) [from <sup>58</sup>Ni(<sup>58</sup>Ni, 2n $\alpha$ ) and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>; deduced  $\alpha$ -decay widths. Mass separator. JOUR ZAANE 23 197
- 2005KA47 RADIOACTIVITY <sup>102</sup>Sn( $\beta^+$ ) [from <sup>58</sup>Ni(<sup>50</sup>Cr, X)]; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin, E $\beta$ , B(GT). <sup>102</sup>In levels deduced  $\beta$ -feeding intensities, log ft, hindrance factor. <sup>100</sup>Sn( $\beta^+$ ); analyzed data; deduced B(GT), hindrance factor. JOUR ZAANE 25 s01 135
- 2005KA47 NUCLEAR REACTIONS <sup>58</sup>Ni(<sup>50</sup>Cr, X)<sup>101</sup>Sn / <sup>102</sup>Sn / <sup>103</sup>Sn / <sup>104</sup>Sn / <sup>105</sup>Sn, E  $\approx$  5 MeV / nucleon; measured production  $\sigma$ . <sup>58</sup>Ni(<sup>50</sup>Cr, X)<sup>100</sup>Sn, E=5.8 MeV / nucleon; deduced approximate production  $\sigma$ . JOUR ZAANE 25 s01 135

**A=103**

- <sup>103</sup>Zr 2005J022 ATOMIC MASSES <sup>98,99,100,101,102,103,104,105</sup>Zr; measured masses. Penning trap mass spectrometer. JOUR ZAANE 25 s01 27
- <sup>103</sup>Tc 2005BE17 RADIOACTIVITY <sup>127</sup>I(<sup>24</sup>Ne), (<sup>28</sup>Mg), (<sup>30</sup>Mg), (<sup>32</sup>Si), (<sup>34</sup>Si), (<sup>48</sup>Ca), (<sup>49</sup>Sc); measured cluster decay T<sub>1/2</sub> lower limits. JOUR ZAANE 24 51
- <sup>103</sup>Ru 2005ADZZ NUCLEAR REACTIONS <sup>129</sup>I(n, 7n), (n, 6n), (n, 4n), (n,  $\gamma$ ), E=fast; <sup>237</sup>Np(n,  $\gamma$ ), E=fast; measured yields. <sup>237</sup>Np(n, F)<sup>91</sup>Sr / <sup>97</sup>Zr / <sup>132</sup>Te / <sup>133</sup>I / <sup>135</sup>I, E=fast; <sup>238</sup>Pu(n, F)<sup>97</sup>Zr / <sup>129</sup>Sb / <sup>132</sup>I / <sup>133</sup>I / <sup>135</sup>Xe / <sup>105</sup>Ru, E=fast; <sup>239</sup>Pu(n, F)<sup>88</sup>Kr / <sup>91</sup>Sr / <sup>92</sup>Sr / <sup>92</sup>Y / <sup>97</sup>Zr / <sup>99</sup>Mo / <sup>103</sup>Ru / <sup>105</sup>Ru / <sup>128</sup>Sb / <sup>129</sup>Sb / <sup>132</sup>Te / <sup>131</sup>I / <sup>132</sup>I / <sup>133</sup>I / <sup>135</sup>I / <sup>135</sup>Xe / <sup>143</sup>Ce / <sup>140</sup>Ba / <sup>140</sup>La, E=fast; measured fission fragment yields. Secondary neutrons from proton irradiation. JINR nuclotron. CONF St Petersburg,P195,Adam

## A=103 (continued)

- 2005MIZZ NUCLEAR REACTIONS Cu(n, X)<sup>56</sup>Co, E=40-180 MeV; Fe(n, X)<sup>54</sup>Mn / <sup>52</sup>Mn / <sup>51</sup>Cr / <sup>48</sup>V, E ≈ 0-180 MeV; Pb(n, X)<sup>196</sup>Au / <sup>200</sup>Pb / <sup>103</sup>Ru, E ≈ 40-180 MeV; U(n, X)<sup>99</sup>Mo, E ≈ 0-180 MeV; measured excitation functions. Comparison with proton-induced reactions. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P861
- 2005RE11 NUCLEAR REACTIONS <sup>100</sup>Mo(<sup>136</sup>Xe, X)<sup>101</sup>Mo / <sup>103</sup>Ru / <sup>104</sup>Ru, E=700 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -, (particle) $\gamma$ -coin. <sup>101</sup>Mo, <sup>103,104</sup>Ru deduced high-spin levels, J,  $\pi$ , configurations. Gammasphere, Chico arrays. JOUR APOBB 36 1313
- <sup>103</sup>Rh 2004AG09 NUCLEAR REACTIONS <sup>103</sup>Rh(n, n')<sup>103m</sup>Rh, E ≈ 4.8 MeV; <sup>115</sup>In(n, n')<sup>115m</sup>In, E ≈ 5 MeV; <sup>232</sup>Th, <sup>238</sup>U(n, F), E ≈ 5 MeV; <sup>24</sup>Mg, <sup>27</sup>Al, <sup>46,47,48</sup>Ti, <sup>54,56</sup>Fe, <sup>58</sup>Ni, <sup>64</sup>Zn(n, p), E ≈ 2-8 MeV; <sup>27</sup>Al, <sup>59</sup>Co(n,  $\alpha$ ), E ≈ 8.3 MeV; measured activation  $\sigma$ . Spectrum average technique, comparison with previous results. JOUR RAACA 92 63
- 2005BRZV NUCLEAR REACTIONS <sup>103</sup>Rh(n, n), (n,  $\gamma$ ), E=0.01-1000 eV; measured capture and transmission  $\sigma$ . <sup>103</sup>Rh deduced resonance parameters. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P953
- 2005CH62 NUCLEAR REACTIONS <sup>103</sup>Rh( $\gamma$ ,  $\gamma'$ ), E ≈ 40 keV; measured E $\gamma$ , X-ray spectra; deduced ICC. Isomer production via bremsstrahlung spectra. JOUR CPLEE 22 2530
- 2005DU15 RADIOACTIVITY <sup>103</sup>Pd(EC) [from <sup>102</sup>Pd(n,  $\gamma$ )]; measured E $\gamma$ , I $\gamma$ . <sup>103</sup>Rh deduced levels,  $\beta$ -feeding intensities. JOUR PRVCA 71 054322
- <sup>103</sup>Pd 2004HIZZ NUCLEAR REACTIONS <sup>102</sup>Ru(<sup>3</sup>He, 2n), <sup>100</sup>Ru( $\alpha$ , n), <sup>103</sup>Rh(d, 2n), (p, n), E ≈ 5-35 MeV; analyzed excitation functions, yields. Ce(<sup>3</sup>He, xn)<sup>140</sup>Nd, E < 27 MeV; <sup>141</sup>Pr(p, 2n), E < 23 MeV; measured yields. <sup>192</sup>Os(p, n), E ≈ 6-20; measured  $\sigma$ . REPT  
NEA/NSC/DOC(2004)14, P15, Hilgers
- 2005DU15 NUCLEAR REACTIONS <sup>102,108</sup>Pd(n,  $\gamma$ ), E=reactor; measured thermal and resonance capture  $\sigma$ ; deduced resonance integrals. Activation technique. JOUR PRVCA 71 054322
- 2005DU15 RADIOACTIVITY <sup>103</sup>Pd(EC) [from <sup>102</sup>Pd(n,  $\gamma$ )]; measured E $\gamma$ , I $\gamma$ . <sup>103</sup>Rh deduced levels,  $\beta$ -feeding intensities. JOUR PRVCA 71 054322
- 2005SKZZ NUCLEAR REACTIONS <sup>100</sup>Ru( $\alpha$ , n), E=12-25 MeV; <sup>101</sup>Ru( $\alpha$ , 2n), E=15-25 MeV; <sup>101</sup>Ru(<sup>3</sup>He, n), E=15-34 MeV; <sup>102</sup>Ru(<sup>3</sup>He, 2n), E=15-34 MeV; measured excitation functions; deduced thick-target yields. Stacked-foil activation technique. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol2, P1634
- 2005UD01 NUCLEAR REACTIONS Ag(p, X)<sup>106m</sup>Ag / <sup>105</sup>Ag / <sup>103</sup>Pd / <sup>101</sup>Pd / <sup>100</sup>Pd / <sup>105</sup>Rh / <sup>102</sup>Rh / <sup>101m</sup>Rh / <sup>100</sup>Rh / <sup>99</sup>Rh / <sup>97</sup>Ru, E=11-80 MeV; measured excitation functions. Stacked-foil activation. JOUR ARISE 62 533
- <sup>103</sup>Ag 2004HE35 NUCLEAR REACTIONS Pd(p, xn)<sup>103</sup>Ag, E ≈ 15-37 MeV; Pd(d, xn)<sup>103</sup>Ag, E ≈ 5-20 MeV; measured excitation functions. Stacked-foil activation technique. JOUR RAACA 92 215
- 2005HE05 NUCLEAR REACTIONS Pd( $\alpha$ , xnyp)<sup>103</sup>Ag / <sup>104</sup>Ag / <sup>105</sup>Ag / <sup>106m</sup>Ag / <sup>110m</sup>Ag / <sup>111</sup>Ag / <sup>112</sup>Ag / <sup>104</sup>Cd / <sup>105</sup>Cd / <sup>111m</sup>Cd, E=10-37 MeV; measured  $\sigma$ . Stacked-foil activation, comparison with model predictions. JOUR NIMBE 229 321

**A=103 (continued)**

- 2005HEZW NUCLEAR REACTIONS Pd( $\alpha$ , X) $^{103}\text{Ag}$  /  $^{105}\text{Ag}$  /  $^{106m}\text{Ag}$  /  $^{110m}\text{Ag}$  /  $^{111}\text{Ag}$  /  $^{112}\text{Ag}$  /  $^{104}\text{Cd}$  /  $^{105}\text{Cd}$  /  $^{111m}\text{Cd}$ , E  $\approx$  20-37 MeV; measured production  $\sigma$ . Activation technique, comparison with model predictions. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P961
- $^{103}\text{In}$  2005KA34 RADIOACTIVITY  $^{103}\text{Sn}(\beta^+)$ , (EC), (ECp), ( $\beta^+$ p) [from  $^{50}\text{Cr}({}^{58}\text{Ni}, n\alpha)$ ]; measured E $\gamma$ , I $\gamma$ ,  $\beta\gamma$ -,  $\gamma\gamma$ -coin, T $_{1/2}$ , Q(EC),  $\beta$ -delayed proton spectra; deduced log ft, Gamow-Teller strength distribution, proton decay branching ratio.  $^{103}\text{In}$  deduced levels, J,  $\pi$ . Total absorption spectrometer. JOUR ZAANE 25 211
- 2005KA48 RADIOACTIVITY  $^{103}\text{Sn}(\beta^+)$ , (EC) [from  $^{58}\text{Ni}({}^{50}\text{Cr}, X)$ , E=5 MeV / nucleon]; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -,  $\beta\gamma$ -coin, E $\beta$ , B(GT), T $_{1/2}$ .  $^{103}\text{In}$  deduced levels, J,  $\pi$ , hindrance factor.  $^{105}\text{Sn}(\beta^+)$ , (EC) [from  $^{58}\text{Ni}({}^{50}\text{Cr}, X)$ , E=5 MeV / nucleon]; analyzed data; deduced B(GT), hindrance factor. JOUR ZAANE 25 s01 139
- $^{103}\text{Sn}$  2004HA59 RADIOACTIVITY  $^{107}\text{Te}(\alpha)$  [from  $^{58}\text{Ni}({}^{52}\text{Cr}, 3n)$ ]; measured E $\alpha$ , I $\alpha$ . JOUR PRVCA 70 064314
- 2005KA34 RADIOACTIVITY  $^{103}\text{Sn}(\beta^+)$ , (EC), (ECp), ( $\beta^+$ p) [from  $^{50}\text{Cr}({}^{58}\text{Ni}, n\alpha)$ ]; measured E $\gamma$ , I $\gamma$ ,  $\beta\gamma$ -,  $\gamma\gamma$ -coin, T $_{1/2}$ , Q(EC),  $\beta$ -delayed proton spectra; deduced log ft, Gamow-Teller strength distribution, proton decay branching ratio.  $^{103}\text{In}$  deduced levels, J,  $\pi$ . Total absorption spectrometer. JOUR ZAANE 25 211
- 2005KA47 NUCLEAR REACTIONS  $^{58}\text{Ni}({}^{50}\text{Cr}, X)^{101}\text{Sn}$  /  $^{102}\text{Sn}$  /  $^{103}\text{Sn}$  /  $^{104}\text{Sn}$  /  $^{105}\text{Sn}$ , E  $\approx$  5 MeV / nucleon; measured production  $\sigma$ .  $^{58}\text{Ni}({}^{50}\text{Cr}, X)^{100}\text{Sn}$ , E=5.8 MeV / nucleon; deduced approximate production  $\sigma$ . JOUR ZAANE 25 s01 135
- 2005KA48 RADIOACTIVITY  $^{103}\text{Sn}(\beta^+)$ , (EC) [from  $^{58}\text{Ni}({}^{50}\text{Cr}, X)$ , E=5 MeV / nucleon]; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -,  $\beta\gamma$ -coin, E $\beta$ , B(GT), T $_{1/2}$ .  $^{103}\text{In}$  deduced levels, J,  $\pi$ , hindrance factor.  $^{105}\text{Sn}(\beta^+)$ , (EC) [from  $^{58}\text{Ni}({}^{50}\text{Cr}, X)$ , E=5 MeV / nucleon]; analyzed data; deduced B(GT), hindrance factor. JOUR ZAANE 25 s01 139

**A=104**

- $^{104}\text{Zr}$  2005F017 RADIOACTIVITY  $^{252}\text{Cf}(\text{SF})$ ; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin.  $^{98}\text{Sr}$ ,  $^{102,104}\text{Zr}$ ,  $^{137}\text{Xe}$ ,  $^{143}\text{Ba}$ ,  $^{152}\text{Ce}$  levels deduced T $_{1/2}$ . Gammasphere array, time-gated triple-coincidence method. JOUR ZAANE 25 s01 465
- 2005J022 ATOMIC MASSES  $^{98,99,100,101,102,103,104,105}\text{Zr}$ ; measured masses. Penning trap mass spectrometer. JOUR ZAANE 25 s01 27
- $^{104}\text{Mo}$  2005SM08 RADIOACTIVITY  $^{252}\text{Cf}(\text{SF})$ ; measured E $\gamma$ , I $\gamma$ ( $\theta$ , H, t),  $\gamma\gamma$ -coin.  $^{96,100,102}\text{Zr}$ ,  $^{102,104,106,108}\text{Mo}$ ,  $^{106,108,110,112}\text{Ru}$ ,  $^{110,114,116}\text{Pd}$  levels deduced g factors, B(E2). Gammasphere array, time-integral perturbed angular correlation technique. Comparison with interacting boson model predictions. JOUR JPGPE 31 S1433
- $^{104}\text{Ru}$  2005RE11 NUCLEAR REACTIONS  $^{100}\text{Mo}({}^{136}\text{Xe}, X)^{101}\text{Mo}$  /  $^{103}\text{Ru}$  /  $^{104}\text{Ru}$ , E=700 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -, (particle) $\gamma$ -coin.  $^{101}\text{Mo}$ ,  $^{103,104}\text{Ru}$  deduced high-spin levels, J,  $\pi$ , configurations. Gammasphere, Chico arrays. JOUR APOBB 36 1313

A=104 (*continued*)

- $^{104}\text{Rh}$  2005BRZV NUCLEAR REACTIONS  $^{103}\text{Rh}(n, n)$ ,  $(n, \gamma)$ ,  $E=0.01-1000$  eV; measured capture and transmission  $\sigma$ .  $^{103}\text{Rh}$  deduced resonance parameters. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P953
- 2005WI23 NUCLEAR REACTIONS  $^{100}\text{Mo}(^{11}\text{B}, xnypz\alpha)^{104}\text{Rh} / ^{105}\text{Rh} / ^{107}\text{Pd} / ^{108}\text{Pd}$ ,  $E=43$  MeV;  $^{51}\text{V}(^{16}\text{O}, xnypz\alpha)^{60}\text{Ni} / ^{61}\text{Ni} / ^{61}\text{Cu} / ^{62}\text{Cu}$ ,  $E=70$  MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -, (charged particle) $\gamma$ -coin; deduced  $\gamma$ -ray yield ratios. Application to exit channel determination discussed. JOUR BJPHE 35 898
- $^{104}\text{Pd}$  2004R048 NUCLEAR REACTIONS  $^{104,106,108,110}\text{Pd}(d, d')$ ,  $E=13$  MeV; measured  $\sigma(E, \theta)$ .  $^{104,106,108,110}\text{Pd}$  levels deduced  $B(E2)$ , deformation lengths, Coulomb-nuclear interference parameters. DWBA-deformed optical model analysis. JOUR BJPHE 34 777
- 2005BEZS NUCLEAR REACTIONS  $^{108}\text{Pd}(^{122}\text{Cd}, ^{122}\text{Cd}')$ ,  $^{104}\text{Pd}(^{124}\text{Cd}, ^{124}\text{Cd}')$ ,  $(^{126}\text{Cd}, ^{126}\text{Cd}')$ ,  $E$  not given; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation.  $^{122,124}\text{Cd}$  levels deduced excitation  $B(E2)$ . REPT MLL 2004 Annual, P14, Behrens
- $^{104}\text{Ag}$  2005HE05 NUCLEAR REACTIONS  $\text{Pd}(\alpha, xnyp)^{103}\text{Ag} / ^{104}\text{Ag} / ^{105}\text{Ag} / ^{106m}\text{Ag} / ^{110m}\text{Ag} / ^{111}\text{Ag} / ^{112}\text{Ag} / ^{104}\text{Cd} / ^{105}\text{Cd} / ^{111m}\text{Cd}$ ,  $E=10-37$  MeV; measured  $\sigma$ . Stacked-foil activation, comparison with model predictions. JOUR NIMBE 229 321
- $^{104}\text{Cd}$  2005HE05 NUCLEAR REACTIONS  $\text{Pd}(\alpha, xnyp)^{103}\text{Ag} / ^{104}\text{Ag} / ^{105}\text{Ag} / ^{106m}\text{Ag} / ^{110m}\text{Ag} / ^{111}\text{Ag} / ^{112}\text{Ag} / ^{104}\text{Cd} / ^{105}\text{Cd} / ^{111m}\text{Cd}$ ,  $E=10-37$  MeV; measured  $\sigma$ . Stacked-foil activation, comparison with model predictions. JOUR NIMBE 229 321
- 2005HEZW NUCLEAR REACTIONS  $\text{Pd}(\alpha, X)^{103}\text{Ag} / ^{105}\text{Ag} / ^{106m}\text{Ag} / ^{110m}\text{Ag} / ^{111}\text{Ag} / ^{112}\text{Ag} / ^{104}\text{Cd} / ^{105}\text{Cd} / ^{111m}\text{Cd}$ ,  $E \approx 20-37$  MeV; measured production  $\sigma$ . Activation technique, comparison with model predictions. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P961
- $^{104}\text{In}$  2005CL08 ATOMIC MASSES  $^{64}\text{Ge}$ ,  $^{68}\text{Se}$ ; analyzed masses; deduced effective  $T_{1/2}$ :  $^{90,91}\text{Mo}$ ,  $^{90,91,92,93}\text{Tc}$ ,  $^{93,94}\text{Ru}$ ,  $^{94,95}\text{Rh}$ ,  $^{104,105,106,107}\text{In}$ ,  $^{104,105,107,108}\text{Sn}$ ,  $^{107,108}\text{Sb}$ ; measured masses. Penning trap, astrophysical implications discussed. JOUR ZAANE 25 s01 629
- $^{104}\text{Sn}$  2005CL08 ATOMIC MASSES  $^{64}\text{Ge}$ ,  $^{68}\text{Se}$ ; analyzed masses; deduced effective  $T_{1/2}$ :  $^{90,91}\text{Mo}$ ,  $^{90,91,92,93}\text{Tc}$ ,  $^{93,94}\text{Ru}$ ,  $^{94,95}\text{Rh}$ ,  $^{104,105,106,107}\text{In}$ ,  $^{104,105,107,108}\text{Sn}$ ,  $^{107,108}\text{Sb}$ ; measured masses. Penning trap, astrophysical implications discussed. JOUR ZAANE 25 s01 629
- 2005KA47 NUCLEAR REACTIONS  $^{58}\text{Ni}(^{50}\text{Cr}, X)^{101}\text{Sn} / ^{102}\text{Sn} / ^{103}\text{Sn} / ^{104}\text{Sn} / ^{105}\text{Sn}$ ,  $E \approx 5$  MeV / nucleon; measured production  $\sigma$ .  $^{58}\text{Ni}(^{50}\text{Cr}, X)^{100}\text{Sn}$ ,  $E=5.8$  MeV / nucleon; deduced approximate production  $\sigma$ . JOUR ZAANE 25 s01 135
- 2005LI47 RADIOACTIVITY  $^{105}\text{Sb}(p)$  [from  $^{50}\text{Cr}(^{58}\text{Ni}, 2np)$ ]; measured  $E_p$ ; deduced upper limit for proton decay branching ratio. JOUR PRVCA 72 047301
- 2005LIZY RADIOACTIVITY  $^{105}\text{Sb}(p)$  [from  $^{50}\text{Cr}(^{58}\text{Ni}, 2np)$ ]; measured  $E_p$ ; deduced upper limit for proton decay branching ratio. REPT GSI 2005-1, P85, Liu



## A=105

$^{105}\text{Zr}$	2005J022	ATOMIC MASSES $^{98,99,100,101,102,103,104,105}\text{Zr}$ ; measured masses. Penning trap mass spectrometer. JOUR ZAANE 25 s01 27
$^{105}\text{Nb}$	2005LU21	RADIOACTIVITY $^{252}\text{Cf}(\text{SF})$ ; measured $E\gamma$ , $I\gamma$ , $\gamma\gamma$ -coin. $^{99,101}\text{Y}$ , $^{101,105}\text{Nb}$ deduced levels, J, $\pi$ , configurations, rotational bands, shape transition features. Gammasphere array, triaxial-rotor-plus-quasiparticle calculations. JOUR JPGPE 31 1303
	2005LU24	RADIOACTIVITY $^{252}\text{Cf}(\text{SF})$ ; measured $E\gamma$ , $I\gamma$ , $\gamma\gamma$ -coin. $^{99,101}\text{Y}$ , $^{101,105}\text{Nb}$ deduced levels, J, $\pi$ , configurations, deformation. Gammasphere array, triaxial-rotor-plus-particle calculations. JOUR ZAANE 25 s01 469
$^{105}\text{Ru}$	2005ADZZ	NUCLEAR REACTIONS $^{129}\text{I}(\text{n}, 7\text{n})$ , $(\text{n}, 6\text{n})$ , $(\text{n}, 4\text{n})$ , $(\text{n}, \gamma)$ , E=fast; $^{237}\text{Np}(\text{n}, \gamma)$ , E=fast; measured yields. $^{237}\text{Np}(\text{n}, \text{F})^{91}\text{Sr} / ^{97}\text{Zr} / ^{132}\text{Te} / ^{133}\text{I} / ^{135}\text{I}$ , E=fast; $^{238}\text{Pu}(\text{n}, \text{F})^{97}\text{Zr} / ^{129}\text{Sb} / ^{132}\text{I} / ^{133}\text{I} / ^{135}\text{Xe} / ^{105}\text{Ru}$ , E=fast; $^{239}\text{Pu}(\text{n}, \text{F})^{88}\text{Kr} / ^{91}\text{Sr} / ^{92}\text{Sr} / ^{92}\text{Y} / ^{97}\text{Zr} / ^{99}\text{Mo} / ^{103}\text{Ru} / ^{105}\text{Ru} / ^{128}\text{Sb} / ^{129}\text{Sb} / ^{132}\text{Te} / ^{131}\text{I} / ^{132}\text{I} / ^{133}\text{I} / ^{135}\text{I} / ^{135}\text{Xe} / ^{143}\text{Ce} / ^{140}\text{Ba} / ^{140}\text{La}$ , E=fast; measured fission fragment yields. Secondary neutrons from proton irradiation. JINR nuclotron. CONF St Petersburg,P195,Adam
$^{105}\text{Rh}$	2004AL43	NUCLEAR REACTIONS $^{100}\text{Mo}(^{11}\text{B}, 2\text{n}\alpha)$ , E=43 MeV; measured $E\gamma$ , $I\gamma$ , $\gamma\gamma$ -, (charged particle) $\gamma$ -coin. $^{105}\text{Rh}$ deduced levels, J, $\pi$ , possible chiral bands. Tilted axis cranking model calculations. JOUR BJPHE 34 999
	2005M007	RADIOACTIVITY $^{105}\text{Rh}(\beta^-)$ [from $^{104}\text{Rh}(\text{n}, \gamma)$ ]; measured $E\gamma$ , $I\gamma$ , $\beta\gamma$ -coin; deduced $\gamma$ -emission probabilities. $^{105}\text{Pd}$ deduced levels, $\beta$ -feeding intensities. Comparison with previous results. JOUR NIMAE 540 324
	2005UD01	NUCLEAR REACTIONS $\text{Ag}(\text{p}, \text{X})^{106\text{m}}\text{Ag} / ^{105}\text{Ag} / ^{103}\text{Pd} / ^{101}\text{Pd} / ^{100}\text{Pd} / ^{105}\text{Rh} / ^{102}\text{Rh} / ^{101\text{m}}\text{Rh} / ^{100}\text{Rh} / ^{99}\text{Rh} / ^{97}\text{Ru}$ , E=11-80 MeV; measured excitation functions. Stacked-foil activation. JOUR ARISE 62 533
	2005WI23	NUCLEAR REACTIONS $^{100}\text{Mo}(^{11}\text{B}, \text{xnypz}\alpha)^{104}\text{Rh} / ^{105}\text{Rh} / ^{107}\text{Pd} / ^{108}\text{Pd}$ , E=43 MeV; $^{51}\text{V}(^{16}\text{O}, \text{xnypz}\alpha)^{60}\text{Ni} / ^{61}\text{Ni} / ^{61}\text{Cu} / ^{62}\text{Cu}$ , E=70 MeV; measured $E\gamma$ , $I\gamma$ , $\gamma\gamma$ -, (charged particle) $\gamma$ -coin; deduced $\gamma$ -ray yield ratios. Application to exit channel determination discussed. JOUR BJPHE 35 898
$^{105}\text{Pd}$	2005M007	RADIOACTIVITY $^{105}\text{Rh}(\beta^-)$ [from $^{104}\text{Rh}(\text{n}, \gamma)$ ]; measured $E\gamma$ , $I\gamma$ , $\beta\gamma$ -coin; deduced $\gamma$ -emission probabilities. $^{105}\text{Pd}$ deduced levels, $\beta$ -feeding intensities. Comparison with previous results. JOUR NIMAE 540 324
$^{105}\text{Ag}$	2005HA56	NUCLEAR REACTIONS $^{104}\text{Pd}(\text{p}, \gamma)$ , E(cm)=2-8 MeV; $^{118}\text{Sn}(\alpha, \gamma)$ , E(cm)=10-11 MeV; measured $E\gamma$ , $I\gamma$ , $\sigma$ . Comparison with model predictions. JOUR JPGPE 31 S1417
	2005HE05	NUCLEAR REACTIONS $\text{Pd}(\alpha, \text{xnyp})^{103}\text{Ag} / ^{104}\text{Ag} / ^{105}\text{Ag} / ^{106\text{m}}\text{Ag} / ^{110\text{m}}\text{Ag} / ^{111}\text{Ag} / ^{112}\text{Ag} / ^{104}\text{Cd} / ^{105}\text{Cd} / ^{111\text{m}}\text{Cd}$ , E=10-37 MeV; measured $\sigma$ . Stacked-foil activation, comparison with model predictions. JOUR NIMBE 229 321

A=105 (*continued*)

- 2005HEZW NUCLEAR REACTIONS Pd( $\alpha$ , X) $^{103}\text{Ag}$  /  $^{105}\text{Ag}$  /  $^{106m}\text{Ag}$  /  $^{110m}\text{Ag}$  /  $^{111}\text{Ag}$  /  $^{112}\text{Ag}$  /  $^{104}\text{Cd}$  /  $^{105}\text{Cd}$  /  $^{111m}\text{Cd}$ , E  $\approx$  20-37 MeV; measured production  $\sigma$ . Activation technique, comparison with model predictions. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P961
- 2005UD01 NUCLEAR REACTIONS Ag(p, X) $^{106m}\text{Ag}$  /  $^{105}\text{Ag}$  /  $^{103}\text{Pd}$  /  $^{101}\text{Pd}$  /  $^{100}\text{Pd}$  /  $^{105}\text{Rh}$  /  $^{102}\text{Rh}$  /  $^{101m}\text{Rh}$  /  $^{100}\text{Rh}$  /  $^{99}\text{Rh}$  /  $^{97}\text{Ru}$ , E=11-80 MeV; measured excitation functions. Stacked-foil activation. JOUR ARISE 62 533
- $^{105}\text{Cd}$  2005HE05 NUCLEAR REACTIONS Pd( $\alpha$ , xnyp) $^{103}\text{Ag}$  /  $^{104}\text{Ag}$  /  $^{105}\text{Ag}$  /  $^{106m}\text{Ag}$  /  $^{110m}\text{Ag}$  /  $^{111}\text{Ag}$  /  $^{112}\text{Ag}$  /  $^{104}\text{Cd}$  /  $^{105}\text{Cd}$  /  $^{111m}\text{Cd}$ , E=10-37 MeV; measured  $\sigma$ . Stacked-foil activation, comparison with model predictions. JOUR NIMBE 229 321
- 2005HEZW NUCLEAR REACTIONS Pd( $\alpha$ , X) $^{103}\text{Ag}$  /  $^{105}\text{Ag}$  /  $^{106m}\text{Ag}$  /  $^{110m}\text{Ag}$  /  $^{111}\text{Ag}$  /  $^{112}\text{Ag}$  /  $^{104}\text{Cd}$  /  $^{105}\text{Cd}$  /  $^{111m}\text{Cd}$ , E  $\approx$  20-37 MeV; measured production  $\sigma$ . Activation technique, comparison with model predictions. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P961
- $^{105}\text{In}$  2005CL08 ATOMIC MASSES  $^{64}\text{Ge}$ ,  $^{68}\text{Se}$ ; analyzed masses; deduced effective  $T_{1/2}$ .  $^{90,91}\text{Mo}$ ,  $^{90,91,92,93}\text{Tc}$ ,  $^{93,94}\text{Ru}$ ,  $^{94,95}\text{Rh}$ ,  $^{104,105,106,107}\text{In}$ ,  $^{104,105,107,108}\text{Sn}$ ,  $^{107,108}\text{Sb}$ ; measured masses. Penning trap, astrophysical implications discussed. JOUR ZAANE 25 s01 629
- 2005KA48 RADIOACTIVITY  $^{103}\text{Sn}(\beta^+)$ , (EC) [from  $^{58}\text{Ni}(^{50}\text{Cr}, \text{X})$ , E=5 MeV / nucleon]; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma^-$ ,  $\beta\gamma$ -coin,  $E\beta$ , B(GT),  $T_{1/2}$ .  $^{103}\text{In}$  deduced levels, J,  $\pi$ , hindrance factor.  $^{105}\text{Sn}(\beta^+)$ , (EC) [from  $^{58}\text{Ni}(^{50}\text{Cr}, \text{X})$ , E=5 MeV / nucleon]; analyzed data; deduced B(GT), hindrance factor. JOUR ZAANE 25 s01 139
- $^{105}\text{Sn}$  2005CL08 ATOMIC MASSES  $^{64}\text{Ge}$ ,  $^{68}\text{Se}$ ; analyzed masses; deduced effective  $T_{1/2}$ .  $^{90,91}\text{Mo}$ ,  $^{90,91,92,93}\text{Tc}$ ,  $^{93,94}\text{Ru}$ ,  $^{94,95}\text{Rh}$ ,  $^{104,105,106,107}\text{In}$ ,  $^{104,105,107,108}\text{Sn}$ ,  $^{107,108}\text{Sb}$ ; measured masses. Penning trap, astrophysical implications discussed. JOUR ZAANE 25 s01 629
- 2005KA47 NUCLEAR REACTIONS  $^{58}\text{Ni}(^{50}\text{Cr}, \text{X})^{101}\text{Sn}$  /  $^{102}\text{Sn}$  /  $^{103}\text{Sn}$  /  $^{104}\text{Sn}$  /  $^{105}\text{Sn}$ , E  $\approx$  5 MeV / nucleon; measured production  $\sigma$ .  $^{58}\text{Ni}(^{50}\text{Cr}, \text{X})^{100}\text{Sn}$ , E=5.8 MeV / nucleon; deduced approximate production  $\sigma$ . JOUR ZAANE 25 s01 135
- 2005KA48 RADIOACTIVITY  $^{103}\text{Sn}(\beta^+)$ , (EC) [from  $^{58}\text{Ni}(^{50}\text{Cr}, \text{X})$ , E=5 MeV / nucleon]; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma^-$ ,  $\beta\gamma$ -coin,  $E\beta$ , B(GT),  $T_{1/2}$ .  $^{103}\text{In}$  deduced levels, J,  $\pi$ , hindrance factor.  $^{105}\text{Sn}(\beta^+)$ , (EC) [from  $^{58}\text{Ni}(^{50}\text{Cr}, \text{X})$ , E=5 MeV / nucleon]; analyzed data; deduced B(GT), hindrance factor. JOUR ZAANE 25 s01 139
- $^{105}\text{Sb}$  2005LI47 NUCLEAR REACTIONS  $^{50}\text{Cr}(^{58}\text{Ni}, 2\text{np})$ , E=222, 255 MeV; measured delayed Ep.  $^{105}\text{Sb}$  deduced upper limit for proton decay branching ratio. JOUR PRVCA 72 047301
- 2005LI47 RADIOACTIVITY  $^{105}\text{Sb}(p)$  [from  $^{50}\text{Cr}(^{58}\text{Ni}, 2\text{np})$ ]; measured Ep; deduced upper limit for proton decay branching ratio. JOUR PRVCA 72 047301
- 2005LIZY NUCLEAR REACTIONS  $^{50}\text{Cr}(^{58}\text{Ni}, 2\text{np})$ , E=222, 255 MeV; measured delayed Ep.  $^{105}\text{Sb}$  deduced upper limit for proton decay branching ratio. REPT GSI 2005-1, P85, Liu

**A=105 (continued)**

2005LIZY RADIOACTIVITY  $^{105}\text{Sb}(p)$  [from  $^{50}\text{Cr}(^{58}\text{Ni}, 2np)$ ]; measured  $E_p$ ; deduced upper limit for proton decay branching ratio. REPT GSI 2005-1,P85,Liu

**A=106**

$^{106}\text{Mo}$  2005JA12 RADIOACTIVITY  $^{252}\text{Cf}(\text{SF})$ ; measured  $E_\gamma$ ,  $I_\gamma$ ,  $\alpha\gamma$ -,  $\gamma\gamma$ -coin for  $\alpha$ -accompanied ternary fission; deduced fission fragments average angular momentum.  $^{100,102}\text{Zr}$ ,  $^{106}\text{Mo}$ ,  $^{144,146}\text{Ba}$ ,  $^{138,140,142}\text{Xe}$ ; deduced transition intensities. Gammasphere array. JOUR ZAANE 24 373

2005SM08 RADIOACTIVITY  $^{252}\text{Cf}(\text{SF})$ ; measured  $E_\gamma$ ,  $I_\gamma(\theta, H, t)$ ,  $\gamma\gamma$ -coin.  $^{96,100,102}\text{Zr}$ ,  $^{102,104,106,108}\text{Mo}$ ,  $^{106,108,110,112}\text{Ru}$ ,  $^{110,114,116}\text{Pd}$  levels deduced  $g$  factors,  $B(E2)$ . Gammasphere array, time-integral perturbed angular correlation technique. Comparison with interacting boson model predictions. JOUR JPGPE 31 S1433

2005ZH36 RADIOACTIVITY  $^{252}\text{Cf}(\text{SF})$ ; measured  $E_\gamma$ ,  $I_\gamma$ ,  $\gamma\gamma$ -coin.  $^{106}\text{Mo}$  deduced high-spin levels,  $J$ ,  $\pi$ , chiral vibrational bands. Gammasphere array, tilted-axis cranking model analysis. JOUR ZAANE 25 s01 459

$^{106}\text{Ru}$  2005SM08 RADIOACTIVITY  $^{252}\text{Cf}(\text{SF})$ ; measured  $E_\gamma$ ,  $I_\gamma(\theta, H, t)$ ,  $\gamma\gamma$ -coin.  $^{96,100,102}\text{Zr}$ ,  $^{102,104,106,108}\text{Mo}$ ,  $^{106,108,110,112}\text{Ru}$ ,  $^{110,114,116}\text{Pd}$  levels deduced  $g$  factors,  $B(E2)$ . Gammasphere array, time-integral perturbed angular correlation technique. Comparison with interacting boson model predictions. JOUR JPGPE 31 S1433

$^{106}\text{Pd}$  2004BRZV RADIOACTIVITY  $^{106}\text{Cd}(2\text{EC})$ ; measured  $T_{1/2}$  lower limit. REPT JINR-P6-2004-219,Brudanin

2004R048 NUCLEAR REACTIONS  $^{104,106,108,110}\text{Pd}(d, d')$ ,  $E=13$  MeV; measured  $\sigma(E, \theta)$ .  $^{104,106,108,110}\text{Pd}$  levels deduced  $B(E2)$ , deformation lengths, Coulomb-nuclear interference parameters. DWBA-deformed optical model analysis. JOUR BJPHE 34 777

2005BRZX RADIOACTIVITY  $^{106}\text{Cd}(2\text{EC})$ ; measured  $T_{1/2}$  limit. Modane underground laboratory. CONF St Petersburg,P299,Brudanin

2005ZU01 RADIOACTIVITY  $^{120}\text{Te}(\beta^+\text{EC})$ ;  $^{64}\text{Zn}$ ,  $^{106,108}\text{Cd}$ ,  $^{120}\text{Te}(2\text{EC})$ ; measured  $T_{1/2}$  lower limits. JOUR NPBSE 138 236

$^{106}\text{Ag}$  2005HE05 NUCLEAR REACTIONS  $\text{Pd}(\alpha, xnyp)^{103}\text{Ag} / ^{104}\text{Ag} / ^{105}\text{Ag} / ^{106m}\text{Ag} / ^{110m}\text{Ag} / ^{111}\text{Ag} / ^{112}\text{Ag} / ^{104}\text{Cd} / ^{105}\text{Cd} / ^{111m}\text{Cd}$ ,  $E=10\text{-}37$  MeV; measured  $\sigma$ . Stacked-foil activation, comparison with model predictions. JOUR NIMBE 229 321

2005HEZW NUCLEAR REACTIONS  $\text{Pd}(\alpha, X)^{103}\text{Ag} / ^{105}\text{Ag} / ^{106m}\text{Ag} / ^{110m}\text{Ag} / ^{111}\text{Ag} / ^{112}\text{Ag} / ^{104}\text{Cd} / ^{105}\text{Cd} / ^{111m}\text{Cd}$ ,  $E \approx 20\text{-}37$  MeV; measured production  $\sigma$ . Activation technique, comparison with model predictions. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol1,P961

2005J020 NUCLEAR REACTIONS  $^{100}\text{Mo}(^{10}\text{B}, 4n)$ ,  $E=42$  MeV; measured  $E_\gamma$ ,  $I_\gamma$ ,  $\gamma\gamma$ -coin.  $^{106}\text{Ag}$  deduced high-spin levels,  $J$ ,  $\pi$ , configurations, possible triaxial rotation. Gammasphere array. JOUR JPGPE 31 S1895

**A=106 (continued)**

- 2005UD01 NUCLEAR REACTIONS Ag(p, X)<sup>106m</sup>Ag / <sup>105</sup>Ag / <sup>103</sup>Pd / <sup>101</sup>Pd / <sup>100</sup>Pd / <sup>105</sup>Rh / <sup>102</sup>Rh / <sup>101m</sup>Rh / <sup>100</sup>Rh / <sup>99</sup>Rh / <sup>97</sup>Ru, E=11-80 MeV; measured excitation functions. Stacked-foil activation. JOUR ARISE 62 533
- <sup>106</sup>Cd 2004BRZV RADIOACTIVITY <sup>106</sup>Cd(2EC); measured T<sub>1/2</sub> lower limit. REPT JINR-P6-2004-219, Brudanin
- 2005BRZX RADIOACTIVITY <sup>106</sup>Cd(2EC); measured T<sub>1/2</sub> limit. Modane underground laboratory. CONF St Petersburg, P299, Brudanin
- 2005GY03 NUCLEAR REACTIONS <sup>106</sup>Cd(α, γ), E=8-12.5 MeV; measured E<sub>γ</sub>, I<sub>γ</sub>, σ. <sup>106</sup>Cd(α, α), E ≈ 15, 17, 19 MeV; measured σ(θ). Astrophysical implications discussed, comparison with model predictions. JOUR NUPAB 758 517c
- 2005SI23 NUCLEAR REACTIONS <sup>62</sup>Ni(<sup>48</sup>Ca, 4n), E=183, 207 MeV; <sup>96</sup>Zr(<sup>16</sup>O, 4n), E=72 MeV; measured E<sub>γ</sub>, I<sub>γ</sub>, γγ-coin, DSA. <sup>106,108</sup>Cd deduced high-spin levels, J, π, T<sub>1/2</sub>, B(E2), configurations. Gammasphere array. JOUR PRVCA 72 024318
- 2005ZU01 RADIOACTIVITY <sup>120</sup>Te(β<sup>+</sup>EC); <sup>64</sup>Zn, <sup>106,108</sup>Cd, <sup>120</sup>Te(2EC); measured T<sub>1/2</sub> lower limits. JOUR NPBSE 138 236
- <sup>106</sup>In 2005CL08 ATOMIC MASSES <sup>64</sup>Ge, <sup>68</sup>Se; analyzed masses; deduced effective T<sub>1/2</sub>. <sup>90,91</sup>Mo, <sup>90,91,92,93</sup>Tc, <sup>93,94</sup>Ru, <sup>94,95</sup>Rh, <sup>104,105,106,107</sup>In, <sup>104,105,107,108</sup>Sn, <sup>107,108</sup>Sb; measured masses. Penning trap, astrophysical implications discussed. JOUR ZAANE 25 s01 629
- <sup>106</sup>Sn 2005MIZW RADIOACTIVITY <sup>106,107</sup>Sb(EC), (β<sup>+</sup>) [from <sup>58</sup>Ni(<sup>58</sup>Ni, X)]; measured E<sub>γ</sub>, I<sub>γ</sub>, βγ-, γγ-coin. <sup>106,107</sup>Sn deduced levels, configurations. Total absorption spectrometer. REPT GSI 2005-1, P84, Miernik
- <sup>106</sup>Sb 2005MIZW RADIOACTIVITY <sup>106,107</sup>Sb(EC), (β<sup>+</sup>) [from <sup>58</sup>Ni(<sup>58</sup>Ni, X)]; measured E<sub>γ</sub>, I<sub>γ</sub>, βγ-, γγ-coin. <sup>106,107</sup>Sn deduced levels, configurations. Total absorption spectrometer. REPT GSI 2005-1, P84, Miernik
- 2005S006 NUCLEAR REACTIONS <sup>54</sup>Fe(<sup>58</sup>Ni, npα), E=240 MeV; measured E<sub>γ</sub>, I<sub>γ</sub>, γγ-, (charged particle)γ-, (neutron)γ-coin, γ-ray polarization. <sup>106</sup>Sb deduced high-spin levels, J, π, configurations. Euroball, ISIS arrays. JOUR NUPAB 753 251
- <sup>106</sup>Te 2005HA57 NUCLEAR REACTIONS <sup>54</sup>Fe(<sup>54</sup>Fe, 2n), E=182 MeV; measured E<sub>γ</sub>, I<sub>γ</sub>, (recoil)γ-coin; deduced σ. <sup>106</sup>Te deduced levels, possible vibrational excitation. Recoil-decay tagging, level systematics in Te isotopes discussed. JOUR PRVCA 72 041303
- 2005HA57 RADIOACTIVITY <sup>106</sup>Te(α) [from <sup>54</sup>Fe(<sup>54</sup>Fe, 2n)]; measured E<sub>α</sub>, T<sub>1/2</sub>. JOUR PRVCA 72 041303
- 2005JA03 RADIOACTIVITY <sup>110</sup>Xe, <sup>106</sup>Te(α) [from <sup>58</sup>Ni(<sup>58</sup>Ni, 2nα) and subsequent decay]; measured E<sub>α</sub>, T<sub>1/2</sub>; deduced α-decay widths. Mass separator. JOUR ZAANE 23 197

**A=107**

- <sup>107</sup>Mo 2005UR02 RADIOACTIVITY <sup>248</sup>Cm(SF); measured E<sub>γ</sub>, I<sub>γ</sub>, γγ-coin, angular correlations. <sup>107</sup>Mo deduced high-spin levels, J, π, configurations. Eurogam2 array. JOUR PRVCA 72 027302

**A=107 (continued)**

- <sup>107</sup>Pd 2005WI23 NUCLEAR REACTIONS <sup>100</sup>Mo(<sup>11</sup>B, xnypzα)<sup>104</sup>Rh / <sup>105</sup>Rh / <sup>107</sup>Pd / <sup>108</sup>Pd, E=43 MeV; <sup>51</sup>V(<sup>16</sup>O, xnypzα)<sup>60</sup>Ni / <sup>61</sup>Ni / <sup>61</sup>Cu / <sup>62</sup>Cu, E=70 MeV; measured Eγ, Iγ, γγ-, (charged particle)γ-coin; deduced γ-ray yield ratios. Application to exit channel determination discussed. JOUR BJPHE 35 898
- <sup>107</sup>Cd 2005AN26 NUCLEAR REACTIONS <sup>98</sup>Mo(<sup>12</sup>C, 3n), E=60 MeV; measured Doppler-shifted Eγ, Iγ, γγ-coin. <sup>107</sup>Cd levels deduced T<sub>1/2</sub>, B(E2). Recoil-distance method. JOUR JPGPE 31 S1563
- <sup>107</sup>In 2005CL08 ATOMIC MASSES <sup>64</sup>Ge, <sup>68</sup>Se; analyzed masses; deduced effective T<sub>1/2</sub>. <sup>90,91</sup>Mo, <sup>90,91,92,93</sup>Tc, <sup>93,94</sup>Ru, <sup>94,95</sup>Rh, <sup>104,105,106,107</sup>In, <sup>104,105,107,108</sup>Sn, <sup>107,108</sup>Sb; measured masses. Penning trap, astrophysical implications discussed. JOUR ZAANE 25 s01 629
- 2005IDZY NUCLEAR REACTIONS <sup>58</sup>Ni(<sup>52</sup>Cr, 3p), E=187 MeV; measured Eγ, Iγ, γγ-, (recoil)γ-coin. <sup>107</sup>In deduced rotational band, configurations. Jurosphere array, recoil separator, total Routhian surface calculations. REPT CNS-REP-66,P19,Ideguchi
- <sup>107</sup>Sn 2005CL08 ATOMIC MASSES <sup>64</sup>Ge, <sup>68</sup>Se; analyzed masses; deduced effective T<sub>1/2</sub>. <sup>90,91</sup>Mo, <sup>90,91,92,93</sup>Tc, <sup>93,94</sup>Ru, <sup>94,95</sup>Rh, <sup>104,105,106,107</sup>In, <sup>104,105,107,108</sup>Sn, <sup>107,108</sup>Sb; measured masses. Penning trap, astrophysical implications discussed. JOUR ZAANE 25 s01 629
- 2005MIZW RADIOACTIVITY <sup>106,107</sup>Sb(EC), (β<sup>+</sup>) [from <sup>58</sup>Ni(<sup>58</sup>Ni, X)]; measured Eγ, Iγ, βγ-, γγ-coin. <sup>106,107</sup>Sn deduced levels, configurations. Total absorption spectrometer. REPT GSI 2005-1,P84,Miernik
- <sup>107</sup>Sb 2005CL08 ATOMIC MASSES <sup>64</sup>Ge, <sup>68</sup>Se; analyzed masses; deduced effective T<sub>1/2</sub>. <sup>90,91</sup>Mo, <sup>90,91,92,93</sup>Tc, <sup>93,94</sup>Ru, <sup>94,95</sup>Rh, <sup>104,105,106,107</sup>In, <sup>104,105,107,108</sup>Sn, <sup>107,108</sup>Sb; measured masses. Penning trap, astrophysical implications discussed. JOUR ZAANE 25 s01 629
- 2005MIZW RADIOACTIVITY <sup>106,107</sup>Sb(EC), (β<sup>+</sup>) [from <sup>58</sup>Ni(<sup>58</sup>Ni, X)]; measured Eγ, Iγ, βγ-, γγ-coin. <sup>106,107</sup>Sn deduced levels, configurations. Total absorption spectrometer. REPT GSI 2005-1,P84,Miernik
- <sup>107</sup>Te 2004HA59 NUCLEAR REACTIONS <sup>58</sup>Ni(<sup>52</sup>Cr, 3n), E=187 MeV; measured Eγ, Iγ, γγ-, (recoil)γ-coin. <sup>107</sup>Te deduced transitions, excited state. Jurogam array, recoil-decay tagging. JOUR PRVCA 70 064314
- 2004HA59 RADIOACTIVITY <sup>107</sup>Te(α) [from <sup>58</sup>Ni(<sup>52</sup>Cr, 3n)]; measured Eα, Iα. JOUR PRVCA 70 064314

**A=108**

- <sup>108</sup>Mo 2005SM08 RADIOACTIVITY <sup>252</sup>Cf(SF); measured Eγ, Iγ(θ, H, t), γγ-coin. <sup>96,100,102</sup>Zr, <sup>102,104,106,108</sup>Mo, <sup>106,108,110,112</sup>Ru, <sup>110,114,116</sup>Pd levels deduced g factors, B(E2). Gammasphere array, time-integral perturbed angular correlation technique. Comparison with interacting boson model predictions. JOUR JPGPE 31 S1433
- <sup>108</sup>Tc 2005HW06 RADIOACTIVITY <sup>252</sup>Cf(SF); measured Eγ, Iγ, γγ-coin. <sup>95,97</sup>Sr, <sup>99</sup>Zr, <sup>108</sup>Tc, <sup>133,134</sup>Te, <sup>137</sup>Xe levels deduced T<sub>1/2</sub>. Gammasphere array, time-gated triple-coincidence method. JOUR ZAANE 25 s01 463

A=108 (*continued*)

- $^{108}\text{Ru}$  2005SM08 RADIOACTIVITY  $^{252}\text{Cf}(\text{SF})$ ; measured  $E\gamma$ ,  $I\gamma(\theta, H, t)$ ,  $\gamma\gamma$ -coin.  $^{96,100,102}\text{Zr}$ ,  $^{102,104,106,108}\text{Mo}$ ,  $^{106,108,110,112}\text{Ru}$ ,  $^{110,114,116}\text{Pd}$  levels deduced g factors, B(E2). Gammasphere array, time-integral perturbed angular correlation technique. Comparison with interacting boson model predictions. JOUR JPGPE 31 S1433
- $^{108}\text{Pd}$  2004AL44 NUCLEAR REACTIONS  $^{100}\text{Mo}(^{11}\text{B}, 2\text{np})$ , E=43 MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -, (charged particle) $\gamma$ -coin.  $^{108}\text{Pd}$  deduced levels, J,  $\pi$ , configurations. Cranking model analysis. JOUR BJPHE 34 1005
- 2004R048 NUCLEAR REACTIONS  $^{104,106,108,110}\text{Pd}(d, d')$ , E=13 MeV; measured  $\sigma(E, \theta)$ .  $^{104,106,108,110}\text{Pd}$  levels deduced B(E2), deformation lengths, Coulomb-nuclear interference parameters. DWBA-deformed optical model analysis. JOUR BJPHE 34 777
- 2005AL25 NUCLEAR REACTIONS  $^{100}\text{Mo}(^{11}\text{B}, 2\text{np})$ , E=43 MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -, (charged particle) $\gamma$ -coin.  $^{108}\text{Pd}$  deduced high-spin levels, J,  $\pi$ , configurations. Total Routhian surface calculations. JOUR PRVCA 71 054315
- 2005BEZS NUCLEAR REACTIONS  $^{108}\text{Pd}(^{122}\text{Cd}, ^{122}\text{Cd}')$ ,  $^{104}\text{Pd}(^{124}\text{Cd}, ^{124}\text{Cd}')$ , ( $^{126}\text{Cd}, ^{126}\text{Cd}'$ ), E not given; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation.  $^{122,124}\text{Cd}$  levels deduced excitation B(E2). REPT MLL 2004 Annual,P14,Behrens
- 2005WI23 NUCLEAR REACTIONS  $^{100}\text{Mo}(^{11}\text{B}, \text{xnpz}\alpha)^{104}\text{Rh} / ^{105}\text{Rh} / ^{107}\text{Pd} / ^{108}\text{Pd}$ , E=43 MeV;  $^{51}\text{V}(^{16}\text{O}, \text{xnpz}\alpha)^{60}\text{Ni} / ^{61}\text{Ni} / ^{61}\text{Cu} / ^{62}\text{Cu}$ , E=70 MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -, (charged particle) $\gamma$ -coin; deduced  $\gamma$ -ray yield ratios. Application to exit channel determination discussed. JOUR BJPHE 35 898
- 2005ZU01 RADIOACTIVITY  $^{120}\text{Te}(\beta^+\text{EC})$ ;  $^{64}\text{Zn}$ ,  $^{106,108}\text{Cd}$ ,  $^{120}\text{Te}(2\text{EC})$ ; measured  $T_{1/2}$  lower limits. JOUR NPBSE 138 236
- $^{108}\text{Cd}$  2005DA16 NUCLEAR REACTIONS  $^{100}\text{Mo}(^{13}\text{C}, 5\text{n})$ , E=65 MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin, DSA.  $^{108}\text{Cd}$  deduced high-spin levels, J,  $\pi$ , B(E2), antimagnetic rotation. Total Routhian surface calculations. JOUR PRVCA 71 041305
- 2005FA06 NUCLEAR REACTIONS  $^{64}\text{Ni}(^{48}\text{Ca}, 4\text{n})$ , E=207 MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{108}\text{Cd}$  deduced rotational bands transitions, quadrupole moments. JOUR NUPAB 752 231c
- 2005SI23 NUCLEAR REACTIONS  $^{62}\text{Ni}(^{48}\text{Ca}, 4\text{n})$ , E=183, 207 MeV;  $^{96}\text{Zr}(^{16}\text{O}, 4\text{n})$ , E=72 MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin, DSA.  $^{106,108}\text{Cd}$  deduced high-spin levels, J,  $\pi$ ,  $T_{1/2}$ , B(E2), configurations. Gammasphere array. JOUR PRVCA 72 024318
- 2005ZU01 RADIOACTIVITY  $^{120}\text{Te}(\beta^+\text{EC})$ ;  $^{64}\text{Zn}$ ,  $^{106,108}\text{Cd}$ ,  $^{120}\text{Te}(2\text{EC})$ ; measured  $T_{1/2}$  lower limits. JOUR NPBSE 138 236
- $^{108}\text{Sn}$  2005CL08 ATOMIC MASSES  $^{64}\text{Ge}$ ,  $^{68}\text{Se}$ ; analyzed masses; deduced effective  $T_{1/2}$ .  $^{90,91}\text{Mo}$ ,  $^{90,91,92,93}\text{Tc}$ ,  $^{93,94}\text{Ru}$ ,  $^{94,95}\text{Rh}$ ,  $^{104,105,106,107}\text{In}$ ,  $^{104,105,107,108}\text{Sn}$ ,  $^{107,108}\text{Sb}$ ; measured masses. Penning trap, astrophysical implications discussed. JOUR ZAANE 25 s01 629
- 2005W001 NUCLEAR REACTIONS  $^{197}\text{Au}(^{84}\text{Kr}, ^{84}\text{Kr}')$ , ( $^{56}\text{Cr}, ^{56}\text{Cr}'$ ), ( $^{108}\text{Sn}, ^{108}\text{Sn}'$ ), E=113-142 MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$  following projectile Coulomb excitation.  $^{84}\text{Kr}$ ,  $^{56}\text{Cr}$ ,  $^{108}\text{Sn}$  deduced transitions.  $^9\text{Be}(^{55}\text{Ni}, \text{X})^{54}\text{Co} / ^{52}\text{Fe} / ^{50}\text{Cr}$ , E=171 MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin. JOUR NIMAE 537 637

**A=108 (continued)**

<sup>108</sup>Sb 2005CL08 ATOMIC MASSES <sup>64</sup>Ge, <sup>68</sup>Se; analyzed masses; deduced effective  $T_{1/2}$ . <sup>90,91</sup>Mo, <sup>90,91,92,93</sup>Tc, <sup>93,94</sup>Ru, <sup>94,95</sup>Rh, <sup>104,105,106,107</sup>In, <sup>104,105,107,108</sup>Sn, <sup>107,108</sup>Sb; measured masses. Penning trap, astrophysical implications discussed. JOUR ZAANE 25 s01 629

**A=109**

<sup>109</sup>Tc 2005UR01 RADIOACTIVITY <sup>248</sup>Cm(SF); measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin. <sup>109,110,111</sup>Tc, <sup>135</sup>I deduced transitions. <sup>111</sup>Tc deduced levels, J,  $\pi$ , configurations. Eurogam2 array. Level systematics in neighboring nuclides discussed. JOUR ZAANE 24 161

<sup>109</sup>Pd 2005DU15 NUCLEAR REACTIONS <sup>102,108</sup>Pd(n,  $\gamma$ ), E=reactor; measured thermal and resonance capture  $\sigma$ ; deduced resonance integrals. Activation technique. JOUR PRVCA 71 054322

<sup>109</sup>Cd 2005GY02 RADIOACTIVITY <sup>109</sup>In, <sup>110</sup>Sn(EC) [from <sup>106</sup>Cd( $\alpha$ ,  $\gamma$ ), ( $\alpha$ , p)]; measured  $E\gamma$ ,  $I\gamma$ ,  $T_{1/2}$ . JOUR PRVCA 71 057302

2005GYZZ RADIOACTIVITY <sup>109</sup>In, <sup>110</sup>Sn(EC) [from <sup>106</sup>Cd( $\alpha$ , X)]; measured  $E\gamma$ ,  $I\gamma$ ,  $T_{1/2}$ . PREPRINT nucl-ex/0503012,3/18/2005

<sup>109</sup>In 2004ADZW NUCLEAR REACTIONS <sup>209</sup>Bi(n, 4n), (n, 5n), (n, 6n), (n, 7n), (n, 9n), <sup>232</sup>Th(n,  $\gamma$ ), <sup>197</sup>Au(n, 2n), (n, 4n), (n, 6n), (n, 7n), (n,  $\gamma$ ), <sup>115</sup>In(n, 5n), (n, 6n), (n, 7n), <sup>59</sup>Co(n, 2n), (n, 3n), (n, 4n), (n, 5n), (n,  $\gamma$ ), (n, p), (n, 6n2p), E=spectrum; measured  $E\gamma$ ,  $I\gamma$ ; deduced reaction rates. Pb(p, nX), E=1 GeV; deduced spallation neutron spectrum. REPT JINR-E1-2004-16, Adam

2005AD01 NUCLEAR REACTIONS <sup>209</sup>Bi(n, 4n), (n, 5n), (n, 6n), (n, 7n), (n, 9n), <sup>232</sup>Th(n,  $\gamma$ ), <sup>197</sup>Au(n, 2n), (n, 4n), (n, 6n), (n, 7n), (n,  $\gamma$ ), <sup>59</sup>Co(n, 2n), (n, 3n), (n, 4n), (n, 5n), (n, p), (n, 6n2p), <sup>115</sup>In(n, 5n), (n, 6n), (n, 7n), E=spectrum; measured  $E\gamma$ ,  $I\gamma$ ; deduced reaction rates. Activation technique, spallation neutrons from 1 GeV proton beam, comparison with model predictions. JOUR ZAANE 23 61

2005GY02 RADIOACTIVITY <sup>109</sup>In, <sup>110</sup>Sn(EC) [from <sup>106</sup>Cd( $\alpha$ ,  $\gamma$ ), ( $\alpha$ , p)]; measured  $E\gamma$ ,  $I\gamma$ ,  $T_{1/2}$ . JOUR PRVCA 71 057302

2005GYZZ RADIOACTIVITY <sup>109</sup>In, <sup>110</sup>Sn(EC) [from <sup>106</sup>Cd( $\alpha$ , X)]; measured  $E\gamma$ ,  $I\gamma$ ,  $T_{1/2}$ . PREPRINT nucl-ex/0503012,3/18/2005

**A=110**

<sup>110</sup>Tc 2005UR01 RADIOACTIVITY <sup>248</sup>Cm(SF); measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin. <sup>109,110,111</sup>Tc, <sup>135</sup>I deduced transitions. <sup>111</sup>Tc deduced levels, J,  $\pi$ , configurations. Eurogam2 array. Level systematics in neighboring nuclides discussed. JOUR ZAANE 24 161

<sup>110</sup>Ru 2005SM08 RADIOACTIVITY <sup>252</sup>Cf(SF); measured  $E\gamma$ ,  $I\gamma(\theta, H, t)$ ,  $\gamma\gamma$ -coin. <sup>96,100,102</sup>Zr, <sup>102,104,106,108</sup>Mo, <sup>106,108,110,112</sup>Ru, <sup>110,114,116</sup>Pd levels deduced g factors, B(E2). Gammasphere array, time-integral perturbed angular correlation technique. Comparison with interacting boson model predictions. JOUR JPGPE 31 S1433

A=110 (*continued*)

- $^{110}\text{Pd}$  2004R048 NUCLEAR REACTIONS  $^{104,106,108,110}\text{Pd}(d, d')$ ,  $E=13$  MeV; measured  $\sigma(E, \theta)$ .  $^{104,106,108,110}\text{Pd}$  levels deduced  $B(E2)$ , deformation lengths, Coulomb-nuclear interference parameters. DWBA-deformed optical model analysis. JOUR BJPHE 34 777
- 2005SM08 RADIOACTIVITY  $^{252}\text{Cf}(\text{SF})$ ; measured  $E\gamma$ ,  $I\gamma(\theta, H, t)$ ,  $\gamma\gamma$ -coin.  $^{96,100,102}\text{Zr}$ ,  $^{102,104,106,108}\text{Mo}$ ,  $^{106,108,110,112}\text{Ru}$ ,  $^{110,114,116}\text{Pd}$  levels deduced  $g$  factors,  $B(E2)$ . Gammasphere array, time-integral perturbed angular correlation technique. Comparison with interacting boson model predictions. JOUR JPGPE 31 S1433
- $^{110}\text{Ag}$  2005HE05 NUCLEAR REACTIONS  $\text{Pd}(\alpha, xnyp)^{103}\text{Ag} / ^{104}\text{Ag} / ^{105}\text{Ag} / ^{106m}\text{Ag} / ^{110m}\text{Ag} / ^{111}\text{Ag} / ^{112}\text{Ag} / ^{104}\text{Cd} / ^{105}\text{Cd} / ^{111m}\text{Cd}$ ,  $E=10\text{-}37$  MeV; measured  $\sigma$ . Stacked-foil activation, comparison with model predictions. JOUR NIMBE 229 321
- 2005HEZW NUCLEAR REACTIONS  $\text{Pd}(\alpha, X)^{103}\text{Ag} / ^{105}\text{Ag} / ^{106m}\text{Ag} / ^{110m}\text{Ag} / ^{111}\text{Ag} / ^{112}\text{Ag} / ^{104}\text{Cd} / ^{105}\text{Cd} / ^{111m}\text{Cd}$ ,  $E \approx 20\text{-}37$  MeV; measured production  $\sigma$ . Activation technique, comparison with model predictions. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P961
- $^{110}\text{Cd}$  2005K032 NUCLEAR REACTIONS  $^{110,111,112,114,116}\text{Cd}(\gamma, \gamma')$ ,  $E \approx 2.7\text{-}4.1$  MeV bremsstrahlung; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma$ -ray polarization.  $^{110,111,112,114,116}\text{Cd}$  deduced levels,  $J$ ,  $\pi$ , excitation  $B(M1)$ ,  $B(E1)$ . JOUR PRVCA 72 034302
- 2005LU06 NUCLEAR REACTIONS  $^{110,116}\text{Cd}$ ,  $^{112,124}\text{Sn}(\alpha, \alpha')$ ,  $E=240$  MeV; measured  $E\alpha$ ,  $\sigma(\theta)$ .  $^{110,116}\text{Cd}$ ,  $^{112,124}\text{Sn}$  deduced electric monopole strength distributions, resonance parameters. Comparison with model predictions. JOUR APOBB 36 1107
- $^{110}\text{In}$  2004ADZW NUCLEAR REACTIONS  $^{209}\text{Bi}(n, 4n)$ ,  $(n, 5n)$ ,  $(n, 6n)$ ,  $(n, 7n)$ ,  $(n, 9n)$ ,  $^{232}\text{Th}(n, \gamma)$ ,  $^{197}\text{Au}(n, 2n)$ ,  $(n, 4n)$ ,  $(n, 6n)$ ,  $(n, 7n)$ ,  $(n, \gamma)$ ,  $^{115}\text{In}(n, 5n)$ ,  $(n, 6n)$ ,  $(n, 7n)$ ,  $^{59}\text{Co}(n, 2n)$ ,  $(n, 3n)$ ,  $(n, 4n)$ ,  $(n, 5n)$ ,  $(n, \gamma)$ ,  $(n, p)$ ,  $(n, 6n2p)$ ,  $E=\text{spectrum}$ ; measured  $E\gamma$ ,  $I\gamma$ ; deduced reaction rates.  $\text{Pb}(p, nX)$ ,  $E=1$  GeV; deduced spallation neutron spectrum. REPT JINR-E1-2004-16, Adam
- 2005AD01 NUCLEAR REACTIONS  $^{209}\text{Bi}(n, 4n)$ ,  $(n, 5n)$ ,  $(n, 6n)$ ,  $(n, 7n)$ ,  $(n, 9n)$ ,  $^{232}\text{Th}(n, \gamma)$ ,  $^{197}\text{Au}(n, 2n)$ ,  $(n, 4n)$ ,  $(n, 6n)$ ,  $(n, 7n)$ ,  $(n, \gamma)$ ,  $^{59}\text{Co}(n, 2n)$ ,  $(n, 3n)$ ,  $(n, 4n)$ ,  $(n, 5n)$ ,  $(n, p)$ ,  $(n, 6n2p)$ ,  $^{115}\text{In}(n, 5n)$ ,  $(n, 6n)$ ,  $(n, 7n)$ ,  $E=\text{spectrum}$ ; measured  $E\gamma$ ,  $I\gamma$ ; deduced reaction rates. Activation technique, spallation neutrons from 1 GeV proton beam, comparison with model predictions. JOUR ZAANE 23 61
- 2005GY02 RADIOACTIVITY  $^{109}\text{In}$ ,  $^{110}\text{Sn}(\text{EC})$  [from  $^{106}\text{Cd}(\alpha, \gamma)$ ,  $(\alpha, p)$ ]; measured  $E\gamma$ ,  $I\gamma$ ,  $T_{1/2}$ . JOUR PRVCA 71 057302
- 2005GYZZ RADIOACTIVITY  $^{109}\text{In}$ ,  $^{110}\text{Sn}(\text{EC})$  [from  $^{106}\text{Cd}(\alpha, X)$ ]; measured  $E\gamma$ ,  $I\gamma$ ,  $T_{1/2}$ . PREPRINT nucl-ex/0503012, 3/18/2005



**A=110 (continued)**

- <sup>110</sup>Sn      2005BA18      NUCLEAR REACTIONS <sup>112</sup>Sn(d, p), (d, 3np), (p, 2np), <sup>118</sup>Sn(d, 2n), (d, 3n), (d, 5n), (d, 2np), (d, 6np), (d, 9np), (p, n), (p, 3n), (p, 4n), (p, np), (p, 5np), (p, 8np), <sup>120</sup>Sn(d, 2n), (d, 4n), (d, 6n), (d, 7n), (d, 4np), (d, 8np), (d, 11np), (p, n), (p, 3n), (p, 5n), (p, 6n), (p, 3np), (p, 7np), (p, 10np), <sup>124</sup>Sn(d, 2n), (d, 4n), (d, 6n), (d, 8n), (d, 10n), (d, 11n), (d, 2np), (d, 8np), (d, 12np), (d, 15np), (p, n), (p, 3n), (p, 5n), (p, 7n), (p, 9n), (p, 10n), (p, np), (p, 7np), (p, 11np), (p, 14np), E=3.65 GeV / nucleon; measured  $\sigma$ . <sup>120</sup>Sn(p, X), E=0.66 GeV; measured spallation fragments mass distribution. Activation technique, comparison with model predictions. JOUR YAFIA 68 195
- 2005GY02      RADIOACTIVITY <sup>109</sup>In, <sup>110</sup>Sn(EC) [from <sup>106</sup>Cd( $\alpha$ ,  $\gamma$ ), ( $\alpha$ , p)]; measured E $\gamma$ , I $\gamma$ , T<sub>1/2</sub>. JOUR PRVCA 71 057302
- 2005GY03      NUCLEAR REACTIONS <sup>106</sup>Cd( $\alpha$ ,  $\gamma$ ), E=8-12.5 MeV; measured E $\gamma$ , I $\gamma$ ,  $\sigma$ . <sup>106</sup>Cd( $\alpha$ ,  $\alpha$ ), E  $\approx$  15, 17, 19 MeV; measured  $\sigma(\theta)$ . Astrophysical implications discussed, comparison with model predictions. JOUR NUPAB 758 517c
- 2005GYZY      NUCLEAR REACTIONS <sup>106</sup>Cd( $\alpha$ ,  $\gamma$ ), E(cm)  $\approx$  8-12 MeV; measured capture  $\sigma$ . Activation technique, comparison with model predictions. REPT ATOMKI 2004 Annual,P19,Gyurky
- 2005GYZZ      RADIOACTIVITY <sup>109</sup>In, <sup>110</sup>Sn(EC) [from <sup>106</sup>Cd( $\alpha$ , X)]; measured E $\gamma$ , I $\gamma$ , T<sub>1/2</sub>. PREPRINT nucl-ex/0503012,3/18/2005
- 2005W003      NUCLEAR REACTIONS <sup>98</sup>Mo(<sup>16</sup>O, 3n), (<sup>16</sup>O, 4n), E=60, 70, 75, 80 MeV; measured prompt and delayed E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin, excitation functions. <sup>110,111</sup>Sn deduced high-spin levels, J,  $\pi$ , configurations, isomeric states. Osiris-II array, total Routhian surface calculations. JOUR ZAANE 24 259
- <sup>110</sup>Xe      2005JA03      RADIOACTIVITY <sup>110</sup>Xe, <sup>106</sup>Te( $\alpha$ ) [from <sup>58</sup>Ni(<sup>58</sup>Ni, 2n $\alpha$ ) and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>; deduced  $\alpha$ -decay widths. Mass separator. JOUR ZAANE 23 197

**A=111**

- <sup>111</sup>Tc      2005UR01      RADIOACTIVITY <sup>248</sup>Cm(SF); measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>109,110,111</sup>Tc, <sup>135</sup>I deduced transitions. <sup>111</sup>Tc deduced levels, J,  $\pi$ , configurations. Eurogam2 array. Level systematics in neighboring nuclides discussed. JOUR ZAANE 24 161
- <sup>111</sup>Ag      2005HE05      NUCLEAR REACTIONS Pd( $\alpha$ , xnyp)<sup>103</sup>Ag / <sup>104</sup>Ag / <sup>105</sup>Ag / <sup>106m</sup>Ag / <sup>110m</sup>Ag / <sup>111</sup>Ag / <sup>112</sup>Ag / <sup>104</sup>Cd / <sup>105</sup>Cd / <sup>111m</sup>Cd, E=10-37 MeV; measured  $\sigma$ . Stacked-foil activation, comparison with model predictions. JOUR NIMBE 229 321
- 2005HEZW      NUCLEAR REACTIONS Pd( $\alpha$ , X)<sup>103</sup>Ag / <sup>105</sup>Ag / <sup>106m</sup>Ag / <sup>110m</sup>Ag / <sup>111</sup>Ag / <sup>112</sup>Ag / <sup>104</sup>Cd / <sup>105</sup>Cd / <sup>111m</sup>Cd, E  $\approx$  20-37 MeV; measured production  $\sigma$ . Activation technique, comparison with model predictions. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol1,P961

A=111 (*continued*)

- <sup>111</sup>Cd    2005HE05    NUCLEAR REACTIONS Pd( $\alpha$ , xnyp)<sup>103</sup>Ag / <sup>104</sup>Ag / <sup>105</sup>Ag / <sup>106m</sup>Ag / <sup>110m</sup>Ag / <sup>111</sup>Ag / <sup>112</sup>Ag / <sup>104</sup>Cd / <sup>105</sup>Cd / <sup>111m</sup>Cd, E=10-37 MeV; measured  $\sigma$ . Stacked-foil activation, comparison with model predictions. JOUR NIMBE 229 321
- 2005HEZW    NUCLEAR REACTIONS Pd( $\alpha$ , X)<sup>103</sup>Ag / <sup>105</sup>Ag / <sup>106m</sup>Ag / <sup>110m</sup>Ag / <sup>111</sup>Ag / <sup>112</sup>Ag / <sup>104</sup>Cd / <sup>105</sup>Cd / <sup>111m</sup>Cd, E  $\approx$  20-37 MeV; measured production  $\sigma$ . Activation technique, comparison with model predictions. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol1,P961
- 2005K032    NUCLEAR REACTIONS <sup>110,111,112,114,116</sup>Cd( $\gamma$ ,  $\gamma'$ ), E  $\approx$  2.7-4.1 MeV bremsstrahlung; measured E $\gamma$ , I $\gamma$ ,  $\gamma$ -ray polarization. <sup>110,111,112,114,116</sup>Cd deduced levels, J,  $\pi$ , excitation B(M1), B(E1). JOUR PRVCA 72 034302
- <sup>111</sup>In    2004ADZW    NUCLEAR REACTIONS <sup>209</sup>Bi(n, 4n), (n, 5n), (n, 6n), (n, 7n), (n, 9n), <sup>232</sup>Th(n,  $\gamma$ ), <sup>197</sup>Au(n, 2n), (n, 4n), (n, 6n), (n, 7n), (n,  $\gamma$ ), <sup>115</sup>In(n, 5n), (n, 6n), (n, 7n), <sup>59</sup>Co(n, 2n), (n, 3n), (n, 4n), (n, 5n), (n,  $\gamma$ ), (n, p), (n, 6n2p), E=spectrum; measured E $\gamma$ , I $\gamma$ ; deduced reaction rates. Pb(p, nX), E=1 GeV; deduced spallation neutron spectrum. REPT JINR-E1-2004-16,Adam
- 2005AD01    NUCLEAR REACTIONS <sup>209</sup>Bi(n, 4n), (n, 5n), (n, 6n), (n, 7n), (n, 9n), <sup>232</sup>Th(n,  $\gamma$ ), <sup>197</sup>Au(n, 2n), (n, 4n), (n, 6n), (n, 7n), (n,  $\gamma$ ), <sup>59</sup>Co(n, 2n), (n, 3n), (n, 4n), (n, 5n), (n, p), (n, 6n2p), <sup>115</sup>In(n, 5n), (n, 6n), (n, 7n), E=spectrum; measured E $\gamma$ , I $\gamma$ ; deduced reaction rates. Activation technique, spallation neutrons from 1 GeV proton beam, comparison with model predictions. JOUR ZAANE 23 61
- 2005BAZR    NUCLEAR REACTIONS <sup>107</sup>Ag( $\alpha$ ,  $\gamma$ ), E=7.8-11.9 MeV; <sup>48</sup>Ti( $\alpha$ , n), E  $\approx$  6.5-11.5 MeV; measured  $\sigma$ . Stacked-foil activation technique, comparison with model predictions. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol2,P1370
- 2005TAZS    NUCLEAR REACTIONS Sn, Cd(p, X)<sup>111</sup>In / <sup>114m</sup>In, E=10-80 MeV; measured excitation functions; deduced integral yields. Comparison with model predictions and previous work. Stacked-foil activation technique. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol2,P1662
- <sup>111</sup>Sn    2005W003    NUCLEAR REACTIONS <sup>98</sup>Mo(<sup>16</sup>O, 3n), (<sup>16</sup>O, 4n), E=60, 70, 75, 80 MeV; measured prompt and delayed E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin, excitation functions. <sup>110,111</sup>Sn deduced high-spin levels, J,  $\pi$ , configurations, isomeric states. Osiris-II array, total Routhian surface calculations. JOUR ZAANE 24 259
- <sup>111</sup>Sb    2005SH24    RADIOACTIVITY <sup>111</sup>Te( $\beta^+$ ), (EC) [from <sup>58</sup>Ni(<sup>56</sup>Fe, n2p)]; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin, T<sub>1/2</sub>. <sup>111</sup>Sb deduced levels, J,  $\pi$ . Mass separator, comparisons with shell-model predictions and level systematics in neighboring isotopes. JOUR PRVCA 71 064323
- 2005SH53    RADIOACTIVITY <sup>111</sup>Te( $\beta^+$ ) [from <sup>58</sup>Ni(<sup>56</sup>Fe, 2pn)]; <sup>135</sup>Sn( $\beta^-$ ), ( $\beta^-$ n) [from U(p, F), E=1.4 GeV]; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin following decay of mass-separated sources. <sup>111,134,135</sup>Sb deduced levels, J,  $\pi$ . Comparison with model calculations. JOUR ZAANE 25 s01 121

**A=111 (continued)**

- <sup>111</sup>Te 2005SH24 RADIOACTIVITY <sup>111</sup>Te( $\beta^+$ ), (EC) [from <sup>58</sup>Ni(<sup>56</sup>Fe, n2p)]; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin, T<sub>1/2</sub>. <sup>111</sup>Sb deduced levels, J,  $\pi$ . Mass separator, comparisons with shell-model predictions and level systematics in neighboring isotopes. JOUR PRVCA 71 064323
- 2005SH53 RADIOACTIVITY <sup>111</sup>Te( $\beta^+$ ) [from <sup>58</sup>Ni(<sup>56</sup>Fe, 2pn)]; <sup>135</sup>Sn( $\beta^-$ ), ( $\beta^-$ n) [from U(p, F), E=1.4 GeV]; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin following decay of mass-separated sources. <sup>111,134,135</sup>Sb deduced levels, J,  $\pi$ . Comparison with model calculations. JOUR ZAANE 25 s01 121

**A=112**

- <sup>112</sup>Ru 2005SM08 RADIOACTIVITY <sup>252</sup>Cf(SF); measured E $\gamma$ , I $\gamma$ ( $\theta$ , H, t),  $\gamma\gamma$ -coin. <sup>96,100,102</sup>Zr, <sup>102,104,106,108</sup>Mo, <sup>106,108,110,112</sup>Ru, <sup>110,114,116</sup>Pd levels deduced g factors, B(E2). Gammasphere array, time-integral perturbed angular correlation technique. Comparison with interacting boson model predictions. JOUR JPGPE 31 S1433
- <sup>112</sup>Ag 2005HE05 NUCLEAR REACTIONS Pd( $\alpha$ , xnyp)<sup>103</sup>Ag / <sup>104</sup>Ag / <sup>105</sup>Ag / <sup>106m</sup>Ag / <sup>110m</sup>Ag / <sup>111</sup>Ag / <sup>112</sup>Ag / <sup>104</sup>Cd / <sup>105</sup>Cd / <sup>111m</sup>Cd, E=10-37 MeV; measured  $\sigma$ . Stacked-foil activation, comparison with model predictions. JOUR NIMBE 229 321
- 2005HEZW NUCLEAR REACTIONS Pd( $\alpha$ , X)<sup>103</sup>Ag / <sup>105</sup>Ag / <sup>106m</sup>Ag / <sup>110m</sup>Ag / <sup>111</sup>Ag / <sup>112</sup>Ag / <sup>104</sup>Cd / <sup>105</sup>Cd / <sup>111m</sup>Cd, E  $\approx$  20-37 MeV; measured production  $\sigma$ . Activation technique, comparison with model predictions. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P961
- <sup>112</sup>Cd 2005K032 NUCLEAR REACTIONS <sup>110,111,112,114,116</sup>Cd( $\gamma$ ,  $\gamma'$ ), E  $\approx$  2.7-4.1 MeV bremsstrahlung; measured E $\gamma$ , I $\gamma$ ,  $\gamma$ -ray polarization. <sup>110,111,112,114,116</sup>Cd deduced levels, J,  $\pi$ , excitation B(M1), B(E1). JOUR PRVCA 72 034302
- <sup>112</sup>Sn 2004KU30 NUCLEAR REACTIONS <sup>112,114,120,124</sup>Sn( $\alpha$ ,  $\alpha$ ), ( $\alpha$ ,  $\alpha'$ ), E  $\approx$  50 MeV; measured  $\sigma$ (E,  $\theta$ ); deduced optical model parameters. <sup>112,114,120,124</sup>Sn deduced transition strengths, deformation parameters, related features. JOUR UKPJA 49 841
- 2005GA21 NUCLEAR REACTIONS <sup>112</sup>Sn( $\alpha$ ,  $\alpha$ ), E=14.4, 19.5 MeV; <sup>124</sup>Sn( $\alpha$ ,  $\alpha$ ), E=19.5 MeV; measured elastic  $\sigma$ ( $\theta$ ); deduced optical potential parameters. <sup>112</sup>Sn( $\alpha$ ,  $\gamma$ ), E(cm)=7-11 MeV; calculated astrophysical S-factors, reaction rates. JOUR PRVCA 71 065802
- 2005KU28 NUCLEAR REACTIONS <sup>112</sup>Sn(n, n' $\gamma$ ), E=2.5-4.0 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin, angular distributions, excitation functions, DSA. <sup>112</sup>Sn deduced levels, J,  $\pi$ ,  $\delta$ , T<sub>1/2</sub>, B(M1), B(E2). JOUR PRVCA 72 034313
- 2005KU37 NUCLEAR REACTIONS <sup>112</sup>Sn(n, n' $\gamma$ ), E=2.5-4.0 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin, DSA, excitation functions, angular distributions. <sup>112</sup>Sn deduced levels, J,  $\pi$ , T<sub>1/2</sub>. JOUR ZAANE 25 s01 443
- 2005LU06 NUCLEAR REACTIONS <sup>110,116</sup>Cd, <sup>112,124</sup>Sn( $\alpha$ ,  $\alpha'$ ), E=240 MeV; measured E $\alpha$ ,  $\sigma$ ( $\theta$ ). <sup>110,116</sup>Cd, <sup>112,124</sup>Sn deduced electric monopole strength distributions, resonance parameters. Comparison with model predictions. JOUR APOBB 36 1107

**A=112 (continued)**

- 2005PYZZ NUCLEAR REACTIONS  $^{112}\text{Sn}(\gamma, \gamma')$ , E=3.8 MeV bremsstrahlung; measured  $E\gamma$ ,  $I\gamma$ .  $^{112}\text{Sn}$  level deduced B(E1), decay width, two-phonon configuration. PREPRINT nucl-ex/0512013,12/8/2005
- $^{112}\text{Sb}$  2005DE02 NUCLEAR REACTIONS  $^{89}\text{Y}(^{30}\text{Si}, 3n\alpha)$ , E=120 MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin, DSA.  $^{112}\text{Sb}$  levels deduced  $T_{1/2}$ , B(M1), B(E2). Comparisons with tilted axis cranking model predictions. JOUR PRVCA 71 017303
- $^{112}\text{Te}$  2005JA10 RADIOACTIVITY  $^{113}\text{Xe}(\beta^+p)$ , (ECp) [from  $^{58}\text{Ni}(^{58}\text{Ni}, n2p)$ ]; measured  $\beta$ -delayed  $E\gamma$ ,  $E_p$ , X-ray spectra, Q values.  $^{113}\text{I}$  deduced level widths,  $T_{1/2}$ , branching ratios for proton decay.  $^{112}\text{Te}$  levels deduced feeding intensities. Comparison with statistical model predictions. JOUR ZAANE 24 205

**A=113**

- $^{113}\text{Pd}$  2005F009 RADIOACTIVITY  $^{252}\text{Cf}(\text{SF})$ ; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{113,115,117}\text{Pd}$  deduced levels, J,  $\pi$ . Gammasphere array. JOUR PRVCA 72 014315
- $^{113}\text{Cd}$  2005BU20 NUCLEAR REACTIONS  $^{112}\text{Cd}(\text{polarized } d, p)$ , E=22 MeV;  $^{114}\text{Cd}(\text{polarized } d, t)$ , E=25 MeV; measured particle spectra,  $\sigma(\theta)$ ,  $A_y(\theta)$ .  $^{113}\text{Cd}$  deduced levels, J,  $\pi$ , spectroscopic factors, configurations. Interacting Boson Fermion model and Quadrupole Phonon model calculations. JOUR NUPAB 756 54
- 2005G0ZX RADIOACTIVITY  $^{113}\text{Cd}(\beta^-)$ ; measured  $E\beta$ ,  $T_{1/2}$ . CdZnTe detectors. PREPRINT nucl-ex/0508016,08/12/2005
- $^{113}\text{In}$  2004MB03 NUCLEAR MOMENTS  $^{113,115}\text{In}$ ,  $^{153,155}\text{Eu}$ ,  $^{185,187}\text{Re}$ ,  $^{203,205}\text{Tl}$ ,  $^{209,211}\text{Fr}$ ; measured hfs; deduced hyperfine magnetic anomaly, relative radii. Laser resonance fluorescence. JOUR BRSPPE 68 157
- 2005G0ZX RADIOACTIVITY  $^{113}\text{Cd}(\beta^-)$ ; measured  $E\beta$ ,  $T_{1/2}$ . CdZnTe detectors. PREPRINT nucl-ex/0508016,08/12/2005
- 2005NA37 NUCLEAR REACTIONS  $^{100}\text{Mo}(^{18}\text{O}, 4np)$ , E=95 MeV;  $^{110}\text{Pd}(^7\text{Li}, 4n)$ , E=36 MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{113}\text{In}$  deduced high-spin levels, J,  $\pi$ , configurations, shape coexistence. Cranked mean-field calculations. JOUR PRVCA 72 044304
- $^{113}\text{Sn}$  2005BA18 NUCLEAR REACTIONS  $^{112}\text{Sn}(d, p)$ , (d, 3np), (p, 2np),  $^{118}\text{Sn}(d, 2n)$ , (d, 3n), (d, 5n), (d, 2np), (d, 6np), (d, 9np), (p, n), (p, 3n), (p, 4n), (p, np), (p, 5np), (p, 8np),  $^{120}\text{Sn}(d, 2n)$ , (d, 4n), (d, 6n), (d, 7n), (d, 4np), (d, 8np), (d, 11np), (p, n), (p, 3n), (p, 5n), (p, 6n), (p, 3np), (p, 7np), (p, 10np),  $^{124}\text{Sn}(d, 2n)$ , (d, 4n), (d, 6n), (d, 8n), (d, 10n), (d, 11n), (d, 2np), (d, 8np), (d, 12np), (d, 15np), (p, n), (p, 3n), (p, 5n), (p, 7n), (p, 9n), (p, 10n), (p, np), (p, 7np), (p, 11np), (p, 14np), E=3.65 GeV / nucleon; measured  $\sigma$ .  $^{120}\text{Sn}(p, X)$ , E=0.66 GeV; measured spallation fragments mass distribution. Activation technique, comparison with model predictions. JOUR YAFIA 68 195
- 2005PA22 NUCLEAR REACTIONS  $^{114}\text{Cd}(\alpha, 2n)$ , ( $\alpha, 3n$ ), ( $\alpha, 4n$ ), ( $\alpha, 5n$ ), E=35, 40, 45, 50, 55; measured  $E\gamma$ ,  $E_n$ ,  $\sigma$ ,  $\sigma(\theta)$ ; deduced equilibrium and pre-equilibrium contributions, related reaction mechanism features. JOUR PRVCA 71 034605

**A=113 (continued)**

- <sup>113</sup>I      2005JA10      RADIOACTIVITY <sup>113</sup>Xe( $\beta^+$ p), (ECp) [from <sup>58</sup>Ni(<sup>58</sup>Ni, n2p)]; measured  $\beta$ -delayed E $\gamma$ , Ep, X-ray spectra, Q values. <sup>113</sup>I deduced level widths, T<sub>1/2</sub>, branching ratios for proton decay. <sup>112</sup>Te levels deduced feeding intensities. Comparison with statistical model predictions. JOUR ZAANE 24 205
- <sup>113</sup>Xe      2005JA10      RADIOACTIVITY <sup>113</sup>Xe( $\beta^+$ p), (ECp) [from <sup>58</sup>Ni(<sup>58</sup>Ni, n2p)]; measured  $\beta$ -delayed E $\gamma$ , Ep, X-ray spectra, Q values. <sup>113</sup>I deduced level widths, T<sub>1/2</sub>, branching ratios for proton decay. <sup>112</sup>Te levels deduced feeding intensities. Comparison with statistical model predictions. JOUR ZAANE 24 205

**A=114**

- <sup>114</sup>Pd      2005SM08      RADIOACTIVITY <sup>252</sup>Cf(SF); measured E $\gamma$ , I $\gamma$ ( $\theta$ , H, t),  $\gamma\gamma$ -coin. <sup>96,100,102</sup>Zr, <sup>102,104,106,108</sup>Mo, <sup>106,108,110,112</sup>Ru, <sup>110,114,116</sup>Pd levels deduced g factors, B(E2). Gammasphere array, time-integral perturbed angular correlation technique. Comparison with interacting boson model predictions. JOUR JPGPE 31 S1433
- <sup>114</sup>Cd      2005K032      NUCLEAR REACTIONS <sup>110,111,112,114,116</sup>Cd( $\gamma$ ,  $\gamma'$ ), E  $\approx$  2.7-4.1 MeV bremsstrahlung; measured E $\gamma$ , I $\gamma$ ,  $\gamma$ -ray polarization. <sup>110,111,112,114,116</sup>Cd deduced levels, J,  $\pi$ , excitation B(M1), B(E1). JOUR PRVCA 72 034302
- <sup>114</sup>In      2005TAZS      NUCLEAR REACTIONS Sn, Cd(p, X)<sup>111</sup>In / <sup>114m</sup>In, E=10-80 MeV; measured excitation functions; deduced integral yields. Comparison with model predictions and previous work. Stacked-foil activation technique. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol2, P1662
- <sup>114</sup>Sn      2004KU30      NUCLEAR REACTIONS <sup>112,114,120,124</sup>Sn( $\alpha$ ,  $\alpha$ ), ( $\alpha$ ,  $\alpha'$ ), E  $\approx$  50 MeV; measured  $\sigma$ (E,  $\theta$ ); deduced optical model parameters. <sup>112,114,120,124</sup>Sn deduced transition strengths, deformation parameters, related features. JOUR UKPJA 49 841
- 2005PA22      NUCLEAR REACTIONS <sup>114</sup>Cd( $\alpha$ , 2n), ( $\alpha$ , 3n), ( $\alpha$ , 4n), ( $\alpha$ , 5n), E=35, 40, 45, 50, 55; measured E $\gamma$ , En,  $\sigma$ ,  $\sigma$ ( $\theta$ ); deduced equilibrium and pre-equilibrium contributions, related reaction mechanism features. JOUR PRVCA 71 034605
- <sup>114</sup>Te      2005M020      NUCLEAR REACTIONS <sup>93</sup>Nb(<sup>24</sup>Mg, 2np), E=90 MeV; measured Doppler-shifted E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>114</sup>Te deduced levels, J,  $\pi$ , T<sub>1/2</sub>, B(E2). Recoil-distance technique. Comparison with model predictions and level systematics in neighboring nuclides. JOUR PRVCA 71 064324

**A=115**

- <sup>115</sup>Pd      2005F009      RADIOACTIVITY <sup>252</sup>Cf(SF); measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>113,115,117</sup>Pd deduced levels, J,  $\pi$ . Gammasphere array. JOUR PRVCA 72 014315

A=115 (*continued*)

- <sup>115</sup>Cd    2005UOZZ    NUCLEAR REACTIONS U(p, F)<sup>95</sup>Zr / <sup>115</sup>Cd / <sup>134</sup>Cs / <sup>136</sup>Cs / <sup>137</sup>Cs / <sup>147</sup>Nd, E ≈ 20-70 MeV; measured production  $\sigma$ . Stacked-foil activation technique, comparison with model predictions. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol2, P1547
- 2005VIZZ    RADIOACTIVITY <sup>115</sup>Cd( $\beta^-$ ); <sup>117m</sup>Sn, <sup>125m</sup>Te(IT); measured I $\gamma$ , (X-ray) $\gamma$ -coin. <sup>115</sup>In, <sup>117</sup>Sn, <sup>125</sup>Te transitions deduced ICC. CONF St Petersburg, P65, Vishnevsky
- <sup>115</sup>In    2004AG09    NUCLEAR REACTIONS <sup>103</sup>Rh(n, n')<sup>103m</sup>Rh, E ≈ 4.8 MeV; <sup>115</sup>In(n, n')<sup>115m</sup>In, E ≈ 5 MeV; <sup>232</sup>Th, <sup>238</sup>U(n, F), E ≈ 5 MeV; <sup>24</sup>Mg, <sup>27</sup>Al, <sup>46,47,48</sup>Ti, <sup>54,56</sup>Fe, <sup>58</sup>Ni, <sup>64</sup>Zn(n, p), E ≈ 2-8 MeV; <sup>27</sup>Al, <sup>59</sup>Co(n,  $\alpha$ ), E ≈ 8.3 MeV; measured activation  $\sigma$ . Spectrum average technique, comparison with previous results. JOUR RAACA 92 63
- 2004MB03    NUCLEAR MOMENTS <sup>113,115</sup>In, <sup>153,155</sup>Eu, <sup>185,187</sup>Re, <sup>203,205</sup>Tl, <sup>209,211</sup>Fr; measured hfs; deduced hyperfine magnetic anomaly, relative radii. Laser resonance fluorescence. JOUR BRSPE 68 157
- 2005CA03    RADIOACTIVITY <sup>115</sup>In( $\beta^-$ ); measured  $\beta$ -delayed E $\gamma$ , I $\gamma$ ; deduced branching ratio and Q $\beta$  for decay to excited level, limit on charge-nonconserving decay. <sup>115</sup>Sn level deduced energy,  $\beta$ -feeding intensity. JOUR NUPAB 748 333
- 2005CAZW    RADIOACTIVITY <sup>115</sup>In( $\beta^-$ ); measured  $\beta$ -delayed E $\gamma$ , I $\gamma$ ; deduced branching ratio, partial T<sub>1/2</sub>, and Q-value for decay to first excited state. <sup>115</sup>Sn deduced level energy. Implications for neutrino mass limits discussed. PREPRINT nucl-ex/0509020, 9/15/2005
- 2005MU21    NUCLEAR REACTIONS <sup>115</sup>In(n, n'), <sup>27</sup>Al(n,  $\alpha$ ), <sup>93</sup>Nb(n, 2n), (n, 4n), <sup>209</sup>Bi(n, 4n), (n, 5n), (n, 6n), (n, 7n), E ≈ 10-1000 MeV; measured reaction rates. Comparison with model predictions. JOUR NIMAE 547 555
- 2005VIZZ    RADIOACTIVITY <sup>115</sup>Cd( $\beta^-$ ); <sup>117m</sup>Sn, <sup>125m</sup>Te(IT); measured I $\gamma$ , (X-ray) $\gamma$ -coin. <sup>115</sup>In, <sup>117</sup>Sn, <sup>125</sup>Te transitions deduced ICC. CONF St Petersburg, P65, Vishnevsky
- <sup>115</sup>Sn    2005CA03    RADIOACTIVITY <sup>115</sup>In( $\beta^-$ ); measured  $\beta$ -delayed E $\gamma$ , I $\gamma$ ; deduced branching ratio and Q $\beta$  for decay to excited level, limit on charge-nonconserving decay. <sup>115</sup>Sn level deduced energy,  $\beta$ -feeding intensity. JOUR NUPAB 748 333
- 2005CAZW    RADIOACTIVITY <sup>115</sup>In( $\beta^-$ ); measured  $\beta$ -delayed E $\gamma$ , I $\gamma$ ; deduced branching ratio, partial T<sub>1/2</sub>, and Q-value for decay to first excited state. <sup>115</sup>Sn deduced level energy. Implications for neutrino mass limits discussed. PREPRINT nucl-ex/0509020, 9/15/2005
- 2005PA22    NUCLEAR REACTIONS <sup>114</sup>Cd( $\alpha$ , 2n), ( $\alpha$ , 3n), ( $\alpha$ , 4n), ( $\alpha$ , 5n), E=35, 40, 45, 50, 55; measured E $\gamma$ , En,  $\sigma$ ,  $\sigma(\theta)$ ; deduced equilibrium and pre-equilibrium contributions, related reaction mechanism features. JOUR PRVCA 71 034605

**A=115 (continued)**

- <sup>115</sup>Sb 2005BA18 NUCLEAR REACTIONS <sup>112</sup>Sn(d, p), (d, 3np), (p, 2np), <sup>118</sup>Sn(d, 2n), (d, 3n), (d, 5n), (d, 2np), (d, 6np), (d, 9np), (p, n), (p, 3n), (p, 4n), (p, np), (p, 5np), (p, 8np), <sup>120</sup>Sn(d, 2n), (d, 4n), (d, 6n), (d, 7n), (d, 4np), (d, 8np), (d, 11np), (p, n), (p, 3n), (p, 5n), (p, 6n), (p, 3np), (p, 7np), (p, 10np), <sup>124</sup>Sn(d, 2n), (d, 4n), (d, 6n), (d, 8n), (d, 10n), (d, 11n), (d, 2np), (d, 8np), (d, 12np), (d, 15np), (p, n), (p, 3n), (p, 5n), (p, 7n), (p, 9n), (p, 10n), (p, np), (p, 7np), (p, 11np), (p, 14np), E=3.65 GeV / nucleon; measured  $\sigma$ . <sup>120</sup>Sn(p, X), E=0.66 GeV; measured spallation fragments mass distribution. Activation technique, comparison with model predictions. JOUR YAFIA 68 195

**A=116**

- <sup>116</sup>Pd 2005SM08 RADIOACTIVITY <sup>252</sup>Cf(SF); measured  $E\gamma$ ,  $I\gamma(\theta, H, t)$ ,  $\gamma\gamma$ -coin. <sup>96,100,102</sup>Zr, <sup>102,104,106,108</sup>Mo, <sup>106,108,110,112</sup>Ru, <sup>110,114,116</sup>Pd levels deduced g factors, B(E2). Gammasphere array, time-integral perturbed angular correlation technique. Comparison with interacting boson model predictions. JOUR JPGPE 31 S1433
- <sup>116</sup>Ag 2005BA94 RADIOACTIVITY <sup>116m</sup>Ag(IT), <sup>116</sup>Ag( $\beta^-$ ) [from U(p, F)]; measured E(ce), I(ce),  $E\gamma$ ,  $I\gamma$ . <sup>116</sup>Ag deduced levels, J,  $\pi$ , ICC, isomer  $T_{1/2}$ . <sup>116</sup>Cd deduced transitions. JOUR PRVCA 72 044306
- 2005RI19 RADIOACTIVITY <sup>116,118,120</sup>Ag( $\beta^-$ ); measured  $E\gamma$ ,  $I\gamma$ ,  $\beta\gamma$ -coin. <sup>116,118,120</sup>Cd deduced levels, J,  $\pi$ . Three-phonon states discussed. JOUR ZAANE 25 s01 119
- <sup>116</sup>Cd 2005BA33 RADIOACTIVITY <sup>82</sup>Se, <sup>100</sup>Mo, <sup>116</sup>Cd, <sup>150</sup>Nd( $2\beta^-$ ); measured  $2\nu\beta\beta$ -decay  $T_{1/2}$ ,  $0\nu\beta\beta$ -decay  $T_{1/2}$  lower limits. JOUR YAFIA 68 443
- 2005BA94 RADIOACTIVITY <sup>116m</sup>Ag(IT), <sup>116</sup>Ag( $\beta^-$ ) [from U(p, F)]; measured E(ce), I(ce),  $E\gamma$ ,  $I\gamma$ . <sup>116</sup>Ag deduced levels, J,  $\pi$ , ICC, isomer  $T_{1/2}$ . <sup>116</sup>Cd deduced transitions. JOUR PRVCA 72 044306
- 2005DA03 RADIOACTIVITY <sup>116</sup>Cd( $2\beta^-$ ); measured  $2\nu2\beta$ -decay  $T_{1/2}$ ,  $0\nu2\beta$ -decay  $T_{1/2}$  lower limit. JOUR NPBSE 138 230
- 2005K032 NUCLEAR REACTIONS <sup>110,111,112,114,116</sup>Cd( $\gamma$ ,  $\gamma'$ ), E  $\approx$  2.7-4.1 MeV bremsstrahlung; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma$ -ray polarization. <sup>110,111,112,114,116</sup>Cd deduced levels, J,  $\pi$ , excitation B(M1), B(E1). JOUR PRVCA 72 034302
- 2005LU06 NUCLEAR REACTIONS <sup>110,116</sup>Cd, <sup>112,124</sup>Sn( $\alpha$ ,  $\alpha'$ ), E=240 MeV; measured  $E\alpha$ ,  $\sigma(\theta)$ . <sup>110,116</sup>Cd, <sup>112,124</sup>Sn deduced electric monopole strength distributions, resonance parameters. Comparison with model predictions. JOUR APOBB 36 1107
- 2005RA13 NUCLEAR REACTIONS <sup>116</sup>Sn(d, 2p), E=183 MeV; measured  $E_p$ ,  $\sigma(E, \theta)$ . <sup>116</sup>In levels deduced Gamow-Teller strength distribution. <sup>116</sup>Cd deduced  $2\beta$ -decay matrix elements. JOUR PRVCA 71 054313
- 2005RI19 RADIOACTIVITY <sup>116,118,120</sup>Ag( $\beta^-$ ); measured  $E\gamma$ ,  $I\gamma$ ,  $\beta\gamma$ -coin. <sup>116,118,120</sup>Cd deduced levels, J,  $\pi$ . Three-phonon states discussed. JOUR ZAANE 25 s01 119
- 2005SA07 RADIOACTIVITY <sup>82</sup>Se, <sup>96</sup>Zr, <sup>100</sup>Mo, <sup>116</sup>Cd, <sup>150</sup>Nd( $2\beta^-$ ); measured  $2\nu\beta\beta$ -decay  $T_{1/2}$ . <sup>82</sup>Se, <sup>100</sup>Mo( $2\beta^-$ ); measured  $0\nu\beta\beta$ -decay  $T_{1/2}$  lower limits; deduced neutrino mass limits. JOUR NPBSE 143 221

A=116 (*continued*)

- 2005SI06 RADIOACTIVITY  $^{82}\text{Se}$ ,  $^{96}\text{Zr}$ ,  $^{100}\text{Mo}$ ,  $^{116}\text{Cd}$ ,  $^{150}\text{Nd}(2\beta^-)$ ; measured  $2\nu\beta\beta$ -decay  $T_{1/2}$ .  $^{82}\text{Se}$ ,  $^{100}\text{Mo}(2\beta^-)$ ; measured  $0\nu\beta\beta$ -decay  $T_{1/2}$  lower limits; deduced neutrino mass limits. JOUR NPBSE 145 272
- $^{116}\text{In}$  2005RA13 NUCLEAR REACTIONS  $^{116}\text{Sn}(d, 2p)$ ,  $E=183$  MeV; measured  $E_p$ ,  $\sigma(E, \theta)$ .  $^{116}\text{In}$  levels deduced Gamow-Teller strength distribution.  $^{116}\text{Cd}$  deduced  $2\beta$ -decay matrix elements. JOUR PRVCA 71 054313
- $^{116}\text{Sn}$  2004K064 NUCLEAR REACTIONS  $^6\text{Li}$ ,  $^{16}\text{O}$ ,  $^{32}\text{S}$ ,  $^{50,51}\text{V}$ ,  $^{70,72}\text{Ge}(d, d)$ ,  $(d, d')$ ,  $E=171$  MeV;  $^{90}\text{Zr}$ ,  $^{116}\text{Sn}(d, d)$ ,  $(d, d')$ ,  $E=183$  MeV; measured  $\sigma(\theta)$ ; deduced optical model parameters. JOUR PRVCA 70 067601
- 2005BA33 RADIOACTIVITY  $^{82}\text{Se}$ ,  $^{100}\text{Mo}$ ,  $^{116}\text{Cd}$ ,  $^{150}\text{Nd}(2\beta^-)$ ; measured  $2\nu\beta\beta$ -decay  $T_{1/2}$ ,  $0\nu\beta\beta$ -decay  $T_{1/2}$  lower limits. JOUR YAFIA 68 443
- 2005DA03 RADIOACTIVITY  $^{116}\text{Cd}(2\beta^-)$ ; measured  $2\nu2\beta$ -decay  $T_{1/2}$ ,  $0\nu2\beta$ -decay  $T_{1/2}$  lower limit. JOUR NPBSE 138 230
- 2005HU10 NUCLEAR REACTIONS  $^{90}\text{Zr}$ ,  $^{116}\text{Sn}$ ,  $^{208}\text{Pb}(\alpha, \alpha'n)$ ,  $E=200$  MeV;  $^{208}\text{Pb}(\alpha, \alpha'p)$ ,  $E=200$  MeV; measured  $E\alpha$ ,  $\sigma(\theta)$ ,  $p\alpha^-$ ,  $n\alpha$ -coin.  $^{90}\text{Zr}$ ,  $^{116}\text{Sn}$ ,  $^{208}\text{Pb}$  deduced isoscalar GDR parameters, particle decay features. JOUR APOBB 36 1115
- 2005PA22 NUCLEAR REACTIONS  $^{114}\text{Cd}(\alpha, 2n)$ ,  $(\alpha, 3n)$ ,  $(\alpha, 4n)$ ,  $(\alpha, 5n)$ ,  $E=35, 40, 45, 50, 55$ ; measured  $E\gamma$ ,  $E_n$ ,  $\sigma$ ,  $\sigma(\theta)$ ; deduced equilibrium and pre-equilibrium contributions, related reaction mechanism features. JOUR PRVCA 71 034605
- 2005SA07 RADIOACTIVITY  $^{82}\text{Se}$ ,  $^{96}\text{Zr}$ ,  $^{100}\text{Mo}$ ,  $^{116}\text{Cd}$ ,  $^{150}\text{Nd}(2\beta^-)$ ; measured  $2\nu\beta\beta$ -decay  $T_{1/2}$ .  $^{82}\text{Se}$ ,  $^{100}\text{Mo}(2\beta^-)$ ; measured  $0\nu\beta\beta$ -decay  $T_{1/2}$  lower limits; deduced neutrino mass limits. JOUR NPBSE 143 221
- 2005SI06 RADIOACTIVITY  $^{82}\text{Se}$ ,  $^{96}\text{Zr}$ ,  $^{100}\text{Mo}$ ,  $^{116}\text{Cd}$ ,  $^{150}\text{Nd}(2\beta^-)$ ; measured  $2\nu\beta\beta$ -decay  $T_{1/2}$ .  $^{82}\text{Se}$ ,  $^{100}\text{Mo}(2\beta^-)$ ; measured  $0\nu\beta\beta$ -decay  $T_{1/2}$  lower limits; deduced neutrino mass limits. JOUR NPBSE 145 272
- $^{116}\text{Sb}$  2005BA18 NUCLEAR REACTIONS  $^{112}\text{Sn}(d, p)$ ,  $(d, 3np)$ ,  $(p, 2np)$ ,  $^{118}\text{Sn}(d, 2n)$ ,  $(d, 3n)$ ,  $(d, 5n)$ ,  $(d, 2np)$ ,  $(d, 6np)$ ,  $(d, 9np)$ ,  $(p, n)$ ,  $(p, 3n)$ ,  $(p, 4n)$ ,  $(p, np)$ ,  $(p, 5np)$ ,  $(p, 8np)$ ,  $^{120}\text{Sn}(d, 2n)$ ,  $(d, 4n)$ ,  $(d, 6n)$ ,  $(d, 7n)$ ,  $(d, 4np)$ ,  $(d, 8np)$ ,  $(d, 11np)$ ,  $(p, n)$ ,  $(p, 3n)$ ,  $(p, 5n)$ ,  $(p, 6n)$ ,  $(p, 3np)$ ,  $(p, 7np)$ ,  $(p, 10np)$ ,  $^{124}\text{Sn}(d, 2n)$ ,  $(d, 4n)$ ,  $(d, 6n)$ ,  $(d, 8n)$ ,  $(d, 10n)$ ,  $(d, 11n)$ ,  $(d, 2np)$ ,  $(d, 8np)$ ,  $(d, 12np)$ ,  $(d, 15np)$ ,  $(p, n)$ ,  $(p, 3n)$ ,  $(p, 5n)$ ,  $(p, 7n)$ ,  $(p, 9n)$ ,  $(p, 10n)$ ,  $(p, np)$ ,  $(p, 7np)$ ,  $(p, 11np)$ ,  $(p, 14np)$ ,  $E=3.65$  GeV / nucleon; measured  $\sigma$ .  $^{120}\text{Sn}(p, X)$ ,  $E=0.66$  GeV; measured spallation fragments mass distribution. Activation technique, comparison with model predictions. JOUR YAFIA 68 195
- $^{116}\text{Te}$  2005GA21 NUCLEAR REACTIONS  $^{112}\text{Sn}(\alpha, \alpha)$ ,  $E=14.4, 19.5$  MeV;  $^{124}\text{Sn}(\alpha, \alpha)$ ,  $E=19.5$  MeV; measured elastic  $\sigma(\theta)$ ; deduced optical potential parameters.  $^{112}\text{Sn}(\alpha, \gamma)$ ,  $E(\text{cm})=7-11$  MeV; calculated astrophysical S-factors, reaction rates. JOUR PRVCA 71 065802
- $^{116}\text{Xe}$  2005JA06 RADIOACTIVITY  $^{117}\text{Ba}(\beta^+p)$  [from  $^{63}\text{Cu}(^{58}\text{Ni}, 3np)$ ]; measured  $E\gamma$ ,  $E\beta$ ,  $\beta\gamma$ -coin,  $\beta$ -delayed proton spectra; deduced Q.  $^{117}\text{Cs}$  deduced  $\beta$ -feeding intensities, proton decay branching ratios, resonance structure. Total absorption spectrometer, comparison with model predictions. JOUR ZAANE 23 401



## A=117

- <sup>117</sup>Pd 2005F009 RADIOACTIVITY <sup>252</sup>Cf(SF); measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>113,115,117</sup>Pd deduced levels, J,  $\pi$ . Gammasphere array. JOUR PRVCA 72 014315
- <sup>117</sup>Sn 2005BA18 NUCLEAR REACTIONS <sup>112</sup>Sn(d, p), (d, 3np), (p, 2np), <sup>118</sup>Sn(d, 2n), (d, 3n), (d, 5n), (d, 2np), (d, 6np), (d, 9np), (p, n), (p, 3n), (p, 4n), (p, np), (p, 5np), (p, 8np), <sup>120</sup>Sn(d, 2n), (d, 4n), (d, 6n), (d, 7n), (d, 4np), (d, 8np), (d, 11np), (p, n), (p, 3n), (p, 5n), (p, 6n), (p, 3np), (p, 7np), (p, 10np), <sup>124</sup>Sn(d, 2n), (d, 4n), (d, 6n), (d, 8n), (d, 10n), (d, 11n), (d, 2np), (d, 8np), (d, 12np), (d, 15np), (p, n), (p, 3n), (p, 5n), (p, 7n), (p, 9n), (p, 10n), (p, np), (p, 7np), (p, 11np), (p, 14np), E=3.65 GeV / nucleon; measured  $\sigma$ . <sup>120</sup>Sn(p, X), E=0.66 GeV; measured spallation fragments mass distribution. Activation technique, comparison with model predictions. JOUR YAFIA 68 195
- 2005HE08 NUCLEAR REACTIONS <sup>100</sup>Mo(<sup>17</sup>O, xnyp), E=78.8 MeV; <sup>100</sup>Mo(<sup>18</sup>O, xnyp), E=95.0 MeV; measured E $\gamma$ , I $\gamma$ , (evaporation residue) $\gamma$ -coin. <sup>117,118</sup>Sn deduced GDR widths, temperature and spin dependence features. Comparison with model predictions. JOUR NUPAB 750 175
- 2005VIZZ RADIOACTIVITY <sup>115</sup>Cd( $\beta^-$ ); <sup>117m</sup>Sn, <sup>125m</sup>Te(IT); measured I $\gamma$ , (X-ray) $\gamma$ -coin. <sup>115</sup>In, <sup>117</sup>Sn, <sup>125</sup>Te transitions deduced ICC. CONF St Petersburg,P65,Vishnevsky
- <sup>117</sup>Sb 2005BA18 NUCLEAR REACTIONS <sup>112</sup>Sn(d, p), (d, 3np), (p, 2np), <sup>118</sup>Sn(d, 2n), (d, 3n), (d, 5n), (d, 2np), (d, 6np), (d, 9np), (p, n), (p, 3n), (p, 4n), (p, np), (p, 5np), (p, 8np), <sup>120</sup>Sn(d, 2n), (d, 4n), (d, 6n), (d, 7n), (d, 4np), (d, 8np), (d, 11np), (p, n), (p, 3n), (p, 5n), (p, 6n), (p, 3np), (p, 7np), (p, 10np), <sup>124</sup>Sn(d, 2n), (d, 4n), (d, 6n), (d, 8n), (d, 10n), (d, 11n), (d, 2np), (d, 8np), (d, 12np), (d, 15np), (p, n), (p, 3n), (p, 5n), (p, 7n), (p, 9n), (p, 10n), (p, np), (p, 7np), (p, 11np), (p, 14np), E=3.65 GeV / nucleon; measured  $\sigma$ . <sup>120</sup>Sn(p, X), E=0.66 GeV; measured spallation fragments mass distribution. Activation technique, comparison with model predictions. JOUR YAFIA 68 195
- <sup>117</sup>Cs 2005JA06 RADIOACTIVITY <sup>117</sup>Ba( $\beta^+p$ ) [from <sup>63</sup>Cu(<sup>58</sup>Ni, 3np)]; measured E $\gamma$ , E $\beta$ ,  $\beta\gamma$ -coin,  $\beta$ -delayed proton spectra; deduced Q. <sup>117</sup>Cs deduced  $\beta$ -feeding intensities, proton decay branching ratios, resonance structure. Total absorption spectrometer, comparison with model predictions. JOUR ZAANE 23 401
- <sup>117</sup>Ba 2005JA06 RADIOACTIVITY <sup>117</sup>Ba( $\beta^+p$ ) [from <sup>63</sup>Cu(<sup>58</sup>Ni, 3np)]; measured E $\gamma$ , E $\beta$ ,  $\beta\gamma$ -coin,  $\beta$ -delayed proton spectra; deduced Q. <sup>117</sup>Cs deduced  $\beta$ -feeding intensities, proton decay branching ratios, resonance structure. Total absorption spectrometer, comparison with model predictions. JOUR ZAANE 23 401

## A=118

- <sup>118</sup>Ag 2005RI19 RADIOACTIVITY <sup>116,118,120</sup>Ag( $\beta^-$ ); measured E $\gamma$ , I $\gamma$ ,  $\beta\gamma$ -coin. <sup>116,118,120</sup>Cd deduced levels, J,  $\pi$ . Three-phonon states discussed. JOUR ZAANE 25 s01 119
- <sup>118</sup>Cd 2005RI19 RADIOACTIVITY <sup>116,118,120</sup>Ag( $\beta^-$ ); measured E $\gamma$ , I $\gamma$ ,  $\beta\gamma$ -coin. <sup>116,118,120</sup>Cd deduced levels, J,  $\pi$ . Three-phonon states discussed. JOUR ZAANE 25 s01 119

**A=118 (continued)**

- $^{118}\text{Sn}$  2005HE08 NUCLEAR REACTIONS  $^{100}\text{Mo}(^{17}\text{O}, \text{xnyp})$ ,  $E=78.8$  MeV;  $^{100}\text{Mo}(^{18}\text{O}, \text{xnyp})$ ,  $E=95.0$  MeV; measured  $E\gamma$ ,  $I\gamma$ , (evaporation residue) $\gamma$ -coin.  $^{117,118}\text{Sn}$  deduced GDR widths, temperature and spin dependence features. Comparison with model predictions. JOUR NUPAB 750 175
- $^{118}\text{Sb}$  2005BA18 NUCLEAR REACTIONS  $^{112}\text{Sn}(\text{d}, \text{p})$ ,  $(\text{d}, 3\text{np})$ ,  $(\text{p}, 2\text{np})$ ,  $^{118}\text{Sn}(\text{d}, 2\text{n})$ ,  $(\text{d}, 3\text{n})$ ,  $(\text{d}, 5\text{n})$ ,  $(\text{d}, 2\text{np})$ ,  $(\text{d}, 6\text{np})$ ,  $(\text{d}, 9\text{np})$ ,  $(\text{p}, \text{n})$ ,  $(\text{p}, 3\text{n})$ ,  $(\text{p}, 4\text{n})$ ,  $(\text{p}, \text{np})$ ,  $(\text{p}, 5\text{np})$ ,  $(\text{p}, 8\text{np})$ ,  $^{120}\text{Sn}(\text{d}, 2\text{n})$ ,  $(\text{d}, 4\text{n})$ ,  $(\text{d}, 6\text{n})$ ,  $(\text{d}, 7\text{n})$ ,  $(\text{d}, 4\text{np})$ ,  $(\text{d}, 8\text{np})$ ,  $(\text{d}, 11\text{np})$ ,  $(\text{p}, \text{n})$ ,  $(\text{p}, 3\text{n})$ ,  $(\text{p}, 5\text{n})$ ,  $(\text{p}, 6\text{n})$ ,  $(\text{p}, 3\text{np})$ ,  $(\text{p}, 7\text{np})$ ,  $(\text{p}, 10\text{np})$ ,  $^{124}\text{Sn}(\text{d}, 2\text{n})$ ,  $(\text{d}, 4\text{n})$ ,  $(\text{d}, 6\text{n})$ ,  $(\text{d}, 8\text{n})$ ,  $(\text{d}, 10\text{n})$ ,  $(\text{d}, 11\text{n})$ ,  $(\text{d}, 2\text{np})$ ,  $(\text{d}, 8\text{np})$ ,  $(\text{d}, 12\text{np})$ ,  $(\text{d}, 15\text{np})$ ,  $(\text{p}, \text{n})$ ,  $(\text{p}, 3\text{n})$ ,  $(\text{p}, 5\text{n})$ ,  $(\text{p}, 7\text{n})$ ,  $(\text{p}, 9\text{n})$ ,  $(\text{p}, 10\text{n})$ ,  $(\text{p}, \text{np})$ ,  $(\text{p}, 7\text{np})$ ,  $(\text{p}, 11\text{np})$ ,  $(\text{p}, 14\text{np})$ ,  $E=3.65$  GeV / nucleon; measured  $\sigma$ .  $^{120}\text{Sn}(\text{p}, \text{X})$ ,  $E=0.66$  GeV; measured spallation fragments mass distribution. Activation technique, comparison with model predictions. JOUR YAFIA 68 195

**A=119**

- $^{119}\text{Rh}$  2005M030 RADIOACTIVITY  $^{119}\text{Rh}(\beta^-)$  [from  $\text{Be}(^{136}\text{Xe}, \text{X})$ ]; measured  $T_{1/2}$ . JOUR NUPAB 758 643c
- $^{119}\text{Pd}$  2005M030 RADIOACTIVITY  $^{119}\text{Rh}(\beta^-)$  [from  $\text{Be}(^{136}\text{Xe}, \text{X})$ ]; measured  $T_{1/2}$ . JOUR NUPAB 758 643c
- $^{119}\text{In}$  2005GU32 NUCLEAR REACTIONS  $^{122}\text{Sn}$ ,  $^{123}\text{Sb}(\text{polarized p}, \alpha)$ ,  $E=24$  MeV; measured  $E\alpha$ ,  $\sigma(\theta)$ ,  $A_y(\theta)$ .  $^{119}\text{In}$ ,  $^{120}\text{Sn}$  deduced homologous states features. JOUR PRVCA 72 044604

**A=120**

- $^{120}\text{Ag}$  2005RI19 RADIOACTIVITY  $^{116,118,120}\text{Ag}(\beta^-)$ ; measured  $E\gamma$ ,  $I\gamma$ ,  $\beta\gamma$ -coin.  $^{116,118,120}\text{Cd}$  deduced levels,  $J$ ,  $\pi$ . Three-phonon states discussed. JOUR ZAANE 25 s01 119
- $^{120}\text{Cd}$  2005RI19 RADIOACTIVITY  $^{116,118,120}\text{Ag}(\beta^-)$ ; measured  $E\gamma$ ,  $I\gamma$ ,  $\beta\gamma$ -coin.  $^{116,118,120}\text{Cd}$  deduced levels,  $J$ ,  $\pi$ . Three-phonon states discussed. JOUR ZAANE 25 s01 119
- $^{120}\text{Sn}$  2004KU30 NUCLEAR REACTIONS  $^{112,114,120,124}\text{Sn}(\alpha, \alpha)$ ,  $(\alpha, \alpha')$ ,  $E \approx 50$  MeV; measured  $\sigma(E, \theta)$ ; deduced optical model parameters.  $^{112,114,120,124}\text{Sn}$  deduced transition strengths, deformation parameters, related features. JOUR UKPJA 49 841
- 2005GU32 NUCLEAR REACTIONS  $^{122}\text{Sn}$ ,  $^{123}\text{Sb}(\text{polarized p}, \alpha)$ ,  $E=24$  MeV; measured  $E\alpha$ ,  $\sigma(\theta)$ ,  $A_y(\theta)$ .  $^{119}\text{In}$ ,  $^{120}\text{Sn}$  deduced homologous states features. JOUR PRVCA 72 044604
- 2005ZU01 RADIOACTIVITY  $^{120}\text{Te}(\beta^+\text{EC})$ ;  $^{64}\text{Zn}$ ,  $^{106,108}\text{Cd}$ ,  $^{120}\text{Te}(2\text{EC})$ ; measured  $T_{1/2}$  lower limits. JOUR NPBSE 138 236

**A=120 (continued)**

- <sup>120</sup>Sb      2005BA18      NUCLEAR REACTIONS <sup>112</sup>Sn(d, p), (d, 3np), (p, 2np), <sup>118</sup>Sn(d, 2n), (d, 3n), (d, 5n), (d, 2np), (d, 6np), (d, 9np), (p, n), (p, 3n), (p, 4n), (p, np), (p, 5np), (p, 8np), <sup>120</sup>Sn(d, 2n), (d, 4n), (d, 6n), (d, 7n), (d, 4np), (d, 8np), (d, 11np), (p, n), (p, 3n), (p, 5n), (p, 6n), (p, 3np), (p, 7np), (p, 10np), <sup>124</sup>Sn(d, 2n), (d, 4n), (d, 6n), (d, 8n), (d, 10n), (d, 11n), (d, 2np), (d, 8np), (d, 12np), (d, 15np), (p, n), (p, 3n), (p, 5n), (p, 7n), (p, 9n), (p, 10n), (p, np), (p, 7np), (p, 11np), (p, 14np), E=3.65 GeV / nucleon; measured  $\sigma$ . <sup>120</sup>Sn(p, X), E=0.66 GeV; measured spallation fragments mass distribution. Activation technique, comparison with model predictions. JOUR YAFIA 68 195
- 2005BIZZ      NUCLEAR REACTIONS <sup>81</sup>Br, <sup>121</sup>Sb( $\gamma$ , n), E=9-18 MeV; measured isomer production  $\sigma$ . Microtron. CONF St Petersburg,P214,Bigan
- <sup>120</sup>Te      2005ZU01      RADIOACTIVITY <sup>120</sup>Te( $\beta^+$ EC); <sup>64</sup>Zn, <sup>106,108</sup>Cd, <sup>120</sup>Te(2EC); measured T<sub>1/2</sub> lower limits. JOUR NPBSE 138 236
- <sup>120</sup>I      2003MOZS      NUCLEAR REACTIONS <sup>118</sup>Sn(<sup>6</sup>Li, 4n), E=48 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>120</sup>I deduced high-spin levels, J,  $\pi$ , configurations, B(M1) / B(E2). REPT ANU-P/1564 2002 Annual,P11,Moon
- <sup>120</sup>Ba      2005XU04      RADIOACTIVITY <sup>81</sup>Zr, <sup>85</sup>Mo, <sup>89</sup>Ru, <sup>92</sup>Rh, <sup>93</sup>Pd, <sup>121</sup>Ce, <sup>125</sup>Nd, <sup>128</sup>Pm, <sup>129</sup>Sm, <sup>135,137</sup>Gd, <sup>139</sup>Dy, <sup>142</sup>Ho, <sup>149</sup>Yb( $\beta^+$ p); measured  $\beta$ -delayed E $\gamma$ , I $\gamma$ , proton spectra, p $\gamma$ -coin, T<sub>1/2</sub>. Comparison with model predictions. JOUR PRVCA 71 054318
- <sup>120</sup>Ce      2005R019      RADIOACTIVITY <sup>121</sup>Pr(p) [from <sup>92</sup>Mo(<sup>36</sup>Ar, 6np)]; measured E<sub>p</sub>, T<sub>1/2</sub>. <sup>121</sup>Pr deduced ground-state J, deformation. Comparison with previous results. JOUR PRLTA 95 032502

**A=121**

- <sup>121</sup>Sb      2005P003      NUCLEAR REACTIONS <sup>238</sup>U(<sup>12</sup>C, X), E=90 MeV; <sup>208</sup>Pb(<sup>18</sup>O, X), E=85 MeV; <sup>176</sup>Yb(<sup>31</sup>P, X), E=152 MeV; measured prompt and delayed E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>121,123,125,127</sup>Sb deduced high-spin levels, J,  $\pi$ , configurations. <sup>123,125,127</sup>Sb deduced isomeric states energies, T<sub>1/2</sub>. Euroball III and IV arrays. JOUR ZAANE 24 39
- <sup>121</sup>Ce      2005XU04      RADIOACTIVITY <sup>81</sup>Zr, <sup>85</sup>Mo, <sup>89</sup>Ru, <sup>92</sup>Rh, <sup>93</sup>Pd, <sup>121</sup>Ce, <sup>125</sup>Nd, <sup>128</sup>Pm, <sup>129</sup>Sm, <sup>135,137</sup>Gd, <sup>139</sup>Dy, <sup>142</sup>Ho, <sup>149</sup>Yb( $\beta^+$ p); measured  $\beta$ -delayed E $\gamma$ , I $\gamma$ , proton spectra, p $\gamma$ -coin, T<sub>1/2</sub>. Comparison with model predictions. JOUR PRVCA 71 054318
- <sup>121</sup>Pr      2005R019      RADIOACTIVITY <sup>121</sup>Pr(p) [from <sup>92</sup>Mo(<sup>36</sup>Ar, 6np)]; measured E<sub>p</sub>, T<sub>1/2</sub>. <sup>121</sup>Pr deduced ground-state J, deformation. Comparison with previous results. JOUR PRLTA 95 032502

**A=122**

- <sup>122</sup>Cd      2005BEZS      NUCLEAR REACTIONS <sup>108</sup>Pd(<sup>122</sup>Cd, <sup>122</sup>Cd'), <sup>104</sup>Pd(<sup>124</sup>Cd, <sup>124</sup>Cd'), (<sup>126</sup>Cd, <sup>126</sup>Cd'), E not given; measured E $\gamma$ , I $\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation. <sup>122,124</sup>Cd levels deduced excitation B(E2). REPT MLL 2004 Annual,P14,Behrens

**A=122 (continued)**

- <sup>122</sup>Sb 2005BA18 NUCLEAR REACTIONS <sup>112</sup>Sn(d, p), (d, 3np), (p, 2np), <sup>118</sup>Sn(d, 2n), (d, 3n), (d, 5n), (d, 2np), (d, 6np), (d, 9np), (p, n), (p, 3n), (p, 4n), (p, np), (p, 5np), (p, 8np), <sup>120</sup>Sn(d, 2n), (d, 4n), (d, 6n), (d, 7n), (d, 4np), (d, 8np), (d, 11np), (p, n), (p, 3n), (p, 5n), (p, 6n), (p, 3np), (p, 7np), (p, 10np), <sup>124</sup>Sn(d, 2n), (d, 4n), (d, 6n), (d, 8n), (d, 10n), (d, 11n), (d, 2np), (d, 8np), (d, 12np), (d, 15np), (p, n), (p, 3n), (p, 5n), (p, 7n), (p, 9n), (p, 10n), (p, np), (p, 7np), (p, 11np), (p, 14np), E=3.65 GeV / nucleon; measured  $\sigma$ . <sup>120</sup>Sn(p, X), E=0.66 GeV; measured spallation fragments mass distribution. Activation technique, comparison with model predictions. JOUR YAFIA 68 195
- <sup>122</sup>Te 2005HA49 NUCLEAR REACTIONS <sup>92</sup>Mo( $\alpha$ ,  $\gamma$ ), E=9 MeV; <sup>91</sup>Zr( $\alpha$ ,  $\gamma$ ), E=10.5 MeV; <sup>118</sup>Sn( $\alpha$ ,  $\gamma$ ), E=11.5 MeV; measured E $\gamma$ , I $\gamma$ . <sup>91</sup>Zr, <sup>118</sup>Sn( $\alpha$ ,  $\gamma$ ), E(cm)  $\approx$  9-11 MeV; measured  $\sigma$ . Comparison with model predictions. JOUR NUPAB 758 505c
- 2005HA56 NUCLEAR REACTIONS <sup>104</sup>Pd(p,  $\gamma$ ), E(cm)=2-8 MeV; <sup>118</sup>Sn( $\alpha$ ,  $\gamma$ ), E(cm)=10-11 MeV; measured E $\gamma$ , I $\gamma$ ,  $\sigma$ . Comparison with model predictions. JOUR JPGPE 31 S1417
- 2005HI04 NUCLEAR REACTIONS <sup>122</sup>Te(n, n'), E=1.72, 2.80, 3.35 MeV; measured E $\gamma$ , I $\gamma$ , DSA; deduced excitation functions. <sup>122</sup>Te deduced levels, J,  $\pi$ , T<sub>1/2</sub>, B(M1), B(E2). Comparison with interacting boson model predictions. JOUR PRVCA 71 034307
- 2005HIZZ NUCLEAR REACTIONS <sup>122</sup>Te(n, n'), E=1.72, 2.80, 3.35 MeV; measured Doppler-shifted E $\gamma$ , I $\gamma$ , DSA. <sup>122</sup>Te deduced levels, J,  $\pi$ , T<sub>1/2</sub>, B(E1), B(M1), B(E2). PC S F Hicks,1/3/2005
- <sup>122</sup>I 2003MOZR NUCLEAR REACTIONS <sup>120</sup>Sn(<sup>7</sup>Li, 5n), E=58 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>122</sup>I deduced high-spin levels, J,  $\pi$ . Level systematics in neighboring isotopes discussed. REPT ANU-P/1564 2002  
Annual,P13,Moon
- 2004MOZT NUCLEAR REACTIONS <sup>120</sup>Sn(<sup>7</sup>Li, 5n), E=58 MeV; measured not given. <sup>122</sup>I deduced levels, J,  $\pi$ . PC C B Moon,2/24/2004
- <sup>122</sup>Xe 2005NY02 NUCLEAR REACTIONS <sup>64</sup>Ni(<sup>64</sup>Ni, 2n), (<sup>64</sup>Ni, 2n $\alpha$ ), E=255, 261 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -, (particle) $\gamma$ -coin. <sup>122</sup>Xe deduced possible hyperdeformed structure. Euroball IV and Diamant arrays. JOUR APOBB 36 1033
- <sup>122</sup>Cs 2005KU34 NUCLEAR REACTIONS <sup>107</sup>Ag(<sup>19</sup>F, 3np), E=93 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>122</sup>Cs deduced levels, J,  $\pi$ , configurations. Comparison with model predictions. JOUR PRVCA 72 044319
- 2005UU01 NUCLEAR REACTIONS <sup>107</sup>Ag(<sup>19</sup>F, 3np), E=85 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>122</sup>Cs deduced high-spin levels, J,  $\pi$ , configurations, B(M1) / B(E2), chiral doublet bands. Level systematics in neighboring isotopes compared. JOUR JPGPE 31 B1
- <sup>122</sup>Ce 2005SM07 NUCLEAR REACTIONS <sup>64</sup>Zn(<sup>64</sup>Zn, 2n $\alpha$ ), E=260 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -, n $\gamma$ -, (charged particle) $\gamma$ -, (recoil) $\gamma$ -coin. <sup>122</sup>Ce deduced levels, J,  $\pi$ , rotational band, angular distribution ratios, transition multipolarities, quadrupole deformation parameter. Microball and Gammasphere arrays, comparison with Woods-Saxon cranking predictions. JOUR PYLBB 625 203

## A=123

- <sup>123</sup>Ag 2005WAZY RADIOACTIVITY <sup>123,124,125</sup>Ag(IT) [from <sup>136</sup>Xe fragmentation]; measured E $\gamma$ , I $\gamma$ , isomeric states T<sub>1/2</sub>. <sup>124</sup>Ag( $\beta^-$ ) [from <sup>238</sup>U( $\alpha$ , F)]; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>124</sup>Cd deduced transitions. CONF Argonne(Nuclei at the Limits),P335,Walters
- <sup>123</sup>Sn 2005BA18 NUCLEAR REACTIONS <sup>112</sup>Sn(d, p), (d, 3np), (p, 2np), <sup>118</sup>Sn(d, 2n), (d, 3n), (d, 5n), (d, 2np), (d, 6np), (d, 9np), (p, n), (p, 3n), (p, 4n), (p, np), (p, 5np), (p, 8np), <sup>120</sup>Sn(d, 2n), (d, 4n), (d, 6n), (d, 7n), (d, 4np), (d, 8np), (d, 11np), (p, n), (p, 3n), (p, 5n), (p, 6n), (p, 3np), (p, 7np), (p, 10np), <sup>124</sup>Sn(d, 2n), (d, 4n), (d, 6n), (d, 8n), (d, 10n), (d, 11n), (d, 2np), (d, 8np), (d, 12np), (d, 15np), (p, n), (p, 3n), (p, 5n), (p, 7n), (p, 9n), (p, 10n), (p, np), (p, 7np), (p, 11np), (p, 14np), E=3.65 GeV / nucleon; measured  $\sigma$ . <sup>120</sup>Sn(p, X), E=0.66 GeV; measured spallation fragments mass distribution. Activation technique, comparison with model predictions. JOUR YAFIA 68 195
- <sup>123</sup>Sb 2005P003 NUCLEAR REACTIONS <sup>238</sup>U(<sup>12</sup>C, X), E=90 MeV; <sup>208</sup>Pb(<sup>18</sup>O, X), E=85 MeV; <sup>176</sup>Yb(<sup>31</sup>P, X), E=152 MeV; measured prompt and delayed E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>121,123,125,127</sup>Sb deduced high-spin levels, J,  $\pi$ , configurations. <sup>123,125,127</sup>Sb deduced isomeric states energies, T<sub>1/2</sub>. Euroball III and IV arrays. JOUR ZAANE 24 39
- <sup>123</sup>I 2004GL10 NUCLEAR REACTIONS <sup>124</sup>Te(p, n), (p, 2n), E  $\approx$  8-19 MeV; measured thick-target yields. JOUR RAACA 92 951
- 2005ADZZ NUCLEAR REACTIONS <sup>129</sup>I(n, 7n), (n, 6n), (n, 4n), (n,  $\gamma$ ), E=fast; <sup>237</sup>Np(n,  $\gamma$ ), E=fast; measured yields. <sup>237</sup>Np(n, F)<sup>91</sup>Sr / <sup>97</sup>Zr / <sup>132</sup>Te / <sup>133</sup>I / <sup>135</sup>I, E=fast; <sup>238</sup>Pu(n, F)<sup>97</sup>Zr / <sup>129</sup>Sb / <sup>132</sup>I / <sup>133</sup>I / <sup>135</sup>Xe / <sup>105</sup>Ru, E=fast; <sup>239</sup>Pu(n, F)<sup>88</sup>Kr / <sup>91</sup>Sr / <sup>92</sup>Sr / <sup>92</sup>Y / <sup>97</sup>Zr / <sup>99</sup>Mo / <sup>103</sup>Ru / <sup>105</sup>Ru / <sup>128</sup>Sb / <sup>129</sup>Sb / <sup>132</sup>Te / <sup>131</sup>I / <sup>132</sup>I / <sup>133</sup>I / <sup>135</sup>I / <sup>135</sup>Xe / <sup>143</sup>Ce / <sup>140</sup>Ba / <sup>140</sup>La, E=fast; measured fission fragment yields. Secondary neutrons from proton irradiation. JINR nuclotron. CONF St Petersburg,P195,Adam
- 2006HA01 NUCLEAR REACTIONS Sn( $\alpha$ , xn)<sup>123</sup>I / <sup>124</sup>I / <sup>125</sup>I / <sup>126</sup>I, E=8-26 MeV; <sup>121</sup>Sb( $\alpha$ , n), ( $\alpha$ , 2n), E=8-26 MeV; measured  $\sigma$ . Stacked-foil activation, comparison with previous results. JOUR ARISE 64 101
- <sup>123</sup>Cs 2005SI31 NUCLEAR REACTIONS <sup>100</sup>Mo(<sup>28</sup>Si, 4np), E=130 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>123</sup>Cs deduced high-spin levels, J,  $\pi$ , configurations. Total Routhian surface calculations. JOUR ZAANE 25 345

## A=124

- <sup>124</sup>Ag 2005KA45 RADIOACTIVITY <sup>124,126</sup>Ag( $\beta^-$ ); measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin following decay of mass-separated sources. <sup>124,126</sup>Cd deduced levels, J,  $\pi$ . Comparison with shell-model predictions. JOUR ZAANE 25 s01 117
- 2005WAZY RADIOACTIVITY <sup>123,124,125</sup>Ag(IT) [from <sup>136</sup>Xe fragmentation]; measured E $\gamma$ , I $\gamma$ , isomeric states T<sub>1/2</sub>. <sup>124</sup>Ag( $\beta^-$ ) [from <sup>238</sup>U( $\alpha$ , F)]; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>124</sup>Cd deduced transitions. CONF Argonne(Nuclei at the Limits),P335,Walters

**A=124 (continued)**

- <sup>124</sup>Cd    2005BEZS    NUCLEAR REACTIONS <sup>108</sup>Pd(<sup>122</sup>Cd, <sup>122</sup>Cd'), <sup>104</sup>Pd(<sup>124</sup>Cd, <sup>124</sup>Cd'), (<sup>126</sup>Cd, <sup>126</sup>Cd'), E not given; measured E $\gamma$ , I $\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation. <sup>122,124</sup>Cd levels deduced excitation B(E2). REPT MLL 2004 Annual,P14,Behrens
- 2005KA45    RADIOACTIVITY <sup>124,126</sup>Ag( $\beta^-$ ); measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin following decay of mass-separated sources. <sup>124,126</sup>Cd deduced levels, J,  $\pi$ . Comparison with shell-model predictions. JOUR ZAANE 25 s01 117
- 2005WAZY    RADIOACTIVITY <sup>123,124,125</sup>Ag(IT) [from <sup>136</sup>Xe fragmentation]; measured E $\gamma$ , I $\gamma$ , isomeric states T<sub>1/2</sub>. <sup>124</sup>Ag( $\beta^-$ ) [from <sup>238</sup>U( $\alpha$ , F)]; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>124</sup>Cd deduced transitions. CONF Argonne(Nuclei at the Limits),P335,Walters
- <sup>124</sup>Sn    2004KU30    NUCLEAR REACTIONS <sup>112,114,120,124</sup>Sn( $\alpha$ ,  $\alpha$ ), ( $\alpha$ ,  $\alpha'$ ), E  $\approx$  50 MeV; measured  $\sigma$ (E,  $\theta$ ); deduced optical model parameters. <sup>112,114,120,124</sup>Sn deduced transition strengths, deformation parameters, related features. JOUR UKPJA 49 841
- 2005BA02    NUCLEAR REACTIONS <sup>124</sup>Sn(n, n' $\gamma$ ), E=2.2-4.5 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin, excitation functions, angular distributions, DSA. <sup>124</sup>Sn deduced levels, J,  $\pi$ , T<sub>1/2</sub>, two- and three-phonon excitations. JOUR NUPAB 747 206
- 2005GA21    NUCLEAR REACTIONS <sup>112</sup>Sn( $\alpha$ ,  $\alpha$ ), E=14.4, 19.5 MeV; <sup>124</sup>Sn( $\alpha$ ,  $\alpha$ ), E=19.5 MeV; measured elastic  $\sigma$ ( $\theta$ ); deduced optical potential parameters. <sup>112</sup>Sn( $\alpha$ ,  $\gamma$ ), E(cm)=7-11 MeV; calculated astrophysical S-factors, reaction rates. JOUR PRVCA 71 065802
- 2005LU06    NUCLEAR REACTIONS <sup>110,116</sup>Cd, <sup>112,124</sup>Sn( $\alpha$ ,  $\alpha'$ ), E=240 MeV; measured E $\alpha$ ,  $\sigma$ ( $\theta$ ). <sup>110,116</sup>Cd, <sup>112,124</sup>Sn deduced electric monopole strength distributions, resonance parameters. Comparison with model predictions. JOUR APOBB 36 1107
- 2005SI34    ATOMIC MASSES <sup>76,77,80,81,86,88</sup>Sr, <sup>124,129,130,131,132</sup>Sn; measured masses. Penning trap mass spectrometer, comparison with previous results. JOUR NUPAB 763 45
- <sup>124</sup>Sb    2005BA18    NUCLEAR REACTIONS <sup>112</sup>Sn(d, p), (d, 3np), (p, 2np), <sup>118</sup>Sn(d, 2n), (d, 3n), (d, 5n), (d, 2np), (d, 6np), (d, 9np), (p, n), (p, 3n), (p, 4n), (p, np), (p, 5np), (p, 8np), <sup>120</sup>Sn(d, 2n), (d, 4n), (d, 6n), (d, 7n), (d, 4np), (d, 8np), (d, 11np), (p, n), (p, 3n), (p, 5n), (p, 6n), (p, 3np), (p, 7np), (p, 10np), <sup>124</sup>Sn(d, 2n), (d, 4n), (d, 6n), (d, 8n), (d, 10n), (d, 11n), (d, 2np), (d, 8np), (d, 12np), (d, 15np), (p, n), (p, 3n), (p, 5n), (p, 7n), (p, 9n), (p, 10n), (p, np), (p, 7np), (p, 11np), (p, 14np), E=3.65 GeV / nucleon; measured  $\sigma$ . <sup>120</sup>Sn(p, X), E=0.66 GeV; measured spallation fragments mass distribution. Activation technique, comparison with model predictions. JOUR YAFIA 68 195
- <sup>124</sup>I    2003MOZQ    NUCLEAR REACTIONS <sup>122</sup>Sn(<sup>7</sup>Li, 5n), E not given; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>124</sup>I deduced high-spin levels, J,  $\pi$ , configurations. REPT ANU-P/1564 2002 Annual,P15,Moon
- 2004GL10    NUCLEAR REACTIONS <sup>124</sup>Te(p, n), (p, 2n), E  $\approx$  8-19 MeV; measured thick-target yields. JOUR RAACA 92 951
- 2004SCZU    NUCLEAR REACTIONS <sup>76</sup>Se(p, n), E  $\approx$  5-40 MeV; <sup>78</sup>Kr(d,  $\alpha$ ), E  $\approx$  4-14 MeV; measured  $\sigma$ . <sup>126</sup>Te(p, 3n), E=8-70 MeV; <sup>85</sup>Rb(p, 4n), E=44-66 MeV; measured yields. REPT NEA/NSC/DOC(2004)14,P13,Scholten

**A=124 (continued)**

- 2005ADZZ NUCLEAR REACTIONS  $^{129}\text{I}(\text{n}, 7\text{n})$ ,  $(\text{n}, 6\text{n})$ ,  $(\text{n}, 4\text{n})$ ,  $(\text{n}, \gamma)$ , E=fast;  $^{237}\text{Np}(\text{n}, \gamma)$ , E=fast; measured yields.  $^{237}\text{Np}(\text{n}, \text{F})^{91}\text{Sr}$  /  $^{97}\text{Zr}$  /  $^{132}\text{Te}$  /  $^{133}\text{I}$  /  $^{135}\text{I}$ , E=fast;  $^{238}\text{Pu}(\text{n}, \text{F})^{97}\text{Zr}$  /  $^{129}\text{Sb}$  /  $^{132}\text{I}$  /  $^{133}\text{I}$  /  $^{135}\text{Xe}$  /  $^{105}\text{Ru}$ , E=fast;  $^{239}\text{Pu}(\text{n}, \text{F})^{88}\text{Kr}$  /  $^{91}\text{Sr}$  /  $^{92}\text{Sr}$  /  $^{92}\text{Y}$  /  $^{97}\text{Zr}$  /  $^{99}\text{Mo}$  /  $^{103}\text{Ru}$  /  $^{105}\text{Ru}$  /  $^{128}\text{Sb}$  /  $^{129}\text{Sb}$  /  $^{132}\text{Te}$  /  $^{131}\text{I}$  /  $^{132}\text{I}$  /  $^{133}\text{I}$  /  $^{135}\text{I}$  /  $^{135}\text{Xe}$  /  $^{143}\text{Ce}$  /  $^{140}\text{Ba}$  /  $^{140}\text{La}$ , E=fast; measured fission fragment yields. Secondary neutrons from proton irradiation. JINR nuclotron. CONF St Petersburg,P195,Adam
- 2006HA01 NUCLEAR REACTIONS  $\text{Sn}(\alpha, \text{xn})^{123}\text{I}$  /  $^{124}\text{I}$  /  $^{125}\text{I}$  /  $^{126}\text{I}$ , E=8-26 MeV;  $^{121}\text{Sb}(\alpha, \text{n})$ ,  $(\alpha, 2\text{n})$ , E=8-26 MeV; measured  $\sigma$ . Stacked-foil activation, comparison with previous results. JOUR ARISE 64 101
- $^{124}\text{Xe}$  2005LE04 NUCLEAR REACTIONS  $\text{Pb}(\text{p}, \text{X})^3\text{He}$  /  $^4\text{He}$  /  $^{21}\text{Ne}$  /  $^{22}\text{Ne}$  /  $^{36}\text{Ar}$  /  $^{38}\text{Ar}$  /  $^{78}\text{Kr}$  /  $^{80}\text{Kr}$  /  $^{81}\text{Kr}$  /  $^{82}\text{Kr}$  /  $^{83}\text{Kr}$  /  $^{84}\text{Kr}$  /  $^{85}\text{Kr}$  /  $^{86}\text{Kr}$  /  $^{124}\text{Xe}$  /  $^{126}\text{Xe}$  /  $^{128}\text{Xe}$  /  $^{129}\text{Xe}$  /  $^{130}\text{Xe}$  /  $^{131}\text{Xe}$  /  $^{132}\text{Xe}$  /  $^{134}\text{Xe}$ , E=44-2595 MeV; measured production  $\sigma$ ; deduced reaction mechanism features. Mini-stack approach, comparisons with model predictions. JOUR NIMBE 229 1
- $^{124}\text{Cs}$  2005GU37 ATOMIC MASSES  $^{56,57}\text{Mn}$ ,  $^{82\text{m}}\text{Rb}$ ,  $^{92}\text{Sr}$ ,  $^{124,127}\text{Cs}$ ,  $^{130}\text{Ba}$ ; measured masses. Penning trap mass spectrometer. JOUR ZAANE 25 s01 35
- $^{124}\text{Ba}$  2005AL20 NUCLEAR REACTIONS  $^{64}\text{Ni}(^{64}\text{Ni}, 4\text{n})$ , E=255, 261 MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{124}\text{Ba}$  deduced high-spin levels, J,  $\pi$ . Euroball IV and Diamant arrays. JOUR APOBB 36 1029
- 2005MA84 NUCLEAR REACTIONS  $^{64}\text{Ni}(^{64}\text{Ni}, 3\text{n})$ ,  $(^{64}\text{Ni}, 4\text{n})$ , E=255-261 MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{124,125}\text{Ba}$  deduced levels, J,  $\pi$ , octupole correlations. Euroball and Diamant arrays. JOUR JPGPE 31 S1729
- $^{124}\text{Ce}$  2005XU04 RADIOACTIVITY  $^{81}\text{Zr}$ ,  $^{85}\text{Mo}$ ,  $^{89}\text{Ru}$ ,  $^{92}\text{Rh}$ ,  $^{93}\text{Pd}$ ,  $^{121}\text{Ce}$ ,  $^{125}\text{Nd}$ ,  $^{128}\text{Pm}$ ,  $^{129}\text{Sm}$ ,  $^{135,137}\text{Gd}$ ,  $^{139}\text{Dy}$ ,  $^{142}\text{Ho}$ ,  $^{149}\text{Yb}(\beta^+\text{p})$ ; measured  $\beta$ -delayed  $E\gamma$ ,  $I\gamma$ , proton spectra,  $\text{p}\gamma$ -coin,  $T_{1/2}$ . Comparison with model predictions. JOUR PRVCA 71 054318

**A=125**

- $^{125}\text{Ag}$  2005WAZY RADIOACTIVITY  $^{123,124,125}\text{Ag}(\text{IT})$  [from  $^{136}\text{Xe}$  fragmentation]; measured  $E\gamma$ ,  $I\gamma$ , isomeric states  $T_{1/2}$ .  $^{124}\text{Ag}(\beta^-)$  [from  $^{238}\text{U}(\alpha, \text{F})$ ]; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{124}\text{Cd}$  deduced transitions. CONF Argonne(Nuclei at the Limits),P335,Walters
- $^{125}\text{Sn}$  2004J019 NUCLEAR REACTIONS  $^2\text{H}(^{124}\text{Sn}, \text{p})$ , E=562 MeV; measured  $E\text{p}$ ,  $\sigma(\theta)$ .  $^{125}\text{Sn}$  deduced levels, spectroscopic factors. DWBA analysis. Comparison with previous results. JOUR PRVCA 70 067602
- 2005J023 NUCLEAR REACTIONS  $^2\text{H}(^{124}\text{Sn}, \text{p})$ , E=4.5 MeV / nucleon; measured  $\sigma(\theta)$ .  $^{125}\text{Sn}$  levels deduced spectroscopic factors. DWBA analysis. JOUR ZAANE 25 s01 283
- 2005J0ZZ NUCLEAR REACTIONS  $^2\text{H}(^{82}\text{Ge}, \text{p})$ ,  $(^{84}\text{Se}, \text{p})$ , E=4 MeV / nucleon; measured  $\sigma(E, \theta)$ .  $^{83}\text{Ge}$ ,  $^{85}\text{Se}$  deduced ground and excited states energies, L.  $^2\text{H}(^{124}\text{Sn}, \text{p})$ , E=562 MeV; measured  $\sigma(E, \theta)$ .  $^{125}\text{Sn}$  levels deduced spectroscopic factors. CONF Argonne(Nuclei at the Limits),P176,Jones

## A=125 (continued)

- 2005LE34 NUCLEAR MOMENTS  
 $^{125,125m,126,127,127m,128,129,129m,130,130m,131,131m,132}\text{Sn}$ ; measured isotope shifts; deduced charge radii, dynamical effects.  
 $^{125,125m,127,127m,129,129m,130m,131,131m}\text{Sn}$ ; measured  $\mu$ , quadrupole moments. Laser spectroscopy, mean-field calculations. JOUR PRVCA 72 034305
- 2005TH09 NUCLEAR REACTIONS  $^2\text{H}(^{84}\text{Se}, \text{p})$ , ( $^{124}\text{Sn}, \text{p}$ ),  $E=4.5$  MeV / nucleon; measured recoil proton spectra,  $\sigma(E, \theta)$ .  $^{85}\text{Se}$ ,  $^{125}\text{Sn}$  deduced levels,  $J$ ,  $\pi$ . JOUR NUPAB 758 663c
- $^{125}\text{Sb}$  2005JU12 NUCLEAR REACTIONS  $^{124}\text{Sn}(^7\text{Li}, 2n\alpha)$ ,  $E=37$  MeV; measured delayed  $E\gamma$ ,  $I\gamma$ ,  $E(\text{ce})$ ,  $I(\text{ce})$ .  $^{125}\text{Sb}$  deduced levels,  $J$ ,  $\pi$ , configurations, isomeric states  $T_{1/2}$ , ICC. Level systematics in neighboring isotopes compared. JOUR JPGPE 31 S1899
- 2005P003 NUCLEAR REACTIONS  $^{238}\text{U}(^{12}\text{C}, \text{X})$ ,  $E=90$  MeV;  $^{208}\text{Pb}(^{18}\text{O}, \text{X})$ ,  $E=85$  MeV;  $^{176}\text{Yb}(^{31}\text{P}, \text{X})$ ,  $E=152$  MeV; measured prompt and delayed  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{121,123,125,127}\text{Sb}$  deduced high-spin levels,  $J$ ,  $\pi$ , configurations.  $^{123,125,127}\text{Sb}$  deduced isomeric states energies,  $T_{1/2}$ . Euroball III and IV arrays. JOUR ZAANE 24 39
- $^{125}\text{Te}$  2004G059 RADIOACTIVITY  $^{125m}\text{Te}(\text{IT})$ ; measured  $T_{1/2}$ , non-exponential decay features. JOUR BRSP 68 1335
- 2005P009 RADIOACTIVITY  $^{125}\text{I}(\text{EC})$ ; measured  $E\gamma$ , electron and X-ray spectra, sum energy spectra. JOUR NIMAE 544 584
- 2005VIZZ RADIOACTIVITY  $^{115}\text{Cd}(\beta^-)$ ;  $^{117m}\text{Sn}$ ,  $^{125m}\text{Te}(\text{IT})$ ; measured  $I\gamma$ , (X-ray) $\gamma$ -coin.  $^{115}\text{In}$ ,  $^{117}\text{Sn}$ ,  $^{125}\text{Te}$  transitions deduced ICC. CONF St Petersburg,P65,Vishnevsky
- $^{125}\text{I}$  2005P009 RADIOACTIVITY  $^{125}\text{I}(\text{EC})$ ; measured  $E\gamma$ , electron and X-ray spectra, sum energy spectra. JOUR NIMAE 544 584
- 2006HA01 NUCLEAR REACTIONS  $\text{Sn}(\alpha, \text{xn})^{123}\text{I} / ^{124}\text{I} / ^{125}\text{I} / ^{126}\text{I}$ ,  $E=8-26$  MeV;  $^{121}\text{Sb}(\alpha, \text{n})$ ,  $(\alpha, 2\text{n})$ ,  $E=8-26$  MeV; measured  $\sigma$ . Stacked-foil activation, comparison with previous results. JOUR ARISE 64 101
- $^{125}\text{Xe}$  2005HAZW NUCLEAR REACTIONS  $^{82}\text{Se}(^{48}\text{Ca}, 4\text{n})$ , ( $^{48}\text{Ca}, 5\text{n}$ ),  $E=185, 195, 205$  MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{126}\text{Xe}$  deduced high-spin levels,  $J$ ,  $\pi$ , deformation. Euroball, Gammasphere arrays, potential energy surface calculations. CONF Argonne(Nuclei at the Limits),P46,Hansen
- $^{125}\text{Ba}$  2005MA84 NUCLEAR REACTIONS  $^{64}\text{Ni}(^{64}\text{Ni}, 3\text{n})$ , ( $^{64}\text{Ni}, 4\text{n}$ ),  $E=255-261$  MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{124,125}\text{Ba}$  deduced levels,  $J$ ,  $\pi$ , octupole correlations. Euroball and Diamant arrays. JOUR JPGPE 31 S1729
- $^{125}\text{Nd}$  2005XU04 RADIOACTIVITY  $^{81}\text{Zr}$ ,  $^{85}\text{Mo}$ ,  $^{89}\text{Ru}$ ,  $^{92}\text{Rh}$ ,  $^{93}\text{Pd}$ ,  $^{121}\text{Ce}$ ,  $^{125}\text{Nd}$ ,  $^{128}\text{Pm}$ ,  $^{129}\text{Sm}$ ,  $^{135,137}\text{Gd}$ ,  $^{139}\text{Dy}$ ,  $^{142}\text{Ho}$ ,  $^{149}\text{Yb}(\beta^+\text{p})$ ; measured  $\beta$ -delayed  $E\gamma$ ,  $I\gamma$ , proton spectra,  $p\gamma$ -coin,  $T_{1/2}$ . Comparison with model predictions. JOUR PRVCA 71 054318
- 2005XU04 NUCLEAR REACTIONS  $^{92}\text{Mo}$ ,  $^{106}\text{Cd}(^{32}\text{S}, 3\text{n})$ ,  $E=151$  MeV;  $^{92}\text{Mo}(^{36}\text{Ar}, 3\text{n})$ ,  $E=169$  MeV;  $^{96}\text{Ru}(^{36}\text{Ar}, 3\text{n})$ , ( $^{36}\text{Ar}, 3\text{np}$ ),  $E=165, 174$  MeV;  $^{106}\text{Cd}(^{36}\text{Ar}, 3\text{n})$ , ( $^{36}\text{Ar}, n\alpha$ ),  $E=176$  MeV;  $^{106}\text{Cd}(^{40}\text{Ca}, 4\text{n})$ ,  $E=202$  MeV;  $^{112}\text{Sn}(^{40}\text{Ca}, 3\text{n})$ ,  $E=185$  MeV; measured  $\sigma$ . JOUR PRVCA 71 054318



## A=126

<sup>126</sup> Ag	2005KA45	RADIOACTIVITY <sup>124,126</sup> Ag( $\beta^-$ ); measured E $\gamma$ , I $\gamma$ , $\gamma\gamma$ -coin following decay of mass-separated sources. <sup>124,126</sup> Cd deduced levels, J, $\pi$ . Comparison with shell-model predictions. JOUR ZAANE 25 s01 117
<sup>126</sup> Cd	2005KA45	RADIOACTIVITY <sup>124,126</sup> Ag( $\beta^-$ ); measured E $\gamma$ , I $\gamma$ , $\gamma\gamma$ -coin following decay of mass-separated sources. <sup>124,126</sup> Cd deduced levels, J, $\pi$ . Comparison with shell-model predictions. JOUR ZAANE 25 s01 117
<sup>126</sup> Sn	2005CA14	RADIOACTIVITY <sup>126</sup> Sn( $\beta^-$ ); measured T <sub>1/2</sub> . <sup>126</sup> Sb deduced transitions. Radiochemical separation. JOUR JRNCD 263 599
	2005LE34	NUCLEAR MOMENTS <sup>125,125m,126,127,127m,128,129,129m,130,130m,131,131m,132</sup> Sn; measured isotope shifts; deduced charge radii, dynamical effects. <sup>125,125m,127,127m,129,129m,130m,131,131m</sup> Sn; measured $\mu$ , quadrupole moments. Laser spectroscopy, mean-field calculations. JOUR PRVCA 72 034305
	2005RA09	NUCLEAR REACTIONS C( <sup>126</sup> Sn, <sup>126</sup> Sn'), ( <sup>128</sup> Sn, <sup>128</sup> Sn'), ( <sup>130</sup> Sn, <sup>130</sup> Sn'), ( <sup>132</sup> Sn, <sup>132</sup> Sn'), ( <sup>134</sup> Sn, <sup>134</sup> Sn'), ( <sup>132</sup> Te, <sup>132</sup> Te'), ( <sup>134</sup> Te, <sup>134</sup> Te'), ( <sup>136</sup> Te, <sup>136</sup> Te'), E not given; measured E $\gamma$ , I $\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation. <sup>126,128,130,132,134</sup> Sn, <sup>132,134,136</sup> Te deduced transitions B(E2). <sup>9</sup> Be( <sup>134</sup> Te, <sup>8</sup> Be), <sup>13</sup> C( <sup>134</sup> Te, <sup>12</sup> C), E not given; measured E $\gamma$ , I $\gamma$ , $\gamma\gamma$ -, (particle) $\gamma$ -coin. <sup>135</sup> Te deduced level. Clarion, Hyball arrays. JOUR NUPAB 752 264c
	2005RA32	NUCLEAR REACTIONS C( <sup>126</sup> Sn, <sup>126</sup> Sn'), ( <sup>128</sup> Sn, <sup>128</sup> Sn'), ( <sup>130</sup> Sn, <sup>130</sup> Sn'), ( <sup>132</sup> Te, <sup>132</sup> Te'), ( <sup>134</sup> Te, <sup>134</sup> Te'), ( <sup>136</sup> Te, <sup>136</sup> Te'), E not given; measured E $\gamma$ , I $\gamma$ , $\gamma\gamma$ -, (particle) $\gamma$ -coin following projectile Coulomb excitation. <sup>132,134,136</sup> Te, <sup>126,128,130</sup> Sn deduced excitation B(E2). <sup>9</sup> Be( <sup>134</sup> Te, <sup>8</sup> Be), <sup>13</sup> C( <sup>134</sup> Te, <sup>12</sup> C), E=4.3 MeV / nucleon; measured E $\gamma$ , I $\gamma$ , $\gamma\gamma$ -coin, (particle) $\gamma$ -coin; deduced single-neutron transfer $\sigma$ (E). <sup>135</sup> Te deduced levels J, $\pi$ . JOUR ZAANE 25 s01 383
<sup>126</sup> Sb	2005CA14	RADIOACTIVITY <sup>126</sup> Sn( $\beta^-$ ); measured T <sub>1/2</sub> . <sup>126</sup> Sb deduced transitions. Radiochemical separation. JOUR JRNCD 263 599
<sup>126</sup> I	2003MOZP	NUCLEAR REACTIONS <sup>124</sup> Sn( <sup>7</sup> Li, 5n), E not given; measured E $\gamma$ , I $\gamma$ , $\gamma\gamma$ -coin. <sup>126</sup> I deduced high-spin levels, J, $\pi$ , configurations. REPT ANU-P/1564 2002 Annual,P17,Moon
	2005ADZZ	NUCLEAR REACTIONS <sup>129</sup> I(n, 7n), (n, 6n), (n, 4n), (n, $\gamma$ ), E=fast; <sup>237</sup> Np(n, $\gamma$ ), E=fast; measured yields. <sup>237</sup> Np(n, F) <sup>91</sup> Sr / <sup>97</sup> Zr / <sup>132</sup> Te / <sup>133</sup> I / <sup>135</sup> I, E=fast; <sup>238</sup> Pu(n, F) <sup>97</sup> Zr / <sup>129</sup> Sb / <sup>132</sup> I / <sup>133</sup> I / <sup>135</sup> Xe / <sup>105</sup> Ru, E=fast; <sup>239</sup> Pu(n, F) <sup>88</sup> Kr / <sup>91</sup> Sr / <sup>92</sup> Sr / <sup>92</sup> Y / <sup>97</sup> Zr / <sup>99</sup> Mo / <sup>103</sup> Ru / <sup>105</sup> Ru / <sup>128</sup> Sb / <sup>129</sup> Sb / <sup>132</sup> Te / <sup>131</sup> I / <sup>132</sup> I / <sup>133</sup> I / <sup>135</sup> I / <sup>135</sup> Xe / <sup>143</sup> Ce / <sup>140</sup> Ba / <sup>140</sup> La, E=fast; measured fission fragment yields. Secondary neutrons from proton irradiation. JINR nuclotron. CONF St Petersburg,P195,Adam
	2006HA01	NUCLEAR REACTIONS Sn( $\alpha$ , xn) <sup>123</sup> I / <sup>124</sup> I / <sup>125</sup> I / <sup>126</sup> I, E=8-26 MeV; <sup>121</sup> Sb( $\alpha$ , n), ( $\alpha$ , 2n), E=8-26 MeV; measured $\sigma$ . Stacked-foil activation, comparison with previous results. JOUR ARISE 64 101
<sup>126</sup> Xe	2005HAZW	NUCLEAR REACTIONS <sup>82</sup> Se( <sup>48</sup> Ca, 4n), ( <sup>48</sup> Ca, 5n), E=185, 195, 205 MeV; measured E $\gamma$ , I $\gamma$ , $\gamma\gamma$ -coin. <sup>126</sup> Xe deduced high-spin levels, J, $\pi$ , deformation. Euroball, Gammasphere arrays, potential energy surface calculations. CONF Argonne(Nuclei at the Limits),P46,Hansen

**A=126 (continued)**

- 2005LE04 NUCLEAR REACTIONS Pb(p, X)<sup>3</sup>He / <sup>4</sup>He / <sup>21</sup>Ne / <sup>22</sup>Ne / <sup>36</sup>Ar / <sup>38</sup>Ar / <sup>78</sup>Kr / <sup>80</sup>Kr / <sup>81</sup>Kr / <sup>82</sup>Kr / <sup>83</sup>Kr / <sup>84</sup>Kr / <sup>85</sup>Kr / <sup>86</sup>Kr / <sup>124</sup>Xe / <sup>126</sup>Xe / <sup>128</sup>Xe / <sup>129</sup>Xe / <sup>130</sup>Xe / <sup>131</sup>Xe / <sup>132</sup>Xe / <sup>134</sup>Xe, E=44-2595 MeV; measured production  $\sigma$ ; deduced reaction mechanism features. Mini-stack approach, comparisons with model predictions. JOUR NIMBE 229 1
- <sup>126</sup>Cs 2005PI08 NUCLEAR MOMENTS <sup>126</sup>Cs; measured hfs; deduced  $\mu$ . Bohr-Weisskopf effect. Atomic beam magnetic resonance. JOUR NUPAB 753 3
- <sup>126</sup>Ba 2005NY02 NUCLEAR REACTIONS <sup>64</sup>Ni(<sup>64</sup>Ni, 2n), (<sup>64</sup>Ni, 2n $\alpha$ ), E=255, 261 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -, (particle) $\gamma$ -coin. <sup>122</sup>Xe deduced possible hyperdeformed structure. Euroball IV and Diamant arrays. JOUR APOBB 36 1033

**A=127**

- <sup>127</sup>Sn 2005LE34 NUCLEAR MOMENTS <sup>125,125m,126,127,127m,128,129,129m,130,130m,131,131m,132</sup>Sn; measured isotope shifts; deduced charge radii, dynamical effects. <sup>125,125m,127,127m,129,129m,130m,131,131m</sup>Sn; measured  $\mu$ , quadrupole moments. Laser spectroscopy, mean-field calculations. JOUR PRVCA 72 034305
- <sup>127</sup>Sb 2005P003 NUCLEAR REACTIONS <sup>238</sup>U(<sup>12</sup>C, X), E=90 MeV; <sup>208</sup>Pb(<sup>18</sup>O, X), E=85 MeV; <sup>176</sup>Yb(<sup>31</sup>P, X), E=152 MeV; measured prompt and delayed E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>121,123,125,127</sup>Sb deduced high-spin levels, J,  $\pi$ , configurations. <sup>123,125,127</sup>Sb deduced isomeric states energies, T<sub>1/2</sub>. Euroball III and IV arrays. JOUR ZAANE 24 39
- <sup>127</sup>Te 2005H015 NUCLEAR REACTIONS <sup>126</sup>Te(n,  $\gamma$ ), E=thermal; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>126</sup>Te(polarized d, p), E=20 MeV; measured proton spectra,  $\sigma(\theta)$ , A $\gamma(\theta)$ . <sup>127</sup>Te deduced levels, J,  $\pi$ ,  $\gamma$ -branching ratios, binding energy, spectroscopic factors. DWBA and coupled-channels analysis, interacting boson-fermion and quasiparticle phonon model calculations. JOUR NUPAB 756 249
- <sup>127</sup>I 2005BE03 RADIOACTIVITY <sup>23</sup>Na, <sup>127</sup>I; measured T<sub>1/2</sub> lower limits for spontaneous decay to superdense state; deduced potential barrier features. NaI detectors. JOUR ZAANE 23 7
- 2005BE17 RADIOACTIVITY <sup>127</sup>I(<sup>24</sup>Ne), (<sup>28</sup>Mg), (<sup>30</sup>Mg), (<sup>32</sup>Si), (<sup>34</sup>Si), (<sup>48</sup>Ca), (<sup>49</sup>Sc); measured cluster decay T<sub>1/2</sub> lower limits. JOUR ZAANE 24 51
- <sup>127</sup>Cs 2005GU37 ATOMIC MASSES <sup>56,57</sup>Mn, <sup>82m</sup>Rb, <sup>92</sup>Sr, <sup>124,127</sup>Cs, <sup>130</sup>Ba; measured masses. Penning trap mass spectrometer. JOUR ZAANE 25 s01 35
- <sup>127</sup>La 2005II01 RADIOACTIVITY <sup>127</sup>Ce( $\beta^+$ ), (EC) [from Mo(<sup>35</sup>Cl, xnp)]; measured E $\gamma$ , I $\gamma$ , E(ce), I(ce),  $\beta\gamma$ -,  $\gamma\gamma$ -coin, T<sub>1/2</sub>. <sup>127</sup>La deduced levels, J,  $\pi$ , T<sub>1/2</sub>, configurations. Comparison with Nilsson model predictions. JOUR ZAANE 23 33
- <sup>127</sup>Ce 2003WIZU NUCLEAR REACTIONS <sup>106</sup>Cd(<sup>24</sup>Mg, n2p), E not given; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -, (charged particle) $\gamma$ -coin. <sup>127</sup>Ce deduced high-spin levels, J,  $\pi$ . REPT ANU-P/1564 2002 Annual,P18,Wilson

**A=127 (continued)**

- 2005II01 RADIOACTIVITY  $^{127}\text{Ce}(\beta^+)$ , (EC) [from  $\text{Mo}(^{35}\text{Cl}, \text{xnp})$ ]; measured  $E\gamma$ ,  $I\gamma$ ,  $E(\text{ce})$ ,  $I(\text{ce})$ ,  $\beta\gamma^-$ ,  $\gamma\gamma$ -coin,  $T_{1/2}$ .  $^{127}\text{La}$  deduced levels,  $J$ ,  $\pi$ ,  $T_{1/2}$ , configurations. Comparison with Nilsson model predictions. JOUR ZAANE 23 33
- $^{127}\text{Pr}$  2005XU04 RADIOACTIVITY  $^{81}\text{Zr}$ ,  $^{85}\text{Mo}$ ,  $^{89}\text{Ru}$ ,  $^{92}\text{Rh}$ ,  $^{93}\text{Pd}$ ,  $^{121}\text{Ce}$ ,  $^{125}\text{Nd}$ ,  $^{128}\text{Pm}$ ,  $^{129}\text{Sm}$ ,  $^{135,137}\text{Gd}$ ,  $^{139}\text{Dy}$ ,  $^{142}\text{Ho}$ ,  $^{149}\text{Yb}(\beta^+ \text{p})$ ; measured  $\beta$ -delayed  $E\gamma$ ,  $I\gamma$ , proton spectra,  $p\gamma$ -coin,  $T_{1/2}$ . Comparison with model predictions. JOUR PRVCA 71 054318

**A=128**

- $^{128}\text{Sn}$  2005LE34 NUCLEAR MOMENTS  $^{125,125m,126,127,127m,128,129,129m,130,130m,131,131m,132}\text{Sn}$ ; measured isotope shifts; deduced charge radii, dynamical effects.  $^{125,125m,127,127m,129,129m,130m,131,131m}\text{Sn}$ ; measured  $\mu$ , quadrupole moments. Laser spectroscopy, mean-field calculations. JOUR PRVCA 72 034305
- 2005RA09 NUCLEAR REACTIONS  $\text{C}(^{126}\text{Sn}, ^{126}\text{Sn}')$ ,  $(^{128}\text{Sn}, ^{128}\text{Sn}')$ ,  $(^{130}\text{Sn}, ^{130}\text{Sn}')$ ,  $(^{132}\text{Sn}, ^{132}\text{Sn}')$ ,  $(^{134}\text{Sn}, ^{134}\text{Sn}')$ ,  $(^{132}\text{Te}, ^{132}\text{Te}')$ ,  $(^{134}\text{Te}, ^{134}\text{Te}')$ ,  $(^{136}\text{Te}, ^{136}\text{Te}')$ , E not given; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation.  $^{126,128,130,132,134}\text{Sn}$ ,  $^{132,134,136}\text{Te}$  deduced transitions B(E2).  $^9\text{Be}(^{134}\text{Te}, ^8\text{Be})$ ,  $^{13}\text{C}(^{134}\text{Te}, ^{12}\text{C})$ , E not given; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma^-$ , (particle) $\gamma$ -coin.  $^{135}\text{Te}$  deduced level. Clarion, Hyball arrays. JOUR NUPAB 752 264c
- 2005RA32 NUCLEAR REACTIONS  $\text{C}(^{126}\text{Sn}, ^{126}\text{Sn}')$ ,  $(^{128}\text{Sn}, ^{128}\text{Sn}')$ ,  $(^{130}\text{Sn}, ^{130}\text{Sn}')$ ,  $(^{132}\text{Te}, ^{132}\text{Te}')$ ,  $(^{134}\text{Te}, ^{134}\text{Te}')$ ,  $(^{136}\text{Te}, ^{136}\text{Te}')$ , E not given; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma^-$ , (particle) $\gamma$ -coin following projectile Coulomb excitation.  $^{132,134,136}\text{Te}$ ,  $^{126,128,130}\text{Sn}$  deduced excitation B(E2).  $^9\text{Be}(^{134}\text{Te}, ^8\text{Be})$ ,  $^{13}\text{C}(^{134}\text{Te}, ^{12}\text{C})$ ,  $E=4.3$  MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin, (particle) $\gamma$ -coin; deduced single-neutron transfer  $\sigma(E)$ .  $^{135}\text{Te}$  deduced levels  $J$ ,  $\pi$ . JOUR ZAANE 25 s01 383
- $^{128}\text{Sb}$  2005ADZZ NUCLEAR REACTIONS  $^{129}\text{I}(\text{n}, 7\text{n})$ ,  $(\text{n}, 6\text{n})$ ,  $(\text{n}, 4\text{n})$ ,  $(\text{n}, \gamma)$ ,  $E=\text{fast}$ ;  $^{237}\text{Np}(\text{n}, \gamma)$ ,  $E=\text{fast}$ ; measured yields.  $^{237}\text{Np}(\text{n}, \text{F})^{91}\text{Sr} / ^{97}\text{Zr} / ^{132}\text{Te} / ^{133}\text{I} / ^{135}\text{I}$ ,  $E=\text{fast}$ ;  $^{238}\text{Pu}(\text{n}, \text{F})^{97}\text{Zr} / ^{129}\text{Sb} / ^{132}\text{I} / ^{133}\text{I} / ^{135}\text{Xe} / ^{105}\text{Ru}$ ,  $E=\text{fast}$ ;  $^{239}\text{Pu}(\text{n}, \text{F})^{88}\text{Kr} / ^{91}\text{Sr} / ^{92}\text{Sr} / ^{92}\text{Y} / ^{97}\text{Zr} / ^{99}\text{Mo} / ^{103}\text{Ru} / ^{105}\text{Ru} / ^{128}\text{Sb} / ^{129}\text{Sb} / ^{132}\text{Te} / ^{131}\text{I} / ^{132}\text{I} / ^{133}\text{I} / ^{135}\text{I} / ^{135}\text{Xe} / ^{143}\text{Ce} / ^{140}\text{Ba} / ^{140}\text{La}$ ,  $E=\text{fast}$ ; measured fission fragment yields. Secondary neutrons from proton irradiation. JINR nuclotron. CONF St Petersburg, P195, Adam
- 2005NA05 NUCLEAR REACTIONS  $^{232}\text{Th}$ ,  $^{232,238}\text{U}$ ,  $^{238,240}\text{Pu}$ ,  $^{244}\text{Cm}(\text{n}, \text{F})^{128}\text{Sb} / ^{130}\text{Sb} / ^{132}\text{Sb} / ^{131}\text{Te} / ^{133}\text{Te} / ^{132}\text{I} / ^{134}\text{I} / ^{136}\text{I} / ^{135}\text{Xe} / ^{138}\text{Cs}$ ,  $E=\text{thermal, fast}$ ; measured isomer yield ratios; deduced fission fragment angular momenta. Spin-dependent statistical model analysis. JOUR PRVCA 71 014304

**A=128 (continued)**

- $^{128}\text{Xe}$  2005LE04 NUCLEAR REACTIONS Pb(p, X) $^3\text{He}$  /  $^4\text{He}$  /  $^{21}\text{Ne}$  /  $^{22}\text{Ne}$  /  $^{36}\text{Ar}$  /  $^{38}\text{Ar}$  /  $^{78}\text{Kr}$  /  $^{80}\text{Kr}$  /  $^{81}\text{Kr}$  /  $^{82}\text{Kr}$  /  $^{83}\text{Kr}$  /  $^{84}\text{Kr}$  /  $^{85}\text{Kr}$  /  $^{86}\text{Kr}$  /  $^{124}\text{Xe}$  /  $^{126}\text{Xe}$  /  $^{128}\text{Xe}$  /  $^{129}\text{Xe}$  /  $^{130}\text{Xe}$  /  $^{131}\text{Xe}$  /  $^{132}\text{Xe}$  /  $^{134}\text{Xe}$ , E=44-2595 MeV; measured production  $\sigma$ ; deduced reaction mechanism features. Mini-stack approach, comparisons with model predictions. JOUR NIMBE 229 1
- $^{128}\text{Cs}$  2005GR10 NUCLEAR REACTIONS  $^{122}\text{Sn}(^{14}\text{N}, 4n)$ , E=70 MeV;  $^{122}\text{Sn}(^{10}\text{B}, 4n)$ , E=55 MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin, DSA.  $^{128}\text{Cs}$ ,  $^{132}\text{La}$  levels deduced  $T_{1/2}$ , B(E2), B(M1), chirality. Osiris II array. JOUR IMPEE 14 347
- 2005SR02 NUCLEAR REACTIONS  $^{122}\text{Sn}(^{14}\text{N}, 4n)$ , E=70 MeV;  $^{122}\text{Sn}(^{10}\text{B}, 4n)$ , E=55 MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin, DSA.  $^{132}\text{La}$ ,  $^{128}\text{Cs}$  deduced levels, J,  $\pi$ ,  $T_{1/2}$ , rotational bands, intraband B(M1), B(E2).  $^{128}\text{Cs}$  deduced possible chiral bands. Osiris II array. JOUR APOBB 36 1063
- $^{128}\text{Nd}$  2005XU04 RADIOACTIVITY  $^{81}\text{Zr}$ ,  $^{85}\text{Mo}$ ,  $^{89}\text{Ru}$ ,  $^{92}\text{Rh}$ ,  $^{93}\text{Pd}$ ,  $^{121}\text{Ce}$ ,  $^{125}\text{Nd}$ ,  $^{128}\text{Pm}$ ,  $^{129}\text{Sm}$ ,  $^{135,137}\text{Gd}$ ,  $^{139}\text{Dy}$ ,  $^{142}\text{Ho}$ ,  $^{149}\text{Yb}(\beta^+p)$ ; measured  $\beta$ -delayed  $E\gamma$ ,  $I\gamma$ , proton spectra,  $p\gamma$ -coin,  $T_{1/2}$ . Comparison with model predictions. JOUR PRVCA 71 054318
- $^{128}\text{Pm}$  2005XU04 RADIOACTIVITY  $^{81}\text{Zr}$ ,  $^{85}\text{Mo}$ ,  $^{89}\text{Ru}$ ,  $^{92}\text{Rh}$ ,  $^{93}\text{Pd}$ ,  $^{121}\text{Ce}$ ,  $^{125}\text{Nd}$ ,  $^{128}\text{Pm}$ ,  $^{129}\text{Sm}$ ,  $^{135,137}\text{Gd}$ ,  $^{139}\text{Dy}$ ,  $^{142}\text{Ho}$ ,  $^{149}\text{Yb}(\beta^+p)$ ; measured  $\beta$ -delayed  $E\gamma$ ,  $I\gamma$ , proton spectra,  $p\gamma$ -coin,  $T_{1/2}$ . Comparison with model predictions. JOUR PRVCA 71 054318
- 2005XU04 NUCLEAR REACTIONS  $^{92}\text{Mo}$ ,  $^{106}\text{Cd}(^{32}\text{S}, 3n)$ , E=151 MeV;  $^{92}\text{Mo}(^{36}\text{Ar}, 3n)$ , E=169 MeV;  $^{96}\text{Ru}(^{36}\text{Ar}, 3n)$ , ( $^{36}\text{Ar}, 3np$ ), E=165, 174 MeV;  $^{106}\text{Cd}(^{36}\text{Ar}, 3n)$ , ( $^{36}\text{Ar}, n\alpha$ ), E=176 MeV;  $^{106}\text{Cd}(^{40}\text{Ca}, 4n)$ , E=202 MeV;  $^{112}\text{Sn}(^{40}\text{Ca}, 3n)$ , E=185 MeV; measured  $\sigma$ . JOUR PRVCA 71 054318

**A=129**

- $^{129}\text{Sn}$  2005LE34 NUCLEAR MOMENTS  $^{125,125m,126,127,127m,128,129,129m,130,130m,131,131m,132}\text{Sn}$ ; measured isotope shifts; deduced charge radii, dynamical effects.  $^{125,125m,127,127m,129,129m,130m,131,131m}\text{Sn}$ ; measured  $\mu$ , quadrupole moments. Laser spectroscopy, mean-field calculations. JOUR PRVCA 72 034305
- 2005SI34 ATOMIC MASSES  $^{76,77,80,81,86,88}\text{Sr}$ ,  $^{124,129,130,131,132}\text{Sn}$ ; measured masses. Penning trap mass spectrometer, comparison with previous results. JOUR NUPAB 763 45
- $^{129}\text{Sb}$  2005ADZZ NUCLEAR REACTIONS  $^{129}\text{I}(n, 7n)$ , (n, 6n), (n, 4n), (n,  $\gamma$ ), E=fast;  $^{237}\text{Np}(n, \gamma)$ , E=fast; measured yields.  $^{237}\text{Np}(n, F)^{91}\text{Sr}$  /  $^{97}\text{Zr}$  /  $^{132}\text{Te}$  /  $^{133}\text{I}$  /  $^{135}\text{I}$ , E=fast;  $^{238}\text{Pu}(n, F)^{97}\text{Zr}$  /  $^{129}\text{Sb}$  /  $^{132}\text{I}$  /  $^{133}\text{I}$  /  $^{135}\text{Xe}$  /  $^{105}\text{Ru}$ , E=fast;  $^{239}\text{Pu}(n, F)^{88}\text{Kr}$  /  $^{91}\text{Sr}$  /  $^{92}\text{Sr}$  /  $^{92}\text{Y}$  /  $^{97}\text{Zr}$  /  $^{99}\text{Mo}$  /  $^{103}\text{Ru}$  /  $^{105}\text{Ru}$  /  $^{128}\text{Sb}$  /  $^{129}\text{Sb}$  /  $^{132}\text{Te}$  /  $^{131}\text{I}$  /  $^{132}\text{I}$  /  $^{133}\text{I}$  /  $^{135}\text{I}$  /  $^{135}\text{Xe}$  /  $^{143}\text{Ce}$  /  $^{140}\text{Ba}$  /  $^{140}\text{La}$ , E=fast; measured fission fragment yields. Secondary neutrons from proton irradiation. JINR nuclotron. CONF St Petersburg,P195,Adam

**A=129 (continued)**

- 2005YU07 NUCLEAR REACTIONS  $^{50}\text{Ti}(^{129}\text{Sb}, ^{129}\text{Sb}')$ , ( $^{129}\text{Te}, ^{129}\text{Te}'$ ), E=400 MeV; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation.  $^{129}\text{Te}$ ,  $^{129}\text{Sb}$  deduced transitions B(E2). Clarion, Hyball arrays. JOUR ZAANE 25 s01 395
- $^{129}\text{Te}$  2005YU07 NUCLEAR REACTIONS  $^{50}\text{Ti}(^{129}\text{Sb}, ^{129}\text{Sb}')$ , ( $^{129}\text{Te}, ^{129}\text{Te}'$ ), E=400 MeV; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation.  $^{129}\text{Te}$ ,  $^{129}\text{Sb}$  deduced transitions B(E2). Clarion, Hyball arrays. JOUR ZAANE 25 s01 395
- $^{129}\text{I}$  2005SCZW NUCLEAR REACTIONS  $\text{Pb}(p, X)^{10}\text{Be} / ^{26}\text{Al} / ^{129}\text{I} / ^{36}\text{Cl}$ , E=200-2600 MeV; measured excitation functions. Stacked foil activation, chemical separation. Comparison with model predictions. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol2, P1517
- $^{129}\text{Xe}$  2005LE04 NUCLEAR REACTIONS  $\text{Pb}(p, X)^3\text{He} / ^4\text{He} / ^{21}\text{Ne} / ^{22}\text{Ne} / ^{36}\text{Ar} / ^{38}\text{Ar} / ^{78}\text{Kr} / ^{80}\text{Kr} / ^{81}\text{Kr} / ^{82}\text{Kr} / ^{83}\text{Kr} / ^{84}\text{Kr} / ^{85}\text{Kr} / ^{86}\text{Kr} / ^{124}\text{Xe} / ^{126}\text{Xe} / ^{128}\text{Xe} / ^{129}\text{Xe} / ^{130}\text{Xe} / ^{131}\text{Xe} / ^{132}\text{Xe} / ^{134}\text{Xe}$ , E=44-2595 MeV; measured production  $\sigma$ ; deduced reaction mechanism features. Mini-stack approach, comparisons with model predictions. JOUR NIMBE 229 1
- 2005SH38 ATOMIC MASSES  $^{32,33}\text{S}$ ,  $^{84,86}\text{Kr}$ ,  $^{129,132}\text{Xe}$ ; measured masses. Penning trap. JOUR PLRAA 72 022510
- 2005W004 NUCLEAR MOMENTS  $^{129,131}\text{Xe}$ ; measured hfs; deduced role of nuclear spin in photoionization. JOUR PLRAA 71 052504
- $^{129}\text{Sm}$  2005XU04 RADIOACTIVITY  $^{81}\text{Zr}$ ,  $^{85}\text{Mo}$ ,  $^{89}\text{Ru}$ ,  $^{92}\text{Rh}$ ,  $^{93}\text{Pd}$ ,  $^{121}\text{Ce}$ ,  $^{125}\text{Nd}$ ,  $^{128}\text{Pm}$ ,  $^{129}\text{Sm}$ ,  $^{135,137}\text{Gd}$ ,  $^{139}\text{Dy}$ ,  $^{142}\text{Ho}$ ,  $^{149}\text{Yb}(\beta^+p)$ ; measured  $\beta$ -delayed  $E\gamma$ ,  $I\gamma$ , proton spectra,  $p\gamma$ -coin,  $T_{1/2}$ . Comparison with model predictions. JOUR PRVCA 71 054318
- 2005XU04 NUCLEAR REACTIONS  $^{92}\text{Mo}$ ,  $^{106}\text{Cd}(^{32}\text{S}, 3n)$ , E=151 MeV;  $^{92}\text{Mo}(^{36}\text{Ar}, 3n)$ , E=169 MeV;  $^{96}\text{Ru}(^{36}\text{Ar}, 3n)$ , ( $^{36}\text{Ar}, 3np$ ), E=165, 174 MeV;  $^{106}\text{Cd}(^{36}\text{Ar}, 3n)$ , ( $^{36}\text{Ar}, n\alpha$ ), E=176 MeV;  $^{106}\text{Cd}(^{40}\text{Ca}, 4n)$ , E=202 MeV;  $^{112}\text{Sn}(^{40}\text{Ca}, 3n)$ , E=185 MeV; measured  $\sigma$ . JOUR PRVCA 71 054318

**A=130**

- $^{130}\text{Sn}$  2005AD29 NUCLEAR REACTIONS  $\text{Be}(^{238}\text{U}, X)$ , E not given; measured fragment yields.  $^{12}\text{C}$ ,  $^{208}\text{Pb}(^{130}\text{Sn}, nX)$ , ( $^{132}\text{Sn}, nX$ ), E  $\approx$  500 MeV / nucleon; measured  $E_n$ ,  $E\gamma$ ,  $n\gamma$ -coin; deduced Coulomb dissociation  $\sigma(E)$ .  $^{130,132}\text{Sn}$  deduced dipole strength distributions, pygmy and giant dipole resonance parameters. JOUR PRLTA 95 132501
- 2005ADZX NUCLEAR REACTIONS  $\text{Pb}(^{130}\text{Sn}, ^{130}\text{Sn}')$ , ( $^{132}\text{Sn}, ^{132}\text{Sn}'$ ),  $E^* \approx$  5-30 MeV; measured  $\Sigma(E)$  following projectile Coulomb excitation.  $^{130,132}\text{Sn}(\gamma, nX)$ ,  $E^* \approx$  5-30 MeV; deduced photo-neutron  $\sigma$ .  $^{130,132}\text{Sn}$  deduced pygmy and GDR energies. REPT GSI 2005-1,P94,Adrich

## A=130 (continued)

- 2005LE34 NUCLEAR MOMENTS  
 $^{125,125m,126,127,127m,128,129,129m,130,130m,131,131m,132}\text{Sn}$ ; measured isotope shifts; deduced charge radii, dynamical effects.  
 $^{125,125m,127,127m,129,129m,130m,131,131m}\text{Sn}$ ; measured  $\mu$ , quadrupole moments. Laser spectroscopy, mean-field calculations. JOUR PRVCA 72 034305
- 2005RA09 NUCLEAR REACTIONS C( $^{126}\text{Sn}$ ,  $^{126}\text{Sn}'$ ), ( $^{128}\text{Sn}$ ,  $^{128}\text{Sn}'$ ), ( $^{130}\text{Sn}$ ,  $^{130}\text{Sn}'$ ), ( $^{132}\text{Sn}$ ,  $^{132}\text{Sn}'$ ), ( $^{134}\text{Sn}$ ,  $^{134}\text{Sn}'$ ), ( $^{132}\text{Te}$ ,  $^{132}\text{Te}'$ ), ( $^{134}\text{Te}$ ,  $^{134}\text{Te}'$ ), ( $^{136}\text{Te}$ ,  $^{136}\text{Te}'$ ), E not given; measured E $\gamma$ , I $\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation.  $^{126,128,130,132,134}\text{Sn}$ ,  $^{132,134,136}\text{Te}$  deduced transitions B(E2).  $^9\text{Be}(^{134}\text{Te}$ ,  $^8\text{Be}$ ),  $^{13}\text{C}(^{134}\text{Te}$ ,  $^{12}\text{C}$ ), E not given; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -, (particle) $\gamma$ -coin.  $^{135}\text{Te}$  deduced level. Clarion, Hyball arrays. JOUR NUPAB 752 264c
- 2005RA32 NUCLEAR REACTIONS C( $^{126}\text{Sn}$ ,  $^{126}\text{Sn}'$ ), ( $^{128}\text{Sn}$ ,  $^{128}\text{Sn}'$ ), ( $^{130}\text{Sn}$ ,  $^{130}\text{Sn}'$ ), ( $^{132}\text{Te}$ ,  $^{132}\text{Te}'$ ), ( $^{134}\text{Te}$ ,  $^{134}\text{Te}'$ ), ( $^{136}\text{Te}$ ,  $^{136}\text{Te}'$ ), E not given; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -, (particle) $\gamma$ -coin following projectile Coulomb excitation.  $^{132,134,136}\text{Te}$ ,  $^{126,128,130}\text{Sn}$  deduced excitation B(E2).  $^9\text{Be}(^{134}\text{Te}$ ,  $^8\text{Be}$ ),  $^{13}\text{C}(^{134}\text{Te}$ ,  $^{12}\text{C}$ ), E=4.3 MeV / nucleon; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin, (particle) $\gamma$ -coin; deduced single-neutron transfer  $\sigma$ (E).  $^{135}\text{Te}$  deduced levels J,  $\pi$ . JOUR ZAANE 25 s01 383
- 2005SI34 ATOMIC MASSES  $^{76,77,80,81,86,88}\text{Sr}$ ,  $^{124,129,130,131,132}\text{Sn}$ ; measured masses. Penning trap mass spectrometer, comparison with previous results. JOUR NUPAB 763 45
- $^{130}\text{Sb}$  2005BEZW NUCLEAR REACTIONS  $^{238}\text{U}(\gamma, \text{F})^{84}\text{Br}$  /  $^{130}\text{Sb}$  /  $^{132}\text{Sb}$  /  $^{131}\text{Te}$  /  $^{133}\text{Te}$  /  $^{134}\text{I}$  /  $^{135}\text{Xe}$ , E=16 MeV bremsstrahlung;  $^{237}\text{Np}(\gamma, \text{F})^{134}\text{I}$  /  $^{135}\text{Xe}$ , E=16 MeV bremsstrahlung; measured E $\gamma$ , I $\gamma$ ; deduced isomer yield ratios, fission fragments mean angular momenta. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol1,P641
- 2005NA05 NUCLEAR REACTIONS  $^{232}\text{Th}$ ,  $^{232,238}\text{U}$ ,  $^{238,240}\text{Pu}$ ,  $^{244}\text{Cm}(\text{n}, \text{F})^{128}\text{Sb}$  /  $^{130}\text{Sb}$  /  $^{132}\text{Sb}$  /  $^{131}\text{Te}$  /  $^{133}\text{Te}$  /  $^{132}\text{I}$  /  $^{134}\text{I}$  /  $^{136}\text{I}$  /  $^{135}\text{Xe}$  /  $^{138}\text{Cs}$ , E=thermal, fast; measured isomer yield ratios; deduced fission fragment angular momenta. Spin-dependent statistical model analysis. JOUR PRVCA 71 014304
- $^{130}\text{Te}$  2005AR25 RADIOACTIVITY  $^{130}\text{Te}(2\beta^-)$ ; measured  $0\nu\beta\beta$ -decay  $T_{1/2}$  lower limit. JOUR PRLTA 95 142501
- 2005PI02 RADIOACTIVITY  $^{130}\text{Te}(2\beta^-)$ ; measured  $0\nu 2\beta$ -decay  $T_{1/2}$  lower limit. JOUR NPBSE 138 210
- $^{130}\text{I}$  2005ADZZ NUCLEAR REACTIONS  $^{129}\text{I}(\text{n}, 7\text{n})$ , ( $\text{n}, 6\text{n}$ ), ( $\text{n}, 4\text{n}$ ), ( $\text{n}, \gamma$ ), E=fast;  $^{237}\text{Np}(\text{n}, \gamma)$ , E=fast; measured yields.  $^{237}\text{Np}(\text{n}, \text{F})^{91}\text{Sr}$  /  $^{97}\text{Zr}$  /  $^{132}\text{Te}$  /  $^{133}\text{I}$  /  $^{135}\text{I}$ , E=fast;  $^{238}\text{Pu}(\text{n}, \text{F})^{97}\text{Zr}$  /  $^{129}\text{Sb}$  /  $^{132}\text{I}$  /  $^{133}\text{I}$  /  $^{135}\text{Xe}$  /  $^{105}\text{Ru}$ , E=fast;  $^{239}\text{Pu}(\text{n}, \text{F})^{88}\text{Kr}$  /  $^{91}\text{Sr}$  /  $^{92}\text{Sr}$  /  $^{92}\text{Y}$  /  $^{97}\text{Zr}$  /  $^{99}\text{Mo}$  /  $^{103}\text{Ru}$  /  $^{105}\text{Ru}$  /  $^{128}\text{Sb}$  /  $^{129}\text{Sb}$  /  $^{132}\text{Te}$  /  $^{131}\text{I}$  /  $^{132}\text{I}$  /  $^{133}\text{I}$  /  $^{135}\text{I}$  /  $^{135}\text{Xe}$  /  $^{143}\text{Ce}$  /  $^{140}\text{Ba}$  /  $^{140}\text{La}$ , E=fast; measured fission fragment yields. Secondary neutrons from proton irradiation. JINR nuclotron. CONF St Petersburg,P195,Adam
- 2005BEZV NUCLEAR REACTIONS  $^{99}\text{Tc}$ ,  $^{129}\text{I}(\text{n}, \gamma)$ , E=cold; measured E $\gamma$ , I $\gamma$ ; deduced thermal capture  $\sigma$ . CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol1,P744

**A=130 (continued)**

- 2005BEZV RADIOACTIVITY  $^{130,130m}\text{I}(\beta^-)$  [from  $^{129}\text{I}(\text{n}, \gamma)$ ]; measured  $E\gamma$ ,  $I\gamma$ ,  $T_{1/2}$ . CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P744
- 2005UN01 NUCLEAR REACTIONS  $^{128}\text{Te}({}^{14}\text{N}, 4\text{n})$ ,  $({}^{14}\text{N}, 5\text{n})$ ,  $({}^{14}\text{N}, 4\text{np})$ ,  $({}^{14}\text{N}, 5\text{n}\alpha)$ ,  $({}^{14}\text{N}, 6\text{n}\alpha)$ ,  $({}^{14}\text{N}, \text{n}2\text{p}\alpha)$ ,  $({}^{14}\text{N}, \text{n}2\text{p}2\alpha)$ ,  $({}^{14}\text{N}, 3\alpha)$ ,  $E \approx 64\text{-}90$ ; measured excitation functions; deduced reaction mechanism features. Activation technique, comparison with model predictions. JOUR IMPEE 14 775
- $^{130}\text{Xe}$  2005AR25 RADIOACTIVITY  $^{130}\text{Te}(2\beta^-)$ ; measured  $0\nu\beta\beta$ -decay  $T_{1/2}$  lower limit. JOUR PRLTA 95 142501
- 2005BEZV RADIOACTIVITY  $^{130,130m}\text{I}(\beta^-)$  [from  $^{129}\text{I}(\text{n}, \gamma)$ ]; measured  $E\gamma$ ,  $I\gamma$ ,  $T_{1/2}$ . CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P744
- 2005LE04 NUCLEAR REACTIONS  $\text{Pb}(\text{p}, \text{X}){}^3\text{He} / {}^4\text{He} / {}^{21}\text{Ne} / {}^{22}\text{Ne} / {}^{36}\text{Ar} / {}^{38}\text{Ar} / {}^{78}\text{Kr} / {}^{80}\text{Kr} / {}^{81}\text{Kr} / {}^{82}\text{Kr} / {}^{83}\text{Kr} / {}^{84}\text{Kr} / {}^{85}\text{Kr} / {}^{86}\text{Kr} / {}^{124}\text{Xe} / {}^{126}\text{Xe} / {}^{128}\text{Xe} / {}^{129}\text{Xe} / {}^{130}\text{Xe} / {}^{131}\text{Xe} / {}^{132}\text{Xe} / {}^{134}\text{Xe}$ ,  $E=44\text{-}2595$  MeV; measured production  $\sigma$ ; deduced reaction mechanism features. Mini-stack approach, comparisons with model predictions. JOUR NIMBE 229 1
- 2005PI02 RADIOACTIVITY  $^{130}\text{Te}(2\beta^-)$ ; measured  $0\nu 2\beta$ -decay  $T_{1/2}$  lower limit. JOUR NPBSE 138 210
- $^{130}\text{Cs}$  2005SI13 NUCLEAR REACTIONS  $^{124}\text{Sn}({}^{11}\text{B}, 5\text{n})$ ,  $E=60$  MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{130}\text{Cs}$  deduced high-spin levels,  $J$ ,  $\pi$ ,  $\text{B}(\text{M}1) / \text{B}(\text{E}2)$ , chiral structure. Euroball IV array. JOUR JPGPE 31 541
- $^{130}\text{Ba}$  2005GU37 ATOMIC MASSES  $^{56,57}\text{Mn}$ ,  $^{82m}\text{Rb}$ ,  $^{92}\text{Sr}$ ,  $^{124,127}\text{Cs}$ ,  $^{130}\text{Ba}$ ; measured masses. Penning trap mass spectrometer. JOUR ZAANE 25 s01 35

**A=131**

- $^{131}\text{Sn}$  2005LE34 NUCLEAR MOMENTS  $^{125,125m,126,127,127m,128,129,129m,130,130m,131,131m,132}\text{Sn}$ ; measured isotope shifts; deduced charge radii, dynamical effects.  $^{125,125m,127,127m,129,129m,130m,131,131m}\text{Sn}$ ; measured  $\mu$ , quadrupole moments. Laser spectroscopy, mean-field calculations. JOUR PRVCA 72 034305
- 2005SI34 ATOMIC MASSES  $^{76,77,80,81,86,88}\text{Sr}$ ,  $^{124,129,130,131,132}\text{Sn}$ ; measured masses. Penning trap mass spectrometer, comparison with previous results. JOUR NUPAB 763 45
- $^{131}\text{Te}$  2005BEZW NUCLEAR REACTIONS  $^{238}\text{U}(\gamma, \text{F}){}^{84}\text{Br} / {}^{130}\text{Sb} / {}^{132}\text{Sb} / {}^{131}\text{Te} / {}^{133}\text{Te} / {}^{134}\text{I} / {}^{135}\text{Xe}$ ,  $E=16$  MeV bremsstrahlung;  $^{237}\text{Np}(\gamma, \text{F}){}^{134}\text{I} / {}^{135}\text{Xe}$ ,  $E=16$  MeV bremsstrahlung; measured  $E\gamma$ ,  $I\gamma$ ; deduced isomer yield ratios, fission fragments mean angular momenta. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P641
- 2005NA05 NUCLEAR REACTIONS  $^{232}\text{Th}$ ,  $^{232,238}\text{U}$ ,  $^{238,240}\text{Pu}$ ,  $^{244}\text{Cm}(\text{n}, \text{F}){}^{128}\text{Sb} / {}^{130}\text{Sb} / {}^{132}\text{Sb} / {}^{131}\text{Te} / {}^{133}\text{Te} / {}^{132}\text{I} / {}^{134}\text{I} / {}^{136}\text{I} / {}^{135}\text{Xe} / {}^{138}\text{Cs}$ ,  $E=\text{thermal, fast}$ ; measured isomer yield ratios; deduced fission fragment angular momenta. Spin-dependent statistical model analysis. JOUR PRVCA 71 014304

**A=131 (continued)**

- <sup>131</sup>I      2005ADZZ      NUCLEAR REACTIONS <sup>129</sup>I(n, 7n), (n, 6n), (n, 4n), (n, γ), E=fast; <sup>237</sup>Np(n, γ), E=fast; measured yields. <sup>237</sup>Np(n, F)<sup>91</sup>Sr / <sup>97</sup>Zr / <sup>132</sup>Te / <sup>133</sup>I / <sup>135</sup>I, E=fast; <sup>238</sup>Pu(n, F)<sup>97</sup>Zr / <sup>129</sup>Sb / <sup>132</sup>I / <sup>133</sup>I / <sup>135</sup>Xe / <sup>105</sup>Ru, E=fast; <sup>239</sup>Pu(n, F)<sup>88</sup>Kr / <sup>91</sup>Sr / <sup>92</sup>Sr / <sup>92</sup>Y / <sup>97</sup>Zr / <sup>99</sup>Mo / <sup>103</sup>Ru / <sup>105</sup>Ru / <sup>128</sup>Sb / <sup>129</sup>Sb / <sup>132</sup>Te / <sup>131</sup>I / <sup>132</sup>I / <sup>133</sup>I / <sup>135</sup>I / <sup>135</sup>Xe / <sup>143</sup>Ce / <sup>140</sup>Ba / <sup>140</sup>La, E=fast; measured fission fragment yields. Secondary neutrons from proton irradiation. JINR nuclotron. CONF St Petersburg,P195,Adam
- 2005UN01      NUCLEAR REACTIONS <sup>128</sup>Te(<sup>14</sup>N, 4n), (<sup>14</sup>N, 5n), (<sup>14</sup>N, 4np), (<sup>14</sup>N, 5nα), (<sup>14</sup>N, 6nα), (<sup>14</sup>N, n2pα), (<sup>14</sup>N, n2p2α), (<sup>14</sup>N, 3α), E ≈ 64-90; measured excitation functions; deduced reaction mechanism features. Activation technique, comparison with model predictions. JOUR IMPEE 14 775
- <sup>131</sup>Xe      2005LE04      NUCLEAR REACTIONS Pb(p, X)<sup>3</sup>He / <sup>4</sup>He / <sup>21</sup>Ne / <sup>22</sup>Ne / <sup>36</sup>Ar / <sup>38</sup>Ar / <sup>78</sup>Kr / <sup>80</sup>Kr / <sup>81</sup>Kr / <sup>82</sup>Kr / <sup>83</sup>Kr / <sup>84</sup>Kr / <sup>85</sup>Kr / <sup>86</sup>Kr / <sup>124</sup>Xe / <sup>126</sup>Xe / <sup>128</sup>Xe / <sup>129</sup>Xe / <sup>130</sup>Xe / <sup>131</sup>Xe / <sup>132</sup>Xe / <sup>134</sup>Xe, E=44-2595 MeV; measured production σ; deduced reaction mechanism features. Mini-stack approach, comparisons with model predictions. JOUR NIMBE 229 1
- 2005W004      NUCLEAR MOMENTS <sup>129,131</sup>Xe; measured hfs; deduced role of nuclear spin in photoionization. JOUR PLRAA 71 052504
- <sup>131</sup>Cs      2005KU10      NUCLEAR REACTIONS <sup>124</sup>Sn(<sup>11</sup>B, 4n), E=57 MeV; measured Eγ, Iγ, γγ-coin. <sup>131</sup>Cs deduced high-spin levels, J, π, configurations B(M1) / B(E2). Total Routhian surface and tilted axis cranking model calculations. JOUR ZAANE 24 13
- <sup>131</sup>Ce      2005PA30      NUCLEAR REACTIONS <sup>100</sup>Mo(<sup>36</sup>S, 4n), (<sup>36</sup>S, 5n), E=160, 165 MeV; measured Eγ, Iγ, γγ-coin. <sup>131,132</sup>Ce deduced high-spin levels, J, π, superdeformed bands, configurations, band termination features. Euroball IV array, cranked mean-field calculations. JOUR PRVCA 71 054309

**A=132**

- <sup>132</sup>Sn      2005AD29      NUCLEAR REACTIONS Be(<sup>238</sup>U, X), E not given; measured fragment yields. <sup>12</sup>C, <sup>208</sup>Pb(<sup>130</sup>Sn, nX), (<sup>132</sup>Sn, nX), E ≈ 500 MeV / nucleon; measured En, Eγ, nγ-coin; deduced Coulomb dissociation σ(E). <sup>130,132</sup>Sn deduced dipole strength distributions, pygmy and giant dipole resonance parameters. JOUR PRLTA 95 132501
- 2005ADZX      NUCLEAR REACTIONS Pb(<sup>130</sup>Sn, <sup>130</sup>Sn'), (<sup>132</sup>Sn, <sup>132</sup>Sn'), E\* ≈ 5-30 MeV; measured Σ(E) following projectile Coulomb excitation. <sup>130,132</sup>Sn(γ, nX), E\* ≈ 5-30 MeV; deduced photo-neutron σ. <sup>130,132</sup>Sn deduced pygmy and GDR energies. REPT GSI 2005-1,P94,Adrich
- 2005LE34      NUCLEAR MOMENTS <sup>125,125m,126,127,127m,128,129,129m,130,130m,131,131m,132</sup>Sn; measured isotope shifts; deduced charge radii, dynamical effects. <sup>125,125m,127,127m,129,129m,130m,131,131m</sup>Sn; measured μ, quadrupole moments. Laser spectroscopy, mean-field calculations. JOUR PRVCA 72 034305



## A=132 (continued)

- 2005RA09 NUCLEAR REACTIONS C( $^{126}\text{Sn}$ ,  $^{126}\text{Sn}'$ ), ( $^{128}\text{Sn}$ ,  $^{128}\text{Sn}'$ ), ( $^{130}\text{Sn}$ ,  $^{130}\text{Sn}'$ ), ( $^{132}\text{Sn}$ ,  $^{132}\text{Sn}'$ ), ( $^{134}\text{Sn}$ ,  $^{134}\text{Sn}'$ ), ( $^{132}\text{Te}$ ,  $^{132}\text{Te}'$ ), ( $^{134}\text{Te}$ ,  $^{134}\text{Te}'$ ), ( $^{136}\text{Te}$ ,  $^{136}\text{Te}'$ ), E not given; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation.  $^{126,128,130,132,134}\text{Sn}$ ,  $^{132,134,136}\text{Te}$  deduced transitions B(E2).  $^9\text{Be}({}^{134}\text{Te}$ ,  $^8\text{Be}$ ),  $^{13}\text{C}({}^{134}\text{Te}$ ,  $^{12}\text{C}$ ), E not given; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -, (particle) $\gamma$ -coin.  $^{135}\text{Te}$  deduced level. Clarion, Hyball arrays. JOUR NUPAB 752 264c
- 2005SI34 ATOMIC MASSES  $^{76,77,80,81,86,88}\text{Sr}$ ,  $^{124,129,130,131,132}\text{Sn}$ ; measured masses. Penning trap mass spectrometer, comparison with previous results. JOUR NUPAB 763 45
- 2005VA31 NUCLEAR REACTIONS  $^{48}\text{Ti}({}^{132}\text{Sn}$ ,  $^{132}\text{Sn}'$ ), E=470-495 MeV;  $^{90}\text{Zr}({}^{134}\text{Sn}$ ,  $^{134}\text{Sn}'$ ), E=400 MeV; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation.  $^{132,134}\text{Sn}$  deduced transitions B(E2). JOUR ZAANE 25 s01 391
- $^{132}\text{Sb}$  2005BEZW NUCLEAR REACTIONS  $^{238}\text{U}(\gamma, \text{F})^{84}\text{Br}$  /  $^{130}\text{Sb}$  /  $^{132}\text{Sb}$  /  $^{131}\text{Te}$  /  $^{133}\text{Te}$  /  $^{134}\text{I}$  /  $^{135}\text{Xe}$ , E=16 MeV bremsstrahlung;  $^{237}\text{Np}(\gamma, \text{F})^{134}\text{I}$  /  $^{135}\text{Xe}$ , E=16 MeV bremsstrahlung; measured  $E\gamma$ ,  $I\gamma$ ; deduced isomer yield ratios, fission fragments mean angular momenta. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P641
- 2005HU08 RADIOACTIVITY  $^{132}\text{Sb}(\beta^-)$  [from U(p, F)]; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{132}\text{Te}$  deduced levels, J,  $\pi$ . Clarion array, comparison with model predictions. JOUR PRVCA 71 044311
- 2005NA05 NUCLEAR REACTIONS  $^{232}\text{Th}$ ,  $^{232,238}\text{U}$ ,  $^{238,240}\text{Pu}$ ,  $^{244}\text{Cm}(\text{n}, \text{F})^{128}\text{Sb}$  /  $^{130}\text{Sb}$  /  $^{132}\text{Sb}$  /  $^{131}\text{Te}$  /  $^{133}\text{Te}$  /  $^{132}\text{I}$  /  $^{134}\text{I}$  /  $^{136}\text{I}$  /  $^{135}\text{Xe}$  /  $^{138}\text{Cs}$ , E=thermal, fast; measured isomer yield ratios; deduced fission fragment angular momenta. Spin-dependent statistical model analysis. JOUR PRVCA 71 014304
- 2005ZA14 RADIOACTIVITY  $^{132}\text{Sb}(\beta^-)$ ; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{132}\text{Te}$  deduced levels, J,  $\pi$ . Comparisons with quasiparticle RPA calculations with density-dependent pairing. Clarion array. JOUR ZAANE 25 s01 389
- $^{132}\text{Te}$  2005ADZZ NUCLEAR REACTIONS  $^{129}\text{I}(\text{n}, 7\text{n})$ , ( $\text{n}$ ,  $6\text{n}$ ), ( $\text{n}$ ,  $4\text{n}$ ), ( $\text{n}$ ,  $\gamma$ ), E=fast;  $^{237}\text{Np}(\text{n}, \gamma)$ , E=fast; measured yields.  $^{237}\text{Np}(\text{n}, \text{F})^{91}\text{Sr}$  /  $^{97}\text{Zr}$  /  $^{132}\text{Te}$  /  $^{133}\text{I}$  /  $^{135}\text{I}$ , E=fast;  $^{238}\text{Pu}(\text{n}, \text{F})^{97}\text{Zr}$  /  $^{129}\text{Sb}$  /  $^{132}\text{I}$  /  $^{133}\text{I}$  /  $^{135}\text{Xe}$  /  $^{105}\text{Ru}$ , E=fast;  $^{239}\text{Pu}(\text{n}, \text{F})^{88}\text{Kr}$  /  $^{91}\text{Sr}$  /  $^{92}\text{Sr}$  /  $^{92}\text{Y}$  /  $^{97}\text{Zr}$  /  $^{99}\text{Mo}$  /  $^{103}\text{Ru}$  /  $^{105}\text{Ru}$  /  $^{128}\text{Sb}$  /  $^{129}\text{Sb}$  /  $^{132}\text{Te}$  /  $^{131}\text{I}$  /  $^{132}\text{I}$  /  $^{133}\text{I}$  /  $^{135}\text{I}$  /  $^{135}\text{Xe}$  /  $^{143}\text{Ce}$  /  $^{140}\text{Ba}$  /  $^{140}\text{La}$ , E=fast; measured fission fragment yields. Secondary neutrons from proton irradiation. JINR nuclotron. CONF St Petersburg, P195, Adam
- 2005DA42 NUCLEAR REACTIONS  $^{12}\text{C}({}^{132}\text{Te}$ ,  $^{132}\text{Te}'$ ), ( $^{130}\text{Te}$ ,  $^{130}\text{Te}'$ ), ( $^{126}\text{Te}$ ,  $^{126}\text{Te}'$ ), ( $^{122}\text{Te}$ ,  $^{122}\text{Te}'$ ), E=3 MeV / nucleon; measured  $E\gamma$ ,  $I\gamma(\theta)$ , (particle) $\gamma$ -coin following projectile Coulomb excitation.  $^{132}\text{Te}$  level deduced g-factor. Recoil-in-vacuum technique. JOUR NIMBE 241 971
- 2005GR25 NUCLEAR REACTIONS  $^{64}\text{Ni}({}^{132}\text{Sn}$ , X), ( $^{134}\text{Sn}$ , X), E=450-620 MeV; measured fusion  $\sigma$ . C( $^{130}\text{Te}$ ,  $^{130}\text{Te}'$ ), ( $^{132}\text{Te}$ ,  $^{132}\text{Te}'$ ), E=3 MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation.  $^{132}\text{Te}$  level deduced g factor.  $^{13}\text{C}({}^{134}\text{Te}$ ,  $^{135}\text{Te})$ , E=550 MeV; measured  $E\gamma$ ,  $I\gamma$ .  $^{135}\text{Te}$  level deduced J,  $\pi$ . JOUR JPGPE 31 S1639

**A=132 (continued)**

- 2005HU08 RADIOACTIVITY  $^{132}\text{Sb}(\beta^-)$  [from U(p, F)]; measured  $E_\gamma$ ,  $I_\gamma$ ,  $\gamma\gamma$ -coin.  $^{132}\text{Te}$  deduced levels, J,  $\pi$ . Clarion array, comparison with model predictions. JOUR PRVCA 71 044311
- 2005RA09 NUCLEAR REACTIONS C( $^{126}\text{Sn}$ ,  $^{126}\text{Sn}'$ ), ( $^{128}\text{Sn}$ ,  $^{128}\text{Sn}'$ ), ( $^{130}\text{Sn}$ ,  $^{130}\text{Sn}'$ ), ( $^{132}\text{Sn}$ ,  $^{132}\text{Sn}'$ ), ( $^{134}\text{Sn}$ ,  $^{134}\text{Sn}'$ ), ( $^{132}\text{Te}$ ,  $^{132}\text{Te}'$ ), ( $^{134}\text{Te}$ ,  $^{134}\text{Te}'$ ), ( $^{136}\text{Te}$ ,  $^{136}\text{Te}'$ ), E not given; measured  $E_\gamma$ ,  $I_\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation.  $^{126,128,130,132,134}\text{Sn}$ ,  $^{132,134,136}\text{Te}$  deduced transitions B(E2).  $^9\text{Be}(\text{}^{134}\text{Te}$ ,  $^8\text{Be}$ ),  $^{13}\text{C}(\text{}^{134}\text{Te}$ ,  $^{12}\text{C}$ ), E not given; measured  $E_\gamma$ ,  $I_\gamma$ ,  $\gamma\gamma$ -, (particle) $\gamma$ -coin.  $^{135}\text{Te}$  deduced level. Clarion, Hyball arrays. JOUR NUPAB 752 264c
- 2005RA32 NUCLEAR REACTIONS C( $^{126}\text{Sn}$ ,  $^{126}\text{Sn}'$ ), ( $^{128}\text{Sn}$ ,  $^{128}\text{Sn}'$ ), ( $^{130}\text{Sn}$ ,  $^{130}\text{Sn}'$ ), ( $^{132}\text{Te}$ ,  $^{132}\text{Te}'$ ), ( $^{134}\text{Te}$ ,  $^{134}\text{Te}'$ ), ( $^{136}\text{Te}$ ,  $^{136}\text{Te}'$ ), E not given; measured  $E_\gamma$ ,  $I_\gamma$ ,  $\gamma\gamma$ -, (particle) $\gamma$ -coin following projectile Coulomb excitation.  $^{132,134,136}\text{Te}$ ,  $^{126,128,130}\text{Sn}$  deduced excitation B(E2).  $^9\text{Be}(\text{}^{134}\text{Te}$ ,  $^8\text{Be}$ ),  $^{13}\text{C}(\text{}^{134}\text{Te}$ ,  $^{12}\text{C}$ ), E=4.3 MeV / nucleon; measured  $E_\gamma$ ,  $I_\gamma$ ,  $\gamma\gamma$ -coin, (particle) $\gamma$ -coin; deduced single-neutron transfer  $\sigma(E)$ .  $^{135}\text{Te}$  deduced levels J,  $\pi$ . JOUR ZAANE 25 s01 383
- 2005ST18 NUCLEAR REACTIONS C( $^{132}\text{Te}$ ,  $^{132}\text{Te}'$ ), ( $^{122}\text{Te}$ ,  $^{122}\text{Te}'$ ), ( $^{126}\text{Te}$ ,  $^{126}\text{Te}'$ ), ( $^{130}\text{Te}$ ,  $^{130}\text{Te}'$ ), E=3 MeV / nucleon; measured  $E_\gamma$ ,  $I_\gamma(\theta, \phi)$ , (particle) $\gamma$ -coin following projectile Coulomb excitation; deduced parameters.  $^{132}\text{Te}$  level deduced g factor. Clarion, Hyball arrays, recoil-in-vacuum technique. JOUR PRLTA 94 192501
- 2005ST33 NUCLEAR REACTIONS C( $^{132}\text{Te}$ ,  $^{132}\text{Te}'$ ), ( $^{122}\text{Te}$ ,  $^{122}\text{Te}'$ ), ( $^{126}\text{Te}$ ,  $^{126}\text{Te}'$ ), ( $^{130}\text{Te}$ ,  $^{130}\text{Te}'$ ), E=3 MeV / nucleon; measured  $E_\gamma$ ,  $I_\gamma(\theta, \phi)$ , (particle) $\gamma$ -coin following projectile Coulomb excitation; deduced parameters.  $^{132}\text{Te}$  level deduced g factor. Clarion, Hyball arrays, recoil-in-vacuum technique. JOUR ZAANE 25 s01 205
- 2005ZA14 RADIOACTIVITY  $^{132}\text{Sb}(\beta^-)$ ; measured  $E_\gamma$ ,  $I_\gamma$ ,  $\gamma\gamma$ -coin.  $^{132}\text{Te}$  deduced levels, J,  $\pi$ . Comparisons with quasiparticle RPA calculations with density-dependent pairing. Clarion array. JOUR ZAANE 25 s01 389
- $^{132}\text{I}$  2005ADZZ NUCLEAR REACTIONS  $^{129}\text{I}(\text{n}, 7\text{n})$ , ( $\text{n}, 6\text{n}$ ), ( $\text{n}, 4\text{n}$ ), ( $\text{n}, \gamma$ ), E=fast;  $^{237}\text{Np}(\text{n}, \gamma)$ , E=fast; measured yields.  $^{237}\text{Np}(\text{n}, \text{F})^{91}\text{Sr} / ^{97}\text{Zr} / ^{132}\text{Te} / ^{133}\text{I} / ^{135}\text{I}$ , E=fast;  $^{238}\text{Pu}(\text{n}, \text{F})^{97}\text{Zr} / ^{129}\text{Sb} / ^{132}\text{I} / ^{133}\text{I} / ^{135}\text{Xe} / ^{105}\text{Ru}$ , E=fast;  $^{239}\text{Pu}(\text{n}, \text{F})^{88}\text{Kr} / ^{91}\text{Sr} / ^{92}\text{Sr} / ^{92}\text{Y} / ^{97}\text{Zr} / ^{99}\text{Mo} / ^{103}\text{Ru} / ^{105}\text{Ru} / ^{128}\text{Sb} / ^{129}\text{Sb} / ^{132}\text{Te} / ^{131}\text{I} / ^{132}\text{I} / ^{133}\text{I} / ^{135}\text{I} / ^{135}\text{Xe} / ^{143}\text{Ce} / ^{140}\text{Ba} / ^{140}\text{La}$ , E=fast; measured fission fragment yields. Secondary neutrons from proton irradiation. JINR nuclotron. CONF St Petersburg,P195,Adam
- 2005NA05 NUCLEAR REACTIONS  $^{232}\text{Th}$ ,  $^{232,238}\text{U}$ ,  $^{238,240}\text{Pu}$ ,  $^{244}\text{Cm}(\text{n}, \text{F})^{128}\text{Sb} / ^{130}\text{Sb} / ^{132}\text{Sb} / ^{131}\text{Te} / ^{133}\text{Te} / ^{132}\text{I} / ^{134}\text{I} / ^{136}\text{I} / ^{135}\text{Xe} / ^{138}\text{Cs}$ , E=thermal, fast; measured isomer yield ratios; deduced fission fragment angular momenta. Spin-dependent statistical model analysis. JOUR PRVCA 71 014304

**A=132 (continued)**

- $^{132}\text{Xe}$  2005LE04 NUCLEAR REACTIONS Pb(p, X) $^3\text{He}$  /  $^4\text{He}$  /  $^{21}\text{Ne}$  /  $^{22}\text{Ne}$  /  $^{36}\text{Ar}$  /  $^{38}\text{Ar}$  /  $^{78}\text{Kr}$  /  $^{80}\text{Kr}$  /  $^{81}\text{Kr}$  /  $^{82}\text{Kr}$  /  $^{83}\text{Kr}$  /  $^{84}\text{Kr}$  /  $^{85}\text{Kr}$  /  $^{86}\text{Kr}$  /  $^{124}\text{Xe}$  /  $^{126}\text{Xe}$  /  $^{128}\text{Xe}$  /  $^{129}\text{Xe}$  /  $^{130}\text{Xe}$  /  $^{131}\text{Xe}$  /  $^{132}\text{Xe}$  /  $^{134}\text{Xe}$ , E=44-2595 MeV; measured production  $\sigma$ ; deduced reaction mechanism features. Mini-stack approach, comparisons with model predictions. JOUR NIMBE 229 1
- 2005SH38 ATOMIC MASSES  $^{32,33}\text{S}$ ,  $^{84,86}\text{Kr}$ ,  $^{129,132}\text{Xe}$ ; measured masses. Penning trap. JOUR PLRAA 72 022510
- $^{132}\text{La}$  2005GR10 NUCLEAR REACTIONS  $^{122}\text{Sn}(^{14}\text{N}, 4n)$ , E=70 MeV;  $^{122}\text{Sn}(^{10}\text{B}, 4n)$ , E=55 MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin, DSA.  $^{128}\text{Cs}$ ,  $^{132}\text{La}$  levels deduced  $T_{1/2}$ , B(E2), B(M1), chirality. Osiris II array. JOUR IMPEE 14 347
- 2005SR02 NUCLEAR REACTIONS  $^{122}\text{Sn}(^{14}\text{N}, 4n)$ , E=70 MeV;  $^{122}\text{Sn}(^{10}\text{B}, 4n)$ , E=55 MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin, DSA.  $^{132}\text{La}$ ,  $^{128}\text{Cs}$  deduced levels, J,  $\pi$ ,  $T_{1/2}$ , rotational bands, intraband B(M1), B(E2).  $^{128}\text{Cs}$  deduced possible chiral bands. Osiris II array. JOUR APOBB 36 1063
- 2005UN01 NUCLEAR REACTIONS  $^{128}\text{Te}(^{14}\text{N}, 4n)$ , ( $^{14}\text{N}, 5n$ ), ( $^{14}\text{N}, 4np$ ), ( $^{14}\text{N}, 5n\alpha$ ), ( $^{14}\text{N}, 6n\alpha$ ), ( $^{14}\text{N}, n2p\alpha$ ), ( $^{14}\text{N}, n2p2\alpha$ ), ( $^{14}\text{N}, 3\alpha$ ), E  $\approx$  64-90; measured excitation functions; deduced reaction mechanism features. Activation technique, comparison with model predictions. JOUR IMPEE 14 775
- $^{132}\text{Ce}$  2005CA23 NUCLEAR REACTIONS  $^{198}\text{Pt}(^{18}\text{O}, xn)$ , E=96 MeV; measured prompt and delayed  $E\gamma$ ,  $I\gamma$ .  $^{216}\text{Rn}$  deduced GDR parameters.  $^{68}\text{Zn}(^{64}\text{Ni}, X)$ , E=300, 400, 500 MeV;  $^{116}\text{Sn}(^{16}\text{O}, X)$ , E=130, 250 MeV; measured  $E\gamma$ ,  $I\gamma$ .  $^{132}\text{Ce}$  deduced GDR features, entrance channel effects. JOUR APOBB 36 1145
- 2005GR09 NUCLEAR REACTIONS  $^{68}\text{Zn}(^{64}\text{Ni}, X)$ , E=300, 400, 500 MeV;  $^{116}\text{Sn}(^{16}\text{O}, X)$ , E=130, 250 MeV; measured  $E\gamma$ ,  $E\alpha$ , light charged particle and evaporation residue spectra.  $^{132}\text{Ce}$  deduced GDR features, possible pre-equilibrium effects. JOUR APOBB 36 1155
- 2005PA30 NUCLEAR REACTIONS  $^{100}\text{Mo}(^{36}\text{S}, 4n)$ , ( $^{36}\text{S}, 5n$ ), E=160, 165 MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{131,132}\text{Ce}$  deduced high-spin levels, J,  $\pi$ , superdeformed bands, configurations, band termination features. Euroball IV array, cranked mean-field calculations. JOUR PRVCA 71 054309
- 2005WI19 NUCLEAR REACTIONS  $^{68}\text{Zn}(^{64}\text{Ni}, X)$ , E=300, 400, 500 MeV; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin.  $^{132}\text{Ce}$  deduced GDR parameters. JOUR JPGPE 31 S1973

**A=133**

- $^{133}\text{Te}$  2005BEZW NUCLEAR REACTIONS  $^{238}\text{U}(\gamma, F)^{84}\text{Br}$  /  $^{130}\text{Sb}$  /  $^{132}\text{Sb}$  /  $^{131}\text{Te}$  /  $^{133}\text{Te}$  /  $^{134}\text{I}$  /  $^{135}\text{Xe}$ , E=16 MeV bremsstrahlung;  $^{237}\text{Np}(\gamma, F)^{134}\text{I}$  /  $^{135}\text{Xe}$ , E=16 MeV bremsstrahlung; measured  $E\gamma$ ,  $I\gamma$ ; deduced isomer yield ratios, fission fragments mean angular momenta. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P641

**A=133 (continued)**

- 2005HW06 RADIOACTIVITY  $^{252}\text{Cf}(\text{SF})$ ; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{95,97}\text{Sr}$ ,  $^{99}\text{Zr}$ ,  $^{108}\text{Tc}$ ,  $^{133,134}\text{Te}$ ,  $^{137}\text{Xe}$  levels deduced  $T_{1/2}$ . Gammasphere array, time-gated triple-coincidence method. JOUR ZAANE 25 s01 463
- 2005NA05 NUCLEAR REACTIONS  $^{232}\text{Th}$ ,  $^{232,238}\text{U}$ ,  $^{238,240}\text{Pu}$ ,  $^{244}\text{Cm}(\text{n}, \text{F})^{128}\text{Sb}$  /  $^{130}\text{Sb}$  /  $^{132}\text{Sb}$  /  $^{131}\text{Te}$  /  $^{133}\text{Te}$  /  $^{132}\text{I}$  /  $^{134}\text{I}$  /  $^{136}\text{I}$  /  $^{135}\text{Xe}$  /  $^{138}\text{Cs}$ , E=thermal, fast; measured isomer yield ratios; deduced fission fragment angular momenta. Spin-dependent statistical model analysis. JOUR PRVCA 71 014304
- $^{133}\text{I}$  2005ADZZ NUCLEAR REACTIONS  $^{129}\text{I}(\text{n}, 7\text{n})$ ,  $(\text{n}, 6\text{n})$ ,  $(\text{n}, 4\text{n})$ ,  $(\text{n}, \gamma)$ , E=fast;  $^{237}\text{Np}(\text{n}, \gamma)$ , E=fast; measured yields.  $^{237}\text{Np}(\text{n}, \text{F})^{91}\text{Sr}$  /  $^{97}\text{Zr}$  /  $^{132}\text{Te}$  /  $^{133}\text{I}$  /  $^{135}\text{I}$ , E=fast;  $^{238}\text{Pu}(\text{n}, \text{F})^{97}\text{Zr}$  /  $^{129}\text{Sb}$  /  $^{132}\text{I}$  /  $^{133}\text{I}$  /  $^{135}\text{Xe}$  /  $^{105}\text{Ru}$ , E=fast;  $^{239}\text{Pu}(\text{n}, \text{F})^{88}\text{Kr}$  /  $^{91}\text{Sr}$  /  $^{92}\text{Sr}$  /  $^{92}\text{Y}$  /  $^{97}\text{Zr}$  /  $^{99}\text{Mo}$  /  $^{103}\text{Ru}$  /  $^{105}\text{Ru}$  /  $^{128}\text{Sb}$  /  $^{129}\text{Sb}$  /  $^{132}\text{Te}$  /  $^{131}\text{I}$  /  $^{132}\text{I}$  /  $^{133}\text{I}$  /  $^{135}\text{I}$  /  $^{135}\text{Xe}$  /  $^{143}\text{Ce}$  /  $^{140}\text{Ba}$  /  $^{140}\text{La}$ , E=fast; measured fission fragment yields. Secondary neutrons from proton irradiation. JINR nuclotron. CONF St Petersburg, P195, Adam
- $^{133}\text{Cs}$  2004GE20 RADIOACTIVITY  $^{155}\text{Sm}(\beta^-)$  [from  $^{154}\text{Sm}(\text{n}, \gamma)$ ];  $^{60}\text{Co}$ ,  $^{133}\text{Ba}$ ,  $^{152}\text{Eu}$ ; measured  $\gamma$ -ray angular correlations.  $^{155}\text{Eu}$ ,  $^{60}\text{Ni}$ ,  $^{133}\text{Cs}$ ,  $^{152}\text{Gd}$  transitions deduced  $\delta$ . Comparison with previous results. JOUR BJPHE 34 722
- 2005DA40 NUCLEAR MOMENTS  $^{133}\text{Cs}$ ; measured hfs; deduced constants. JOUR EULEE 72 740
- $^{133}\text{Ba}$  2004GE20 RADIOACTIVITY  $^{155}\text{Sm}(\beta^-)$  [from  $^{154}\text{Sm}(\text{n}, \gamma)$ ];  $^{60}\text{Co}$ ,  $^{133}\text{Ba}$ ,  $^{152}\text{Eu}$ ; measured  $\gamma$ -ray angular correlations.  $^{155}\text{Eu}$ ,  $^{60}\text{Ni}$ ,  $^{133}\text{Cs}$ ,  $^{152}\text{Gd}$  transitions deduced  $\delta$ . Comparison with previous results. JOUR BJPHE 34 722
- $^{133}\text{La}$  2005UN01 NUCLEAR REACTIONS  $^{128}\text{Te}(\text{}^{14}\text{N}, 4\text{n})$ ,  $(\text{}^{14}\text{N}, 5\text{n})$ ,  $(\text{}^{14}\text{N}, 4\text{np})$ ,  $(\text{}^{14}\text{N}, 5\text{n}\alpha)$ ,  $(\text{}^{14}\text{N}, 6\text{n}\alpha)$ ,  $(\text{}^{14}\text{N}, \text{n}2\text{p}\alpha)$ ,  $(\text{}^{14}\text{N}, \text{n}2\text{p}2\alpha)$ ,  $(\text{}^{14}\text{N}, 3\alpha)$ , E  $\approx$  64-90; measured excitation functions; deduced reaction mechanism features. Activation technique, comparison with model predictions. JOUR IMPEE 14 775
- $^{133}\text{Nd}$  2005PE18 NUCLEAR REACTIONS  $^{104}\text{Pd}(\text{}^{32}\text{S}, \text{n}2\text{p})$ , E=135 MeV; measured Doppler-shifted  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{133}\text{Nd}$  levels deduced  $T_{1/2}$ , B(E2), decay-out mechanism for highly deformed rotational band. GASP array, recoil-distance method. JOUR PRVCA 72 031304

**A=134**

- $^{134}\text{Sn}$  2005RA09 NUCLEAR REACTIONS C( $^{126}\text{Sn}$ ,  $^{126}\text{Sn}'$ ), ( $^{128}\text{Sn}$ ,  $^{128}\text{Sn}'$ ), ( $^{130}\text{Sn}$ ,  $^{130}\text{Sn}'$ ), ( $^{132}\text{Sn}$ ,  $^{132}\text{Sn}'$ ), ( $^{134}\text{Sn}$ ,  $^{134}\text{Sn}'$ ), ( $^{132}\text{Te}$ ,  $^{132}\text{Te}'$ ), ( $^{134}\text{Te}$ ,  $^{134}\text{Te}'$ ), ( $^{136}\text{Te}$ ,  $^{136}\text{Te}'$ ), E not given; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation.  $^{126,128,130,132,134}\text{Sn}$ ,  $^{132,134,136}\text{Te}$  deduced transitions B(E2).  $^9\text{Be}(\text{}^{134}\text{Te}, \text{}^8\text{Be})$ ,  $^{13}\text{C}(\text{}^{134}\text{Te}, \text{}^{12}\text{C})$ , E not given; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -, (particle) $\gamma$ -coin.  $^{135}\text{Te}$  deduced level. Clarion, Hyball arrays. JOUR NUPAB 752 264c
- 2005SH23 RADIOACTIVITY  $^{134}\text{Sn}(\beta^-)$ ;  $^{135}\text{Sn}(\beta^-)$ ,  $(\beta^- \text{n})$ ; measured  $E\gamma$ ,  $I\gamma$ ,  $\beta\gamma$ -,  $\gamma\gamma$ -coin.  $^{134}\text{Sb}$  deduced levels, J,  $\pi$ ,  $\beta$ -decaying isomeric state. Mass separator, shell model calculations. JOUR PRVCA 71 064321

## A=134 (continued)

- 2005VA31 NUCLEAR REACTIONS  $^{48}\text{Ti}(^{132}\text{Sn}, ^{132}\text{Sn}')$ , E=470-495 MeV;  $^{90}\text{Zr}(^{134}\text{Sn}, ^{134}\text{Sn}')$ , E=400 MeV; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation.  $^{132,134}\text{Sn}$  deduced transitions B(E2). JOUR ZAANE 25 s01 391
- $^{134}\text{Sb}$  2005SH23 RADIOACTIVITY  $^{134}\text{Sn}(\beta^-)$ ;  $^{135}\text{Sn}(\beta^-)$ , ( $\beta^-n$ ); measured  $E\gamma$ ,  $I\gamma$ ,  $\beta\gamma^-$ ,  $\gamma\gamma$ -coin.  $^{134}\text{Sb}$  deduced levels, J,  $\pi$ ,  $\beta$ -decaying isomeric state. Mass separator, shell model calculations. JOUR PRVCA 71 064321
- 2005SH53 RADIOACTIVITY  $^{111}\text{Te}(\beta^+)$  [from  $^{58}\text{Ni}(^{56}\text{Fe}, 2pn)$ ];  $^{135}\text{Sn}(\beta^-)$ , ( $\beta^-n$ ) [from U(p, F), E=1.4 GeV]; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin following decay of mass-separated sources.  $^{111,134,135}\text{Sb}$  deduced levels, J,  $\pi$ . Comparison with model calculations. JOUR ZAANE 25 s01 121
- $^{134}\text{Te}$  2005HW06 RADIOACTIVITY  $^{252}\text{Cf}(\text{SF})$ ; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{95,97}\text{Sr}$ ,  $^{99}\text{Zr}$ ,  $^{108}\text{Tc}$ ,  $^{133,134}\text{Te}$ ,  $^{137}\text{Xe}$  levels deduced  $T_{1/2}$ . Gammasphere array, time-gated triple-coincidence method. JOUR ZAANE 25 s01 463
- 2005RA09 NUCLEAR REACTIONS C( $^{126}\text{Sn}, ^{126}\text{Sn}'$ ), ( $^{128}\text{Sn}, ^{128}\text{Sn}'$ ), ( $^{130}\text{Sn}, ^{130}\text{Sn}'$ ), ( $^{132}\text{Sn}, ^{132}\text{Sn}'$ ), ( $^{134}\text{Sn}, ^{134}\text{Sn}'$ ), ( $^{132}\text{Te}, ^{132}\text{Te}'$ ), ( $^{134}\text{Te}, ^{134}\text{Te}'$ ), ( $^{136}\text{Te}, ^{136}\text{Te}'$ ), E not given; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation.  $^{126,128,130,132,134}\text{Sn}$ ,  $^{132,134,136}\text{Te}$  deduced transitions B(E2).  $^9\text{Be}(^{134}\text{Te}, ^8\text{Be})$ ,  $^{13}\text{C}(^{134}\text{Te}, ^{12}\text{C})$ , E not given; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma^-$ , (particle) $\gamma$ -coin.  $^{135}\text{Te}$  deduced level. Clarion, Hyball arrays. JOUR NUPAB 752 264c
- 2005RA32 NUCLEAR REACTIONS C( $^{126}\text{Sn}, ^{126}\text{Sn}'$ ), ( $^{128}\text{Sn}, ^{128}\text{Sn}'$ ), ( $^{130}\text{Sn}, ^{130}\text{Sn}'$ ), ( $^{132}\text{Te}, ^{132}\text{Te}'$ ), ( $^{134}\text{Te}, ^{134}\text{Te}'$ ), ( $^{136}\text{Te}, ^{136}\text{Te}'$ ), E not given; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma^-$ , (particle) $\gamma$ -coin following projectile Coulomb excitation.  $^{132,134,136}\text{Te}$ ,  $^{126,128,130}\text{Sn}$  deduced excitation B(E2).  $^9\text{Be}(^{134}\text{Te}, ^8\text{Be})$ ,  $^{13}\text{C}(^{134}\text{Te}, ^{12}\text{C})$ , E=4.3 MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin, (particle) $\gamma$ -coin; deduced single-neutron transfer  $\sigma(E)$ .  $^{135}\text{Te}$  deduced levels J,  $\pi$ . JOUR ZAANE 25 s01 383
- $^{134}\text{I}$  2005BEZW NUCLEAR REACTIONS  $^{238}\text{U}(\gamma, \text{F})^{84}\text{Br} / ^{130}\text{Sb} / ^{132}\text{Sb} / ^{131}\text{Te} / ^{133}\text{Te} / ^{134}\text{I} / ^{135}\text{Xe}$ , E=16 MeV bremsstrahlung;  $^{237}\text{Np}(\gamma, \text{F})^{134}\text{I} / ^{135}\text{Xe}$ , E=16 MeV bremsstrahlung; measured  $E\gamma$ ,  $I\gamma$ ; deduced isomer yield ratios, fission fragments mean angular momenta. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Voll,P641
- 2005NA05 NUCLEAR REACTIONS  $^{232}\text{Th}$ ,  $^{232,238}\text{U}$ ,  $^{238,240}\text{Pu}$ ,  $^{244}\text{Cm}(n, \text{F})^{128}\text{Sb} / ^{130}\text{Sb} / ^{132}\text{Sb} / ^{131}\text{Te} / ^{133}\text{Te} / ^{132}\text{I} / ^{134}\text{I} / ^{136}\text{I} / ^{135}\text{Xe} / ^{138}\text{Cs}$ , E=thermal, fast; measured isomer yield ratios; deduced fission fragment angular momenta. Spin-dependent statistical model analysis. JOUR PRVCA 71 014304
- $^{134}\text{Xe}$  2005LE04 NUCLEAR REACTIONS Pb(p, X) $^3\text{He} / ^4\text{He} / ^{21}\text{Ne} / ^{22}\text{Ne} / ^{36}\text{Ar} / ^{38}\text{Ar} / ^{78}\text{Kr} / ^{80}\text{Kr} / ^{81}\text{Kr} / ^{82}\text{Kr} / ^{83}\text{Kr} / ^{84}\text{Kr} / ^{85}\text{Kr} / ^{86}\text{Kr} / ^{124}\text{Xe} / ^{126}\text{Xe} / ^{128}\text{Xe} / ^{129}\text{Xe} / ^{130}\text{Xe} / ^{131}\text{Xe} / ^{132}\text{Xe} / ^{134}\text{Xe}$ , E=44-2595 MeV; measured production  $\sigma$ ; deduced reaction mechanism features. Mini-stack approach, comparisons with model predictions. JOUR NIMBE 229 1
- $^{134}\text{Cs}$  2005U0ZZ NUCLEAR REACTIONS U(p, F) $^{95}\text{Zr} / ^{115}\text{Cd} / ^{134}\text{Cs} / ^{136}\text{Cs} / ^{137}\text{Cs} / ^{147}\text{Nd}$ , E  $\approx$  20-70 MeV; measured production  $\sigma$ . Stacked-foil activation technique, comparison with model predictions. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol2,P1547

**A=134 (continued)**

- <sup>134</sup>Pr 2005T022 NUCLEAR REACTIONS <sup>119</sup>Sn(<sup>19</sup>F, 4n), E=83, 87 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin, DSA. <sup>134</sup>Pr levels deduced T<sub>1/2</sub>, B(M1), B(E2), mixing ratios. Euroball IV array, recoil-distance and Doppler-shift attenuation techniques. JOUR ZAANE 25 s01 447
- 2005TOZY NUCLEAR REACTIONS <sup>119</sup>Sn(<sup>19</sup>F, 4n), E=83, 87 MeV; measured Doppler-shifted E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>134</sup>Pr deduced high-spin levels T<sub>1/2</sub>, B(E2), B(M1), chiral symmetry features. Recoil-distance and Doppler-shift attenuation techniques. CONF Argonne(Nuclei at the Limits),P93,Tonev
- <sup>134</sup>Sm 2005XU04 RADIOACTIVITY <sup>81</sup>Zr, <sup>85</sup>Mo, <sup>89</sup>Ru, <sup>92</sup>Rh, <sup>93</sup>Pd, <sup>121</sup>Ce, <sup>125</sup>Nd, <sup>128</sup>Pm, <sup>129</sup>Sm, <sup>135,137</sup>Gd, <sup>139</sup>Dy, <sup>142</sup>Ho, <sup>149</sup>Yb( $\beta^+$ p); measured  $\beta$ -delayed E $\gamma$ , I $\gamma$ , proton spectra, p $\gamma$ -coin, T<sub>1/2</sub>. Comparison with model predictions. JOUR PRVCA 71 054318

**A=135**

- <sup>135</sup>Sn 2005K040 RADIOACTIVITY <sup>135</sup>Sn( $\beta^-$ ) [from <sup>235</sup>U(n, F), E=thermal]; measured E $\gamma$ , I $\gamma$ ,  $\beta\gamma$ -coin following decay of mass-separated sources. <sup>135</sup>Sb deduced levels, J,  $\pi$ , T<sub>1/2</sub>, B(M1), configurations. Comparison with shell model calculations. JOUR ZAANE 25 s01 123
- 2005SH23 RADIOACTIVITY <sup>134</sup>Sn( $\beta^-$ ); <sup>135</sup>Sn( $\beta^-$ ), ( $\beta^-$ n); measured E $\gamma$ , I $\gamma$ ,  $\beta\gamma$ -,  $\gamma\gamma$ -coin. <sup>134</sup>Sb deduced levels, J,  $\pi$ ,  $\beta$ -decaying isomeric state. Mass separator, shell model calculations. JOUR PRVCA 71 064321
- 2005SH36 RADIOACTIVITY <sup>135</sup>Sn( $\beta^-$ ) [from U(n, F)]; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>135</sup>Sb deduced levels, J,  $\pi$ . Resonance ionization, mass separator. Comparisons with shell-model predictions. JOUR PRVCA 72 024305
- 2005SH53 RADIOACTIVITY <sup>111</sup>Te( $\beta^+$ ) [from <sup>58</sup>Ni(<sup>56</sup>Fe, 2pn)]; <sup>135</sup>Sn( $\beta^-$ ), ( $\beta^-$ n) [from U(p, F), E=1.4 GeV]; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin following decay of mass-separated sources. <sup>111,134,135</sup>Sb deduced levels, J,  $\pi$ . Comparison with model calculations. JOUR ZAANE 25 s01 121
- <sup>135</sup>Sb 2005K040 RADIOACTIVITY <sup>135</sup>Sn( $\beta^-$ ) [from <sup>235</sup>U(n, F), E=thermal]; measured E $\gamma$ , I $\gamma$ ,  $\beta\gamma$ -coin following decay of mass-separated sources. <sup>135</sup>Sb deduced levels, J,  $\pi$ , T<sub>1/2</sub>, B(M1), configurations. Comparison with shell model calculations. JOUR ZAANE 25 s01 123
- 2005SH23 RADIOACTIVITY <sup>134</sup>Sn( $\beta^-$ ); <sup>135</sup>Sn( $\beta^-$ ), ( $\beta^-$ n); measured E $\gamma$ , I $\gamma$ ,  $\beta\gamma$ -,  $\gamma\gamma$ -coin. <sup>134</sup>Sb deduced levels, J,  $\pi$ ,  $\beta$ -decaying isomeric state. Mass separator, shell model calculations. JOUR PRVCA 71 064321
- 2005SH36 RADIOACTIVITY <sup>135</sup>Sn( $\beta^-$ ) [from U(n, F)]; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>135</sup>Sb deduced levels, J,  $\pi$ . Resonance ionization, mass separator. Comparisons with shell-model predictions. JOUR PRVCA 72 024305
- 2005SH53 RADIOACTIVITY <sup>111</sup>Te( $\beta^+$ ) [from <sup>58</sup>Ni(<sup>56</sup>Fe, 2pn)]; <sup>135</sup>Sn( $\beta^-$ ), ( $\beta^-$ n) [from U(p, F), E=1.4 GeV]; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin following decay of mass-separated sources. <sup>111,134,135</sup>Sb deduced levels, J,  $\pi$ . Comparison with model calculations. JOUR ZAANE 25 s01 121

**A=135 (continued)**

- <sup>135</sup>Te 2005GR25 NUCLEAR REACTIONS <sup>64</sup>Ni(<sup>132</sup>Sn, X), (<sup>134</sup>Sn, X), E=450-620 MeV; measured fusion  $\sigma$ . C(<sup>130</sup>Te, <sup>130</sup>Te'), (<sup>132</sup>Te, <sup>132</sup>Te'), E=3 MeV / nucleon; measured E $\gamma$ , I $\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation. <sup>132</sup>Te level deduced g factor. <sup>13</sup>C(<sup>134</sup>Te, <sup>135</sup>Te), E=550 MeV; measured E $\gamma$ , I $\gamma$ . <sup>135</sup>Te level deduced J,  $\pi$ . JOUR JPGPE 31 S1639
- 2005RA09 NUCLEAR REACTIONS C(<sup>126</sup>Sn, <sup>126</sup>Sn'), (<sup>128</sup>Sn, <sup>128</sup>Sn'), (<sup>130</sup>Sn, <sup>130</sup>Sn'), (<sup>132</sup>Sn, <sup>132</sup>Sn'), (<sup>134</sup>Sn, <sup>134</sup>Sn'), (<sup>132</sup>Te, <sup>132</sup>Te'), (<sup>134</sup>Te, <sup>134</sup>Te'), (<sup>136</sup>Te, <sup>136</sup>Te'), E not given; measured E $\gamma$ , I $\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation. <sup>126,128,130,132,134</sup>Sn, <sup>132,134,136</sup>Te deduced transitions B(E2). <sup>9</sup>Be(<sup>134</sup>Te, <sup>8</sup>Be), <sup>13</sup>C(<sup>134</sup>Te, <sup>12</sup>C), E not given; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -, (particle) $\gamma$ -coin. <sup>135</sup>Te deduced level. Clarion, Hyball arrays. JOUR NUPAB 752 264c
- 2005RA32 NUCLEAR REACTIONS C(<sup>126</sup>Sn, <sup>126</sup>Sn'), (<sup>128</sup>Sn, <sup>128</sup>Sn'), (<sup>130</sup>Sn, <sup>130</sup>Sn'), (<sup>132</sup>Te, <sup>132</sup>Te'), (<sup>134</sup>Te, <sup>134</sup>Te'), (<sup>136</sup>Te, <sup>136</sup>Te'), E not given; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -, (particle) $\gamma$ -coin following projectile Coulomb excitation. <sup>132,134,136</sup>Te, <sup>126,128,130</sup>Sn deduced excitation B(E2). <sup>9</sup>Be(<sup>134</sup>Te, <sup>8</sup>Be), <sup>13</sup>C(<sup>134</sup>Te, <sup>12</sup>C), E=4.3 MeV / nucleon; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin, (particle) $\gamma$ -coin; deduced single-neutron transfer  $\sigma$ (E). <sup>135</sup>Te deduced levels J,  $\pi$ . JOUR ZAANE 25 s01 383
- <sup>135</sup>I 2005ADZZ NUCLEAR REACTIONS <sup>129</sup>I(n, 7n), (n, 6n), (n, 4n), (n,  $\gamma$ ), E=fast; <sup>237</sup>Np(n,  $\gamma$ ), E=fast; measured yields. <sup>237</sup>Np(n, F)<sup>91</sup>Sr / <sup>97</sup>Zr / <sup>132</sup>Te / <sup>133</sup>I / <sup>135</sup>I, E=fast; <sup>238</sup>Pu(n, F)<sup>97</sup>Zr / <sup>129</sup>Sb / <sup>132</sup>I / <sup>133</sup>I / <sup>135</sup>Xe / <sup>105</sup>Ru, E=fast; <sup>239</sup>Pu(n, F)<sup>88</sup>Kr / <sup>91</sup>Sr / <sup>92</sup>Sr / <sup>92</sup>Y / <sup>97</sup>Zr / <sup>99</sup>Mo / <sup>103</sup>Ru / <sup>105</sup>Ru / <sup>128</sup>Sb / <sup>129</sup>Sb / <sup>132</sup>Te / <sup>131</sup>I / <sup>132</sup>I / <sup>133</sup>I / <sup>135</sup>I / <sup>135</sup>Xe / <sup>143</sup>Ce / <sup>140</sup>Ba / <sup>140</sup>La, E=fast; measured fission fragment yields. Secondary neutrons from proton irradiation. JINR nuclotron. CONF St Petersburg,P195,Adam
- 2005GAZW NUCLEAR REACTIONS <sup>232</sup>Th, <sup>238</sup>U, <sup>243</sup>Am, <sup>248</sup>Cm( $\gamma$ , F)<sup>135m</sup>Xe / <sup>135</sup>Xe / <sup>135</sup>I, E=25 MeV bremsstrahlung; measured yield ratios. Microtron, gas flow transport. CONF St Petersburg,P66,Gangrsky
- 2005UR01 RADIOACTIVITY <sup>248</sup>Cm(SF); measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>109,110,111</sup>Tc, <sup>135</sup>I deduced transitions. <sup>111</sup>Tc deduced levels, J,  $\pi$ , configurations. Eurogam2 array. Level systematics in neighboring nuclides discussed. JOUR ZAANE 24 161
- <sup>135</sup>Xe 2004GA60 NUCLEAR REACTIONS <sup>237</sup>Np( $\gamma$ , F)<sup>135</sup>Xe / <sup>137</sup>Xe / <sup>138</sup>Xe / <sup>139</sup>Xe / <sup>140</sup>Xe / <sup>141</sup>Xe / <sup>142</sup>Xe / <sup>89</sup>Kr / <sup>91</sup>Kr / <sup>92</sup>Kr / <sup>93</sup>Kr, E=25 MeV bremsstrahlung; measured fission yields, isotopic distribution parameters. Comparison with results from other targets. JOUR BRSPE 68 1298
- 2004GAZW NUCLEAR REACTIONS <sup>237</sup>Np, <sup>243</sup>Am( $\gamma$ , F)<sup>89</sup>Kr / <sup>91</sup>Kr / <sup>92</sup>Kr / <sup>93</sup>Kr / <sup>135</sup>Xe / <sup>137</sup>Xe / <sup>138</sup>Xe / <sup>139</sup>Xe / <sup>140</sup>Xe / <sup>141</sup>Xe / <sup>142</sup>Xe, E<sub>max</sub>=25 MeV; measured E $\gamma$ , I $\gamma$ ; deduced fission fragment yields. REPT JINR-P15-2004-119,Gangrsky

**A=135 (continued)**

- 2005ADZZ NUCLEAR REACTIONS  $^{129}\text{I}(n, 7n)$ ,  $(n, 6n)$ ,  $(n, 4n)$ ,  $(n, \gamma)$ , E=fast;  $^{237}\text{Np}(n, \gamma)$ , E=fast; measured yields.  $^{237}\text{Np}(n, F)^{91}\text{Sr} / ^{97}\text{Zr} / ^{132}\text{Te} / ^{133}\text{I} / ^{135}\text{I}$ , E=fast;  $^{238}\text{Pu}(n, F)^{97}\text{Zr} / ^{129}\text{Sb} / ^{132}\text{I} / ^{133}\text{I} / ^{135}\text{Xe} / ^{105}\text{Ru}$ , E=fast;  $^{239}\text{Pu}(n, F)^{88}\text{Kr} / ^{91}\text{Sr} / ^{92}\text{Sr} / ^{92}\text{Y} / ^{97}\text{Zr} / ^{99}\text{Mo} / ^{103}\text{Ru} / ^{105}\text{Ru} / ^{128}\text{Sb} / ^{129}\text{Sb} / ^{132}\text{Te} / ^{131}\text{I} / ^{132}\text{I} / ^{133}\text{I} / ^{135}\text{I} / ^{135}\text{Xe} / ^{143}\text{Ce} / ^{140}\text{Ba} / ^{140}\text{La}$ , E=fast; measured fission fragment yields. Secondary neutrons from proton irradiation. JINR nuclotron. CONF St Petersburg,P195,Adam
- 2005BA34 NUCLEAR REACTIONS  $^{136}\text{Xe}(d, ^3\text{HeX})^{135}\text{Xe}$ , E=500 MeV;  $^1\text{H}(d, \pi^0)$ , E=500 MeV; measured helium spectra.  $^{135}\text{Xe}$  deduced pionic state binding energy. JOUR YAFIA 68 517
- 2005BEZW NUCLEAR REACTIONS  $^{238}\text{U}(\gamma, F)^{84}\text{Br} / ^{130}\text{Sb} / ^{132}\text{Sb} / ^{131}\text{Te} / ^{133}\text{Te} / ^{134}\text{I} / ^{135}\text{Xe}$ , E=16 MeV bremsstrahlung;  $^{237}\text{Np}(\gamma, F)^{134}\text{I} / ^{135}\text{Xe}$ , E=16 MeV bremsstrahlung; measured  $E\gamma$ ,  $I\gamma$ ; deduced isomer yield ratios, fission fragments mean angular momenta. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol1,P641
- 2005GA25 NUCLEAR REACTIONS  $^{248}\text{Cm}(\gamma, F)^{89}\text{Kr} / ^{91}\text{Kr} / ^{92}\text{Kr} / ^{93}\text{Kr} / ^{135}\text{Xe} / ^{137}\text{Xe} / ^{138}\text{Xe} / ^{139}\text{Xe} / ^{140}\text{Xe} / ^{141}\text{Xe} / ^{142}\text{Xe}$ , E=25 MeV bremsstrahlung; measured  $E\gamma$ ,  $I\gamma$ ; deduced yields. JOUR FECLA 125 44
- 2005GA50 NUCLEAR REACTIONS  $^{237}\text{Np}$ ,  $^{243}\text{Am}(\gamma, F)^{135}\text{Xe} / ^{137}\text{Xe} / ^{138}\text{Xe} / ^{139}\text{Xe} / ^{140}\text{Xe} / ^{141}\text{Xe} / ^{142}\text{Xe} / ^{89}\text{Kr} / ^{91}\text{Kr} / ^{92}\text{Kr} / ^{93}\text{Kr}$ , E=25 MeV bremsstrahlung; measured fission yields, isotopic distribution parameters. JOUR YAFIA 68 1475
- 2005GAZW NUCLEAR REACTIONS  $^{232}\text{Th}$ ,  $^{238}\text{U}$ ,  $^{243}\text{Am}$ ,  $^{248}\text{Cm}(\gamma, F)^{135m}\text{Xe} / ^{135}\text{Xe} / ^{135}\text{I}$ , E=25 MeV bremsstrahlung; measured yield ratios. Microtron, gas flow transport. CONF St Petersburg,P66,Gangrsky
- 2005NA05 NUCLEAR REACTIONS  $^{232}\text{Th}$ ,  $^{232,238}\text{U}$ ,  $^{238,240}\text{Pu}$ ,  $^{244}\text{Cm}(n, F)^{128}\text{Sb} / ^{130}\text{Sb} / ^{132}\text{Sb} / ^{131}\text{Te} / ^{133}\text{Te} / ^{132}\text{I} / ^{134}\text{I} / ^{136}\text{I} / ^{135}\text{Xe} / ^{138}\text{Cs}$ , E=thermal, fast; measured isomer yield ratios; deduced fission fragment angular momenta. Spin-dependent statistical model analysis. JOUR PRVCA 71 014304
- $^{135}\text{Cs}$  2005UN01 NUCLEAR REACTIONS  $^{128}\text{Te}(^{14}\text{N}, 4n)$ ,  $(^{14}\text{N}, 5n)$ ,  $(^{14}\text{N}, 4np)$ ,  $(^{14}\text{N}, 5n\alpha)$ ,  $(^{14}\text{N}, 6n\alpha)$ ,  $(^{14}\text{N}, n2p\alpha)$ ,  $(^{14}\text{N}, n2p2\alpha)$ ,  $(^{14}\text{N}, 3\alpha)$ , E  $\approx$  64-90; measured excitation functions; deduced reaction mechanism features. Activation technique, comparison with model predictions. JOUR IMPEE 14 775
- $^{135}\text{Ce}$  2005JAZZ NUCLEAR REACTIONS  $^{124}\text{Sn}(^{16}\text{O}, 5n)$ , E=80 MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin, DSA.  $^{135}\text{Ce}$  deduced high-spin levels, J,  $\pi$ ,  $T_{1/2}$ , B(M1), B(E2), chiral doublet bands. CONF Argonne(Nuclei at the Limits),P99,Jain
- 2005VEZZ NUCLEAR REACTIONS  $\text{Pr}(p, X)^{139}\text{Nd} / ^{138}\text{Nd} / ^{139}\text{Ce} / ^{135}\text{Ce} / ^{137}\text{Pr} / ^{138m}\text{Pr}$ , E=20-100 MeV;  $\text{La}(p, X)^{139}\text{Ce}$ , E=0-20 MeV; measured excitation functions. Comparison with model predictions. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol2,P1650
- $^{135}\text{Gd}$  2005XU04 RADIOACTIVITY  $^{81}\text{Zr}$ ,  $^{85}\text{Mo}$ ,  $^{89}\text{Ru}$ ,  $^{92}\text{Rh}$ ,  $^{93}\text{Pd}$ ,  $^{121}\text{Ce}$ ,  $^{125}\text{Nd}$ ,  $^{128}\text{Pm}$ ,  $^{129}\text{Sm}$ ,  $^{135,137}\text{Gd}$ ,  $^{139}\text{Dy}$ ,  $^{142}\text{Ho}$ ,  $^{149}\text{Yb}(\beta^+p)$ ; measured  $\beta$ -delayed  $E\gamma$ ,  $I\gamma$ , proton spectra,  $p\gamma$ -coin,  $T_{1/2}$ . Comparison with model predictions. JOUR PRVCA 71 054318



**A=135 (continued)**

2005XU04 NUCLEAR REACTIONS  $^{92}\text{Mo}$ ,  $^{106}\text{Cd}(^{32}\text{S}, 3\text{n})$ ,  $E=151$  MeV;  $^{92}\text{Mo}(^{36}\text{Ar}, 3\text{n})$ ,  $E=169$  MeV;  $^{96}\text{Ru}(^{36}\text{Ar}, 3\text{n})$ ,  $(^{36}\text{Ar}, 3\text{np})$ ,  $E=165, 174$  MeV;  $^{106}\text{Cd}(^{36}\text{Ar}, 3\text{n})$ ,  $(^{36}\text{Ar}, \text{n}\alpha)$ ,  $E=176$  MeV;  $^{106}\text{Cd}(^{40}\text{Ca}, 4\text{n})$ ,  $E=202$  MeV;  $^{112}\text{Sn}(^{40}\text{Ca}, 3\text{n})$ ,  $E=185$  MeV; measured  $\sigma$ . JOUR PRVCA 71 054318

**A=136**

$^{136}\text{Te}$  2005RA09 NUCLEAR REACTIONS  $\text{C}(^{126}\text{Sn}, ^{126}\text{Sn}')$ ,  $(^{128}\text{Sn}, ^{128}\text{Sn}')$ ,  $(^{130}\text{Sn}, ^{130}\text{Sn}')$ ,  $(^{132}\text{Sn}, ^{132}\text{Sn}')$ ,  $(^{134}\text{Sn}, ^{134}\text{Sn}')$ ,  $(^{132}\text{Te}, ^{132}\text{Te}')$ ,  $(^{134}\text{Te}, ^{134}\text{Te}')$ ,  $(^{136}\text{Te}, ^{136}\text{Te}')$ ,  $E$  not given; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation.  $^{126,128,130,132,134}\text{Sn}$ ,  $^{132,134,136}\text{Te}$  deduced transitions  $B(E2)$ .  $^9\text{Be}(^{134}\text{Te}, ^8\text{Be})$ ,  $^{13}\text{C}(^{134}\text{Te}, ^{12}\text{C})$ ,  $E$  not given; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -, (particle) $\gamma$ -coin.  $^{135}\text{Te}$  deduced level. Clarion, Hyball arrays. JOUR NUPAB 752 264c

2005RA32 NUCLEAR REACTIONS  $\text{C}(^{126}\text{Sn}, ^{126}\text{Sn}')$ ,  $(^{128}\text{Sn}, ^{128}\text{Sn}')$ ,  $(^{130}\text{Sn}, ^{130}\text{Sn}')$ ,  $(^{132}\text{Te}, ^{132}\text{Te}')$ ,  $(^{134}\text{Te}, ^{134}\text{Te}')$ ,  $(^{136}\text{Te}, ^{136}\text{Te}')$ ,  $E$  not given; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -, (particle) $\gamma$ -coin following projectile Coulomb excitation.  $^{132,134,136}\text{Te}$ ,  $^{126,128,130}\text{Sn}$  deduced excitation  $B(E2)$ .  $^9\text{Be}(^{134}\text{Te}, ^8\text{Be})$ ,  $^{13}\text{C}(^{134}\text{Te}, ^{12}\text{C})$ ,  $E=4.3$  MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin, (particle) $\gamma$ -coin; deduced single-neutron transfer  $\sigma(E)$ .  $^{135}\text{Te}$  deduced levels  $J$ ,  $\pi$ . JOUR ZAANE 25 s01 383

$^{136}\text{I}$  2005NA05 NUCLEAR REACTIONS  $^{232}\text{Th}$ ,  $^{232,238}\text{U}$ ,  $^{238,240}\text{Pu}$ ,  $^{244}\text{Cm}(\text{n}, \text{F})^{128}\text{Sb}$  /  $^{130}\text{Sb}$  /  $^{132}\text{Sb}$  /  $^{131}\text{Te}$  /  $^{133}\text{Te}$  /  $^{132}\text{I}$  /  $^{134}\text{I}$  /  $^{136}\text{I}$  /  $^{135}\text{Xe}$  /  $^{138}\text{Cs}$ ,  $E$ =thermal, fast; measured isomer yield ratios; deduced fission fragment angular momenta. Spin-dependent statistical model analysis. JOUR PRVCA 71 014304

$^{136}\text{Xe}$  2005GAZU RADIOACTIVITY  $^{136}\text{Xe}(2\beta^-)$ ; measured  $0\nu\beta\beta$ -decay and  $2\nu\beta\beta$ -decay  $T_{1/2}$  lower limits. PREPRINT nucl-ex/0510071,10/26/2005

$^{136}\text{Cs}$  2005UOZZ NUCLEAR REACTIONS  $\text{U}(\text{p}, \text{F})^{95}\text{Zr}$  /  $^{115}\text{Cd}$  /  $^{134}\text{Cs}$  /  $^{136}\text{Cs}$  /  $^{137}\text{Cs}$  /  $^{147}\text{Nd}$ ,  $E \approx 20$ -70 MeV; measured production  $\sigma$ . Stacked-foil activation technique, comparison with model predictions. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol2, P1547

$^{136}\text{Ba}$  2005GAZU RADIOACTIVITY  $^{136}\text{Xe}(2\beta^-)$ ; measured  $0\nu\beta\beta$ -decay and  $2\nu\beta\beta$ -decay  $T_{1/2}$  lower limits. PREPRINT nucl-ex/0510071,10/26/2005

$^{136}\text{La}$  2005BH06 NUCLEAR REACTIONS  $^{130}\text{Te}(^{11}\text{B}, 5\text{n})$ ,  $E=52$  MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{136}\text{La}$  deduced high-spin levels,  $J$ ,  $\pi$ , configurations. Two-quasiparticle-rotor model calculation. JOUR NUPAB 750 199

2005ZH16 NUCLEAR REACTIONS  $^{130}\text{Te}(^{11}\text{B}, 5\text{n})$ ,  $E=60$  MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{136}\text{La}$  deduced high-spin levels,  $J$ ,  $\pi$ , configurations. JOUR ZAANE 24 199

$^{136}\text{Ce}$  2005LA29 NUCLEAR REACTIONS  $^{124}\text{Sn}(^{16}\text{O}, 4\text{n})$ ,  $E=80$  MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin,  $\gamma$ -ray polarization, DSA.  $^{136}\text{Ce}$  deduced high-spin levels,  $I$ ,  $\pi$ ,  $T_{1/2}$ ,  $B(M1)$ ,  $B(E2)$ , transition quadrupole moments.  $^{124}\text{Sn}(^{16}\text{O}, 4\text{n})$ ,  $E=65$ -98 MeV; measured  $E\gamma$ , excitation functions. Comparisons with cranking model predictions. JOUR NUPAB 761 1

**A=136 (continued)**

<sup>136</sup>Sm 2005XU04 RADIOACTIVITY <sup>81</sup>Zr, <sup>85</sup>Mo, <sup>89</sup>Ru, <sup>92</sup>Rh, <sup>93</sup>Pd, <sup>121</sup>Ce, <sup>125</sup>Nd, <sup>128</sup>Pm, <sup>129</sup>Sm, <sup>135,137</sup>Gd, <sup>139</sup>Dy, <sup>142</sup>Ho, <sup>149</sup>Yb( $\beta^+$ p); measured  $\beta$ -delayed E $\gamma$ , I $\gamma$ , proton spectra, p $\gamma$ -coin, T<sub>1/2</sub>. Comparison with model predictions. JOUR PRVCA 71 054318

**A=137**

<sup>137</sup>Xe 2004GA60 NUCLEAR REACTIONS <sup>237</sup>Np( $\gamma$ , F)<sup>135</sup>Xe / <sup>137</sup>Xe / <sup>138</sup>Xe / <sup>139</sup>Xe / <sup>140</sup>Xe / <sup>141</sup>Xe / <sup>142</sup>Xe / <sup>89</sup>Kr / <sup>91</sup>Kr / <sup>92</sup>Kr / <sup>93</sup>Kr, E=25 MeV bremsstrahlung; measured fission yields, isotopic distribution parameters. Comparison with results from other targets. JOUR BRSPE 68 1298

2004GAZV NUCLEAR REACTIONS <sup>237</sup>Np, <sup>243</sup>Am( $\gamma$ , F)<sup>89</sup>Kr / <sup>91</sup>Kr / <sup>92</sup>Kr / <sup>93</sup>Kr / <sup>135</sup>Xe / <sup>137</sup>Xe / <sup>138</sup>Xe / <sup>139</sup>Xe / <sup>140</sup>Xe / <sup>141</sup>Xe / <sup>142</sup>Xe, E<sub>max</sub>=25 MeV; measured E $\gamma$ , I $\gamma$ ; deduced fission fragment yields. REPT JINR-P15-2004-119, Gangrsky

2005F017 RADIOACTIVITY <sup>252</sup>Cf(SF); measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>98</sup>Sr, <sup>102,104</sup>Zr, <sup>137</sup>Xe, <sup>143</sup>Ba, <sup>152</sup>Ce levels deduced T<sub>1/2</sub>. Gammasphere array, time-gated triple-coincidence method. JOUR ZAANE 25 s01 465

2005GA25 NUCLEAR REACTIONS <sup>248</sup>Cm( $\gamma$ , F)<sup>89</sup>Kr / <sup>91</sup>Kr / <sup>92</sup>Kr / <sup>93</sup>Kr / <sup>135</sup>Xe / <sup>137</sup>Xe / <sup>138</sup>Xe / <sup>139</sup>Xe / <sup>140</sup>Xe / <sup>141</sup>Xe / <sup>142</sup>Xe, E=25 MeV bremsstrahlung; measured E $\gamma$ , I $\gamma$ ; deduced yields. JOUR FECLA 125 44

2005GA50 NUCLEAR REACTIONS <sup>237</sup>Np, <sup>243</sup>Am( $\gamma$ , F)<sup>135</sup>Xe / <sup>137</sup>Xe / <sup>138</sup>Xe / <sup>139</sup>Xe / <sup>140</sup>Xe / <sup>141</sup>Xe / <sup>142</sup>Xe / <sup>89</sup>Kr / <sup>91</sup>Kr / <sup>92</sup>Kr / <sup>93</sup>Kr, E=25 MeV bremsstrahlung; measured fission yields, isotopic distribution parameters. JOUR YAFIA 68 1475

2005HW06 RADIOACTIVITY <sup>252</sup>Cf(SF); measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>95,97</sup>Sr, <sup>99</sup>Zr, <sup>108</sup>Tc, <sup>133,134</sup>Te, <sup>137</sup>Xe levels deduced T<sub>1/2</sub>. Gammasphere array, time-gated triple-coincidence method. JOUR ZAANE 25 s01 463

<sup>137</sup>Cs 2005U0ZZ NUCLEAR REACTIONS U(p, F)<sup>95</sup>Zr / <sup>115</sup>Cd / <sup>134</sup>Cs / <sup>136</sup>Cs / <sup>137</sup>Cs / <sup>147</sup>Nd, E  $\approx$  20-70 MeV; measured production  $\sigma$ . Stacked-foil activation technique, comparison with model predictions. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol2, P1547

<sup>137</sup>Ce 2005UN01 NUCLEAR REACTIONS <sup>128</sup>Te(<sup>14</sup>N, 4n), (<sup>14</sup>N, 5n), (<sup>14</sup>N, 4np), (<sup>14</sup>N, 5n $\alpha$ ), (<sup>14</sup>N, 6n $\alpha$ ), (<sup>14</sup>N, n2p $\alpha$ ), (<sup>14</sup>N, n2p2 $\alpha$ ), (<sup>14</sup>N, 3 $\alpha$ ), E  $\approx$  64-90; measured excitation functions; deduced reaction mechanism features. Activation technique, comparison with model predictions. JOUR IMPEE 14 775

<sup>137</sup>Pr 2005UN01 NUCLEAR REACTIONS <sup>128</sup>Te(<sup>14</sup>N, 4n), (<sup>14</sup>N, 5n), (<sup>14</sup>N, 4np), (<sup>14</sup>N, 5n $\alpha$ ), (<sup>14</sup>N, 6n $\alpha$ ), (<sup>14</sup>N, n2p $\alpha$ ), (<sup>14</sup>N, n2p2 $\alpha$ ), (<sup>14</sup>N, 3 $\alpha$ ), E  $\approx$  64-90; measured excitation functions; deduced reaction mechanism features. Activation technique, comparison with model predictions. JOUR IMPEE 14 775

2005VEZZ NUCLEAR REACTIONS Pr(p, X)<sup>139</sup>Nd / <sup>138</sup>Nd / <sup>139</sup>Ce / <sup>135</sup>Ce / <sup>137</sup>Pr / <sup>138m</sup>Pr, E=20-100 MeV; La(p, X)<sup>139</sup>Ce, E=0-20 MeV; measured excitation functions. Comparison with model predictions. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol2, P1650

**A=137 (continued)**

- <sup>137</sup>Gd 2005XU04 RADIOACTIVITY <sup>81</sup>Zr, <sup>85</sup>Mo, <sup>89</sup>Ru, <sup>92</sup>Rh, <sup>93</sup>Pd, <sup>121</sup>Ce, <sup>125</sup>Nd, <sup>128</sup>Pm, <sup>129</sup>Sm, <sup>135,137</sup>Gd, <sup>139</sup>Dy, <sup>142</sup>Ho, <sup>149</sup>Yb( $\beta^+$ p); measured  $\beta$ -delayed E $\gamma$ , I $\gamma$ , proton spectra, p $\gamma$ -coin, T<sub>1/2</sub>. Comparison with model predictions. JOUR PRVCA 71 054318
- 2005XU04 NUCLEAR REACTIONS <sup>92</sup>Mo, <sup>106</sup>Cd(<sup>32</sup>S, 3n), E=151 MeV; <sup>92</sup>Mo(<sup>36</sup>Ar, 3n), E=169 MeV; <sup>96</sup>Ru(<sup>36</sup>Ar, 3n), (<sup>36</sup>Ar, 3np), E=165, 174 MeV; <sup>106</sup>Cd(<sup>36</sup>Ar, 3n), (<sup>36</sup>Ar, n $\alpha$ ), E=176 MeV; <sup>106</sup>Cd(<sup>40</sup>Ca, 4n), E=202 MeV; <sup>112</sup>Sn(<sup>40</sup>Ca, 3n), E=185 MeV; measured  $\sigma$ . JOUR PRVCA 71 054318

**A=138**

- <sup>138</sup>Xe 2004GA60 NUCLEAR REACTIONS <sup>237</sup>Np( $\gamma$ , F)<sup>135</sup>Xe / <sup>137</sup>Xe / <sup>138</sup>Xe / <sup>139</sup>Xe / <sup>140</sup>Xe / <sup>141</sup>Xe / <sup>142</sup>Xe / <sup>89</sup>Kr / <sup>91</sup>Kr / <sup>92</sup>Kr / <sup>93</sup>Kr, E=25 MeV bremsstrahlung; measured fission yields, isotopic distribution parameters. Comparison with results from other targets. JOUR BRSPE 68 1298
- 2004GAZV NUCLEAR REACTIONS <sup>237</sup>Np, <sup>243</sup>Am( $\gamma$ , F)<sup>89</sup>Kr / <sup>91</sup>Kr / <sup>92</sup>Kr / <sup>93</sup>Kr / <sup>135</sup>Xe / <sup>137</sup>Xe / <sup>138</sup>Xe / <sup>139</sup>Xe / <sup>140</sup>Xe / <sup>141</sup>Xe / <sup>142</sup>Xe, E<sub>max</sub>=25 MeV; measured E $\gamma$ , I $\gamma$ ; deduced fission fragment yields. REPT JINR-P15-2004-119, Gangrsky
- 2005GA25 NUCLEAR REACTIONS <sup>248</sup>Cm( $\gamma$ , F)<sup>89</sup>Kr / <sup>91</sup>Kr / <sup>92</sup>Kr / <sup>93</sup>Kr / <sup>135</sup>Xe / <sup>137</sup>Xe / <sup>138</sup>Xe / <sup>139</sup>Xe / <sup>140</sup>Xe / <sup>141</sup>Xe / <sup>142</sup>Xe, E=25 MeV bremsstrahlung; measured E $\gamma$ , I $\gamma$ ; deduced yields. JOUR FECLA 125 44
- 2005GA50 NUCLEAR REACTIONS <sup>237</sup>Np, <sup>243</sup>Am( $\gamma$ , F)<sup>135</sup>Xe / <sup>137</sup>Xe / <sup>138</sup>Xe / <sup>139</sup>Xe / <sup>140</sup>Xe / <sup>141</sup>Xe / <sup>142</sup>Xe / <sup>89</sup>Kr / <sup>91</sup>Kr / <sup>92</sup>Kr / <sup>93</sup>Kr, E=25 MeV bremsstrahlung; measured fission yields, isotopic distribution parameters. JOUR YAFIA 68 1475
- 2005JA12 RADIOACTIVITY <sup>252</sup>Cf(SF); measured E $\gamma$ , I $\gamma$ ,  $\alpha\gamma$ -,  $\gamma\gamma$ -coin for  $\alpha$ -accompanied ternary fission; deduced fission fragments average angular momentum. <sup>100,102</sup>Zr, <sup>106</sup>Mo, <sup>144,146</sup>Ba, <sup>138,140,142</sup>Xe; deduced transition intensities. Gammasphere array. JOUR ZAANE 24 373
- <sup>138</sup>Cs 2005NA05 NUCLEAR REACTIONS <sup>232</sup>Th, <sup>232,238</sup>U, <sup>238,240</sup>Pu, <sup>244</sup>Cm(n, F)<sup>128</sup>Sb / <sup>130</sup>Sb / <sup>132</sup>Sb / <sup>131</sup>Te / <sup>133</sup>Te / <sup>132</sup>I / <sup>134</sup>I / <sup>136</sup>I / <sup>135</sup>Xe / <sup>138</sup>Cs, E=thermal, fast; measured isomer yield ratios; deduced fission fragment angular momenta. Spin-dependent statistical model analysis. JOUR PRVCA 71 014304
- <sup>138</sup>Pr 2005GA14 NUCLEAR REACTIONS <sup>128</sup>Te(<sup>14</sup>N, 4n), E=55-65 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>138</sup>Pr deduced high-spin levels, J,  $\pi$ , B(M1) / B(E2), configurations. Comparison with particle-rotor model predictions. JOUR ZAANE 24 173
- 2005UN01 NUCLEAR REACTIONS <sup>128</sup>Te(<sup>14</sup>N, 4n), (<sup>14</sup>N, 5n), (<sup>14</sup>N, 4np), (<sup>14</sup>N, 5n $\alpha$ ), (<sup>14</sup>N, 6n $\alpha$ ), (<sup>14</sup>N, n2p $\alpha$ ), (<sup>14</sup>N, n2p2 $\alpha$ ), (<sup>14</sup>N, 3 $\alpha$ ), E  $\approx$  64-90; measured excitation functions; deduced reaction mechanism features. Activation technique, comparison with model predictions. JOUR IMPEE 14 775

**A=138 (continued)**

- 2005VEZZ NUCLEAR REACTIONS Pr(p, X)<sup>139</sup>Nd / <sup>138</sup>Nd / <sup>139</sup>Ce / <sup>135</sup>Ce / <sup>137</sup>Pr / <sup>138m</sup>Pr, E=20-100 MeV; La(p, X)<sup>139</sup>Ce, E=0-20 MeV; measured excitation functions. Comparison with model predictions. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol2, P1650
- <sup>138</sup>Nd 2005VEZZ NUCLEAR REACTIONS Pr(p, X)<sup>139</sup>Nd / <sup>138</sup>Nd / <sup>139</sup>Ce / <sup>135</sup>Ce / <sup>137</sup>Pr / <sup>138m</sup>Pr, E=20-100 MeV; La(p, X)<sup>139</sup>Ce, E=0-20 MeV; measured excitation functions. Comparison with model predictions. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol2, P1650
- <sup>138</sup>Gd 2005XU04 RADIOACTIVITY <sup>81</sup>Zr, <sup>85</sup>Mo, <sup>89</sup>Ru, <sup>92</sup>Rh, <sup>93</sup>Pd, <sup>121</sup>Ce, <sup>125</sup>Nd, <sup>128</sup>Pm, <sup>129</sup>Sm, <sup>135,137</sup>Gd, <sup>139</sup>Dy, <sup>142</sup>Ho, <sup>149</sup>Yb( $\beta^+$ p); measured  $\beta$ -delayed E $\gamma$ , I $\gamma$ , proton spectra, p $\gamma$ -coin, T<sub>1/2</sub>. Comparison with model predictions. JOUR PRVCA 71 054318

**A=139**

- <sup>139</sup>Xe 2004GA60 NUCLEAR REACTIONS <sup>237</sup>Np( $\gamma$ , F)<sup>135</sup>Xe / <sup>137</sup>Xe / <sup>138</sup>Xe / <sup>139</sup>Xe / <sup>140</sup>Xe / <sup>141</sup>Xe / <sup>142</sup>Xe / <sup>89</sup>Kr / <sup>91</sup>Kr / <sup>92</sup>Kr / <sup>93</sup>Kr, E=25 MeV bremsstrahlung; measured fission yields, isotopic distribution parameters. Comparison with results from other targets. JOUR BRSPE 68 1298
- 2004GAZV NUCLEAR REACTIONS <sup>237</sup>Np, <sup>243</sup>Am( $\gamma$ , F)<sup>89</sup>Kr / <sup>91</sup>Kr / <sup>92</sup>Kr / <sup>93</sup>Kr / <sup>135</sup>Xe / <sup>137</sup>Xe / <sup>138</sup>Xe / <sup>139</sup>Xe / <sup>140</sup>Xe / <sup>141</sup>Xe / <sup>142</sup>Xe, E<sub>max</sub>=25 MeV; measured E $\gamma$ , I $\gamma$ ; deduced fission fragment yields. REPT JINR-P15-2004-119, Gangrsky
- 2005GA25 NUCLEAR REACTIONS <sup>248</sup>Cm( $\gamma$ , F)<sup>89</sup>Kr / <sup>91</sup>Kr / <sup>92</sup>Kr / <sup>93</sup>Kr / <sup>135</sup>Xe / <sup>137</sup>Xe / <sup>138</sup>Xe / <sup>139</sup>Xe / <sup>140</sup>Xe / <sup>141</sup>Xe / <sup>142</sup>Xe, E=25 MeV bremsstrahlung; measured E $\gamma$ , I $\gamma$ ; deduced yields. JOUR FECLA 125 44
- 2005GA50 NUCLEAR REACTIONS <sup>237</sup>Np, <sup>243</sup>Am( $\gamma$ , F)<sup>135</sup>Xe / <sup>137</sup>Xe / <sup>138</sup>Xe / <sup>139</sup>Xe / <sup>140</sup>Xe / <sup>141</sup>Xe / <sup>142</sup>Xe / <sup>89</sup>Kr / <sup>91</sup>Kr / <sup>92</sup>Kr / <sup>93</sup>Kr, E=25 MeV bremsstrahlung; measured fission yields, isotopic distribution parameters. JOUR YAFIA 68 1475
- <sup>139</sup>Cs 2005AN01 NUCLEAR REACTIONS <sup>238</sup>U(p, F)<sup>89</sup>Rb / <sup>90</sup>Rb / <sup>91</sup>Rb / <sup>93</sup>Rb / <sup>94</sup>Rb / <sup>95</sup>Rb / <sup>139</sup>Cs / <sup>140</sup>Cs / <sup>141</sup>Cs / <sup>142</sup>Cs / <sup>144</sup>Cs / <sup>145</sup>Cs, E=1 GeV; measured yields. JOUR ZAANE 23 257
- <sup>139</sup>Ba 2005HE04 NUCLEAR REACTIONS <sup>18</sup>O(p, n), E=2582 keV; measured neutron spectrum. <sup>138</sup>Ba(n,  $\gamma$ ), E=spectrum; measured Maxwellian-averaged  $\sigma$ . JOUR PRVCA 71 025803
- <sup>139</sup>La 2005SK04 NUCLEAR REACTIONS <sup>131</sup>Xe, <sup>139</sup>La(n, n), E=low; measured neutron transmission spectra through polarized targets. Plans for measurement of time-reversal violating effects discussed. JOUR JRNBA 110 471
- <sup>139</sup>Ce 2005VEZZ NUCLEAR REACTIONS Pr(p, X)<sup>139</sup>Nd / <sup>138</sup>Nd / <sup>139</sup>Ce / <sup>135</sup>Ce / <sup>137</sup>Pr / <sup>138m</sup>Pr, E=20-100 MeV; La(p, X)<sup>139</sup>Ce, E=0-20 MeV; measured excitation functions. Comparison with model predictions. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol2, P1650

**A=139 (continued)**

- <sup>139</sup>Pr 2005YU06 NUCLEAR REACTIONS <sup>130</sup>Te(<sup>14</sup>N, 4n), (<sup>14</sup>N, 5n), E=55-65 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin; deduced  $\gamma$ -ray excitation functions. <sup>140</sup>Pr deduced high-spin levels, J,  $\pi$ , configurations. Level systematics in neighboring nuclides discussed. JOUR CPLEE 22 1873
- <sup>139</sup>Nd 2005VEZZ NUCLEAR REACTIONS Pr(p, X)<sup>139</sup>Nd / <sup>138</sup>Nd / <sup>139</sup>Ce / <sup>135</sup>Ce / <sup>137</sup>Pr / <sup>138m</sup>Pr, E=20-100 MeV; La(p, X)<sup>139</sup>Ce, E=0-20 MeV; measured excitation functions. Comparison with model predictions. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol2, P1650
- <sup>139</sup>Dy 2005XU04 RADIOACTIVITY <sup>81</sup>Zr, <sup>85</sup>Mo, <sup>89</sup>Ru, <sup>92</sup>Rh, <sup>93</sup>Pd, <sup>121</sup>Ce, <sup>125</sup>Nd, <sup>128</sup>Pm, <sup>129</sup>Sm, <sup>135,137</sup>Gd, <sup>139</sup>Dy, <sup>142</sup>Ho, <sup>149</sup>Yb( $\beta^+$ p); measured  $\beta$ -delayed E $\gamma$ , I $\gamma$ , proton spectra, p $\gamma$ -coin, T<sub>1/2</sub>. Comparison with model predictions. JOUR PRVCA 71 054318
- 2005XU04 NUCLEAR REACTIONS <sup>92</sup>Mo, <sup>106</sup>Cd(<sup>32</sup>S, 3n), E=151 MeV; <sup>92</sup>Mo(<sup>36</sup>Ar, 3n), E=169 MeV; <sup>96</sup>Ru(<sup>36</sup>Ar, 3n), (<sup>36</sup>Ar, 3np), E=165, 174 MeV; <sup>106</sup>Cd(<sup>36</sup>Ar, 3n), (<sup>36</sup>Ar, n $\alpha$ ), E=176 MeV; <sup>106</sup>Cd(<sup>40</sup>Ca, 4n), E=202 MeV; <sup>112</sup>Sn(<sup>40</sup>Ca, 3n), E=185 MeV; measured  $\sigma$ . JOUR PRVCA 71 054318

**A=140**

- <sup>140</sup>Xe 2004GA60 NUCLEAR REACTIONS <sup>237</sup>Np( $\gamma$ , F)<sup>135</sup>Xe / <sup>137</sup>Xe / <sup>138</sup>Xe / <sup>139</sup>Xe / <sup>140</sup>Xe / <sup>141</sup>Xe / <sup>142</sup>Xe / <sup>89</sup>Kr / <sup>91</sup>Kr / <sup>92</sup>Kr / <sup>93</sup>Kr, E=25 MeV bremsstrahlung; measured fission yields, isotopic distribution parameters. Comparison with results from other targets. JOUR BRSPE 68 1298
- 2004GAZV NUCLEAR REACTIONS <sup>237</sup>Np, <sup>243</sup>Am( $\gamma$ , F)<sup>89</sup>Kr / <sup>91</sup>Kr / <sup>92</sup>Kr / <sup>93</sup>Kr / <sup>135</sup>Xe / <sup>137</sup>Xe / <sup>138</sup>Xe / <sup>139</sup>Xe / <sup>140</sup>Xe / <sup>141</sup>Xe / <sup>142</sup>Xe, E<sub>max</sub>=25 MeV; measured E $\gamma$ , I $\gamma$ ; deduced fission fragment yields. REPT JINR-P15-2004-119, Gangrsky
- 2005GA25 NUCLEAR REACTIONS <sup>248</sup>Cm( $\gamma$ , F)<sup>89</sup>Kr / <sup>91</sup>Kr / <sup>92</sup>Kr / <sup>93</sup>Kr / <sup>135</sup>Xe / <sup>137</sup>Xe / <sup>138</sup>Xe / <sup>139</sup>Xe / <sup>140</sup>Xe / <sup>141</sup>Xe / <sup>142</sup>Xe, E=25 MeV bremsstrahlung; measured E $\gamma$ , I $\gamma$ ; deduced yields. JOUR FECLA 125 44
- 2005GA50 NUCLEAR REACTIONS <sup>237</sup>Np, <sup>243</sup>Am( $\gamma$ , F)<sup>135</sup>Xe / <sup>137</sup>Xe / <sup>138</sup>Xe / <sup>139</sup>Xe / <sup>140</sup>Xe / <sup>141</sup>Xe / <sup>142</sup>Xe / <sup>89</sup>Kr / <sup>91</sup>Kr / <sup>92</sup>Kr / <sup>93</sup>Kr, E=25 MeV bremsstrahlung; measured fission yields, isotopic distribution parameters. JOUR YAFIA 68 1475
- 2005JA12 RADIOACTIVITY <sup>252</sup>Cf(SF); measured E $\gamma$ , I $\gamma$ ,  $\alpha\gamma$ -,  $\gamma\gamma$ -coin for  $\alpha$ -accompanied ternary fission; deduced fission fragments average angular momentum. <sup>100,102</sup>Zr, <sup>106</sup>Mo, <sup>144,146</sup>Ba, <sup>138,140,142</sup>Xe; deduced transition intensities. Gammasphere array. JOUR ZAANE 24 373
- <sup>140</sup>Cs 2005AN01 NUCLEAR REACTIONS <sup>238</sup>U(p, F)<sup>89</sup>Rb / <sup>90</sup>Rb / <sup>91</sup>Rb / <sup>93</sup>Rb / <sup>94</sup>Rb / <sup>95</sup>Rb / <sup>139</sup>Cs / <sup>140</sup>Cs / <sup>141</sup>Cs / <sup>142</sup>Cs / <sup>144</sup>Cs / <sup>145</sup>Cs, E=1 GeV; measured yields. JOUR ZAANE 23 257

## A=140 (continued)

- <sup>140</sup>Ba 2005ADZZ NUCLEAR REACTIONS <sup>129</sup>I(n, 7n), (n, 6n), (n, 4n), (n, γ), E=fast; <sup>237</sup>Np(n, γ), E=fast; measured yields. <sup>237</sup>Np(n, F)<sup>91</sup>Sr / <sup>97</sup>Zr / <sup>132</sup>Te / <sup>133</sup>I / <sup>135</sup>I, E=fast; <sup>238</sup>Pu(n, F)<sup>97</sup>Zr / <sup>129</sup>Sb / <sup>132</sup>I / <sup>133</sup>I / <sup>135</sup>Xe / <sup>105</sup>Ru, E=fast; <sup>239</sup>Pu(n, F)<sup>88</sup>Kr / <sup>91</sup>Sr / <sup>92</sup>Sr / <sup>92</sup>Y / <sup>97</sup>Zr / <sup>99</sup>Mo / <sup>103</sup>Ru / <sup>105</sup>Ru / <sup>128</sup>Sb / <sup>129</sup>Sb / <sup>132</sup>Te / <sup>131</sup>I / <sup>132</sup>I / <sup>133</sup>I / <sup>135</sup>I / <sup>135</sup>Xe / <sup>143</sup>Ce / <sup>140</sup>Ba / <sup>140</sup>La, E=fast; measured fission fragment yields. Secondary neutrons from proton irradiation. JINR nuclotron. CONF St Petersburg,P195,Adam
- <sup>140</sup>La 2005ADZZ NUCLEAR REACTIONS <sup>129</sup>I(n, 7n), (n, 6n), (n, 4n), (n, γ), E=fast; <sup>237</sup>Np(n, γ), E=fast; measured yields. <sup>237</sup>Np(n, F)<sup>91</sup>Sr / <sup>97</sup>Zr / <sup>132</sup>Te / <sup>133</sup>I / <sup>135</sup>I, E=fast; <sup>238</sup>Pu(n, F)<sup>97</sup>Zr / <sup>129</sup>Sb / <sup>132</sup>I / <sup>133</sup>I / <sup>135</sup>Xe / <sup>105</sup>Ru, E=fast; <sup>239</sup>Pu(n, F)<sup>88</sup>Kr / <sup>91</sup>Sr / <sup>92</sup>Sr / <sup>92</sup>Y / <sup>97</sup>Zr / <sup>99</sup>Mo / <sup>103</sup>Ru / <sup>105</sup>Ru / <sup>128</sup>Sb / <sup>129</sup>Sb / <sup>132</sup>Te / <sup>131</sup>I / <sup>132</sup>I / <sup>133</sup>I / <sup>135</sup>I / <sup>135</sup>Xe / <sup>143</sup>Ce / <sup>140</sup>Ba / <sup>140</sup>La, E=fast; measured fission fragment yields. Secondary neutrons from proton irradiation. JINR nuclotron. CONF St Petersburg,P195,Adam
- <sup>140</sup>Pr 2005HIZX NUCLEAR REACTIONS <sup>66</sup>Zn(d, α), E=5-14 MeV; Ce(<sup>3</sup>He, xn)<sup>140</sup>Nd, E=16-35 MeV; <sup>141</sup>Ce(p, 2n), E=10-45 MeV; <sup>192</sup>Os(p, n), E=6-19 MeV; measured excitation functions; deduced thick-target yields. Stacked-foil activation technique. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol2,P1631
- 2005YU06 NUCLEAR REACTIONS <sup>130</sup>Te(<sup>14</sup>N, 4n), (<sup>14</sup>N, 5n), E=55-65 MeV; measured E<sub>γ</sub>, I<sub>γ</sub>, γγ-coin; deduced γ-ray excitation functions. <sup>140</sup>Pr deduced high-spin levels, J, π, configurations. Level systematics in neighboring nuclides discussed. JOUR CPLEE 22 1873
- <sup>140</sup>Nd 2004HIZX NUCLEAR REACTIONS <sup>102</sup>Ru(<sup>3</sup>He, 2n), <sup>100</sup>Ru(α, n), <sup>103</sup>Rh(d, 2n), (p, n), E ≈ 5-35 MeV; analyzed excitation functions, yields. Ce(<sup>3</sup>He, xn)<sup>140</sup>Nd, E < 27 MeV; <sup>141</sup>Pr(p, 2n), E < 23 MeV; measured yields. <sup>192</sup>Os(p, n), E ≈ 6-20; measured σ. REPT  
NEA/NSC/DOC(2004)14,P15,Hilgers
- 2004NE13 NUCLEAR REACTIONS <sup>96</sup>Zr(<sup>48</sup>Ca, 4n), E=195 MeV; measured E<sub>γ</sub>, I<sub>γ</sub>, γγ-coin, fractional Doppler shifts. <sup>140</sup>Nd deduced superdeformed band transitions, quadrupole moments, configurations. Euroball array. JOUR PRVCA 70 064315
- 2005HIZX NUCLEAR REACTIONS <sup>66</sup>Zn(d, α), E=5-14 MeV; Ce(<sup>3</sup>He, xn)<sup>140</sup>Nd, E=16-35 MeV; <sup>141</sup>Ce(p, 2n), E=10-45 MeV; <sup>192</sup>Os(p, n), E=6-19 MeV; measured excitation functions; deduced thick-target yields. Stacked-foil activation technique. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol2,P1631
- <sup>140</sup>Eu 2005TA31 RADIOACTIVITY <sup>140m</sup>Eu, <sup>142m</sup>Tb, <sup>144m</sup>Ho(IT) [from <sup>54</sup>Fe(<sup>92</sup>Mo, X)]; measured X-ray spectra, E<sub>γ</sub>, γγ-coin, E(ce), T<sub>1/2</sub>. <sup>140</sup>Eu, <sup>142</sup>Tb, <sup>144</sup>Ho dlevels, J, π, configurations. Mass-separated sources. JOUR ZAANE 25 s01 151
- <sup>140</sup>Dy 2005BI24 RADIOACTIVITY <sup>141</sup>Ho, <sup>144,145,146</sup>Tm(p) [from <sup>92</sup>Mo(<sup>54</sup>Fe, xnyp) and <sup>92</sup>Mo(<sup>58</sup>Ni, xnyp)]; measured E<sub>p</sub>, T<sub>1/2</sub>; deduced branching ratios. <sup>141</sup>Ho, <sup>140</sup>Dy, <sup>145,146</sup>Tm, <sup>144,145</sup>Er deduced levels, configurations. JOUR NIMBE 241 185

**A=141**

- <sup>141</sup>Xe    2004GA60    NUCLEAR REACTIONS <sup>237</sup>Np( $\gamma$ , F)<sup>135</sup>Xe / <sup>137</sup>Xe / <sup>138</sup>Xe / <sup>139</sup>Xe / <sup>140</sup>Xe / <sup>141</sup>Xe / <sup>142</sup>Xe / <sup>89</sup>Kr / <sup>91</sup>Kr / <sup>92</sup>Kr / <sup>93</sup>Kr, E=25 MeV  
bremsstrahlung; measured fission yields, isotopic distribution parameters. Comparison with results from other targets. JOUR BRSPE 68 1298
- 2004GAZV    NUCLEAR REACTIONS <sup>237</sup>Np, <sup>243</sup>Am( $\gamma$ , F)<sup>89</sup>Kr / <sup>91</sup>Kr / <sup>92</sup>Kr / <sup>93</sup>Kr / <sup>135</sup>Xe / <sup>137</sup>Xe / <sup>138</sup>Xe / <sup>139</sup>Xe / <sup>140</sup>Xe / <sup>141</sup>Xe / <sup>142</sup>Xe,  $E_{max}$ =25 MeV; measured  $E\gamma$ ,  $I\gamma$ ; deduced fission fragment yields. REPT JINR-P15-2004-119, Gangrsky
- 2005GA25    NUCLEAR REACTIONS <sup>248</sup>Cm( $\gamma$ , F)<sup>89</sup>Kr / <sup>91</sup>Kr / <sup>92</sup>Kr / <sup>93</sup>Kr / <sup>135</sup>Xe / <sup>137</sup>Xe / <sup>138</sup>Xe / <sup>139</sup>Xe / <sup>140</sup>Xe / <sup>141</sup>Xe / <sup>142</sup>Xe, E=25 MeV  
bremsstrahlung; measured  $E\gamma$ ,  $I\gamma$ ; deduced yields. JOUR FECLA 125 44
- 2005GA50    NUCLEAR REACTIONS <sup>237</sup>Np, <sup>243</sup>Am( $\gamma$ , F)<sup>135</sup>Xe / <sup>137</sup>Xe / <sup>138</sup>Xe / <sup>139</sup>Xe / <sup>140</sup>Xe / <sup>141</sup>Xe / <sup>142</sup>Xe / <sup>89</sup>Kr / <sup>91</sup>Kr / <sup>92</sup>Kr / <sup>93</sup>Kr, E=25 MeV  
bremsstrahlung; measured fission yields, isotopic distribution parameters. JOUR YAFIA 68 1475
- <sup>141</sup>Cs    2005AN01    NUCLEAR REACTIONS <sup>238</sup>U(p, F)<sup>89</sup>Rb / <sup>90</sup>Rb / <sup>91</sup>Rb / <sup>93</sup>Rb / <sup>94</sup>Rb / <sup>95</sup>Rb / <sup>139</sup>Cs / <sup>140</sup>Cs / <sup>141</sup>Cs / <sup>142</sup>Cs / <sup>144</sup>Cs / <sup>145</sup>Cs, E=1 GeV; measured yields. JOUR ZAANE 23 257
- <sup>141</sup>Tb    2004ME25    NUCLEAR REACTIONS <sup>92</sup>Mo(<sup>54</sup>Fe, p $\alpha$ ), E=240 MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -, (charged particle) $\gamma$ -coin. <sup>141</sup>Tb deduced high-spin levels, J,  $\pi$ , configurations. GASP, ISIS arrays, cranking model analysis. JOUR BJPHE 34 1002
- 2005XU04    RADIOACTIVITY <sup>81</sup>Zr, <sup>85</sup>Mo, <sup>89</sup>Ru, <sup>92</sup>Rh, <sup>93</sup>Pd, <sup>121</sup>Ce, <sup>125</sup>Nd, <sup>128</sup>Pm, <sup>129</sup>Sm, <sup>135,137</sup>Gd, <sup>139</sup>Dy, <sup>142</sup>Ho, <sup>149</sup>Yb( $\beta^+$ p); measured  $\beta$ -delayed  $E\gamma$ ,  $I\gamma$ , proton spectra, p $\gamma$ -coin,  $T_{1/2}$ . Comparison with model predictions. JOUR PRVCA 71 054318
- <sup>141</sup>Ho    2005BI24    RADIOACTIVITY <sup>141</sup>Ho, <sup>144,145,146</sup>Tm(p) [from <sup>92</sup>Mo(<sup>54</sup>Fe, xnyp) and <sup>92</sup>Mo(<sup>58</sup>Ni, xnyp)]; measured  $E_p$ ,  $T_{1/2}$ ; deduced branching ratios. <sup>141</sup>Ho, <sup>140</sup>Dy, <sup>145,146</sup>Tm, <sup>144,145</sup>Er deduced levels, configurations. JOUR NIMBE 241 185

**A=142**

- <sup>142</sup>Xe    2004GA60    NUCLEAR REACTIONS <sup>237</sup>Np( $\gamma$ , F)<sup>135</sup>Xe / <sup>137</sup>Xe / <sup>138</sup>Xe / <sup>139</sup>Xe / <sup>140</sup>Xe / <sup>141</sup>Xe / <sup>142</sup>Xe / <sup>89</sup>Kr / <sup>91</sup>Kr / <sup>92</sup>Kr / <sup>93</sup>Kr, E=25 MeV  
bremsstrahlung; measured fission yields, isotopic distribution parameters. Comparison with results from other targets. JOUR BRSPE 68 1298
- 2004GAZV    NUCLEAR REACTIONS <sup>237</sup>Np, <sup>243</sup>Am( $\gamma$ , F)<sup>89</sup>Kr / <sup>91</sup>Kr / <sup>92</sup>Kr / <sup>93</sup>Kr / <sup>135</sup>Xe / <sup>137</sup>Xe / <sup>138</sup>Xe / <sup>139</sup>Xe / <sup>140</sup>Xe / <sup>141</sup>Xe / <sup>142</sup>Xe,  $E_{max}$ =25 MeV; measured  $E\gamma$ ,  $I\gamma$ ; deduced fission fragment yields. REPT JINR-P15-2004-119, Gangrsky
- 2005GA25    NUCLEAR REACTIONS <sup>248</sup>Cm( $\gamma$ , F)<sup>89</sup>Kr / <sup>91</sup>Kr / <sup>92</sup>Kr / <sup>93</sup>Kr / <sup>135</sup>Xe / <sup>137</sup>Xe / <sup>138</sup>Xe / <sup>139</sup>Xe / <sup>140</sup>Xe / <sup>141</sup>Xe / <sup>142</sup>Xe, E=25 MeV  
bremsstrahlung; measured  $E\gamma$ ,  $I\gamma$ ; deduced yields. JOUR FECLA 125 44

A=142 (*continued*)

- 2005GA50 NUCLEAR REACTIONS  $^{237}\text{Np}$ ,  $^{243}\text{Am}(\gamma, \text{F})^{135}\text{Xe} / ^{137}\text{Xe} / ^{138}\text{Xe} / ^{139}\text{Xe} / ^{140}\text{Xe} / ^{141}\text{Xe} / ^{142}\text{Xe} / ^{89}\text{Kr} / ^{91}\text{Kr} / ^{92}\text{Kr} / ^{93}\text{Kr}$ , E=25 MeV  
bremsstrahlung; measured fission yields, isotopic distribution parameters. JOUR YAFIA 68 1475
- 2005JA12 RADIOACTIVITY  $^{252}\text{Cf}(\text{SF})$ ; measured  $E_\gamma$ ,  $I_\gamma$ ,  $\alpha\gamma$ -,  $\gamma\gamma$ -coin for  $\alpha$ -accompanied ternary fission; deduced fission fragments average angular momentum.  $^{100,102}\text{Zr}$ ,  $^{106}\text{Mo}$ ,  $^{144,146}\text{Ba}$ ,  $^{138,140,142}\text{Xe}$ ; deduced transition intensities. Gammasphere array. JOUR ZAANE 24 373
- $^{142}\text{Cs}$  2005AN01 NUCLEAR REACTIONS  $^{238}\text{U}(\text{p}, \text{F})^{89}\text{Rb} / ^{90}\text{Rb} / ^{91}\text{Rb} / ^{93}\text{Rb} / ^{94}\text{Rb} / ^{95}\text{Rb} / ^{139}\text{Cs} / ^{140}\text{Cs} / ^{141}\text{Cs} / ^{142}\text{Cs} / ^{144}\text{Cs} / ^{145}\text{Cs}$ , E=1 GeV; measured yields. JOUR ZAANE 23 257
- $^{142}\text{Ba}$  2005BI02 RADIOACTIVITY  $^{252}\text{Cf}(\text{SF})$ ; measured Doppler-shifted  $E_\gamma$ ,  $I_\gamma$ , (particle) $\gamma$ -,  $\gamma\gamma$ -coin.  $^{142,144}\text{Ba}$  levels deduced  $T_{1/2}$ , transition quadrupole moments. Euroball, Saphir arrays, differential Doppler shift method. JOUR PRVCA 71 011301
- $^{142}\text{Nd}$  2005MA10 NUCLEAR MOMENTS  $^{142,143,144,145,146,148,150}\text{Nd}$ ; measured hfs, isotope shifts. JOUR CHPHD 14 511
- 2005R035 NUCLEAR MOMENTS  $^{142,143,144,145,146,148,150}\text{Nd}$ ; measured hfs, isotope shifts. JOUR CJPFA 83 841
- $^{142}\text{Gd}$  2005PA07 NUCLEAR REACTIONS  $^{114}\text{Sn}(^{32}\text{S}, 2\text{n}2\text{p})$ , E=160 MeV; measured  $E_\gamma$ ,  $I_\gamma$ ,  $\gamma\gamma$ -, (charged particle) $\gamma$ -coin, DSA.  $^{142}\text{Gd}$  deduced high-spin levels, J,  $\pi$ , configurations,  $T_{1/2}$ , B(M1), B(E2). Euroball IV and Euclides arrays, comparisons with model predictions. JOUR ZAANE 23 191
- 2006DR01 NUCLEAR REACTIONS  $^{99}\text{Ru}(^{48}\text{Ti}, 3\text{n}2\text{p})$ , E=240 MeV; measured  $E_\gamma$ ,  $I_\gamma$ ,  $\gamma$ -ray linear polarization. JOUR NIMAE 556 182
- $^{142}\text{Tb}$  2005RI17 NUCLEAR REACTIONS  $^{92}\text{Mo}(^{54}\text{Fe}, \text{xnp}\alpha)$ , E=245 MeV; measured prompt and delayed  $E_\gamma$ ,  $I_\gamma$ ,  $\gamma\gamma$ -, (recoil) $\gamma$ -coin.  $^{142}\text{Tb}$ ,  $^{163}\text{Dy}$  deduced transitions.  $^{143}\text{Dy}$  deduced isomeric state  $T_{1/2}$ . Jurogam array. JOUR JPGPE 31 S1949
- 2005RYZZ RADIOACTIVITY  $^{146,146\text{m}}\text{Tm}(\text{p})$  [from  $^{92}\text{Mo}(^{58}\text{Ni}, \text{xnp})$ ]; measured proton spectra.  $^{146}\text{Tm}$ ,  $^{145}\text{Er}$  deduced levels, configurations.  $^{142\text{m}}\text{Tb}(\text{IT})$ ; measured conversion electron spectra; deduced levels, J,  $\pi$ . CONF Argonne(Nuclei at the Limits),P223,Rykaczewski
- 2005TA31 RADIOACTIVITY  $^{140\text{m}}\text{Eu}$ ,  $^{142\text{m}}\text{Tb}$ ,  $^{144\text{m}}\text{Ho}(\text{IT})$  [from  $^{54}\text{Fe}(^{92}\text{Mo}, \text{X})$ ]; measured X-ray spectra,  $E_\gamma$ ,  $\gamma\gamma$ -coin, E(ce),  $T_{1/2}$ .  $^{140}\text{Eu}$ ,  $^{142}\text{Tb}$ ,  $^{144}\text{Ho}$  dlevels, J,  $\pi$ , configurations. Mass-separated sources. JOUR ZAANE 25 s01 151
- $^{142}\text{Ho}$  2005XU04 RADIOACTIVITY  $^{81}\text{Zr}$ ,  $^{85}\text{Mo}$ ,  $^{89}\text{Ru}$ ,  $^{92}\text{Rh}$ ,  $^{93}\text{Pd}$ ,  $^{121}\text{Ce}$ ,  $^{125}\text{Nd}$ ,  $^{128}\text{Pm}$ ,  $^{129}\text{Sm}$ ,  $^{135,137}\text{Gd}$ ,  $^{139}\text{Dy}$ ,  $^{142}\text{Ho}$ ,  $^{149}\text{Yb}(\beta^+\text{p})$ ; measured  $\beta$ -delayed  $E_\gamma$ ,  $I_\gamma$ , proton spectra,  $\text{p}\gamma$ -coin,  $T_{1/2}$ . Comparison with model predictions. JOUR PRVCA 71 054318
- $^{142}\text{Er}$  2005XU04 NUCLEAR REACTIONS  $^{92}\text{Mo}$ ,  $^{106}\text{Cd}(^{32}\text{S}, 3\text{n})$ , E=151 MeV;  $^{92}\text{Mo}(^{36}\text{Ar}, 3\text{n})$ , E=169 MeV;  $^{96}\text{Ru}(^{36}\text{Ar}, 3\text{n})$ ,  $(^{36}\text{Ar}, 3\text{np})$ , E=165, 174 MeV;  $^{106}\text{Cd}(^{36}\text{Ar}, 3\text{n})$ ,  $(^{36}\text{Ar}, \text{n}\alpha)$ , E=176 MeV;  $^{106}\text{Cd}(^{40}\text{Ca}, 4\text{n})$ , E=202 MeV;  $^{112}\text{Sn}(^{40}\text{Ca}, 3\text{n})$ , E=185 MeV; measured  $\sigma$ . JOUR PRVCA 71 054318



**A=143**

- <sup>143</sup>Ba 2005F017 RADIOACTIVITY <sup>252</sup>Cf(SF); measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>98</sup>Sr, <sup>102,104</sup>Zr, <sup>137</sup>Xe, <sup>143</sup>Ba, <sup>152</sup>Ce levels deduced T<sub>1/2</sub>. Gammasphere array, time-gated triple-coincidence method. JOUR ZAANE 25 s01 465
- <sup>143</sup>Ce 2005ADZZ NUCLEAR REACTIONS <sup>129</sup>I(n, 7n), (n, 6n), (n, 4n), (n,  $\gamma$ ), E=fast; <sup>237</sup>Np(n,  $\gamma$ ), E=fast; measured yields. <sup>237</sup>Np(n, F)<sup>91</sup>Sr / <sup>97</sup>Zr / <sup>132</sup>Te / <sup>133</sup>I / <sup>135</sup>I, E=fast; <sup>238</sup>Pu(n, F)<sup>97</sup>Zr / <sup>129</sup>Sb / <sup>132</sup>I / <sup>133</sup>I / <sup>135</sup>Xe / <sup>105</sup>Ru, E=fast; <sup>239</sup>Pu(n, F)<sup>88</sup>Kr / <sup>91</sup>Sr / <sup>92</sup>Sr / <sup>92</sup>Y / <sup>97</sup>Zr / <sup>99</sup>Mo / <sup>103</sup>Ru / <sup>105</sup>Ru / <sup>128</sup>Sb / <sup>129</sup>Sb / <sup>132</sup>Te / <sup>131</sup>I / <sup>132</sup>I / <sup>133</sup>I / <sup>135</sup>I / <sup>135</sup>Xe / <sup>143</sup>Ce / <sup>140</sup>Ba / <sup>140</sup>La, E=fast; measured fission fragment yields. Secondary neutrons from proton irradiation. JINR nuclotron. CONF St Petersburg,P195,Adam
- <sup>143</sup>Nd 2003KI26 RADIOACTIVITY <sup>147</sup>Sm( $\alpha$ ); measured E $\alpha$ , T<sub>1/2</sub>. Comparison with previous results. JOUR JNRS 4,No 1,5
- 2004WAZW NUCLEAR REACTIONS Mg(<sup>132</sup>Xe, xn)<sup>149</sup>Dy, E=7 MeV / nucleon; <sup>12</sup>C(<sup>136</sup>Xe, 5n), E=6.5 MeV / nucleon; measured E $\gamma$ , I $\gamma$ ( $\theta$ , H, t). <sup>149</sup>Dy, <sup>143</sup>Nd deduced high-spin isomers g-factors. Time-differential perturbed angular distribution method. REPT CNS-REP-64,P243,Watanabe
- 2005MA10 NUCLEAR MOMENTS <sup>142,143,144,145,146,148,150</sup>Nd; measured hfs, isotope shifts. JOUR CHPHD 14 511
- 2005R035 NUCLEAR MOMENTS <sup>142,143,144,145,146,148,150</sup>Nd; measured hfs, isotope shifts. JOUR CJPHA 83 841
- <sup>143</sup>Pm 2005AF02 NUCLEAR REACTIONS <sup>141</sup>Pr( $\alpha$ , n), ( $\alpha$ , 2n), E=15-45 MeV; measured  $\sigma$ . Stacked-foil activation technique. Comparison with model predictions. JOUR JUPSA 74 1150
- <sup>143</sup>Gd 2005BA64 NUCLEAR MOMENTS <sup>143m,145,145m</sup>Gd; measured isotope shifts, hfs; deduced radii,  $\mu$ . Laser spectroscopy. JOUR PRVCA 72 017301
- <sup>143</sup>Dy 2005RI17 NUCLEAR REACTIONS <sup>92</sup>Mo(<sup>54</sup>Fe, xnyp $\alpha$ ), E=245 MeV; measured prompt and delayed E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -, (recoil) $\gamma$ -coin. <sup>142</sup>Tb, <sup>163</sup>Dy deduced transitions. <sup>143</sup>Dy deduced isomeric state T<sub>1/2</sub>. Jurogam array. JOUR JPGPE 31 S1949
- <sup>143</sup>Er 2005BI24 RADIOACTIVITY <sup>141</sup>Ho, <sup>144,145,146</sup>Tm(p) [from <sup>92</sup>Mo(<sup>54</sup>Fe, xnyp) and <sup>92</sup>Mo(<sup>58</sup>Ni, xnyp)]; measured E<sub>p</sub>, T<sub>1/2</sub>; deduced branching ratios. <sup>141</sup>Ho, <sup>140</sup>Dy, <sup>145,146</sup>Tm, <sup>144,145</sup>Er deduced levels, configurations. JOUR NIMBE 241 185
- 2005GR32 RADIOACTIVITY <sup>144</sup>Tm(p) [from <sup>58</sup>Ni(<sup>92</sup>Mo, p5n), E=340 MeV]; measured proton spectra, T<sub>1/2</sub>; deduced fine structure. JOUR ZAANE 25 s01 145

**A=144**

- <sup>144</sup>Cs 2005AN01 NUCLEAR REACTIONS <sup>238</sup>U(p, F)<sup>89</sup>Rb / <sup>90</sup>Rb / <sup>91</sup>Rb / <sup>93</sup>Rb / <sup>94</sup>Rb / <sup>95</sup>Rb / <sup>139</sup>Cs / <sup>140</sup>Cs / <sup>141</sup>Cs / <sup>142</sup>Cs / <sup>144</sup>Cs / <sup>145</sup>Cs, E=1 GeV; measured yields. JOUR ZAANE 23 257
- <sup>144</sup>Ba 2005BI02 RADIOACTIVITY <sup>252</sup>Cf(SF); measured Doppler-shifted E $\gamma$ , I $\gamma$ , (particle) $\gamma$ -,  $\gamma\gamma$ -coin. <sup>142,144</sup>Ba levels deduced T<sub>1/2</sub>, transition quadrupole moments. Euroball, Saphir arrays, differential Doppler shift method. JOUR PRVCA 71 011301

**A=144 (continued)**

- 2005JA12 RADIOACTIVITY  $^{252}\text{Cf}(\text{SF})$ ; measured  $E\gamma$ ,  $I\gamma$ ,  $\alpha\gamma$ -,  $\gamma\gamma$ -coin for  $\alpha$ -accompanied ternary fission; deduced fission fragments average angular momentum.  $^{100,102}\text{Zr}$ ,  $^{106}\text{Mo}$ ,  $^{144,146}\text{Ba}$ ,  $^{138,140,142}\text{Xe}$ ; deduced transition intensities. Gammasphere array. JOUR ZAANE 24 373
- 2005SH49 RADIOACTIVITY  $^{252}\text{Cf}(\text{SF})$ ; measured Doppler-shifted  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -, (fragment) $\gamma$ -coin.  $^{144}\text{Ba}$  deduced transitions  $T_{1/2}$ , B(E2), transition dipole, quadrupole, and octupole moments for alternating-parity band. Gammasphere array, cluster-model analysis. JOUR ZAANE 25 387
- $^{144}\text{Nd}$  2005MA10 NUCLEAR MOMENTS  $^{142,143,144,145,146,148,150}\text{Nd}$ ; measured hfs, isotope shifts. JOUR CHPHD 14 511
- 2005R035 NUCLEAR MOMENTS  $^{142,143,144,145,146,148,150}\text{Nd}$ ; measured hfs, isotope shifts. JOUR CJPHA 83 841
- $^{144}\text{Pm}$  2005AF02 NUCLEAR REACTIONS  $^{141}\text{Pr}(\alpha, n)$ , ( $\alpha$ , 2n), E=15-45 MeV; measured  $\sigma$ . Stacked-foil activation technique. Comparison with model predictions. JOUR JUPSA 74 1150
- $^{144}\text{Ho}$  2005TA31 RADIOACTIVITY  $^{140m}\text{Eu}$ ,  $^{142m}\text{Tb}$ ,  $^{144m}\text{Ho}(\text{IT})$  [from  $^{54}\text{Fe}(^{92}\text{Mo}, \text{X})$ ]; measured X-ray spectra,  $E\gamma$ ,  $\gamma\gamma$ -coin, E(ce),  $T_{1/2}$ .  $^{140}\text{Eu}$ ,  $^{142}\text{Tb}$ ,  $^{144}\text{Ho}$  dlevels, J,  $\pi$ , configurations. Mass-separated sources. JOUR ZAANE 25 s01 151
- $^{144}\text{Er}$  2004SEZW RADIOACTIVITY  $^{145,147}\text{Tm}(\text{p})$ ; measured Ep. REPT ANL-04/22,P27,Seweryniak
- 2005BI24 RADIOACTIVITY  $^{141}\text{Ho}$ ,  $^{144,145,146}\text{Tm}(\text{p})$  [from  $^{92}\text{Mo}(^{54}\text{Fe}, \text{xnp})$  and  $^{92}\text{Mo}(^{58}\text{Ni}, \text{xnp})$ ]; measured Ep,  $T_{1/2}$ ; deduced branching ratios.  $^{141}\text{Ho}$ ,  $^{140}\text{Dy}$ ,  $^{145,146}\text{Tm}$ ,  $^{144,145}\text{Er}$  deduced levels, configurations. JOUR NIMBE 241 185
- 2005R0ZY RADIOACTIVITY  $^{145,146}\text{Tm}(\text{p})$  [from  $^{58}\text{Ni}(^{92}\text{Mo}, \text{xnp})$ ]; measured Ep,  $p\gamma$ -coin,  $T_{1/2}$ .  $^{144,145}\text{Er}$  deduced levels, feeding intensities. CONF Argonne(Nuclei at the Limits),P217,Robinson
- 2005SE26 RADIOACTIVITY  $^{145}\text{Tm}(\text{p})$  [from  $^{58}\text{Ni}(^{92}\text{Mo}, 4\text{np})$ ]; measured Ep,  $E\gamma$ ,  $p\gamma$ -coin. JOUR ZAANE 25 s01 159
- $^{144}\text{Tm}$  2005BI24 RADIOACTIVITY  $^{141}\text{Ho}$ ,  $^{144,145,146}\text{Tm}(\text{p})$  [from  $^{92}\text{Mo}(^{54}\text{Fe}, \text{xnp})$  and  $^{92}\text{Mo}(^{58}\text{Ni}, \text{xnp})$ ]; measured Ep,  $T_{1/2}$ ; deduced branching ratios.  $^{141}\text{Ho}$ ,  $^{140}\text{Dy}$ ,  $^{145,146}\text{Tm}$ ,  $^{144,145}\text{Er}$  deduced levels, configurations. JOUR NIMBE 241 185
- 2005GR32 RADIOACTIVITY  $^{144}\text{Tm}(\text{p})$  [from  $^{58}\text{Ni}(^{92}\text{Mo}, \text{p5n})$ , E=340 MeV]; measured proton spectra,  $T_{1/2}$ ; deduced fine structure. JOUR ZAANE 25 s01 145
- 2005RYZZ NUCLEAR REACTIONS  $^{92}\text{Mo}(^{58}\text{Ni}, \text{X})$ , E=340 MeV; measured delayed Ep, (recoil)(proton)-coin.  $^{144}\text{Tm}$  deduced possible proton decay. CONF Argonne(Nuclei at the Limits),P223,Rykaczewski

**A=145**

- $^{145}\text{Cs}$  2005AN01 NUCLEAR REACTIONS  $^{238}\text{U}(\text{p}, \text{F})^{89}\text{Rb} / ^{90}\text{Rb} / ^{91}\text{Rb} / ^{93}\text{Rb} / ^{94}\text{Rb} / ^{95}\text{Rb} / ^{139}\text{Cs} / ^{140}\text{Cs} / ^{141}\text{Cs} / ^{142}\text{Cs} / ^{144}\text{Cs} / ^{145}\text{Cs}$ , E=1 GeV; measured yields. JOUR ZAANE 23 257
- $^{145}\text{Nd}$  2005MA10 NUCLEAR MOMENTS  $^{142,143,144,145,146,148,150}\text{Nd}$ ; measured hfs, isotope shifts. JOUR CHPHD 14 511

A=145 (*continued*)

- 2005R035 NUCLEAR MOMENTS <sup>142,143,144,145,146,148,150</sup>Nd; measured hfs, isotope shifts. JOUR CJPFA 83 841
- <sup>145</sup>Gd 2005BA64 NUCLEAR MOMENTS <sup>143m,145,145m</sup>Gd; measured isotope shifts, hfs; deduced radii,  $\mu$ . Laser spectroscopy. JOUR PRVCA 72 017301
- <sup>145</sup>Er 2004DAZX RADIOACTIVITY <sup>146</sup>Tm(p); measured Ep. REPT ANL-04/22,P29, Davids
- 2005BB02 RADIOACTIVITY <sup>146</sup>Tm(p) [from <sup>58</sup>Ni(<sup>92</sup>Mo, p3n), E=297 MeV]; measured proton spectra, T<sub>1/2</sub>; deduced fine structure, decay branching ratios. <sup>145</sup>Er deduced levels, configurations. JOUR ZAANE 25 s01 149
- 2005BI24 RADIOACTIVITY <sup>141</sup>Ho, <sup>144,145,146</sup>Tm(p) [from <sup>92</sup>Mo(<sup>54</sup>Fe, xnyp) and <sup>92</sup>Mo(<sup>58</sup>Ni, xnyp)]; measured Ep, T<sub>1/2</sub>; deduced branching ratios. <sup>141</sup>Ho, <sup>140</sup>Dy, <sup>145,146</sup>Tm, <sup>144,145</sup>Er deduced levels, configurations. JOUR NIMBE 241 185
- 2005R040 RADIOACTIVITY <sup>146</sup>Tm(p) [from <sup>58</sup>Ni(<sup>92</sup>Mo, X)]; measured E $\gamma$ , Ep, T<sub>1/2</sub> following proton decay from ground and excited states. <sup>146</sup>Tm, <sup>145</sup>Er deduced levels, J,  $\pi$ , configurations. JOUR ZAANE 25 s01 155
- 2005R0ZY RADIOACTIVITY <sup>145,146</sup>Tm(p) [from <sup>58</sup>Ni(<sup>92</sup>Mo, xnp)]; measured Ep, p $\gamma$ -coin, T<sub>1/2</sub>. <sup>144,145</sup>Er deduced levels, feeding intensities. CONF Argonne(Nuclei at the Limits),P217,Robinson
- 2005RYZZ RADIOACTIVITY <sup>146,146m</sup>Tm(p) [from <sup>92</sup>Mo(<sup>58</sup>Ni, xnp)]; measured proton spectra. <sup>146</sup>Tm, <sup>145</sup>Er deduced levels, configurations. <sup>142m</sup>Tb(IT); measured conversion electron spectra; deduced levels, J,  $\pi$ . CONF Argonne(Nuclei at the Limits),P223,Rykaczewski
- <sup>145</sup>Tm 2004SEZW RADIOACTIVITY <sup>145,147</sup>Tm(p); measured Ep. REPT ANL-04/22,P27,Seweryniak
- 2005BI24 RADIOACTIVITY <sup>141</sup>Ho, <sup>144,145,146</sup>Tm(p) [from <sup>92</sup>Mo(<sup>54</sup>Fe, xnyp) and <sup>92</sup>Mo(<sup>58</sup>Ni, xnyp)]; measured Ep, T<sub>1/2</sub>; deduced branching ratios. <sup>141</sup>Ho, <sup>140</sup>Dy, <sup>145,146</sup>Tm, <sup>144,145</sup>Er deduced levels, configurations. JOUR NIMBE 241 185
- 2005R0ZY NUCLEAR REACTIONS <sup>58</sup>Ni(<sup>92</sup>Mo, 2np), (<sup>92</sup>Mo, 3np), (<sup>92</sup>Mo, 4np), E not given; measured E $\gamma$ , I $\gamma$ , (recoil) $\gamma$ -coin. <sup>145,147</sup>Tm deduced levels, J,  $\pi$ , rotational bands. Recoil decay tagging, Gammasphere array. CONF Argonne(Nuclei at the Limits),P217,Robinson
- 2005R0ZY RADIOACTIVITY <sup>145,146</sup>Tm(p) [from <sup>58</sup>Ni(<sup>92</sup>Mo, xnp)]; measured Ep, p $\gamma$ -coin, T<sub>1/2</sub>. <sup>144,145</sup>Er deduced levels, feeding intensities. CONF Argonne(Nuclei at the Limits),P217,Robinson
- 2005SE26 NUCLEAR REACTIONS <sup>58</sup>Ni(<sup>92</sup>Mo, 2np), E=512 MeV; <sup>58</sup>Ni(<sup>92</sup>Mo, 3np), E=460 MeV; <sup>58</sup>Ni(<sup>92</sup>Mo, 4np), E=417 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma^-$ , (recoil) $\gamma$ -coin. <sup>145,146,147</sup>Tm deduced levels, J,  $\pi$ , proton-decay features. Gammasphere array, recoil-decay tagging. Comparison with Particle Rotor model predictions. JOUR ZAANE 25 s01 159
- 2005SE26 RADIOACTIVITY <sup>145</sup>Tm(p) [from <sup>58</sup>Ni(<sup>92</sup>Mo, 4np)]; measured Ep, E $\gamma$ , p $\gamma$ -coin. JOUR ZAANE 25 s01 159

## A=146

- <sup>146</sup>Ba 2005JA12 RADIOACTIVITY <sup>252</sup>Cf(SF); measured E $\gamma$ , I $\gamma$ ,  $\alpha\gamma$ -,  $\gamma\gamma$ -coin for  $\alpha$ -accompanied ternary fission; deduced fission fragments average angular momentum. <sup>100,102</sup>Zr, <sup>106</sup>Mo, <sup>144,146</sup>Ba, <sup>138,140,142</sup>Xe; deduced transition intensities. Gammasphere array. JOUR ZAANE 24 373
- <sup>146</sup>Nd 2005MA10 NUCLEAR MOMENTS <sup>142,143,144,145,146,148,150</sup>Nd; measured hfs, isotope shifts. JOUR CHPHD 14 511
- 2005R035 NUCLEAR MOMENTS <sup>142,143,144,145,146,148,150</sup>Nd; measured hfs, isotope shifts. JOUR CJPHA 83 841
- <sup>146</sup>Er 2004SEZW RADIOACTIVITY <sup>145,147</sup>Tm(p); measured Ep. REPT ANL-04/22,P27,Seweryniak
- <sup>146</sup>Tm 2004DAZX RADIOACTIVITY <sup>146</sup>Tm(p); measured Ep. REPT ANL-04/22,P29, Davids
- 2005BB02 RADIOACTIVITY <sup>146</sup>Tm(p) [from <sup>58</sup>Ni(<sup>92</sup>Mo, p3n), E=297 MeV]; measured proton spectra, T<sub>1/2</sub>; deduced fine structure, decay branching ratios. <sup>145</sup>Er deduced levels, configurations. JOUR ZAANE 25 s01 149
- 2005BI24 RADIOACTIVITY <sup>141</sup>Ho, <sup>144,145,146</sup>Tm(p) [from <sup>92</sup>Mo(<sup>54</sup>Fe, xnyp) and <sup>92</sup>Mo(<sup>58</sup>Ni, xnyp)]; measured Ep, T<sub>1/2</sub>; deduced branching ratios. <sup>141</sup>Ho, <sup>140</sup>Dy, <sup>145,146</sup>Tm, <sup>144,145</sup>Er deduced levels, configurations. JOUR NIMBE 241 185
- 2005R040 NUCLEAR REACTIONS <sup>58</sup>Ni(<sup>92</sup>Mo, 3np), E not given; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -, (recoil) $\gamma$ -coin. <sup>146</sup>Tm deduced levels, J,  $\pi$ . Gammasphere array, recoil-decay tagging. JOUR ZAANE 25 s01 155
- 2005R040 RADIOACTIVITY <sup>146</sup>Tm(p) [from <sup>58</sup>Ni(<sup>92</sup>Mo, X)]; measured E $\gamma$ , Ep, T<sub>1/2</sub> following proton decay from ground and excited states. <sup>146</sup>Tm, <sup>145</sup>Er deduced levels, J,  $\pi$ , configurations. JOUR ZAANE 25 s01 155
- 2005R0ZY NUCLEAR REACTIONS <sup>58</sup>Ni(<sup>92</sup>Mo, 2np), (<sup>92</sup>Mo, 3np), (<sup>92</sup>Mo, 4np), E not given; measured E $\gamma$ , I $\gamma$ , (recoil) $\gamma$ -coin. <sup>145,147</sup>Tm deduced levels, J,  $\pi$ , rotational bands. Recoil decay tagging, Gammasphere array. CONF Argonne(Nuclei at the Limits),P217,Robinson
- 2005R0ZY RADIOACTIVITY <sup>145,146</sup>Tm(p) [from <sup>58</sup>Ni(<sup>92</sup>Mo, xnnp)]; measured Ep, p $\gamma$ -coin, T<sub>1/2</sub>. <sup>144,145</sup>Er deduced levels, feeding intensities. CONF Argonne(Nuclei at the Limits),P217,Robinson
- 2005RYZZ RADIOACTIVITY <sup>146,146m</sup>Tm(p) [from <sup>92</sup>Mo(<sup>58</sup>Ni, xnnp)]; measured proton spectra. <sup>146</sup>Tm, <sup>145</sup>Er deduced levels, configurations. <sup>142m</sup>Tb(IT); measured conversion electron spectra; deduced levels, J,  $\pi$ . CONF Argonne(Nuclei at the Limits),P223,Rykaczewski
- 2005SE26 NUCLEAR REACTIONS <sup>58</sup>Ni(<sup>92</sup>Mo, 2np), E=512 MeV; <sup>58</sup>Ni(<sup>92</sup>Mo, 3np), E=460 MeV; <sup>58</sup>Ni(<sup>92</sup>Mo, 4np), E=417 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -, (recoil) $\gamma$ -coin. <sup>145,146,147</sup>Tm deduced levels, J,  $\pi$ , proton-decay features. Gammasphere array, recoil-decay tagging. Comparison with Particle Rotor model predictions. JOUR ZAANE 25 s01 159

## A=147

- <sup>147</sup>Cs 2005SY01 RADIOACTIVITY <sup>147</sup>Cs( $\beta^-$ ) [from <sup>235</sup>U(n, F)]; measured  $\beta$ -delayed E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -, (X-ray) $\gamma$ -coin, T<sub>1/2</sub>. <sup>147</sup>Ba deduced levels, J,  $\pi$ , T<sub>1/2</sub>, B(M1), B(E2). JOUR ZAANE 23 481

**A=147 (continued)**

- <sup>147</sup>Ba 2005SY01 RADIOACTIVITY <sup>147</sup>Cs( $\beta^-$ ) [from <sup>235</sup>U(n, F)]; measured  $\beta$ -delayed E $\gamma$ , I $\gamma$ ,  $\gamma\gamma^-$ , (X-ray) $\gamma$ -coin, T<sub>1/2</sub>. <sup>147</sup>Ba deduced levels, J,  $\pi$ , T<sub>1/2</sub>, B(M1), B(E2). JOUR ZAANE 23 481
- <sup>147</sup>Nd 2005UOZZ NUCLEAR REACTIONS U(p, F)<sup>95</sup>Zr / <sup>115</sup>Cd / <sup>134</sup>Cs / <sup>136</sup>Cs / <sup>137</sup>Cs / <sup>147</sup>Nd, E  $\approx$  20-70 MeV; measured production  $\sigma$ . Stacked-foil activation technique, comparison with model predictions. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol2, P1547
- <sup>147</sup>Sm 2003KI26 RADIOACTIVITY <sup>147</sup>Sm( $\alpha$ ); measured E $\alpha$ , T<sub>1/2</sub>. Comparison with previous results. JOUR JNRS A 4, No 1,5
- <sup>147</sup>Dy 2005GE10 ATOMIC MASSES <sup>147,147m</sup>Dy; measured masses for ground and isomeric states. Schottky mass spectrometry. JOUR JPGPE 31 S1779
- <sup>147</sup>Tm 2004SEZW RADIOACTIVITY <sup>145,147</sup>Tm(p); measured E<sub>p</sub>. REPT ANL-04/22, P27, Seweryniak
- 2005ROZY NUCLEAR REACTIONS <sup>58</sup>Ni(<sup>92</sup>Mo, 2np), (<sup>92</sup>Mo, 3np), (<sup>92</sup>Mo, 4np), E not given; measured E $\gamma$ , I $\gamma$ , (recoil) $\gamma$ -coin. <sup>145,147</sup>Tm deduced levels, J,  $\pi$ , rotational bands. Recoil decay tagging, Gammasphere array. CONF Argonne(Nuclei at the Limits), P217, Robinson
- 2005SE26 NUCLEAR REACTIONS <sup>58</sup>Ni(<sup>92</sup>Mo, 2np), E=512 MeV; <sup>58</sup>Ni(<sup>92</sup>Mo, 3np), E=460 MeV; <sup>58</sup>Ni(<sup>92</sup>Mo, 4np), E=417 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma^-$ , (recoil) $\gamma$ -coin. <sup>145,146,147</sup>Tm deduced levels, J,  $\pi$ , proton-decay features. Gammasphere array, recoil-decay tagging. Comparison with Particle Rotor model predictions. JOUR ZAANE 25 s01 159

**A=148**

- <sup>148</sup>Nd 2005MA10 NUCLEAR MOMENTS <sup>142,143,144,145,146,148,150</sup>Nd; measured hfs, isotope shifts. JOUR CHPHD 14 511
- 2005R035 NUCLEAR MOMENTS <sup>142,143,144,145,146,148,150</sup>Nd; measured hfs, isotope shifts. JOUR CJPHA 83 841
- <sup>148</sup>Sm 2005DA20 NUCLEAR REACTIONS <sup>147</sup>Sm(n,  $\gamma$ ), E  $\approx$  resonance; measured capture  $\sigma$ . Minimization of statistical error discussed. JOUR NIMAE 544 659
- 2005LI14 NUCLEAR REACTIONS <sup>148</sup>Sm( $\gamma$ ,  $\gamma'$ ), E=3.2 MeV bremsstrahlung; measured E $\gamma$ , I $\gamma$ . <sup>148</sup>Sm deduced levels, J,  $\pi$ , B(M1), B(E1), B(E2), mixed-symmetry state. Nuclear resonance fluorescence, interacting boson model. JOUR PRVCA 71 044318
- <sup>148</sup>Gd 2005KE07 NUCLEAR REACTIONS W, Ta, Au(p, X)<sup>148</sup>Gd, E=600, 800 MeV; measured cumulative production  $\sigma$ . Comparison with previous results, model predictions. JOUR NUPAB 760 225
- <sup>148</sup>Tb 2004AL35 RADIOACTIVITY <sup>148</sup>Dy(EC), ( $\beta^+$ ) [from <sup>93</sup>Nb(<sup>58</sup>Ni, 3p)]; measured E $\gamma$ , I $\gamma$ , (X-ray) $\gamma^-$ ,  $\beta\gamma$ -coin; deduced log ft. <sup>148</sup>Tb levels deduced  $\beta$ -feeding intensities, Gamow-Teller strength distribution, resonant state features. Total absorption spectrometer, comparison with previous results. JOUR PRVCA 70 064301

**A=148 (continued)**

- <sup>148</sup>Dy 2004AL35 RADIOACTIVITY <sup>148</sup>Dy(EC), ( $\beta^+$ ) [from <sup>93</sup>Nb(<sup>58</sup>Ni, 3p)]; measured E $\gamma$ , I $\gamma$ , (X-ray) $\gamma^-$ ,  $\beta\gamma$ -coin; deduced log ft. <sup>148</sup>Tb levels deduced  $\beta$ -feeding intensities, Gamow-Teller strength distribution, resonant state features. Total absorption spectrometer, comparison with previous results. JOUR PRVCA 70 064301
- <sup>148</sup>Er 2005XU04 RADIOACTIVITY <sup>81</sup>Zr, <sup>85</sup>Mo, <sup>89</sup>Ru, <sup>92</sup>Rh, <sup>93</sup>Pd, <sup>121</sup>Ce, <sup>125</sup>Nd, <sup>128</sup>Pm, <sup>129</sup>Sm, <sup>135,137</sup>Gd, <sup>139</sup>Dy, <sup>142</sup>Ho, <sup>149</sup>Yb( $\beta^+$ p); measured  $\beta$ -delayed E $\gamma$ , I $\gamma$ , proton spectra, p $\gamma$ -coin, T<sub>1/2</sub>. Comparison with model predictions. JOUR PRVCA 71 054318

**A=149**

- <sup>149</sup>Dy 2004WAZW NUCLEAR REACTIONS Mg(<sup>132</sup>Xe, xn)<sup>149</sup>Dy, E=7 MeV / nucleon; <sup>12</sup>C(<sup>136</sup>Xe, 5n), E=6.5 MeV / nucleon; measured E $\gamma$ , I $\gamma$ ( $\theta$ , H, t). <sup>149</sup>Dy, <sup>143</sup>Nd deduced high-spin isomers g-factors. Time-differential perturbed angular distribution method. REPT  
CNS-REP-64,P243,Watanabe
- <sup>149</sup>Yb 2005XU04 RADIOACTIVITY <sup>81</sup>Zr, <sup>85</sup>Mo, <sup>89</sup>Ru, <sup>92</sup>Rh, <sup>93</sup>Pd, <sup>121</sup>Ce, <sup>125</sup>Nd, <sup>128</sup>Pm, <sup>129</sup>Sm, <sup>135,137</sup>Gd, <sup>139</sup>Dy, <sup>142</sup>Ho, <sup>149</sup>Yb( $\beta^+$ p); measured  $\beta$ -delayed E $\gamma$ , I $\gamma$ , proton spectra, p $\gamma$ -coin, T<sub>1/2</sub>. Comparison with model predictions. JOUR PRVCA 71 054318
- 2005XU04 NUCLEAR REACTIONS <sup>92</sup>Mo, <sup>106</sup>Cd(<sup>32</sup>S, 3n), E=151 MeV; <sup>92</sup>Mo(<sup>36</sup>Ar, 3n), E=169 MeV; <sup>96</sup>Ru(<sup>36</sup>Ar, 3n), (<sup>36</sup>Ar, 3np), E=165, 174 MeV; <sup>106</sup>Cd(<sup>36</sup>Ar, 3n), (<sup>36</sup>Ar, n $\alpha$ ), E=176 MeV; <sup>106</sup>Cd(<sup>40</sup>Ca, 4n), E=202 MeV; <sup>112</sup>Sn(<sup>40</sup>Ca, 3n), E=185 MeV; measured  $\sigma$ . JOUR PRVCA 71 054318

**A=150**

- <sup>150</sup>Nd 2005BA33 RADIOACTIVITY <sup>82</sup>Se, <sup>100</sup>Mo, <sup>116</sup>Cd, <sup>150</sup>Nd( $2\beta^-$ ); measured  $2\nu\beta\beta$ -decay T<sub>1/2</sub>,  $0\nu\beta\beta$ -decay T<sub>1/2</sub> lower limits. JOUR YAFIA 68 443
- 2005MA10 NUCLEAR MOMENTS <sup>142,143,144,145,146,148,150</sup>Nd; measured hfs, isotope shifts. JOUR CHPHD 14 511
- 2005R035 NUCLEAR MOMENTS <sup>142,143,144,145,146,148,150</sup>Nd; measured hfs, isotope shifts. JOUR CJPHA 83 841
- 2005SA07 RADIOACTIVITY <sup>82</sup>Se, <sup>96</sup>Zr, <sup>100</sup>Mo, <sup>116</sup>Cd, <sup>150</sup>Nd( $2\beta^-$ ); measured  $2\nu\beta\beta$ -decay T<sub>1/2</sub>. <sup>82</sup>Se, <sup>100</sup>Mo( $2\beta^-$ ); measured  $0\nu\beta\beta$ -decay T<sub>1/2</sub> lower limits; deduced neutrino mass limits. JOUR NPBSE 143 221
- 2005SI06 RADIOACTIVITY <sup>82</sup>Se, <sup>96</sup>Zr, <sup>100</sup>Mo, <sup>116</sup>Cd, <sup>150</sup>Nd( $2\beta^-$ ); measured  $2\nu\beta\beta$ -decay T<sub>1/2</sub>. <sup>82</sup>Se, <sup>100</sup>Mo( $2\beta^-$ ); measured  $0\nu\beta\beta$ -decay T<sub>1/2</sub> lower limits; deduced neutrino mass limits. JOUR NPBSE 145 272
- <sup>150</sup>Sm 2005BA33 RADIOACTIVITY <sup>82</sup>Se, <sup>100</sup>Mo, <sup>116</sup>Cd, <sup>150</sup>Nd( $2\beta^-$ ); measured  $2\nu\beta\beta$ -decay T<sub>1/2</sub>,  $0\nu\beta\beta$ -decay T<sub>1/2</sub> lower limits. JOUR YAFIA 68 443
- 2005SA07 RADIOACTIVITY <sup>82</sup>Se, <sup>96</sup>Zr, <sup>100</sup>Mo, <sup>116</sup>Cd, <sup>150</sup>Nd( $2\beta^-$ ); measured  $2\nu\beta\beta$ -decay T<sub>1/2</sub>. <sup>82</sup>Se, <sup>100</sup>Mo( $2\beta^-$ ); measured  $0\nu\beta\beta$ -decay T<sub>1/2</sub> lower limits; deduced neutrino mass limits. JOUR NPBSE 143 221

**A=150 (continued)**

2005SI06 RADIOACTIVITY  $^{82}\text{Se}$ ,  $^{96}\text{Zr}$ ,  $^{100}\text{Mo}$ ,  $^{116}\text{Cd}$ ,  $^{150}\text{Nd}(2\beta^-)$ ; measured  $2\nu\beta\beta$ -decay  $T_{1/2}$ .  $^{82}\text{Se}$ ,  $^{100}\text{Mo}(2\beta^-)$ ; measured  $0\nu\beta\beta$ -decay  $T_{1/2}$  lower limits; deduced neutrino mass limits. JOUR NPBSE 145 272

**A=151**

$^{151}\text{Sm}$  2005BU21 NUCLEAR REACTIONS  $^{149,151}\text{Sm}(t, p)$ ,  $E=15$  MeV; measured proton spectra,  $\sigma(E, \theta)$ ; deduced  $L=0$  transition strengths.  $^{151,153}\text{Sm}$  deduced levels,  $L, J, \pi$ , configurations. JOUR NUPAB 756 308

**A=152**

$^{152}\text{Ce}$  2005F017 RADIOACTIVITY  $^{252}\text{Cf}(\text{SF})$ ; measured  $E\gamma, I\gamma, \gamma\gamma$ -coin.  $^{98}\text{Sr}$ ,  $^{102,104}\text{Zr}$ ,  $^{137}\text{Xe}$ ,  $^{143}\text{Ba}$ ,  $^{152}\text{Ce}$  levels deduced  $T_{1/2}$ . Gammasphere array, time-gated triple-coincidence method. JOUR ZAANE 25 s01 465

$^{152}\text{Sm}$  2004KU35 RADIOACTIVITY  $^{238}\text{Pu}$ ,  $^{226}\text{Ra}(\alpha)$ ;  $^{152}\text{Eu}(\text{EC})$ ; measured low-energy electron spectra, angular distributions, (electron) $\alpha$ -, (electron) $\gamma$ -, (electron)(X-ray)-coin. JOUR BRSPE 68 1358

2005GA47 NUCLEAR REACTIONS  $^{150}\text{Nd}(\alpha, 2n)$ ,  $E=22.5$  MeV;  $^{152}\text{Sm}(n, n')$ ,  $E$  not given; measured  $E\gamma, I\gamma, \gamma\gamma$ -coin.  $^{152}\text{Sm}$  deduced levels,  $J, \pi$ , octupole and hexadecapole bands. JOUR JPGPE 31 S1855

2005KU17 RADIOACTIVITY  $^{152,152m}\text{Eu}(\text{EC})$  [from  $^{151}\text{Eu}(n, \gamma)$ ]; measured  $E\gamma, I\gamma, \gamma\gamma$ -coin.  $^{152}\text{Sm}$  deduced levels,  $J, \pi$ , rotational band, pairing isomer. JOUR PRVCA 71 041303

2005KU17 NUCLEAR REACTIONS  $^{208}\text{Pb}(^{152}\text{Sm}, ^{152}\text{Sm}')$ ,  $E=652$  MeV; measured  $E\gamma, I\gamma, (\text{particle})\gamma$ -,  $\gamma\gamma$ -coin following projectile Coulomb excitation.  $^{152}\text{Sm}$  deduced levels,  $J, \pi, B(E2)$ , rotational band, pairing isomer. Gammasphere, Chico arrays, level systematics in neighboring nuclides discussed. JOUR PRVCA 71 041303

2005MA73 NUCLEAR REACTIONS  $^{151}\text{Sm}(n, \gamma)$ ,  $E \approx 0-1$  MeV; measured capture  $\sigma$ . Astrophysical implication discussed. JOUR NUPAB 758 533c

2005WI20 RADIOACTIVITY  $^{26}\text{Na}(\beta^-)$ ;  $^{152}\text{Eu}(\beta^-)$ , (EC); measured  $E\gamma, I\gamma, \gamma\gamma$ -,  $\beta\gamma$ -coin.  $^{152}\text{Sm}$  level deduced  $T_{1/2}$ . JOUR JPGPE 31 S1979

$^{152}\text{Eu}$  2004GE20 RADIOACTIVITY  $^{155}\text{Sm}(\beta^-)$  [from  $^{154}\text{Sm}(n, \gamma)$ ];  $^{60}\text{Co}$ ,  $^{133}\text{Ba}$ ,  $^{152}\text{Eu}$ ; measured  $\gamma$ -ray angular correlations.  $^{155}\text{Eu}$ ,  $^{60}\text{Ni}$ ,  $^{133}\text{Cs}$ ,  $^{152}\text{Gd}$  transitions deduced  $\delta$ . Comparison with previous results. JOUR BJPHE 34 722

2004KU35 RADIOACTIVITY  $^{238}\text{Pu}$ ,  $^{226}\text{Ra}(\alpha)$ ;  $^{152}\text{Eu}(\text{EC})$ ; measured low-energy electron spectra, angular distributions, (electron) $\alpha$ -, (electron) $\gamma$ -, (electron)(X-ray)-coin. JOUR BRSPE 68 1358

2005KU17 RADIOACTIVITY  $^{152,152m}\text{Eu}(\text{EC})$  [from  $^{151}\text{Eu}(n, \gamma)$ ]; measured  $E\gamma, I\gamma, \gamma\gamma$ -coin.  $^{152}\text{Sm}$  deduced levels,  $J, \pi$ , rotational band, pairing isomer. JOUR PRVCA 71 041303

2005WI20 RADIOACTIVITY  $^{26}\text{Na}(\beta^-)$ ;  $^{152}\text{Eu}(\beta^-)$ , (EC); measured  $E\gamma, I\gamma, \gamma\gamma$ -,  $\beta\gamma$ -coin.  $^{152}\text{Sm}$  level deduced  $T_{1/2}$ . JOUR JPGPE 31 S1979

**A=152 (continued)**

- <sup>152</sup>Gd 2004GE20 RADIOACTIVITY <sup>155</sup>Sm( $\beta^-$ ) [from <sup>154</sup>Sm(n,  $\gamma$ )];<sup>60</sup>Co, <sup>133</sup>Ba, <sup>152</sup>Eu; measured  $\gamma$ -ray angular correlations. <sup>155</sup>Eu, <sup>60</sup>Ni, <sup>133</sup>Cs, <sup>152</sup>Gd transitions deduced  $\delta$ . Comparison with previous results. JOUR BJPHE 34 722
- 2005WA23 NUCLEAR REACTIONS <sup>148</sup>Nd(<sup>9</sup>Be, 5n), E=42, 45, 48, 52, 55 MeV; measured E $\gamma$ , I $\gamma$ ; deduced excitation function. <sup>148</sup>Nd(<sup>9</sup>Be, 5n), E=54 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>152</sup>Gd deduced high-spin levels, J,  $\pi$ , configuration, quadrupole deformation. Total Routhian surface calculations. JOUR PRVCA 72 024317
- 2005WI20 RADIOACTIVITY <sup>26</sup>Na( $\beta^-$ ); <sup>152</sup>Eu( $\beta^-$ ), (EC); measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -,  $\beta\gamma$ -coin. <sup>152</sup>Sm level deduced T<sub>1/2</sub>. JOUR JPGPE 31 S1979
- <sup>152</sup>Dy 2004LAZW NUCLEAR REACTIONS <sup>108</sup>Pd(<sup>48</sup>Ca, 4n), E=194 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>152</sup>Dy deduced ridge widths, quadrupole moments, rotational damping features for deformed and superdeformed quasicontinuum spectra. Gammasphere array. REPT ANL-04/22,P51,Lauritsen
- 2005LAZZ NUCLEAR REACTIONS <sup>108</sup>Pd(<sup>48</sup>Ca, 4n), E=194 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin, quasi-continuum spectra. <sup>152</sup>Dy deduced superdeformed band rotational damping width, decay-out features. Gammasphere array, Monte Carlo analysis. CONF Argonne(Nuclei at the Limits),P34,Lauritsen

**A=153**

- <sup>153</sup>Sm 2005BU21 NUCLEAR REACTIONS <sup>149,151</sup>Sm(t, p), E=15 MeV; measured proton spectra,  $\sigma(E, \theta)$ ; deduced L=0 transition strengths. <sup>151,153</sup>Sm deduced levels, L, J,  $\pi$ , configurations. JOUR NUPAB 756 308
- <sup>153</sup>Eu 2004MB03 NUCLEAR MOMENTS <sup>113,115</sup>In, <sup>153,155</sup>Eu, <sup>185,187</sup>Re, <sup>203,205</sup>Tl, <sup>209,211</sup>Fr; measured hfs; deduced hyperfine magnetic anomaly, relative radii. Laser resonance fluorescence. JOUR BRSPE 68 157
- 2005BU02 NUCLEAR REACTIONS <sup>154</sup>Gd(t,  $\alpha$ ), E=15 MeV; <sup>152</sup>Sm(<sup>3</sup>He, d), E=24 MeV; <sup>152</sup>Sm( $\alpha$ , t), E=25 MeV; measured particle spectra,  $\sigma(E, \theta)$ . <sup>153</sup>Eu deduced levels, l-values, spectroscopic strengths, configurations. Nilsson model with Coriolis mixing. JOUR NUPAB 747 131

**A=154**

- <sup>154</sup>Sm 2005DEZV NUCLEAR REACTIONS <sup>154</sup>Sm(n, n' $\gamma$ )E=reactor; measured E $\gamma$ , I $\gamma(\theta)$ . <sup>154</sup>Sm deduced levels,  $\delta$ , configurations. Reactor. CONF St Petersburg,P53,Demidov
- <sup>154</sup>Eu 2005KUZK RADIOACTIVITY <sup>154</sup>Eu( $\beta^-$ ); measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>154</sup>Gd deduced transition intensities. Application as relative efficiency calibration source discussed. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol1,P830



**A=154 (continued)**

- <sup>154</sup>Gd 2005BEZU NUCLEAR REACTIONS <sup>157</sup>Gd(<sup>3</sup>He, α), (<sup>3</sup>He, 2nα), (<sup>3</sup>He, n<sup>3</sup>He), E=45 MeV; measured E<sub>γ</sub>, I<sub>γ</sub>, (particle)γ-coin. <sup>236,238</sup>U(d, pF), (d, d'F), E=24, 32 MeV; measured E<sub>γ</sub>, I<sub>γ</sub>, (particle)γ-coin; deduced fission probability ratios. Surrogate reactions, Gammasphere and STARS arrays. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol1,P890
- 2005KUZX RADIOACTIVITY <sup>154</sup>Eu(β<sup>-</sup>); measured E<sub>γ</sub>, I<sub>γ</sub>, γγ-coin. <sup>154</sup>Gd deduced transition intensities. Application as relative efficiency calibration source discussed. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol1,P830

**A=155**

- <sup>155</sup>Sm 2004GE20 RADIOACTIVITY <sup>155</sup>Sm(β<sup>-</sup>) [from <sup>154</sup>Sm(n, γ)]; <sup>60</sup>Co, <sup>133</sup>Ba, <sup>152</sup>Eu; measured γ-ray angular correlations. <sup>155</sup>Eu, <sup>60</sup>Ni, <sup>133</sup>Cs, <sup>152</sup>Gd transitions deduced δ. Comparison with previous results. JOUR BJPHE 34 722
- 2005RA33 RADIOACTIVITY <sup>155</sup>Sm(β<sup>-</sup>) [from <sup>154</sup>Sm(n, γ)]; measured E<sub>γ</sub>, I<sub>γ</sub>, γγ-coin; deduced log ft. <sup>155</sup>Eu deduced levels, J, π, β-feeding intensities. JOUR BJPHE 35 839
- <sup>155</sup>Eu 2004GE20 RADIOACTIVITY <sup>155</sup>Sm(β<sup>-</sup>) [from <sup>154</sup>Sm(n, γ)]; <sup>60</sup>Co, <sup>133</sup>Ba, <sup>152</sup>Eu; measured γ-ray angular correlations. <sup>155</sup>Eu, <sup>60</sup>Ni, <sup>133</sup>Cs, <sup>152</sup>Gd transitions deduced δ. Comparison with previous results. JOUR BJPHE 34 722
- 2004MB03 NUCLEAR MOMENTS <sup>113,115</sup>In, <sup>153,155</sup>Eu, <sup>185,187</sup>Re, <sup>203,205</sup>Tl, <sup>209,211</sup>Fr; measured hfs; deduced hyperfine magnetic anomaly, relative radii. Laser resonance fluorescence. JOUR BRSPPE 68 157
- 2005RA33 RADIOACTIVITY <sup>155</sup>Sm(β<sup>-</sup>) [from <sup>154</sup>Sm(n, γ)]; measured E<sub>γ</sub>, I<sub>γ</sub>, γγ-coin; deduced log ft. <sup>155</sup>Eu deduced levels, J, π, β-feeding intensities. JOUR BJPHE 35 839

**A=156**

- <sup>156</sup>Gd 2005BEZU NUCLEAR REACTIONS <sup>157</sup>Gd(<sup>3</sup>He, α), (<sup>3</sup>He, 2nα), (<sup>3</sup>He, n<sup>3</sup>He), E=45 MeV; measured E<sub>γ</sub>, I<sub>γ</sub>, (particle)γ-coin. <sup>236,238</sup>U(d, pF), (d, d'F), E=24, 32 MeV; measured E<sub>γ</sub>, I<sub>γ</sub>, (particle)γ-coin; deduced fission probability ratios. Surrogate reactions, Gammasphere and STARS arrays. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol1,P890
- <sup>156</sup>Ho 2005KAZY RADIOACTIVITY <sup>156,158,160</sup>Er(EC); measured prompt and delayed E<sub>γ</sub>, I<sub>γ</sub>, γγ-coin. <sup>156,158,160</sup>Ho levels deduced T<sub>1/2</sub>. HPGe detectors, YaSNAPP-2 ISOL complex. CONF St Petersburg,P58,Kalinnikov
- <sup>156</sup>Er 2005KAZY RADIOACTIVITY <sup>156,158,160</sup>Er(EC); measured prompt and delayed E<sub>γ</sub>, I<sub>γ</sub>, γγ-coin. <sup>156,158,160</sup>Ho levels deduced T<sub>1/2</sub>. HPGe detectors, YaSNAPP-2 ISOL complex. CONF St Petersburg,P58,Kalinnikov

**A=156 (continued)**

<sup>156</sup>Hf 2005SE11 NUCLEAR REACTIONS <sup>102</sup>Pd(<sup>58</sup>Ni, 2n), (<sup>58</sup>Ni, 2np), (<sup>58</sup>Ni, 2n2p), E=270 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -, (recoil) $\gamma$ -coin. <sup>156</sup>Hf, <sup>157</sup>Ta, <sup>158</sup>W deduced levels, J,  $\pi$ , isomeric states T<sub>1/2</sub>. Gammasphere array, recoil-decay tagging, shell model calculations. JOUR PRVCA 71 054319

**A=157**

<sup>157</sup>Er 2005RI16 NUCLEAR REACTIONS <sup>114</sup>Cd(<sup>48</sup>Ca, 5n), E=215 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>157</sup>Er deduced high-spin levels, J,  $\pi$ , band termination features. Gammasphere array. JOUR JPGPE 31 S1735

<sup>157</sup>Lu 2005SC22 RADIOACTIVITY <sup>167,167m,169,169m</sup>Ir, <sup>165,165m</sup>Re, <sup>161</sup>Ta( $\alpha$ ) [from <sup>92</sup>Mo(<sup>78</sup>Kr, 2np) and <sup>112</sup>Sn(<sup>58</sup>Ni, p) and subsequent decay]; measured E $\alpha$ , E $\gamma$ ,  $\alpha\gamma$ -coin, T<sub>1/2</sub>; deduced spectroscopic factors. <sup>167,167m</sup>Ir(p) [from <sup>112</sup>Sn(<sup>58</sup>Ni, 2np)]; measured E $p$ , T<sub>1/2</sub>; deduced spectroscopic factors. Jurogam array, mass separator. JOUR JPGPE 31 S1719

<sup>157</sup>Ta 2005SE11 NUCLEAR REACTIONS <sup>102</sup>Pd(<sup>58</sup>Ni, 2n), (<sup>58</sup>Ni, 2np), (<sup>58</sup>Ni, 2n2p), E=270 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -, (recoil) $\gamma$ -coin. <sup>156</sup>Hf, <sup>157</sup>Ta, <sup>158</sup>W deduced levels, J,  $\pi$ , isomeric states T<sub>1/2</sub>. Gammasphere array, recoil-decay tagging, shell model calculations. JOUR PRVCA 71 054319

**A=158**

<sup>158</sup>Gd 2005ME19 NUCLEAR REACTIONS <sup>160</sup>Gd, <sup>164</sup>Dy, <sup>170</sup>Er, <sup>178</sup>Hf, <sup>186</sup>W, <sup>192</sup>Os(p, t), E=25 MeV; measured triton spectra,  $\sigma(\theta)$ . <sup>158</sup>Gd, <sup>162</sup>Dy, <sup>168</sup>Er, <sup>176</sup>Hf, <sup>184</sup>W, <sup>190</sup>Os deduced 0<sup>+</sup> level energies. JOUR JPGPE 31 S1399

2005MI28 NUCLEAR REACTIONS <sup>158</sup>Gd(X-ray, X-ray), E  $\approx$  79.5 keV; measured delayed X-ray spectrum. <sup>158</sup>Gd deduced excited state energy, T<sub>1/2</sub>. Synchrotron radiation, comparison with previous results. JOUR JUPSA 74 3122

<sup>158</sup>Ho 2005KAZY RADIOACTIVITY <sup>156,158,160</sup>Er(EC); measured prompt and delayed E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>156,158,160</sup>Ho levels deduced T<sub>1/2</sub>. HPGe detectors, YaSNAPP-2 ISOL complex. CONF St Petersburg,P58,Kalinnikov

<sup>158</sup>Er 2005KAZY RADIOACTIVITY <sup>156,158,160</sup>Er(EC); measured prompt and delayed E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>156,158,160</sup>Ho levels deduced T<sub>1/2</sub>. HPGe detectors, YaSNAPP-2 ISOL complex. CONF St Petersburg,P58,Kalinnikov

<sup>158</sup>W 2005SE11 NUCLEAR REACTIONS <sup>102</sup>Pd(<sup>58</sup>Ni, 2n), (<sup>58</sup>Ni, 2np), (<sup>58</sup>Ni, 2n2p), E=270 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -, (recoil) $\gamma$ -coin. <sup>156</sup>Hf, <sup>157</sup>Ta, <sup>158</sup>W deduced levels, J,  $\pi$ , isomeric states T<sub>1/2</sub>. Gammasphere array, recoil-decay tagging, shell model calculations. JOUR PRVCA 71 054319

**A=159**

- <sup>159</sup>Pm 2005IC02 RADIOACTIVITY <sup>159</sup>Pm, <sup>162</sup>Sm, <sup>166</sup>Gd, <sup>166</sup>Tb( $\beta^-$ ) [from <sup>238</sup>U(p, F)]; measured E $\gamma$ , I $\gamma$ ,  $\beta\gamma$ -,  $\gamma\gamma$ -coin, T<sub>1/2</sub>. <sup>166</sup>Tb deduced levels,  $\beta$ -feeding intensities. JOUR PRVCA 71 067302
- <sup>159</sup>Sm 2005IC02 RADIOACTIVITY <sup>159</sup>Pm, <sup>162</sup>Sm, <sup>166</sup>Gd, <sup>166</sup>Tb( $\beta^-$ ) [from <sup>238</sup>U(p, F)]; measured E $\gamma$ , I $\gamma$ ,  $\beta\gamma$ -,  $\gamma\gamma$ -coin, T<sub>1/2</sub>. <sup>166</sup>Tb deduced levels,  $\beta$ -feeding intensities. JOUR PRVCA 71 067302

**A=160**

- <sup>160</sup>Ho 2005KAZX RADIOACTIVITY <sup>160m</sup>Ho(IT); measured  $\gamma\gamma$ -coin, T<sub>1/2</sub>. YASNAPP setup. CONF St Petersburg,P72,Kalinnikov
- 2005KAZY RADIOACTIVITY <sup>156,158,160</sup>Er(EC); measured prompt and delayed E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>156,158,160</sup>Ho levels deduced T<sub>1/2</sub>. HPGe detectors, YaSNAPP-2 ISOL complex. CONF St Petersburg,P58,Kalinnikov
- <sup>160</sup>Er 2005KAZY RADIOACTIVITY <sup>156,158,160</sup>Er(EC); measured prompt and delayed E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>156,158,160</sup>Ho levels deduced T<sub>1/2</sub>. HPGe detectors, YaSNAPP-2 ISOL complex. CONF St Petersburg,P58,Kalinnikov
- 2005W006 RADIOACTIVITY <sup>160</sup>Yb, <sup>160</sup>Tm(EC) [from <sup>147</sup>Sm(<sup>18</sup>O, 5n) and subsequent decay]; measured  $\beta$ -delayed E $\gamma$ , I $\gamma$ ( $\theta$ , H, t),  $\gamma\gamma$ -coin. <sup>160</sup>Er level deduced g factor. Perturbed angular correlation technique, systematics in neighboring nuclides discussed. JOUR PRVCA 72 027301
- <sup>160</sup>Tm 2005LA32 NUCLEAR REACTIONS <sup>130</sup>Te(<sup>35</sup>Cl, 5n), E=170 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>160</sup>Tm deduced high-spin levels, J,  $\pi$ , configurations. Euroball array. JOUR PRVCA 72 057303
- 2005W006 RADIOACTIVITY <sup>160</sup>Yb, <sup>160</sup>Tm(EC) [from <sup>147</sup>Sm(<sup>18</sup>O, 5n) and subsequent decay]; measured  $\beta$ -delayed E $\gamma$ , I $\gamma$ ( $\theta$ , H, t),  $\gamma\gamma$ -coin. <sup>160</sup>Er level deduced g factor. Perturbed angular correlation technique, systematics in neighboring nuclides discussed. JOUR PRVCA 72 027301
- <sup>160</sup>Yb 2005BA88 NUCLEAR REACTIONS <sup>208</sup>Pb(p,  $\gamma$ ), E=11.9 MeV; measured E $\gamma$ , I $\gamma$ . <sup>147</sup>Sm(<sup>16</sup>O, 3n), E=73 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>160</sup>Yb deduced high-spin levels, J,  $\pi$ . Afrodite array. JOUR JPGPE 31 S1747
- 2005W006 RADIOACTIVITY <sup>160</sup>Yb, <sup>160</sup>Tm(EC) [from <sup>147</sup>Sm(<sup>18</sup>O, 5n) and subsequent decay]; measured  $\beta$ -delayed E $\gamma$ , I $\gamma$ ( $\theta$ , H, t),  $\gamma\gamma$ -coin. <sup>160</sup>Er level deduced g factor. Perturbed angular correlation technique, systematics in neighboring nuclides discussed. JOUR PRVCA 72 027301

## A=161

- <sup>161</sup>Yb 2005DU23 NUCLEAR REACTIONS Ge(<sup>18</sup>O, X)<sup>83m</sup>Sr / <sup>83</sup>Y / <sup>84m</sup>Y / <sup>88m</sup>Y / <sup>85</sup>Zr / <sup>87</sup>Zr, E=82.8 GeV; <sup>84</sup>Se(<sup>18</sup>O, X)<sup>86m</sup>Y / <sup>85</sup>Zr / <sup>87</sup>Nb / <sup>87m</sup>Nb / <sup>88</sup>Nb / <sup>88</sup>Mo, E=82.7 MeV; <sup>124</sup>Sn(<sup>50</sup>Ti, X)<sup>168m</sup>Lu / <sup>167</sup>Hf / <sup>168</sup>Hf, E=223.7 MeV; <sup>116</sup>Sn(<sup>50</sup>Ti, X)<sup>162</sup>Tm / <sup>161</sup>Yb / <sup>162</sup>Yb / <sup>163</sup>Yb / <sup>162</sup>Lu / <sup>162</sup>Hf, E=224.4 MeV; measured delayed E $\gamma$ , I $\gamma$  following residual nucleus decay. Physical preseparation technique. JOUR NIMAE 551 528
- <sup>161</sup>Lu 2005BR14 NUCLEAR REACTIONS <sup>139</sup>La(<sup>28</sup>Si, 6n), E=175 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>161</sup>Lu deduced high-spin levels, J,  $\pi$ , configurations, triaxial superdeformed bands, possible wobbling excitation. Euroball array, total Routhian surface calculation, level systematics in neighboring isotopes discussed. JOUR ZAANE 24 167
- <sup>161</sup>Ta 2005SC22 RADIOACTIVITY <sup>167,167m,169,169m</sup>Ir, <sup>165,165m</sup>Re, <sup>161</sup>Ta( $\alpha$ ) [from <sup>92</sup>Mo(<sup>78</sup>Kr, 2np) and <sup>112</sup>Sn(<sup>58</sup>Ni, p) and subsequent decay]; measured E $\alpha$ , E $\gamma$ ,  $\alpha\gamma$ -coin, T<sub>1/2</sub>; deduced spectroscopic factors. <sup>167,167m</sup>Ir(p) [from <sup>112</sup>Sn(<sup>58</sup>Ni, 2np)]; measured E $p$ , T<sub>1/2</sub>; deduced spectroscopic factors. Jurogam array, mass separator. JOUR JPGPE 31 S1719

## A=162

- <sup>162</sup>Sm 2005IC02 RADIOACTIVITY <sup>159</sup>Pm, <sup>162</sup>Sm, <sup>166</sup>Gd, <sup>166</sup>Tb( $\beta^-$ ) [from <sup>238</sup>U(p, F)]; measured E $\gamma$ , I $\gamma$ ,  $\beta\gamma$ -,  $\gamma\gamma$ -coin, T<sub>1/2</sub>. <sup>166</sup>Tb deduced levels,  $\beta$ -feeding intensities. JOUR PRVCA 71 067302
- <sup>162</sup>Eu 2005IC02 RADIOACTIVITY <sup>159</sup>Pm, <sup>162</sup>Sm, <sup>166</sup>Gd, <sup>166</sup>Tb( $\beta^-$ ) [from <sup>238</sup>U(p, F)]; measured E $\gamma$ , I $\gamma$ ,  $\beta\gamma$ -,  $\gamma\gamma$ -coin, T<sub>1/2</sub>. <sup>166</sup>Tb deduced levels,  $\beta$ -feeding intensities. JOUR PRVCA 71 067302
- <sup>162</sup>Gd 2005J024 RADIOACTIVITY <sup>252</sup>Cf(SF); measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>162,164</sup>Gd deduced levels, J,  $\pi$ . Gammasphere array, level systematics in neighboring nuclides discussed. JOUR ZAANE 25 s01 467
- <sup>162</sup>Dy 2004KI23 NUCLEAR REACTIONS <sup>161,162,163,164</sup>Dy(n,  $\gamma$ ), E=550 keV; measured E $\gamma$ , I $\gamma$ , capture  $\sigma$ . JOUR KPSJA 45 1474
- 2005ME19 NUCLEAR REACTIONS <sup>160</sup>Gd, <sup>164</sup>Dy, <sup>170</sup>Er, <sup>178</sup>Hf, <sup>186</sup>W, <sup>192</sup>Os(p, t), E=25 MeV; measured triton spectra,  $\sigma(\theta)$ . <sup>158</sup>Gd, <sup>162</sup>Dy, <sup>168</sup>Er, <sup>176</sup>Hf, <sup>184</sup>W, <sup>190</sup>Os deduced 0<sup>+</sup> level energies. JOUR JPGPE 31 S1399
- <sup>162</sup>Tm 2005DU23 NUCLEAR REACTIONS Ge(<sup>18</sup>O, X)<sup>83m</sup>Sr / <sup>83</sup>Y / <sup>84m</sup>Y / <sup>88m</sup>Y / <sup>85</sup>Zr / <sup>87</sup>Zr, E=82.8 GeV; <sup>84</sup>Se(<sup>18</sup>O, X)<sup>86m</sup>Y / <sup>85</sup>Zr / <sup>87</sup>Nb / <sup>87m</sup>Nb / <sup>88</sup>Nb / <sup>88</sup>Mo, E=82.7 MeV; <sup>124</sup>Sn(<sup>50</sup>Ti, X)<sup>168m</sup>Lu / <sup>167</sup>Hf / <sup>168</sup>Hf, E=223.7 MeV; <sup>116</sup>Sn(<sup>50</sup>Ti, X)<sup>162</sup>Tm / <sup>161</sup>Yb / <sup>162</sup>Yb / <sup>163</sup>Yb / <sup>162</sup>Lu / <sup>162</sup>Hf, E=224.4 MeV; measured delayed E $\gamma$ , I $\gamma$  following residual nucleus decay. Physical preseparation technique. JOUR NIMAE 551 528
- <sup>162</sup>Yb 2005DU23 NUCLEAR REACTIONS Ge(<sup>18</sup>O, X)<sup>83m</sup>Sr / <sup>83</sup>Y / <sup>84m</sup>Y / <sup>88m</sup>Y / <sup>85</sup>Zr / <sup>87</sup>Zr, E=82.8 GeV; <sup>84</sup>Se(<sup>18</sup>O, X)<sup>86m</sup>Y / <sup>85</sup>Zr / <sup>87</sup>Nb / <sup>87m</sup>Nb / <sup>88</sup>Nb / <sup>88</sup>Mo, E=82.7 MeV; <sup>124</sup>Sn(<sup>50</sup>Ti, X)<sup>168m</sup>Lu / <sup>167</sup>Hf / <sup>168</sup>Hf, E=223.7 MeV; <sup>116</sup>Sn(<sup>50</sup>Ti, X)<sup>162</sup>Tm / <sup>161</sup>Yb / <sup>162</sup>Yb / <sup>163</sup>Yb / <sup>162</sup>Lu / <sup>162</sup>Hf, E=224.4 MeV; measured delayed E $\gamma$ , I $\gamma$  following residual nucleus decay. Physical preseparation technique. JOUR NIMAE 551 528

**A=162 (continued)**

- <sup>162</sup>Lu 2005DU23 NUCLEAR REACTIONS Ge(<sup>18</sup>O, X)<sup>83m</sup>Sr / <sup>83</sup>Y / <sup>84m</sup>Y / <sup>88m</sup>Y / <sup>85</sup>Zr / <sup>87</sup>Zr, E=82.8 GeV; <sup>84</sup>Se(<sup>18</sup>O, X)<sup>86m</sup>Y / <sup>85</sup>Zr / <sup>87</sup>Nb / <sup>87m</sup>Nb / <sup>88</sup>Nb / <sup>88</sup>Mo, E=82.7 MeV; <sup>124</sup>Sn(<sup>50</sup>Ti, X)<sup>168m</sup>Lu / <sup>167</sup>Hf / <sup>168</sup>Hf, E=223.7 MeV; <sup>116</sup>Sn(<sup>50</sup>Ti, X)<sup>162</sup>Tm / <sup>161</sup>Yb / <sup>162</sup>Yb / <sup>163</sup>Yb / <sup>162</sup>Lu / <sup>162</sup>Hf, E=224.4 MeV; measured delayed E $\gamma$ , I $\gamma$  following residual nucleus decay. Physical preseparation technique. JOUR NIMAE 551 528
- <sup>162</sup>Hf 2005DU23 NUCLEAR REACTIONS Ge(<sup>18</sup>O, X)<sup>83m</sup>Sr / <sup>83</sup>Y / <sup>84m</sup>Y / <sup>88m</sup>Y / <sup>85</sup>Zr / <sup>87</sup>Zr, E=82.8 GeV; <sup>84</sup>Se(<sup>18</sup>O, X)<sup>86m</sup>Y / <sup>85</sup>Zr / <sup>87</sup>Nb / <sup>87m</sup>Nb / <sup>88</sup>Nb / <sup>88</sup>Mo, E=82.7 MeV; <sup>124</sup>Sn(<sup>50</sup>Ti, X)<sup>168m</sup>Lu / <sup>167</sup>Hf / <sup>168</sup>Hf, E=223.7 MeV; <sup>116</sup>Sn(<sup>50</sup>Ti, X)<sup>162</sup>Tm / <sup>161</sup>Yb / <sup>162</sup>Yb / <sup>163</sup>Yb / <sup>162</sup>Lu / <sup>162</sup>Hf, E=224.4 MeV; measured delayed E $\gamma$ , I $\gamma$  following residual nucleus decay. Physical preseparation technique. JOUR NIMAE 551 528

**A=163**

- <sup>163</sup>Dy 2004KI23 NUCLEAR REACTIONS <sup>161,162,163,164</sup>Dy(n,  $\gamma$ ), E=550 keV; measured E $\gamma$ , I $\gamma$ , capture  $\sigma$ . JOUR KPSJA 45 1474
- 2005RI17 NUCLEAR REACTIONS <sup>92</sup>Mo(<sup>54</sup>Fe, xnyp $\alpha$ ), E=245 MeV; measured prompt and delayed E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -, (recoil) $\gamma$ -coin. <sup>142</sup>Tb, <sup>163</sup>Dy deduced transitions. <sup>143</sup>Dy deduced isomeric state T<sub>1/2</sub>. Jurogam array. JOUR JPGPE 31 S1949
- <sup>163</sup>Er 2005BE34 NUCLEAR REACTIONS <sup>150</sup>Nd(<sup>18</sup>O, 5n), E=87, 93 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>163</sup>Er deduced K-mixing features vs temperature in quasi-continuum spectra. Euroball array, fluctuation analysis, band-mixing calculations. JOUR PYLBB 615 160
- 2005BR10 NUCLEAR REACTIONS <sup>150</sup>Nd(<sup>18</sup>O, 5n), E=87, 93 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>163</sup>Er deduced K-mixing features vs temperature in quasi-continuum spectra. Euroball array. JOUR NUPAB 752 227c
- 2005LE21 NUCLEAR REACTIONS <sup>150</sup>Nd(<sup>18</sup>O, 5n), E=87, 93 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>163</sup>Er deduced compound and rotational damping widths, dependence on K-quantum number, order-to-chaos transition. Euroball array. JOUR APOBB 36 1121
- 2005LE35 NUCLEAR REACTIONS <sup>150</sup>Nd(<sup>18</sup>O, 5n), E=87, 93 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>163</sup>Er deduced quasi-continuum high-spin spectra, rotational bands excitation energy, compound and rotational damping widths vs K-quantum number, order-to-chaos transition features. Euroball array, comparison with model predictions. JOUR PRVCA 72 034307
- 2005LEZZ NUCLEAR REACTIONS <sup>150</sup>Nd(<sup>18</sup>O, 5n), E=87, 93 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>163</sup>Er deduced compound and rotational damping widths, dependence on K-quantum number. Euroball array. CONF Argonne(Nuclei at the Limits),P309,Leoni

**A=163 (continued)**

- <sup>163</sup>Yb 2005DU23 NUCLEAR REACTIONS Ge(<sup>18</sup>O, X)<sup>83m</sup>Sr / <sup>83</sup>Y / <sup>84m</sup>Y / <sup>88m</sup>Y / <sup>85</sup>Zr / <sup>87</sup>Zr, E=82.8 GeV; <sup>84</sup>Se(<sup>18</sup>O, X)<sup>86m</sup>Y / <sup>85</sup>Zr / <sup>87</sup>Nb / <sup>87m</sup>Nb / <sup>88</sup>Nb / <sup>88</sup>Mo, E=82.7 MeV; <sup>124</sup>Sn(<sup>50</sup>Ti, X)<sup>168m</sup>Lu / <sup>167</sup>Hf / <sup>168</sup>Hf, E=223.7 MeV; <sup>116</sup>Sn(<sup>50</sup>Ti, X)<sup>162</sup>Tm / <sup>161</sup>Yb / <sup>162</sup>Yb / <sup>163</sup>Yb / <sup>162</sup>Lu / <sup>162</sup>Hf, E=224.4 MeV; measured delayed E $\gamma$ , I $\gamma$  following residual nucleus decay. Physical pre-separation technique. JOUR NIMAE 551 528
- <sup>163</sup>Lu 2005GOZZ NUCLEAR REACTIONS <sup>123</sup>Sb(<sup>44</sup>Ca, 4n), E=190 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin, DSA. <sup>163</sup>Lu deduced triaxial superdeformed bands transitions T<sub>1/2</sub>, B(E2), B(M1), quadrupole moments. Gammasphere array. Comparison with model predictions. CONF Argonne(Nuclei at the Limits),P9,Gorgen
- <sup>163</sup>Re 2005SC22 RADIOACTIVITY <sup>167,167m,169,169m</sup>Ir, <sup>165,165m</sup>Re, <sup>161</sup>Ta( $\alpha$ ) [from <sup>92</sup>Mo(<sup>78</sup>Kr, 2np) and <sup>112</sup>Sn(<sup>58</sup>Ni, p) and subsequent decay]; measured E $\alpha$ , E $\gamma$ ,  $\alpha\gamma$ -coin, T<sub>1/2</sub>; deduced spectroscopic factors. <sup>167,167m</sup>Ir(p) [from <sup>112</sup>Sn(<sup>58</sup>Ni, 2np)]; measured E $p$ , T<sub>1/2</sub>; deduced spectroscopic factors. Jurogam array, mass separator. JOUR JPGPE 31 S1719

**A=164**

- <sup>164</sup>Gd 2005J024 RADIOACTIVITY <sup>252</sup>Cf(SF); measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>162,164</sup>Gd deduced levels, J,  $\pi$ . Gammasphere array, level systematics in neighboring nuclides discussed. JOUR ZAANE 25 s01 467
- <sup>164</sup>Dy 2004KI23 NUCLEAR REACTIONS <sup>161,162,163,164</sup>Dy(n,  $\gamma$ ), E=550 keV; measured E $\gamma$ , I $\gamma$ , capture  $\sigma$ . JOUR KPSJA 45 1474
- <sup>164</sup>W 2004GOZZ RADIOACTIVITY <sup>168,169,170,171,172</sup>Os, <sup>169,170,171,172,173,174,175</sup>Ir, <sup>170,171,172,173,174,175,176,177</sup>Pt, <sup>173,174,175,176,177</sup>Au, <sup>174,175,176,177,178</sup>Hg( $\alpha$ ) [from <sup>92,94</sup>Mo(<sup>84</sup>Sr, xnyp) and subsequent decay]; measured E $\alpha$ , E $\gamma$ ,  $\alpha\gamma$ -coin, T<sub>1/2</sub>. <sup>165</sup>Ta, <sup>165,167</sup>W, <sup>165,166,167,168,171</sup>Re, <sup>169,170,171</sup>Os, <sup>169,170,171,172,175</sup>Ir, <sup>173,175</sup>Pt, <sup>174,176</sup>Au deduced levels, J,  $\pi$ . THESIS J Goon, University of Tennessee

**A=165**

- <sup>165</sup>Dy 2004KI23 NUCLEAR REACTIONS <sup>161,162,163,164</sup>Dy(n,  $\gamma$ ), E=550 keV; measured E $\gamma$ , I $\gamma$ , capture  $\sigma$ . JOUR KPSJA 45 1474
- 2005BU07 NUCLEAR REACTIONS <sup>163</sup>Dy, <sup>177</sup>Hf(t, p), E=17 MeV; measured  $\sigma$ (E $p$ ,  $\theta$ ). <sup>165</sup>Dy, <sup>179</sup>Hf deduced levels, L-values, L=0 strengths. Enriched targets, magnetic spectrograph. Systematic trends in neighboring nuclides discussed. JOUR NUPAB 750 185
- 2005KA33 NUCLEAR REACTIONS <sup>164</sup>Dy(n,  $\gamma$ ), E=thermal; measured capture  $\sigma$ , resonance integral. Activation method. JOUR NIMAE 550 626
- <sup>165</sup>Er 2004BE58 NUCLEAR REACTIONS <sup>165</sup>Ho(p, n), E  $\approx$  8-18 MeV; measured excitation function; deduced thick-target yield. Activation technique. JOUR RAACA 92 219

**A=165 (continued)**

- <sup>165</sup>Lu 2005AN04 NUCLEAR REACTIONS <sup>139</sup>La(<sup>30</sup>Si, 4n), E=135 MeV; measured Doppler-shifted E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>165</sup>Lu levels deduced T<sub>1/2</sub>, transition quadrupole moments, B(E2). GASP array, total Routhian surface calculations. JOUR PRVCA 71 014312
- <sup>165</sup>Ta 2004GOZZ RADIOACTIVITY <sup>168,169,170,171,172</sup>Os, <sup>169,170,171,172,173,174,175</sup>Ir, <sup>170,171,172,173,174,175,176,177</sup>Pt, <sup>173,174,175,176,177</sup>Au, <sup>174,175,176,177,178</sup>Hg( $\alpha$ ) [from <sup>92,94</sup>Mo(<sup>84</sup>Sr, xnyp) and subsequent decay]; measured E $\alpha$ , E $\gamma$ ,  $\alpha$ - $\gamma$ -coin, T<sub>1/2</sub>. <sup>165</sup>Ta, <sup>165,167</sup>W, <sup>165,166,167,168,171</sup>Re, <sup>169,170,171</sup>Os, <sup>169,170,171,172,175</sup>Ir, <sup>173,175</sup>Pt, <sup>174,176</sup>Au deduced levels, J,  $\pi$ . THESIS J Goon, University of Tennessee
- <sup>165</sup>W 2004GOZZ RADIOACTIVITY <sup>168,169,170,171,172</sup>Os, <sup>169,170,171,172,173,174,175</sup>Ir, <sup>170,171,172,173,174,175,176,177</sup>Pt, <sup>173,174,175,176,177</sup>Au, <sup>174,175,176,177,178</sup>Hg( $\alpha$ ) [from <sup>92,94</sup>Mo(<sup>84</sup>Sr, xnyp) and subsequent decay]; measured E $\alpha$ , E $\gamma$ ,  $\alpha$ - $\gamma$ -coin, T<sub>1/2</sub>. <sup>165</sup>Ta, <sup>165,167</sup>W, <sup>165,166,167,168,171</sup>Re, <sup>169,170,171</sup>Os, <sup>169,170,171,172,175</sup>Ir, <sup>173,175</sup>Pt, <sup>174,176</sup>Au deduced levels, J,  $\pi$ . THESIS J Goon, University of Tennessee
- <sup>165</sup>Re 2004GOZZ RADIOACTIVITY <sup>168,169,170,171,172</sup>Os, <sup>169,170,171,172,173,174,175</sup>Ir, <sup>170,171,172,173,174,175,176,177</sup>Pt, <sup>173,174,175,176,177</sup>Au, <sup>174,175,176,177,178</sup>Hg( $\alpha$ ) [from <sup>92,94</sup>Mo(<sup>84</sup>Sr, xnyp) and subsequent decay]; measured E $\alpha$ , E $\gamma$ ,  $\alpha$ - $\gamma$ -coin, T<sub>1/2</sub>. <sup>165</sup>Ta, <sup>165,167</sup>W, <sup>165,166,167,168,171</sup>Re, <sup>169,170,171</sup>Os, <sup>169,170,171,172,175</sup>Ir, <sup>173,175</sup>Pt, <sup>174,176</sup>Au deduced levels, J,  $\pi$ . THESIS J Goon, University of Tennessee
- 2005SC22 RADIOACTIVITY <sup>167,167m,169,169m</sup>Ir, <sup>165,165m</sup>Re, <sup>161</sup>Ta( $\alpha$ ) [from <sup>92</sup>Mo(<sup>78</sup>Kr, 2np) and <sup>112</sup>Sn(<sup>58</sup>Ni, p) and subsequent decay]; measured E $\alpha$ , E $\gamma$ ,  $\alpha\gamma$ -coin, T<sub>1/2</sub>; deduced spectroscopic factors. <sup>167,167m</sup>Ir(p) [from <sup>112</sup>Sn(<sup>58</sup>Ni, 2np)]; measured E $p$ , T<sub>1/2</sub>; deduced spectroscopic factors. Jurogam array, mass separator. JOUR JPGPE 31 S1719

**A=166**

- <sup>166</sup>Gd 2005IC02 RADIOACTIVITY <sup>159</sup>Pm, <sup>162</sup>Sm, <sup>166</sup>Gd, <sup>166</sup>Tb( $\beta^-$ ) [from <sup>238</sup>U(p, F)]; measured E $\gamma$ , I $\gamma$ ,  $\beta\gamma$ -,  $\gamma\gamma$ -coin, T<sub>1/2</sub>. <sup>166</sup>Tb deduced levels,  $\beta$ -feeding intensities. JOUR PRVCA 71 067302
- <sup>166</sup>Tb 2005IC02 RADIOACTIVITY <sup>159</sup>Pm, <sup>162</sup>Sm, <sup>166</sup>Gd, <sup>166</sup>Tb( $\beta^-$ ) [from <sup>238</sup>U(p, F)]; measured E $\gamma$ , I $\gamma$ ,  $\beta\gamma$ -,  $\gamma\gamma$ -coin, T<sub>1/2</sub>. <sup>166</sup>Tb deduced levels,  $\beta$ -feeding intensities. JOUR PRVCA 71 067302
- <sup>166</sup>Dy 2005IC02 RADIOACTIVITY <sup>159</sup>Pm, <sup>162</sup>Sm, <sup>166</sup>Gd, <sup>166</sup>Tb( $\beta^-$ ) [from <sup>238</sup>U(p, F)]; measured E $\gamma$ , I $\gamma$ ,  $\beta\gamma$ -,  $\gamma\gamma$ -coin, T<sub>1/2</sub>. <sup>166</sup>Tb deduced levels,  $\beta$ -feeding intensities. JOUR PRVCA 71 067302
- <sup>166</sup>Er 2005BU37 NUCLEAR REACTIONS <sup>164</sup>Dy(<sup>7</sup>Li, xnyp), E=55 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -, (charged particle) $\gamma$ -coin. <sup>167</sup>Tm deduced high-spin levels, J,  $\pi$ , configurations. <sup>166</sup>Er deduced rotational band features. GASP, ISIS arrays. JOUR JPGPE 31 S1827
- <sup>166</sup>Yb 2005DEZX NUCLEAR REACTIONS <sup>124</sup>Sn(<sup>48</sup>Ca, 4n), (<sup>48</sup>Ca, 5n), (<sup>48</sup>Ca, 6n), E=215 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>166,167,168</sup>Yb deduced transition energy correlations, level spacing and interaction potential features, order-to-chaos transition. Gammasphere array. CONF Argonne(Nuclei at the Limits),P303,Deleplanque

**A=166 (continued)**

- 2005ST03 NUCLEAR REACTIONS  $^{124}\text{Sn}(^{48}\text{Ca}, 4n)$ ,  $(^{48}\text{Ca}, 5n)$ ,  $(^{48}\text{Ca}, 6n)$ , E=215 MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{166,167,168}\text{Yb}$  deduced transition energy correlations, level spacing and interaction potential features, order-to-chaos transition. Gammasphere array. JOUR PRLTA 94 042501
- $^{166}\text{Lu}$  2005MC01 RADIOACTIVITY  $^{166}\text{Hf}(\beta^+)$ , (EC) [from  $^{159}\text{Tb}(^{16}\text{O}, 9n)$ ]; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{166}\text{Hf}$  deduced levels, J,  $\pi$ , X(5) symmetry features. JOUR PRVCA 71 024309
- $^{166}\text{Hf}$  2005MC01 RADIOACTIVITY  $^{166}\text{Hf}(\beta^+)$ , (EC) [from  $^{159}\text{Tb}(^{16}\text{O}, 9n)$ ]; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{166}\text{Hf}$  deduced levels, J,  $\pi$ , X(5) symmetry features. JOUR PRVCA 71 024309
- $^{166}\text{W}$  2004GOZZ RADIOACTIVITY  $^{168,169,170,171,172}\text{Os}$ ,  $^{169,170,171,172,173,174,175}\text{Ir}$ ,  $^{170,171,172,173,174,175,176,177}\text{Pt}$ ,  $^{173,174,175,176,177}\text{Au}$ ,  $^{174,175,176,177,178}\text{Hg}(\alpha)$  [from  $^{92,94}\text{Mo}(^{84}\text{Sr}, \text{xnyp})$  and subsequent decay]; measured  $E\alpha$ ,  $E\gamma$ ,  $\alpha$ - $\gamma$ -coin,  $T_{1/2}$ .  $^{165}\text{Ta}$ ,  $^{165,167}\text{W}$ ,  $^{165,166,167,168,171}\text{Re}$ ,  $^{169,170,171}\text{Os}$ ,  $^{169,170,171,172,175}\text{Ir}$ ,  $^{173,175}\text{Pt}$ ,  $^{174,176}\text{Au}$  deduced levels, J,  $\pi$ . THESIS J Goon, University of Tennessee
- $^{166}\text{Re}$  2004GOZZ RADIOACTIVITY  $^{168,169,170,171,172}\text{Os}$ ,  $^{169,170,171,172,173,174,175}\text{Ir}$ ,  $^{170,171,172,173,174,175,176,177}\text{Pt}$ ,  $^{173,174,175,176,177}\text{Au}$ ,  $^{174,175,176,177,178}\text{Hg}(\alpha)$  [from  $^{92,94}\text{Mo}(^{84}\text{Sr}, \text{xnyp})$  and subsequent decay]; measured  $E\alpha$ ,  $E\gamma$ ,  $\alpha$ - $\gamma$ -coin,  $T_{1/2}$ .  $^{165}\text{Ta}$ ,  $^{165,167}\text{W}$ ,  $^{165,166,167,168,171}\text{Re}$ ,  $^{169,170,171}\text{Os}$ ,  $^{169,170,171,172,175}\text{Ir}$ ,  $^{173,175}\text{Pt}$ ,  $^{174,176}\text{Au}$  deduced levels, J,  $\pi$ . THESIS J Goon, University of Tennessee
- $^{166}\text{Os}$  2004GOZZ RADIOACTIVITY  $^{168,169,170,171,172}\text{Os}$ ,  $^{169,170,171,172,173,174,175}\text{Ir}$ ,  $^{170,171,172,173,174,175,176,177}\text{Pt}$ ,  $^{173,174,175,176,177}\text{Au}$ ,  $^{174,175,176,177,178}\text{Hg}(\alpha)$  [from  $^{92,94}\text{Mo}(^{84}\text{Sr}, \text{xnyp})$  and subsequent decay]; measured  $E\alpha$ ,  $E\gamma$ ,  $\alpha$ - $\gamma$ -coin,  $T_{1/2}$ .  $^{165}\text{Ta}$ ,  $^{165,167}\text{W}$ ,  $^{165,166,167,168,171}\text{Re}$ ,  $^{169,170,171}\text{Os}$ ,  $^{169,170,171,172,175}\text{Ir}$ ,  $^{173,175}\text{Pt}$ ,  $^{174,176}\text{Au}$  deduced levels, J,  $\pi$ . THESIS J Goon, University of Tennessee
- 2005SC22 RADIOACTIVITY  $^{167,167m,169,169m}\text{Ir}$ ,  $^{165,165m}\text{Re}$ ,  $^{161}\text{Ta}(\alpha)$  [from  $^{92}\text{Mo}(^{78}\text{Kr}, 2n\text{p})$  and  $^{112}\text{Sn}(^{58}\text{Ni}, \text{p})$  and subsequent decay]; measured  $E\alpha$ ,  $E\gamma$ ,  $\alpha$ - $\gamma$ -coin,  $T_{1/2}$ ; deduced spectroscopic factors.  $^{167,167m}\text{Ir}(\text{p})$  [from  $^{112}\text{Sn}(^{58}\text{Ni}, 2n\text{p})$ ]; measured  $E\text{p}$ ,  $T_{1/2}$ ; deduced spectroscopic factors. Jurogam array, mass separator. JOUR JPGPE 31 S1719

**A=167**

- $^{167}\text{Tm}$  2005BU37 NUCLEAR REACTIONS  $^{164}\text{Dy}(^7\text{Li}, \text{xnyp})$ , E=55 MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -, (charged particle) $\gamma$ -coin.  $^{167}\text{Tm}$  deduced high-spin levels, J,  $\pi$ , configurations.  $^{166}\text{Er}$  deduced rotational band features. GASP, ISIS arrays. JOUR JPGPE 31 S1827
- $^{167}\text{Yb}$  2005DEZX NUCLEAR REACTIONS  $^{124}\text{Sn}(^{48}\text{Ca}, 4n)$ ,  $(^{48}\text{Ca}, 5n)$ ,  $(^{48}\text{Ca}, 6n)$ , E=215 MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{166,167,168}\text{Yb}$  deduced transition energy correlations, level spacing and interaction potential features, order-to-chaos transition. Gammasphere array. CONF Argonne(Nuclei at the Limits),P303,Deleplanque



## A=167 (continued)

- 2005ST03 NUCLEAR REACTIONS  $^{124}\text{Sn}(^{48}\text{Ca}, 4n)$ ,  $(^{48}\text{Ca}, 5n)$ ,  $(^{48}\text{Ca}, 6n)$ , E=215 MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{166,167,168}\text{Yb}$  deduced transition energy correlations, level spacing and interaction potential features, order-to-chaos transition. Gammasphere array. JOUR PRITA 94 042501
- $^{167}\text{Lu}$  2005AM02 NUCLEAR REACTIONS  $^{123}\text{Sb}(^{48}\text{Ca}, 4n)$ , E=203 MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{167}\text{Lu}$  deduced high-spin levels, J,  $\pi$ , triaxial superdeformed bands, configurations. Gammasphere array. JOUR PRVCA 71 011302
- 2005GU28 NUCLEAR REACTIONS  $^{123}\text{Sb}(^{48}\text{Ca}, 4n)$ , E=203 MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin, DSA.  $^{167}\text{Lu}$  deduced triaxial superdeformed band transition quadrupole moment. Gammasphere array. JOUR JPGPE 31 S1873
- $^{167}\text{Hf}$  2005DU23 NUCLEAR REACTIONS  $\text{Ge}(^{18}\text{O}, X)^{83m}\text{Sr} / ^{83}\text{Y} / ^{84m}\text{Y} / ^{88m}\text{Y} / ^{85}\text{Zr} / ^{87}\text{Zr}$ , E=82.8 GeV;  $^{84}\text{Se}(^{18}\text{O}, X)^{86m}\text{Y} / ^{85}\text{Zr} / ^{87}\text{Nb} / ^{87m}\text{Nb} / ^{88}\text{Nb} / ^{88}\text{Mo}$ , E=82.7 MeV;  $^{124}\text{Sn}(^{50}\text{Ti}, X)^{168m}\text{Lu} / ^{167}\text{Hf} / ^{168}\text{Hf}$ , E=223.7 MeV;  $^{116}\text{Sn}(^{50}\text{Ti}, X)^{162}\text{Tm} / ^{161}\text{Yb} / ^{162}\text{Yb} / ^{163}\text{Yb} / ^{162}\text{Lu} / ^{162}\text{Hf}$ , E=224.4 MeV; measured delayed  $E\gamma$ ,  $I\gamma$  following residual nucleus decay. Physical preseparation technique. JOUR NIMAE 551 528
- $^{167}\text{W}$  2004G0ZZ RADIOACTIVITY  $^{168,169,170,171,172}\text{Os}$ ,  $^{169,170,171,172,173,174,175}\text{Ir}$ ,  $^{170,171,172,173,174,175,176,177}\text{Pt}$ ,  $^{173,174,175,176,177}\text{Au}$ ,  $^{174,175,176,177,178}\text{Hg}(\alpha)$  [from  $^{92,94}\text{Mo}(^{84}\text{Sr}, \text{xnyp})$  and subsequent decay]; measured  $E\alpha$ ,  $E\gamma$ ,  $\alpha$ - $\gamma$ -coin,  $T_{1/2}$ .  $^{165}\text{Ta}$ ,  $^{165,167}\text{W}$ ,  $^{165,166,167,168,171}\text{Re}$ ,  $^{169,170,171}\text{Os}$ ,  $^{169,170,171,172,175}\text{Ir}$ ,  $^{173,175}\text{Pt}$ ,  $^{174,176}\text{Au}$
- $^{167}\text{Re}$  2004G0ZZ RADIOACTIVITY  $^{168,169,170,171,172}\text{Os}$ ,  $^{169,170,171,172,173,174,175}\text{Ir}$ ,  $^{170,171,172,173,174,175,176,177}\text{Pt}$ ,  $^{173,174,175,176,177}\text{Au}$ ,  $^{174,175,176,177,178}\text{Hg}(\alpha)$  [from  $^{92,94}\text{Mo}(^{84}\text{Sr}, \text{xnyp})$  and subsequent decay]; measured  $E\alpha$ ,  $E\gamma$ ,  $\alpha$ - $\gamma$ -coin,  $T_{1/2}$ .  $^{165}\text{Ta}$ ,  $^{165,167}\text{W}$ ,  $^{165,166,167,168,171}\text{Re}$ ,  $^{169,170,171}\text{Os}$ ,  $^{169,170,171,172,175}\text{Ir}$ ,  $^{173,175}\text{Pt}$ ,  $^{174,176}\text{Au}$
- $^{167}\text{Os}$  2004G0ZZ RADIOACTIVITY  $^{168,169,170,171,172}\text{Os}$ ,  $^{169,170,171,172,173,174,175}\text{Ir}$ ,  $^{170,171,172,173,174,175,176,177}\text{Pt}$ ,  $^{173,174,175,176,177}\text{Au}$ ,  $^{174,175,176,177,178}\text{Hg}(\alpha)$  [from  $^{92,94}\text{Mo}(^{84}\text{Sr}, \text{xnyp})$  and subsequent decay]; measured  $E\alpha$ ,  $E\gamma$ ,  $\alpha$ - $\gamma$ -coin,  $T_{1/2}$ .  $^{165}\text{Ta}$ ,  $^{165,167}\text{W}$ ,  $^{165,166,167,168,171}\text{Re}$ ,  $^{169,170,171}\text{Os}$ ,  $^{169,170,171,172,175}\text{Ir}$ ,  $^{173,175}\text{Pt}$ ,  $^{174,176}\text{Au}$
- $^{167}\text{Ir}$  2005SC22 NUCLEAR REACTIONS  $^{92}\text{Mo}(^{78}\text{Kr}, 2np)$ , E=360 MeV;  $^{112}\text{Sn}(^{58}\text{Ni}, p)$ , E=266 MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -, (recoil) $\gamma$ -coin.  $^{167,169}\text{Ir}$  deduced transitions. Recoil-decay tagging, Jurogam array. JOUR JPGPE 31 S1719
- 2005SC22 RADIOACTIVITY  $^{167,167m,169,169m}\text{Ir}$ ,  $^{165,165m}\text{Re}$ ,  $^{161}\text{Ta}(\alpha)$  [from  $^{92}\text{Mo}(^{78}\text{Kr}, 2np)$  and  $^{112}\text{Sn}(^{58}\text{Ni}, p)$  and subsequent decay]; measured  $E\alpha$ ,  $E\gamma$ ,  $\alpha$ - $\gamma$ -coin,  $T_{1/2}$ ; deduced spectroscopic factors.  $^{167,167m}\text{Ir}(p)$  [from  $^{112}\text{Sn}(^{58}\text{Ni}, 2np)$ ]; measured  $E_p$ ,  $T_{1/2}$ ; deduced spectroscopic factors. Jurogam array, mass separator. JOUR JPGPE 31 S1719

## A=168

$^{168}\text{Er}$	2005BUZZ	NUCLEAR REACTIONS $^{170}\text{Er}(p, t)$ , $E=25.0$ MeV; measured $E\gamma$ , $I\gamma$ , $\sigma(\theta)$ . $^{168}\text{Er}$ deduced $0^+$ states energies. REPT MLL 2004 Annual,P16,Bucurescu
	2005ME19	NUCLEAR REACTIONS $^{160}\text{Gd}$ , $^{164}\text{Dy}$ , $^{170}\text{Er}$ , $^{178}\text{Hf}$ , $^{186}\text{W}$ , $^{192}\text{Os}(p, t)$ , $E=25$ MeV; measured triton spectra, $\sigma(\theta)$ . $^{158}\text{Gd}$ , $^{162}\text{Dy}$ , $^{168}\text{Er}$ , $^{176}\text{Hf}$ , $^{184}\text{W}$ , $^{190}\text{Os}$ deduced $0^+$ level energies. JOUR JPGPE 31 S1399
$^{168}\text{Yb}$	2005DEZX	NUCLEAR REACTIONS $^{124}\text{Sn}(^{48}\text{Ca}, 4n)$ , $(^{48}\text{Ca}, 5n)$ , $(^{48}\text{Ca}, 6n)$ , $E=215$ MeV; measured $E\gamma$ , $I\gamma$ , $\gamma\gamma$ -coin. $^{166,167,168}\text{Yb}$ deduced transition energy correlations, level spacing and interaction potential features, order-to-chaos transition. Gammasphere array. CONF Argonne(Nuclei at the Limits),P303,Deleplanque
	2005ST03	NUCLEAR REACTIONS $^{124}\text{Sn}(^{48}\text{Ca}, 4n)$ , $(^{48}\text{Ca}, 5n)$ , $(^{48}\text{Ca}, 6n)$ , $E=215$ MeV; measured $E\gamma$ , $I\gamma$ , $\gamma\gamma$ -coin. $^{166,167,168}\text{Yb}$ deduced transition energy correlations, level spacing and interaction potential features, order-to-chaos transition. Gammasphere array. JOUR PRLTA 94 042501
$^{168}\text{Lu}$	2005DU23	NUCLEAR REACTIONS $\text{Ge}(^{18}\text{O}, X)^{83m}\text{Sr} / ^{83}\text{Y} / ^{84m}\text{Y} / ^{88m}\text{Y} / ^{85}\text{Zr} / ^{87}\text{Zr}$ , $E=82.8$ GeV; $^{84}\text{Se}(^{18}\text{O}, X)^{86m}\text{Y} / ^{85}\text{Zr} / ^{87}\text{Nb} / ^{87m}\text{Nb} / ^{88}\text{Nb} / ^{88}\text{Mo}$ , $E=82.7$ MeV; $^{124}\text{Sn}(^{50}\text{Ti}, X)^{168m}\text{Lu} / ^{167}\text{Hf} / ^{168}\text{Hf}$ , $E=223.7$ MeV; $^{116}\text{Sn}(^{50}\text{Ti}, X)^{162}\text{Tm} / ^{161}\text{Yb} / ^{162}\text{Yb} / ^{163}\text{Yb} / ^{162}\text{Lu} / ^{162}\text{Hf}$ , $E=224.4$ MeV; measured delayed $E\gamma$ , $I\gamma$ following residual nucleus decay. Physical preseparation technique. JOUR NIMAE 551 528
$^{168}\text{Hf}$	2005DU23	NUCLEAR REACTIONS $\text{Ge}(^{18}\text{O}, X)^{83m}\text{Sr} / ^{83}\text{Y} / ^{84m}\text{Y} / ^{88m}\text{Y} / ^{85}\text{Zr} / ^{87}\text{Zr}$ , $E=82.8$ GeV; $^{84}\text{Se}(^{18}\text{O}, X)^{86m}\text{Y} / ^{85}\text{Zr} / ^{87}\text{Nb} / ^{87m}\text{Nb} / ^{88}\text{Nb} / ^{88}\text{Mo}$ , $E=82.7$ MeV; $^{124}\text{Sn}(^{50}\text{Ti}, X)^{168m}\text{Lu} / ^{167}\text{Hf} / ^{168}\text{Hf}$ , $E=223.7$ MeV; $^{116}\text{Sn}(^{50}\text{Ti}, X)^{162}\text{Tm} / ^{161}\text{Yb} / ^{162}\text{Yb} / ^{163}\text{Yb} / ^{162}\text{Lu} / ^{162}\text{Hf}$ , $E=224.4$ MeV; measured delayed $E\gamma$ , $I\gamma$ following residual nucleus decay. Physical preseparation technique. JOUR NIMAE 551 528
$^{168}\text{W}$	2002DU22	RADIOACTIVITY $^{197,197m,198,199m,200,201m}\text{Po}(\alpha)$ ; $^{172,173}\text{Os}(\alpha)$ [from $^{156}\text{Dy}(^{22}\text{Ne}, xn)$ ]; $^{183,184,185}\text{Hg}(\alpha)$ [from $^{168}\text{Yb}(^{22}\text{Ne}, xn)$ ]; measured $E\alpha$ , $T_{1/2}$ . JOUR NIMAE 479 631
	2004GOZZ	RADIOACTIVITY $^{168,169,170,171,172}\text{Os}$ , $^{169,170,171,172,173,174,175}\text{Ir}$ , $^{170,171,172,173,174,175,176,177}\text{Pt}$ , $^{173,174,175,176,177}\text{Au}$ , $^{174,175,176,177,178}\text{Hg}(\alpha)$ [from $^{92,94}\text{Mo}(^{84}\text{Sr}, xnyp)$ and subsequent decay]; measured $E\alpha$ , $E\gamma$ , $\alpha$ - $\gamma$ -coin, $T_{1/2}$ . $^{165}\text{Ta}$ , $^{165,167}\text{W}$ , $^{165,166,167,168,171}\text{Re}$ , $^{169,170,171}\text{Os}$ , $^{169,170,171,172,175}\text{Ir}$ , $^{173,175}\text{Pt}$ , $^{174,176}\text{Au}$ deduced levels, $J$ , $\pi$ . THESIS J Goon,University of Tennessee
$^{168}\text{Re}$	2004GOZZ	RADIOACTIVITY $^{168,169,170,171,172}\text{Os}$ , $^{169,170,171,172,173,174,175}\text{Ir}$ , $^{170,171,172,173,174,175,176,177}\text{Pt}$ , $^{173,174,175,176,177}\text{Au}$ , $^{174,175,176,177,178}\text{Hg}(\alpha)$ [from $^{92,94}\text{Mo}(^{84}\text{Sr}, xnyp)$ and subsequent decay]; measured $E\alpha$ , $E\gamma$ , $\alpha$ - $\gamma$ -coin, $T_{1/2}$ . $^{165}\text{Ta}$ , $^{165,167}\text{W}$ , $^{165,166,167,168,171}\text{Re}$ , $^{169,170,171}\text{Os}$ , $^{169,170,171,172,175}\text{Ir}$ , $^{173,175}\text{Pt}$ , $^{174,176}\text{Au}$ deduced levels, $J$ , $\pi$ . THESIS J Goon,University of Tennessee

**A=168 (continued)**

<sup>168</sup>Os 2004G0ZZ RADIOACTIVITY <sup>168,169,170,171,172</sup>Os, <sup>169,170,171,172,173,174,175</sup>Ir, <sup>170,171,172,173,174,175,176,177</sup>Pt, <sup>173,174,175,176,177</sup>Au, <sup>174,175,176,177,178</sup>Hg( $\alpha$ ) [from <sup>92,94</sup>Mo(<sup>84</sup>Sr, xnyp) and subsequent decay]; measured E $\alpha$ , E $\gamma$ ,  $\alpha$ - $\gamma$ -coin, T<sub>1/2</sub>. <sup>165</sup>Ta, <sup>165,167</sup>W, <sup>165,166,167,168,171</sup>Re, <sup>169,170,171</sup>Os, <sup>169,170,171,172,175</sup>Ir, <sup>173,175</sup>Pt, <sup>174,176</sup>Au deduced levels, J,  $\pi$ . THESIS J Goon, University of Tennessee

**A=169**

<sup>169</sup>Tm 2005ALZX NUCLEAR REACTIONS <sup>169</sup>Tm(n, n), (n, n'), E=600 MeV; measured En,  $\sigma(\theta)$ . CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P1054

2005BA10 NUCLEAR MOMENTS <sup>169</sup>Tm; measured hfs. JOUR PHSTB 71 159

<sup>169</sup>Yb 2005SP04 NUCLEAR REACTIONS <sup>169</sup>Tm(p, n), E=5-45 MeV; measured excitation function; deduced integral yield. Stacked-foil activation. JOUR ARISE 63 235

<sup>169</sup>W 2002DU22 RADIOACTIVITY <sup>197,197m,198,199m,200,201m</sup>Po( $\alpha$ ); <sup>172,173</sup>Os( $\alpha$ ) [from <sup>156</sup>Dy(<sup>22</sup>Ne, xn)]; <sup>183,184,185</sup>Hg( $\alpha$ ) [from <sup>168</sup>Yb(<sup>22</sup>Ne, xn)]; measured E $\alpha$ , T<sub>1/2</sub>. JOUR NIMAE 479 631

<sup>169</sup>Re 2004G0ZZ RADIOACTIVITY <sup>168,169,170,171,172</sup>Os, <sup>169,170,171,172,173,174,175</sup>Ir, <sup>170,171,172,173,174,175,176,177</sup>Pt, <sup>173,174,175,176,177</sup>Au, <sup>174,175,176,177,178</sup>Hg( $\alpha$ ) [from <sup>92,94</sup>Mo(<sup>84</sup>Sr, xnyp) and subsequent decay]; measured E $\alpha$ , E $\gamma$ ,  $\alpha$ - $\gamma$ -coin, T<sub>1/2</sub>. <sup>165</sup>Ta, <sup>165,167</sup>W, <sup>165,166,167,168,171</sup>Re, <sup>169,170,171</sup>Os, <sup>169,170,171,172,175</sup>Ir, <sup>173,175</sup>Pt, <sup>174,176</sup>Au deduced levels, J,  $\pi$ . THESIS J Goon, University of Tennessee

<sup>169</sup>Os 2004G0ZZ RADIOACTIVITY <sup>168,169,170,171,172</sup>Os, <sup>169,170,171,172,173,174,175</sup>Ir, <sup>170,171,172,173,174,175,176,177</sup>Pt, <sup>173,174,175,176,177</sup>Au, <sup>174,175,176,177,178</sup>Hg( $\alpha$ ) [from <sup>92,94</sup>Mo(<sup>84</sup>Sr, xnyp) and subsequent decay]; measured E $\alpha$ , E $\gamma$ ,  $\alpha$ - $\gamma$ -coin, T<sub>1/2</sub>. <sup>165</sup>Ta, <sup>165,167</sup>W, <sup>165,166,167,168,171</sup>Re, <sup>169,170,171</sup>Os, <sup>169,170,171,172,175</sup>Ir, <sup>173,175</sup>Pt, <sup>174,176</sup>Au deduced levels, J,  $\pi$ . THESIS J Goon, University of Tennessee

<sup>169</sup>Ir 2004G0ZZ RADIOACTIVITY <sup>168,169,170,171,172</sup>Os, <sup>169,170,171,172,173,174,175</sup>Ir, <sup>170,171,172,173,174,175,176,177</sup>Pt, <sup>173,174,175,176,177</sup>Au, <sup>174,175,176,177,178</sup>Hg( $\alpha$ ) [from <sup>92,94</sup>Mo(<sup>84</sup>Sr, xnyp) and subsequent decay]; measured E $\alpha$ , E $\gamma$ ,  $\alpha$ - $\gamma$ -coin, T<sub>1/2</sub>. <sup>165</sup>Ta, <sup>165,167</sup>W, <sup>165,166,167,168,171</sup>Re, <sup>169,170,171</sup>Os, <sup>169,170,171,172,175</sup>Ir, <sup>173,175</sup>Pt, <sup>174,176</sup>Au deduced levels, J,  $\pi$ . THESIS J Goon, University of Tennessee

2005SC22 NUCLEAR REACTIONS <sup>92</sup>Mo(<sup>78</sup>Kr, 2np), E=360 MeV; <sup>112</sup>Sn(<sup>58</sup>Ni, p), E=266 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -, (recoil) $\gamma$ -coin. <sup>167,169</sup>Ir deduced transitions. Recoil-decay tagging, Jurogam array. JOUR JPGPE 31 S1719

2005SC22 RADIOACTIVITY <sup>167,167m,169,169m</sup>Ir, <sup>165,165m</sup>Re, <sup>161</sup>Ta( $\alpha$ ) [from <sup>92</sup>Mo(<sup>78</sup>Kr, 2np) and <sup>112</sup>Sn(<sup>58</sup>Ni, p) and subsequent decay]; measured E $\alpha$ , E $\gamma$ ,  $\alpha$ - $\gamma$ -coin, T<sub>1/2</sub>; deduced spectroscopic factors. <sup>167,167m</sup>Ir(p) [from <sup>112</sup>Sn(<sup>58</sup>Ni, 2np)]; measured Ep, T<sub>1/2</sub>; deduced spectroscopic factors. Jurogam array, mass separator. JOUR JPGPE 31 S1719

**A=169 (continued)**

- <sup>169</sup>Pt 2005J018 NUCLEAR REACTIONS Sn(<sup>58</sup>Ni, xn)<sup>169</sup>Pt / <sup>170</sup>Pt / <sup>171</sup>Pt / <sup>172</sup>Pt / <sup>173</sup>Pt, E=266 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -, (recoil) $\gamma$ -coin. <sup>169,170,171,172,173</sup>Pt deduced levels, J,  $\pi$ . Recoil-decay tagging. JOUR JPGPE 31 S1715

**A=170**

- <sup>170</sup>Re 2004G0ZZ RADIOACTIVITY <sup>168,169,170,171,172</sup>Os, <sup>169,170,171,172,173,174,175</sup>Ir, <sup>170,171,172,173,174,175,176,177</sup>Pt, <sup>173,174,175,176,177</sup>Au, <sup>174,175,176,177,178</sup>Hg( $\alpha$ ) [from <sup>92,94</sup>Mo(<sup>84</sup>Sr, xnyp) and subsequent decay]; measured E $\alpha$ , E $\gamma$ ,  $\alpha$ - $\gamma$ -coin, T<sub>1/2</sub>. <sup>165</sup>Ta, <sup>165,167</sup>W, <sup>165,166,167,168,171</sup>Re, <sup>169,170,171</sup>Os, <sup>169,170,171,172,175</sup>Ir, <sup>173,175</sup>Pt, <sup>174,176</sup>Au deduced levels, J,  $\pi$ . THESIS J Goon, University of Tennessee
- 2004WA35 NUCLEAR REACTIONS <sup>142</sup>Nd(<sup>32</sup>S, 3np), E=155, 166 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -, (X-ray) $\gamma$ -coin. <sup>170</sup>Re deduced high-spin levels, J,  $\pi$ , configurations. Level systematics in neighboring nuclides discussed. JOUR PRVCA 70 064306
- <sup>170</sup>Os 2004G0ZZ RADIOACTIVITY <sup>168,169,170,171,172</sup>Os, <sup>169,170,171,172,173,174,175</sup>Ir, <sup>170,171,172,173,174,175,176,177</sup>Pt, <sup>173,174,175,176,177</sup>Au, <sup>174,175,176,177,178</sup>Hg( $\alpha$ ) [from <sup>92,94</sup>Mo(<sup>84</sup>Sr, xnyp) and subsequent decay]; measured E $\alpha$ , E $\gamma$ ,  $\alpha$ - $\gamma$ -coin, T<sub>1/2</sub>. <sup>165</sup>Ta, <sup>165,167</sup>W, <sup>165,166,167,168,171</sup>Re, <sup>169,170,171</sup>Os, <sup>169,170,171,172,175</sup>Ir, <sup>173,175</sup>Pt, <sup>174,176</sup>Au deduced levels, J,  $\pi$ . THESIS J Goon, University of Tennessee
- <sup>170</sup>Ir 2004G0ZZ RADIOACTIVITY <sup>168,169,170,171,172</sup>Os, <sup>169,170,171,172,173,174,175</sup>Ir, <sup>170,171,172,173,174,175,176,177</sup>Pt, <sup>173,174,175,176,177</sup>Au, <sup>174,175,176,177,178</sup>Hg( $\alpha$ ) [from <sup>92,94</sup>Mo(<sup>84</sup>Sr, xnyp) and subsequent decay]; measured E $\alpha$ , E $\gamma$ ,  $\alpha$ - $\gamma$ -coin, T<sub>1/2</sub>. <sup>165</sup>Ta, <sup>165,167</sup>W, <sup>165,166,167,168,171</sup>Re, <sup>169,170,171</sup>Os, <sup>169,170,171,172,175</sup>Ir, <sup>173,175</sup>Pt, <sup>174,176</sup>Au deduced levels, J,  $\pi$ . THESIS J Goon, University of Tennessee
- <sup>170</sup>Pt 2004G0ZZ RADIOACTIVITY <sup>168,169,170,171,172</sup>Os, <sup>169,170,171,172,173,174,175</sup>Ir, <sup>170,171,172,173,174,175,176,177</sup>Pt, <sup>173,174,175,176,177</sup>Au, <sup>174,175,176,177,178</sup>Hg( $\alpha$ ) [from <sup>92,94</sup>Mo(<sup>84</sup>Sr, xnyp) and subsequent decay]; measured E $\alpha$ , E $\gamma$ ,  $\alpha$ - $\gamma$ -coin, T<sub>1/2</sub>. <sup>165</sup>Ta, <sup>165,167</sup>W, <sup>165,166,167,168,171</sup>Re, <sup>169,170,171</sup>Os, <sup>169,170,171,172,175</sup>Ir, <sup>173,175</sup>Pt, <sup>174,176</sup>Au deduced levels, J,  $\pi$ . THESIS J Goon, University of Tennessee
- 2005J018 NUCLEAR REACTIONS Sn(<sup>58</sup>Ni, xn)<sup>169</sup>Pt / <sup>170</sup>Pt / <sup>171</sup>Pt / <sup>172</sup>Pt / <sup>173</sup>Pt, E=266 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -, (recoil) $\gamma$ -coin. <sup>169,170,171,172,173</sup>Pt deduced levels, J,  $\pi$ . Recoil-decay tagging. JOUR JPGPE 31 S1715

**A=171**

- <sup>171</sup>Yb 2005AG15 NUCLEAR REACTIONS <sup>57</sup>Fe, <sup>171</sup>Yb(<sup>3</sup>He, <sup>3</sup>He'), E=38-45 MeV; <sup>117</sup>Sn, <sup>172</sup>Yb(<sup>3</sup>He,  $\alpha$ ), E=38-45 MeV; measured E $\gamma$ , I $\gamma$ , (particle) $\gamma$ -coin; deduced radiative strength functions. JOUR NIMBE 241 180

**A=171 (continued)**

- <sup>171</sup>Re 2004GOZZ RADIOACTIVITY <sup>168,169,170,171,172</sup>Os, <sup>169,170,171,172,173,174,175</sup>Ir, <sup>170,171,172,173,174,175,176,177</sup>Pt, <sup>173,174,175,176,177</sup>Au, <sup>174,175,176,177,178</sup>Hg( $\alpha$ ) [from <sup>92,94</sup>Mo(<sup>84</sup>Sr, xnyp) and subsequent decay]; measured E $\alpha$ , E $\gamma$ ,  $\alpha$ - $\gamma$ -coin, T<sub>1/2</sub>. <sup>165</sup>Ta, <sup>165,167</sup>W, <sup>165,166,167,168,171</sup>Re, <sup>169,170,171</sup>Os, <sup>169,170,171,172,175</sup>Ir, <sup>173,175</sup>Pt, <sup>174,176</sup>Au deduced levels, J,  $\pi$ . THESIS J Goon, University of Tennessee
- <sup>171</sup>Os 2004GOZZ RADIOACTIVITY <sup>168,169,170,171,172</sup>Os, <sup>169,170,171,172,173,174,175</sup>Ir, <sup>170,171,172,173,174,175,176,177</sup>Pt, <sup>173,174,175,176,177</sup>Au, <sup>174,175,176,177,178</sup>Hg( $\alpha$ ) [from <sup>92,94</sup>Mo(<sup>84</sup>Sr, xnyp) and subsequent decay]; measured E $\alpha$ , E $\gamma$ ,  $\alpha$ - $\gamma$ -coin, T<sub>1/2</sub>. <sup>165</sup>Ta, <sup>165,167</sup>W, <sup>165,166,167,168,171</sup>Re, <sup>169,170,171</sup>Os, <sup>169,170,171,172,175</sup>Ir, <sup>173,175</sup>Pt, <sup>174,176</sup>Au deduced levels, J,  $\pi$ . THESIS J Goon, University of Tennessee
- 2005ANZY RADIOACTIVITY <sup>186,187</sup>Po, <sup>183</sup>Pb, <sup>179</sup>Hg, <sup>175</sup>Pt( $\alpha$ ) [from <sup>144</sup>Sm(<sup>46</sup>Ti, xn) and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>. <sup>183</sup>Pb deduced excited state energy. <sup>187</sup>Po deduced isomeric states. <sup>192</sup>At( $\alpha$ ) [from <sup>144</sup>Sm(<sup>51</sup>V, xn)]; measured E $\alpha$ ,  $\alpha$ -coin, T<sub>1/2</sub>; deduced isomeric states. REPT GSI 2005-1, P77, Andreyev
- <sup>171</sup>Ir 2004GOZZ RADIOACTIVITY <sup>168,169,170,171,172</sup>Os, <sup>169,170,171,172,173,174,175</sup>Ir, <sup>170,171,172,173,174,175,176,177</sup>Pt, <sup>173,174,175,176,177</sup>Au, <sup>174,175,176,177,178</sup>Hg( $\alpha$ ) [from <sup>92,94</sup>Mo(<sup>84</sup>Sr, xnyp) and subsequent decay]; measured E $\alpha$ , E $\gamma$ ,  $\alpha$ - $\gamma$ -coin, T<sub>1/2</sub>. <sup>165</sup>Ta, <sup>165,167</sup>W, <sup>165,166,167,168,171</sup>Re, <sup>169,170,171</sup>Os, <sup>169,170,171,172,175</sup>Ir, <sup>173,175</sup>Pt, <sup>174,176</sup>Au deduced levels, J,  $\pi$ . THESIS J Goon, University of Tennessee
- <sup>171</sup>Pt 2004GOZZ RADIOACTIVITY <sup>168,169,170,171,172</sup>Os, <sup>169,170,171,172,173,174,175</sup>Ir, <sup>170,171,172,173,174,175,176,177</sup>Pt, <sup>173,174,175,176,177</sup>Au, <sup>174,175,176,177,178</sup>Hg( $\alpha$ ) [from <sup>92,94</sup>Mo(<sup>84</sup>Sr, xnyp) and subsequent decay]; measured E $\alpha$ , E $\gamma$ ,  $\alpha$ - $\gamma$ -coin, T<sub>1/2</sub>. <sup>165</sup>Ta, <sup>165,167</sup>W, <sup>165,166,167,168,171</sup>Re, <sup>169,170,171</sup>Os, <sup>169,170,171,172,175</sup>Ir, <sup>173,175</sup>Pt, <sup>174,176</sup>Au deduced levels, J,  $\pi$ . THESIS J Goon, University of Tennessee
- 2005J018 NUCLEAR REACTIONS Sn(<sup>58</sup>Ni, xn)<sup>169</sup>Pt / <sup>170</sup>Pt / <sup>171</sup>Pt / <sup>172</sup>Pt / <sup>173</sup>Pt, E=266 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma$  $\gamma$ -, (recoil) $\gamma$ -coin. <sup>169,170,171,172,173</sup>Pt deduced levels, J,  $\pi$ . Recoil-decay tagging. JOUR JPGPE 31 S1715

**A=172**

- <sup>172</sup>Yb 2005SA15 NUCLEAR REACTIONS <sup>172,174</sup>Yb(polarized  $\gamma$ ,  $\gamma'$ ), E=2930, 3005, 3550 keV; measured E $\gamma$ , I $\gamma$ , asymmetries. <sup>172,174</sup>Yb levels deduced  $\pi$ . Parity and branching ratio systematics discussed. JOUR PRVCA 71 034304
- 2005SAZZ NUCLEAR REACTIONS <sup>172,174</sup>Yb(polarized  $\gamma$ ,  $\gamma'$ ), E=2930, 3005, 3550 keV; measured E $\gamma$ , I $\gamma$ , asymmetries. <sup>172,174</sup>Yb levels deduced  $\pi$ . Comparison with previous results. PREPRINT nucl-ex/0501006, 1/11/2005
- 2005VE07 NUCLEAR REACTIONS <sup>170</sup>Er(<sup>7</sup>Li, 3np), (<sup>7</sup>Li, 4np), (<sup>7</sup>Li, 3nd), (<sup>7</sup>Li, 2nt), E=51 MeV; measured E $\gamma$ , I $\gamma$ , (charged particle) $\gamma$ -coin. <sup>172,173</sup>Yb deduced high-spin levels, J,  $\pi$ , configurations, absence of a static pair field. GASP, ISIS arrays. JOUR ZAANE 26 19

**A=172 (continued)**

- <sup>172</sup>Hf 2005KA52 NUCLEAR REACTIONS <sup>177</sup>Hf(n,  $\gamma$ ), E=thermal, resonance; <sup>178</sup>Hf(n, n' $\gamma$ ), E > 3 MeV; measured isomer production  $\sigma$ . Ta, W, <sup>186</sup>W, Re(p, X)<sup>179m</sup>Hf / <sup>178m</sup>Hf / <sup>177m</sup>Lu / <sup>178</sup>W / <sup>175</sup>Hf / <sup>172</sup>Hf / <sup>173</sup>Lu, E=650 MeV; analyzed yields, isomer ratios. <sup>176</sup>Yb( $\alpha$ , 2n), E < 36 MeV; measured isomer yield. Other reactions discussed. JOUR YAFIA 68 1827
- <sup>172</sup>Os 2002DU22 RADIOACTIVITY <sup>197,197m,198,199m,200,201m</sup>Po( $\alpha$ ); <sup>172,173</sup>Os( $\alpha$ ) [from <sup>156</sup>Dy(<sup>22</sup>Ne, xn)]; <sup>183,184,185</sup>Hg( $\alpha$ ) [from <sup>168</sup>Yb(<sup>22</sup>Ne, xn)]; measured E $\alpha$ , T<sub>1/2</sub>. JOUR NIMAE 479 631
- 2002DU22 NUCLEAR REACTIONS <sup>156</sup>Dy(<sup>22</sup>Ne, 5n), (<sup>22</sup>Ne, 6n), E=127 MeV; <sup>162</sup>Er(<sup>18</sup>O, 6n), (<sup>18</sup>O, 7n), E=116 MeV; measured radiochemical yields. JOUR NIMAE 479 631
- 2004GOZZ RADIOACTIVITY <sup>168,169,170,171,172</sup>Os, <sup>169,170,171,172,173,174,175</sup>Ir, <sup>170,171,172,173,174,175,176,177</sup>Pt, <sup>173,174,175,176,177</sup>Au, <sup>174,175,176,177,178</sup>Hg( $\alpha$ ) [from <sup>92,94</sup>Mo(<sup>84</sup>Sr, xnyp) and subsequent decay]; measured E $\alpha$ , E $\gamma$ ,  $\alpha$ - $\gamma$ -coin, T<sub>1/2</sub>. <sup>165</sup>Ta, <sup>165,167</sup>W, <sup>165,166,167,168,171</sup>Re, <sup>169,170,171</sup>Os, <sup>169,170,171,172,175</sup>Ir, <sup>173,175</sup>Pt, <sup>174,176</sup>Au deduced levels, J,  $\pi$ . THESIS J Goon, University of Tennessee
- <sup>172</sup>Ir 2004GOZZ RADIOACTIVITY <sup>168,169,170,171,172</sup>Os, <sup>169,170,171,172,173,174,175</sup>Ir, <sup>170,171,172,173,174,175,176,177</sup>Pt, <sup>173,174,175,176,177</sup>Au, <sup>174,175,176,177,178</sup>Hg( $\alpha$ ) [from <sup>92,94</sup>Mo(<sup>84</sup>Sr, xnyp) and subsequent decay]; measured E $\alpha$ , E $\gamma$ ,  $\alpha$ - $\gamma$ -coin, T<sub>1/2</sub>. <sup>165</sup>Ta, <sup>165,167</sup>W, <sup>165,166,167,168,171</sup>Re, <sup>169,170,171</sup>Os, <sup>169,170,171,172,175</sup>Ir, <sup>173,175</sup>Pt, <sup>174,176</sup>Au deduced levels, J,  $\pi$ . THESIS J Goon, University of Tennessee
- <sup>172</sup>Pt 2004GOZZ RADIOACTIVITY <sup>168,169,170,171,172</sup>Os, <sup>169,170,171,172,173,174,175</sup>Ir, <sup>170,171,172,173,174,175,176,177</sup>Pt, <sup>173,174,175,176,177</sup>Au, <sup>174,175,176,177,178</sup>Hg( $\alpha$ ) [from <sup>92,94</sup>Mo(<sup>84</sup>Sr, xnyp) and subsequent decay]; measured E $\alpha$ , E $\gamma$ ,  $\alpha$ - $\gamma$ -coin, T<sub>1/2</sub>. <sup>165</sup>Ta, <sup>165,167</sup>W, <sup>165,166,167,168,171</sup>Re, <sup>169,170,171</sup>Os, <sup>169,170,171,172,175</sup>Ir, <sup>173,175</sup>Pt, <sup>174,176</sup>Au deduced levels, J,  $\pi$ . THESIS J Goon, University of Tennessee
- 2005J018 NUCLEAR REACTIONS Sn(<sup>58</sup>Ni, xn)<sup>169</sup>Pt / <sup>170</sup>Pt / <sup>171</sup>Pt / <sup>172</sup>Pt / <sup>173</sup>Pt, E=266 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -, (recoil) $\gamma$ -coin. <sup>169,170,171,172,173</sup>Pt deduced levels, J,  $\pi$ . Recoil-decay tagging. JOUR JPGPE 31 S1715

**A=173**

- <sup>173</sup>Yb 2005TE04 NUCLEAR REACTIONS <sup>172,173</sup>Yb(n,  $\gamma$ ), E=resonance; measured E $\gamma$ , I $\gamma$ , capture yields. <sup>173</sup>Yb deduced resonance energies, J,  $\pi$ . <sup>173,174</sup>Yb deduced levels, J,  $\pi$ . JOUR NUPAB 763 31
- 2005VE07 NUCLEAR REACTIONS <sup>170</sup>Er(<sup>7</sup>Li, 3np), (<sup>7</sup>Li, 4np), (<sup>7</sup>Li, 3nd), (<sup>7</sup>Li, 2nt), E=51 MeV; measured E $\gamma$ , I $\gamma$ , (charged particle) $\gamma$ -coin. <sup>172,173</sup>Yb deduced high-spin levels, J,  $\pi$ , configurations, absence of a static pair field. GASP, ISIS arrays. JOUR ZAANE 26 19

## A=173 (continued)

- <sup>173</sup>Lu 2005KA52 NUCLEAR REACTIONS <sup>177</sup>Hf(n, γ), E=thermal, resonance; <sup>178</sup>Hf(n, n'γ), E > 3 MeV; measured isomer production σ. Ta, W, <sup>186</sup>W, Re(p, X)<sup>179m</sup>Hf / <sup>178m</sup>Hf / <sup>177m</sup>Lu / <sup>178</sup>W / <sup>175</sup>Hf / <sup>172</sup>Hf / <sup>173</sup>Lu, E=650 MeV; analyzed yields, isomer ratios. <sup>176</sup>Yb(α, 2n), E < 36 MeV; measured isomer yield. Other reactions discussed. JOUR YAFIA 68 1827
- 2005TIZX NUCLEAR REACTIONS Pb, <sup>208</sup>Pb(p, X)<sup>203</sup>Pb / <sup>200</sup>Tl / <sup>199</sup>Tl / <sup>196</sup>Au / <sup>192</sup>Ir / <sup>190</sup>Ir / <sup>173</sup>Lu / <sup>101m</sup>Rh / <sup>86</sup>Rb / <sup>59</sup>Fe / <sup>24</sup>Na / <sup>7</sup>Be, E=40-2600 MeV; measured excitation functions. Comparison with previous work and model predictions. Other reactions discussed. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P1070
- 2005TIZY NUCLEAR REACTIONS Pb, <sup>208</sup>Pb, <sup>209</sup>Bi(p, X)<sup>203</sup>Pb / <sup>200</sup>Tl / <sup>199</sup>Tl / <sup>196</sup>Au / <sup>192</sup>Ir / <sup>190</sup>Ir / <sup>173</sup>Lu / <sup>101m</sup>Rh / <sup>86</sup>Rb / <sup>59</sup>Fe / <sup>24</sup>Na / <sup>7</sup>Be, E=40-2600 MeV; measured production σ. Comparison with model predictions. PREPRINT nucl-ex/0507009,7/05/2005
- <sup>173</sup>Hf 2005HA05 NUCLEAR REACTIONS <sup>130</sup>Te(<sup>48</sup>Ca, 4n), (<sup>48</sup>Ca, 5n), E=200, 205 MeV; measured Eγ, Iγ, γγ-coin, DSA. <sup>174</sup>Hf deduced superdeformed bands transitions, T<sub>1/2</sub>, quadrupole moments. <sup>173</sup>Hf deduced superdeformed band transitions. Gammasphere array, comparisons with model predictions. JOUR PYLBB 608 31
- 2005HAZX NUCLEAR REACTIONS <sup>130</sup>Te(<sup>48</sup>Ca, 4n), (<sup>48</sup>Ca, 5n), E=200, 205 MeV; measured Eγ, Iγ, γγ-coin, DSA. <sup>174</sup>Hf deduced superdeformed bands transitions, T<sub>1/2</sub>, quadrupole moments. <sup>173</sup>Hf deduced superdeformed band transitions. Gammasphere array, comparisons with model predictions. CONF Argonne(Nuclei at the Limits), P15, Hartley
- <sup>173</sup>Os 2002DU22 RADIOACTIVITY <sup>197,197m,198,199m,200,201m</sup>Po(α); <sup>172,173</sup>Os(α) [from <sup>156</sup>Dy(<sup>22</sup>Ne, xn)]; <sup>183,184,185</sup>Hg(α) [from <sup>168</sup>Yb(<sup>22</sup>Ne, xn)]; measured Eα, T<sub>1/2</sub>. JOUR NIMAE 479 631
- 2002DU22 NUCLEAR REACTIONS <sup>156</sup>Dy(<sup>22</sup>Ne, 5n), (<sup>22</sup>Ne, 6n), E=127 MeV; <sup>162</sup>Er(<sup>18</sup>O, 6n), (<sup>18</sup>O, 7n), E=116 MeV; measured radiochemical yields. JOUR NIMAE 479 631
- 2004GOZZ RADIOACTIVITY <sup>168,169,170,171,172</sup>Os, <sup>169,170,171,172,173,174,175</sup>Ir, <sup>170,171,172,173,174,175,176,177</sup>Pt, <sup>173,174,175,176,177</sup>Au, <sup>174,175,176,177,178</sup>Hg(α) [from <sup>92,94</sup>Mo(<sup>84</sup>Sr, xnyp) and subsequent decay]; measured Eα, Eγ, α-γ-coin, T<sub>1/2</sub>. <sup>165</sup>Ta, <sup>165,167</sup>W, <sup>165,166,167,168,171</sup>Re, <sup>169,170,171</sup>Os, <sup>169,170,171,172,175</sup>Ir, <sup>173,175</sup>Pt, <sup>174,176</sup>Au deduced levels, J, π. THESIS J Goon, University of Tennessee
- <sup>173</sup>Ir 2004GOZZ RADIOACTIVITY <sup>168,169,170,171,172</sup>Os, <sup>169,170,171,172,173,174,175</sup>Ir, <sup>170,171,172,173,174,175,176,177</sup>Pt, <sup>173,174,175,176,177</sup>Au, <sup>174,175,176,177,178</sup>Hg(α) [from <sup>92,94</sup>Mo(<sup>84</sup>Sr, xnyp) and subsequent decay]; measured Eα, Eγ, α-γ-coin, T<sub>1/2</sub>. <sup>165</sup>Ta, <sup>165,167</sup>W, <sup>165,166,167,168,171</sup>Re, <sup>169,170,171</sup>Os, <sup>169,170,171,172,175</sup>Ir, <sup>173,175</sup>Pt, <sup>174,176</sup>Au deduced levels, J, π. THESIS J Goon, University of Tennessee
- 2005CA43 NUCLEAR REACTIONS <sup>92</sup>Mo(<sup>84</sup>Sr, n2p), (<sup>84</sup>Sr, 3p), (<sup>84</sup>Sr, 2np), <sup>104</sup>Ru(<sup>84</sup>Kr, 2np), <sup>90</sup>Zr(<sup>90</sup>Zr, n), (<sup>90</sup>Zr, p), E not given; <sup>92</sup>Mo(<sup>90</sup>Zr, n), (<sup>90</sup>Zr, p), E=385 MeV; measured Eγ, Iγ, γγ-, (recoil)γ-coin. <sup>179</sup>Hg deduced high-spin levels, J, π. Gammasphere array, fragment separator. JOUR JPGPE 31 S1599

**A=173 (continued)**

- <sup>173</sup>Pt 2004G0ZZ RADIOACTIVITY <sup>168,169,170,171,172</sup>Os, <sup>169,170,171,172,173,174,175</sup>Ir, <sup>170,171,172,173,174,175,176,177</sup>Pt, <sup>173,174,175,176,177</sup>Au, <sup>174,175,176,177,178</sup>Hg( $\alpha$ ) [from <sup>92,94</sup>Mo(<sup>84</sup>Sr, xnyp) and subsequent decay]; measured E $\alpha$ , E $\gamma$ ,  $\alpha$ - $\gamma$ -coin, T<sub>1/2</sub>. <sup>165</sup>Ta, <sup>165,167</sup>W, <sup>165,166,167,168,171</sup>Re, <sup>169,170,171</sup>Os, <sup>169,170,171,172,175</sup>Ir, <sup>173,175</sup>Pt, <sup>174,176</sup>Au deduced levels, J,  $\pi$ . THESIS J Goon, University of Tennessee
- 2005CA43 NUCLEAR REACTIONS <sup>92</sup>Mo(<sup>84</sup>Sr, n2p), (<sup>84</sup>Sr, 3p), (<sup>84</sup>Sr, 2np), <sup>104</sup>Ru(<sup>84</sup>Kr, 2np), <sup>90</sup>Zr(<sup>90</sup>Zr, n), (<sup>90</sup>Zr, p), E not given; <sup>92</sup>Mo(<sup>90</sup>Zr, n), (<sup>90</sup>Zr, p), E=385 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -, (recoil) $\gamma$ -coin. <sup>179</sup>Hg deduced high-spin levels, J,  $\pi$ . Gammasphere array, fragment separator. JOUR JPGPE 31 S1599
- 2005J018 NUCLEAR REACTIONS Sn(<sup>58</sup>Ni, xn)<sup>169</sup>Pt / <sup>170</sup>Pt / <sup>171</sup>Pt / <sup>172</sup>Pt / <sup>173</sup>Pt, E=266 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -, (recoil) $\gamma$ -coin. <sup>169,170,171,172,173</sup>Pt deduced levels, J,  $\pi$ . Recoil-decay tagging. JOUR JPGPE 31 S1715
- <sup>173</sup>Au 2004G0ZZ RADIOACTIVITY <sup>168,169,170,171,172</sup>Os, <sup>169,170,171,172,173,174,175</sup>Ir, <sup>170,171,172,173,174,175,176,177</sup>Pt, <sup>173,174,175,176,177</sup>Au, <sup>174,175,176,177,178</sup>Hg( $\alpha$ ) [from <sup>92,94</sup>Mo(<sup>84</sup>Sr, xnyp) and subsequent decay]; measured E $\alpha$ , E $\gamma$ ,  $\alpha$ - $\gamma$ -coin, T<sub>1/2</sub>. <sup>165</sup>Ta, <sup>165,167</sup>W, <sup>165,166,167,168,171</sup>Re, <sup>169,170,171</sup>Os, <sup>169,170,171,172,175</sup>Ir, <sup>173,175</sup>Pt, <sup>174,176</sup>Au deduced levels, J,  $\pi$ . THESIS J Goon, University of Tennessee
- 2005CA43 NUCLEAR REACTIONS <sup>92</sup>Mo(<sup>84</sup>Sr, n2p), (<sup>84</sup>Sr, 3p), (<sup>84</sup>Sr, 2np), <sup>104</sup>Ru(<sup>84</sup>Kr, 2np), <sup>90</sup>Zr(<sup>90</sup>Zr, n), (<sup>90</sup>Zr, p), E not given; <sup>92</sup>Mo(<sup>90</sup>Zr, n), (<sup>90</sup>Zr, p), E=385 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -, (recoil) $\gamma$ -coin. <sup>179</sup>Hg deduced high-spin levels, J,  $\pi$ . Gammasphere array, fragment separator. JOUR JPGPE 31 S1599
- 2005CAZY NUCLEAR REACTIONS <sup>92,94,96</sup>Mo(<sup>84</sup>Sr, 2np), E not given; <sup>90</sup>Zr(<sup>90</sup>Zr, n), E=369, 380 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -, (recoil) $\gamma$ -coin. <sup>173,175,177</sup>Au, <sup>179</sup>Hg deduced high-spin levels, J,  $\pi$ , shape coexistence features. Gammasphere, mass separator, recoil-decay tagging. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P894

**A=174**

- <sup>174</sup>Er 2005CA02 RADIOACTIVITY <sup>188</sup>Ta, <sup>190</sup>W, <sup>192,193</sup>Re, <sup>195</sup>Os, <sup>197,198</sup>Ir, <sup>200,201,202</sup>Pt, <sup>203</sup>Au(IT) [from Be(<sup>208</sup>Pb, X)]; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin, T<sub>1/2</sub>. <sup>188</sup>Ta, <sup>190</sup>W, <sup>192,193</sup>Re, <sup>195</sup>Os, <sup>197,198</sup>Ir, <sup>200,201,202</sup>Pt, <sup>203</sup>Au deduced transitions. <sup>190</sup>W, <sup>200,201,202</sup>Pt deduced levels, J,  $\pi$ . <sup>174,175</sup>Er, <sup>185</sup>Hf, <sup>191,194</sup>Re, <sup>199</sup>Ir(IT) [from Be(<sup>208</sup>Pb, X)]; measured E $\gamma$ , I $\gamma$ . JOUR ZAANE 23 201
- <sup>174</sup>Tm 2005CH67 RADIOACTIVITY <sup>174</sup>Tm(IT) [from Ta(p, X), E=500 MeV]; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin following decay of mass-separated sources; deduced T<sub>1/2</sub>. Discussed K-hindrance and Nilsson configuration of new level. JOUR ZAANE 25 s01 125



**A=174 (continued)**

- <sup>174</sup>Yb 2005DR05 NUCLEAR REACTIONS <sup>175,176</sup>Lu, <sup>174</sup>Yb(<sup>136</sup>Xe, X)<sup>174</sup>Yb, E=6 MeV / nucleon; <sup>173</sup>Yb(<sup>18</sup>O, <sup>17</sup>O), E not given; measured prompt and delayed E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>174</sup>Yb deduced high-spin levels, J,  $\pi$ ,  $\delta$ , isomers T<sub>1/2</sub>, configurations. Gammasphere, Caesar arrays. JOUR PRVCA 71 044326
- 2005DRZY NUCLEAR REACTIONS <sup>175,176</sup>Lu(<sup>136</sup>Xe, X)<sup>174</sup>Yb, E=6 MeV / nucleon; <sup>174</sup>Yb(<sup>136</sup>Xe, <sup>136</sup>Xe'), E=6 MeV / nucleon; <sup>173</sup>Yb(<sup>18</sup>O, <sup>17</sup>O), E not given; measured prompt and delayed E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>174</sup>Yb deduced high-spin levels, J,  $\pi$ , configurations, isomeric states T<sub>1/2</sub>, transition strengths. Gammasphere array. PREPRINT ANU-P/1648,Dracoulis
- 2005GR22 NUCLEAR REACTIONS <sup>173</sup>Yb(n,  $\gamma$ ), E=resonance; measured E $\gamma$ , I $\gamma$ . <sup>174</sup>Yb deduced levels, J,  $\pi$ , transition intensities and multiplicities, resonance features. Radiative capture, average resonance capture, neutron filtered beams, pair spectrometer. JOUR NUPAB 757 287
- 2005SA15 NUCLEAR REACTIONS <sup>172,174</sup>Yb(polarized  $\gamma$ ,  $\gamma'$ ), E=2930, 3005, 3550 keV; measured E $\gamma$ , I $\gamma$ , asymmetries. <sup>172,174</sup>Yb levels deduced  $\pi$ . Parity and branching ratio systematics discussed. JOUR PRVCA 71 034304
- 2005SAZZ NUCLEAR REACTIONS <sup>172,174</sup>Yb(polarized  $\gamma$ ,  $\gamma'$ ), E=2930, 3005, 3550 keV; measured E $\gamma$ , I $\gamma$ , asymmetries. <sup>172,174</sup>Yb levels deduced  $\pi$ . Comparison with previous results. PREPRINT nucl-ex/0501006,1/11/2005
- 2005TE04 NUCLEAR REACTIONS <sup>172,173</sup>Yb(n,  $\gamma$ ), E=resonance; measured E $\gamma$ , I $\gamma$ , capture yields. <sup>173</sup>Yb deduced resonance energies, J,  $\pi$ . <sup>173,174</sup>Yb deduced levels, J,  $\pi$ . JOUR NUPAB 763 31
- <sup>174</sup>Hf 2005HA05 NUCLEAR REACTIONS <sup>130</sup>Te(<sup>48</sup>Ca, 4n), (<sup>48</sup>Ca, 5n), E=200, 205 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin, DSA. <sup>174</sup>Hf deduced superdeformed bands transitions, T<sub>1/2</sub>, quadrupole moments. <sup>173</sup>Hf deduced superdeformed band transitions. Gammasphere array, comparisons with model predictions. JOUR PYLBB 608 31
- 2005HAZX NUCLEAR REACTIONS <sup>130</sup>Te(<sup>48</sup>Ca, 4n), (<sup>48</sup>Ca, 5n), E=200, 205 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin, DSA. <sup>174</sup>Hf deduced superdeformed bands transitions, T<sub>1/2</sub>, quadrupole moments. <sup>173</sup>Hf deduced superdeformed band transitions. Gammasphere array, comparisons with model predictions. CONF Argonne(Nuclei at the Limits),P15,Hartley
- 2005ME01 NUCLEAR REACTIONS Hf(n, X), E=0.1-100 eV; measured total neutron  $\sigma$ . <sup>174,176,177,178,179,180</sup>Hf deduced resonance parameters. Comparison with previous results. JOUR KPSJA 46 401
- 2005TRZY NUCLEAR REACTIONS Hf(n, n), (n,  $\gamma$ ), E  $\approx$  0.005-200 eV; measured transmission and capture  $\sigma$ . <sup>174,176,177,178,179,180</sup>Hf deduced resonance parameters, capture resonance integrals. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol1,P949
- <sup>174</sup>Re 2005ZH32 NUCLEAR REACTIONS <sup>152</sup>Sm(<sup>27</sup>Al, 5n), E=125, 132, 140 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin; deduced excitation functions. <sup>174</sup>Re deduced high-spin levels, J,  $\pi$ , configurations, signature inversion. Level systematics in neighboring nuclides discussed. JOUR CPLEE 22 2788

**A=174 (continued)**

- <sup>174</sup>Os 2002DU22 NUCLEAR REACTIONS <sup>156</sup>Dy(<sup>22</sup>Ne, 5n), (<sup>22</sup>Ne, 6n), E=127 MeV; <sup>162</sup>Er(<sup>18</sup>O, 6n), (<sup>18</sup>O, 7n), E=116 MeV; measured radiochemical yields. JOUR NIMAE 479 631
- <sup>174</sup>Ir 2004GOZZ RADIOACTIVITY <sup>168,169,170,171,172</sup>Os, <sup>169,170,171,172,173,174,175</sup>Ir, <sup>170,171,172,173,174,175,176,177</sup>Pt, <sup>173,174,175,176,177</sup>Au, <sup>174,175,176,177,178</sup>Hg( $\alpha$ ) [from <sup>92,94</sup>Mo(<sup>84</sup>Sr, xnyp) and subsequent decay]; measured E $\alpha$ , E $\gamma$ ,  $\alpha$ - $\gamma$ -coin, T<sub>1/2</sub>. <sup>165</sup>Ta, <sup>165,167</sup>W, <sup>165,166,167,168,171</sup>Re, <sup>169,170,171</sup>Os, <sup>169,170,171,172,175</sup>Ir, <sup>173,175</sup>Pt, <sup>174,176</sup>Au deduced levels, J,  $\pi$ . THESIS J Goon, University of Tennessee
- <sup>174</sup>Pt 2004GOZZ NUCLEAR REACTIONS <sup>92</sup>Mo(<sup>84</sup>Sr, 2p), E=380 MeV; <sup>94</sup>Mo(<sup>84</sup>Sr, 2n2p), E=385 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -, (recoil) $\gamma$ -coin. <sup>174</sup>Pt deduced high-spin levels, J,  $\pi$ , configurations, shape coexistence features. Gammasphere, fragment separator, cranked mean-field calculations. THESIS J Goon, University of Tennessee
- 2004GOZZ RADIOACTIVITY <sup>168,169,170,171,172</sup>Os, <sup>169,170,171,172,173,174,175</sup>Ir, <sup>170,171,172,173,174,175,176,177</sup>Pt, <sup>173,174,175,176,177</sup>Au, <sup>174,175,176,177,178</sup>Hg( $\alpha$ ) [from <sup>92,94</sup>Mo(<sup>84</sup>Sr, xnyp) and subsequent decay]; measured E $\alpha$ , E $\gamma$ ,  $\alpha$ - $\gamma$ -coin, T<sub>1/2</sub>. <sup>165</sup>Ta, <sup>165,167</sup>W, <sup>165,166,167,168,171</sup>Re, <sup>169,170,171</sup>Os, <sup>169,170,171,172,175</sup>Ir, <sup>173,175</sup>Pt, <sup>174,176</sup>Au deduced levels, J,  $\pi$ . THESIS J Goon, University of Tennessee
- <sup>174</sup>Au 2004GOZZ RADIOACTIVITY <sup>168,169,170,171,172</sup>Os, <sup>169,170,171,172,173,174,175</sup>Ir, <sup>170,171,172,173,174,175,176,177</sup>Pt, <sup>173,174,175,176,177</sup>Au, <sup>174,175,176,177,178</sup>Hg( $\alpha$ ) [from <sup>92,94</sup>Mo(<sup>84</sup>Sr, xnyp) and subsequent decay]; measured E $\alpha$ , E $\gamma$ ,  $\alpha$ - $\gamma$ -coin, T<sub>1/2</sub>. <sup>165</sup>Ta, <sup>165,167</sup>W, <sup>165,166,167,168,171</sup>Re, <sup>169,170,171</sup>Os, <sup>169,170,171,172,175</sup>Ir, <sup>173,175</sup>Pt, <sup>174,176</sup>Au deduced levels, J,  $\pi$ . THESIS J Goon, University of Tennessee
- <sup>174</sup>Hg 2004GOZZ RADIOACTIVITY <sup>168,169,170,171,172</sup>Os, <sup>169,170,171,172,173,174,175</sup>Ir, <sup>170,171,172,173,174,175,176,177</sup>Pt, <sup>173,174,175,176,177</sup>Au, <sup>174,175,176,177,178</sup>Hg( $\alpha$ ) [from <sup>92,94</sup>Mo(<sup>84</sup>Sr, xnyp) and subsequent decay]; measured E $\alpha$ , E $\gamma$ ,  $\alpha$ - $\gamma$ -coin, T<sub>1/2</sub>. <sup>165</sup>Ta, <sup>165,167</sup>W, <sup>165,166,167,168,171</sup>Re, <sup>169,170,171</sup>Os, <sup>169,170,171,172,175</sup>Ir, <sup>173,175</sup>Pt, <sup>174,176</sup>Au deduced levels, J,  $\pi$ . THESIS J Goon, University of Tennessee

**A=175**

- <sup>175</sup>Er 2005CA02 RADIOACTIVITY <sup>188</sup>Ta, <sup>190</sup>W, <sup>192,193</sup>Re, <sup>195</sup>Os, <sup>197,198</sup>Ir, <sup>200,201,202</sup>Pt, <sup>203</sup>Au(IT) [from Be(<sup>208</sup>Pb, X)]; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin, T<sub>1/2</sub>. <sup>188</sup>Ta, <sup>190</sup>W, <sup>192,193</sup>Re, <sup>195</sup>Os, <sup>197,198</sup>Ir, <sup>200,201,202</sup>Pt, <sup>203</sup>Au deduced transitions. <sup>190</sup>W, <sup>200,201,202</sup>Pt deduced levels, J,  $\pi$ . <sup>174,175</sup>Er, <sup>185</sup>Hf, <sup>191,194</sup>Re, <sup>199</sup>Ir(IT) [from Be(<sup>208</sup>Pb, X)]; measured E $\gamma$ , I $\gamma$ . JOUR ZAANE 23 201
- <sup>175</sup>Yb 2005NC01 NUCLEAR REACTIONS <sup>176</sup>Yb(<sup>136</sup>Xe, X)<sup>175</sup>Yb / <sup>176</sup>Yb / <sup>177</sup>Yb, E=750 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>175,176,177</sup>Yb deduced high-spin levels, J,  $\pi$ , configurations, gK-gR. Afrodite array. JOUR ZAANE 26 265

**A=175 (continued)**

- <sup>175</sup>Hf 2005KA52 NUCLEAR REACTIONS <sup>177</sup>Hf(n,  $\gamma$ ), E=thermal, resonance; <sup>178</sup>Hf(n, n' $\gamma$ ), E > 3 MeV; measured isomer production  $\sigma$ . Ta, W, <sup>186</sup>W, Re(p, X)<sup>179m</sup>Hf / <sup>178m</sup>Hf / <sup>177m</sup>Lu / <sup>178</sup>W / <sup>175</sup>Hf / <sup>172</sup>Hf / <sup>173</sup>Lu, E=650 MeV; analyzed yields, isomer ratios. <sup>176</sup>Yb( $\alpha$ , 2n), E < 36 MeV; measured isomer yield. Other reactions discussed. JOUR YAFIA 68 1827
- <sup>175</sup>Ir 2004GOZZ RADIOACTIVITY <sup>168,169,170,171,172</sup>Os, <sup>169,170,171,172,173,174,175</sup>Ir, <sup>170,171,172,173,174,175,176,177</sup>Pt, <sup>173,174,175,176,177</sup>Au, <sup>174,175,176,177,178</sup>Hg( $\alpha$ ) [from <sup>92,94</sup>Mo(<sup>84</sup>Sr, xnyp) and subsequent decay]; measured E $\alpha$ , E $\gamma$ ,  $\alpha$ - $\gamma$ -coin, T<sub>1/2</sub>. <sup>165</sup>Ta, <sup>165,167</sup>W, <sup>165,166,167,168,171</sup>Re, <sup>169,170,171</sup>Os, <sup>169,170,171,172,175</sup>Ir, <sup>173,175</sup>Pt, <sup>174,176</sup>Au deduced levels, J,  $\pi$ . THESIS J Goon, University of Tennessee
- 2004RA28 RADIOACTIVITY <sup>183</sup>Tl, <sup>179</sup>Au( $\alpha$ ) [from <sup>144</sup>Sm(<sup>42</sup>Ca, 2np) and subsequent decay]; measured E $\alpha$ , E $\gamma$ ,  $\alpha$ - $\gamma$ -coin, T<sub>1/2</sub>. <sup>179</sup>Au, <sup>175</sup>Ir deduced levels, J,  $\pi$ . JOUR PRVCA 70 064308
- <sup>175</sup>Pt 2004GOZZ RADIOACTIVITY <sup>168,169,170,171,172</sup>Os, <sup>169,170,171,172,173,174,175</sup>Ir, <sup>170,171,172,173,174,175,176,177</sup>Pt, <sup>173,174,175,176,177</sup>Au, <sup>174,175,176,177,178</sup>Hg( $\alpha$ ) [from <sup>92,94</sup>Mo(<sup>84</sup>Sr, xnyp) and subsequent decay]; measured E $\alpha$ , E $\gamma$ ,  $\alpha$ - $\gamma$ -coin, T<sub>1/2</sub>. <sup>165</sup>Ta, <sup>165,167</sup>W, <sup>165,166,167,168,171</sup>Re, <sup>169,170,171</sup>Os, <sup>169,170,171,172,175</sup>Ir, <sup>173,175</sup>Pt, <sup>174,176</sup>Au deduced levels, J,  $\pi$ . THESIS J Goon, University of Tennessee
- 2005ANZY RADIOACTIVITY <sup>186,187</sup>Po, <sup>183</sup>Pb, <sup>179</sup>Hg, <sup>175</sup>Pt( $\alpha$ ) [from <sup>144</sup>Sm(<sup>46</sup>Ti, xn) and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>. <sup>183</sup>Pb deduced excited state energy. <sup>187</sup>Po deduced isomeric states. <sup>192</sup>At( $\alpha$ ) [from <sup>144</sup>Sm(<sup>51</sup>V, xn)]; measured E $\alpha$ ,  $\alpha$ - $\alpha$ -coin, T<sub>1/2</sub>; deduced isomeric states. REPT GSI 2005-1,P77,Andreyev
- <sup>175</sup>Au 2004GOZZ RADIOACTIVITY <sup>168,169,170,171,172</sup>Os, <sup>169,170,171,172,173,174,175</sup>Ir, <sup>170,171,172,173,174,175,176,177</sup>Pt, <sup>173,174,175,176,177</sup>Au, <sup>174,175,176,177,178</sup>Hg( $\alpha$ ) [from <sup>92,94</sup>Mo(<sup>84</sup>Sr, xnyp) and subsequent decay]; measured E $\alpha$ , E $\gamma$ ,  $\alpha$ - $\gamma$ -coin, T<sub>1/2</sub>. <sup>165</sup>Ta, <sup>165,167</sup>W, <sup>165,166,167,168,171</sup>Re, <sup>169,170,171</sup>Os, <sup>169,170,171,172,175</sup>Ir, <sup>173,175</sup>Pt, <sup>174,176</sup>Au deduced levels, J,  $\pi$ . THESIS J Goon, University of Tennessee
- 2005CAZY NUCLEAR REACTIONS <sup>92,94,96</sup>Mo(<sup>84</sup>Sr, 2np), E not given; <sup>90</sup>Zr(<sup>90</sup>Zr, n), E=369, 380 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma$  $\gamma$ -, (recoil) $\gamma$ -coin. <sup>173,175,177</sup>Au, <sup>179</sup>Hg deduced high-spin levels, J,  $\pi$ , shape coexistence features. Gammasphere, mass separator, recoil-decay tagging. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol1,P894
- <sup>175</sup>Hg 2004GOZZ RADIOACTIVITY <sup>168,169,170,171,172</sup>Os, <sup>169,170,171,172,173,174,175</sup>Ir, <sup>170,171,172,173,174,175,176,177</sup>Pt, <sup>173,174,175,176,177</sup>Au, <sup>174,175,176,177,178</sup>Hg( $\alpha$ ) [from <sup>92,94</sup>Mo(<sup>84</sup>Sr, xnyp) and subsequent decay]; measured E $\alpha$ , E $\gamma$ ,  $\alpha$ - $\gamma$ -coin, T<sub>1/2</sub>. <sup>165</sup>Ta, <sup>165,167</sup>W, <sup>165,166,167,168,171</sup>Re, <sup>169,170,171</sup>Os, <sup>169,170,171,172,175</sup>Ir, <sup>173,175</sup>Pt, <sup>174,176</sup>Au deduced levels, J,  $\pi$ . THESIS J Goon, University of Tennessee

**A=176**

- <sup>176</sup>Yb 2005AM04 RADIOACTIVITY <sup>176</sup>Lu( $\beta^-$ ), ( $\beta^+$ ); measured isotope ratios; deduced decay branch upper limit. JOUR GCACA 69 465

**A=176 (continued)**

- 2005BI25 NUCLEAR MOMENTS <sup>86,87,88,89,90,91,92,93,94,95,96,97,98,99,100,101,102</sup>Zr; measured charge radii. <sup>176</sup>Yb; measured isomer shift. Ion-beam cooler, laser spectroscopy. JOUR ZAANE 25 s01 187
- 2005NC01 NUCLEAR REACTIONS <sup>176</sup>Yb(<sup>136</sup>Xe, X)<sup>175</sup>Yb / <sup>176</sup>Yb / <sup>177</sup>Yb, E=750 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>175,176,177</sup>Yb deduced high-spin levels, J,  $\pi$ , configurations, gK-gR. Afrodite array. JOUR ZAANE 26 265
- <sup>176</sup>Lu 2005AM04 RADIOACTIVITY <sup>176</sup>Lu( $\beta^-$ ), ( $\beta^+$ ); measured isotope ratios; deduced decay branch upper limit. JOUR GCACA 69 465
- 2005HE19 NUCLEAR REACTIONS <sup>18</sup>O(p, n), E=2582 keV; measured neutron spectra. <sup>138</sup>Ba, <sup>139</sup>La, <sup>175</sup>Lu(n,  $\gamma$ ), E=spectrum; measured  $\sigma$ . JOUR NUPAB 758 529c
- <sup>176</sup>Hf 2004C026 RADIOACTIVITY <sup>180</sup>W( $\alpha$ ); measured E $\alpha$ , T<sub>1/2</sub>, Q-value. <sup>182,183,184,186</sup>W( $\alpha$ ); measured T<sub>1/2</sub> lower limits. CaWO<sub>4</sub> crystals. JOUR PRVCA 70 064606
- 2005AM04 RADIOACTIVITY <sup>176</sup>Lu( $\beta^-$ ), ( $\beta^+$ ); measured isotope ratios; deduced decay branch upper limit. JOUR GCACA 69 465
- 2005ME01 NUCLEAR REACTIONS Hf(n, X), E=0.1-100 eV; measured total neutron  $\sigma$ . <sup>174,176,177,178,179,180</sup>Hf deduced resonance parameters. Comparison with previous results. JOUR KPSJA 46 401
- 2005ME19 NUCLEAR REACTIONS <sup>160</sup>Gd, <sup>164</sup>Dy, <sup>170</sup>Er, <sup>178</sup>Hf, <sup>186</sup>W, <sup>192</sup>Os(p, t), E=25 MeV; measured triton spectra,  $\sigma(\theta)$ . <sup>158</sup>Gd, <sup>162</sup>Dy, <sup>168</sup>Er, <sup>176</sup>Hf, <sup>184</sup>W, <sup>190</sup>Os deduced 0<sup>+</sup> level energies. JOUR JPGPE 31 S1399
- 2005TRZY NUCLEAR REACTIONS Hf(n, n), (n,  $\gamma$ ), E  $\approx$  0.005-200 eV; measured transmission and capture  $\sigma$ . <sup>174,176,177,178,179,180</sup>Hf deduced resonance parameters, capture resonance integrals. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P949
- <sup>176</sup>Os 2005DE48 NUCLEAR REACTIONS <sup>164,166,168</sup>Er(<sup>16</sup>O, 4n), E=80 MeV; measured prompt and delayed E $\gamma$ , I $\gamma$ . <sup>154</sup>Sm(<sup>29</sup>Si, 5n), E=158 MeV; measured Doppler-shifted E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>176,178,180</sup>Os deduced levels T<sub>1/2</sub>, transition quadrupole moments, symmetry features. Electronic timing and recoil distance techniques, GASP array, interacting boson model and general collective model predictions. JOUR JPGPE 31 S1427
- 2005M033 NUCLEAR REACTIONS <sup>164,166,168</sup>Er(<sup>16</sup>O, 4n), E=80 MeV; measured prompt and delayed E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>166</sup>Er(<sup>16</sup>O, 4n), E=80 MeV; measured Doppler-shifted E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>176,178,180</sup>Os deduced levels, J,  $\pi$ , T<sub>1/2</sub>, B(E2). Pulsed-beam and recoil-distance techniques. JOUR PRVCA 72 034306
- 2005WA25 RADIOACTIVITY <sup>176,176m</sup>Ir( $\beta^+$ ), (EC) [from <sup>146</sup>Nd(<sup>35</sup>Cl, 5n)]; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin, T<sub>1/2</sub>. <sup>176</sup>Os deduced levels, J,  $\pi$ . <sup>176</sup>Ir deduced low-spin isomeric state. JOUR CPLEE 22 2211
- <sup>176</sup>Ir 2005WA25 RADIOACTIVITY <sup>176,176m</sup>Ir( $\beta^+$ ), (EC) [from <sup>146</sup>Nd(<sup>35</sup>Cl, 5n)]; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin, T<sub>1/2</sub>. <sup>176</sup>Os deduced levels, J,  $\pi$ . <sup>176</sup>Ir deduced low-spin isomeric state. JOUR CPLEE 22 2211

**A=176 (continued)**

- <sup>176</sup>Pt 2004GOZZ RADIOACTIVITY <sup>168,169,170,171,172</sup>Os, <sup>169,170,171,172,173,174,175</sup>Ir, <sup>170,171,172,173,174,175,176,177</sup>Pt, <sup>173,174,175,176,177</sup>Au, <sup>174,175,176,177,178</sup>Hg( $\alpha$ ) [from <sup>92,94</sup>Mo(<sup>84</sup>Sr, xnyp) and subsequent decay]; measured E $\alpha$ , E $\gamma$ ,  $\alpha$ - $\gamma$ -coin, T<sub>1/2</sub>. <sup>165</sup>Ta, <sup>165,167</sup>W, <sup>165,166,167,168,171</sup>Re, <sup>169,170,171</sup>Os, <sup>169,170,171,172,175</sup>Ir, <sup>173,175</sup>Pt, <sup>174,176</sup>Au deduced levels, J,  $\pi$ . THESIS J Goon, University of Tennessee
- <sup>176</sup>Au 2004GOZZ RADIOACTIVITY <sup>168,169,170,171,172</sup>Os, <sup>169,170,171,172,173,174,175</sup>Ir, <sup>170,171,172,173,174,175,176,177</sup>Pt, <sup>173,174,175,176,177</sup>Au, <sup>174,175,176,177,178</sup>Hg( $\alpha$ ) [from <sup>92,94</sup>Mo(<sup>84</sup>Sr, xnyp) and subsequent decay]; measured E $\alpha$ , E $\gamma$ ,  $\alpha$ - $\gamma$ -coin, T<sub>1/2</sub>. <sup>165</sup>Ta, <sup>165,167</sup>W, <sup>165,166,167,168,171</sup>Re, <sup>169,170,171</sup>Os, <sup>169,170,171,172,175</sup>Ir, <sup>173,175</sup>Pt, <sup>174,176</sup>Au deduced levels, J,  $\pi$ . THESIS J Goon, University of Tennessee
- <sup>176</sup>Hg 2004GOZZ RADIOACTIVITY <sup>168,169,170,171,172</sup>Os, <sup>169,170,171,172,173,174,175</sup>Ir, <sup>170,171,172,173,174,175,176,177</sup>Pt, <sup>173,174,175,176,177</sup>Au, <sup>174,175,176,177,178</sup>Hg( $\alpha$ ) [from <sup>92,94</sup>Mo(<sup>84</sup>Sr, xnyp) and subsequent decay]; measured E $\alpha$ , E $\gamma$ ,  $\alpha$ - $\gamma$ -coin, T<sub>1/2</sub>. <sup>165</sup>Ta, <sup>165,167</sup>W, <sup>165,166,167,168,171</sup>Re, <sup>169,170,171</sup>Os, <sup>169,170,171,172,175</sup>Ir, <sup>173,175</sup>Pt, <sup>174,176</sup>Au deduced levels, J,  $\pi$ . THESIS J Goon, University of Tennessee

**A=177**

- <sup>177</sup>Yb 2005NC01 NUCLEAR REACTIONS <sup>176</sup>Yb(<sup>136</sup>Xe, X)<sup>175</sup>Yb / <sup>176</sup>Yb / <sup>177</sup>Yb, E=750 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma$  $\gamma$ -coin. <sup>175,176,177</sup>Yb deduced high-spin levels, J,  $\pi$ , configurations, gK-gR. Afrodite array. JOUR ZAANE 26 265
- <sup>177</sup>Lu 2005KA52 NUCLEAR REACTIONS <sup>177</sup>Hf(n,  $\gamma$ ), E=thermal, resonance; <sup>178</sup>Hf(n, n' $\gamma$ ), E > 3 MeV; measured isomer production  $\sigma$ . Ta, W, <sup>186</sup>W, Re(p, X)<sup>179m</sup>Hf / <sup>178m</sup>Hf / <sup>177m</sup>Lu / <sup>178</sup>W / <sup>175</sup>Hf / <sup>172</sup>Hf / <sup>173</sup>Lu, E=650 MeV; analyzed yields, isomer ratios. <sup>176</sup>Yb( $\alpha$ , 2n), E < 36 MeV; measured isomer yield. Other reactions discussed. JOUR YAFIA 68 1827
- <sup>177</sup>Hf 2005ME01 NUCLEAR REACTIONS Hf(n, X), E=0.1-100 eV; measured total neutron  $\sigma$ . <sup>174,176,177,178,179,180</sup>Hf deduced resonance parameters. Comparison with previous results. JOUR KPSJA 46 401
- 2005TRZY NUCLEAR REACTIONS Hf(n, n), (n,  $\gamma$ ), E  $\approx$  0.005-200 eV; measured transmission and capture  $\sigma$ . <sup>174,176,177,178,179,180</sup>Hf deduced resonance parameters, capture resonance integrals. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P949
- 2005WIZZ NUCLEAR REACTIONS <sup>175,176</sup>Lu, <sup>176,177,178,179,180</sup>Hf(n,  $\gamma$ ), E=3-225 keV; measured capture  $\sigma$ ; deduced Maxwellian averaged  $\sigma$ . Comparison with previous results, astrophysical implications discussed. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol2, P1315
- <sup>177</sup>Pt 2004GOZZ RADIOACTIVITY <sup>168,169,170,171,172</sup>Os, <sup>169,170,171,172,173,174,175</sup>Ir, <sup>170,171,172,173,174,175,176,177</sup>Pt, <sup>173,174,175,176,177</sup>Au, <sup>174,175,176,177,178</sup>Hg( $\alpha$ ) [from <sup>92,94</sup>Mo(<sup>84</sup>Sr, xnyp) and subsequent decay]; measured E $\alpha$ , E $\gamma$ ,  $\alpha$ - $\gamma$ -coin, T<sub>1/2</sub>. <sup>165</sup>Ta, <sup>165,167</sup>W, <sup>165,166,167,168,171</sup>Re, <sup>169,170,171</sup>Os, <sup>169,170,171,172,175</sup>Ir, <sup>173,175</sup>Pt, <sup>174,176</sup>Au deduced levels, J,  $\pi$ . THESIS J Goon, University of Tennessee

**A=177 (continued)**

- <sup>177</sup>Au    2004GOZZ    RADIOACTIVITY <sup>168,169,170,171,172</sup>Os, <sup>169,170,171,172,173,174,175</sup>Ir, <sup>170,171,172,173,174,175,176,177</sup>Pt, <sup>173,174,175,176,177</sup>Au, <sup>174,175,176,177,178</sup>Hg( $\alpha$ ) [from <sup>92,94</sup>Mo(<sup>84</sup>Sr, xnyp) and subsequent decay]; measured E $\alpha$ , E $\gamma$ ,  $\alpha$ - $\gamma$ -coin, T<sub>1/2</sub>. <sup>165</sup>Ta, <sup>165,167</sup>W, <sup>165,166,167,168,171</sup>Re, <sup>169,170,171</sup>Os, <sup>169,170,171,172,175</sup>Ir, <sup>173,175</sup>Pt, <sup>174,176</sup>Au deduced levels, J,  $\pi$ . THESIS J Goon, University of Tennessee
- 2005CAZY    NUCLEAR REACTIONS <sup>92,94,96</sup>Mo(<sup>84</sup>Sr, 2np), E not given; <sup>90</sup>Zr(<sup>90</sup>Zr, n), E=369, 380 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma$  $\gamma$ -, (recoil) $\gamma$ -coin. <sup>173,175,177</sup>Au, <sup>179</sup>Hg deduced high-spin levels, J,  $\pi$ , shape coexistence features. Gammasphere, mass separator, recoil-decay tagging. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P894
- <sup>177</sup>Hg    2004CAZW    RADIOACTIVITY <sup>181</sup>Pb( $\alpha$ ) [from <sup>92</sup>Mo(<sup>90</sup>Zr, p)]; measured E $\alpha$ , T<sub>1/2</sub>. <sup>181</sup>Pb deduced ground-state J,  $\pi$ . REPT ANL-04/22, P43, Carpenter
- 2004GOZZ    RADIOACTIVITY <sup>168,169,170,171,172</sup>Os, <sup>169,170,171,172,173,174,175</sup>Ir, <sup>170,171,172,173,174,175,176,177</sup>Pt, <sup>173,174,175,176,177</sup>Au, <sup>174,175,176,177,178</sup>Hg( $\alpha$ ) [from <sup>92,94</sup>Mo(<sup>84</sup>Sr, xnyp) and subsequent decay]; measured E $\alpha$ , E $\gamma$ ,  $\alpha$ - $\gamma$ -coin, T<sub>1/2</sub>. <sup>165</sup>Ta, <sup>165,167</sup>W, <sup>165,166,167,168,171</sup>Re, <sup>169,170,171</sup>Os, <sup>169,170,171,172,175</sup>Ir, <sup>173,175</sup>Pt, <sup>174,176</sup>Au deduced levels, J,  $\pi$ . THESIS J Goon, University of Tennessee
- 2005CAZY    RADIOACTIVITY <sup>181,183</sup>Pb( $\alpha$ ); measured E $\alpha$ , E $\gamma$ ,  $\alpha$  $\gamma$ -coin. <sup>177</sup>Hg deduced level. <sup>179</sup>Hg deduced isomeric state energy, T<sub>1/2</sub>. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P894

**A=178**

- <sup>178</sup>Hf    2004C026    RADIOACTIVITY <sup>180</sup>W( $\alpha$ ); measured E $\alpha$ , T<sub>1/2</sub>, Q-value. <sup>182,183,184,186</sup>W( $\alpha$ ); measured T<sub>1/2</sub> lower limits. CaWO<sub>4</sub> crystals. JOUR PRVCA 70 064606
- 2005KA52    NUCLEAR REACTIONS <sup>177</sup>Hf(n,  $\gamma$ ), E=thermal, resonance; <sup>178</sup>Hf(n, n' $\gamma$ ), E > 3 MeV; measured isomer production  $\sigma$ . Ta, W, <sup>186</sup>W, Re(p, X) <sup>179m</sup>Hf / <sup>178m</sup>Hf / <sup>177m</sup>Lu / <sup>178</sup>W / <sup>175</sup>Hf / <sup>172</sup>Hf / <sup>173</sup>Lu, E=650 MeV; analyzed yields, isomer ratios. <sup>176</sup>Yb( $\alpha$ , 2n), E < 36 MeV; measured isomer yield. Other reactions discussed. JOUR YAFIA 68 1827
- 2005ME01    NUCLEAR REACTIONS Hf(n, X), E=0.1-100 eV; measured total neutron  $\sigma$ . <sup>174,176,177,178,179,180</sup>Hf deduced resonance parameters. Comparison with previous results. JOUR KPSJA 46 401
- 2005TRZY    NUCLEAR REACTIONS Hf(n, n), (n,  $\gamma$ ), E  $\approx$  0.005-200 eV; measured transmission and capture  $\sigma$ . <sup>174,176,177,178,179,180</sup>Hf deduced resonance parameters, capture resonance integrals. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P949
- 2005WIZZ    NUCLEAR REACTIONS <sup>175,176</sup>Lu, <sup>176,177,178,179,180</sup>Hf(n,  $\gamma$ ), E=3-225 keV; measured capture  $\sigma$ ; deduced Maxwellian averaged  $\sigma$ . Comparison with previous results, astrophysical implications discussed. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol2, P1315

**A=178 (continued)**

- <sup>178</sup>W 2005KA52 NUCLEAR REACTIONS <sup>177</sup>Hf(n,  $\gamma$ ), E=thermal, resonance; <sup>178</sup>Hf(n, n' $\gamma$ ), E > 3 MeV; measured isomer production  $\sigma$ . Ta, W, <sup>186</sup>W, Re(p, X) <sup>179m</sup>Hf / <sup>178m</sup>Hf / <sup>177m</sup>Lu / <sup>178</sup>W / <sup>175</sup>Hf / <sup>172</sup>Hf / <sup>173</sup>Lu, E=650 MeV; analyzed yields, isomer ratios. <sup>176</sup>Yb( $\alpha$ , 2n), E < 36 MeV; measured isomer yield. Other reactions discussed. JOUR YAFIA 68 1827
- <sup>178</sup>Os 2005DE48 NUCLEAR REACTIONS <sup>164,166,168</sup>Er(<sup>16</sup>O, 4n), E=80 MeV; measured prompt and delayed E $\gamma$ , I $\gamma$ . <sup>154</sup>Sm(<sup>29</sup>Si, 5n), E=158 MeV; measured Doppler-shifted E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>176,178,180</sup>Os deduced levels T<sub>1/2</sub>, transition quadrupole moments, symmetry features. Electronic timing and recoil distance techniques, GASP array, interacting boson model and general collective model predictions. JOUR JPGPE 31 S1427
- 2005M033 NUCLEAR REACTIONS <sup>164,166,168</sup>Er(<sup>16</sup>O, 4n), E=80 MeV; measured prompt and delayed E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>166</sup>Er(<sup>16</sup>O, 4n), E=80 MeV; measured Doppler-shifted E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>176,178,180</sup>Os deduced levels, J,  $\pi$ , T<sub>1/2</sub>, B(E2). Pulsed-beam and recoil-distance techniques. JOUR PRVCA 72 034306
- <sup>178</sup>Hg 2004GOZZ RADIOACTIVITY <sup>168,169,170,171,172</sup>Os, <sup>169,170,171,172,173,174,175</sup>Ir, <sup>170,171,172,173,174,175,176,177</sup>Pt, <sup>173,174,175,176,177</sup>Au, <sup>174,175,176,177,178</sup>Hg( $\alpha$ ) [from <sup>92,94</sup>Mo(<sup>84</sup>Sr, xnyp) and subsequent decay]; measured E $\alpha$ , E $\gamma$ ,  $\alpha$ - $\gamma$ -coin, T<sub>1/2</sub>. <sup>165</sup>Ta, <sup>165,167</sup>W, <sup>165,166,167,168,171</sup>Re, <sup>169,170,171</sup>Os, <sup>169,170,171,172,175</sup>Ir, <sup>173,175</sup>Pt, <sup>174,176</sup>Au deduced levels, J,  $\pi$ . THESIS J Goon, University of Tennessee

**A=179**

- <sup>179</sup>Hf 2004C026 RADIOACTIVITY <sup>180</sup>W( $\alpha$ ); measured E $\alpha$ , T<sub>1/2</sub>, Q-value. <sup>182,183,184,186</sup>W( $\alpha$ ); measured T<sub>1/2</sub> lower limits. CaWO<sub>4</sub> crystals. JOUR PRVCA 70 064606
- 2005BU07 NUCLEAR REACTIONS <sup>163</sup>Dy, <sup>177</sup>Hf(t, p), E=17 MeV; measured  $\sigma$ (Ep,  $\theta$ ). <sup>165</sup>Dy, <sup>179</sup>Hf deduced levels, L-values, L=0 strengths. Enriched targets, magnetic spectrograph. Systematic trends in neighboring nuclides discussed. JOUR NUPAB 750 185
- 2005KA52 NUCLEAR REACTIONS <sup>177</sup>Hf(n,  $\gamma$ ), E=thermal, resonance; <sup>178</sup>Hf(n, n' $\gamma$ ), E > 3 MeV; measured isomer production  $\sigma$ . Ta, W, <sup>186</sup>W, Re(p, X) <sup>179m</sup>Hf / <sup>178m</sup>Hf / <sup>177m</sup>Lu / <sup>178</sup>W / <sup>175</sup>Hf / <sup>172</sup>Hf / <sup>173</sup>Lu, E=650 MeV; analyzed yields, isomer ratios. <sup>176</sup>Yb( $\alpha$ , 2n), E < 36 MeV; measured isomer yield. Other reactions discussed. JOUR YAFIA 68 1827
- 2005ME01 NUCLEAR REACTIONS Hf(n, X), E=0.1-100 eV; measured total neutron  $\sigma$ . <sup>174,176,177,178,179,180</sup>Hf deduced resonance parameters. Comparison with previous results. JOUR KPSJA 46 401
- 2005TRZY NUCLEAR REACTIONS Hf(n, n), (n,  $\gamma$ ), E  $\approx$  0.005-200 eV; measured transmission and capture  $\sigma$ . <sup>174,176,177,178,179,180</sup>Hf deduced resonance parameters, capture resonance integrals. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P949

**A=179 (continued)**

- 2005WIZZ NUCLEAR REACTIONS  $^{175,176}\text{Lu}$ ,  $^{176,177,178,179,180}\text{Hf}(n, \gamma)$ , E=3-225 keV; measured capture  $\sigma$ ; deduced Maxwellian averaged  $\sigma$ . Comparison with previous results, astrophysical implications discussed. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol2, P1315
- $^{179}\text{Pt}$  2002DU22 RADIOACTIVITY  $^{197,197m,198,199m,200,201m}\text{Po}(\alpha)$ ;  $^{172,173}\text{Os}(\alpha)$  [from  $^{156}\text{Dy}(^{22}\text{Ne}, xn)$ ];  $^{183,184,185}\text{Hg}(\alpha)$  [from  $^{168}\text{Yb}(^{22}\text{Ne}, xn)$ ]; measured  $E\alpha$ ,  $T_{1/2}$ . JOUR NIMAE 479 631
- $^{179}\text{Au}$  2004RA28 RADIOACTIVITY  $^{183}\text{Tl}$ ,  $^{179}\text{Au}(\alpha)$  [from  $^{144}\text{Sm}(^{42}\text{Ca}, 2np)$  and subsequent decay]; measured  $E\alpha$ ,  $E\gamma$ ,  $\alpha\gamma$ -coin,  $T_{1/2}$ .  $^{179}\text{Au}$ ,  $^{175}\text{Ir}$  deduced levels, J,  $\pi$ . JOUR PRVCA 70 064308
- 2005CA43 NUCLEAR REACTIONS  $^{92}\text{Mo}(^{84}\text{Sr}, n2p)$ ,  $(^{84}\text{Sr}, 3p)$ ,  $(^{84}\text{Sr}, 2np)$ ,  $^{104}\text{Ru}(^{84}\text{Kr}, 2np)$ ,  $^{90}\text{Zr}(^{90}\text{Zr}, n)$ ,  $(^{90}\text{Zr}, p)$ , E not given;  $^{92}\text{Mo}(^{90}\text{Zr}, n)$ ,  $(^{90}\text{Zr}, p)$ , E=385 MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -, (recoil) $\gamma$ -coin.  $^{179}\text{Hg}$  deduced high-spin levels, J,  $\pi$ . Gammasphere array, fragment separator. JOUR JPGPE 31 S1599
- $^{179}\text{Hg}$  2005ANZY RADIOACTIVITY  $^{186,187}\text{Po}$ ,  $^{183}\text{Pb}$ ,  $^{179}\text{Hg}$ ,  $^{175}\text{Pt}(\alpha)$  [from  $^{144}\text{Sm}(^{46}\text{Ti}, xn)$  and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ .  $^{183}\text{Pb}$  deduced excited state energy.  $^{187}\text{Po}$  deduced isomeric states.  $^{192}\text{At}(\alpha)$  [from  $^{144}\text{Sm}(^{51}\text{V}, xn)$ ]; measured  $E\alpha$ ,  $\alpha\alpha$ -coin,  $T_{1/2}$ ; deduced isomeric states. REPT GSI 2005-1, P77, Andreyev
- 2005CA43 NUCLEAR REACTIONS  $^{92}\text{Mo}(^{84}\text{Sr}, n2p)$ ,  $(^{84}\text{Sr}, 3p)$ ,  $(^{84}\text{Sr}, 2np)$ ,  $^{104}\text{Ru}(^{84}\text{Kr}, 2np)$ ,  $^{90}\text{Zr}(^{90}\text{Zr}, n)$ ,  $(^{90}\text{Zr}, p)$ , E not given;  $^{92}\text{Mo}(^{90}\text{Zr}, n)$ ,  $(^{90}\text{Zr}, p)$ , E=385 MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -, (recoil) $\gamma$ -coin.  $^{179}\text{Hg}$  deduced high-spin levels, J,  $\pi$ . Gammasphere array, fragment separator. JOUR JPGPE 31 S1599
- 2005CAZY NUCLEAR REACTIONS  $^{92,94,96}\text{Mo}(^{84}\text{Sr}, 2np)$ , E not given;  $^{90}\text{Zr}(^{90}\text{Zr}, n)$ , E=369, 380 MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -, (recoil) $\gamma$ -coin.  $^{173,175,177}\text{Au}$ ,  $^{179}\text{Hg}$  deduced high-spin levels, J,  $\pi$ , shape coexistence features. Gammasphere, mass separator, recoil-decay tagging. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P894
- 2005CAZY RADIOACTIVITY  $^{181,183}\text{Pb}(\alpha)$ ; measured  $E\alpha$ ,  $E\gamma$ ,  $\alpha\gamma$ -coin.  $^{177}\text{Hg}$  deduced level.  $^{179}\text{Hg}$  deduced isomeric state energy,  $T_{1/2}$ . CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P894

**A=180**

- $^{180}\text{Hf}$  2004C026 RADIOACTIVITY  $^{180}\text{W}(\alpha)$ ; measured  $E\alpha$ ,  $T_{1/2}$ , Q-value.  $^{182,183,184,186}\text{W}(\alpha)$ ; measured  $T_{1/2}$  lower limits.  $\text{CaWO}_4$  crystals. JOUR PRVCA 70 064606
- 2005ME01 NUCLEAR REACTIONS  $\text{Hf}(n, X)$ , E=0.1-100 eV; measured total neutron  $\sigma$ .  $^{174,176,177,178,179,180}\text{Hf}$  deduced resonance parameters. Comparison with previous results. JOUR KPSJA 46 401
- 2005TRZY NUCLEAR REACTIONS  $\text{Hf}(n, n)$ ,  $(n, \gamma)$ , E  $\approx$  0.005-200 eV; measured transmission and capture  $\sigma$ .  $^{174,176,177,178,179,180}\text{Hf}$  deduced resonance parameters, capture resonance integrals. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P949



**A=180 (continued)**

- 2005WIZZ NUCLEAR REACTIONS  $^{175,176}\text{Lu}$ ,  $^{176,177,178,179,180}\text{Hf}(n, \gamma)$ , E=3-225 keV; measured capture  $\sigma$ ; deduced Maxwellian averaged  $\sigma$ . Comparison with previous results, astrophysical implications discussed. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol2, P1315
- $^{180}\text{W}$  2004C026 RADIOACTIVITY  $^{180}\text{W}(\alpha)$ ; measured  $E\alpha$ ,  $T_{1/2}$ , Q-value.  $^{182,183,184,186}\text{W}(\alpha)$ ; measured  $T_{1/2}$  lower limits.  $\text{CaWO}_4$  crystals. JOUR PRVCA 70 064606
- $^{180}\text{Re}$  2005EL10 NUCLEAR REACTIONS  $^{174}\text{Yb}(^{11}\text{B}, 5n)$ , E=71 MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $E(\text{ce})$ ,  $I(\text{ce})$ ,  $\gamma\gamma$ -,  $(\text{ce})\gamma$ -coin.  $^{180}\text{Re}$  deduced high-spin levels, J,  $\pi$ , ICC, configurations, K-forbidden transitions. Potential energy surface calculations. JOUR PRVCA 72 054306
- $^{180}\text{Os}$  2005DE48 NUCLEAR REACTIONS  $^{164,166,168}\text{Er}(^{16}\text{O}, 4n)$ , E=80 MeV; measured prompt and delayed  $E\gamma$ ,  $I\gamma$ .  $^{154}\text{Sm}(^{29}\text{Si}, 5n)$ , E=158 MeV; measured Doppler-shifted  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{176,178,180}\text{Os}$  deduced levels  $T_{1/2}$ , transition quadrupole moments, symmetry features. Electronic timing and recoil distance techniques, GASP array, interacting boson model and general collective model predictions. JOUR JPGPE 31 S1427
- 2005M033 NUCLEAR REACTIONS  $^{164,166,168}\text{Er}(^{16}\text{O}, 4n)$ , E=80 MeV; measured prompt and delayed  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{166}\text{Er}(^{16}\text{O}, 4n)$ , E=80 MeV; measured Doppler-shifted  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{176,178,180}\text{Os}$  deduced levels, J,  $\pi$ ,  $T_{1/2}$ , B(E2). Pulsed-beam and recoil-distance techniques. JOUR PRVCA 72 034306
- $^{180}\text{Pt}$  2002DU22 RADIOACTIVITY  $^{197,197m,198,199m,200,201m}\text{Po}(\alpha)$ ;  $^{172,173}\text{Os}(\alpha)$  [from  $^{156}\text{Dy}(^{22}\text{Ne}, \text{xn})$ ];  $^{183,184,185}\text{Hg}(\alpha)$  [from  $^{168}\text{Yb}(^{22}\text{Ne}, \text{xn})$ ]; measured  $E\alpha$ ,  $T_{1/2}$ . JOUR NIMAE 479 631

**A=181**

- $^{181}\text{Hf}$  2005WIZZ NUCLEAR REACTIONS  $^{175,176}\text{Lu}$ ,  $^{176,177,178,179,180}\text{Hf}(n, \gamma)$ , E=3-225 keV; measured capture  $\sigma$ ; deduced Maxwellian averaged  $\sigma$ . Comparison with previous results, astrophysical implications discussed. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol2, P1315
- $^{181}\text{Re}$  2005NAZY NUCLEAR REACTIONS  $^{27}\text{Al}(d, X)^{27}\text{Mg}$  /  $^{24}\text{Na}$ , E=22-40 MeV;  $\text{Cu}(d, X)^{62}\text{Zn}$  /  $^{63}\text{Zn}$  /  $^{61}\text{Cu}$  /  $^{64}\text{Cu}$ , E=22-40 MeV;  $\text{W}(d, X)^{181}\text{Re}$  /  $^{182}\text{Re}$  /  $^{183}\text{Re}$  /  $^{184}\text{Re}$  /  $^{186}\text{Re}$  /  $^{187}\text{W}$ , E=22-40 MeV; measured activation  $\sigma$ . Comparison with previous results and model predictions. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol2, P1489
- $^{181}\text{Os}$  2005CU05 NUCLEAR REACTIONS  $^{150}\text{Nd}(^{36}\text{S}, 3n)$ , ( $^{36}\text{S}, 5n$ ), E not given; measured prompt and delayed  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{181,183}\text{Os}$  deduced levels, J,  $\pi$ , configurations. Comparison with tilted axis cranking model predictions. JOUR JPGPE 31 S1709
- $^{181}\text{Pt}$  2002DU22 RADIOACTIVITY  $^{197,197m,198,199m,200,201m}\text{Po}(\alpha)$ ;  $^{172,173}\text{Os}(\alpha)$  [from  $^{156}\text{Dy}(^{22}\text{Ne}, \text{xn})$ ];  $^{183,184,185}\text{Hg}(\alpha)$  [from  $^{168}\text{Yb}(^{22}\text{Ne}, \text{xn})$ ]; measured  $E\alpha$ ,  $T_{1/2}$ . JOUR NIMAE 479 631

**A=181 (continued)**

- <sup>181</sup>Tl 2005CA43 NUCLEAR REACTIONS <sup>92</sup>Mo(<sup>84</sup>Sr, n2p), (<sup>84</sup>Sr, 3p), (<sup>84</sup>Sr, 2np), <sup>104</sup>Ru(<sup>84</sup>Kr, 2np), <sup>90</sup>Zr(<sup>90</sup>Zr, n), (<sup>90</sup>Zr, p), E not given; <sup>92</sup>Mo(<sup>90</sup>Zr, n), (<sup>90</sup>Zr, p), E=385 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -, (recoil) $\gamma$ -coin. <sup>179</sup>Hg deduced high-spin levels, J,  $\pi$ . Gammasphere array, fragment separator. JOUR JPGPE 31 S1599
- <sup>181</sup>Pb 2004CAZW RADIOACTIVITY <sup>181</sup>Pb( $\alpha$ ) [from <sup>92</sup>Mo(<sup>90</sup>Zr, p)]; measured E $\alpha$ , T<sub>1/2</sub>. <sup>181</sup>Pb deduced ground-state J,  $\pi$ . REPT ANL-04/22,P43,Carpenter
- 2005CA43 NUCLEAR REACTIONS <sup>92</sup>Mo(<sup>84</sup>Sr, n2p), (<sup>84</sup>Sr, 3p), (<sup>84</sup>Sr, 2np), <sup>104</sup>Ru(<sup>84</sup>Kr, 2np), <sup>90</sup>Zr(<sup>90</sup>Zr, n), (<sup>90</sup>Zr, p), E not given; <sup>92</sup>Mo(<sup>90</sup>Zr, n), (<sup>90</sup>Zr, p), E=385 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -, (recoil) $\gamma$ -coin. <sup>179</sup>Hg deduced high-spin levels, J,  $\pi$ . Gammasphere array, fragment separator. JOUR JPGPE 31 S1599
- 2005CAZY RADIOACTIVITY <sup>181,183</sup>Pb( $\alpha$ ); measured E $\alpha$ , E $\gamma$ ,  $\alpha\gamma$ -coin. <sup>177</sup>Hg deduced level. <sup>179</sup>Hg deduced isomeric state energy, T<sub>1/2</sub>. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol1,P894

**A=182**

- <sup>182</sup>Hf 2004C026 RADIOACTIVITY <sup>180</sup>W( $\alpha$ ); measured E $\alpha$ , T<sub>1/2</sub>, Q-value. <sup>182,183,184,186</sup>W( $\alpha$ ); measured T<sub>1/2</sub> lower limits. CaWO<sub>4</sub> crystals. JOUR PRVCA 70 064606
- 2005V017 RADIOACTIVITY <sup>182</sup>Hf( $\beta^-$ ); measured T<sub>1/2</sub>. New accelerator mass spectrometry measurement discussed. JOUR NUPAB 758 340c
- <sup>182</sup>Ta 2005V017 RADIOACTIVITY <sup>182</sup>Hf( $\beta^-$ ); measured T<sub>1/2</sub>. New accelerator mass spectrometry measurement discussed. JOUR NUPAB 758 340c
- <sup>182</sup>W 2004C026 RADIOACTIVITY <sup>180</sup>W( $\alpha$ ); measured E $\alpha$ , T<sub>1/2</sub>, Q-value. <sup>182,183,184,186</sup>W( $\alpha$ ); measured T<sub>1/2</sub> lower limits. CaWO<sub>4</sub> crystals. JOUR PRVCA 70 064606
- <sup>182</sup>Re 2005NAZY NUCLEAR REACTIONS <sup>27</sup>Al(d, X)<sup>27</sup>Mg / <sup>24</sup>Na, E=22-40 MeV; Cu(d, X)<sup>62</sup>Zn / <sup>63</sup>Zn / <sup>61</sup>Cu / <sup>64</sup>Cu, E=22-40 MeV; W(d, X)<sup>181</sup>Re / <sup>182</sup>Re / <sup>183</sup>Re / <sup>184</sup>Re / <sup>186</sup>Re / <sup>187</sup>W, E=22-40 MeV; measured activation  $\sigma$ . Comparison with previous results and model predictions. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol2,P1489
- <sup>182</sup>Pb 2005ANZY RADIOACTIVITY <sup>186,187</sup>Po, <sup>183</sup>Pb, <sup>179</sup>Hg, <sup>175</sup>Pt( $\alpha$ ) [from <sup>144</sup>Sm(<sup>46</sup>Ti, xn) and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>. <sup>183</sup>Pb deduced excited state energy. <sup>187</sup>Po deduced isomeric states. <sup>192</sup>At( $\alpha$ ) [from <sup>144</sup>Sm(<sup>51</sup>V, xn)]; measured E $\alpha$ ,  $\alpha\alpha$ -coin, T<sub>1/2</sub>; deduced isomeric states. REPT GSI 2005-1,P77,Andreyev

**A=183**

- <sup>183</sup>W 2004C026 RADIOACTIVITY <sup>180</sup>W( $\alpha$ ); measured E $\alpha$ , T<sub>1/2</sub>, Q-value. <sup>182,183,184,186</sup>W( $\alpha$ ); measured T<sub>1/2</sub> lower limits. CaWO<sub>4</sub> crystals. JOUR PRVCA 70 064606

**A=183 (continued)**

- <sup>183</sup>Re 2005CL07 NUCLEAR REACTIONS <sup>184</sup>W(<sup>7</sup>Li, xn), (<sup>7</sup>Li, xnp), (<sup>7</sup>Li, xnα), E=35-70 MeV; calculated  $\sigma$ . <sup>184</sup>W(<sup>7</sup>Li, X)<sup>184</sup>Os / <sup>185</sup>Os / <sup>186</sup>Os / <sup>188</sup>Os / <sup>184</sup>Ir / <sup>185</sup>Ir / <sup>186</sup>Ir / <sup>183</sup>Re / <sup>185</sup>Re, E=40-70 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -, (charged particle) $\gamma$ -coin, particle yield ratios. <sup>160</sup>Gd(<sup>7</sup>Li, xnp), E=35-65 MeV; analyzed  $\sigma$ . Liberace, Stars arrays. JOUR PRVCA 72 054605
- 2005NAZY NUCLEAR REACTIONS <sup>27</sup>Al(d, X)<sup>27</sup>Mg / <sup>24</sup>Na, E=22-40 MeV; Cu(d, X)<sup>62</sup>Zn / <sup>63</sup>Zn / <sup>61</sup>Cu / <sup>64</sup>Cu, E=22-40 MeV; W(d, X)<sup>181</sup>Re / <sup>182</sup>Re / <sup>183</sup>Re / <sup>184</sup>Re / <sup>186</sup>Re / <sup>187</sup>W, E=22-40 MeV; measured activation  $\sigma$ . Comparison with previous results and model predictions. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol2, P1489
- <sup>183</sup>Os 2005CU05 NUCLEAR REACTIONS <sup>150</sup>Nd(<sup>36</sup>S, 3n), (<sup>36</sup>S, 5n), E not given; measured prompt and delayed E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>181,183</sup>Os deduced levels, J,  $\pi$ , configurations. Comparison with tilted axis cranking model predictions. JOUR JPGPE 31 S1709
- <sup>183</sup>Ir 2005FOZZ NUCLEAR REACTIONS <sup>191</sup>Ir(n, n'), (n, 2n), (n, 3n), (n, 4n), (n, 5n), (n, 6n), (n, 7n), (n, 8n), (n, 9n), E=1-300 MeV; measured E $\gamma$ , I $\gamma$ ; deduced  $\gamma$ -ray production  $\sigma$ . CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P898
- <sup>183</sup>Au 2005S001 NUCLEAR REACTIONS <sup>159</sup>Tb(<sup>29</sup>Si, 5n), E=140 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>183</sup>Au deduced high-spin levels, J,  $\pi$ , configurations. GASP array. JOUR PRVCA 71 017302
- <sup>183</sup>Hg 2002DU22 RADIOACTIVITY <sup>197,197m,198,199m,200,201m</sup>Po( $\alpha$ ); <sup>172,173</sup>Os( $\alpha$ ) [from <sup>156</sup>Dy(<sup>22</sup>Ne, xn)]; <sup>183,184,185</sup>Hg( $\alpha$ ) [from <sup>168</sup>Yb(<sup>22</sup>Ne, xn)]; measured E $\alpha$ , T<sub>1/2</sub>. JOUR NIMAE 479 631
- <sup>183</sup>Tl 2004RA28 NUCLEAR REACTIONS <sup>144</sup>Sm(<sup>42</sup>Ca, 2np), E=195, 200 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -, (recoil) $\gamma$ -coin. <sup>183</sup>Tl deduced high-spin levels, J,  $\pi$ , configurations. Jurosphere array, recoil-decay tagging. JOUR PRVCA 70 064308
- 2004RA28 RADIOACTIVITY <sup>183</sup>Tl, <sup>179</sup>Au( $\alpha$ ) [from <sup>144</sup>Sm(<sup>42</sup>Ca, 2np) and subsequent decay]; measured E $\alpha$ , E $\gamma$ ,  $\alpha\gamma$ -coin, T<sub>1/2</sub>. <sup>179</sup>Au, <sup>175</sup>Ir deduced levels, J,  $\pi$ . JOUR PRVCA 70 064308
- <sup>183</sup>Pb 2005AN17 NUCLEAR REACTIONS <sup>142</sup>Nd(<sup>52</sup>Cr, 3n), (<sup>52</sup>Cr, 4n), (<sup>52</sup>Cr, 5n), (<sup>52</sup>Cr, 6n), (<sup>52</sup>Cr, np), (<sup>52</sup>Cr, 2np), (<sup>52</sup>Cr, 3np), (<sup>52</sup>Cr, 4np), (<sup>52</sup>Cr, 5np), (<sup>52</sup>Cr, 6np), E=220-310 MeV; <sup>142</sup>Nd(<sup>50</sup>Cr, 3n), (<sup>50</sup>Cr, 4n), (<sup>50</sup>Cr, 2np), (<sup>50</sup>Cr, 3np), (<sup>50</sup>Cr, 4np), (<sup>50</sup>Cr, 5np), E=230-285 MeV; <sup>92</sup>Mo(<sup>98</sup>Mo, 2np), (<sup>98</sup>Mo, 3np), E=427-460 MeV; <sup>93</sup>Nb(<sup>95</sup>Mo, n), (<sup>95</sup>Mo, 2n), (<sup>95</sup>Mo, 3n), (<sup>95</sup>Mo, p), (<sup>95</sup>Mo, np), (<sup>95</sup>Mo, 2np), (<sup>95</sup>Mo, 3np), (<sup>95</sup>Mo, 4np), E=375-456 MeV; <sup>93</sup>Nb(<sup>94</sup>Mo, 2n), (<sup>94</sup>Mo, 3n), (<sup>94</sup>Mo, np), (<sup>94</sup>Mo, 2np), (<sup>94</sup>Mo, 3np), E=405-450 MeV; <sup>144</sup>Sm(<sup>46</sup>Ti, 3n), (<sup>46</sup>Ti, 4n), E=202-242 MeV; measured  $\sigma$ . Velocity filter, comparison with statistical model predictions. JOUR PRVCA 72 014612
- 2005ANZY RADIOACTIVITY <sup>186,187</sup>Po, <sup>183</sup>Pb, <sup>179</sup>Hg, <sup>175</sup>Pt( $\alpha$ ) [from <sup>144</sup>Sm(<sup>46</sup>Ti, xn) and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>. <sup>183</sup>Pb deduced excited state energy. <sup>187</sup>Po deduced isomeric states. <sup>192</sup>At( $\alpha$ ) [from <sup>144</sup>Sm(<sup>51</sup>V, xn)]; measured E $\alpha$ ,  $\alpha\alpha$ -coin, T<sub>1/2</sub>; deduced isomeric states. REPT GSI 2005-1, P77, Andreyev

**A=183 (continued)**

- 2005CAZY RADIOACTIVITY  $^{181,183}\text{Pb}(\alpha)$ ; measured  $E\alpha$ ,  $E\gamma$ ,  $\alpha\gamma$ -coin.  $^{177}\text{Hg}$  deduced level.  $^{179}\text{Hg}$  deduced isomeric state energy,  $T_{1/2}$ . CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P894

**A=184**

- $^{184}\text{W}$  2004C026 RADIOACTIVITY  $^{180}\text{W}(\alpha)$ ; measured  $E\alpha$ ,  $T_{1/2}$ , Q-value.  $^{182,183,184,186}\text{W}(\alpha)$ ; measured  $T_{1/2}$  lower limits.  $\text{CaWO}_4$  crystals. JOUR PRVCA 70 064606
- 2004L022 NUCLEAR REACTIONS  $^{183}\text{W}(n, \gamma)$ , E=thermal; measured  $E\gamma$ ,  $I\gamma$ .  $^{184}\text{W}$  deduced levels, J,  $\pi$ , neutron binding energy. JOUR BRSPE 68 1292
- 2005ME19 NUCLEAR REACTIONS  $^{160}\text{Gd}$ ,  $^{164}\text{Dy}$ ,  $^{170}\text{Er}$ ,  $^{178}\text{Hf}$ ,  $^{186}\text{W}$ ,  $^{192}\text{Os}(p, t)$ , E=25 MeV; measured triton spectra,  $\sigma(\theta)$ .  $^{158}\text{Gd}$ ,  $^{162}\text{Dy}$ ,  $^{168}\text{Er}$ ,  $^{176}\text{Hf}$ ,  $^{184}\text{W}$ ,  $^{190}\text{Os}$  deduced  $0^+$  level energies. JOUR JPGPE 31 S1399
- $^{184}\text{Re}$  2004GA57 NUCLEAR REACTIONS  $^{185}\text{Re}$ ,  $^{191}\text{Ir}$ ,  $^{197}\text{Au}(\gamma, n)$ , E=22 MeV bremsstrahlung;  $^{185}\text{Re}$ ,  $^{191}\text{Ir}$ ,  $^{197}\text{Au}(n, 2n)$ , E=14.7 MeV;  $^{181}\text{Ta}(\alpha, n)$ , E=18 MeV;  $^{190}\text{Os}$ ,  $^{196}\text{Pt}(d, n)$ , E=13, 14 MeV; measured  $E\gamma$ ,  $I\gamma$ ; deduced isomer production ratios. Activation method. JOUR BRSPE 68 187
- 2005NAZY NUCLEAR REACTIONS  $^{27}\text{Al}(d, X)^{27}\text{Mg}$  /  $^{24}\text{Na}$ , E=22-40 MeV;  $\text{Cu}(d, X)^{62}\text{Zn}$  /  $^{63}\text{Zn}$  /  $^{61}\text{Cu}$  /  $^{64}\text{Cu}$ , E=22-40 MeV;  $\text{W}(d, X)^{181}\text{Re}$  /  $^{182}\text{Re}$  /  $^{183}\text{Re}$  /  $^{184}\text{Re}$  /  $^{186}\text{Re}$  /  $^{187}\text{W}$ , E=22-40 MeV; measured activation  $\sigma$ . Comparison with previous results and model predictions. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol2, P1489
- 2005WH04 NUCLEAR REACTIONS  $^{180}\text{Hf}(^7\text{Li}, 3n)$ , E = 30 MeV; measured prompt and delayed  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin, DCO ratios.  $^{184}\text{Re}$  deduced levels, J,  $\pi$ ,  $T_{1/2}$ , gK - gR, configurations, rotational bands. Comparison with Nilsson-type blocked BCS calculations. JOUR NUPAB 763 1
- $^{184}\text{Os}$  2005CL07 NUCLEAR REACTIONS  $^{184}\text{W}(^7\text{Li}, xn)$ , ( $^7\text{Li}, xnp$ ), ( $^7\text{Li}, xn\alpha$ ), E=35-70 MeV; calculated  $\sigma$ .  $^{184}\text{W}(^7\text{Li}, X)^{184}\text{Os}$  /  $^{185}\text{Os}$  /  $^{186}\text{Os}$  /  $^{188}\text{Os}$  /  $^{184}\text{Ir}$  /  $^{185}\text{Ir}$  /  $^{186}\text{Ir}$  /  $^{183}\text{Re}$  /  $^{185}\text{Re}$ , E=40-70 MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -, (charged particle) $\gamma$ -coin, particle yield ratios.  $^{160}\text{Gd}(^7\text{Li}, xnp)$ , E=35-65 MeV; analyzed  $\sigma$ . Liberace, Stars arrays. JOUR PRVCA 72 054605
- $^{184}\text{Ir}$  2005CL07 NUCLEAR REACTIONS  $^{184}\text{W}(^7\text{Li}, xn)$ , ( $^7\text{Li}, xnp$ ), ( $^7\text{Li}, xn\alpha$ ), E=35-70 MeV; calculated  $\sigma$ .  $^{184}\text{W}(^7\text{Li}, X)^{184}\text{Os}$  /  $^{185}\text{Os}$  /  $^{186}\text{Os}$  /  $^{188}\text{Os}$  /  $^{184}\text{Ir}$  /  $^{185}\text{Ir}$  /  $^{186}\text{Ir}$  /  $^{183}\text{Re}$  /  $^{185}\text{Re}$ , E=40-70 MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -, (charged particle) $\gamma$ -coin, particle yield ratios.  $^{160}\text{Gd}(^7\text{Li}, xnp)$ , E=35-65 MeV; analyzed  $\sigma$ . Liberace, Stars arrays. JOUR PRVCA 72 054605
- 2005FOZZ NUCLEAR REACTIONS  $^{191}\text{Ir}(n, n')$ , ( $n, 2n$ ), ( $n, 3n$ ), ( $n, 4n$ ), ( $n, 5n$ ), ( $n, 6n$ ), ( $n, 7n$ ), ( $n, 8n$ ), ( $n, 9n$ ), E=1-300 MeV; measured  $E\gamma$ ,  $I\gamma$ ; deduced  $\gamma$ -ray production  $\sigma$ . CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P898

A=184 (*continued*)

- $^{184}\text{Au}$  2005SA40 RADIOACTIVITY  $^{184}\text{Hg}(\beta^+)$ , (EC) [from Pb(p, X)]; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin, E(ce), I(ce); deduced log ft.  $^{184}\text{Au}$  deduced levels, J,  $\pi$ , configurations. Mass separator, comparisons with model predictions. JOUR ZAANE 25 5
- 2005ZH30 NUCLEAR REACTIONS  $^{159}\text{Tb}(^{29}\text{Si}, 4n)$ , E=140 MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{184}\text{Au}$  deduced high-spin levels, J,  $\pi$ , configurations, signature inversion. GASP array. JOUR JPGPE 31 S1545
- $^{184}\text{Hg}$  2002DU22 RADIOACTIVITY  $^{197,197m,198,199m,200,201m}\text{Po}(\alpha)$ ;  $^{172,173}\text{Os}(\alpha)$  [from  $^{156}\text{Dy}(^{22}\text{Ne}, xn)$ ];  $^{183,184,185}\text{Hg}(\alpha)$  [from  $^{168}\text{Yb}(^{22}\text{Ne}, xn)$ ]; measured  $E\alpha$ ,  $T_{1/2}$ . JOUR NIMAE 479 631
- 2005SA40 RADIOACTIVITY  $^{184}\text{Hg}(\beta^+)$ , (EC) [from Pb(p, X)]; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin, E(ce), I(ce); deduced log ft.  $^{184}\text{Au}$  deduced levels, J,  $\pi$ , configurations. Mass separator, comparisons with model predictions. JOUR ZAANE 25 5
- $^{184}\text{Tl}$  2005VA04 RADIOACTIVITY  $^{189}\text{Po}(\alpha)$  [from  $^{142}\text{Nd}(^{52}\text{Cr}, 5n)$ , ( $^{50}\text{Cr}, 3n$ )]; measured  $E\alpha$ ,  $E\gamma$ , E(ce),  $\alpha\gamma$ -coin.  $^{185}\text{Pb}$  deduced levels, J,  $\pi$ , ICC,  $T_{1/2}$ , configurations.  $^{188,189,190,191}\text{Bi}$ ,  $^{189,190}\text{Po}(\alpha)$  [from  $^{142}\text{Nd}(^{52}\text{Cr}, X)$ , ( $^{50}\text{Cr}, X$ )]; measured  $E\alpha$ ,  $I\alpha$ . Potential energy surface calculations, level systematics in neighboring isotopes discussed. JOUR ZAANE 24 57
- $^{184}\text{Pb}$  2005AN17 NUCLEAR REACTIONS  $^{142}\text{Nd}(^{52}\text{Cr}, 3n)$ , ( $^{52}\text{Cr}, 4n$ ), ( $^{52}\text{Cr}, 5n$ ), ( $^{52}\text{Cr}, 6n$ ), ( $^{52}\text{Cr}, np$ ), ( $^{52}\text{Cr}, 2np$ ), ( $^{52}\text{Cr}, 3np$ ), ( $^{52}\text{Cr}, 4np$ ), ( $^{52}\text{Cr}, 5np$ ), ( $^{52}\text{Cr}, 6np$ ), E=220-310 MeV;  $^{142}\text{Nd}(^{50}\text{Cr}, 3n)$ , ( $^{50}\text{Cr}, 4n$ ), ( $^{50}\text{Cr}, 2np$ ), ( $^{50}\text{Cr}, 3np$ ), ( $^{50}\text{Cr}, 4np$ ), ( $^{50}\text{Cr}, 5np$ ), E=230-285 MeV;  $^{92}\text{Mo}(^{98}\text{Mo}, 2np)$ , ( $^{98}\text{Mo}, 3np$ ), E=427-460 MeV;  $^{93}\text{Nb}(^{95}\text{Mo}, n)$ , ( $^{95}\text{Mo}, 2n$ ), ( $^{95}\text{Mo}, 3n$ ), ( $^{95}\text{Mo}, p$ ), ( $^{95}\text{Mo}, np$ ), ( $^{95}\text{Mo}, 2np$ ), ( $^{95}\text{Mo}, 3np$ ), ( $^{95}\text{Mo}, 4np$ ), E=375-456 MeV;  $^{93}\text{Nb}(^{94}\text{Mo}, 2n)$ , ( $^{94}\text{Mo}, 3n$ ), ( $^{94}\text{Mo}, np$ ), ( $^{94}\text{Mo}, 2np$ ), ( $^{94}\text{Mo}, 3np$ ), E=405-450 MeV;  $^{144}\text{Sm}(^{46}\text{Ti}, 3n)$ , ( $^{46}\text{Ti}, 4n$ ), E=202-242 MeV; measured  $\sigma$ . Velocity filter, comparison with statistical model predictions. JOUR PRVCA 72 014612
- 2005UU03 RADIOACTIVITY  $^{188,190,192,194,196,198,200,202,204}\text{Po}$ ,  $^{191,193,195,197,199}\text{At}$ ,  $^{196,198,200,202,204,206}\text{Rn}$ ,  $^{199,201,203,205,207}\text{Fr}(\alpha)$ ; measured reduced widths using gas filled recoil separator; deduced hindrance factors, proton intruder states and deformation effects. JOUR ZAANE 25 s01 179
- $^{184}\text{Bi}$  2005AN17 NUCLEAR REACTIONS  $^{142}\text{Nd}(^{52}\text{Cr}, 3n)$ , ( $^{52}\text{Cr}, 4n$ ), ( $^{52}\text{Cr}, 5n$ ), ( $^{52}\text{Cr}, 6n$ ), ( $^{52}\text{Cr}, np$ ), ( $^{52}\text{Cr}, 2np$ ), ( $^{52}\text{Cr}, 3np$ ), ( $^{52}\text{Cr}, 4np$ ), ( $^{52}\text{Cr}, 5np$ ), ( $^{52}\text{Cr}, 6np$ ), E=220-310 MeV;  $^{142}\text{Nd}(^{50}\text{Cr}, 3n)$ , ( $^{50}\text{Cr}, 4n$ ), ( $^{50}\text{Cr}, 2np$ ), ( $^{50}\text{Cr}, 3np$ ), ( $^{50}\text{Cr}, 4np$ ), ( $^{50}\text{Cr}, 5np$ ), E=230-285 MeV;  $^{92}\text{Mo}(^{98}\text{Mo}, 2np)$ , ( $^{98}\text{Mo}, 3np$ ), E=427-460 MeV;  $^{93}\text{Nb}(^{95}\text{Mo}, n)$ , ( $^{95}\text{Mo}, 2n$ ), ( $^{95}\text{Mo}, 3n$ ), ( $^{95}\text{Mo}, p$ ), ( $^{95}\text{Mo}, np$ ), ( $^{95}\text{Mo}, 2np$ ), ( $^{95}\text{Mo}, 3np$ ), ( $^{95}\text{Mo}, 4np$ ), E=375-456 MeV;  $^{93}\text{Nb}(^{94}\text{Mo}, 2n)$ , ( $^{94}\text{Mo}, 3n$ ), ( $^{94}\text{Mo}, np$ ), ( $^{94}\text{Mo}, 2np$ ), ( $^{94}\text{Mo}, 3np$ ), E=405-450 MeV;  $^{144}\text{Sm}(^{46}\text{Ti}, 3n)$ , ( $^{46}\text{Ti}, 4n$ ), E=202-242 MeV; measured  $\sigma$ . Velocity filter, comparison with statistical model predictions. JOUR PRVCA 72 014612

## A=185

$^{185}\text{Hf}$	2005CA02	RADIOACTIVITY $^{188}\text{Ta}$ , $^{190}\text{W}$ , $^{192,193}\text{Re}$ , $^{195}\text{Os}$ , $^{197,198}\text{Ir}$ , $^{200,201,202}\text{Pt}$ , $^{203}\text{Au}$ (IT) [from $\text{Be}(^{208}\text{Pb}, \text{X})$ ]; measured $E\gamma$ , $I\gamma$ , $\gamma\gamma$ -coin, $T_{1/2}$ . $^{188}\text{Ta}$ , $^{190}\text{W}$ , $^{192,193}\text{Re}$ , $^{195}\text{Os}$ , $^{197,198}\text{Ir}$ , $^{200,201,202}\text{Pt}$ , $^{203}\text{Au}$ deduced transitions. $^{190}\text{W}$ , $^{200,201,202}\text{Pt}$ deduced levels, J, $\pi$ . $^{174,175}\text{Er}$ , $^{185}\text{Hf}$ , $^{191,194}\text{Re}$ , $^{199}\text{Ir}$ (IT) [from $\text{Be}(^{208}\text{Pb}, \text{X})$ ]; measured $E\gamma$ , $I\gamma$ . JOUR ZAANE 23 201
$^{185}\text{W}$	2002B067	NUCLEAR REACTIONS $^{184}\text{W}(\text{n}, \gamma)$ , E=thermal; measured $E\gamma$ , $I\gamma$ , $\gamma\gamma$ -coin. $^{185}\text{W}$ deduced level energies, two-step cascade intensities, level density features. JOUR FIZBE 11 201
	2005B047	NUCLEAR REACTIONS $^{184}\text{W}(\text{n}, \gamma)$ , E=thermal; measured prompt and delayed $E\gamma$ , $I\gamma$ , $\gamma\gamma$ -coin. $^{184}\text{W}$ (polarized d, p), E=18, 21 MeV; $^{186}\text{W}$ (polarized d, t), E=22 MeV; measured particle spectra, $\sigma(\theta)$ , asymmetry. $^{185}\text{W}$ deduced levels, J, $\pi$ , $\gamma$ -branching ratios, cross sections, binding energy, spectroscopic factors. DWBA analysis, quasiparticle-phonon model calculation. Enriched targets, Ge detectors, Q3D magnetic spectrograph. JOUR NUPAB 762 167
$^{185}\text{Re}$	2004MB03	NUCLEAR MOMENTS $^{113,115}\text{In}$ , $^{153,155}\text{Eu}$ , $^{185,187}\text{Re}$ , $^{203,205}\text{Tl}$ , $^{209,211}\text{Fr}$ ; measured hfs; deduced hyperfine magnetic anomaly, relative radii. Laser resonance fluorescence. JOUR BRSPE 68 157
	2005CL07	NUCLEAR REACTIONS $^{184}\text{W}(^7\text{Li}, \text{xn})$ , ( $^7\text{Li}, \text{xnp}$ ), ( $^7\text{Li}, \text{xn}\alpha$ ), E=35-70 MeV; calculated $\sigma$ . $^{184}\text{W}(^7\text{Li}, \text{X})^{184}\text{Os} / ^{185}\text{Os} / ^{186}\text{Os} / ^{188}\text{Os} / ^{184}\text{Ir} / ^{185}\text{Ir} / ^{186}\text{Ir} / ^{183}\text{Re} / ^{185}\text{Re}$ , E=40-70 MeV; measured $E\gamma$ , $I\gamma$ , $\gamma\gamma$ -, (charged particle) $\gamma$ -coin, particle yield ratios. $^{160}\text{Gd}(^7\text{Li}, \text{xnp})$ , E=35-65 MeV; analyzed $\sigma$ . Liberace, Stars arrays. JOUR PRVCA 72 054605
	2005SH26	NUCLEAR REACTIONS $^{186}\text{W}(^{82}\text{Se}, \text{X})^{187}\text{W} / ^{187}\text{Re} / ^{185}\text{Re}$ , E=630 MeV; measured prompt and delayed $E\gamma$ , $I\gamma$ , $\gamma\gamma$ -, (particle) $\gamma$ -coin. $^{187}\text{W}$ deduced levels, J, $\pi$ , isomer $T_{1/2}$ , configuration. Recoil shadow technique. JOUR PRVCA 71 067301
$^{185}\text{Os}$	2005CL07	NUCLEAR REACTIONS $^{184}\text{W}(^7\text{Li}, \text{xn})$ , ( $^7\text{Li}, \text{xnp}$ ), ( $^7\text{Li}, \text{xn}\alpha$ ), E=35-70 MeV; calculated $\sigma$ . $^{184}\text{W}(^7\text{Li}, \text{X})^{184}\text{Os} / ^{185}\text{Os} / ^{186}\text{Os} / ^{188}\text{Os} / ^{184}\text{Ir} / ^{185}\text{Ir} / ^{186}\text{Ir} / ^{183}\text{Re} / ^{185}\text{Re}$ , E=40-70 MeV; measured $E\gamma$ , $I\gamma$ , $\gamma\gamma$ -, (charged particle) $\gamma$ -coin, particle yield ratios. $^{160}\text{Gd}(^7\text{Li}, \text{xnp})$ , E=35-65 MeV; analyzed $\sigma$ . Liberace, Stars arrays. JOUR PRVCA 72 054605
	2005TA26	NUCLEAR REACTIONS $\text{Ir}(\text{p}, \text{xnyp})^{188}\text{Pt} / ^{189}\text{Pt} / ^{191}\text{Pt} / ^{185}\text{Ir} / ^{186}\text{Ir} / ^{188}\text{Ir} / ^{189}\text{Ir} / ^{190}\text{Ir} / ^{192}\text{Ir} / ^{185}\text{Os}$ , E $\approx$ 3-70 MeV; measured $\sigma$ ; deduced integral yields. Stacked-foil activation technique. JOUR NIMBE 239 293
$^{185}\text{Ir}$	2005CL07	NUCLEAR REACTIONS $^{184}\text{W}(^7\text{Li}, \text{xn})$ , ( $^7\text{Li}, \text{xnp}$ ), ( $^7\text{Li}, \text{xn}\alpha$ ), E=35-70 MeV; calculated $\sigma$ . $^{184}\text{W}(^7\text{Li}, \text{X})^{184}\text{Os} / ^{185}\text{Os} / ^{186}\text{Os} / ^{188}\text{Os} / ^{184}\text{Ir} / ^{185}\text{Ir} / ^{186}\text{Ir} / ^{183}\text{Re} / ^{185}\text{Re}$ , E=40-70 MeV; measured $E\gamma$ , $I\gamma$ , $\gamma\gamma$ -, (charged particle) $\gamma$ -coin, particle yield ratios. $^{160}\text{Gd}(^7\text{Li}, \text{xnp})$ , E=35-65 MeV; analyzed $\sigma$ . Liberace, Stars arrays. JOUR PRVCA 72 054605

**A=185 (continued)**

- 2005FOZZ NUCLEAR REACTIONS  $^{191}\text{Ir}(n, n')$ ,  $(n, 2n)$ ,  $(n, 3n)$ ,  $(n, 4n)$ ,  $(n, 5n)$ ,  $(n, 6n)$ ,  $(n, 7n)$ ,  $(n, 8n)$ ,  $(n, 9n)$ ,  $E=1-300$  MeV; measured  $E\gamma$ ,  $I\gamma$ ; deduced  $\gamma$ -ray production  $\sigma$ . CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P898
- 2005TA26 NUCLEAR REACTIONS  $\text{Ir}(p, xnyp)^{188}\text{Pt} / ^{189}\text{Pt} / ^{191}\text{Pt} / ^{185}\text{Ir} / ^{186}\text{Ir} / ^{188}\text{Ir} / ^{189}\text{Ir} / ^{190}\text{Ir} / ^{192}\text{Ir} / ^{185}\text{Os}$ ,  $E \approx 3-70$  MeV; measured  $\sigma$ ; deduced integral yields. Stacked-foil activation technique. JOUR NIMBE 239 293
- $^{185}\text{Au}$  2005CA43 NUCLEAR REACTIONS  $^{92}\text{Mo}(^{84}\text{Sr}, n2p)$ ,  $(^{84}\text{Sr}, 3p)$ ,  $(^{84}\text{Sr}, 2np)$ ,  $^{104}\text{Ru}(^{84}\text{Kr}, 2np)$ ,  $^{90}\text{Zr}(^{90}\text{Zr}, n)$ ,  $(^{90}\text{Zr}, p)$ ,  $E$  not given;  $^{92}\text{Mo}(^{90}\text{Zr}, n)$ ,  $(^{90}\text{Zr}, p)$ ,  $E=385$  MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -, (recoil) $\gamma$ -coin.  $^{179}\text{Hg}$  deduced high-spin levels,  $J$ ,  $\pi$ . Gammasphere array, fragment separator. JOUR JPGPE 31 S1599
- $^{185}\text{Hg}$  2002DU22 RADIOACTIVITY  $^{197,197m,198,199m,200,201m}\text{Po}(\alpha)$ ;  $^{172,173}\text{Os}(\alpha)$  [from  $^{156}\text{Dy}(^{22}\text{Ne}, xn)$ ];  $^{183,184,185}\text{Hg}(\alpha)$  [from  $^{168}\text{Yb}(^{22}\text{Ne}, xn)$ ]; measured  $E\alpha$ ,  $T_{1/2}$ . JOUR NIMAE 479 631
- $^{185}\text{Tl}$  2005VA04 RADIOACTIVITY  $^{189}\text{Po}(\alpha)$  [from  $^{142}\text{Nd}(^{52}\text{Cr}, 5n)$ ,  $(^{50}\text{Cr}, 3n)$ ]; measured  $E\alpha$ ,  $E\gamma$ ,  $E(\text{ce})$ ,  $\alpha\gamma$ -coin.  $^{185}\text{Pb}$  deduced levels,  $J$ ,  $\pi$ , ICC,  $T_{1/2}$ , configurations.  $^{188,189,190,191}\text{Bi}$ ,  $^{189,190}\text{Po}(\alpha)$  [from  $^{142}\text{Nd}(^{52}\text{Cr}, X)$ ,  $(^{50}\text{Cr}, X)$ ]; measured  $E\alpha$ ,  $I\alpha$ . Potential energy surface calculations, level systematics in neighboring isotopes discussed. JOUR ZAANE 24 57
- $^{185}\text{Pb}$  2005AN17 NUCLEAR REACTIONS  $^{142}\text{Nd}(^{52}\text{Cr}, 3n)$ ,  $(^{52}\text{Cr}, 4n)$ ,  $(^{52}\text{Cr}, 5n)$ ,  $(^{52}\text{Cr}, 6n)$ ,  $(^{52}\text{Cr}, np)$ ,  $(^{52}\text{Cr}, 2np)$ ,  $(^{52}\text{Cr}, 3np)$ ,  $(^{52}\text{Cr}, 4np)$ ,  $(^{52}\text{Cr}, 5np)$ ,  $(^{52}\text{Cr}, 6np)$ ,  $E=220-310$  MeV;  $^{142}\text{Nd}(^{50}\text{Cr}, 3n)$ ,  $(^{50}\text{Cr}, 4n)$ ,  $(^{50}\text{Cr}, 2np)$ ,  $(^{50}\text{Cr}, 3np)$ ,  $(^{50}\text{Cr}, 4np)$ ,  $(^{50}\text{Cr}, 5np)$ ,  $E=230-285$  MeV;  $^{92}\text{Mo}(^{98}\text{Mo}, 2np)$ ,  $(^{98}\text{Mo}, 3np)$ ,  $E=427-460$  MeV;  $^{93}\text{Nb}(^{95}\text{Mo}, n)$ ,  $(^{95}\text{Mo}, 2n)$ ,  $(^{95}\text{Mo}, 3n)$ ,  $(^{95}\text{Mo}, p)$ ,  $(^{95}\text{Mo}, np)$ ,  $(^{95}\text{Mo}, 2np)$ ,  $(^{95}\text{Mo}, 3np)$ ,  $(^{95}\text{Mo}, 4np)$ ,  $E=375-456$  MeV;  $^{93}\text{Nb}(^{94}\text{Mo}, 2n)$ ,  $(^{94}\text{Mo}, 3n)$ ,  $(^{94}\text{Mo}, np)$ ,  $(^{94}\text{Mo}, 2np)$ ,  $(^{94}\text{Mo}, 3np)$ ,  $E=405-450$  MeV;  $^{144}\text{Sm}(^{46}\text{Ti}, 3n)$ ,  $(^{46}\text{Ti}, 4n)$ ,  $E=202-242$  MeV; measured  $\sigma$ . Velocity filter, comparison with statistical model predictions. JOUR PRVCA 72 014612
- 2005VA04 RADIOACTIVITY  $^{189}\text{Po}(\alpha)$  [from  $^{142}\text{Nd}(^{52}\text{Cr}, 5n)$ ,  $(^{50}\text{Cr}, 3n)$ ]; measured  $E\alpha$ ,  $E\gamma$ ,  $E(\text{ce})$ ,  $\alpha\gamma$ -coin.  $^{185}\text{Pb}$  deduced levels,  $J$ ,  $\pi$ , ICC,  $T_{1/2}$ , configurations.  $^{188,189,190,191}\text{Bi}$ ,  $^{189,190}\text{Po}(\alpha)$  [from  $^{142}\text{Nd}(^{52}\text{Cr}, X)$ ,  $(^{50}\text{Cr}, X)$ ]; measured  $E\alpha$ ,  $I\alpha$ . Potential energy surface calculations, level systematics in neighboring isotopes discussed. JOUR ZAANE 24 57

**A=185 (continued)**

- <sup>185</sup>Bi      2005AN17      NUCLEAR REACTIONS <sup>142</sup>Nd(<sup>52</sup>Cr, 3n), (<sup>52</sup>Cr, 4n), (<sup>52</sup>Cr, 5n), (<sup>52</sup>Cr, 6n), (<sup>52</sup>Cr, np), (<sup>52</sup>Cr, 2np), (<sup>52</sup>Cr, 3np), (<sup>52</sup>Cr, 4np), (<sup>52</sup>Cr, 5np), (<sup>52</sup>Cr, 6np), E=220-310 MeV; <sup>142</sup>Nd(<sup>50</sup>Cr, 3n), (<sup>50</sup>Cr, 4n), (<sup>50</sup>Cr, 2np), (<sup>50</sup>Cr, 3np), (<sup>50</sup>Cr, 4np), (<sup>50</sup>Cr, 5np), E=230-285 MeV; <sup>92</sup>Mo(<sup>98</sup>Mo, 2np), (<sup>98</sup>Mo, 3np), E=427-460 MeV; <sup>93</sup>Nb(<sup>95</sup>Mo, n), (<sup>95</sup>Mo, 2n), (<sup>95</sup>Mo, 3n), (<sup>95</sup>Mo, p), (<sup>95</sup>Mo, np), (<sup>95</sup>Mo, 2np), (<sup>95</sup>Mo, 3np), (<sup>95</sup>Mo, 4np), E=375-456 MeV; <sup>93</sup>Nb(<sup>94</sup>Mo, 2n), (<sup>94</sup>Mo, 3n), (<sup>94</sup>Mo, np), (<sup>94</sup>Mo, 2np), (<sup>94</sup>Mo, 3np), E=405-450 MeV; <sup>144</sup>Sm(<sup>46</sup>Ti, 3n), (<sup>46</sup>Ti, 4n), E=202-242 MeV; measured  $\sigma$ . Velocity filter, comparison with statistical model predictions. JOUR PRVCA 72 014612
- 2005GEZW      ATOMIC MASSES <sup>235</sup>Ac; measured mass, T<sub>1/2</sub>. <sup>185,186,187,188,189,190,191,192,193,194,195,196</sup>Bi; measured masses, proton separation energies. <sup>207m</sup>Tl; measured T<sub>1/2</sub>. Stored beams, Schottky mass spectrometry. PREPRINT nucl-ex/0510009,10/4/2005

**A=186**

- <sup>186</sup>W      2004C026      RADIOACTIVITY <sup>180</sup>W( $\alpha$ ); measured E $\alpha$ , T<sub>1/2</sub>, Q-value. <sup>182,183,184,186</sup>W( $\alpha$ ); measured T<sub>1/2</sub> lower limits. CaWO<sub>4</sub> crystals. JOUR PRVCA 70 064606
- <sup>186</sup>Re      2005ALZY      NUCLEAR REACTIONS <sup>186</sup>W(d, 2n), E=12.8-5.9 MeV; measured yields. Stacked foil activation. CONF St Petersburg,P181,Alekseev
- 2005HA60      NUCLEAR REACTIONS <sup>185</sup>Re(n,  $\gamma$ ), E=thermal; measured isomer yield ratio. Activation technique, astrophysical implications discussed. JOUR ASJOA 628 533
- 2005HAZZ      NUCLEAR REACTIONS <sup>185</sup>Re(n,  $\gamma$ ), E=thermal; measured capture  $\sigma$  to ground and isomeric states. Astrophysical implications discussed. CONF Riken(Origin of Matter) Proc,P208,Hayakawa
- 2005NAZY      NUCLEAR REACTIONS <sup>27</sup>Al(d, X)<sup>27</sup>Mg / <sup>24</sup>Na, E=22-40 MeV; Cu(d, X)<sup>62</sup>Zn / <sup>63</sup>Zn / <sup>61</sup>Cu / <sup>64</sup>Cu, E=22-40 MeV; W(d, X)<sup>181</sup>Re / <sup>182</sup>Re / <sup>183</sup>Re / <sup>184</sup>Re / <sup>186</sup>Re / <sup>187</sup>W, E=22-40 MeV; measured activation  $\sigma$ . Comparison with previous results and model predictions. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol2,P1489
- <sup>186</sup>Os      2005CL07      NUCLEAR REACTIONS <sup>184</sup>W(<sup>7</sup>Li, xn), (<sup>7</sup>Li, xnp), (<sup>7</sup>Li, xn $\alpha$ ), E=35-70 MeV; calculated  $\sigma$ . <sup>184</sup>W(<sup>7</sup>Li, X)<sup>184</sup>Os / <sup>185</sup>Os / <sup>186</sup>Os / <sup>188</sup>Os / <sup>184</sup>Ir / <sup>185</sup>Ir / <sup>186</sup>Ir / <sup>183</sup>Re / <sup>185</sup>Re, E=40-70 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -, (charged particle) $\gamma$ -coin, particle yield ratios. <sup>160</sup>Gd(<sup>7</sup>Li, xnp), E=35-65 MeV; analyzed  $\sigma$ . Liberace, Stars arrays. JOUR PRVCA 72 054605
- <sup>186</sup>Ir      2005CL07      NUCLEAR REACTIONS <sup>184</sup>W(<sup>7</sup>Li, xn), (<sup>7</sup>Li, xnp), (<sup>7</sup>Li, xn $\alpha$ ), E=35-70 MeV; calculated  $\sigma$ . <sup>184</sup>W(<sup>7</sup>Li, X)<sup>184</sup>Os / <sup>185</sup>Os / <sup>186</sup>Os / <sup>188</sup>Os / <sup>184</sup>Ir / <sup>185</sup>Ir / <sup>186</sup>Ir / <sup>183</sup>Re / <sup>185</sup>Re, E=40-70 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -, (charged particle) $\gamma$ -coin, particle yield ratios. <sup>160</sup>Gd(<sup>7</sup>Li, xnp), E=35-65 MeV; analyzed  $\sigma$ . Liberace, Stars arrays. JOUR PRVCA 72 054605



**A=186 (continued)**

- 2005FOZZ NUCLEAR REACTIONS  $^{191}\text{Ir}(n, n')$ ,  $(n, 2n)$ ,  $(n, 3n)$ ,  $(n, 4n)$ ,  $(n, 5n)$ ,  $(n, 6n)$ ,  $(n, 7n)$ ,  $(n, 8n)$ ,  $(n, 9n)$ ,  $E=1-300$  MeV; measured  $E\gamma$ ,  $I\gamma$ ; deduced  $\gamma$ -ray production  $\sigma$ . CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol1,P898
- 2005TA26 NUCLEAR REACTIONS  $\text{Ir}(p, xnyp)^{188}\text{Pt} / ^{189}\text{Pt} / ^{191}\text{Pt} / ^{185}\text{Ir} / ^{186}\text{Ir} / ^{188}\text{Ir} / ^{189}\text{Ir} / ^{190}\text{Ir} / ^{192}\text{Ir} / ^{185}\text{Os}$ ,  $E \approx 3-70$  MeV; measured  $\sigma$ ; deduced integral yields. Stacked-foil activation technique. JOUR NIMBE 239 293
- 2005TAZV NUCLEAR REACTIONS  $\text{Ir}(p, X)^{188}\text{Pt} / ^{189}\text{Pt} / ^{191}\text{Pt} / ^{186}\text{Ir} / ^{187}\text{Ir} / ^{188}\text{Ir} / ^{189}\text{Ir} / ^{190}\text{Ir} / ^{192}\text{Ir}$ ,  $E \approx 10-70$  MeV; measured excitation functions; deduced integral yields. Stacked-foil activation technique. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol1,P1023
- $^{186}\text{Tl}$  2005VA04 RADIOACTIVITY  $^{189}\text{Po}(\alpha)$  [from  $^{142}\text{Nd}(^{52}\text{Cr}, 5n)$ ,  $(^{50}\text{Cr}, 3n)$ ]; measured  $E\alpha$ ,  $E\gamma$ ,  $E(\text{ce})$ ,  $\alpha\gamma$ -coin.  $^{185}\text{Pb}$  deduced levels,  $J$ ,  $\pi$ , ICC,  $T_{1/2}$ , configurations.  $^{188,189,190,191}\text{Bi}$ ,  $^{189,190}\text{Po}(\alpha)$  [from  $^{142}\text{Nd}(^{52}\text{Cr}, X)$ ,  $(^{50}\text{Cr}, X)$ ]; measured  $E\alpha$ ,  $I\alpha$ . Potential energy surface calculations, level systematics in neighboring isotopes discussed. JOUR ZAANE 24 57
- $^{186}\text{Pb}$  2005AN17 NUCLEAR REACTIONS  $^{142}\text{Nd}(^{52}\text{Cr}, 3n)$ ,  $(^{52}\text{Cr}, 4n)$ ,  $(^{52}\text{Cr}, 5n)$ ,  $(^{52}\text{Cr}, 6n)$ ,  $(^{52}\text{Cr}, np)$ ,  $(^{52}\text{Cr}, 2np)$ ,  $(^{52}\text{Cr}, 3np)$ ,  $(^{52}\text{Cr}, 4np)$ ,  $(^{52}\text{Cr}, 5np)$ ,  $(^{52}\text{Cr}, 6np)$ ,  $E=220-310$  MeV;  $^{142}\text{Nd}(^{50}\text{Cr}, 3n)$ ,  $(^{50}\text{Cr}, 4n)$ ,  $(^{50}\text{Cr}, 2np)$ ,  $(^{50}\text{Cr}, 3np)$ ,  $(^{50}\text{Cr}, 4np)$ ,  $(^{50}\text{Cr}, 5np)$ ,  $E=230-285$  MeV;  $^{92}\text{Mo}(^{98}\text{Mo}, 2np)$ ,  $(^{98}\text{Mo}, 3np)$ ,  $E=427-460$  MeV;  $^{93}\text{Nb}(^{95}\text{Mo}, n)$ ,  $(^{95}\text{Mo}, 2n)$ ,  $(^{95}\text{Mo}, 3n)$ ,  $(^{95}\text{Mo}, p)$ ,  $(^{95}\text{Mo}, np)$ ,  $(^{95}\text{Mo}, 2np)$ ,  $(^{95}\text{Mo}, 3np)$ ,  $(^{95}\text{Mo}, 4np)$ ,  $E=375-456$  MeV;  $^{93}\text{Nb}(^{94}\text{Mo}, 2n)$ ,  $(^{94}\text{Mo}, 3n)$ ,  $(^{94}\text{Mo}, np)$ ,  $(^{94}\text{Mo}, 2np)$ ,  $(^{94}\text{Mo}, 3np)$ ,  $E=405-450$  MeV;  $^{144}\text{Sm}(^{46}\text{Ti}, 3n)$ ,  $(^{46}\text{Ti}, 4n)$ ,  $E=202-242$  MeV; measured  $\sigma$ . Velocity filter, comparison with statistical model predictions. JOUR PRVCA 72 014612
- 2005PA42 NUCLEAR REACTIONS  $^{106}\text{Pd}(^{83}\text{Kr}, 3n)$ ,  $E=355$  MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -, (recoil) $\gamma$ -coin.  $^{186}\text{Pb}$  deduced levels,  $J$ ,  $\pi$ , oblate deformation. Jurogam array, recoil-decay tagging, interacting boson model calculations. JOUR PRVCA 72 011304
- 2005PA69 NUCLEAR REACTIONS  $^{106}\text{Pd}(^{83}\text{Kr}, 3n)$ ,  $E=355$  MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -, (recoil) $\gamma$ -coin; deduced production  $\sigma$ .  $^{186}\text{Pb}$  deduced levels,  $J$ ,  $\pi$ , deformation. Jurogam array, recoil-decay tagging. JOUR ZAANE 25 s01 449
- 2005UU03 RADIOACTIVITY  $^{188,190,192,194,196,198,200,202,204}\text{Po}$ ,  $^{191,193,195,197,199}\text{At}$ ,  $^{196,198,200,202,204,206}\text{Rn}$ ,  $^{199,201,203,205,207}\text{Fr}(\alpha)$ ; measured reduced widths using gas filled recoil separator; deduced hindrance factors, proton intruder states and deformation effects. JOUR ZAANE 25 s01 179
- 2005VA04 RADIOACTIVITY  $^{189}\text{Po}(\alpha)$  [from  $^{142}\text{Nd}(^{52}\text{Cr}, 5n)$ ,  $(^{50}\text{Cr}, 3n)$ ]; measured  $E\alpha$ ,  $E\gamma$ ,  $E(\text{ce})$ ,  $\alpha\gamma$ -coin.  $^{185}\text{Pb}$  deduced levels,  $J$ ,  $\pi$ , ICC,  $T_{1/2}$ , configurations.  $^{188,189,190,191}\text{Bi}$ ,  $^{189,190}\text{Po}(\alpha)$  [from  $^{142}\text{Nd}(^{52}\text{Cr}, X)$ ,  $(^{50}\text{Cr}, X)$ ]; measured  $E\alpha$ ,  $I\alpha$ . Potential energy surface calculations, level systematics in neighboring isotopes discussed. JOUR ZAANE 24 57

**A=186 (continued)**

- <sup>186</sup>Bi      2005AN17      NUCLEAR REACTIONS <sup>142</sup>Nd(<sup>52</sup>Cr, 3n), (<sup>52</sup>Cr, 4n), (<sup>52</sup>Cr, 5n), (<sup>52</sup>Cr, 6n), (<sup>52</sup>Cr, np), (<sup>52</sup>Cr, 2np), (<sup>52</sup>Cr, 3np), (<sup>52</sup>Cr, 4np), (<sup>52</sup>Cr, 5np), (<sup>52</sup>Cr, 6np), E=220-310 MeV; <sup>142</sup>Nd(<sup>50</sup>Cr, 3n), (<sup>50</sup>Cr, 4n), (<sup>50</sup>Cr, 2np), (<sup>50</sup>Cr, 3np), (<sup>50</sup>Cr, 4np), (<sup>50</sup>Cr, 5np), E=230-285 MeV; <sup>92</sup>Mo(<sup>98</sup>Mo, 2np), (<sup>98</sup>Mo, 3np), E=427-460 MeV; <sup>93</sup>Nb(<sup>95</sup>Mo, n), (<sup>95</sup>Mo, 2n), (<sup>95</sup>Mo, 3n), (<sup>95</sup>Mo, p), (<sup>95</sup>Mo, np), (<sup>95</sup>Mo, 2np), (<sup>95</sup>Mo, 3np), (<sup>95</sup>Mo, 4np), E=375-456 MeV; <sup>93</sup>Nb(<sup>94</sup>Mo, 2n), (<sup>94</sup>Mo, 3n), (<sup>94</sup>Mo, np), (<sup>94</sup>Mo, 2np), (<sup>94</sup>Mo, 3np), E=405-450 MeV; <sup>144</sup>Sm(<sup>46</sup>Ti, 3n), (<sup>46</sup>Ti, 4n), E=202-242 MeV; measured  $\sigma$ . Velocity filter, comparison with statistical model predictions. JOUR PRVCA 72 014612
- 2005GEZW      ATOMIC MASSES <sup>235</sup>Ac; measured mass, T<sub>1/2</sub>. <sup>185,186,187,188,189,190,191,192,193,194,195,196</sup>Bi; measured masses, proton separation energies. <sup>207m</sup>Tl; measured T<sub>1/2</sub>. Stored beams, Schottky mass spectrometry. PREPRINT nucl-ex/0510009,10/4/2005
- <sup>186</sup>Po      2005AN17      NUCLEAR REACTIONS <sup>142</sup>Nd(<sup>52</sup>Cr, 3n), (<sup>52</sup>Cr, 4n), (<sup>52</sup>Cr, 5n), (<sup>52</sup>Cr, 6n), (<sup>52</sup>Cr, np), (<sup>52</sup>Cr, 2np), (<sup>52</sup>Cr, 3np), (<sup>52</sup>Cr, 4np), (<sup>52</sup>Cr, 5np), (<sup>52</sup>Cr, 6np), E=220-310 MeV; <sup>142</sup>Nd(<sup>50</sup>Cr, 3n), (<sup>50</sup>Cr, 4n), (<sup>50</sup>Cr, 2np), (<sup>50</sup>Cr, 3np), (<sup>50</sup>Cr, 4np), (<sup>50</sup>Cr, 5np), E=230-285 MeV; <sup>92</sup>Mo(<sup>98</sup>Mo, 2np), (<sup>98</sup>Mo, 3np), E=427-460 MeV; <sup>93</sup>Nb(<sup>95</sup>Mo, n), (<sup>95</sup>Mo, 2n), (<sup>95</sup>Mo, 3n), (<sup>95</sup>Mo, p), (<sup>95</sup>Mo, np), (<sup>95</sup>Mo, 2np), (<sup>95</sup>Mo, 3np), (<sup>95</sup>Mo, 4np), E=375-456 MeV; <sup>93</sup>Nb(<sup>94</sup>Mo, 2n), (<sup>94</sup>Mo, 3n), (<sup>94</sup>Mo, np), (<sup>94</sup>Mo, 2np), (<sup>94</sup>Mo, 3np), E=405-450 MeV; <sup>144</sup>Sm(<sup>46</sup>Ti, 3n), (<sup>46</sup>Ti, 4n), E=202-242 MeV; measured  $\sigma$ . Velocity filter, comparison with statistical model predictions. JOUR PRVCA 72 014612
- 2005ANZY      NUCLEAR REACTIONS <sup>144</sup>Sm(<sup>46</sup>Ti, xn), E not given; measured E $\gamma$ , E $\alpha$ ,  $\alpha\alpha$ -,  $\alpha\gamma$ -coin following residual nucleus decay; deduced evidence for <sup>186,187</sup>Po. <sup>144</sup>Sm(<sup>51</sup>V, xn), E not given; measured E $\gamma$ , E $\alpha$ ,  $\alpha\alpha$ -,  $\alpha\gamma$ -coin following residual nucleus decay; deduced evidence for <sup>192</sup>At. REPT GSI 2005-1,P77,Andreyev
- 2005ANZY      RADIOACTIVITY <sup>186,187</sup>Po, <sup>183</sup>Pb, <sup>179</sup>Hg, <sup>175</sup>Pt( $\alpha$ ) [from <sup>144</sup>Sm(<sup>46</sup>Ti, xn) and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>. <sup>183</sup>Pb deduced excited state energy. <sup>187</sup>Po deduced isomeric states. <sup>192</sup>At( $\alpha$ ) [from <sup>144</sup>Sm(<sup>51</sup>V, xn)]; measured E $\alpha$ ,  $\alpha\alpha$ -coin, T<sub>1/2</sub>; deduced isomeric states. REPT GSI 2005-1,P77,Andreyev

**A=187**

- <sup>187</sup>W      2005NAZY      NUCLEAR REACTIONS <sup>27</sup>Al(d, X)<sup>27</sup>Mg / <sup>24</sup>Na, E=22-40 MeV; Cu(d, X)<sup>62</sup>Zn / <sup>63</sup>Zn / <sup>61</sup>Cu / <sup>64</sup>Cu, E=22-40 MeV; W(d, X)<sup>181</sup>Re / <sup>182</sup>Re / <sup>183</sup>Re / <sup>184</sup>Re / <sup>186</sup>Re / <sup>187</sup>W, E=22-40 MeV; measured activation  $\sigma$ . Comparison with previous results and model predictions. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol2, P1489
- 2005SH26      NUCLEAR REACTIONS <sup>186</sup>W(<sup>82</sup>Se, X)<sup>187</sup>W / <sup>187</sup>Re / <sup>185</sup>Re, E=630 MeV; measured prompt and delayed E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -, (particle) $\gamma$ -coin. <sup>187</sup>W deduced levels, J,  $\pi$ , isomer T<sub>1/2</sub>, configuration. Recoil shadow technique. JOUR PRVCA 71 067301

**A=187 (continued)**

- $^{187}\text{Re}$  2004MB03 NUCLEAR MOMENTS  $^{113,115}\text{In}$ ,  $^{153,155}\text{Eu}$ ,  $^{185,187}\text{Re}$ ,  $^{203,205}\text{Tl}$ ,  $^{209,211}\text{Fr}$ ; measured hfs; deduced hyperfine magnetic anomaly, relative radii. Laser resonance fluorescence. JOUR BRSPPE 68 157
- 2005SH26 NUCLEAR REACTIONS  $^{186}\text{W}(^{82}\text{Se}, \text{X})^{187}\text{W}$  /  $^{187}\text{Re}$  /  $^{185}\text{Re}$ , E=630 MeV; measured prompt and delayed  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ , (particle) $\gamma$ -coin.  $^{187}\text{W}$  deduced levels, J,  $\pi$ , isomer  $T_{1/2}$ , configuration. Recoil shadow technique. JOUR PRVCA 71 067301
- $^{187}\text{Os}$  2005AB22 NUCLEAR REACTIONS  $^{186,187}\text{Os}(n, \gamma)$ , E  $\approx$  1-1000 keV; measured capture  $\sigma$ . Astrophysical implications discussed. JOUR NUPAB 758 501c
- 2005MOZV NUCLEAR REACTIONS  $^{186,187,188}\text{Os}(n, \gamma)$ , E < 1 MeV; measured capture  $\sigma$ . Comparison with previous results, astrophysical implications discussed. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol2, P1335
- 2005SE19 NUCLEAR REACTIONS  $^{186,187,188}\text{Os}(n, \gamma)$ , E=10-90 keV; measured  $E\gamma$ ,  $I\gamma$ . JOUR NUPAB 758 553c
- 2005SH37 NUCLEAR REACTIONS  $^{186}\text{W}$ ,  $^{187}\text{Re}$ ,  $^{188}\text{Os}(\gamma, n)$ , E=7.3-10.9 MeV; measured  $\sigma$ .  $^{185}\text{W}$ ,  $^{186}\text{Re}$ ,  $^{187}\text{Os}(n, \gamma)$ , E < 100 keV; calculated capture  $\sigma$ . Astrophysical implications discussed. JOUR PRVCA 72 025808
- 2005SH41 NUCLEAR REACTIONS  $^{188}\text{Os}(\gamma, n)$ , E=8-11 MeV; measured  $\sigma$ ; deduced parameters.  $^{187}\text{Os}(n, \gamma)$ , E=5-50 keV; calculated capture  $\sigma$ . Astrophysical implications discussed. JOUR NUPAB 758 561c
- 2005SHZX NUCLEAR REACTIONS  $^{186}\text{W}$ ,  $^{187}\text{Re}$ ,  $^{188}\text{Os}(\gamma, n)$ , E  $\approx$  7.3-10.9 MeV; measured  $\sigma$ ; deduced parameters. Hauser-Feshbach model, implications for cosmochronology discussed. PREPRINT  
nucl-ex/0506027,6/30/2005
- $^{187}\text{Ir}$  2005FOZZ NUCLEAR REACTIONS  $^{191}\text{Ir}(n, n')$ , (n, 2n), (n, 3n), (n, 4n), (n, 5n), (n, 6n), (n, 7n), (n, 8n), (n, 9n), E=1-300 MeV; measured  $E\gamma$ ,  $I\gamma$ ; deduced  $\gamma$ -ray production  $\sigma$ . CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P898
- 2005TAZV NUCLEAR REACTIONS  $\text{Ir}(p, \text{X})^{188}\text{Pt}$  /  $^{189}\text{Pt}$  /  $^{191}\text{Pt}$  /  $^{186}\text{Ir}$  /  $^{187}\text{Ir}$  /  $^{188}\text{Ir}$  /  $^{189}\text{Ir}$  /  $^{190}\text{Ir}$  /  $^{192}\text{Ir}$ , E  $\approx$  10-70 MeV; measured excitation functions; deduced integral yields. Stacked-foil activation technique. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P1023
- $^{187}\text{Tl}$  2005CH38 NUCLEAR REACTIONS  $^{159}\text{Tb}(^{32}\text{S}, 4n)$ , E=154 MeV; measured Doppler-shifted  $E\gamma$ ,  $I\gamma$ .  $^{187}\text{Tl}$  deduced high-spin levels, J,  $\pi$ , configurations,  $T_{1/2}$ , transition quadrupole moments, B(E2), shape coexistence. Comparison with model predictions. JOUR PRVCA 71 054324
- 2005VA04 RADIOACTIVITY  $^{189}\text{Po}(\alpha)$  [from  $^{142}\text{Nd}(^{52}\text{Cr}, 5n)$ , ( $^{50}\text{Cr}, 3n$ )]; measured  $E\alpha$ ,  $E\gamma$ , E(cc),  $\alpha\gamma$ -coin.  $^{185}\text{Pb}$  deduced levels, J,  $\pi$ , ICC,  $T_{1/2}$ , configurations.  $^{188,189,190,191}\text{Bi}$ ,  $^{189,190}\text{Po}(\alpha)$  [from  $^{142}\text{Nd}(^{52}\text{Cr}, \text{X})$ , ( $^{50}\text{Cr}, \text{X}$ )]; measured  $E\alpha$ ,  $I\alpha$ . Potential energy surface calculations, level systematics in neighboring isotopes discussed. JOUR ZAANE 24 57

## A=187 (continued)

- $^{187}\text{Pb}$  2005AN17 NUCLEAR REACTIONS  $^{142}\text{Nd}(^{52}\text{Cr}, 3\text{n}), (^{52}\text{Cr}, 4\text{n}), (^{52}\text{Cr}, 5\text{n}), (^{52}\text{Cr}, 6\text{n}), (^{52}\text{Cr}, \text{np}), (^{52}\text{Cr}, 2\text{np}), (^{52}\text{Cr}, 3\text{np}), (^{52}\text{Cr}, 4\text{np}), (^{52}\text{Cr}, 5\text{np}), (^{52}\text{Cr}, 6\text{np}), \text{E}=220\text{-}310 \text{ MeV}; ^{142}\text{Nd}(^{50}\text{Cr}, 3\text{n}), (^{50}\text{Cr}, 4\text{n}), (^{50}\text{Cr}, 2\text{np}), (^{50}\text{Cr}, 3\text{np}), (^{50}\text{Cr}, 4\text{np}), (^{50}\text{Cr}, 5\text{np}), \text{E}=230\text{-}285 \text{ MeV}; ^{92}\text{Mo}(^{98}\text{Mo}, 2\text{np}), (^{98}\text{Mo}, 3\text{np}), \text{E}=427\text{-}460 \text{ MeV}; ^{93}\text{Nb}(^{95}\text{Mo}, \text{n}), (^{95}\text{Mo}, 2\text{n}), (^{95}\text{Mo}, 3\text{n}), (^{95}\text{Mo}, \text{p}), (^{95}\text{Mo}, \text{np}), (^{95}\text{Mo}, 2\text{np}), (^{95}\text{Mo}, 3\text{np}), (^{95}\text{Mo}, 4\text{np}), \text{E}=375\text{-}456 \text{ MeV}; ^{93}\text{Nb}(^{94}\text{Mo}, 2\text{n}), (^{94}\text{Mo}, 3\text{n}), (^{94}\text{Mo}, \text{np}), (^{94}\text{Mo}, 2\text{np}), (^{94}\text{Mo}, 3\text{np}), \text{E}=405\text{-}450 \text{ MeV};  $^{144}\text{Sm}(^{46}\text{Ti}, 3\text{n}), (^{46}\text{Ti}, 4\text{n}), \text{E}=202\text{-}242 \text{ MeV}$ ; measured  $\sigma$ . Velocity filter, comparison with statistical model predictions. JOUR PRVCA 72 014612$
- 2005WE11 ATOMIC MASSES  $^{187,187m}\text{Pb}$ ; measured masses.  $^{187}\text{Pb}$  deduced isomeric state energy. Penning trap mass spectrometer. JOUR PYLAA 347 81
- $^{187}\text{Bi}$  2005AN17 NUCLEAR REACTIONS  $^{142}\text{Nd}(^{52}\text{Cr}, 3\text{n}), (^{52}\text{Cr}, 4\text{n}), (^{52}\text{Cr}, 5\text{n}), (^{52}\text{Cr}, 6\text{n}), (^{52}\text{Cr}, \text{np}), (^{52}\text{Cr}, 2\text{np}), (^{52}\text{Cr}, 3\text{np}), (^{52}\text{Cr}, 4\text{np}), (^{52}\text{Cr}, 5\text{np}), (^{52}\text{Cr}, 6\text{np}), \text{E}=220\text{-}310 \text{ MeV}; ^{142}\text{Nd}(^{50}\text{Cr}, 3\text{n}), (^{50}\text{Cr}, 4\text{n}), (^{50}\text{Cr}, 2\text{np}), (^{50}\text{Cr}, 3\text{np}), (^{50}\text{Cr}, 4\text{np}), (^{50}\text{Cr}, 5\text{np}), \text{E}=230\text{-}285 \text{ MeV}; ^{92}\text{Mo}(^{98}\text{Mo}, 2\text{np}), (^{98}\text{Mo}, 3\text{np}), \text{E}=427\text{-}460 \text{ MeV}; ^{93}\text{Nb}(^{95}\text{Mo}, \text{n}), (^{95}\text{Mo}, 2\text{n}), (^{95}\text{Mo}, 3\text{n}), (^{95}\text{Mo}, \text{p}), (^{95}\text{Mo}, \text{np}), (^{95}\text{Mo}, 2\text{np}), (^{95}\text{Mo}, 3\text{np}), (^{95}\text{Mo}, 4\text{np}), \text{E}=375\text{-}456 \text{ MeV}; ^{93}\text{Nb}(^{94}\text{Mo}, 2\text{n}), (^{94}\text{Mo}, 3\text{n}), (^{94}\text{Mo}, \text{np}), (^{94}\text{Mo}, 2\text{np}), (^{94}\text{Mo}, 3\text{np}), \text{E}=405\text{-}450 \text{ MeV};  $^{144}\text{Sm}(^{46}\text{Ti}, 3\text{n}), (^{46}\text{Ti}, 4\text{n}), \text{E}=202\text{-}242 \text{ MeV}$ ; measured  $\sigma$ . Velocity filter, comparison with statistical model predictions. JOUR PRVCA 72 014612$
- 2005GEZW ATOMIC MASSES  $^{235}\text{Ac}$ ; measured mass,  $T_{1/2}$ .  $^{185,186,187,188,189,190,191,192,193,194,195,196}\text{Bi}$ ; measured masses, proton separation energies.  $^{207m}\text{Tl}$ ; measured  $T_{1/2}$ . Stored beams, Schottky mass spectrometry. PREPRINT nucl-ex/0510009,10/4/2005
- 2005KE10 RADIOACTIVITY  $^{191,193,195}\text{At}(\alpha)$ ; measured  $E\alpha, E\gamma, \gamma\alpha$ -coin.  $^{191,193,195}\text{At}$  deduced levels, J,  $\pi$ , configurations, proton separation energies.  $^{187,189,191}\text{Bi}$  deduced levels J,  $\pi$ , configurations. Comparison with theory. JOUR ZAANE 25 s01 181
- 2005UU03 RADIOACTIVITY  $^{188,190,192,194,196,198,200,202,204}\text{Po}, ^{191,193,195,197,199}\text{At}, ^{196,198,200,202,204,206}\text{Rn}, ^{199,201,203,205,207}\text{Fr}(\alpha)$ ; measured reduced widths using gas filled recoil separator; deduced hindrance factors, proton intruder states and deformation effects. JOUR ZAANE 25 s01 179
- $^{187}\text{Po}$  2005AN17 NUCLEAR REACTIONS  $^{142}\text{Nd}(^{52}\text{Cr}, 3\text{n}), (^{52}\text{Cr}, 4\text{n}), (^{52}\text{Cr}, 5\text{n}), (^{52}\text{Cr}, 6\text{n}), (^{52}\text{Cr}, \text{np}), (^{52}\text{Cr}, 2\text{np}), (^{52}\text{Cr}, 3\text{np}), (^{52}\text{Cr}, 4\text{np}), (^{52}\text{Cr}, 5\text{np}), (^{52}\text{Cr}, 6\text{np}), \text{E}=220\text{-}310 \text{ MeV}; ^{142}\text{Nd}(^{50}\text{Cr}, 3\text{n}), (^{50}\text{Cr}, 4\text{n}), (^{50}\text{Cr}, 2\text{np}), (^{50}\text{Cr}, 3\text{np}), (^{50}\text{Cr}, 4\text{np}), (^{50}\text{Cr}, 5\text{np}), \text{E}=230\text{-}285 \text{ MeV}; ^{92}\text{Mo}(^{98}\text{Mo}, 2\text{np}), (^{98}\text{Mo}, 3\text{np}), \text{E}=427\text{-}460 \text{ MeV}; ^{93}\text{Nb}(^{95}\text{Mo}, \text{n}), (^{95}\text{Mo}, 2\text{n}), (^{95}\text{Mo}, 3\text{n}), (^{95}\text{Mo}, \text{p}), (^{95}\text{Mo}, \text{np}), (^{95}\text{Mo}, 2\text{np}), (^{95}\text{Mo}, 3\text{np}), (^{95}\text{Mo}, 4\text{np}), \text{E}=375\text{-}456 \text{ MeV}; ^{93}\text{Nb}(^{94}\text{Mo}, 2\text{n}), (^{94}\text{Mo}, 3\text{n}), (^{94}\text{Mo}, \text{np}), (^{94}\text{Mo}, 2\text{np}), (^{94}\text{Mo}, 3\text{np}), \text{E}=405\text{-}450 \text{ MeV};  $^{144}\text{Sm}(^{46}\text{Ti}, 3\text{n}), (^{46}\text{Ti}, 4\text{n}), \text{E}=202\text{-}242 \text{ MeV}$ ; measured  $\sigma$ . Velocity filter, comparison with statistical model predictions. JOUR PRVCA 72 014612$

**A=187 (continued)**

- 2005ANZY NUCLEAR REACTIONS  $^{144}\text{Sm}(^{46}\text{Ti}, \text{xn})$ , E not given; measured  $E\gamma$ ,  $E\alpha$ ,  $\alpha\alpha$ -,  $\alpha\gamma$ -coin following residual nucleus decay; deduced evidence for  $^{186,187}\text{Po}$ .  $^{144}\text{Sm}(^{51}\text{V}, \text{xn})$ , E not given; measured  $E\gamma$ ,  $E\alpha$ ,  $\alpha\alpha$ -,  $\alpha\gamma$ -coin following residual nucleus decay; deduced evidence for  $^{192}\text{At}$ . REPT GSI 2005-1,P77,Andreyev
- 2005ANZY RADIOACTIVITY  $^{186,187}\text{Po}$ ,  $^{183}\text{Pb}$ ,  $^{179}\text{Hg}$ ,  $^{175}\text{Pt}(\alpha)$  [from  $^{144}\text{Sm}(^{46}\text{Ti}, \text{xn})$  and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ .  $^{183}\text{Pb}$  deduced excited state energy.  $^{187}\text{Po}$  deduced isomeric states.  $^{192}\text{At}(\alpha)$  [from  $^{144}\text{Sm}(^{51}\text{V}, \text{xn})$ ]; measured  $E\alpha$ ,  $\alpha\alpha$ -coin,  $T_{1/2}$ ; deduced isomeric states. REPT GSI 2005-1,P77,Andreyev

**A=188**

- $^{188}\text{Ta}$  2005CA02 RADIOACTIVITY  $^{188}\text{Ta}$ ,  $^{190}\text{W}$ ,  $^{192,193}\text{Re}$ ,  $^{195}\text{Os}$ ,  $^{197,198}\text{Ir}$ ,  $^{200,201,202}\text{Pt}$ ,  $^{203}\text{Au}(\text{IT})$  [from  $\text{Be}(^{208}\text{Pb}, \text{X})$ ]; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin,  $T_{1/2}$ .  $^{188}\text{Ta}$ ,  $^{190}\text{W}$ ,  $^{192,193}\text{Re}$ ,  $^{195}\text{Os}$ ,  $^{197,198}\text{Ir}$ ,  $^{200,201,202}\text{Pt}$ ,  $^{203}\text{Au}$  deduced transitions.  $^{190}\text{W}$ ,  $^{200,201,202}\text{Pt}$  deduced levels, J,  $\pi$ .  $^{174,175}\text{Er}$ ,  $^{185}\text{Hf}$ ,  $^{191,194}\text{Re}$ ,  $^{199}\text{Ir}(\text{IT})$  [from  $\text{Be}(^{208}\text{Pb}, \text{X})$ ]; measured  $E\gamma$ ,  $I\gamma$ . JOUR ZAANE 23 201
- $^{188}\text{Os}$  2004M054 NUCLEAR REACTIONS  $^{192}\text{Os}(^{82}\text{Se}, \text{X})^{188}\text{Os}$  /  $^{190}\text{Os}$ , E=460 MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{188,190}\text{Os}$  deduced high-spin levels, J,  $\pi$ . GASP array. JOUR BJPHE 34 792
- 2005AB22 NUCLEAR REACTIONS  $^{186,187}\text{Os}(\text{n}, \gamma)$ , E  $\approx$  1-1000 keV; measured capture  $\sigma$ . Astrophysical implications discussed. JOUR NUPAB 758 501c
- 2005CL07 NUCLEAR REACTIONS  $^{184}\text{W}(^7\text{Li}, \text{xn})$ , ( $^7\text{Li}, \text{xnp}$ ), ( $^7\text{Li}, \text{xn}\alpha$ ), E=35-70 MeV; calculated  $\sigma$ .  $^{184}\text{W}(^7\text{Li}, \text{X})^{184}\text{Os}$  /  $^{185}\text{Os}$  /  $^{186}\text{Os}$  /  $^{188}\text{Os}$  /  $^{184}\text{Ir}$  /  $^{185}\text{Ir}$  /  $^{186}\text{Ir}$  /  $^{183}\text{Re}$  /  $^{185}\text{Re}$ , E=40-70 MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -, (charged particle) $\gamma$ -coin, particle yield ratios.  $^{160}\text{Gd}(^7\text{Li}, \text{xnp})$ , E=35-65 MeV; analyzed  $\sigma$ . Liberace, Stars arrays. JOUR PRVCA 72 054605
- 2005MOZV NUCLEAR REACTIONS  $^{186,187,188}\text{Os}(\text{n}, \gamma)$ , E < 1 MeV; measured capture  $\sigma$ . Comparison with previous results, astrophysical implications discussed. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol2, P1335
- 2005SE19 NUCLEAR REACTIONS  $^{186,187,188}\text{Os}(\text{n}, \gamma)$ , E=10-90 keV; measured  $E\gamma$ ,  $I\gamma$ . JOUR NUPAB 758 553c
- 2005SH37 NUCLEAR REACTIONS  $^{186}\text{W}$ ,  $^{187}\text{Re}$ ,  $^{188}\text{Os}(\gamma, \text{n})$ , E=7.3-10.9 MeV; measured  $\sigma$ .  $^{185}\text{W}$ ,  $^{186}\text{Re}$ ,  $^{187}\text{Os}(\text{n}, \gamma)$ , E < 100 keV; calculated capture  $\sigma$ . Astrophysical implications discussed. JOUR PRVCA 72 025808
- 2005SH41 NUCLEAR REACTIONS  $^{188}\text{Os}(\gamma, \text{n})$ , E=8-11 MeV; measured  $\sigma$ ; deduced parameters.  $^{187}\text{Os}(\text{n}, \gamma)$ , E=5-50 keV; calculated capture  $\sigma$ . Astrophysical implications discussed. JOUR NUPAB 758 561c
- $^{188}\text{Ir}$  2005FOZZ NUCLEAR REACTIONS  $^{191}\text{Ir}(\text{n}, \text{n}')$ , ( $\text{n}, 2\text{n}$ ), ( $\text{n}, 3\text{n}$ ), ( $\text{n}, 4\text{n}$ ), ( $\text{n}, 5\text{n}$ ), ( $\text{n}, 6\text{n}$ ), ( $\text{n}, 7\text{n}$ ), ( $\text{n}, 8\text{n}$ ), ( $\text{n}, 9\text{n}$ ), E=1-300 MeV; measured  $E\gamma$ ,  $I\gamma$ ; deduced  $\gamma$ -ray production  $\sigma$ . CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P898

A=188 (*continued*)

- 2005TA26 NUCLEAR REACTIONS Ir(p, xnyp)<sup>188</sup>Pt / <sup>189</sup>Pt / <sup>191</sup>Pt / <sup>185</sup>Ir / <sup>186</sup>Ir / <sup>188</sup>Ir / <sup>189</sup>Ir / <sup>190</sup>Ir / <sup>192</sup>Ir / <sup>185</sup>Os, E ≈ 3-70 MeV; measured σ; deduced integral yields. Stacked-foil activation technique. JOUR NIMBE 239 293
- 2005TAZV NUCLEAR REACTIONS Ir(p, X)<sup>188</sup>Pt / <sup>189</sup>Pt / <sup>191</sup>Pt / <sup>186</sup>Ir / <sup>187</sup>Ir / <sup>188</sup>Ir / <sup>189</sup>Ir / <sup>190</sup>Ir / <sup>192</sup>Ir, E ≈ 10-70 MeV; measured excitation functions; deduced integral yields. Stacked-foil activation technique. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P1023
- <sup>188</sup>Pt 2005TA26 NUCLEAR REACTIONS Ir(p, xnyp)<sup>188</sup>Pt / <sup>189</sup>Pt / <sup>191</sup>Pt / <sup>185</sup>Ir / <sup>186</sup>Ir / <sup>188</sup>Ir / <sup>189</sup>Ir / <sup>190</sup>Ir / <sup>192</sup>Ir / <sup>185</sup>Os, E ≈ 3-70 MeV; measured σ; deduced integral yields. Stacked-foil activation technique. JOUR NIMBE 239 293
- 2005TAZV NUCLEAR REACTIONS Ir(p, X)<sup>188</sup>Pt / <sup>189</sup>Pt / <sup>191</sup>Pt / <sup>186</sup>Ir / <sup>187</sup>Ir / <sup>188</sup>Ir / <sup>189</sup>Ir / <sup>190</sup>Ir / <sup>192</sup>Ir, E ≈ 10-70 MeV; measured excitation functions; deduced integral yields. Stacked-foil activation technique. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P1023
- <sup>188</sup>Pb 2005GR35 NUCLEAR REACTIONS <sup>108</sup>Pd(<sup>83</sup>Kr, 3n), E=340 MeV; measured Doppler-shifted E<sub>γ</sub>, I<sub>γ</sub>, (recoil)γ-coin. <sup>188</sup>Pb levels deduced T<sub>1/2</sub>, B(E2), deformation. Jurogam array, mass separator, recoil-distance technique. JOUR ZAANE 25 s01 441
- 2005UU03 RADIOACTIVITY <sup>188,190,192,194,196,198,200,202,204</sup>Po, <sup>191,193,195,197,199</sup>At, <sup>196,198,200,202,204,206</sup>Rn, <sup>199,201,203,205,207</sup>Fr(α); measured reduced widths using gas filled recoil separator; deduced hindrance factors, proton intruder states and deformation effects. JOUR ZAANE 25 s01 179
- <sup>188</sup>Bi 2005AN17 NUCLEAR REACTIONS <sup>142</sup>Nd(<sup>52</sup>Cr, 3n), (<sup>52</sup>Cr, 4n), (<sup>52</sup>Cr, 5n), (<sup>52</sup>Cr, 6n), (<sup>52</sup>Cr, np), (<sup>52</sup>Cr, 2np), (<sup>52</sup>Cr, 3np), (<sup>52</sup>Cr, 4np), (<sup>52</sup>Cr, 5np), (<sup>52</sup>Cr, 6np), E=220-310 MeV; <sup>142</sup>Nd(<sup>50</sup>Cr, 3n), (<sup>50</sup>Cr, 4n), (<sup>50</sup>Cr, 2np), (<sup>50</sup>Cr, 3np), (<sup>50</sup>Cr, 4np), (<sup>50</sup>Cr, 5np), E=230-285 MeV; <sup>92</sup>Mo(<sup>98</sup>Mo, 2np), (<sup>98</sup>Mo, 3np), E=427-460 MeV; <sup>93</sup>Nb(<sup>95</sup>Mo, n), (<sup>95</sup>Mo, 2n), (<sup>95</sup>Mo, 3n), (<sup>95</sup>Mo, p), (<sup>95</sup>Mo, np), (<sup>95</sup>Mo, 2np), (<sup>95</sup>Mo, 3np), (<sup>95</sup>Mo, 4np), E=375-456 MeV; <sup>93</sup>Nb(<sup>94</sup>Mo, 2n), (<sup>94</sup>Mo, 3n), (<sup>94</sup>Mo, np), (<sup>94</sup>Mo, 2np), (<sup>94</sup>Mo, 3np), E=405-450 MeV; <sup>144</sup>Sm(<sup>46</sup>Ti, 3n), (<sup>46</sup>Ti, 4n), E=202-242 MeV; measured σ. Velocity filter, comparison with statistical model predictions. JOUR PRVCA 72 014612
- 2005ANZY RADIOACTIVITY <sup>186,187</sup>Po, <sup>183</sup>Pb, <sup>179</sup>Hg, <sup>175</sup>Pt(α) [from <sup>144</sup>Sm(<sup>46</sup>Ti, xn) and subsequent decay]; measured Eα, T<sub>1/2</sub>. <sup>183</sup>Pb deduced excited state energy. <sup>187</sup>Po deduced isomeric states. <sup>192</sup>At(α) [from <sup>144</sup>Sm(<sup>51</sup>V, xn)]; measured Eα, αα-coin, T<sub>1/2</sub>; deduced isomeric states. REPT GSI 2005-1, P77, Andreyev
- 2005GEZW ATOMIC MASSES <sup>235</sup>Ac; measured mass, T<sub>1/2</sub>. <sup>185,186,187,188,189,190,191,192,193,194,195,196</sup>Bi; measured masses, proton separation energies. <sup>207m</sup>Tl; measured T<sub>1/2</sub>. Stored beams, Schottky mass spectrometry. PREPRINT nucl-ex/0510009, 10/4/2005

**A=188 (continued)**

- 2005VA04 RADIOACTIVITY  $^{189}\text{Po}(\alpha)$  [from  $^{142}\text{Nd}(^{52}\text{Cr}, 5n)$ , ( $^{50}\text{Cr}, 3n$ )]; measured  $E\alpha$ ,  $E\gamma$ ,  $E(\text{ce})$ ,  $\alpha\gamma$ -coin.  $^{185}\text{Pb}$  deduced levels,  $J$ ,  $\pi$ , ICC,  $T_{1/2}$ , configurations.  $^{188,189,190,191}\text{Bi}$ ,  $^{189,190}\text{Po}(\alpha)$  [from  $^{142}\text{Nd}(^{52}\text{Cr}, X)$ , ( $^{50}\text{Cr}, X$ )]; measured  $E\alpha$ ,  $I\alpha$ . Potential energy surface calculations, level systematics in neighboring isotopes discussed. JOUR ZAANE 24 57
- $^{188}\text{Po}$  2005AN17 NUCLEAR REACTIONS  $^{142}\text{Nd}(^{52}\text{Cr}, 3n)$ , ( $^{52}\text{Cr}, 4n$ ), ( $^{52}\text{Cr}, 5n$ ), ( $^{52}\text{Cr}, 6n$ ), ( $^{52}\text{Cr}, \text{np}$ ), ( $^{52}\text{Cr}, 2\text{np}$ ), ( $^{52}\text{Cr}, 3\text{np}$ ), ( $^{52}\text{Cr}, 4\text{np}$ ), ( $^{52}\text{Cr}, 5\text{np}$ ), ( $^{52}\text{Cr}, 6\text{np}$ ),  $E=220\text{-}310$  MeV;  $^{142}\text{Nd}(^{50}\text{Cr}, 3n)$ , ( $^{50}\text{Cr}, 4n$ ), ( $^{50}\text{Cr}, 2\text{np}$ ), ( $^{50}\text{Cr}, 3\text{np}$ ), ( $^{50}\text{Cr}, 4\text{np}$ ), ( $^{50}\text{Cr}, 5\text{np}$ ),  $E=230\text{-}285$  MeV;  $^{92}\text{Mo}(^{98}\text{Mo}, 2\text{np})$ , ( $^{98}\text{Mo}, 3\text{np}$ ),  $E=427\text{-}460$  MeV;  $^{93}\text{Nb}(^{95}\text{Mo}, \text{n})$ , ( $^{95}\text{Mo}, 2\text{n}$ ), ( $^{95}\text{Mo}, 3\text{n}$ ), ( $^{95}\text{Mo}, \text{p}$ ), ( $^{95}\text{Mo}, \text{np}$ ), ( $^{95}\text{Mo}, 2\text{np}$ ), ( $^{95}\text{Mo}, 3\text{np}$ ), ( $^{95}\text{Mo}, 4\text{np}$ ),  $E=375\text{-}456$  MeV;  $^{93}\text{Nb}(^{94}\text{Mo}, 2\text{n})$ , ( $^{94}\text{Mo}, 3\text{n}$ ), ( $^{94}\text{Mo}, \text{np}$ ), ( $^{94}\text{Mo}, 2\text{np}$ ), ( $^{94}\text{Mo}, 3\text{np}$ ),  $E=405\text{-}450$  MeV;  $^{144}\text{Sm}(^{46}\text{Ti}, 3\text{n})$ , ( $^{46}\text{Ti}, 4\text{n}$ ),  $E=202\text{-}242$  MeV; measured  $\sigma$ . Velocity filter, comparison with statistical model predictions. JOUR PRVCA 72 014612
- 2005UU03 RADIOACTIVITY  $^{188,190,192,194,196,198,200,202,204}\text{Po}$ ,  $^{191,193,195,197,199}\text{At}$ ,  $^{196,198,200,202,204,206}\text{Rn}$ ,  $^{199,201,203,205,207}\text{Fr}(\alpha)$ ; measured reduced widths using gas filled recoil separator; deduced hindrance factors, proton intruder states and deformation effects. JOUR ZAANE 25 s01 179

**A=189**

- $^{189}\text{Os}$  2005M0ZV NUCLEAR REACTIONS  $^{186,187,188}\text{Os}(\text{n}, \gamma)$ ,  $E < 1$  MeV; measured capture  $\sigma$ . Comparison with previous results, astrophysical implications discussed. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol2, P1335
- 2005SE19 NUCLEAR REACTIONS  $^{186,187,188}\text{Os}(\text{n}, \gamma)$ ,  $E=10\text{-}90$  keV; measured  $E\gamma$ ,  $I\gamma$ . JOUR NUPAB 758 553c
- $^{189}\text{Ir}$  2005F0ZZ NUCLEAR REACTIONS  $^{191}\text{Ir}(\text{n}, \text{n}')$ , ( $\text{n}, 2\text{n}$ ), ( $\text{n}, 3\text{n}$ ), ( $\text{n}, 4\text{n}$ ), ( $\text{n}, 5\text{n}$ ), ( $\text{n}, 6\text{n}$ ), ( $\text{n}, 7\text{n}$ ), ( $\text{n}, 8\text{n}$ ), ( $\text{n}, 9\text{n}$ ),  $E=1\text{-}300$  MeV; measured  $E\gamma$ ,  $I\gamma$ ; deduced  $\gamma$ -ray production  $\sigma$ . CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P898
- 2005TA26 NUCLEAR REACTIONS  $\text{Ir}(\text{p}, \text{xnp})^{188}\text{Pt} / ^{189}\text{Pt} / ^{191}\text{Pt} / ^{185}\text{Ir} / ^{186}\text{Ir} / ^{188}\text{Ir} / ^{189}\text{Ir} / ^{190}\text{Ir} / ^{192}\text{Ir} / ^{185}\text{Os}$ ,  $E \approx 3\text{-}70$  MeV; measured  $\sigma$ ; deduced integral yields. Stacked-foil activation technique. JOUR NIMBE 239 293
- 2005TAZV NUCLEAR REACTIONS  $\text{Ir}(\text{p}, \text{X})^{188}\text{Pt} / ^{189}\text{Pt} / ^{191}\text{Pt} / ^{186}\text{Ir} / ^{187}\text{Ir} / ^{188}\text{Ir} / ^{189}\text{Ir} / ^{190}\text{Ir} / ^{192}\text{Ir}$ ,  $E \approx 10\text{-}70$  MeV; measured excitation functions; deduced integral yields. Stacked-foil activation technique. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P1023
- 2005TAZW NUCLEAR REACTIONS  $\text{Pt}(\text{p}, \text{X})^{195}\text{Au} / ^{196}\text{Au} / ^{198}\text{Au} / ^{189}\text{Ir} / ^{190}\text{Ir} / ^{192}\text{Ir} / ^{194}\text{Ir}$ ,  $E \approx 0\text{-}70$  MeV;  $\text{Pt}(\text{d}, \text{X})^{192}\text{Au} / ^{193}\text{Au} / ^{194}\text{Au} / ^{195}\text{Au} / ^{196}\text{Au} / ^{195\text{m}}\text{Pt} / ^{197}\text{Pt} / ^{192}\text{Ir}$ ,  $E \approx 0\text{-}21$  MeV;  $\text{Pt}(\alpha, \text{X})^{195}\text{Au} / ^{196}\text{Au}$ ,  $E \approx 0\text{-}38$  MeV; measured activation  $\sigma$ ; deduced integral yields. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P1015

## A=189 (continued)

- <sup>189</sup>Pt 2005TA26 NUCLEAR REACTIONS Ir(p, xnyp)<sup>188</sup>Pt / <sup>189</sup>Pt / <sup>191</sup>Pt / <sup>185</sup>Ir / <sup>186</sup>Ir / <sup>188</sup>Ir / <sup>189</sup>Ir / <sup>190</sup>Ir / <sup>192</sup>Ir / <sup>185</sup>Os, E ≈ 3-70 MeV; measured σ; deduced integral yields. Stacked-foil activation technique. JOUR NIMBE 239 293
- 2005TAZV NUCLEAR REACTIONS Ir(p, X)<sup>188</sup>Pt / <sup>189</sup>Pt / <sup>191</sup>Pt / <sup>186</sup>Ir / <sup>187</sup>Ir / <sup>188</sup>Ir / <sup>189</sup>Ir / <sup>190</sup>Ir / <sup>192</sup>Ir, E ≈ 10-70 MeV; measured excitation functions; deduced integral yields. Stacked-foil activation technique. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P1023
- <sup>189</sup>Tl 2005DE01 RADIOACTIVITY <sup>200,201,203,205</sup>Fr, <sup>196,197,199,201</sup>At, <sup>193</sup>Bi(α) [from Th(p, X) and subsequent decay]; measured Eα, T<sub>1/2</sub>. <sup>201</sup>Fr, <sup>197</sup>At, <sup>193</sup>Bi, <sup>189</sup>Tl deduced levels, J, π. JOUR ZAANE 23 243
- <sup>189</sup>Pb 2005BA51 NUCLEAR REACTIONS <sup>158</sup>Gd(<sup>36</sup>Ar, 5n), E=178 MeV; measured Eγ, Iγ, γγ-, (recoil)γ-coin. <sup>164</sup>Er(<sup>29</sup>Si, 4n), E=140 MeV; measured delayed Eγ, Iγ, γγ-coin. <sup>189</sup>Pb deduced levels, J, π, configurations, deformation, isomer T<sub>1/2</sub>. Level systematics in neighboring isotopes discussed. Recoil mass spectrometer, pulsed beams. JOUR PRVCA 71 054302
- 2005BAZY NUCLEAR REACTIONS <sup>158</sup>Gd(<sup>36</sup>Ar, 5n), E=178 MeV; measured Eγ, Iγ, γγ-, (recoil)γ-coin. <sup>164</sup>Er(<sup>29</sup>Si, 4n), E=140 MeV; measured delayed Eγ, Iγ, γγ-coin. <sup>189</sup>Pb deduced levels, J, π, configurations, isomer T<sub>1/2</sub>. CONF Argonne(Nuclei at the Limits), P62, Baxter
- 2005BAZZ NUCLEAR REACTIONS <sup>158</sup>Gd(<sup>36</sup>Ar, 5n), E=178 MeV; measured Eγ, Iγ, γγ-, (recoil)γ-coin. <sup>164</sup>Er(<sup>29</sup>Si, 4n), E=140 MeV; measured prompt and delayed Eγ, Iγ, γγ-coin. <sup>189</sup>Pb deduced levels, J, π, isomeric state T<sub>1/2</sub>, configurations. PREPRINT ANU-P/1634, Baxter
- 2005UU02 RADIOACTIVITY <sup>201,202,203,204</sup>Ra, <sup>197,198,199,200</sup>Rn, <sup>193,194,195,196</sup>Po, <sup>201,202,203,204</sup>Fr, <sup>197,198,199,200</sup>At(α) [from <sup>141</sup>Pr(<sup>63,65</sup>Cu, xnypα), <sup>170</sup>Yb(<sup>36</sup>Ar, xnypα), and subsequent decay]; measured Eα, T<sub>1/2</sub>, αα-coin for ground and metastable state decay. <sup>193,195</sup>Bi, <sup>197,199</sup>At, <sup>201,203</sup>Fr deduced levels, J, π. Comparisons with previous results. JOUR PRVCA 71 024306
- <sup>189</sup>Bi 2005AN17 NUCLEAR REACTIONS <sup>142</sup>Nd(<sup>52</sup>Cr, 3n), (<sup>52</sup>Cr, 4n), (<sup>52</sup>Cr, 5n), (<sup>52</sup>Cr, 6n), (<sup>52</sup>Cr, np), (<sup>52</sup>Cr, 2np), (<sup>52</sup>Cr, 3np), (<sup>52</sup>Cr, 4np), (<sup>52</sup>Cr, 5np), (<sup>52</sup>Cr, 6np), E=220-310 MeV; <sup>142</sup>Nd(<sup>50</sup>Cr, 3n), (<sup>50</sup>Cr, 4n), (<sup>50</sup>Cr, 2np), (<sup>50</sup>Cr, 3np), (<sup>50</sup>Cr, 4np), (<sup>50</sup>Cr, 5np), E=230-285 MeV; <sup>92</sup>Mo(<sup>98</sup>Mo, 2np), (<sup>98</sup>Mo, 3np), E=427-460 MeV; <sup>93</sup>Nb(<sup>95</sup>Mo, n), (<sup>95</sup>Mo, 2n), (<sup>95</sup>Mo, 3n), (<sup>95</sup>Mo, p), (<sup>95</sup>Mo, np), (<sup>95</sup>Mo, 2np), (<sup>95</sup>Mo, 3np), (<sup>95</sup>Mo, 4np), E=375-456 MeV; <sup>93</sup>Nb(<sup>94</sup>Mo, 2n), (<sup>94</sup>Mo, 3n), (<sup>94</sup>Mo, np), (<sup>94</sup>Mo, 2np), (<sup>94</sup>Mo, 3np), E=405-450 MeV; <sup>144</sup>Sm(<sup>46</sup>Ti, 3n), (<sup>46</sup>Ti, 4n), E=202-242 MeV; measured σ. Velocity filter, comparison with statistical model predictions. JOUR PRVCA 72 014612
- 2005GEZW ATOMIC MASSES <sup>235</sup>Ac; measured mass, T<sub>1/2</sub>. <sup>185,186,187,188,189,190,191,192,193,194,195,196</sup>Bi; measured masses, proton separation energies. <sup>207m</sup>Tl; measured T<sub>1/2</sub>. Stored beams, Schottky mass spectrometry. PREPRINT nucl-ex/0510009, 10/4/2005



**A=189 (continued)**

- 2005KE10 RADIOACTIVITY  $^{191,193,195}\text{At}(\alpha)$ ; measured  $E\alpha$ ,  $E\gamma$ ,  $\gamma\alpha$ -coin.  $^{191,193,195}\text{At}$  deduced levels, J,  $\pi$ , configurations, proton separation energies.  $^{187,189,191}\text{Bi}$  deduced levels J,  $\pi$ , configurations. Comparison with theory. JOUR ZAANE 25 s01 181
- 2005UU03 RADIOACTIVITY  $^{188,190,192,194,196,198,200,202,204}\text{Po}$ ,  $^{191,193,195,197,199}\text{At}$ ,  $^{196,198,200,202,204,206}\text{Rn}$ ,  $^{199,201,203,205,207}\text{Fr}(\alpha)$ ; measured reduced widths using gas filled recoil separator; deduced hindrance factors, proton intruder states and deformation effects. JOUR ZAANE 25 s01 179
- 2005VA04 RADIOACTIVITY  $^{189}\text{Po}(\alpha)$  [from  $^{142}\text{Nd}(^{52}\text{Cr}, 5n)$ ,  $(^{50}\text{Cr}, 3n)$ ]; measured  $E\alpha$ ,  $E\gamma$ ,  $E(\text{ce})$ ,  $\alpha\gamma$ -coin.  $^{185}\text{Pb}$  deduced levels, J,  $\pi$ , ICC,  $T_{1/2}$ , configurations.  $^{188,189,190,191}\text{Bi}$ ,  $^{189,190}\text{Po}(\alpha)$  [from  $^{142}\text{Nd}(^{52}\text{Cr}, X)$ ,  $(^{50}\text{Cr}, X)$ ]; measured  $E\alpha$ ,  $I\alpha$ . Potential energy surface calculations, level systematics in neighboring isotopes discussed. JOUR ZAANE 24 57
- $^{189}\text{Po}$  2005AN17 NUCLEAR REACTIONS  $^{142}\text{Nd}(^{52}\text{Cr}, 3n)$ ,  $(^{52}\text{Cr}, 4n)$ ,  $(^{52}\text{Cr}, 5n)$ ,  $(^{52}\text{Cr}, 6n)$ ,  $(^{52}\text{Cr}, \text{np})$ ,  $(^{52}\text{Cr}, 2\text{np})$ ,  $(^{52}\text{Cr}, 3\text{np})$ ,  $(^{52}\text{Cr}, 4\text{np})$ ,  $(^{52}\text{Cr}, 5\text{np})$ ,  $(^{52}\text{Cr}, 6\text{np})$ ,  $E=220\text{-}310$  MeV;  $^{142}\text{Nd}(^{50}\text{Cr}, 3n)$ ,  $(^{50}\text{Cr}, 4n)$ ,  $(^{50}\text{Cr}, 2\text{np})$ ,  $(^{50}\text{Cr}, 3\text{np})$ ,  $(^{50}\text{Cr}, 4\text{np})$ ,  $(^{50}\text{Cr}, 5\text{np})$ ,  $E=230\text{-}285$  MeV;  $^{92}\text{Mo}(^{98}\text{Mo}, 2\text{np})$ ,  $(^{98}\text{Mo}, 3\text{np})$ ,  $E=427\text{-}460$  MeV;  $^{93}\text{Nb}(^{95}\text{Mo}, \text{n})$ ,  $(^{95}\text{Mo}, 2\text{n})$ ,  $(^{95}\text{Mo}, 3\text{n})$ ,  $(^{95}\text{Mo}, \text{p})$ ,  $(^{95}\text{Mo}, \text{np})$ ,  $(^{95}\text{Mo}, 2\text{np})$ ,  $(^{95}\text{Mo}, 3\text{np})$ ,  $(^{95}\text{Mo}, 4\text{np})$ ,  $E=375\text{-}456$  MeV;  $^{93}\text{Nb}(^{94}\text{Mo}, 2\text{n})$ ,  $(^{94}\text{Mo}, 3\text{n})$ ,  $(^{94}\text{Mo}, \text{np})$ ,  $(^{94}\text{Mo}, 2\text{np})$ ,  $(^{94}\text{Mo}, 3\text{np})$ ,  $E=405\text{-}450$  MeV;  $^{144}\text{Sm}(^{46}\text{Ti}, 3\text{n})$ ,  $(^{46}\text{Ti}, 4\text{n})$ ,  $E=202\text{-}242$  MeV; measured  $\sigma$ . Velocity filter, comparison with statistical model predictions. JOUR PRVCA 72 014612
- 2005VA04 RADIOACTIVITY  $^{189}\text{Po}(\alpha)$  [from  $^{142}\text{Nd}(^{52}\text{Cr}, 5n)$ ,  $(^{50}\text{Cr}, 3n)$ ]; measured  $E\alpha$ ,  $E\gamma$ ,  $E(\text{ce})$ ,  $\alpha\gamma$ -coin.  $^{185}\text{Pb}$  deduced levels, J,  $\pi$ , ICC,  $T_{1/2}$ , configurations.  $^{188,189,190,191}\text{Bi}$ ,  $^{189,190}\text{Po}(\alpha)$  [from  $^{142}\text{Nd}(^{52}\text{Cr}, X)$ ,  $(^{50}\text{Cr}, X)$ ]; measured  $E\alpha$ ,  $I\alpha$ . Potential energy surface calculations, level systematics in neighboring isotopes discussed. JOUR ZAANE 24 57

**A=190**

- $^{190}\text{W}$  2005CA02 RADIOACTIVITY  $^{188}\text{Ta}$ ,  $^{190}\text{W}$ ,  $^{192,193}\text{Re}$ ,  $^{195}\text{Os}$ ,  $^{197,198}\text{Ir}$ ,  $^{200,201,202}\text{Pt}$ ,  $^{203}\text{Au}(\text{IT})$  [from  $\text{Be}(^{208}\text{Pb}, X)$ ]; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin,  $T_{1/2}$ .  $^{188}\text{Ta}$ ,  $^{190}\text{W}$ ,  $^{192,193}\text{Re}$ ,  $^{195}\text{Os}$ ,  $^{197,198}\text{Ir}$ ,  $^{200,201,202}\text{Pt}$ ,  $^{203}\text{Au}$  deduced transitions.  $^{190}\text{W}$ ,  $^{200,201,202}\text{Pt}$  deduced levels, J,  $\pi$ .  $^{174,175}\text{Er}$ ,  $^{185}\text{Hf}$ ,  $^{191,194}\text{Re}$ ,  $^{199}\text{Ir}(\text{IT})$  [from  $\text{Be}(^{208}\text{Pb}, X)$ ]; measured  $E\gamma$ ,  $I\gamma$ . JOUR ZAANE 23 201
- $^{190}\text{Os}$  2004M054 NUCLEAR REACTIONS  $^{192}\text{Os}(^{82}\text{Se}, X)$   $^{188}\text{Os}$  /  $^{190}\text{Os}$ ,  $E=460$  MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{188,190}\text{Os}$  deduced high-spin levels, J,  $\pi$ . GASP array. JOUR BJPHE 34 792
- 2005ME19 NUCLEAR REACTIONS  $^{160}\text{Gd}$ ,  $^{164}\text{Dy}$ ,  $^{170}\text{Er}$ ,  $^{178}\text{Hf}$ ,  $^{186}\text{W}$ ,  $^{192}\text{Os}(\text{p}, \text{t})$ ,  $E=25$  MeV; measured triton spectra,  $\sigma(\theta)$ .  $^{158}\text{Gd}$ ,  $^{162}\text{Dy}$ ,  $^{168}\text{Er}$ ,  $^{176}\text{Hf}$ ,  $^{184}\text{W}$ ,  $^{190}\text{Os}$  deduced  $0^+$  level energies. JOUR JPGPE 31 S1399

A=190 (*continued*)

- <sup>190</sup>Ir    2005FOZZ    NUCLEAR REACTIONS <sup>191</sup>Ir(n, n'), (n, 2n), (n, 3n), (n, 4n), (n, 5n), (n, 6n), (n, 7n), (n, 8n), (n, 9n), E=1-300 MeV; measured E $\gamma$ , I $\gamma$ ; deduced  $\gamma$ -ray production  $\sigma$ . CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P898
- 2005TA26    NUCLEAR REACTIONS Ir(p, xnyp)<sup>188</sup>Pt / <sup>189</sup>Pt / <sup>191</sup>Pt / <sup>185</sup>Ir / <sup>186</sup>Ir / <sup>188</sup>Ir / <sup>189</sup>Ir / <sup>190</sup>Ir / <sup>192</sup>Ir / <sup>185</sup>Os, E  $\approx$  3-70 MeV; measured  $\sigma$ ; deduced integral yields. Stacked-foil activation technique. JOUR NIMBE 239 293
- 2005TAZV    NUCLEAR REACTIONS Ir(p, X)<sup>188</sup>Pt / <sup>189</sup>Pt / <sup>191</sup>Pt / <sup>186</sup>Ir / <sup>187</sup>Ir / <sup>188</sup>Ir / <sup>189</sup>Ir / <sup>190</sup>Ir / <sup>192</sup>Ir, E  $\approx$  10-70 MeV; measured excitation functions; deduced integral yields. Stacked-foil activation technique. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P1023
- 2005TAZW    NUCLEAR REACTIONS Pt(p, X)<sup>195</sup>Au / <sup>196</sup>Au / <sup>198</sup>Au / <sup>189</sup>Ir / <sup>190</sup>Ir / <sup>192</sup>Ir / <sup>194</sup>Ir, E  $\approx$  0-70 MeV; Pt(d, X)<sup>192</sup>Au / <sup>193</sup>Au / <sup>194</sup>Au / <sup>195</sup>Au / <sup>196</sup>Au / <sup>195m</sup>Pt / <sup>197</sup>Pt / <sup>192</sup>Ir, E  $\approx$  0-21 MeV; Pt( $\alpha$ , X)<sup>195</sup>Au / <sup>196</sup>Au, E  $\approx$  0-38 MeV; measured activation  $\sigma$ ; deduced integral yields. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P1015
- 2005TIZX    NUCLEAR REACTIONS Pb, <sup>208</sup>Pb(p, X)<sup>203</sup>Pb / <sup>200</sup>Tl / <sup>199</sup>Tl / <sup>196</sup>Au / <sup>192</sup>Ir / <sup>190</sup>Ir / <sup>173</sup>Lu / <sup>101m</sup>Rh / <sup>86</sup>Rb / <sup>59</sup>Fe / <sup>24</sup>Na / <sup>7</sup>Be, E=40-2600 MeV; measured excitation functions. Comparison with previous work and model predictions. Other reactions discussed. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P1070
- 2005TIZY    NUCLEAR REACTIONS Pb, <sup>208</sup>Pb, <sup>209</sup>Bi(p, X)<sup>203</sup>Pb / <sup>200</sup>Tl / <sup>199</sup>Tl / <sup>196</sup>Au / <sup>192</sup>Ir / <sup>190</sup>Ir / <sup>173</sup>Lu / <sup>101m</sup>Rh / <sup>86</sup>Rb / <sup>59</sup>Fe / <sup>24</sup>Na / <sup>7</sup>Be, E=40-2600 MeV; measured production  $\sigma$ . Comparison with model predictions. PREPRINT nucl-ex/0507009, 7/05/2005
- <sup>190</sup>Pt    2005LEZW    NUCLEAR REACTIONS <sup>188,190,194</sup>Os, <sup>194,196</sup>Pt( $\alpha$ , 2n), E=27 MeV; measured E $\gamma$ , I $\gamma$ ( $\theta$ , H, t). <sup>190,192,194</sup>Pt, <sup>196,198</sup>Hg deduced isomeric states g-factors, configurations. Integral perturbed angular distribution method, HPGe detectors. CONF St Petersburg, P81, Levon
- <sup>190</sup>Tl    2005XI06    NUCLEAR REACTIONS <sup>160</sup>Gd(<sup>35</sup>Cl, 5n), E=167, 175 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>190</sup>Tl deduced levels, J,  $\pi$ , configurations, rotational band, signature inversion. Total Routhian surface calculations. JOUR PRVCA 72 044302
- 2005ZH31    NUCLEAR REACTIONS <sup>160</sup>Gd(<sup>35</sup>Cl, 5n), E=167 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>190</sup>Tl deduced levels, J,  $\pi$ , configurations, rotational band signature inversion. Level systematics in neighboring isotopes discussed. JOUR JPGPE 31 S1985
- <sup>190</sup>Pb    2005UU02    RADIOACTIVITY <sup>201,202,203,204</sup>Ra, <sup>197,198,199,200</sup>Rn, <sup>193,194,195,196</sup>Po, <sup>201,202,203,204</sup>Fr, <sup>197,198,199,200</sup>At( $\alpha$ ) [from <sup>141</sup>Pr(<sup>63,65</sup>Cu, xnypz $\alpha$ ), <sup>170</sup>Yb(<sup>36</sup>Ar, xnypz $\alpha$ ), and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>,  $\alpha\alpha$ -coin for ground and metastable state decay. <sup>193,195</sup>Bi, <sup>197,199</sup>At, <sup>201,203</sup>Fr deduced levels, J,  $\pi$ . Comparisons with previous results. JOUR PRVCA 71 024306
- 2005UU03    RADIOACTIVITY <sup>188,190,192,194,196,198,200,202,204</sup>Po, <sup>191,193,195,197,199</sup>At, <sup>196,198,200,202,204,206</sup>Rn, <sup>199,201,203,205,207</sup>Fr( $\alpha$ ); measured reduced widths using gas filled recoil separator; deduced hindrance factors, proton intruder states and deformation effects. JOUR ZAANE 25 s01 179

A=190 (*continued*)

- 2005WI10 NUCLEAR REACTIONS  $^{166}\text{Er}(^{28}\text{Si}, 4n)$ ,  $E=143$  MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{190}\text{Pb}$  deduced high-spin levels,  $J$ ,  $\pi$ , superdeformed band. Gammasphere array. JOUR ZAANE 24 179
- $^{190}\text{Bi}$  2005AN17 NUCLEAR REACTIONS  $^{142}\text{Nd}(^{52}\text{Cr}, 3n)$ ,  $(^{52}\text{Cr}, 4n)$ ,  $(^{52}\text{Cr}, 5n)$ ,  $(^{52}\text{Cr}, 6n)$ ,  $(^{52}\text{Cr}, np)$ ,  $(^{52}\text{Cr}, 2np)$ ,  $(^{52}\text{Cr}, 3np)$ ,  $(^{52}\text{Cr}, 4np)$ ,  $(^{52}\text{Cr}, 5np)$ ,  $(^{52}\text{Cr}, 6np)$ ,  $E=220-310$  MeV;  $^{142}\text{Nd}(^{50}\text{Cr}, 3n)$ ,  $(^{50}\text{Cr}, 4n)$ ,  $(^{50}\text{Cr}, 2np)$ ,  $(^{50}\text{Cr}, 3np)$ ,  $(^{50}\text{Cr}, 4np)$ ,  $(^{50}\text{Cr}, 5np)$ ,  $E=230-285$  MeV;  $^{92}\text{Mo}(^{98}\text{Mo}, 2np)$ ,  $(^{98}\text{Mo}, 3np)$ ,  $E=427-460$  MeV;  $^{93}\text{Nb}(^{95}\text{Mo}, n)$ ,  $(^{95}\text{Mo}, 2n)$ ,  $(^{95}\text{Mo}, 3n)$ ,  $(^{95}\text{Mo}, p)$ ,  $(^{95}\text{Mo}, np)$ ,  $(^{95}\text{Mo}, 2np)$ ,  $(^{95}\text{Mo}, 3np)$ ,  $(^{95}\text{Mo}, 4np)$ ,  $E=375-456$  MeV;  $^{93}\text{Nb}(^{94}\text{Mo}, 2n)$ ,  $(^{94}\text{Mo}, 3n)$ ,  $(^{94}\text{Mo}, np)$ ,  $(^{94}\text{Mo}, 2np)$ ,  $(^{94}\text{Mo}, 3np)$ ,  $E=405-450$  MeV;  $^{144}\text{Sm}(^{46}\text{Ti}, 3n)$ ,  $(^{46}\text{Ti}, 4n)$ ,  $E=202-242$  MeV; measured  $\sigma$ . Velocity filter, comparison with statistical model predictions. JOUR PRVCA 72 014612
- 2005GEZW ATOMIC MASSES  $^{235}\text{Ac}$ ; measured mass,  $T_{1/2}$ .  $^{185,186,187,188,189,190,191,192,193,194,195,196}\text{Bi}$ ; measured masses, proton separation energies.  $^{207m}\text{Tl}$ ; measured  $T_{1/2}$ . Stored beams, Schottky mass spectrometry. PREPRINT nucl-ex/0510009,10/4/2005
- 2005VA04 RADIOACTIVITY  $^{189}\text{Po}(\alpha)$  [from  $^{142}\text{Nd}(^{52}\text{Cr}, 5n)$ ,  $(^{50}\text{Cr}, 3n)$ ]; measured  $E\alpha$ ,  $E\gamma$ ,  $E(\text{ce})$ ,  $\alpha\gamma$ -coin.  $^{185}\text{Pb}$  deduced levels,  $J$ ,  $\pi$ , ICC,  $T_{1/2}$ , configurations.  $^{188,189,190,191}\text{Bi}$ ,  $^{189,190}\text{Po}(\alpha)$  [from  $^{142}\text{Nd}(^{52}\text{Cr}, X)$ ,  $(^{50}\text{Cr}, X)$ ]; measured  $E\alpha$ ,  $I\alpha$ . Potential energy surface calculations, level systematics in neighboring isotopes discussed. JOUR ZAANE 24 57
- $^{190}\text{Po}$  2005AN17 NUCLEAR REACTIONS  $^{142}\text{Nd}(^{52}\text{Cr}, 3n)$ ,  $(^{52}\text{Cr}, 4n)$ ,  $(^{52}\text{Cr}, 5n)$ ,  $(^{52}\text{Cr}, 6n)$ ,  $(^{52}\text{Cr}, np)$ ,  $(^{52}\text{Cr}, 2np)$ ,  $(^{52}\text{Cr}, 3np)$ ,  $(^{52}\text{Cr}, 4np)$ ,  $(^{52}\text{Cr}, 5np)$ ,  $(^{52}\text{Cr}, 6np)$ ,  $E=220-310$  MeV;  $^{142}\text{Nd}(^{50}\text{Cr}, 3n)$ ,  $(^{50}\text{Cr}, 4n)$ ,  $(^{50}\text{Cr}, 2np)$ ,  $(^{50}\text{Cr}, 3np)$ ,  $(^{50}\text{Cr}, 4np)$ ,  $(^{50}\text{Cr}, 5np)$ ,  $E=230-285$  MeV;  $^{92}\text{Mo}(^{98}\text{Mo}, 2np)$ ,  $(^{98}\text{Mo}, 3np)$ ,  $E=427-460$  MeV;  $^{93}\text{Nb}(^{95}\text{Mo}, n)$ ,  $(^{95}\text{Mo}, 2n)$ ,  $(^{95}\text{Mo}, 3n)$ ,  $(^{95}\text{Mo}, p)$ ,  $(^{95}\text{Mo}, np)$ ,  $(^{95}\text{Mo}, 2np)$ ,  $(^{95}\text{Mo}, 3np)$ ,  $(^{95}\text{Mo}, 4np)$ ,  $E=375-456$  MeV;  $^{93}\text{Nb}(^{94}\text{Mo}, 2n)$ ,  $(^{94}\text{Mo}, 3n)$ ,  $(^{94}\text{Mo}, np)$ ,  $(^{94}\text{Mo}, 2np)$ ,  $(^{94}\text{Mo}, 3np)$ ,  $E=405-450$  MeV;  $^{144}\text{Sm}(^{46}\text{Ti}, 3n)$ ,  $(^{46}\text{Ti}, 4n)$ ,  $E=202-242$  MeV; measured  $\sigma$ . Velocity filter, comparison with statistical model predictions. JOUR PRVCA 72 014612
- 2005UU03 RADIOACTIVITY  $^{188,190,192,194,196,198,200,202,204}\text{Po}$ ,  $^{191,193,195,197,199}\text{At}$ ,  $^{196,198,200,202,204,206}\text{Rn}$ ,  $^{199,201,203,205,207}\text{Fr}(\alpha)$ ; measured reduced widths using gas filled recoil separator; deduced hindrance factors, proton intruder states and deformation effects. JOUR ZAANE 25 s01 179
- 2005VA04 RADIOACTIVITY  $^{189}\text{Po}(\alpha)$  [from  $^{142}\text{Nd}(^{52}\text{Cr}, 5n)$ ,  $(^{50}\text{Cr}, 3n)$ ]; measured  $E\alpha$ ,  $E\gamma$ ,  $E(\text{ce})$ ,  $\alpha\gamma$ -coin.  $^{185}\text{Pb}$  deduced levels,  $J$ ,  $\pi$ , ICC,  $T_{1/2}$ , configurations.  $^{188,189,190,191}\text{Bi}$ ,  $^{189,190}\text{Po}(\alpha)$  [from  $^{142}\text{Nd}(^{52}\text{Cr}, X)$ ,  $(^{50}\text{Cr}, X)$ ]; measured  $E\alpha$ ,  $I\alpha$ . Potential energy surface calculations, level systematics in neighboring isotopes discussed. JOUR ZAANE 24 57

## A=191

- <sup>191</sup>Re 2005CA02 RADIOACTIVITY <sup>188</sup>Ta, <sup>190</sup>W, <sup>192,193</sup>Re, <sup>195</sup>Os, <sup>197,198</sup>Ir, <sup>200,201,202</sup>Pt, <sup>203</sup>Au(IT) [from Be(<sup>208</sup>Pb, X)]; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin, T<sub>1/2</sub>. <sup>188</sup>Ta, <sup>190</sup>W, <sup>192,193</sup>Re, <sup>195</sup>Os, <sup>197,198</sup>Ir, <sup>200,201,202</sup>Pt, <sup>203</sup>Au deduced transitions. <sup>190</sup>W, <sup>200,201,202</sup>Pt deduced levels, J,  $\pi$ . <sup>174,175</sup>Er, <sup>185</sup>Hf, <sup>191,194</sup>Re, <sup>199</sup>Ir(IT) [from Be(<sup>208</sup>Pb, X)]; measured E $\gamma$ , I $\gamma$ . JOUR ZAANE 23 201
- <sup>191</sup>Os 2005J019 NUCLEAR REACTIONS <sup>192</sup>Os(<sup>82</sup>Se, X)<sup>191</sup>Os, E=460 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>191</sup>Os deduced levels, J,  $\pi$ , branching ratios, configurations, isomeric state features. GASP array. JOUR JPGPE 31 S1891
- 2005NI12 RADIOACTIVITY <sup>191</sup>Os( $\beta^-$ ) [from <sup>190</sup>Os(n,  $\gamma$ )]; measured E $\gamma$ , I $\gamma$ , X-ray spectra. <sup>191</sup>Ir transition deduced ICC, fluorescence yield. Comparison with model predictions, <sup>193m</sup>Ir decay data. Need for K-shell hole to be included in calculations discussed. JOUR PRVCA 71 054320
- <sup>191</sup>Ir 2005FOZZ NUCLEAR REACTIONS <sup>191</sup>Ir(n, n'), (n, 2n), (n, 3n), (n, 4n), (n, 5n), (n, 6n), (n, 7n), (n, 8n), (n, 9n), E=1-300 MeV; measured E $\gamma$ , I $\gamma$ ; deduced  $\gamma$ -ray production  $\sigma$ . CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol1,P898
- 2005NI12 RADIOACTIVITY <sup>191</sup>Os( $\beta^-$ ) [from <sup>190</sup>Os(n,  $\gamma$ )]; measured E $\gamma$ , I $\gamma$ , X-ray spectra. <sup>191</sup>Ir transition deduced ICC, fluorescence yield. Comparison with model predictions, <sup>193m</sup>Ir decay data. Need for K-shell hole to be included in calculations discussed. JOUR PRVCA 71 054320
- <sup>191</sup>Pt 2005KU01 NUCLEAR REACTIONS <sup>186</sup>W(<sup>11</sup>B, 5np), E=85 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>191</sup>Pt deduced high-spin levels, J,  $\pi$ , configurations, shape coexistence. Eurogam-II array, cranked mean-field calculations. JOUR ZAANE 23 69
- 2005TA26 NUCLEAR REACTIONS Ir(p, xnyp)<sup>188</sup>Pt / <sup>189</sup>Pt / <sup>191</sup>Pt / <sup>185</sup>Ir / <sup>186</sup>Ir / <sup>188</sup>Ir / <sup>189</sup>Ir / <sup>190</sup>Ir / <sup>192</sup>Ir / <sup>185</sup>Os, E  $\approx$  3-70 MeV; measured  $\sigma$ ; deduced integral yields. Stacked-foil activation technique. JOUR NIMBE 239 293
- 2005TAZV NUCLEAR REACTIONS Ir(p, X)<sup>188</sup>Pt / <sup>189</sup>Pt / <sup>191</sup>Pt / <sup>186</sup>Ir / <sup>187</sup>Ir / <sup>188</sup>Ir / <sup>189</sup>Ir / <sup>190</sup>Ir / <sup>192</sup>Ir, E  $\approx$  10-70 MeV; measured excitation functions; deduced integral yields. Stacked-foil activation technique. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol1,P1023
- 2006DI01 NUCLEAR REACTIONS Pt(d, X)<sup>191</sup>Au / <sup>192</sup>Au / <sup>193</sup>Au / <sup>194</sup>Au / <sup>195</sup>Au / <sup>196</sup>Au / <sup>196m</sup>Au / <sup>198</sup>Au / <sup>199</sup>Au / <sup>191</sup>Pt / <sup>195m</sup>Pt / <sup>197</sup>Pt / <sup>192</sup>Ir, E  $\approx$  10-40 MeV; measured production  $\sigma$ . Stacked-foil activation technique, comparison with model predictions. JOUR NIMBE 243 20
- <sup>191</sup>Au 2004ADZW NUCLEAR REACTIONS <sup>209</sup>Bi(n, 4n), (n, 5n), (n, 6n), (n, 7n), (n, 9n), <sup>232</sup>Th(n,  $\gamma$ ), <sup>197</sup>Au(n, 2n), (n, 4n), (n, 6n), (n, 7n), (n,  $\gamma$ ), <sup>115</sup>In(n, 5n), (n, 6n), (n, 7n), <sup>59</sup>Co(n, 2n), (n, 3n), (n, 4n), (n, 5n), (n,  $\gamma$ ), (n, p), (n, 6n2p), E=spectrum; measured E $\gamma$ , I $\gamma$ ; deduced reaction rates. Pb(p, nX), E=1 GeV; deduced spallation neutron spectrum. REPT JINR-E1-2004-16,Adam

A=191 (*continued*)

- 2005AD01 NUCLEAR REACTIONS  $^{209}\text{Bi}(n, 4n)$ ,  $(n, 5n)$ ,  $(n, 6n)$ ,  $(n, 7n)$ ,  $(n, 9n)$ ,  $^{232}\text{Th}(n, \gamma)$ ,  $^{197}\text{Au}(n, 2n)$ ,  $(n, 4n)$ ,  $(n, 6n)$ ,  $(n, 7n)$ ,  $(n, \gamma)$ ,  $^{59}\text{Co}(n, 2n)$ ,  $(n, 3n)$ ,  $(n, 4n)$ ,  $(n, 5n)$ ,  $(n, p)$ ,  $(n, 6n2p)$ ,  $^{115}\text{In}(n, 5n)$ ,  $(n, 6n)$ ,  $(n, 7n)$ , E=spectrum; measured  $E\gamma$ ,  $I\gamma$ ; deduced reaction rates. Activation technique, spallation neutrons from 1 GeV proton beam, comparison with model predictions. JOUR ZAANE 23 61
- 2006DI01 NUCLEAR REACTIONS  $\text{Pt}(d, X)^{191}\text{Au} / ^{192}\text{Au} / ^{193}\text{Au} / ^{194}\text{Au} / ^{195}\text{Au} / ^{196}\text{Au} / ^{196m}\text{Au} / ^{198}\text{Au} / ^{199}\text{Au} / ^{191}\text{Pt} / ^{195m}\text{Pt} / ^{197}\text{Pt} / ^{192}\text{Ir}$ ,  $E \approx 10\text{-}40$  MeV; measured production  $\sigma$ . Stacked-foil activation technique, comparison with model predictions. JOUR NIMBE 243 20
- $^{191}\text{Pb}$  2005UU02 RADIOACTIVITY  $^{201,202,203,204}\text{Ra}$ ,  $^{197,198,199,200}\text{Rn}$ ,  $^{193,194,195,196}\text{Po}$ ,  $^{201,202,203,204}\text{Fr}$ ,  $^{197,198,199,200}\text{At}(\alpha)$  [from  $^{141}\text{Pr}(^{63,65}\text{Cu}, xnypz\alpha)$ ,  $^{170}\text{Yb}(^{36}\text{Ar}, xnypz\alpha)$ , and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ ,  $\alpha\alpha$ -coin for ground and metastable state decay.  $^{193,195}\text{Bi}$ ,  $^{197,199}\text{At}$ ,  $^{201,203}\text{Fr}$  deduced levels,  $J$ ,  $\pi$ . Comparisons with previous results. JOUR PRVCA 71 024306
- $^{191}\text{Bi}$  2005AN17 NUCLEAR REACTIONS  $^{142}\text{Nd}(^{52}\text{Cr}, 3n)$ ,  $(^{52}\text{Cr}, 4n)$ ,  $(^{52}\text{Cr}, 5n)$ ,  $(^{52}\text{Cr}, 6n)$ ,  $(^{52}\text{Cr}, np)$ ,  $(^{52}\text{Cr}, 2np)$ ,  $(^{52}\text{Cr}, 3np)$ ,  $(^{52}\text{Cr}, 4np)$ ,  $(^{52}\text{Cr}, 5np)$ ,  $(^{52}\text{Cr}, 6np)$ ,  $E=220\text{-}310$  MeV;  $^{142}\text{Nd}(^{50}\text{Cr}, 3n)$ ,  $(^{50}\text{Cr}, 4n)$ ,  $(^{50}\text{Cr}, 2np)$ ,  $(^{50}\text{Cr}, 3np)$ ,  $(^{50}\text{Cr}, 4np)$ ,  $(^{50}\text{Cr}, 5np)$ ,  $E=230\text{-}285$  MeV;  $^{92}\text{Mo}(^{98}\text{Mo}, 2np)$ ,  $(^{98}\text{Mo}, 3np)$ ,  $E=427\text{-}460$  MeV;  $^{93}\text{Nb}(^{95}\text{Mo}, n)$ ,  $(^{95}\text{Mo}, 2n)$ ,  $(^{95}\text{Mo}, 3n)$ ,  $(^{95}\text{Mo}, p)$ ,  $(^{95}\text{Mo}, np)$ ,  $(^{95}\text{Mo}, 2np)$ ,  $(^{95}\text{Mo}, 3np)$ ,  $(^{95}\text{Mo}, 4np)$ ,  $E=375\text{-}456$  MeV;  $^{93}\text{Nb}(^{94}\text{Mo}, 2n)$ ,  $(^{94}\text{Mo}, 3n)$ ,  $(^{94}\text{Mo}, np)$ ,  $(^{94}\text{Mo}, 2np)$ ,  $(^{94}\text{Mo}, 3np)$ ,  $E=405\text{-}450$  MeV;  $^{144}\text{Sm}(^{46}\text{Ti}, 3n)$ ,  $(^{46}\text{Ti}, 4n)$ ,  $E=202\text{-}242$  MeV; measured  $\sigma$ . Velocity filter, comparison with statistical model predictions. JOUR PRVCA 72 014612
- 2005GEZW ATOMIC MASSES  $^{235}\text{Ac}$ ; measured mass,  $T_{1/2}$ .  $^{185,186,187,188,189,190,191,192,193,194,195,196}\text{Bi}$ ; measured masses, proton separation energies.  $^{207m}\text{Tl}$ ; measured  $T_{1/2}$ . Stored beams, Schottky mass spectrometry. PREPRINT nucl-ex/0510009,10/4/2005
- 2005KE10 RADIOACTIVITY  $^{191,193,195}\text{At}(\alpha)$ ; measured  $E\alpha$ ,  $E\gamma$ ,  $\gamma\alpha$ -coin.  $^{191,193,195}\text{At}$  deduced levels,  $J$ ,  $\pi$ , configurations, proton separation energies.  $^{187,189,191}\text{Bi}$  deduced levels  $J$ ,  $\pi$ , configurations. Comparison with theory. JOUR ZAANE 25 s01 181
- 2005UU03 RADIOACTIVITY  $^{188,190,192,194,196,198,200,202,204}\text{Po}$ ,  $^{191,193,195,197,199}\text{At}$ ,  $^{196,198,200,202,204,206}\text{Rn}$ ,  $^{199,201,203,205,207}\text{Fr}(\alpha)$ ; measured reduced widths using gas filled recoil separator; deduced hindrance factors, proton intruder states and deformation effects. JOUR ZAANE 25 s01 179
- 2005VA04 RADIOACTIVITY  $^{189}\text{Po}(\alpha)$  [from  $^{142}\text{Nd}(^{52}\text{Cr}, 5n)$ ,  $(^{50}\text{Cr}, 3n)$ ]; measured  $E\alpha$ ,  $E\gamma$ ,  $E(\text{ce})$ ,  $\alpha\gamma$ -coin.  $^{185}\text{Pb}$  deduced levels,  $J$ ,  $\pi$ , ICC,  $T_{1/2}$ , configurations.  $^{188,189,190,191}\text{Bi}$ ,  $^{189,190}\text{Po}(\alpha)$  [from  $^{142}\text{Nd}(^{52}\text{Cr}, X)$ ,  $(^{50}\text{Cr}, X)$ ]; measured  $E\alpha$ ,  $I\alpha$ . Potential energy surface calculations, level systematics in neighboring isotopes discussed. JOUR ZAANE 24 57

**A=191 (continued)**

- <sup>191</sup>Po 2005AN17 NUCLEAR REACTIONS <sup>142</sup>Nd(<sup>52</sup>Cr, 3n), (<sup>52</sup>Cr, 4n), (<sup>52</sup>Cr, 5n), (<sup>52</sup>Cr, 6n), (<sup>52</sup>Cr, np), (<sup>52</sup>Cr, 2np), (<sup>52</sup>Cr, 3np), (<sup>52</sup>Cr, 4np), (<sup>52</sup>Cr, 5np), (<sup>52</sup>Cr, 6np), E=220-310 MeV; <sup>142</sup>Nd(<sup>50</sup>Cr, 3n), (<sup>50</sup>Cr, 4n), (<sup>50</sup>Cr, 2np), (<sup>50</sup>Cr, 3np), (<sup>50</sup>Cr, 4np), (<sup>50</sup>Cr, 5np), E=230-285 MeV; <sup>92</sup>Mo(<sup>98</sup>Mo, 2np), (<sup>98</sup>Mo, 3np), E=427-460 MeV; <sup>93</sup>Nb(<sup>95</sup>Mo, n), (<sup>95</sup>Mo, 2n), (<sup>95</sup>Mo, 3n), (<sup>95</sup>Mo, p), (<sup>95</sup>Mo, np), (<sup>95</sup>Mo, 2np), (<sup>95</sup>Mo, 3np), (<sup>95</sup>Mo, 4np), E=375-456 MeV; <sup>93</sup>Nb(<sup>94</sup>Mo, 2n), (<sup>94</sup>Mo, 3n), (<sup>94</sup>Mo, np), (<sup>94</sup>Mo, 2np), (<sup>94</sup>Mo, 3np), E=405-450 MeV; <sup>144</sup>Sm(<sup>46</sup>Ti, 3n), (<sup>46</sup>Ti, 4n), E=202-242 MeV; measured  $\sigma$ . Velocity filter, comparison with statistical model predictions. JOUR PRVCA 72 014612
- <sup>191</sup>At 2005KE10 NUCLEAR REACTIONS <sup>142</sup>Nd(<sup>56</sup>Fe, 2np), E=262 MeV; <sup>141</sup>Pr(<sup>56</sup>Fe, 4n), E=266 MeV; <sup>141</sup>Pr(<sup>54</sup>Fe, 4n), E=260 MeV; measured production  $\sigma$ . JOUR ZAANE 25 s01 181
- 2005KE10 RADIOACTIVITY <sup>191,193,195</sup>At( $\alpha$ ); measured E $\alpha$ , E $\gamma$ ,  $\gamma\alpha$ -coin. <sup>191,193,195</sup>At deduced levels, J,  $\pi$ , configurations, proton separation energies. <sup>187,189,191</sup>Bi deduced levels J,  $\pi$ , configurations. Comparison with theory. JOUR ZAANE 25 s01 181
- 2005UU03 RADIOACTIVITY <sup>188,190,192,194,196,198,200,202,204</sup>Po, <sup>191,193,195,197,199</sup>At, <sup>196,198,200,202,204,206</sup>Rn, <sup>199,201,203,205,207</sup>Fr( $\alpha$ ); measured reduced widths using gas filled recoil separator; deduced hindrance factors, proton intruder states and deformation effects. JOUR ZAANE 25 s01 179

**A=192**

- <sup>192</sup>Re 2005CA02 RADIOACTIVITY <sup>188</sup>Ta, <sup>190</sup>W, <sup>192,193</sup>Re, <sup>195</sup>Os, <sup>197,198</sup>Ir, <sup>200,201,202</sup>Pt, <sup>203</sup>Au(IT) [from Be(<sup>208</sup>Pb, X)]; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin, T<sub>1/2</sub>. <sup>188</sup>Ta, <sup>190</sup>W, <sup>192,193</sup>Re, <sup>195</sup>Os, <sup>197,198</sup>Ir, <sup>200,201,202</sup>Pt, <sup>203</sup>Au deduced transitions. <sup>190</sup>W, <sup>200,201,202</sup>Pt deduced levels, J,  $\pi$ . <sup>174,175</sup>Er, <sup>185</sup>Hf, <sup>191,194</sup>Re, <sup>199</sup>Ir(IT) [from Be(<sup>208</sup>Pb, X)]; measured E $\gamma$ , I $\gamma$ . JOUR ZAANE 23 201
- <sup>192</sup>Ir 2004HIZZ NUCLEAR REACTIONS <sup>102</sup>Ru(<sup>3</sup>He, 2n), <sup>100</sup>Ru( $\alpha$ , n), <sup>103</sup>Rh(d, 2n), (p, n), E  $\approx$  5-35 MeV; analyzed excitation functions, yields. Ce(<sup>3</sup>He, xn)<sup>140</sup>Nd, E < 27 MeV; <sup>141</sup>Pr(p, 2n), E < 23 MeV; measured yields. <sup>192</sup>Os(p, n), E  $\approx$  6-20; measured  $\sigma$ . REPT  
NEA/NSC/DOC(2004)14,P15,Hilgers
- 2005HI08 NUCLEAR REACTIONS <sup>192</sup>Os(p, n), E  $\approx$  6-20 MeV; measured  $\sigma$ ; deduced thick-target yield. Stacked-foil activation, comparison with model predictions. JOUR ARISE 63 93
- 2005HIZX NUCLEAR REACTIONS <sup>66</sup>Zn(d,  $\alpha$ ), E=5-14 MeV; Ce(<sup>3</sup>He, xn)<sup>140</sup>Nd, E=16-35 MeV; <sup>141</sup>Ce(p, 2n), E=10-45 MeV; <sup>192</sup>Os(p, n), E=6-19 MeV; measured excitation functions; deduced thick-target yields. Stacked-foil activation technique. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol2, P1631

## A=192 (continued)

- 2005TA26 NUCLEAR REACTIONS Ir(p, xnyp)<sup>188</sup>Pt / <sup>189</sup>Pt / <sup>191</sup>Pt / <sup>185</sup>Ir / <sup>186</sup>Ir / <sup>188</sup>Ir / <sup>189</sup>Ir / <sup>190</sup>Ir / <sup>192</sup>Ir / <sup>185</sup>Os, E ≈ 3-70 MeV; measured σ; deduced integral yields. Stacked-foil activation technique. JOUR NIMBE 239 293
- 2005TAZV NUCLEAR REACTIONS Ir(p, X)<sup>188</sup>Pt / <sup>189</sup>Pt / <sup>191</sup>Pt / <sup>186</sup>Ir / <sup>187</sup>Ir / <sup>188</sup>Ir / <sup>189</sup>Ir / <sup>190</sup>Ir / <sup>192</sup>Ir, E ≈ 10-70 MeV; measured excitation functions; deduced integral yields. Stacked-foil activation technique. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol1,P1023
- 2005TAZW NUCLEAR REACTIONS Pt(p, X)<sup>195</sup>Au / <sup>196</sup>Au / <sup>198</sup>Au / <sup>189</sup>Ir / <sup>190</sup>Ir / <sup>192</sup>Ir / <sup>194</sup>Ir, E ≈ 0-70 MeV; Pt(d, X)<sup>192</sup>Au / <sup>193</sup>Au / <sup>194</sup>Au / <sup>195</sup>Au / <sup>196</sup>Au / <sup>195m</sup>Pt / <sup>197</sup>Pt / <sup>192</sup>Ir, E ≈ 0-21 MeV; Pt(α, X)<sup>195</sup>Au / <sup>196</sup>Au, E ≈ 0-38 MeV; measured activation σ; deduced integral yields. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol1,P1015
- 2005TIZX NUCLEAR REACTIONS Pb, <sup>208</sup>Pb(p, X)<sup>203</sup>Pb / <sup>200</sup>Tl / <sup>199</sup>Tl / <sup>196</sup>Au / <sup>192</sup>Ir / <sup>190</sup>Ir / <sup>173</sup>Lu / <sup>101m</sup>Rh / <sup>86</sup>Rb / <sup>59</sup>Fe / <sup>24</sup>Na / <sup>7</sup>Be, E=40-2600 MeV; measured excitation functions. Comparison with previous work and model predictions. Other reactions discussed. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol1,P1070
- 2005TIZY NUCLEAR REACTIONS Pb, <sup>208</sup>Pb, <sup>209</sup>Bi(p, X)<sup>203</sup>Pb / <sup>200</sup>Tl / <sup>199</sup>Tl / <sup>196</sup>Au / <sup>192</sup>Ir / <sup>190</sup>Ir / <sup>173</sup>Lu / <sup>101m</sup>Rh / <sup>86</sup>Rb / <sup>59</sup>Fe / <sup>24</sup>Na / <sup>7</sup>Be, E=40-2600 MeV; measured production σ. Comparison with model predictions. PREPRINT nucl-ex/0507009,7/05/2005
- 2006DI01 NUCLEAR REACTIONS Pt(d, X)<sup>191</sup>Au / <sup>192</sup>Au / <sup>193</sup>Au / <sup>194</sup>Au / <sup>195</sup>Au / <sup>196</sup>Au / <sup>196m</sup>Au / <sup>198</sup>Au / <sup>199</sup>Au / <sup>191</sup>Pt / <sup>195m</sup>Pt / <sup>197</sup>Pt / <sup>192</sup>Ir, E ≈ 10-40 MeV; measured production σ. Stacked-foil activation technique, comparison with model predictions. JOUR NIMBE 243 20
- <sup>192</sup>Pt 2005LEZW NUCLEAR REACTIONS <sup>188,190,194</sup>Os, <sup>194,196</sup>Pt(α, 2n), E=27 MeV; measured Eγ, Iγ(θ, H, t). <sup>190,192,194</sup>Pt, <sup>196,198</sup>Hg deduced isomeric states g-factors, configurations. Integral perturbed angular distribution method, HPGe detectors. CONF St Petersburg,P81,Levon
- <sup>192</sup>Au 2004ADZW NUCLEAR REACTIONS <sup>209</sup>Bi(n, 4n), (n, 5n), (n, 6n), (n, 7n), (n, 9n), <sup>232</sup>Th(n, γ), <sup>197</sup>Au(n, 2n), (n, 4n), (n, 6n), (n, 7n), (n, γ), <sup>115</sup>In(n, 5n), (n, 6n), (n, 7n), <sup>59</sup>Co(n, 2n), (n, 3n), (n, 4n), (n, 5n), (n, γ), (n, p), (n, 6n2p), E=spectrum; measured Eγ, Iγ; deduced reaction rates. Pb(p, nX), E=1 GeV; deduced spallation neutron spectrum. REPT JINR-E1-2004-16,Adam
- 2005AD01 NUCLEAR REACTIONS <sup>209</sup>Bi(n, 4n), (n, 5n), (n, 6n), (n, 7n), (n, 9n), <sup>232</sup>Th(n, γ), <sup>197</sup>Au(n, 2n), (n, 4n), (n, 6n), (n, 7n), (n, γ), <sup>59</sup>Co(n, 2n), (n, 3n), (n, 4n), (n, 5n), (n, p), (n, 6n2p), <sup>115</sup>In(n, 5n), (n, 6n), (n, 7n), E=spectrum; measured Eγ, Iγ; deduced reaction rates. Activation technique, spallation neutrons from 1 GeV proton beam, comparison with model predictions. JOUR ZAANE 23 61
- 2005TAZW NUCLEAR REACTIONS Pt(p, X)<sup>195</sup>Au / <sup>196</sup>Au / <sup>198</sup>Au / <sup>189</sup>Ir / <sup>190</sup>Ir / <sup>192</sup>Ir / <sup>194</sup>Ir, E ≈ 0-70 MeV; Pt(d, X)<sup>192</sup>Au / <sup>193</sup>Au / <sup>194</sup>Au / <sup>195</sup>Au / <sup>196</sup>Au / <sup>195m</sup>Pt / <sup>197</sup>Pt / <sup>192</sup>Ir, E ≈ 0-21 MeV; Pt(α, X)<sup>195</sup>Au / <sup>196</sup>Au, E ≈ 0-38 MeV; measured activation σ; deduced integral yields. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol1,P1015

A=192 (*continued*)

- 2006DI01 NUCLEAR REACTIONS Pt(d, X)<sup>191</sup>Au / <sup>192</sup>Au / <sup>193</sup>Au / <sup>194</sup>Au / <sup>195</sup>Au / <sup>196</sup>Au / <sup>196m</sup>Au / <sup>198</sup>Au / <sup>199</sup>Au / <sup>191</sup>Pt / <sup>195m</sup>Pt / <sup>197</sup>Pt / <sup>192</sup>Ir, E ≈ 10-40 MeV; measured production  $\sigma$ . Stacked-foil activation technique, comparison with model predictions. JOUR NIMBE 243 20
- <sup>192</sup>Pb 2004WIZX NUCLEAR REACTIONS <sup>168</sup>Er(<sup>29</sup>Si, 5n), E=154 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin, DSA. <sup>192</sup>Pb deduced superdeformed band levels T<sub>1/2</sub>, quadrupole moment. Gammasphere array, total Routhian surface calculations. PREPRINT ANU-P/1610,Wilson
- 2005UU02 RADIOACTIVITY <sup>201,202,203,204</sup>Ra, <sup>197,198,199,200</sup>Rn, <sup>193,194,195,196</sup>Po, <sup>201,202,203,204</sup>Fr, <sup>197,198,199,200</sup>At( $\alpha$ ) [from <sup>141</sup>Pr(<sup>63,65</sup>Cu, xnypz $\alpha$ ), <sup>170</sup>Yb(<sup>36</sup>Ar, xnypz $\alpha$ ), and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>,  $\alpha\alpha$ -coin for ground and metastable state decay. <sup>193,195</sup>Bi, <sup>197,199</sup>At, <sup>201,203</sup>Fr deduced levels, J,  $\pi$ . Comparisons with previous results. JOUR PRVCA 71 024306
- 2005UU03 RADIOACTIVITY <sup>188,190,192,194,196,198,200,202,204</sup>Po, <sup>191,193,195,197,199</sup>At, <sup>196,198,200,202,204,206</sup>Rn, <sup>199,201,203,205,207</sup>Fr( $\alpha$ ); measured reduced widths using gas filled recoil separator; deduced hindrance factors, proton intruder states and deformation effects. JOUR ZAANE 25 s01 179
- 2005WI01 NUCLEAR REACTIONS <sup>168</sup>Er(<sup>29</sup>Si, 5n), E=154 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin, DSA. <sup>192</sup>Pb deduced superdeformed band levels T<sub>1/2</sub>, quadrupole moment. Gammasphere array, total Routhian surface calculations. JOUR NUPAB 748 12
- <sup>192</sup>Bi 2005AN17 NUCLEAR REACTIONS <sup>142</sup>Nd(<sup>52</sup>Cr, 3n), (<sup>52</sup>Cr, 4n), (<sup>52</sup>Cr, 5n), (<sup>52</sup>Cr, 6n), (<sup>52</sup>Cr, np), (<sup>52</sup>Cr, 2np), (<sup>52</sup>Cr, 3np), (<sup>52</sup>Cr, 4np), (<sup>52</sup>Cr, 5np), (<sup>52</sup>Cr, 6np), E=220-310 MeV; <sup>142</sup>Nd(<sup>50</sup>Cr, 3n), (<sup>50</sup>Cr, 4n), (<sup>50</sup>Cr, 2np), (<sup>50</sup>Cr, 3np), (<sup>50</sup>Cr, 4np), (<sup>50</sup>Cr, 5np), E=230-285 MeV; <sup>92</sup>Mo(<sup>98</sup>Mo, 2np), (<sup>98</sup>Mo, 3np), E=427-460 MeV; <sup>93</sup>Nb(<sup>95</sup>Mo, n), (<sup>95</sup>Mo, 2n), (<sup>95</sup>Mo, 3n), (<sup>95</sup>Mo, p), (<sup>95</sup>Mo, np), (<sup>95</sup>Mo, 2np), (<sup>95</sup>Mo, 3np), (<sup>95</sup>Mo, 4np), E=375-456 MeV; <sup>93</sup>Nb(<sup>94</sup>Mo, 2n), (<sup>94</sup>Mo, 3n), (<sup>94</sup>Mo, np), (<sup>94</sup>Mo, 2np), (<sup>94</sup>Mo, 3np), E=405-450 MeV; <sup>144</sup>Sm(<sup>46</sup>Ti, 3n), (<sup>46</sup>Ti, 4n), E=202-242 MeV; measured  $\sigma$ . Velocity filter, comparison with statistical model predictions. JOUR PRVCA 72 014612
- 2005DE01 RADIOACTIVITY <sup>200,201,203,205</sup>Fr, <sup>196,197,199,201</sup>At, <sup>193</sup>Bi( $\alpha$ ) [from Th(p, X) and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>. <sup>201</sup>Fr, <sup>197</sup>At, <sup>193</sup>Bi, <sup>189</sup>Tl deduced levels, J,  $\pi$ . JOUR ZAANE 23 243
- 2005GEZW ATOMIC MASSES <sup>235</sup>Ac; measured mass, T<sub>1/2</sub>. <sup>185,186,187,188,189,190,191,192,193,194,195,196</sup>Bi; measured masses, proton separation energies. <sup>207m</sup>Tl; measured T<sub>1/2</sub>. Stored beams, Schottky mass spectrometry. PREPRINT nucl-ex/0510009,10/4/2005
- <sup>192</sup>Po 2005UU03 RADIOACTIVITY <sup>188,190,192,194,196,198,200,202,204</sup>Po, <sup>191,193,195,197,199</sup>At, <sup>196,198,200,202,204,206</sup>Rn, <sup>199,201,203,205,207</sup>Fr( $\alpha$ ); measured reduced widths using gas filled recoil separator; deduced hindrance factors, proton intruder states and deformation effects. JOUR ZAANE 25 s01 179



**A=192 (continued)**

- <sup>192</sup>At      2005ANZY      NUCLEAR REACTIONS <sup>144</sup>Sm(<sup>46</sup>Ti, xn), E not given; measured E $\gamma$ , E $\alpha$ ,  $\alpha\alpha$ -,  $\alpha\gamma$ -coin following residual nucleus decay; deduced evidence for <sup>186,187</sup>Po. <sup>144</sup>Sm(<sup>51</sup>V, xn), E not given; measured E $\gamma$ , E $\alpha$ ,  $\alpha\alpha$ -,  $\alpha\gamma$ -coin following residual nucleus decay; deduced evidence for <sup>192</sup>At. REPT GSI 2005-1,P77,Andreyev
- 2005ANZY      RADIOACTIVITY <sup>186,187</sup>Po, <sup>183</sup>Pb, <sup>179</sup>Hg, <sup>175</sup>Pt( $\alpha$ ) [from <sup>144</sup>Sm(<sup>46</sup>Ti, xn) and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>. <sup>183</sup>Pb deduced excited state energy. <sup>187</sup>Po deduced isomeric states. <sup>192</sup>At( $\alpha$ ) [from <sup>144</sup>Sm(<sup>51</sup>V, xn)]; measured E $\alpha$ ,  $\alpha\alpha$ -coin, T<sub>1/2</sub>; deduced isomeric states. REPT GSI 2005-1,P77,Andreyev

**A=193**

- <sup>193</sup>Re      2005CA02      RADIOACTIVITY <sup>188</sup>Ta, <sup>190</sup>W, <sup>192,193</sup>Re, <sup>195</sup>Os, <sup>197,198</sup>Ir, <sup>200,201,202</sup>Pt, <sup>203</sup>Au(IT) [from Be(<sup>208</sup>Pb, X)]; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin, T<sub>1/2</sub>. <sup>188</sup>Ta, <sup>190</sup>W, <sup>192,193</sup>Re, <sup>195</sup>Os, <sup>197,198</sup>Ir, <sup>200,201,202</sup>Pt, <sup>203</sup>Au deduced transitions. <sup>190</sup>W, <sup>200,201,202</sup>Pt deduced levels, J,  $\pi$ . <sup>174,175</sup>Er, <sup>185</sup>Hf, <sup>191,194</sup>Re, <sup>199</sup>Ir(IT) [from Be(<sup>208</sup>Pb, X)]; measured E $\gamma$ , I $\gamma$ . JOUR ZAANE 23 201
- <sup>193</sup>Os      2002B066      NUCLEAR REACTIONS <sup>192</sup>Os(n,  $\gamma$ ), E=thermal; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>193</sup>Os deduced level energies, two-step cascade intensities, level density features. JOUR FIZBE 11 83
- 2004ZA15      RADIOACTIVITY <sup>193</sup>Os( $\beta^-$ ) [from <sup>192</sup>Os(n,  $\gamma$ )]; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>193</sup>Ir deduced levels, transition intensities. JOUR BJPHE 34 719
- 2005ZA15      RADIOACTIVITY <sup>193</sup>Os( $\beta^-$ ) [from <sup>192</sup>Os(n,  $\gamma$ )]; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>193</sup>Ir deduced levels, J,  $\pi$ . JOUR BJPHE 35 843
- <sup>193</sup>Ir      2004ZA15      RADIOACTIVITY <sup>193</sup>Os( $\beta^-$ ) [from <sup>192</sup>Os(n,  $\gamma$ )]; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>193</sup>Ir deduced levels, transition intensities. JOUR BJPHE 34 719
- 2005KI01      NUCLEAR REACTIONS <sup>193</sup>Ir(X-ray, X-ray), (X-ray,  $\gamma$ ), E=low; measured  $\gamma$ -spectra, X-ray spectra. <sup>193</sup>Ir deduced probability for nuclear excitation by electron transition. Synchrotron radiation, silicon avalanche photodiode. JOUR NUPAB 748 3
- 2005ZA15      RADIOACTIVITY <sup>193</sup>Os( $\beta^-$ ) [from <sup>192</sup>Os(n,  $\gamma$ )]; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>193</sup>Ir deduced levels, J,  $\pi$ . JOUR BJPHE 35 843
- <sup>193</sup>Au      2005TAZW      NUCLEAR REACTIONS Pt(p, X)<sup>195</sup>Au / <sup>196</sup>Au / <sup>198</sup>Au / <sup>189</sup>Ir / <sup>190</sup>Ir / <sup>192</sup>Ir / <sup>194</sup>Ir, E  $\approx$  0-70 MeV; Pt(d, X)<sup>192</sup>Au / <sup>193</sup>Au / <sup>194</sup>Au / <sup>195</sup>Au / <sup>196</sup>Au / <sup>195m</sup>Pt / <sup>197</sup>Pt / <sup>192</sup>Ir, E  $\approx$  0-21 MeV; Pt( $\alpha$ , X)<sup>195</sup>Au / <sup>196</sup>Au, E  $\approx$  0-38 MeV; measured activation  $\sigma$ ; deduced integral yields. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P1015
- 2006DI01      NUCLEAR REACTIONS Pt(d, X)<sup>191</sup>Au / <sup>192</sup>Au / <sup>193</sup>Au / <sup>194</sup>Au / <sup>195</sup>Au / <sup>196</sup>Au / <sup>196m</sup>Au / <sup>198</sup>Au / <sup>199</sup>Au / <sup>191</sup>Pt / <sup>195m</sup>Pt / <sup>197</sup>Pt / <sup>192</sup>Ir, E  $\approx$  10-40 MeV; measured production  $\sigma$ . Stacked-foil activation technique, comparison with model predictions. JOUR NIMBE 243 20
- <sup>193</sup>Pb      2002DU22      RADIOACTIVITY <sup>197,197m,198,199m,200,201m</sup>Po( $\alpha$ ); <sup>172,173</sup>Os( $\alpha$ ) [from <sup>156</sup>Dy(<sup>22</sup>Ne, xn)]; <sup>183,184,185</sup>Hg( $\alpha$ ) [from <sup>168</sup>Yb(<sup>22</sup>Ne, xn)]; measured E $\alpha$ , T<sub>1/2</sub>. JOUR NIMAE 479 631

A=193 (*continued*)

- 2005GL09 NUCLEAR REACTIONS  $^{170}\text{Er}(^{28}\text{Si}, 5n)$ ,  $E=149$  MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin, DSA.  $^{193}\text{Pb}$  deduced magnetic rotational band levels  $T_{1/2}$ . GASP array, recoil-distance and Doppler-shift attenuation methods used. JOUR JPGPE 31 S1559
- $^{193}\text{Bi}$  2004KE15 NUCLEAR REACTIONS  $^{1,2}\text{H}$ ,  $\text{Ti}(^{208}\text{Pb}, X)^{193}\text{Bi} / ^{194}\text{Bi} / ^{195}\text{Bi} / ^{196}\text{Bi} / ^{197}\text{Bi} / ^{198}\text{Bi} / ^{199}\text{Bi} / ^{200}\text{Bi} / ^{201}\text{Bi} / ^{202}\text{Bi} / ^{203}\text{Bi} / ^{204}\text{Bi} / ^{205}\text{Bi} / ^{206}\text{Bi} / ^{207}\text{Bi} / ^{208}\text{Bi}$ ,  $E=1$  GeV / nucleon; measured charge-pickup  $\sigma$ , velocity distributions; deduced reaction mechanism features. Comparison with model predictions and previous results. JOUR PRVCA 70 064608
- 2005DE01 RADIOACTIVITY  $^{200,201,203,205}\text{Fr}$ ,  $^{196,197,199,201}\text{At}$ ,  $^{193}\text{Bi}(\alpha)$  [from  $\text{Th}(p, X)$  and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ .  $^{201}\text{Fr}$ ,  $^{197}\text{At}$ ,  $^{193}\text{Bi}$ ,  $^{189}\text{Tl}$  deduced levels,  $J$ ,  $\pi$ . JOUR ZAANE 23 243
- 2005GEZW ATOMIC MASSES  $^{235}\text{Ac}$ ; measured mass,  $T_{1/2}$ .  $^{185,186,187,188,189,190,191,192,193,194,195,196}\text{Bi}$ ; measured masses, proton separation energies.  $^{207m}\text{Tl}$ ; measured  $T_{1/2}$ . Stored beams, Schottky mass spectrometry. PREPRINT nucl-ex/0510009,10/4/2005
- 2005UU02 RADIOACTIVITY  $^{201,202,203,204}\text{Ra}$ ,  $^{197,198,199,200}\text{Rn}$ ,  $^{193,194,195,196}\text{Po}$ ,  $^{201,202,203,204}\text{Fr}$ ,  $^{197,198,199,200}\text{At}(\alpha)$  [from  $^{141}\text{Pr}(^{63,65}\text{Cu}, \text{xny}p\alpha)$ ,  $^{170}\text{Yb}(^{36}\text{Ar}, \text{xny}p\alpha)$ , and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ ,  $\alpha\alpha$ -coin for ground and metastable state decay.  $^{193,195}\text{Bi}$ ,  $^{197,199}\text{At}$ ,  $^{201,203}\text{Fr}$  deduced levels,  $J$ ,  $\pi$ . Comparisons with previous results. JOUR PRVCA 71 024306
- 2005UU03 RADIOACTIVITY  $^{188,190,192,194,196,198,200,202,204}\text{Po}$ ,  $^{191,193,195,197,199}\text{At}$ ,  $^{196,198,200,202,204,206}\text{Rn}$ ,  $^{199,201,203,205,207}\text{Fr}(\alpha)$ ; measured reduced widths using gas filled recoil separator; deduced hindrance factors, proton intruder states and deformation effects. JOUR ZAANE 25 s01 179
- $^{193}\text{Po}$  2005UU02 RADIOACTIVITY  $^{201,202,203,204}\text{Ra}$ ,  $^{197,198,199,200}\text{Rn}$ ,  $^{193,194,195,196}\text{Po}$ ,  $^{201,202,203,204}\text{Fr}$ ,  $^{197,198,199,200}\text{At}(\alpha)$  [from  $^{141}\text{Pr}(^{63,65}\text{Cu}, \text{xny}p\alpha)$ ,  $^{170}\text{Yb}(^{36}\text{Ar}, \text{xny}p\alpha)$ , and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ ,  $\alpha\alpha$ -coin for ground and metastable state decay.  $^{193,195}\text{Bi}$ ,  $^{197,199}\text{At}$ ,  $^{201,203}\text{Fr}$  deduced levels,  $J$ ,  $\pi$ . Comparisons with previous results. JOUR PRVCA 71 024306
- $^{193}\text{At}$  2005KE10 NUCLEAR REACTIONS  $^{142}\text{Nd}(^{56}\text{Fe}, 2np)$ ,  $E=262$  MeV;  $^{141}\text{Pr}(^{56}\text{Fe}, 4n)$ ,  $E=266$  MeV;  $^{141}\text{Pr}(^{54}\text{Fe}, 4n)$ ,  $E=260$  MeV; measured production  $\sigma$ . JOUR ZAANE 25 s01 181
- 2005KE10 RADIOACTIVITY  $^{191,193,195}\text{At}(\alpha)$ ; measured  $E\alpha$ ,  $E\gamma$ ,  $\gamma\alpha$ -coin.  $^{191,193,195}\text{At}$  deduced levels,  $J$ ,  $\pi$ , configurations, proton separation energies.  $^{187,189,191}\text{Bi}$  deduced levels  $J$ ,  $\pi$ , configurations. Comparison with theory. JOUR ZAANE 25 s01 181
- 2005UU03 RADIOACTIVITY  $^{188,190,192,194,196,198,200,202,204}\text{Po}$ ,  $^{191,193,195,197,199}\text{At}$ ,  $^{196,198,200,202,204,206}\text{Rn}$ ,  $^{199,201,203,205,207}\text{Fr}(\alpha)$ ; measured reduced widths using gas filled recoil separator; deduced hindrance factors, proton intruder states and deformation effects. JOUR ZAANE 25 s01 179

## A=194

- <sup>194</sup>Re 2005CA02 RADIOACTIVITY <sup>188</sup>Ta, <sup>190</sup>W, <sup>192,193</sup>Re, <sup>195</sup>Os, <sup>197,198</sup>Ir, <sup>200,201,202</sup>Pt, <sup>203</sup>Au(IT) [from Be(<sup>208</sup>Pb, X)]; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin, T<sub>1/2</sub>. <sup>188</sup>Ta, <sup>190</sup>W, <sup>192,193</sup>Re, <sup>195</sup>Os, <sup>197,198</sup>Ir, <sup>200,201,202</sup>Pt, <sup>203</sup>Au deduced transitions. <sup>190</sup>W, <sup>200,201,202</sup>Pt deduced levels, J,  $\pi$ . <sup>174,175</sup>Er, <sup>185</sup>Hf, <sup>191,194</sup>Re, <sup>199</sup>Ir(IT) [from Be(<sup>208</sup>Pb, X)]; measured E $\gamma$ , I $\gamma$ .  
JOUR ZAANE 23 201
- <sup>194</sup>Ir 2005TAZW NUCLEAR REACTIONS Pt(p, X)<sup>195</sup>Au / <sup>196</sup>Au / <sup>198</sup>Au / <sup>189</sup>Ir / <sup>190</sup>Ir / <sup>192</sup>Ir / <sup>194</sup>Ir, E  $\approx$  0-70 MeV; Pt(d, X)<sup>192</sup>Au / <sup>193</sup>Au / <sup>194</sup>Au / <sup>195</sup>Au / <sup>196</sup>Au / <sup>195m</sup>Pt / <sup>197</sup>Pt / <sup>192</sup>Ir, E  $\approx$  0-21 MeV; Pt( $\alpha$ , X)<sup>195</sup>Au / <sup>196</sup>Au, E  $\approx$  0-38 MeV; measured activation  $\sigma$ ; deduced integral yields. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P1015
- <sup>194</sup>Pt 2005J011 NUCLEAR REACTIONS <sup>192</sup>Os(<sup>82</sup>Se, X)<sup>194</sup>Pt, E=460 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>194</sup>Pt deduced levels, J,  $\pi$ , configurations, B(E2). GASP array. JOUR APOBB 36 1323
- 2005LEZW NUCLEAR REACTIONS <sup>188,190,194</sup>Os, <sup>194,196</sup>Pt( $\alpha$ , 2n), E=27 MeV; measured E $\gamma$ , I $\gamma$ ( $\theta$ , H, t). <sup>190,192,194</sup>Pt, <sup>196,198</sup>Hg deduced isomeric states g-factors, configurations. Integral perturbed angular distribution method, HPGe detectors. CONF St Petersburg, P81, Levon
- 2005SH52 ATOMIC MASSES <sup>194,195,196,198</sup>Pt; measured masses. Penning trap mass spectrometer. JOUR ZAANE 25 s01 45
- <sup>194</sup>Au 2004ADZW NUCLEAR REACTIONS <sup>209</sup>Bi(n, 4n), (n, 5n), (n, 6n), (n, 7n), (n, 9n), <sup>232</sup>Th(n,  $\gamma$ ), <sup>197</sup>Au(n, 2n), (n, 4n), (n, 6n), (n, 7n), (n,  $\gamma$ ), <sup>115</sup>In(n, 5n), (n, 6n), (n, 7n), <sup>59</sup>Co(n, 2n), (n, 3n), (n, 4n), (n, 5n), (n,  $\gamma$ ), (n, p), (n, 6n2p), E=spectrum; measured E $\gamma$ , I $\gamma$ ; deduced reaction rates. Pb(p, nX), E=1 GeV; deduced spallation neutron spectrum. REPT JINR-E1-2004-16, Adam
- 2005AD01 NUCLEAR REACTIONS <sup>209</sup>Bi(n, 4n), (n, 5n), (n, 6n), (n, 7n), (n, 9n), <sup>232</sup>Th(n,  $\gamma$ ), <sup>197</sup>Au(n, 2n), (n, 4n), (n, 6n), (n, 7n), (n,  $\gamma$ ), <sup>59</sup>Co(n, 2n), (n, 3n), (n, 4n), (n, 5n), (n, p), (n, 6n2p), <sup>115</sup>In(n, 5n), (n, 6n), (n, 7n), E=spectrum; measured E $\gamma$ , I $\gamma$ ; deduced reaction rates. Activation technique, spallation neutrons from 1 GeV proton beam, comparison with model predictions. JOUR ZAANE 23 61
- 2005SI14 NUCLEAR REACTIONS C, O, Si, Mg, Al(n, X)<sup>7</sup>Be, E  $\approx$  0.1-750 MeV; O, Si, Mg, Al(n, X)<sup>22</sup>Na / <sup>23</sup>Na, E  $\approx$  0.1-750 MeV; <sup>197</sup>Au(n, X)<sup>194</sup>Au / <sup>196</sup>Au / <sup>198</sup>Au, E  $\approx$  0.1-750 MeV; Ti, Fe, Ni, Cu(n, X)<sup>46</sup>Sc / <sup>48</sup>Sc, E  $\approx$  0.1-750 MeV; Fe, Ni, Cu(n, X)<sup>48</sup>V / <sup>51</sup>Cr / <sup>52</sup>Mn / <sup>54</sup>Mn, E  $\approx$  0.1-750 MeV; Ni, Cu(n, X)<sup>56</sup>Ni / <sup>57</sup>Ni / <sup>56</sup>Co / <sup>57</sup>Co / <sup>58</sup>Co / <sup>60</sup>Co / <sup>59</sup>Fe, E  $\approx$  0.1-750 MeV; measured energy-integrated production  $\sigma$ . JOUR NIMBE 234 419
- 2005TAZW NUCLEAR REACTIONS Pt(p, X)<sup>195</sup>Au / <sup>196</sup>Au / <sup>198</sup>Au / <sup>189</sup>Ir / <sup>190</sup>Ir / <sup>192</sup>Ir / <sup>194</sup>Ir, E  $\approx$  0-70 MeV; Pt(d, X)<sup>192</sup>Au / <sup>193</sup>Au / <sup>194</sup>Au / <sup>195</sup>Au / <sup>196</sup>Au / <sup>195m</sup>Pt / <sup>197</sup>Pt / <sup>192</sup>Ir, E  $\approx$  0-21 MeV; Pt( $\alpha$ , X)<sup>195</sup>Au / <sup>196</sup>Au, E  $\approx$  0-38 MeV; measured activation  $\sigma$ ; deduced integral yields. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P1015
- 2006DI01 NUCLEAR REACTIONS Pt(d, X)<sup>191</sup>Au / <sup>192</sup>Au / <sup>193</sup>Au / <sup>194</sup>Au / <sup>195</sup>Au / <sup>196</sup>Au / <sup>196m</sup>Au / <sup>198</sup>Au / <sup>199</sup>Au / <sup>191</sup>Pt / <sup>195m</sup>Pt / <sup>197</sup>Pt / <sup>192</sup>Ir, E  $\approx$  10-40 MeV; measured production  $\sigma$ . Stacked-foil activation technique, comparison with model predictions. JOUR NIMBE 243 20

A=194 (*continued*)

- $^{194}\text{Hg}$  2004KHZX NUCLEAR REACTIONS  $^{150}\text{Nd}(^{48}\text{Ca}, 4n)$ , E not given; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{194}\text{Hg}$  deduced spreading widths for excited superdeformed quasicontinuum transitions. Gammasphere array. REPT  
ANL-04/22,P61,Khoo
- $^{194}\text{Pb}$  2002DU22 RADIOACTIVITY  $^{197,197m,198,199m,200,201m}\text{Po}(\alpha)$ ;  $^{172,173}\text{Os}(\alpha)$  [from  $^{156}\text{Dy}(^{22}\text{Ne}, xn)$ ];  $^{183,184,185}\text{Hg}(\alpha)$  [from  $^{168}\text{Yb}(^{22}\text{Ne}, xn)$ ]; measured  $E\alpha$ ,  $T_{1/2}$ . JOUR NIMAE 479 631
- 2005DRZW NUCLEAR REACTIONS  $^{170}\text{Er}(^{29}\text{Si}, 5n)$ , E=147 MeV;  $^{170}\text{Er}(^{30}\text{Si}, 4n)$ , E=138 MeV; measured prompt and delayed  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{194,196}\text{Pb}$  deduced levels, J,  $\pi$ , configurations, isomers  $T_{1/2}$  and decay B(E1), B(E2), B(E3). Caesar array, potential energy surface calculations. PREPRINT ANU-P/1662,Dracoulis
- 2005UU03 RADIOACTIVITY  $^{188,190,192,194,196,198,200,202,204}\text{Po}$ ,  $^{191,193,195,197,199}\text{At}$ ,  $^{196,198,200,202,204,206}\text{Rn}$ ,  $^{199,201,203,205,207}\text{Fr}(\alpha)$ ; measured reduced widths using gas filled recoil separator; deduced hindrance factors, proton intruder states and deformation effects. JOUR ZAANE 25 s01 179
- $^{194}\text{Bi}$  2004KE15 NUCLEAR REACTIONS  $^{1,2}\text{H}$ ,  $\text{Ti}(^{208}\text{Pb}, X)^{193}\text{Bi} / ^{194}\text{Bi} / ^{195}\text{Bi} / ^{196}\text{Bi} / ^{197}\text{Bi} / ^{198}\text{Bi} / ^{199}\text{Bi} / ^{200}\text{Bi} / ^{201}\text{Bi} / ^{202}\text{Bi} / ^{203}\text{Bi} / ^{204}\text{Bi} / ^{205}\text{Bi} / ^{206}\text{Bi} / ^{207}\text{Bi} / ^{208}\text{Bi}$ , E=1 GeV / nucleon; measured charge-pickup  $\sigma$ , velocity distributions; deduced reaction mechanism features. Comparison with model predictions and previous results. JOUR PRVCA 70 064608
- 2005GEZW ATOMIC MASSES  $^{235}\text{Ac}$ ; measured mass,  $T_{1/2}$ .  $^{185,186,187,188,189,190,191,192,193,194,195,196}\text{Bi}$ ; measured masses, proton separation energies.  $^{207m}\text{Tl}$ ; measured  $T_{1/2}$ . Stored beams, Schottky mass spectrometry. PREPRINT nucl-ex/0510009,10/4/2005
- 2005UU02 RADIOACTIVITY  $^{201,202,203,204}\text{Ra}$ ,  $^{197,198,199,200}\text{Rn}$ ,  $^{193,194,195,196}\text{Po}$ ,  $^{201,202,203,204}\text{Fr}$ ,  $^{197,198,199,200}\text{At}(\alpha)$  [from  $^{141}\text{Pr}(^{63,65}\text{Cu}, xnypz\alpha)$ ,  $^{170}\text{Yb}(^{36}\text{Ar}, xnypz\alpha)$ , and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ ,  $\alpha\alpha$ -coin for ground and metastable state decay.  $^{193,195}\text{Bi}$ ,  $^{197,199}\text{At}$ ,  $^{201,203}\text{Fr}$  deduced levels, J,  $\pi$ . Comparisons with previous results. JOUR PRVCA 71 024306
- $^{194}\text{Po}$  2005UU02 RADIOACTIVITY  $^{201,202,203,204}\text{Ra}$ ,  $^{197,198,199,200}\text{Rn}$ ,  $^{193,194,195,196}\text{Po}$ ,  $^{201,202,203,204}\text{Fr}$ ,  $^{197,198,199,200}\text{At}(\alpha)$  [from  $^{141}\text{Pr}(^{63,65}\text{Cu}, xnypz\alpha)$ ,  $^{170}\text{Yb}(^{36}\text{Ar}, xnypz\alpha)$ , and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ ,  $\alpha\alpha$ -coin for ground and metastable state decay.  $^{193,195}\text{Bi}$ ,  $^{197,199}\text{At}$ ,  $^{201,203}\text{Fr}$  deduced levels, J,  $\pi$ . Comparisons with previous results. JOUR PRVCA 71 024306
- 2005UU03 RADIOACTIVITY  $^{188,190,192,194,196,198,200,202,204}\text{Po}$ ,  $^{191,193,195,197,199}\text{At}$ ,  $^{196,198,200,202,204,206}\text{Rn}$ ,  $^{199,201,203,205,207}\text{Fr}(\alpha)$ ; measured reduced widths using gas filled recoil separator; deduced hindrance factors, proton intruder states and deformation effects. JOUR ZAANE 25 s01 179

## A=195

- <sup>195</sup>Os    2005CA02    RADIOACTIVITY <sup>188</sup>Ta, <sup>190</sup>W, <sup>192,193</sup>Re, <sup>195</sup>Os, <sup>197,198</sup>Ir, <sup>200,201,202</sup>Pt, <sup>203</sup>Au(IT) [from Be(<sup>208</sup>Pb, X)]; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin, T<sub>1/2}. <sup>188</sup>Ta, <sup>190</sup>W, <sup>192,193</sup>Re, <sup>195</sup>Os, <sup>197,198</sup>Ir, <sup>200,201,202</sup>Pt, <sup>203</sup>Au deduced transitions. <sup>190</sup>W, <sup>200,201,202</sup>Pt deduced levels, J,  $\pi$ . <sup>174,175</sup>Er, <sup>185</sup>Hf, <sup>191,194</sup>Re, <sup>199</sup>Ir(IT) [from Be(<sup>208</sup>Pb, X)]; measured E $\gamma$ , I $\gamma$ . JOUR ZAANE 23 201</sub>
- <sup>195</sup>Pt    2005SH52    ATOMIC MASSES <sup>194,195,196,198</sup>Pt; measured masses. Penning trap mass spectrometer. JOUR ZAANE 25 s01 45
- 2005TAZW    NUCLEAR REACTIONS Pt(p, X)<sup>195</sup>Au / <sup>196</sup>Au / <sup>198</sup>Au / <sup>189</sup>Ir / <sup>190</sup>Ir / <sup>192</sup>Ir / <sup>194</sup>Ir, E  $\approx$  0-70 MeV; Pt(d, X)<sup>192</sup>Au / <sup>193</sup>Au / <sup>194</sup>Au / <sup>195</sup>Au / <sup>196</sup>Au / <sup>195m</sup>Pt / <sup>197</sup>Pt / <sup>192</sup>Ir, E  $\approx$  0-21 MeV; Pt( $\alpha$ , X)<sup>195</sup>Au / <sup>196</sup>Au, E  $\approx$  0-38 MeV; measured activation  $\sigma$ ; deduced integral yields. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol1,P1015
- 2006DI01    NUCLEAR REACTIONS Pt(d, X)<sup>191</sup>Au / <sup>192</sup>Au / <sup>193</sup>Au / <sup>194</sup>Au / <sup>195</sup>Au / <sup>196</sup>Au / <sup>196m</sup>Au / <sup>198</sup>Au / <sup>199</sup>Au / <sup>191</sup>Pt / <sup>195m</sup>Pt / <sup>197</sup>Pt / <sup>192</sup>Ir, E  $\approx$  10-40 MeV; measured production  $\sigma$ . Stacked-foil activation technique, comparison with model predictions. JOUR NIMBE 243 20
- <sup>195</sup>Au    2003HI23    NUCLEAR REACTIONS <sup>197</sup>Au(<sup>208</sup>Pb, X)<sup>195</sup>Au / <sup>196</sup>Au, E=40, 158 GeV / nucleon; measured electromagnetic dissociation  $\sigma$  for one- and two-neutron removal. JOUR UKPJA 48 1165
- 2005TAZW    NUCLEAR REACTIONS Pt(p, X)<sup>195</sup>Au / <sup>196</sup>Au / <sup>198</sup>Au / <sup>189</sup>Ir / <sup>190</sup>Ir / <sup>192</sup>Ir / <sup>194</sup>Ir, E  $\approx$  0-70 MeV; Pt(d, X)<sup>192</sup>Au / <sup>193</sup>Au / <sup>194</sup>Au / <sup>195</sup>Au / <sup>196</sup>Au / <sup>195m</sup>Pt / <sup>197</sup>Pt / <sup>192</sup>Ir, E  $\approx$  0-21 MeV; Pt( $\alpha$ , X)<sup>195</sup>Au / <sup>196</sup>Au, E  $\approx$  0-38 MeV; measured activation  $\sigma$ ; deduced integral yields. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol1,P1015
- 2006DI01    NUCLEAR REACTIONS Pt(d, X)<sup>191</sup>Au / <sup>192</sup>Au / <sup>193</sup>Au / <sup>194</sup>Au / <sup>195</sup>Au / <sup>196</sup>Au / <sup>196m</sup>Au / <sup>198</sup>Au / <sup>199</sup>Au / <sup>191</sup>Pt / <sup>195m</sup>Pt / <sup>197</sup>Pt / <sup>192</sup>Ir, E  $\approx$  10-40 MeV; measured production  $\sigma$ . Stacked-foil activation technique, comparison with model predictions. JOUR NIMBE 243 20
- <sup>195</sup>Pb    2002DU22    RADIOACTIVITY <sup>197,197m,198,199m,200,201m</sup>Po( $\alpha$ ); <sup>172,173</sup>Os( $\alpha$ ) [from <sup>156</sup>Dy(<sup>22</sup>Ne, xn)]; <sup>183,184,185</sup>Hg( $\alpha$ ) [from <sup>168</sup>Yb(<sup>22</sup>Ne, xn)]; measured E $\alpha$ , T<sub>1/2}. JOUR NIMAE 479 631</sub>
- 2005J010    NUCLEAR REACTIONS <sup>174</sup>Yb(<sup>26</sup>Mg, 5n), E=132 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>195</sup>Pb deduced high-spin levels, J,  $\pi$ , superdeformed bands, quasi-continuum decay-out spectra. Gammasphere array. JOUR PRVCA 71 044310
- <sup>195</sup>Bi    2004KE15    NUCLEAR REACTIONS <sup>1,2</sup>H, Ti(<sup>208</sup>Pb, X)<sup>193</sup>Bi / <sup>194</sup>Bi / <sup>195</sup>Bi / <sup>196</sup>Bi / <sup>197</sup>Bi / <sup>198</sup>Bi / <sup>199</sup>Bi / <sup>200</sup>Bi / <sup>201</sup>Bi / <sup>202</sup>Bi / <sup>203</sup>Bi / <sup>204</sup>Bi / <sup>205</sup>Bi / <sup>206</sup>Bi / <sup>207</sup>Bi / <sup>208</sup>Bi, E=1 GeV / nucleon; measured charge-pickup  $\sigma$ , velocity distributions; deduced reaction mechanism features. Comparison with model predictions and previous results. JOUR PRVCA 70 064608
- 2005DE01    RADIOACTIVITY <sup>200,201,203,205</sup>Fr, <sup>196,197,199,201</sup>At, <sup>193</sup>Bi( $\alpha$ ) [from Th(p, X) and subsequent decay]; measured E $\alpha$ , T<sub>1/2}. <sup>201</sup>Fr, <sup>197</sup>At, <sup>193</sup>Bi, <sup>189</sup>Tl deduced levels, J,  $\pi$ . JOUR ZAANE 23 243</sub>

**A=195 (continued)**

- 2005GEZW ATOMIC MASSES  $^{235}\text{Ac}$ ; measured mass,  $T_{1/2}$ .  
185,186,187,188,189,190,191,192,193,194,195,196Bi; measured masses, proton  
separation energies.  $^{207m}\text{Tl}$ ; measured  $T_{1/2}$ . Stored beams, Schottky  
mass spectrometry. PREPRINT nucl-ex/0510009,10/4/2005
- 2005UU02 RADIOACTIVITY  $^{201,202,203,204}\text{Ra}$ ,  $^{197,198,199,200}\text{Rn}$ ,  $^{193,194,195,196}\text{Po}$ ,  
 $^{201,202,203,204}\text{Fr}$ ,  $^{197,198,199,200}\text{At}(\alpha)$  [from  $^{141}\text{Pr}(^{63,65}\text{Cu}, \text{xny}\alpha)$ ,  
 $^{170}\text{Yb}(^{36}\text{Ar}, \text{xny}\alpha)$ , and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ ,  
 $\alpha\alpha$ -coin for ground and metastable state decay.  $^{193,195}\text{Bi}$ ,  $^{197,199}\text{At}$ ,  
 $^{201,203}\text{Fr}$  deduced levels, J,  $\pi$ . Comparisons with previous results.  
JOUR PRVCA 71 024306
- 2005UU03 RADIOACTIVITY  $^{188,190,192,194,196,198,200,202,204}\text{Po}$ ,  
 $^{191,193,195,197,199}\text{At}$ ,  $^{196,198,200,202,204,206}\text{Rn}$ ,  $^{199,201,203,205,207}\text{Fr}(\alpha)$ ;  
measured reduced widths using gas filled recoil separator; deduced  
hindrance factors, proton intruder states and deformation effects.  
JOUR ZAANE 25 s01 179
- $^{195}\text{Po}$  2005UU02 RADIOACTIVITY  $^{201,202,203,204}\text{Ra}$ ,  $^{197,198,199,200}\text{Rn}$ ,  $^{193,194,195,196}\text{Po}$ ,  
 $^{201,202,203,204}\text{Fr}$ ,  $^{197,198,199,200}\text{At}(\alpha)$  [from  $^{141}\text{Pr}(^{63,65}\text{Cu}, \text{xny}\alpha)$ ,  
 $^{170}\text{Yb}(^{36}\text{Ar}, \text{xny}\alpha)$ , and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ ,  
 $\alpha\alpha$ -coin for ground and metastable state decay.  $^{193,195}\text{Bi}$ ,  $^{197,199}\text{At}$ ,  
 $^{201,203}\text{Fr}$  deduced levels, J,  $\pi$ . Comparisons with previous results.  
JOUR PRVCA 71 024306
- $^{195}\text{At}$  2005KE10 NUCLEAR REACTIONS  $^{142}\text{Nd}(^{56}\text{Fe}, 2\text{np})$ ,  $E=262$  MeV;  $^{141}\text{Pr}(^{56}\text{Fe},$   
 $4\text{n})$ ,  $E=266$  MeV;  $^{141}\text{Pr}(^{54}\text{Fe}, 4\text{n})$ ,  $E=260$  MeV; measured production  
 $\sigma$ . JOUR ZAANE 25 s01 181
- 2005KE10 RADIOACTIVITY  $^{191,193,195}\text{At}(\alpha)$ ; measured  $E\alpha$ ,  $E\gamma$ ,  $\gamma\alpha$ -coin.  
 $^{191,193,195}\text{At}$  deduced levels, J,  $\pi$ , configurations, proton separation  
energies.  $^{187,189,191}\text{Bi}$  deduced levels J,  $\pi$ , configurations. Comparison  
with theory. JOUR ZAANE 25 s01 181
- 2005UU03 RADIOACTIVITY  $^{188,190,192,194,196,198,200,202,204}\text{Po}$ ,  
 $^{191,193,195,197,199}\text{At}$ ,  $^{196,198,200,202,204,206}\text{Rn}$ ,  $^{199,201,203,205,207}\text{Fr}(\alpha)$ ;  
measured reduced widths using gas filled recoil separator; deduced  
hindrance factors, proton intruder states and deformation effects.  
JOUR ZAANE 25 s01 179

**A=196**

- $^{196}\text{Pt}$  2005SH52 ATOMIC MASSES  $^{194,195,196,198}\text{Pt}$ ; measured masses. Penning trap  
mass spectrometer. JOUR ZAANE 25 s01 45
- $^{196}\text{Au}$  2003HI23 NUCLEAR REACTIONS  $^{197}\text{Au}(^{208}\text{Pb}, \text{X})^{195}\text{Au} / ^{196}\text{Au}$ ,  $E=40, 158$   
GeV / nucleon; measured electromagnetic dissociation  $\sigma$  for one- and  
two-neutron removal. JOUR UKPJA 48 1165
- 2004ADZW NUCLEAR REACTIONS  $^{209}\text{Bi}(n, 4n)$ ,  $(n, 5n)$ ,  $(n, 6n)$ ,  $(n, 7n)$ ,  $(n,$   
 $9n)$ ,  $^{232}\text{Th}(n, \gamma)$ ,  $^{197}\text{Au}(n, 2n)$ ,  $(n, 4n)$ ,  $(n, 6n)$ ,  $(n, 7n)$ ,  $(n, \gamma)$ ,  $^{115}\text{In}(n,$   
 $5n)$ ,  $(n, 6n)$ ,  $(n, 7n)$ ,  $^{59}\text{Co}(n, 2n)$ ,  $(n, 3n)$ ,  $(n, 4n)$ ,  $(n, 5n)$ ,  $(n, \gamma)$ ,  $(n,$   
 $p)$ ,  $(n, 6n2p)$ ,  $E=\text{spectrum}$ ; measured  $E\gamma$ ,  $I\gamma$ ; deduced reaction rates.  
 $\text{Pb}(p, n\text{X})$ ,  $E=1$  GeV; deduced spallation neutron spectrum. REPT  
JINR-E1-2004-16, Adam

A=196 (*continued*)

- 2004GA57 NUCLEAR REACTIONS  $^{185}\text{Re}$ ,  $^{191}\text{Ir}$ ,  $^{197}\text{Au}(\gamma, n)$ ,  $E=22$  MeV bremsstrahlung;  $^{185}\text{Re}$ ,  $^{191}\text{Ir}$ ,  $^{197}\text{Au}(n, 2n)$ ,  $E=14.7$  MeV;  $^{181}\text{Ta}(\alpha, n)$ ,  $E=18$  MeV;  $^{190}\text{Os}$ ,  $^{196}\text{Pt}(d, n)$ ,  $E=13, 14$  MeV; measured  $E\gamma$ ,  $I\gamma$ ; deduced isomer production ratios. Activation method. JOUR BRSPE 68 187
- 2004MIZS NUCLEAR REACTIONS  $\text{Fe}(p, X)^{52}\text{Mn}$ ,  $E < 2.6$  GeV;  $\text{Pb}(p, X)^{10}\text{Be}$ ,  $E < 2.6$  GeV;  $^{209}\text{Bi}(p, 4np)$ ,  $E < 2.6$  GeV;  $\text{Pb}(n, X)^{196}\text{Au} / ^{95}\text{Zr}$ ,  $E \approx 70\text{-}180$  MeV; measured excitation functions. Comparison with model predictions. REPT NEA/NSC/DOC(2004)14,P28,Michel
- 2005AD01 NUCLEAR REACTIONS  $^{209}\text{Bi}(n, 4n)$ ,  $(n, 5n)$ ,  $(n, 6n)$ ,  $(n, 7n)$ ,  $(n, 9n)$ ,  $^{232}\text{Th}(n, \gamma)$ ,  $^{197}\text{Au}(n, 2n)$ ,  $(n, 4n)$ ,  $(n, 6n)$ ,  $(n, 7n)$ ,  $(n, \gamma)$ ,  $^{59}\text{Co}(n, 2n)$ ,  $(n, 3n)$ ,  $(n, 4n)$ ,  $(n, 5n)$ ,  $(n, p)$ ,  $(n, 6n2p)$ ,  $^{113}\text{In}(n, 5n)$ ,  $(n, 6n)$ ,  $(n, 7n)$ ,  $E=\text{spectrum}$ ; measured  $E\gamma$ ,  $I\gamma$ ; deduced reaction rates. Activation technique, spallation neutrons from 1 GeV proton beam, comparison with model predictions. JOUR ZAANE 23 61
- 2005DA34 NUCLEAR REACTIONS  $^{197}\text{Au}(^{12}\text{C}, ^{11}\text{C})$ ,  $(^{12}\text{C}, ^{13}\text{C})$ ,  $(^{16}\text{O}, ^{15}\text{O})$ ,  $(^{16}\text{O}, ^{17}\text{O})$ ,  $E \approx 6\text{-}7$  MeV / nucleon; measured yield ratios, high spin yield fraction; deduced reaction mechanism features. Radiochemical and off-line spectrometric techniques. JOUR JRNC D 266 79
- 2005LI13 NUCLEAR REACTIONS  $^{197}\text{Au}(\gamma, n)$ ,  $E=\text{spectrum}$ ; measured activation yield. Incident gammas from laser Compton scattering. JOUR JNSTA 42 259
- 2005MIZZ NUCLEAR REACTIONS  $\text{Cu}(n, X)^{56}\text{Co}$ ,  $E=40\text{-}180$  MeV;  $\text{Fe}(n, X)^{54}\text{Mn} / ^{52}\text{Mn} / ^{51}\text{Cr} / ^{48}\text{V}$ ,  $E \approx 0\text{-}180$  MeV;  $\text{Pb}(n, X)^{196}\text{Au} / ^{200}\text{Pb} / ^{103}\text{Ru}$ ,  $E \approx 40\text{-}180$  MeV;  $\text{U}(n, X)^{99}\text{Mo}$ ,  $E \approx 0\text{-}180$  MeV; measured excitation functions. Comparison with proton-induced reactions. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P861
- 2005SI14 NUCLEAR REACTIONS  $\text{C}$ ,  $\text{O}$ ,  $\text{Si}$ ,  $\text{Mg}$ ,  $\text{Al}(n, X)^7\text{Be}$ ,  $E \approx 0.1\text{-}750$  MeV;  $\text{O}$ ,  $\text{Si}$ ,  $\text{Mg}$ ,  $\text{Al}(n, X)^{22}\text{Na} / ^{23}\text{Na}$ ,  $E \approx 0.1\text{-}750$  MeV;  $^{197}\text{Au}(n, X)^{194}\text{Au} / ^{196}\text{Au} / ^{198}\text{Au}$ ,  $E \approx 0.1\text{-}750$  MeV;  $\text{Ti}$ ,  $\text{Fe}$ ,  $\text{Ni}$ ,  $\text{Cu}(n, X)^{46}\text{Sc} / ^{48}\text{Sc}$ ,  $E \approx 0.1\text{-}750$  MeV;  $\text{Fe}$ ,  $\text{Ni}$ ,  $\text{Cu}(n, X)^{48}\text{V} / ^{51}\text{Cr} / ^{52}\text{Mn} / ^{54}\text{Mn}$ ,  $E \approx 0.1\text{-}750$  MeV;  $\text{Ni}$ ,  $\text{Cu}(n, X)^{56}\text{Ni} / ^{57}\text{Ni} / ^{56}\text{Co} / ^{57}\text{Co} / ^{58}\text{Co} / ^{60}\text{Co} / ^{59}\text{Fe}$ ,  $E \approx 0.1\text{-}750$  MeV; measured energy-integrated production  $\sigma$ . JOUR NIMBE 234 419
- 2005TAZW NUCLEAR REACTIONS  $\text{Pt}(p, X)^{195}\text{Au} / ^{196}\text{Au} / ^{198}\text{Au} / ^{189}\text{Ir} / ^{190}\text{Ir} / ^{192}\text{Ir} / ^{194}\text{Ir}$ ,  $E \approx 0\text{-}70$  MeV;  $\text{Pt}(d, X)^{192}\text{Au} / ^{193}\text{Au} / ^{194}\text{Au} / ^{195}\text{Au} / ^{196}\text{Au} / ^{195m}\text{Pt} / ^{197}\text{Pt} / ^{192}\text{Ir}$ ,  $E \approx 0\text{-}21$  MeV;  $\text{Pt}(\alpha, X)^{195}\text{Au} / ^{196}\text{Au}$ ,  $E \approx 0\text{-}38$  MeV; measured activation  $\sigma$ ; deduced integral yields. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P1015
- 2005TIZX NUCLEAR REACTIONS  $\text{Pb}$ ,  $^{208}\text{Pb}(p, X)^{203}\text{Pb} / ^{200}\text{Tl} / ^{199}\text{Tl} / ^{196}\text{Au} / ^{192}\text{Ir} / ^{190}\text{Ir} / ^{173}\text{Lu} / ^{101m}\text{Rh} / ^{86}\text{Rb} / ^{59}\text{Fe} / ^{24}\text{Na} / ^7\text{Be}$ ,  $E=40\text{-}2600$  MeV; measured excitation functions. Comparison with previous work and model predictions. Other reactions discussed. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P1070
- 2005TIZY NUCLEAR REACTIONS  $\text{Pb}$ ,  $^{208}\text{Pb}$ ,  $^{209}\text{Bi}(p, X)^{203}\text{Pb} / ^{200}\text{Tl} / ^{199}\text{Tl} / ^{196}\text{Au} / ^{192}\text{Ir} / ^{190}\text{Ir} / ^{173}\text{Lu} / ^{101m}\text{Rh} / ^{86}\text{Rb} / ^{59}\text{Fe} / ^{24}\text{Na} / ^7\text{Be}$ ,  $E=40\text{-}2600$  MeV; measured production  $\sigma$ . Comparison with model predictions. PREPRINT nucl-ex/0507009,7/05/2005

**A=196 (continued)**

- 2005WA31 NUCLEAR REACTIONS  $^{92,98,100}\text{Mo}(\gamma, \gamma')$ ,  $E=13.2$  MeV  
bremsstrahlung; measured  $E\gamma$ ,  $I\gamma$ .  $^{92,100}\text{Mo}$ ,  $^{197}\text{Au}(\gamma, n)$ ,  $^{92}\text{Mo}(\gamma, p)$ ,  
( $\gamma, \alpha$ ),  $E \approx 11.8$ - $16.5$  MeV bremsstrahlung; measured integrated  $\sigma$ .  
JOUR JPGPE 31 S1969
- 2006DI01 NUCLEAR REACTIONS  $\text{Pt}(d, X)^{191}\text{Au} / ^{192}\text{Au} / ^{193}\text{Au} / ^{194}\text{Au} /$   
 $^{195}\text{Au} / ^{196}\text{Au} / ^{196m}\text{Au} / ^{198}\text{Au} / ^{199}\text{Au} / ^{191}\text{Pt} / ^{195m}\text{Pt} / ^{197}\text{Pt} /$   
 $^{192}\text{Ir}$ ,  $E \approx 10$ - $40$  MeV; measured production  $\sigma$ . Stacked-foil activation  
technique, comparison with model predictions. JOUR NIMBE 243 20
- $^{196}\text{Hg}$  2005LEZW NUCLEAR REACTIONS  $^{188,190,194}\text{Os}$ ,  $^{194,196}\text{Pt}(\alpha, 2n)$ ,  $E=27$  MeV;  
measured  $E\gamma$ ,  $I\gamma(\theta, H, t)$ .  $^{190,192,194}\text{Pt}$ ,  $^{196,198}\text{Hg}$  deduced isomeric  
states g-factors, configurations. Integral perturbed angular distribution  
method, HPGe detectors. CONF St Petersburg, P81, Levon
- $^{196}\text{Pb}$  2002DU22 RADIOACTIVITY  $^{197,197m,198,199m,200,201m}\text{Po}(\alpha)$ ;  $^{172,173}\text{Os}(\alpha)$  [from  
 $^{156}\text{Dy}(^{22}\text{Ne}, xn)$ ];  $^{183,184,185}\text{Hg}(\alpha)$  [from  $^{168}\text{Yb}(^{22}\text{Ne}, xn)$ ]; measured  
 $E\alpha$ ,  $T_{1/2}$ . JOUR NIMAE 479 631
- 2005DRZW NUCLEAR REACTIONS  $^{170}\text{Er}(^{29}\text{Si}, 5n)$ ,  $E=147$  MeV;  $^{170}\text{Er}(^{30}\text{Si},$   
 $4n)$ ,  $E=138$  MeV; measured prompt and delayed  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  
 $^{194,196}\text{Pb}$  deduced levels,  $J$ ,  $\pi$ , configurations, isomers  $T_{1/2}$  and decay  
 $B(E1)$ ,  $B(E2)$ ,  $B(E3)$ . Caesar array, potential energy surface  
calculations. PREPRINT ANU-P/1662, Dracoulis
- 2005UU03 RADIOACTIVITY  $^{188,190,192,194,196,198,200,202,204}\text{Po}$ ,  
 $^{191,193,195,197,199}\text{At}$ ,  $^{196,198,200,202,204,206}\text{Rn}$ ,  $^{199,201,203,205,207}\text{Fr}(\alpha)$ ;  
measured reduced widths using gas filled recoil separator; deduced  
hindrance factors, proton intruder states and deformation effects.  
JOUR ZAANE 25 s01 179
- 2005WI21 NUCLEAR REACTIONS  $^{170}\text{Er}(^{30}\text{Si}, 4n)$ ,  $E=144$  MeV; measured  
prompt and delayed  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{196}\text{Pb}$  deduced superdeformed  
band excitation energy,  $J$ ,  $\pi$ . Euroball IV array, time-correlated  
spectroscopy. JOUR PRLTA 95 182501
- 2005WIZY NUCLEAR REACTIONS  $^{170}\text{Er}(^{30}\text{Si}, 4n)$ ,  $E=144$  MeV; measured  
prompt and delayed  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{196}\text{Pb}$  deduced superdeformed  
band excitation energy. Euroball IV array, time-correlated  
spectroscopy. Level systematics in neighboring nuclides discussed.  
PREPRINT ANU-P/1667, Wilson
- $^{196}\text{Bi}$  2004KE15 NUCLEAR REACTIONS  $^{1,2}\text{H}$ ,  $\text{Ti}(^{208}\text{Pb}, X)^{193}\text{Bi} / ^{194}\text{Bi} / ^{195}\text{Bi} /$   
 $^{196}\text{Bi} / ^{197}\text{Bi} / ^{198}\text{Bi} / ^{199}\text{Bi} / ^{200}\text{Bi} / ^{201}\text{Bi} / ^{202}\text{Bi} / ^{203}\text{Bi} / ^{204}\text{Bi} /$   
 $^{205}\text{Bi} / ^{206}\text{Bi} / ^{207}\text{Bi} / ^{208}\text{Bi}$ ,  $E=1$  GeV / nucleon; measured  
charge-pickup  $\sigma$ , velocity distributions; deduced reaction mechanism  
features. Comparison with model predictions and previous results.  
JOUR PRVCA 70 064608
- 2005GEZW ATOMIC MASSES  $^{235}\text{Ac}$ ; measured mass,  $T_{1/2}$ .  
 $^{185,186,187,188,189,190,191,192,193,194,195,196}\text{Bi}$ ; measured masses, proton  
separation energies.  $^{207m}\text{Tl}$ ; measured  $T_{1/2}$ . Stored beams, Schottky  
mass spectrometry. PREPRINT nucl-ex/0510009, 10/4/2005



**A=196 (continued)**

- 2005UU02 RADIOACTIVITY <sup>201,202,203,204</sup>Ra, <sup>197,198,199,200</sup>Rn, <sup>193,194,195,196</sup>Po, <sup>201,202,203,204</sup>Fr, <sup>197,198,199,200</sup>At( $\alpha$ ) [from <sup>141</sup>Pr(<sup>63,65</sup>Cu, xnypz $\alpha$ ), <sup>170</sup>Yb(<sup>36</sup>Ar, xnypz $\alpha$ ), and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ ,  $\alpha\alpha$ -coin for ground and metastable state decay. <sup>193,195</sup>Bi, <sup>197,199</sup>At, <sup>201,203</sup>Fr deduced levels, J,  $\pi$ . Comparisons with previous results. JOUR PRVCA 71 024306
- <sup>196</sup>Po 2005UU02 RADIOACTIVITY <sup>201,202,203,204</sup>Ra, <sup>197,198,199,200</sup>Rn, <sup>193,194,195,196</sup>Po, <sup>201,202,203,204</sup>Fr, <sup>197,198,199,200</sup>At( $\alpha$ ) [from <sup>141</sup>Pr(<sup>63,65</sup>Cu, xnypz $\alpha$ ), <sup>170</sup>Yb(<sup>36</sup>Ar, xnypz $\alpha$ ), and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ ,  $\alpha\alpha$ -coin for ground and metastable state decay. <sup>193,195</sup>Bi, <sup>197,199</sup>At, <sup>201,203</sup>Fr deduced levels, J,  $\pi$ . Comparisons with previous results. JOUR PRVCA 71 024306
- 2005UU03 RADIOACTIVITY <sup>188,190,192,194,196,198,200,202,204</sup>Po, <sup>191,193,195,197,199</sup>At, <sup>196,198,200,202,204,206</sup>Rn, <sup>199,201,203,205,207</sup>Fr( $\alpha$ ); measured reduced widths using gas filled recoil separator; deduced hindrance factors, proton intruder states and deformation effects. JOUR ZAANE 25 s01 179
- <sup>196</sup>At 2005DE01 RADIOACTIVITY <sup>200,201,203,205</sup>Fr, <sup>196,197,199,201</sup>At, <sup>193</sup>Bi( $\alpha$ ) [from Th(p, X) and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ . <sup>201</sup>Fr, <sup>197</sup>At, <sup>193</sup>Bi, <sup>189</sup>Tl deduced levels, J,  $\pi$ . JOUR ZAANE 23 243
- <sup>196</sup>Rn 2005UU03 RADIOACTIVITY <sup>188,190,192,194,196,198,200,202,204</sup>Po, <sup>191,193,195,197,199</sup>At, <sup>196,198,200,202,204,206</sup>Rn, <sup>199,201,203,205,207</sup>Fr( $\alpha$ ); measured reduced widths using gas filled recoil separator; deduced hindrance factors, proton intruder states and deformation effects. JOUR ZAANE 25 s01 179

**A=197**

- <sup>197</sup>Ir 2005CA02 RADIOACTIVITY <sup>188</sup>Ta, <sup>190</sup>W, <sup>192,193</sup>Re, <sup>195</sup>Os, <sup>197,198</sup>Ir, <sup>200,201,202</sup>Pt, <sup>203</sup>Au(IT) [from Be(<sup>208</sup>Pb, X)]; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin,  $T_{1/2}$ . <sup>188</sup>Ta, <sup>190</sup>W, <sup>192,193</sup>Re, <sup>195</sup>Os, <sup>197,198</sup>Ir, <sup>200,201,202</sup>Pt, <sup>203</sup>Au deduced transitions. <sup>190</sup>W, <sup>200,201,202</sup>Pt deduced levels, J,  $\pi$ . <sup>174,175</sup>Er, <sup>185</sup>Hf, <sup>191,194</sup>Re, <sup>199</sup>Ir(IT) [from Be(<sup>208</sup>Pb, X)]; measured  $E\gamma$ ,  $I\gamma$ . JOUR ZAANE 23 201
- <sup>197</sup>Pt 2005TAZW NUCLEAR REACTIONS Pt(p, X)<sup>195</sup>Au / <sup>196</sup>Au / <sup>198</sup>Au / <sup>189</sup>Ir / <sup>190</sup>Ir / <sup>192</sup>Ir / <sup>194</sup>Ir,  $E \approx 0-70$  MeV; Pt(d, X)<sup>192</sup>Au / <sup>193</sup>Au / <sup>194</sup>Au / <sup>195</sup>Au / <sup>196</sup>Au / <sup>195m</sup>Pt / <sup>197</sup>Pt / <sup>192</sup>Ir,  $E \approx 0-21$  MeV; Pt( $\alpha$ , X)<sup>195</sup>Au / <sup>196</sup>Au,  $E \approx 0-38$  MeV; measured activation  $\sigma$ ; deduced integral yields. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P1015
- 2006DI01 NUCLEAR REACTIONS Pt(d, X)<sup>191</sup>Au / <sup>192</sup>Au / <sup>193</sup>Au / <sup>194</sup>Au / <sup>195</sup>Au / <sup>196</sup>Au / <sup>196m</sup>Au / <sup>198</sup>Au / <sup>199</sup>Au / <sup>191</sup>Pt / <sup>195m</sup>Pt / <sup>197</sup>Pt / <sup>192</sup>Ir,  $E \approx 10-40$  MeV; measured production  $\sigma$ . Stacked-foil activation technique, comparison with model predictions. JOUR NIMBE 243 20
- <sup>197</sup>Au 2004GA57 NUCLEAR REACTIONS <sup>185</sup>Re, <sup>191</sup>Ir, <sup>197</sup>Au( $\gamma$ , n),  $E=22$  MeV bremsstrahlung; <sup>185</sup>Re, <sup>191</sup>Ir, <sup>197</sup>Au(n, 2n),  $E=14.7$  MeV; <sup>181</sup>Ta( $\alpha$ , n),  $E=18$  MeV; <sup>190</sup>Os, <sup>196</sup>Pt(d, n),  $E=13, 14$  MeV; measured  $E\gamma$ ,  $I\gamma$ ; deduced isomer production ratios. Activation method. JOUR BRSP 68 187

## A=197 (continued)

- 2004YU11 NUCLEAR REACTIONS  $^{197}\text{Au}(^{55}\text{Ni}, ^{55}\text{Ni}')$ , E=84.8 MeV; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation.  $^{55}\text{Ni}$  deduced level, transition B(E2). Comparison with model predictions. JOUR PRVCA 70 064321
- 2005BE33 NUCLEAR REACTIONS  $^{197}\text{Au}(^{54}\text{Cr}, ^{54}\text{Cr}')$ , E=136 MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation.  $^{54}\text{Cr}$  deduced transitions. JOUR APOBB 36 1235
- 2005BU14 NUCLEAR REACTIONS  $^{197}\text{Au}(^{54}\text{Cr}, ^{54}\text{Cr}')$ , ( $^{56}\text{Cr}, ^{56}\text{Cr}'$ ), ( $^{58}\text{Cr}, ^{58}\text{Cr}'$ ), E  $\approx$  135 MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation.  $^{54,56,58}\text{Cr}$  deduced transitions. JOUR APOBB 36 1249
- 2005BU29 NUCLEAR REACTIONS  $^{197}\text{Au}(^{54}\text{Cr}, ^{54}\text{Cr}')$ , ( $^{56}\text{Cr}, ^{56}\text{Cr}'$ ), ( $^{58}\text{Cr}, ^{58}\text{Cr}'$ ), E  $\approx$  100 MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation.  $^{54,56,58}\text{Cr}$  deduced transitions B(E2). Comparison with shell model predictions. JOUR PYLBB 622 29
- 2005CH66 NUCLEAR REACTIONS  $^{209}\text{Bi}(^{26}\text{Mg}, ^{26}\text{Mg}')$ , E=78.6 MeV / nucleon;  $^{197}\text{Au}(^{32}\text{Mg}, ^{32}\text{Mg}')$ , E=81.1 MeV / nucleon;  $^{209}\text{Bi}(^{34}\text{Mg}, ^{34}\text{Mg}')$ , E=76.4 MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation.  $^{26,32,34}\text{Mg}$  deduced transitions B(E2), deformation parameters. Comparison with previous work, model predictions. JOUR PRVCA 72 054320
- 2005DI05 NUCLEAR REACTIONS  $^{197}\text{Au}(^{76}\text{Ge}, ^{76}\text{Ge}')$ , ( $^{52}\text{Ti}, ^{52}\text{Ti}'$ ), ( $^{54}\text{Ti}, ^{54}\text{Ti}'$ ), ( $^{56}\text{Ti}, ^{56}\text{Ti}'$ ), E  $\approx$  80-90 MeV; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation.  $^{52,54,56}\text{Ti}$  deduced transitions B(E2), subshell closures. Comparison with large-scale shell model calculations. JOUR PRVCA 71 041302
- 2005DIZZ NUCLEAR REACTIONS  $^{238}\text{U}(^{48}\text{Ca}, X)^{56}\text{Ti}$ , E=330 MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{56}\text{Ti}$  deduced levels, J,  $\pi$ .  $^{197}\text{Au}(^{76}\text{Ge}, ^{76}\text{Ge}')$ , ( $^{52}\text{Ti}, ^{52}\text{Ti}'$ ), ( $^{54}\text{Ti}, ^{54}\text{Ti}'$ ), ( $^{56}\text{Ti}, ^{56}\text{Ti}'$ ), E  $\approx$  80-90 MeV; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation.  $^{52,54,56}\text{Ti}$ ,  $^{76}\text{Ge}$ ,  $^{197}\text{Au}$  deduced transitions B(E2). CONF Argonne(Nuclei at the Limits),P131,Dinca
- 2005F006 NUCLEAR REACTIONS  $^{197}\text{Au}(n, n'\gamma)$ , E  $\approx$  2-12 MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin, excitation functions.  $^{197}\text{Au}$  deduced levels, J,  $\pi$ , configurations. JOUR PRVCA 71 064314
- 2005GA15 NUCLEAR REACTIONS  $^{197}\text{Au}(^{52}\text{Fe}, ^{52}\text{Fe}')$ , ( $^{54}\text{Ni}, ^{54}\text{Ni}'$ ), ( $^{56}\text{Ni}, ^{56}\text{Ni}'$ ), ( $^{58}\text{Ni}, ^{58}\text{Ni}'$ ), E not given; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation.  $^{52}\text{Fe}$ ,  $^{54,56,58}\text{Ni}$  transitions deduced B(E2).  $^9\text{Be}(^{32}\text{S}, ^{31}\text{SX})$ , ( $^{33}\text{Cl}, ^{32}\text{ClX}$ ), ( $^{34}\text{Ar}, ^{33}\text{ArX}$ ), E not given; measured one-neutron removal  $\sigma$ . JOUR APOBB 36 1227
- 2005GA22 NUCLEAR REACTIONS  $^{197}\text{Au}(^{72}\text{Kr}, ^{72}\text{Kr}')$ , E=69.3 MeV / nucleon;  $^{197}\text{Au}(^{78}\text{Kr}, ^{78}\text{Kr}')$ , E=57.4 MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation.  $^{72,78}\text{Kr}$  deduced excitation B(E2), quadrupole moments, deformation. Comparison with shell-model Monte Carlo predictions. JOUR PRLTA 95 022502

A=197 (*continued*)

- 2005HUZZ NUCLEAR REACTIONS  $^{197}\text{Au}(^{54}\text{Cr}, ^{54}\text{Cr}')$ , ( $^{56}\text{Cr}, ^{56}\text{Cr}'$ ), ( $^{58}\text{Cr}, ^{58}\text{Cr}'$ ),  $E \approx 136$  MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation.  $^{54,56,58}\text{Cr}$  deduced levels, B(E2). CONF Bormio (XLIII Winter Meeting) Proc,P232
- 2005IMZZ NUCLEAR REACTIONS  $^{197}\text{Au}(^{12}\text{Be}, ^{12}\text{Be}')$ ,  $E=40.3$  MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin, DSA following projectile Coulomb excitation.  $^{12}\text{Be}$  deduced transition. REPT RIKEN 2004 Annual,P41,Imai
- 2005SAZY NUCLEAR REACTIONS  $^{197}\text{Au}(^{54}\text{Cr}, ^{54}\text{Cr}')$ , ( $^{56}\text{Cr}, ^{56}\text{Cr}'$ ), ( $^{58}\text{Cr}, ^{58}\text{Cr}'$ ),  $E=100$  MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation.  $^{54,56,58}\text{Cr}$  deduced transitions.  $\text{Be}(^{55}\text{Ni}, \text{X})^{50}\text{Cr}$ ,  $E=171$  MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin.  $^{50}\text{Cr}$  deduced transitions.  $\text{Be}(^{55}\text{Ni}, \text{X})$ ,  $^{197}\text{Au}(^{108}\text{Sn}, \text{X})$ ,  $E$  not given; measured fragment yields. CONF Argonne(Nuclei at the Limits),P151,Saito
- 2005SMZX NUCLEAR REACTIONS  $^{197}\text{Au}(\text{n}, \text{n})$ ,  $E=0.3-10$  MeV; measured  $\sigma(\theta)$ .  $^{197}\text{Au}(\text{n}, \text{X})$ ,  $E \approx 0-15$  MeV; analyzed total  $\sigma$ . Optical-statistical and coupled-channels model analysis. REPT ANL/NDM-161,Smith
- 2005W001 NUCLEAR REACTIONS  $^{197}\text{Au}(^{84}\text{Kr}, ^{84}\text{Kr}')$ , ( $^{56}\text{Cr}, ^{56}\text{Cr}'$ ), ( $^{108}\text{Sn}, ^{108}\text{Sn}'$ ),  $E=113-142$  MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$  following projectile Coulomb excitation.  $^{84}\text{Kr}$ ,  $^{56}\text{Cr}$ ,  $^{108}\text{Sn}$  deduced transitions.  $^9\text{Be}(^{55}\text{Ni}, \text{X})^{54}\text{Co} / ^{52}\text{Fe} / ^{50}\text{Cr}$ ,  $E=171$  MeV / nucleon; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin. JOUR NIMAE 537 637
- $^{197}\text{Hg}$  2003MB03 NUCLEAR REACTIONS  $^{198}\text{Pt}$ ,  $^{198}\text{Hg}(\gamma, \text{n})$ ,  $E=8-17$  MeV; measured  $E\gamma$ ,  $I\gamma$ , isomer yield ratios. Comparison with model predictions. JOUR UKPJA 48 403
- $^{197}\text{Pb}$  2002DU22 RADIOACTIVITY  $^{197,197m,198,199m,200,201m}\text{Po}(\alpha)$ ;  $^{172,173}\text{Os}(\alpha)$  [from  $^{156}\text{Dy}(^{22}\text{Ne}, \text{xn})$ ];  $^{183,184,185}\text{Hg}(\alpha)$  [from  $^{168}\text{Yb}(^{22}\text{Ne}, \text{xn})$ ]; measured  $E\alpha$ ,  $T_{1/2}$ . JOUR NIMAE 479 631
- $^{197}\text{Bi}$  2004KE15 NUCLEAR REACTIONS  $^1,2\text{H}$ ,  $\text{Ti}(^{208}\text{Pb}, \text{X})^{193}\text{Bi} / ^{194}\text{Bi} / ^{195}\text{Bi} / ^{196}\text{Bi} / ^{197}\text{Bi} / ^{198}\text{Bi} / ^{199}\text{Bi} / ^{200}\text{Bi} / ^{201}\text{Bi} / ^{202}\text{Bi} / ^{203}\text{Bi} / ^{204}\text{Bi} / ^{205}\text{Bi} / ^{206}\text{Bi} / ^{207}\text{Bi} / ^{208}\text{Bi}$ ,  $E=1$  GeV / nucleon; measured charge-pickup  $\sigma$ , velocity distributions; deduced reaction mechanism features. Comparison with model predictions and previous results. JOUR PRVCA 70 064608
- 2005DE01 RADIOACTIVITY  $^{200,201,203,205}\text{Fr}$ ,  $^{196,197,199,201}\text{At}$ ,  $^{193}\text{Bi}(\alpha)$  [from  $\text{Th}(\text{p}, \text{X})$  and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ .  $^{201}\text{Fr}$ ,  $^{197}\text{At}$ ,  $^{193}\text{Bi}$ ,  $^{189}\text{Tl}$  deduced levels,  $J$ ,  $\pi$ . JOUR ZAANE 23 243
- 2005MA51 NUCLEAR REACTIONS  $^{181}\text{Ta}(^{22}\text{Ne}, 6\text{n})$ ,  $E=125$  MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{197}\text{Bi}$  deduced high-spin levels,  $J$ ,  $\pi$ , configurations, shears band. Afrodite array, total Routhian surface calculations. JOUR ZAANE 25 49
- $^{197}\text{Po}$  2002DU22 RADIOACTIVITY  $^{197,197m,198,199m,200,201m}\text{Po}(\alpha)$ ;  $^{172,173}\text{Os}(\alpha)$  [from  $^{156}\text{Dy}(^{22}\text{Ne}, \text{xn})$ ];  $^{183,184,185}\text{Hg}(\alpha)$  [from  $^{168}\text{Yb}(^{22}\text{Ne}, \text{xn})$ ]; measured  $E\alpha$ ,  $T_{1/2}$ . JOUR NIMAE 479 631
- $^{197}\text{At}$  2005DE01 RADIOACTIVITY  $^{200,201,203,205}\text{Fr}$ ,  $^{196,197,199,201}\text{At}$ ,  $^{193}\text{Bi}(\alpha)$  [from  $\text{Th}(\text{p}, \text{X})$  and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ .  $^{201}\text{Fr}$ ,  $^{197}\text{At}$ ,  $^{193}\text{Bi}$ ,  $^{189}\text{Tl}$  deduced levels,  $J$ ,  $\pi$ . JOUR ZAANE 23 243

**A=197 (continued)**

- 2005UU02 RADIOACTIVITY <sup>201,202,203,204</sup>Ra, <sup>197,198,199,200</sup>Rn, <sup>193,194,195,196</sup>Po, <sup>201,202,203,204</sup>Fr, <sup>197,198,199,200</sup>At( $\alpha$ ) [from <sup>141</sup>Pr(<sup>63,65</sup>Cu, xnypz $\alpha$ ), <sup>170</sup>Yb(<sup>36</sup>Ar, xnypz $\alpha$ ), and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>,  $\alpha\alpha$ -coin for ground and metastable state decay. <sup>193,195</sup>Bi, <sup>197,199</sup>At, <sup>201,203</sup>Fr deduced levels, J,  $\pi$ . Comparisons with previous results. JOUR PRVCA 71 024306
- 2005UU03 RADIOACTIVITY <sup>188,190,192,194,196,198,200,202,204</sup>Po, <sup>191,193,195,197,199</sup>At, <sup>196,198,200,202,204,206</sup>Rn, <sup>199,201,203,205,207</sup>Fr( $\alpha$ ); measured reduced widths using gas filled recoil separator; deduced hindrance factors, proton intruder states and deformation effects. JOUR ZAANE 25 s01 179
- <sup>197</sup>Rn 2005UU02 RADIOACTIVITY <sup>201,202,203,204</sup>Ra, <sup>197,198,199,200</sup>Rn, <sup>193,194,195,196</sup>Po, <sup>201,202,203,204</sup>Fr, <sup>197,198,199,200</sup>At( $\alpha$ ) [from <sup>141</sup>Pr(<sup>63,65</sup>Cu, xnypz $\alpha$ ), <sup>170</sup>Yb(<sup>36</sup>Ar, xnypz $\alpha$ ), and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>,  $\alpha\alpha$ -coin for ground and metastable state decay. <sup>193,195</sup>Bi, <sup>197,199</sup>At, <sup>201,203</sup>Fr deduced levels, J,  $\pi$ . Comparisons with previous results. JOUR PRVCA 71 024306

**A=198**

- <sup>198</sup>Ir 2005CA02 RADIOACTIVITY <sup>188</sup>Ta, <sup>190</sup>W, <sup>192,193</sup>Re, <sup>195</sup>Os, <sup>197,198</sup>Ir, <sup>200,201,202</sup>Pt, <sup>203</sup>Au(IT) [from Be(<sup>208</sup>Pb, X)]; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin, T<sub>1/2</sub>. <sup>188</sup>Ta, <sup>190</sup>W, <sup>192,193</sup>Re, <sup>195</sup>Os, <sup>197,198</sup>Ir, <sup>200,201,202</sup>Pt, <sup>203</sup>Au deduced transitions. <sup>190</sup>W, <sup>200,201,202</sup>Pt deduced levels, J,  $\pi$ . <sup>174,175</sup>Er, <sup>185</sup>Hf, <sup>191,194</sup>Re, <sup>199</sup>Ir(IT) [from Be(<sup>208</sup>Pb, X)]; measured E $\gamma$ , I $\gamma$ . JOUR ZAANE 23 201
- <sup>198</sup>Pt 2005SH52 ATOMIC MASSES <sup>194,195,196,198</sup>Pt; measured masses. Penning trap mass spectrometer. JOUR ZAANE 25 s01 45
- <sup>198</sup>Au 2004ADZW NUCLEAR REACTIONS <sup>209</sup>Bi(n, 4n), (n, 5n), (n, 6n), (n, 7n), (n, 9n), <sup>232</sup>Th(n,  $\gamma$ ), <sup>197</sup>Au(n, 2n), (n, 4n), (n, 6n), (n, 7n), (n,  $\gamma$ ), <sup>115</sup>In(n, 5n), (n, 6n), (n, 7n), <sup>59</sup>Co(n, 2n), (n, 3n), (n, 4n), (n, 5n), (n,  $\gamma$ ), (n, p), (n, 6n2p), E=spectrum; measured E $\gamma$ , I $\gamma$ ; deduced reaction rates. Pb(p, nX), E=1 GeV; deduced spallation neutron spectrum. REPT JINR-E1-2004-16, Adam
- 2004TA46 NUCLEAR REACTIONS <sup>198</sup>Pt(p, n), E  $\approx$  6-37 MeV; <sup>198</sup>Pt(d, n), (d, 2n), E  $\approx$  5-20 MeV; measured excitation functions. Activation technique. JOUR RAACA 92 223
- 2005AD01 NUCLEAR REACTIONS <sup>209</sup>Bi(n, 4n), (n, 5n), (n, 6n), (n, 7n), (n, 9n), <sup>232</sup>Th(n,  $\gamma$ ), <sup>197</sup>Au(n, 2n), (n, 4n), (n, 6n), (n, 7n), (n,  $\gamma$ ), <sup>59</sup>Co(n, 2n), (n, 3n), (n, 4n), (n, 5n), (n, p), (n, 6n2p), <sup>115</sup>In(n, 5n), (n, 6n), (n, 7n), E=spectrum; measured E $\gamma$ , I $\gamma$ ; deduced reaction rates. Activation technique, spallation neutrons from 1 GeV proton beam, comparison with model predictions. JOUR ZAANE 23 61
- 2005DA34 NUCLEAR REACTIONS <sup>197</sup>Au(<sup>12</sup>C, <sup>11</sup>C), (<sup>12</sup>C, <sup>13</sup>C), (<sup>16</sup>O, <sup>15</sup>O), (<sup>16</sup>O, <sup>17</sup>O), E  $\approx$  6-7 MeV / nucleon; measured yield ratios, high spin yield fraction; deduced reaction mechanism features. Radiochemical and off-line spectrometric techniques. JOUR JRNC D 266 79

A=198 (*continued*)

- 2005MIZX NUCLEAR REACTIONS  $^{23}\text{Na}$ ,  $^{27}\text{Al}$ ,  $^{51}\text{V}$ ,  $^{55}\text{Mn}$ ,  $^{64}\text{Ni}$ ,  $^{65}\text{Cu}$ ,  $^{141}\text{Pr}$ ,  $^{186}\text{W}$ ,  $^{197}\text{Au}(\text{n}, \gamma)$ , E=thermal; measured prompt and delayed  $E\gamma$ ,  $I\gamma$ ; deduced capture  $\sigma$ . Reliability of prompt  $\gamma$ -ray method discussed. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P996
- 2005SE23 NUCLEAR REACTIONS  $^{197}\text{Au}(\text{n}, \gamma)$ , E=spectrum; measured  $E\gamma$ ,  $I\gamma$ ; deduced neutron flux.  $^7\text{Li}(\text{p}, \text{n})$ , E not given; deduced neutron spectrum.  $^{62}\text{Ni}(\text{n}, \gamma)$ , E  $\approx$  5.5-20 keV; measured  $\sigma$ ; deduced Maxwellian-averaged  $\sigma$ . JOUR JUPSA 74 2981
- 2005SI14 NUCLEAR REACTIONS C, O, Si, Mg, Al(n, X) $^7\text{Be}$ , E  $\approx$  0.1-750 MeV; O, Si, Mg, Al(n, X) $^{22}\text{Na}$  /  $^{23}\text{Na}$ , E  $\approx$  0.1-750 MeV;  $^{197}\text{Au}(\text{n}, \text{X})^{194}\text{Au}$  /  $^{196}\text{Au}$  /  $^{198}\text{Au}$ , E  $\approx$  0.1-750 MeV; Ti, Fe, Ni, Cu(n, X) $^{46}\text{Sc}$  /  $^{48}\text{Sc}$ , E  $\approx$  0.1-750 MeV; Fe, Ni, Cu(n, X) $^{48}\text{V}$  /  $^{51}\text{Cr}$  /  $^{52}\text{Mn}$  /  $^{54}\text{Mn}$ , E  $\approx$  0.1-750 MeV; Ni, Cu(n, X) $^{56}\text{Ni}$  /  $^{57}\text{Ni}$  /  $^{56}\text{Co}$  /  $^{57}\text{Co}$  /  $^{58}\text{Co}$  /  $^{60}\text{Co}$  /  $^{59}\text{Fe}$ , E  $\approx$  0.1-750 MeV; measured energy-integrated production  $\sigma$ . JOUR NIMBE 234 419
- 2005TAZW NUCLEAR REACTIONS Pt(p, X) $^{195}\text{Au}$  /  $^{196}\text{Au}$  /  $^{198}\text{Au}$  /  $^{189}\text{Ir}$  /  $^{190}\text{Ir}$  /  $^{192}\text{Ir}$  /  $^{194}\text{Ir}$ , E  $\approx$  0-70 MeV; Pt(d, X) $^{192}\text{Au}$  /  $^{193}\text{Au}$  /  $^{194}\text{Au}$  /  $^{195}\text{Au}$  /  $^{196}\text{Au}$  /  $^{195\text{m}}\text{Pt}$  /  $^{197}\text{Pt}$  /  $^{192}\text{Ir}$ , E  $\approx$  0-21 MeV; Pt( $\alpha$ , X) $^{195}\text{Au}$  /  $^{196}\text{Au}$ , E  $\approx$  0-38 MeV; measured activation  $\sigma$ ; deduced integral yields. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P1015
- 2006DI01 NUCLEAR REACTIONS Pt(d, X) $^{191}\text{Au}$  /  $^{192}\text{Au}$  /  $^{193}\text{Au}$  /  $^{194}\text{Au}$  /  $^{195}\text{Au}$  /  $^{196}\text{Au}$  /  $^{196\text{m}}\text{Au}$  /  $^{198}\text{Au}$  /  $^{199}\text{Au}$  /  $^{191}\text{Pt}$  /  $^{195\text{m}}\text{Pt}$  /  $^{197}\text{Pt}$  /  $^{192}\text{Ir}$ , E  $\approx$  10-40 MeV; measured production  $\sigma$ . Stacked-foil activation technique, comparison with model predictions. JOUR NIMBE 243 20
- $^{198}\text{Hg}$  2005LEZW NUCLEAR REACTIONS  $^{188,190,194}\text{Os}$ ,  $^{194,196}\text{Pt}(\alpha, 2\text{n})$ , E=27 MeV; measured  $E\gamma$ ,  $I\gamma(\theta, \text{H}, \text{t})$ .  $^{190,192,194}\text{Pt}$ ,  $^{196,198}\text{Hg}$  deduced isomeric states g-factors, configurations. Integral perturbed angular distribution method, HPGe detectors. CONF St Petersburg, P81, Levon
- $^{198}\text{Pb}$  2005UU03 RADIOACTIVITY  $^{188,190,192,194,196,198,200,202,204}\text{Po}$ ,  $^{191,193,195,197,199}\text{At}$ ,  $^{196,198,200,202,204,206}\text{Rn}$ ,  $^{199,201,203,205,207}\text{Fr}(\alpha)$ ; measured reduced widths using gas filled recoil separator; deduced hindrance factors, proton intruder states and deformation effects. JOUR ZAANE 25 s01 179
- $^{198}\text{Bi}$  2004KE15 NUCLEAR REACTIONS  $^1,^2\text{H}$ , Ti( $^{208}\text{Pb}$ , X) $^{193}\text{Bi}$  /  $^{194}\text{Bi}$  /  $^{195}\text{Bi}$  /  $^{196}\text{Bi}$  /  $^{197}\text{Bi}$  /  $^{198}\text{Bi}$  /  $^{199}\text{Bi}$  /  $^{200}\text{Bi}$  /  $^{201}\text{Bi}$  /  $^{202}\text{Bi}$  /  $^{203}\text{Bi}$  /  $^{204}\text{Bi}$  /  $^{205}\text{Bi}$  /  $^{206}\text{Bi}$  /  $^{207}\text{Bi}$  /  $^{208}\text{Bi}$ , E=1 GeV / nucleon; measured charge-pickup  $\sigma$ , velocity distributions; deduced reaction mechanism features. Comparison with model predictions and previous results. JOUR PRVCA 70 064608
- $^{198}\text{Po}$  2002DU22 RADIOACTIVITY  $^{197,197\text{m},198,199\text{m},200,201\text{m}}\text{Po}(\alpha)$ ;  $^{172,173}\text{Os}(\alpha)$  [from  $^{156}\text{Dy}(^{22}\text{Ne}, \text{xn})$ ];  $^{183,184,185}\text{Hg}(\alpha)$  [from  $^{168}\text{Yb}(^{22}\text{Ne}, \text{xn})$ ]; measured  $E\alpha$ ,  $T_{1/2}$ . JOUR NIMAE 479 631
- 2005J003 NUCLEAR REACTIONS  $^{174}\text{Yb}(^{29}\text{Si}, 5\text{n})$ , E=148 MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{198}\text{Po}$  deduced spin-energy entry distributions for superdeformed and normal-deformed rotational bands. Gammasphere array. JOUR PRVCA 71 024317

**A=198 (continued)**

- 2005UU03 RADIOACTIVITY <sup>188,190,192,194,196,198,200,202,204</sup>Po,  
<sup>191,193,195,197,199</sup>At, <sup>196,198,200,202,204,206</sup>Rn, <sup>199,201,203,205,207</sup>Fr( $\alpha$ );  
measured reduced widths using gas filled recoil separator; deduced  
hindrance factors, proton intruder states and deformation effects.  
JOUR ZAANE 25 s01 179
- <sup>198</sup>At 2005UU02 RADIOACTIVITY <sup>201,202,203,204</sup>Ra, <sup>197,198,199,200</sup>Rn, <sup>193,194,195,196</sup>Po,  
<sup>201,202,203,204</sup>Fr, <sup>197,198,199,200</sup>At( $\alpha$ ) [from <sup>141</sup>Pr(<sup>63,65</sup>Cu, xnypz $\alpha$ ),  
<sup>170</sup>Yb(<sup>36</sup>Ar, xnypz $\alpha$ ), and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ ,  
 $\alpha\alpha$ -coin for ground and metastable state decay. <sup>193,195</sup>Bi, <sup>197,199</sup>At,  
<sup>201,203</sup>Fr deduced levels, J,  $\pi$ . Comparisons with previous results.  
JOUR PRVCA 71 024306
- <sup>198</sup>Rn 2005UU02 NUCLEAR REACTIONS <sup>141</sup>Pr(<sup>65</sup>Cu, xnypz $\alpha$ ), E=283-293 MeV;  
measured delayed  $E\alpha$ ,  $I\alpha$ ,  $\alpha\alpha$ -, (recoil) $\alpha$ -coin; deduced evidence for  
<sup>199,200,201</sup>Rn, <sup>202,203,204</sup>Fr, <sup>203,204</sup>Ra. <sup>141</sup>Pr(<sup>63</sup>Cu, xnypz $\alpha$ ), E=278-288  
MeV; measured delayed  $E\alpha$ ,  $I\alpha$ ,  $\alpha\alpha$ -, (recoil) $\alpha$ -coin; deduced evidence  
for <sup>198,199,200,201,202</sup>Rn, <sup>201,202</sup>Fr, <sup>201,202</sup>Ra. <sup>170</sup>Yb(<sup>36</sup>Ar, xnypz $\alpha$ ),  
E=180-185 MeV; measured delayed  $E\alpha$ ,  $I\alpha$ ,  $\alpha\alpha$ -, (recoil) $\alpha$ -coin;  
deduced evidence for <sup>201</sup>Fr, <sup>203</sup>Ra. Gas-filled recoil separator. JOUR  
PRVCA 71 024306
- 2005UU02 RADIOACTIVITY <sup>201,202,203,204</sup>Ra, <sup>197,198,199,200</sup>Rn, <sup>193,194,195,196</sup>Po,  
<sup>201,202,203,204</sup>Fr, <sup>197,198,199,200</sup>At( $\alpha$ ) [from <sup>141</sup>Pr(<sup>63,65</sup>Cu, xnypz $\alpha$ ),  
<sup>170</sup>Yb(<sup>36</sup>Ar, xnypz $\alpha$ ), and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ ,  
 $\alpha\alpha$ -coin for ground and metastable state decay. <sup>193,195</sup>Bi, <sup>197,199</sup>At,  
<sup>201,203</sup>Fr deduced levels, J,  $\pi$ . Comparisons with previous results.  
JOUR PRVCA 71 024306
- 2005UU03 RADIOACTIVITY <sup>188,190,192,194,196,198,200,202,204</sup>Po,  
<sup>191,193,195,197,199</sup>At, <sup>196,198,200,202,204,206</sup>Rn, <sup>199,201,203,205,207</sup>Fr( $\alpha$ );  
measured reduced widths using gas filled recoil separator; deduced  
hindrance factors, proton intruder states and deformation effects.  
JOUR ZAANE 25 s01 179

**A=199**

- <sup>199</sup>Ir 2005CA02 RADIOACTIVITY <sup>188</sup>Ta, <sup>190</sup>W, <sup>192,193</sup>Re, <sup>195</sup>Os, <sup>197,198</sup>Ir,  
<sup>200,201,202</sup>Pt, <sup>203</sup>Au(IT) [from Be(<sup>208</sup>Pb, X)]; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin,  
 $T_{1/2}$ . <sup>188</sup>Ta, <sup>190</sup>W, <sup>192,193</sup>Re, <sup>195</sup>Os, <sup>197,198</sup>Ir, <sup>200,201,202</sup>Pt, <sup>203</sup>Au  
deduced transitions. <sup>190</sup>W, <sup>200,201,202</sup>Pt deduced levels, J,  $\pi$ . <sup>174,175</sup>Er,  
<sup>185</sup>Hf, <sup>191,194</sup>Re, <sup>199</sup>Ir(IT) [from Be(<sup>208</sup>Pb, X)]; measured  $E\gamma$ ,  $I\gamma$ .  
JOUR ZAANE 23 201
- <sup>199</sup>Au 2004TA46 NUCLEAR REACTIONS <sup>198</sup>Pt(p, n), E  $\approx$  6-37 MeV; <sup>198</sup>Pt(d, n), (d,  
2n), E  $\approx$  5-20 MeV; measured excitation functions. Activation  
technique. JOUR RAACA 92 223
- 2006DI01 NUCLEAR REACTIONS Pt(d, X)<sup>191</sup>Au / <sup>192</sup>Au / <sup>193</sup>Au / <sup>194</sup>Au /  
<sup>195</sup>Au / <sup>196</sup>Au / <sup>196m</sup>Au / <sup>198</sup>Au / <sup>199</sup>Au / <sup>191</sup>Pt / <sup>195m</sup>Pt / <sup>197</sup>Pt /  
<sup>192</sup>Ir, E  $\approx$  10-40 MeV; measured production  $\sigma$ . Stacked-foil activation  
technique, comparison with model predictions. JOUR NIMBE 243 20

**A=199 (continued)**

- <sup>199</sup>Hg 2005BIZY NUCLEAR REACTIONS <sup>113</sup>In, <sup>195</sup>Pt, <sup>199</sup>Hg( $\gamma$ ,  $\gamma'$ ), E=4-12 MeV; measured isomer production  $\sigma$ . Microtron. CONF St Petersburg,P215,Bigan
- 2005H016 NUCLEAR REACTIONS <sup>200</sup>Hg( $\gamma$ , n), E  $\approx$  10-17 MeV; <sup>199</sup>Hg( $\gamma$ ,  $\gamma'$ ), E  $\approx$  4-10 MeV; measured isomer excitation  $\sigma$ . Comparison with cascade-evaporation model predictions. JOUR UKPJA 50 649
- 2005OS02 NUCLEAR MOMENTS <sup>199</sup>Hg; measured electric quadrupole moment. Comparison with model predictions. JOUR PRLTA 94 163001
- <sup>199</sup>Tl 2005TIZX NUCLEAR REACTIONS Pb, <sup>208</sup>Pb(p, X)<sup>203</sup>Pb / <sup>200</sup>Tl / <sup>199</sup>Tl / <sup>196</sup>Au / <sup>192</sup>Ir / <sup>190</sup>Ir / <sup>173</sup>Lu / <sup>101m</sup>Rh / <sup>86</sup>Rb / <sup>59</sup>Fe / <sup>24</sup>Na / <sup>7</sup>Be, E=40-2600 MeV; measured excitation functions. Comparison with previous work and model predictions. Other reactions discussed. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol1,P1070
- 2005TIZY NUCLEAR REACTIONS Pb, <sup>208</sup>Pb, <sup>209</sup>Bi(p, X)<sup>203</sup>Pb / <sup>200</sup>Tl / <sup>199</sup>Tl / <sup>196</sup>Au / <sup>192</sup>Ir / <sup>190</sup>Ir / <sup>173</sup>Lu / <sup>101m</sup>Rh / <sup>86</sup>Rb / <sup>59</sup>Fe / <sup>24</sup>Na / <sup>7</sup>Be, E=40-2600 MeV; measured production  $\sigma$ . Comparison with model predictions. PREPRINT nucl-ex/0507009,7/05/2005
- <sup>199</sup>Bi 2004KE15 NUCLEAR REACTIONS <sup>1,2</sup>H, Ti(<sup>208</sup>Pb, X)<sup>193</sup>Bi / <sup>194</sup>Bi / <sup>195</sup>Bi / <sup>196</sup>Bi / <sup>197</sup>Bi / <sup>198</sup>Bi / <sup>199</sup>Bi / <sup>200</sup>Bi / <sup>201</sup>Bi / <sup>202</sup>Bi / <sup>203</sup>Bi / <sup>204</sup>Bi / <sup>205</sup>Bi / <sup>206</sup>Bi / <sup>207</sup>Bi / <sup>208</sup>Bi, E=1 GeV / nucleon; measured charge-pickup  $\sigma$ , velocity distributions; deduced reaction mechanism features. Comparison with model predictions and previous results. JOUR PRVCA 70 064608
- <sup>199</sup>Po 2002DU22 RADIOACTIVITY <sup>197,197m,198,199m,200,201m</sup>Po( $\alpha$ ); <sup>172,173</sup>Os( $\alpha$ ) [from <sup>156</sup>Dy(<sup>22</sup>Ne, xn)]; <sup>183,184,185</sup>Hg( $\alpha$ ) [from <sup>168</sup>Yb(<sup>22</sup>Ne, xn)]; measured E $\alpha$ , T<sub>1/2</sub>. JOUR NIMAE 479 631
- <sup>199</sup>At 2005DE01 RADIOACTIVITY <sup>200,201,203,205</sup>Fr, <sup>196,197,199,201</sup>At, <sup>193</sup>Bi( $\alpha$ ) [from Th(p, X) and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>. <sup>201</sup>Fr, <sup>197</sup>At, <sup>193</sup>Bi, <sup>189</sup>Tl deduced levels, J,  $\pi$ . JOUR ZAANE 23 243
- 2005UU02 RADIOACTIVITY <sup>201,202,203,204</sup>Ra, <sup>197,198,199,200</sup>Rn, <sup>193,194,195,196</sup>Po, <sup>201,202,203,204</sup>Fr, <sup>197,198,199,200</sup>At( $\alpha$ ) [from <sup>141</sup>Pr(<sup>63,65</sup>Cu, xnyp $\alpha$ ), <sup>170</sup>Yb(<sup>36</sup>Ar, xnyp $\alpha$ ), and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>,  $\alpha\alpha$ -coin for ground and metastable state decay. <sup>193,195</sup>Bi, <sup>197,199</sup>At, <sup>201,203</sup>Fr deduced levels, J,  $\pi$ . Comparisons with previous results. JOUR PRVCA 71 024306
- 2005UU03 RADIOACTIVITY <sup>188,190,192,194,196,198,200,202,204</sup>Po, <sup>191,193,195,197,199</sup>At, <sup>196,198,200,202,204,206</sup>Rn, <sup>199,201,203,205,207</sup>Fr( $\alpha$ ); measured reduced widths using gas filled recoil separator; deduced hindrance factors, proton intruder states and deformation effects. JOUR ZAANE 25 s01 179
- <sup>199</sup>Rn 2005UU02 NUCLEAR REACTIONS <sup>141</sup>Pr(<sup>65</sup>Cu, xnyp $\alpha$ ), E=283-293 MeV; measured delayed E $\alpha$ , I $\alpha$ ,  $\alpha\alpha$ -, (recoil) $\alpha$ -coin; deduced evidence for <sup>199,200,201</sup>Rn, <sup>202,203,204</sup>Fr, <sup>203,204</sup>Ra. <sup>141</sup>Pr(<sup>63</sup>Cu, xnyp $\alpha$ ), E=278-288 MeV; measured delayed E $\alpha$ , I $\alpha$ ,  $\alpha\alpha$ -, (recoil) $\alpha$ -coin; deduced evidence for <sup>198,199,200,201,202</sup>Rn, <sup>201,202</sup>Fr, <sup>201,202</sup>Ra. <sup>170</sup>Yb(<sup>36</sup>Ar, xnyp $\alpha$ ), E=180-185 MeV; measured delayed E $\alpha$ , I $\alpha$ ,  $\alpha\alpha$ -, (recoil) $\alpha$ -coin; deduced evidence for <sup>201</sup>Fr, <sup>203</sup>Ra. Gas-filled recoil separator. JOUR PRVCA 71 024306

**A=199 (continued)**

- 2005UU02 RADIOACTIVITY  $^{201,202,203,204}\text{Ra}$ ,  $^{197,198,199,200}\text{Rn}$ ,  $^{193,194,195,196}\text{Po}$ ,  $^{201,202,203,204}\text{Fr}$ ,  $^{197,198,199,200}\text{At}(\alpha)$  [from  $^{141}\text{Pr}(^{63,65}\text{Cu}, \text{xnpz}\alpha)$ ,  $^{170}\text{Yb}(^{36}\text{Ar}, \text{xnpz}\alpha)$ , and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ ,  $\alpha\alpha$ -coin for ground and metastable state decay.  $^{193,195}\text{Bi}$ ,  $^{197,199}\text{At}$ ,  $^{201,203}\text{Fr}$  deduced levels,  $J$ ,  $\pi$ . Comparisons with previous results. JOUR PRVCA 71 024306
- $^{199}\text{Fr}$  2005UU03 RADIOACTIVITY  $^{188,190,192,194,196,198,200,202,204}\text{Po}$ ,  $^{191,193,195,197,199}\text{At}$ ,  $^{196,198,200,202,204,206}\text{Rn}$ ,  $^{199,201,203,205,207}\text{Fr}(\alpha)$ ; measured reduced widths using gas filled recoil separator; deduced hindrance factors, proton intruder states and deformation effects. JOUR ZAANE 25 s01 179

**A=200**

- $^{200}\text{Pt}$  2005CA02 RADIOACTIVITY  $^{188}\text{Ta}$ ,  $^{190}\text{W}$ ,  $^{192,193}\text{Re}$ ,  $^{195}\text{Os}$ ,  $^{197,198}\text{Ir}$ ,  $^{200,201,202}\text{Pt}$ ,  $^{203}\text{Au}(\text{IT})$  [from  $\text{Be}(^{208}\text{Pb}, \text{X})$ ]; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin,  $T_{1/2}$ .  $^{188}\text{Ta}$ ,  $^{190}\text{W}$ ,  $^{192,193}\text{Re}$ ,  $^{195}\text{Os}$ ,  $^{197,198}\text{Ir}$ ,  $^{200,201,202}\text{Pt}$ ,  $^{203}\text{Au}$  deduced transitions.  $^{190}\text{W}$ ,  $^{200,201,202}\text{Pt}$  deduced levels,  $J$ ,  $\pi$ .  $^{174,175}\text{Er}$ ,  $^{185}\text{Hf}$ ,  $^{191,194}\text{Re}$ ,  $^{199}\text{Ir}(\text{IT})$  [from  $\text{Be}(^{208}\text{Pb}, \text{X})$ ]; measured  $E\gamma$ ,  $I\gamma$ . JOUR ZAANE 23 201
- $^{200}\text{Tl}$  2005TIZX NUCLEAR REACTIONS  $\text{Pb}$ ,  $^{208}\text{Pb}(\text{p}, \text{X})^{203}\text{Pb} / ^{200}\text{Tl} / ^{199}\text{Tl} / ^{196}\text{Au} / ^{192}\text{Ir} / ^{190}\text{Ir} / ^{173}\text{Lu} / ^{101\text{m}}\text{Rh} / ^{86}\text{Rb} / ^{59}\text{Fe} / ^{24}\text{Na} / ^{7}\text{Be}$ ,  $E=40\text{-}2600$  MeV; measured excitation functions. Comparison with previous work and model predictions. Other reactions discussed. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P1070
- 2005TIZY NUCLEAR REACTIONS  $\text{Pb}$ ,  $^{208}\text{Pb}$ ,  $^{209}\text{Bi}(\text{p}, \text{X})^{203}\text{Pb} / ^{200}\text{Tl} / ^{199}\text{Tl} / ^{196}\text{Au} / ^{192}\text{Ir} / ^{190}\text{Ir} / ^{173}\text{Lu} / ^{101\text{m}}\text{Rh} / ^{86}\text{Rb} / ^{59}\text{Fe} / ^{24}\text{Na} / ^{7}\text{Be}$ ,  $E=40\text{-}2600$  MeV; measured production  $\sigma$ . Comparison with model predictions. PREPRINT nucl-ex/0507009, 7/05/2005
- $^{200}\text{Pb}$  2005MIZZ NUCLEAR REACTIONS  $\text{Cu}(\text{n}, \text{X})^{56}\text{Co}$ ,  $E=40\text{-}180$  MeV;  $\text{Fe}(\text{n}, \text{X})^{54}\text{Mn} / ^{52}\text{Mn} / ^{51}\text{Cr} / ^{48}\text{V}$ ,  $E \approx 0\text{-}180$  MeV;  $\text{Pb}(\text{n}, \text{X})^{196}\text{Au} / ^{200}\text{Pb} / ^{103}\text{Ru}$ ,  $E \approx 40\text{-}180$  MeV;  $\text{U}(\text{n}, \text{X})^{99}\text{Mo}$ ,  $E \approx 0\text{-}180$  MeV; measured excitation functions. Comparison with proton-induced reactions. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P861
- 2005UU03 RADIOACTIVITY  $^{188,190,192,194,196,198,200,202,204}\text{Po}$ ,  $^{191,193,195,197,199}\text{At}$ ,  $^{196,198,200,202,204,206}\text{Rn}$ ,  $^{199,201,203,205,207}\text{Fr}(\alpha)$ ; measured reduced widths using gas filled recoil separator; deduced hindrance factors, proton intruder states and deformation effects. JOUR ZAANE 25 s01 179
- $^{200}\text{Bi}$  2004KE15 NUCLEAR REACTIONS  $^{1,2}\text{H}$ ,  $\text{Ti}(^{208}\text{Pb}, \text{X})^{193}\text{Bi} / ^{194}\text{Bi} / ^{195}\text{Bi} / ^{196}\text{Bi} / ^{197}\text{Bi} / ^{198}\text{Bi} / ^{199}\text{Bi} / ^{200}\text{Bi} / ^{201}\text{Bi} / ^{202}\text{Bi} / ^{203}\text{Bi} / ^{204}\text{Bi} / ^{205}\text{Bi} / ^{206}\text{Bi} / ^{207}\text{Bi} / ^{208}\text{Bi}$ ,  $E=1$  GeV / nucleon; measured charge-pickup  $\sigma$ , velocity distributions; deduced reaction mechanism features. Comparison with model predictions and previous results. JOUR PRVCA 70 064608
- $^{200}\text{Po}$  2002DU22 RADIOACTIVITY  $^{197,197\text{m},198,199\text{m},200,201\text{m}}\text{Po}(\alpha)$ ;  $^{172,173}\text{Os}(\alpha)$  [from  $^{156}\text{Dy}(^{22}\text{Ne}, \text{xn})$ ];  $^{183,184,185}\text{Hg}(\alpha)$  [from  $^{168}\text{Yb}(^{22}\text{Ne}, \text{xn})$ ]; measured  $E\alpha$ ,  $T_{1/2}$ . JOUR NIMAE 479 631



**A=200 (continued)**

- 2005UU03 RADIOACTIVITY <sup>188,190,192,194,196,198,200,202,204</sup>Po,  
<sup>191,193,195,197,199</sup>At, <sup>196,198,200,202,204,206</sup>Rn, <sup>199,201,203,205,207</sup>Fr( $\alpha$ );  
measured reduced widths using gas filled recoil separator; deduced  
hindrance factors, proton intruder states and deformation effects.  
JOUR ZAANE 25 s01 179
- <sup>200</sup>At 2005UU02 RADIOACTIVITY <sup>201,202,203,204</sup>Ra, <sup>197,198,199,200</sup>Rn, <sup>193,194,195,196</sup>Po,  
<sup>201,202,203,204</sup>Fr, <sup>197,198,199,200</sup>At( $\alpha$ ) [from <sup>141</sup>Pr(<sup>63,65</sup>Cu, xnypz $\alpha$ ),  
<sup>170</sup>Yb(<sup>36</sup>Ar, xnypz $\alpha$ ), and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>,  
 $\alpha\alpha$ -coin for ground and metastable state decay. <sup>193,195</sup>Bi, <sup>197,199</sup>At,  
<sup>201,203</sup>Fr deduced levels, J,  $\pi$ . Comparisons with previous results.  
JOUR PRVCA 71 024306
- <sup>200</sup>Rn 2005UU02 NUCLEAR REACTIONS <sup>141</sup>Pr(<sup>65</sup>Cu, xnypz $\alpha$ ), E=283-293 MeV;  
measured delayed E $\alpha$ , I $\alpha$ ,  $\alpha\alpha$ -, (recoil) $\alpha$ -coin; deduced evidence for  
<sup>199,200,201</sup>Rn, <sup>202,203,204</sup>Fr, <sup>203,204</sup>Ra. <sup>141</sup>Pr(<sup>63</sup>Cu, xnypz $\alpha$ ), E=278-288  
MeV; measured delayed E $\alpha$ , I $\alpha$ ,  $\alpha\alpha$ -, (recoil) $\alpha$ -coin; deduced evidence  
for <sup>198,199,200,201,202</sup>Rn, <sup>201,202</sup>Fr, <sup>201,202</sup>Ra. <sup>170</sup>Yb(<sup>36</sup>Ar, xnypz $\alpha$ ),  
E=180-185 MeV; measured delayed E $\alpha$ , I $\alpha$ ,  $\alpha\alpha$ -, (recoil) $\alpha$ -coin;  
deduced evidence for <sup>201</sup>Fr, <sup>203</sup>Ra. Gas-filled recoil separator. JOUR  
PRVCA 71 024306
- 2005UU02 RADIOACTIVITY <sup>201,202,203,204</sup>Ra, <sup>197,198,199,200</sup>Rn, <sup>193,194,195,196</sup>Po,  
<sup>201,202,203,204</sup>Fr, <sup>197,198,199,200</sup>At( $\alpha$ ) [from <sup>141</sup>Pr(<sup>63,65</sup>Cu, xnypz $\alpha$ ),  
<sup>170</sup>Yb(<sup>36</sup>Ar, xnypz $\alpha$ ), and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>,  
 $\alpha\alpha$ -coin for ground and metastable state decay. <sup>193,195</sup>Bi, <sup>197,199</sup>At,  
<sup>201,203</sup>Fr deduced levels, J,  $\pi$ . Comparisons with previous results.  
JOUR PRVCA 71 024306
- 2005UU03 RADIOACTIVITY <sup>188,190,192,194,196,198,200,202,204</sup>Po,  
<sup>191,193,195,197,199</sup>At, <sup>196,198,200,202,204,206</sup>Rn, <sup>199,201,203,205,207</sup>Fr( $\alpha$ );  
measured reduced widths using gas filled recoil separator; deduced  
hindrance factors, proton intruder states and deformation effects.  
JOUR ZAANE 25 s01 179
- <sup>200</sup>Fr 2005DE01 RADIOACTIVITY <sup>200,201,203,205</sup>Fr, <sup>196,197,199,201</sup>At, <sup>193</sup>Bi( $\alpha$ ) [from  
Th(p, X) and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>. <sup>201</sup>Fr, <sup>197</sup>At,  
<sup>193</sup>Bi, <sup>189</sup>Tl deduced levels, J,  $\pi$ . JOUR ZAANE 23 243

**A=201**

- <sup>201</sup>Pt 2005CA02 RADIOACTIVITY <sup>188</sup>Ta, <sup>190</sup>W, <sup>192,193</sup>Re, <sup>195</sup>Os, <sup>197,198</sup>Ir,  
<sup>200,201,202</sup>Pt, <sup>203</sup>Au(IT) [from Be(<sup>208</sup>Pb, X)]; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin,  
T<sub>1/2</sub>. <sup>188</sup>Ta, <sup>190</sup>W, <sup>192,193</sup>Re, <sup>195</sup>Os, <sup>197,198</sup>Ir, <sup>200,201,202</sup>Pt, <sup>203</sup>Au  
deduced transitions. <sup>190</sup>W, <sup>200,201,202</sup>Pt deduced levels, J,  $\pi$ . <sup>174,175</sup>Er,  
<sup>185</sup>Hf, <sup>191,194</sup>Re, <sup>199</sup>Ir(IT) [from Be(<sup>208</sup>Pb, X)]; measured E $\gamma$ , I $\gamma$ .  
JOUR ZAANE 23 201
- <sup>201</sup>Bi 2004ADZW NUCLEAR REACTIONS <sup>209</sup>Bi(n, 4n), (n, 5n), (n, 6n), (n, 7n), (n,  
9n), <sup>232</sup>Th(n,  $\gamma$ ), <sup>197</sup>Au(n, 2n), (n, 4n), (n, 6n), (n, 7n), (n,  $\gamma$ ), <sup>115</sup>In(n,  
5n), (n, 6n), (n, 7n), <sup>59</sup>Co(n, 2n), (n, 3n), (n, 4n), (n, 5n), (n,  $\gamma$ ), (n,  
p), (n, 6n2p), E=spectrum; measured E $\gamma$ , I $\gamma$ ; deduced reaction rates.  
Pb(p, nX), E=1 GeV; deduced spallation neutron spectrum. REPT  
JINR-E1-2004-16, Adam

A=201 (*continued*)

- 2004KE15 NUCLEAR REACTIONS  $^1,2\text{H}$ ,  $\text{Ti}(^{208}\text{Pb}, \text{X})^{193}\text{Bi}$  /  $^{194}\text{Bi}$  /  $^{195}\text{Bi}$  /  $^{196}\text{Bi}$  /  $^{197}\text{Bi}$  /  $^{198}\text{Bi}$  /  $^{199}\text{Bi}$  /  $^{200}\text{Bi}$  /  $^{201}\text{Bi}$  /  $^{202}\text{Bi}$  /  $^{203}\text{Bi}$  /  $^{204}\text{Bi}$  /  $^{205}\text{Bi}$  /  $^{206}\text{Bi}$  /  $^{207}\text{Bi}$  /  $^{208}\text{Bi}$ ,  $E=1$  GeV / nucleon; measured charge-pickup  $\sigma$ , velocity distributions; deduced reaction mechanism features. Comparison with model predictions and previous results. JOUR PRVCA 70 064608
- 2005AD01 NUCLEAR REACTIONS  $^{209}\text{Bi}(n, 4n)$ ,  $(n, 5n)$ ,  $(n, 6n)$ ,  $(n, 7n)$ ,  $(n, 9n)$ ,  $^{232}\text{Th}(n, \gamma)$ ,  $^{197}\text{Au}(n, 2n)$ ,  $(n, 4n)$ ,  $(n, 6n)$ ,  $(n, 7n)$ ,  $(n, \gamma)$ ,  $^{59}\text{Co}(n, 2n)$ ,  $(n, 3n)$ ,  $(n, 4n)$ ,  $(n, 5n)$ ,  $(n, p)$ ,  $(n, 6n2p)$ ,  $^{113}\text{In}(n, 5n)$ ,  $(n, 6n)$ ,  $(n, 7n)$ ,  $E$ =spectrum; measured  $E\gamma$ ,  $I\gamma$ ; deduced reaction rates. Activation technique, spallation neutrons from 1 GeV proton beam, comparison with model predictions. JOUR ZAANE 23 61
- $^{201}\text{Po}$  2002DU22 RADIOACTIVITY  $^{197,197m,198,199m,200,201m}\text{Po}(\alpha)$ ;  $^{172,173}\text{Os}(\alpha)$  [from  $^{156}\text{Dy}(^{22}\text{Ne}, xn)$ ];  $^{183,184,185}\text{Hg}(\alpha)$  [from  $^{168}\text{Yb}(^{22}\text{Ne}, xn)$ ]; measured  $E\alpha$ ,  $T_{1/2}$ . JOUR NIMAE 479 631
- $^{201}\text{At}$  2005DE01 RADIOACTIVITY  $^{200,201,203,205}\text{Fr}$ ,  $^{196,197,199,201}\text{At}$ ,  $^{193}\text{Bi}(\alpha)$  [from  $\text{Th}(p, \text{X})$  and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ .  $^{201}\text{Fr}$ ,  $^{197}\text{At}$ ,  $^{193}\text{Bi}$ ,  $^{189}\text{Tl}$  deduced levels,  $J$ ,  $\pi$ . JOUR ZAANE 23 243
- 2005UU03 RADIOACTIVITY  $^{188,190,192,194,196,198,200,202,204}\text{Po}$ ,  $^{191,193,195,197,199}\text{At}$ ,  $^{196,198,200,202,204,206}\text{Rn}$ ,  $^{199,201,203,205,207}\text{Fr}(\alpha)$ ; measured reduced widths using gas filled recoil separator; deduced hindrance factors, proton intruder states and deformation effects. JOUR ZAANE 25 s01 179
- $^{201}\text{Rn}$  2005UU02 NUCLEAR REACTIONS  $^{141}\text{Pr}(^{65}\text{Cu}, xnypz\alpha)$ ,  $E=283-293$  MeV; measured delayed  $E\alpha$ ,  $I\alpha$ ,  $\alpha\alpha-$ , (recoil) $\alpha$ -coin; deduced evidence for  $^{199,200,201}\text{Rn}$ ,  $^{202,203,204}\text{Fr}$ ,  $^{203,204}\text{Ra}$ .  $^{141}\text{Pr}(^{63}\text{Cu}, xnypz\alpha)$ ,  $E=278-288$  MeV; measured delayed  $E\alpha$ ,  $I\alpha$ ,  $\alpha\alpha-$ , (recoil) $\alpha$ -coin; deduced evidence for  $^{198,199,200,201,202}\text{Rn}$ ,  $^{201,202}\text{Fr}$ ,  $^{201,202}\text{Ra}$ .  $^{170}\text{Yb}(^{36}\text{Ar}, xnypz\alpha)$ ,  $E=180-185$  MeV; measured delayed  $E\alpha$ ,  $I\alpha$ ,  $\alpha\alpha-$ , (recoil) $\alpha$ -coin; deduced evidence for  $^{201}\text{Fr}$ ,  $^{203}\text{Ra}$ . Gas-filled recoil separator. JOUR PRVCA 71 024306
- $^{201}\text{Fr}$  2005DE01 RADIOACTIVITY  $^{200,201,203,205}\text{Fr}$ ,  $^{196,197,199,201}\text{At}$ ,  $^{193}\text{Bi}(\alpha)$  [from  $\text{Th}(p, \text{X})$  and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ .  $^{201}\text{Fr}$ ,  $^{197}\text{At}$ ,  $^{193}\text{Bi}$ ,  $^{189}\text{Tl}$  deduced levels,  $J$ ,  $\pi$ . JOUR ZAANE 23 243
- 2005UU02 NUCLEAR REACTIONS  $^{141}\text{Pr}(^{65}\text{Cu}, xnypz\alpha)$ ,  $E=283-293$  MeV; measured delayed  $E\alpha$ ,  $I\alpha$ ,  $\alpha\alpha-$ , (recoil) $\alpha$ -coin; deduced evidence for  $^{199,200,201}\text{Rn}$ ,  $^{202,203,204}\text{Fr}$ ,  $^{203,204}\text{Ra}$ .  $^{141}\text{Pr}(^{63}\text{Cu}, xnypz\alpha)$ ,  $E=278-288$  MeV; measured delayed  $E\alpha$ ,  $I\alpha$ ,  $\alpha\alpha-$ , (recoil) $\alpha$ -coin; deduced evidence for  $^{198,199,200,201,202}\text{Rn}$ ,  $^{201,202}\text{Fr}$ ,  $^{201,202}\text{Ra}$ .  $^{170}\text{Yb}(^{36}\text{Ar}, xnypz\alpha)$ ,  $E=180-185$  MeV; measured delayed  $E\alpha$ ,  $I\alpha$ ,  $\alpha\alpha-$ , (recoil) $\alpha$ -coin; deduced evidence for  $^{201}\text{Fr}$ ,  $^{203}\text{Ra}$ . Gas-filled recoil separator. JOUR PRVCA 71 024306
- 2005UU02 RADIOACTIVITY  $^{201,202,203,204}\text{Ra}$ ,  $^{197,198,199,200}\text{Rn}$ ,  $^{193,194,195,196}\text{Po}$ ,  $^{201,202,203,204}\text{Fr}$ ,  $^{197,198,199,200}\text{At}(\alpha)$  [from  $^{141}\text{Pr}(^{63,65}\text{Cu}, xnypz\alpha)$ ,  $^{170}\text{Yb}(^{36}\text{Ar}, xnypz\alpha)$ , and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ ,  $\alpha\alpha$ -coin for ground and metastable state decay.  $^{193,195}\text{Bi}$ ,  $^{197,199}\text{At}$ ,  $^{201,203}\text{Fr}$  deduced levels,  $J$ ,  $\pi$ . Comparisons with previous results. JOUR PRVCA 71 024306

**A=201 (continued)**

- 2005UU03 RADIOACTIVITY <sup>188,190,192,194,196,198,200,202,204</sup>Po,  
<sup>191,193,195,197,199</sup>At, <sup>196,198,200,202,204,206</sup>Rn, <sup>199,201,203,205,207</sup>Fr( $\alpha$ );  
measured reduced widths using gas filled recoil separator; deduced  
hindrance factors, proton intruder states and deformation effects.  
JOUR ZAANE 25 s01 179
- <sup>201</sup>Ra 2005UU02 NUCLEAR REACTIONS <sup>141</sup>Pr(<sup>65</sup>Cu, xnypz $\alpha$ ), E=283-293 MeV;  
measured delayed E $\alpha$ , I $\alpha$ ,  $\alpha\alpha$ -, (recoil) $\alpha$ -coin; deduced evidence for  
<sup>199,200,201</sup>Rn, <sup>202,203,204</sup>Fr, <sup>203,204</sup>Ra. <sup>141</sup>Pr(<sup>63</sup>Cu, xnypz $\alpha$ ), E=278-288  
MeV; measured delayed E $\alpha$ , I $\alpha$ ,  $\alpha\alpha$ -, (recoil) $\alpha$ -coin; deduced evidence  
for <sup>198,199,200,201,202</sup>Rn, <sup>201,202</sup>Fr, <sup>201,202</sup>Ra. <sup>170</sup>Yb(<sup>36</sup>Ar, xnypz $\alpha$ ),  
E=180-185 MeV; measured delayed E $\alpha$ , I $\alpha$ ,  $\alpha\alpha$ -, (recoil) $\alpha$ -coin;  
deduced evidence for <sup>201</sup>Fr, <sup>203</sup>Ra. Gas-filled recoil separator. JOUR  
PRVCA 71 024306
- 2005UU02 RADIOACTIVITY <sup>201,202,203,204</sup>Ra, <sup>197,198,199,200</sup>Rn, <sup>193,194,195,196</sup>Po,  
<sup>201,202,203,204</sup>Fr, <sup>197,198,199,200</sup>At( $\alpha$ ) [from <sup>141</sup>Pr(<sup>63,65</sup>Cu, xnypz $\alpha$ ),  
<sup>170</sup>Yb(<sup>36</sup>Ar, xnypz $\alpha$ ), and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>,  
 $\alpha\alpha$ -coin for ground and metastable state decay. <sup>193,195</sup>Bi, <sup>197,199</sup>At,  
<sup>201,203</sup>Fr deduced levels, J,  $\pi$ . Comparisons with previous results.  
JOUR PRVCA 71 024306

**A=202**

- <sup>202</sup>Pt 2005CA02 RADIOACTIVITY <sup>188</sup>Ta, <sup>190</sup>W, <sup>192,193</sup>Re, <sup>195</sup>Os, <sup>197,198</sup>Ir,  
<sup>200,201,202</sup>Pt, <sup>203</sup>Au(IT) [from Be(<sup>208</sup>Pb, X)]; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin,  
T<sub>1/2</sub>. <sup>188</sup>Ta, <sup>190</sup>W, <sup>192,193</sup>Re, <sup>195</sup>Os, <sup>197,198</sup>Ir, <sup>200,201,202</sup>Pt, <sup>203</sup>Au  
deduced transitions. <sup>190</sup>W, <sup>200,201,202</sup>Pt deduced levels, J,  $\pi$ . <sup>174,175</sup>Er,  
<sup>185</sup>Hf, <sup>191,194</sup>Re, <sup>199</sup>Ir(IT) [from Be(<sup>208</sup>Pb, X)]; measured E $\gamma$ , I $\gamma$ .  
JOUR ZAANE 23 201
- <sup>202</sup>Bi 2004KE15 NUCLEAR REACTIONS <sup>1,2</sup>H, Ti(<sup>208</sup>Pb, X)<sup>193</sup>Bi / <sup>194</sup>Bi / <sup>195</sup>Bi /  
<sup>196</sup>Bi / <sup>197</sup>Bi / <sup>198</sup>Bi / <sup>199</sup>Bi / <sup>200</sup>Bi / <sup>201</sup>Bi / <sup>202</sup>Bi / <sup>203</sup>Bi / <sup>204</sup>Bi /  
<sup>205</sup>Bi / <sup>206</sup>Bi / <sup>207</sup>Bi / <sup>208</sup>Bi, E=1 GeV / nucleon; measured  
charge-pickup  $\sigma$ , velocity distributions; deduced reaction mechanism  
features. Comparison with model predictions and previous results.  
JOUR PRVCA 70 064608
- <sup>202</sup>Po 2005UU03 RADIOACTIVITY <sup>188,190,192,194,196,198,200,202,204</sup>Po,  
<sup>191,193,195,197,199</sup>At, <sup>196,198,200,202,204,206</sup>Rn, <sup>199,201,203,205,207</sup>Fr( $\alpha$ );  
measured reduced widths using gas filled recoil separator; deduced  
hindrance factors, proton intruder states and deformation effects.  
JOUR ZAANE 25 s01 179
- <sup>202</sup>Rn 2005UU02 NUCLEAR REACTIONS <sup>141</sup>Pr(<sup>65</sup>Cu, xnypz $\alpha$ ), E=283-293 MeV;  
measured delayed E $\alpha$ , I $\alpha$ ,  $\alpha\alpha$ -, (recoil) $\alpha$ -coin; deduced evidence for  
<sup>199,200,201</sup>Rn, <sup>202,203,204</sup>Fr, <sup>203,204</sup>Ra. <sup>141</sup>Pr(<sup>63</sup>Cu, xnypz $\alpha$ ), E=278-288  
MeV; measured delayed E $\alpha$ , I $\alpha$ ,  $\alpha\alpha$ -, (recoil) $\alpha$ -coin; deduced evidence  
for <sup>198,199,200,201,202</sup>Rn, <sup>201,202</sup>Fr, <sup>201,202</sup>Ra. <sup>170</sup>Yb(<sup>36</sup>Ar, xnypz $\alpha$ ),  
E=180-185 MeV; measured delayed E $\alpha$ , I $\alpha$ ,  $\alpha\alpha$ -, (recoil) $\alpha$ -coin;  
deduced evidence for <sup>201</sup>Fr, <sup>203</sup>Ra. Gas-filled recoil separator. JOUR  
PRVCA 71 024306

**A=202 (continued)**

- 2005UU03 RADIOACTIVITY <sup>188,190,192,194,196,198,200,202,204</sup>Po,  
<sup>191,193,195,197,199</sup>At, <sup>196,198,200,202,204,206</sup>Rn, <sup>199,201,203,205,207</sup>Fr( $\alpha$ );  
measured reduced widths using gas filled recoil separator; deduced  
hindrance factors, proton intruder states and deformation effects.  
JOUR ZAANE 25 s01 179
- <sup>202</sup>Fr 2005UU02 NUCLEAR REACTIONS <sup>141</sup>Pr(<sup>65</sup>Cu, xnypz $\alpha$ ), E=283-293 MeV;  
measured delayed E $\alpha$ , I $\alpha$ ,  $\alpha\alpha$ -, (recoil) $\alpha$ -coin; deduced evidence for  
<sup>199,200,201</sup>Rn, <sup>202,203,204</sup>Fr, <sup>203,204</sup>Ra. <sup>141</sup>Pr(<sup>63</sup>Cu, xnypz $\alpha$ ), E=278-288  
MeV; measured delayed E $\alpha$ , I $\alpha$ ,  $\alpha\alpha$ -, (recoil) $\alpha$ -coin; deduced evidence  
for <sup>198,199,200,201,202</sup>Rn, <sup>201,202</sup>Fr, <sup>201,202</sup>Ra. <sup>170</sup>Yb(<sup>36</sup>Ar, xnypz $\alpha$ ),  
E=180-185 MeV; measured delayed E $\alpha$ , I $\alpha$ ,  $\alpha\alpha$ -, (recoil) $\alpha$ -coin;  
deduced evidence for <sup>201</sup>Fr, <sup>203</sup>Ra. Gas-filled recoil separator. JOUR  
PRVCA 71 024306
- 2005UU02 RADIOACTIVITY <sup>201,202,203,204</sup>Ra, <sup>197,198,199,200</sup>Rn, <sup>193,194,195,196</sup>Po,  
<sup>201,202,203,204</sup>Fr, <sup>197,198,199,200</sup>At( $\alpha$ ) [from <sup>141</sup>Pr(<sup>63,65</sup>Cu, xnypz $\alpha$ ),  
<sup>170</sup>Yb(<sup>36</sup>Ar, xnypz $\alpha$ ), and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>,  
 $\alpha\alpha$ -coin for ground and metastable state decay. <sup>193,195</sup>Bi, <sup>197,199</sup>At,  
<sup>201,203</sup>Fr deduced levels, J,  $\pi$ . Comparisons with previous results.  
JOUR PRVCA 71 024306
- <sup>202</sup>Ra 2005UU02 NUCLEAR REACTIONS <sup>141</sup>Pr(<sup>65</sup>Cu, xnypz $\alpha$ ), E=283-293 MeV;  
measured delayed E $\alpha$ , I $\alpha$ ,  $\alpha\alpha$ -, (recoil) $\alpha$ -coin; deduced evidence for  
<sup>199,200,201</sup>Rn, <sup>202,203,204</sup>Fr, <sup>203,204</sup>Ra. <sup>141</sup>Pr(<sup>63</sup>Cu, xnypz $\alpha$ ), E=278-288  
MeV; measured delayed E $\alpha$ , I $\alpha$ ,  $\alpha\alpha$ -, (recoil) $\alpha$ -coin; deduced evidence  
for <sup>198,199,200,201,202</sup>Rn, <sup>201,202</sup>Fr, <sup>201,202</sup>Ra. <sup>170</sup>Yb(<sup>36</sup>Ar, xnypz $\alpha$ ),  
E=180-185 MeV; measured delayed E $\alpha$ , I $\alpha$ ,  $\alpha\alpha$ -, (recoil) $\alpha$ -coin;  
deduced evidence for <sup>201</sup>Fr, <sup>203</sup>Ra. Gas-filled recoil separator. JOUR  
PRVCA 71 024306
- 2005UU02 RADIOACTIVITY <sup>201,202,203,204</sup>Ra, <sup>197,198,199,200</sup>Rn, <sup>193,194,195,196</sup>Po,  
<sup>201,202,203,204</sup>Fr, <sup>197,198,199,200</sup>At( $\alpha$ ) [from <sup>141</sup>Pr(<sup>63,65</sup>Cu, xnypz $\alpha$ ),  
<sup>170</sup>Yb(<sup>36</sup>Ar, xnypz $\alpha$ ), and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>,  
 $\alpha\alpha$ -coin for ground and metastable state decay. <sup>193,195</sup>Bi, <sup>197,199</sup>At,  
<sup>201,203</sup>Fr deduced levels, J,  $\pi$ . Comparisons with previous results.  
JOUR PRVCA 71 024306

**A=203**

- <sup>203</sup>Au 2005CA02 RADIOACTIVITY <sup>188</sup>Ta, <sup>190</sup>W, <sup>192,193</sup>Re, <sup>195</sup>Os, <sup>197,198</sup>Ir,  
<sup>200,201,202</sup>Pt, <sup>203</sup>Au(IT) [from Be(<sup>208</sup>Pb, X)]; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin,  
T<sub>1/2</sub>. <sup>188</sup>Ta, <sup>190</sup>W, <sup>192,193</sup>Re, <sup>195</sup>Os, <sup>197,198</sup>Ir, <sup>200,201,202</sup>Pt, <sup>203</sup>Au  
deduced transitions. <sup>190</sup>W, <sup>200,201,202</sup>Pt deduced levels, J,  $\pi$ . <sup>174,175</sup>Er,  
<sup>185</sup>Hf, <sup>191,194</sup>Re, <sup>199</sup>Ir(IT) [from Be(<sup>208</sup>Pb, X)]; measured E $\gamma$ , I $\gamma$ .  
JOUR ZAANE 23 201
- <sup>203</sup>Tl 2004MB03 NUCLEAR MOMENTS <sup>113,115</sup>In, <sup>153,155</sup>Eu, <sup>185,187</sup>Re, <sup>203,205</sup>Tl,  
<sup>209,211</sup>Fr; measured hfs; deduced hyperfine magnetic anomaly, relative  
radii. Laser resonance fluorescence. JOUR BRSPPE 68 157
- <sup>203</sup>Pb 2005GA40 NUCLEAR REACTIONS <sup>190,192,198</sup>Pt, <sup>196,198,204</sup>Hg, <sup>204</sup>Pb( $\gamma$ , n),  
E=spectrum; measured reaction rates. Astrophysical implications  
discussed, comparison with model predictions. JOUR NUPAB 758 521c

## A=203 (continued)

- 2005TIZX NUCLEAR REACTIONS Pb,  $^{208}\text{Pb}(p, X)^{203}\text{Pb}$  /  $^{200}\text{Tl}$  /  $^{199}\text{Tl}$  /  $^{196}\text{Au}$  /  $^{192}\text{Ir}$  /  $^{190}\text{Ir}$  /  $^{173}\text{Lu}$  /  $^{101m}\text{Rh}$  /  $^{86}\text{Rb}$  /  $^{59}\text{Fe}$  /  $^{24}\text{Na}$  /  $^7\text{Be}$ , E=40-2600 MeV; measured excitation functions. Comparison with previous work and model predictions. Other reactions discussed. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P1070
- 2005TIZY NUCLEAR REACTIONS Pb,  $^{208}\text{Pb}$ ,  $^{209}\text{Bi}(p, X)^{203}\text{Pb}$  /  $^{200}\text{Tl}$  /  $^{199}\text{Tl}$  /  $^{196}\text{Au}$  /  $^{192}\text{Ir}$  /  $^{190}\text{Ir}$  /  $^{173}\text{Lu}$  /  $^{101m}\text{Rh}$  /  $^{86}\text{Rb}$  /  $^{59}\text{Fe}$  /  $^{24}\text{Na}$  /  $^7\text{Be}$ , E=40-2600 MeV; measured production  $\sigma$ . Comparison with model predictions. PREPRINT nucl-ex/0507009,7/05/2005
- $^{203}\text{Bi}$  2004ADZW NUCLEAR REACTIONS  $^{209}\text{Bi}(n, 4n)$ ,  $(n, 5n)$ ,  $(n, 6n)$ ,  $(n, 7n)$ ,  $(n, 9n)$ ,  $^{232}\text{Th}(n, \gamma)$ ,  $^{197}\text{Au}(n, 2n)$ ,  $(n, 4n)$ ,  $(n, 6n)$ ,  $(n, 7n)$ ,  $(n, \gamma)$ ,  $^{115}\text{In}(n, 5n)$ ,  $(n, 6n)$ ,  $(n, 7n)$ ,  $^{59}\text{Co}(n, 2n)$ ,  $(n, 3n)$ ,  $(n, 4n)$ ,  $(n, 5n)$ ,  $(n, \gamma)$ ,  $(n, p)$ ,  $(n, 6n2p)$ , E=spectrum; measured  $E\gamma$ ,  $I\gamma$ ; deduced reaction rates. Pb(p, nX), E=1 GeV; deduced spallation neutron spectrum. REPT JINR-E1-2004-16, Adam
- 2004KE15 NUCLEAR REACTIONS  $^1,2\text{H}$ , Ti( $^{208}\text{Pb}$ , X) $^{193}\text{Bi}$  /  $^{194}\text{Bi}$  /  $^{195}\text{Bi}$  /  $^{196}\text{Bi}$  /  $^{197}\text{Bi}$  /  $^{198}\text{Bi}$  /  $^{199}\text{Bi}$  /  $^{200}\text{Bi}$  /  $^{201}\text{Bi}$  /  $^{202}\text{Bi}$  /  $^{203}\text{Bi}$  /  $^{204}\text{Bi}$  /  $^{205}\text{Bi}$  /  $^{206}\text{Bi}$  /  $^{207}\text{Bi}$  /  $^{208}\text{Bi}$ , E=1 GeV / nucleon; measured charge-pickup  $\sigma$ , velocity distributions; deduced reaction mechanism features. Comparison with model predictions and previous results. JOUR PRVCA 70 064608
- 2005AD01 NUCLEAR REACTIONS  $^{209}\text{Bi}(n, 4n)$ ,  $(n, 5n)$ ,  $(n, 6n)$ ,  $(n, 7n)$ ,  $(n, 9n)$ ,  $^{232}\text{Th}(n, \gamma)$ ,  $^{197}\text{Au}(n, 2n)$ ,  $(n, 4n)$ ,  $(n, 6n)$ ,  $(n, 7n)$ ,  $(n, \gamma)$ ,  $^{59}\text{Co}(n, 2n)$ ,  $(n, 3n)$ ,  $(n, 4n)$ ,  $(n, 5n)$ ,  $(n, p)$ ,  $(n, 6n2p)$ ,  $^{115}\text{In}(n, 5n)$ ,  $(n, 6n)$ ,  $(n, 7n)$ , E=spectrum; measured  $E\gamma$ ,  $I\gamma$ ; deduced reaction rates. Activation technique, spallation neutrons from 1 GeV proton beam, comparison with model predictions. JOUR ZAANE 23 61
- 2005MU21 NUCLEAR REACTIONS  $^{115}\text{In}(n, n')$ ,  $^{27}\text{Al}(n, \alpha)$ ,  $^{93}\text{Nb}(n, 2n)$ ,  $(n, 4n)$ ,  $^{209}\text{Bi}(n, 4n)$ ,  $(n, 5n)$ ,  $(n, 6n)$ ,  $(n, 7n)$ , E  $\approx$  10-1000 MeV; measured reaction rates. Comparison with model predictions. JOUR NIMAE 547 555
- $^{203}\text{At}$  2005UU03 RADIOACTIVITY  $^{188,190,192,194,196,198,200,202,204}\text{Po}$ ,  $^{191,193,195,197,199}\text{At}$ ,  $^{196,198,200,202,204,206}\text{Rn}$ ,  $^{199,201,203,205,207}\text{Fr}(\alpha)$ ; measured reduced widths using gas filled recoil separator; deduced hindrance factors, proton intruder states and deformation effects. JOUR ZAANE 25 s01 179
- $^{203}\text{Fr}$  2005DE01 RADIOACTIVITY  $^{200,201,203,205}\text{Fr}$ ,  $^{196,197,199,201}\text{At}$ ,  $^{193}\text{Bi}(\alpha)$  [from Th(p, X) and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ .  $^{201}\text{Fr}$ ,  $^{197}\text{At}$ ,  $^{193}\text{Bi}$ ,  $^{189}\text{Tl}$  deduced levels, J,  $\pi$ . JOUR ZAANE 23 243
- 2005UU02 NUCLEAR REACTIONS  $^{141}\text{Pr}(^{65}\text{Cu}, xnypz\alpha)$ , E=283-293 MeV; measured delayed  $E\alpha$ ,  $I\alpha$ ,  $\alpha\alpha^-$ , (recoil) $\alpha$ -coin; deduced evidence for  $^{199,200,201}\text{Rn}$ ,  $^{202,203,204}\text{Fr}$ ,  $^{203,204}\text{Ra}$ .  $^{141}\text{Pr}(^{63}\text{Cu}, xnypz\alpha)$ , E=278-288 MeV; measured delayed  $E\alpha$ ,  $I\alpha$ ,  $\alpha\alpha^-$ , (recoil) $\alpha$ -coin; deduced evidence for  $^{198,199,200,201,202}\text{Rn}$ ,  $^{201,202}\text{Fr}$ ,  $^{201,202}\text{Ra}$ .  $^{170}\text{Yb}(^{36}\text{Ar}, xnypz\alpha)$ , E=180-185 MeV; measured delayed  $E\alpha$ ,  $I\alpha$ ,  $\alpha\alpha^-$ , (recoil) $\alpha$ -coin; deduced evidence for  $^{201}\text{Fr}$ ,  $^{203}\text{Ra}$ . Gas-filled recoil separator. JOUR PRVCA 71 024306

**A=203 (continued)**

- 2005UU02 RADIOACTIVITY <sup>201,202,203,204</sup>Ra, <sup>197,198,199,200</sup>Rn, <sup>193,194,195,196</sup>Po, <sup>201,202,203,204</sup>Fr, <sup>197,198,199,200</sup>At( $\alpha$ ) [from <sup>141</sup>Pr(<sup>63,65</sup>Cu, xnypz $\alpha$ ), <sup>170</sup>Yb(<sup>36</sup>Ar, xnypz $\alpha$ ), and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>,  $\alpha\alpha$ -coin for ground and metastable state decay. <sup>193,195</sup>Bi, <sup>197,199</sup>At, <sup>201,203</sup>Fr deduced levels, J,  $\pi$ . Comparisons with previous results. JOUR PRVCA 71 024306
- 2005UU03 RADIOACTIVITY <sup>188,190,192,194,196,198,200,202,204</sup>Po, <sup>191,193,195,197,199</sup>At, <sup>196,198,200,202,204,206</sup>Rn, <sup>199,201,203,205,207</sup>Fr( $\alpha$ ); measured reduced widths using gas filled recoil separator; deduced hindrance factors, proton intruder states and deformation effects. JOUR ZAANE 25 s01 179
- <sup>203</sup>Ra 2005UU02 NUCLEAR REACTIONS <sup>141</sup>Pr(<sup>65</sup>Cu, xnypz $\alpha$ ), E=283-293 MeV; measured delayed E $\alpha$ , I $\alpha$ ,  $\alpha\alpha$ -, (recoil) $\alpha$ -coin; deduced evidence for <sup>199,200,201</sup>Rn, <sup>202,203,204</sup>Fr, <sup>203,204</sup>Ra. <sup>141</sup>Pr(<sup>63</sup>Cu, xnypz $\alpha$ ), E=278-288 MeV; measured delayed E $\alpha$ , I $\alpha$ ,  $\alpha\alpha$ -, (recoil) $\alpha$ -coin; deduced evidence for <sup>198,199,200,201,202</sup>Rn, <sup>201,202</sup>Fr, <sup>201,202</sup>Ra. <sup>170</sup>Yb(<sup>36</sup>Ar, xnypz $\alpha$ ), E=180-185 MeV; measured delayed E $\alpha$ , I $\alpha$ ,  $\alpha\alpha$ -, (recoil) $\alpha$ -coin; deduced evidence for <sup>201</sup>Fr, <sup>203</sup>Ra. Gas-filled recoil separator. JOUR PRVCA 71 024306
- 2005UU02 RADIOACTIVITY <sup>201,202,203,204</sup>Ra, <sup>197,198,199,200</sup>Rn, <sup>193,194,195,196</sup>Po, <sup>201,202,203,204</sup>Fr, <sup>197,198,199,200</sup>At( $\alpha$ ) [from <sup>141</sup>Pr(<sup>63,65</sup>Cu, xnypz $\alpha$ ), <sup>170</sup>Yb(<sup>36</sup>Ar, xnypz $\alpha$ ), and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>,  $\alpha\alpha$ -coin for ground and metastable state decay. <sup>193,195</sup>Bi, <sup>197,199</sup>At, <sup>201,203</sup>Fr deduced levels, J,  $\pi$ . Comparisons with previous results. JOUR PRVCA 71 024306

**A=204**

- <sup>204</sup>Pb 2005WA34 NUCLEAR MOMENTS <sup>204,206,207,208</sup>Pb; measured hfs, isotope shifts. JOUR ZDDNE 36 249
- <sup>204</sup>Bi 2004ADZW NUCLEAR REACTIONS <sup>209</sup>Bi(n, 4n), (n, 5n), (n, 6n), (n, 7n), (n, 9n), <sup>232</sup>Th(n,  $\gamma$ ), <sup>197</sup>Au(n, 2n), (n, 4n), (n, 6n), (n, 7n), (n,  $\gamma$ ), <sup>115</sup>In(n, 5n), (n, 6n), (n, 7n), <sup>59</sup>Co(n, 2n), (n, 3n), (n, 4n), (n, 5n), (n,  $\gamma$ ), (n, p), (n, 6n2p), E=spectrum; measured E $\gamma$ , I $\gamma$ ; deduced reaction rates. Pb(p, nX), E=1 GeV; deduced spallation neutron spectrum. REPT JINR-E1-2004-16, Adam
- 2004KE15 NUCLEAR REACTIONS <sup>1,2</sup>H, Ti(<sup>208</sup>Pb, X)<sup>193</sup>Bi / <sup>194</sup>Bi / <sup>195</sup>Bi / <sup>196</sup>Bi / <sup>197</sup>Bi / <sup>198</sup>Bi / <sup>199</sup>Bi / <sup>200</sup>Bi / <sup>201</sup>Bi / <sup>202</sup>Bi / <sup>203</sup>Bi / <sup>204</sup>Bi / <sup>205</sup>Bi / <sup>206</sup>Bi / <sup>207</sup>Bi / <sup>208</sup>Bi, E=1 GeV / nucleon; measured charge-pickup  $\sigma$ , velocity distributions; deduced reaction mechanism features. Comparison with model predictions and previous results. JOUR PRVCA 70 064608
- 2005AD01 NUCLEAR REACTIONS <sup>209</sup>Bi(n, 4n), (n, 5n), (n, 6n), (n, 7n), (n, 9n), <sup>232</sup>Th(n,  $\gamma$ ), <sup>197</sup>Au(n, 2n), (n, 4n), (n, 6n), (n, 7n), (n,  $\gamma$ ), <sup>59</sup>Co(n, 2n), (n, 3n), (n, 4n), (n, 5n), (n, p), (n, 6n2p), <sup>115</sup>In(n, 5n), (n, 6n), (n, 7n), E=spectrum; measured E $\gamma$ , I $\gamma$ ; deduced reaction rates. Activation technique, spallation neutrons from 1 GeV proton beam, comparison with model predictions. JOUR ZAANE 23 61

**A=204 (continued)**

- 2005MU21 NUCLEAR REACTIONS  $^{115}\text{In}(n, n')$ ,  $^{27}\text{Al}(n, \alpha)$ ,  $^{93}\text{Nb}(n, 2n)$ ,  $(n, 4n)$ ,  $^{209}\text{Bi}(n, 4n)$ ,  $(n, 5n)$ ,  $(n, 6n)$ ,  $(n, 7n)$ ,  $E \approx 10\text{-}1000$  MeV; measured reaction rates. Comparison with model predictions. JOUR NIMAE 547 555
- $^{204}\text{Po}$  2005UU03 RADIOACTIVITY  $^{188,190,192,194,196,198,200,202,204}\text{Po}$ ,  $^{191,193,195,197,199}\text{At}$ ,  $^{196,198,200,202,204,206}\text{Rn}$ ,  $^{199,201,203,205,207}\text{Fr}(\alpha)$ ; measured reduced widths using gas filled recoil separator; deduced hindrance factors, proton intruder states and deformation effects. JOUR ZAANE 25 s01 179
- $^{204}\text{Rn}$  2005UU03 RADIOACTIVITY  $^{188,190,192,194,196,198,200,202,204}\text{Po}$ ,  $^{191,193,195,197,199}\text{At}$ ,  $^{196,198,200,202,204,206}\text{Rn}$ ,  $^{199,201,203,205,207}\text{Fr}(\alpha)$ ; measured reduced widths using gas filled recoil separator; deduced hindrance factors, proton intruder states and deformation effects. JOUR ZAANE 25 s01 179
- $^{204}\text{Fr}$  2005UU02 NUCLEAR REACTIONS  $^{141}\text{Pr}(^{65}\text{Cu}, \text{xnypz}\alpha)$ ,  $E=283\text{-}293$  MeV; measured delayed  $E\alpha$ ,  $I\alpha$ ,  $\alpha\alpha^-$ , (recoil) $\alpha$ -coin; deduced evidence for  $^{199,200,201}\text{Rn}$ ,  $^{202,203,204}\text{Fr}$ ,  $^{203,204}\text{Ra}$ .  $^{141}\text{Pr}(^{63}\text{Cu}, \text{xnypz}\alpha)$ ,  $E=278\text{-}288$  MeV; measured delayed  $E\alpha$ ,  $I\alpha$ ,  $\alpha\alpha^-$ , (recoil) $\alpha$ -coin; deduced evidence for  $^{198,199,200,201,202}\text{Rn}$ ,  $^{201,202}\text{Fr}$ ,  $^{201,202}\text{Ra}$ .  $^{170}\text{Yb}(^{36}\text{Ar}, \text{xnypz}\alpha)$ ,  $E=180\text{-}185$  MeV; measured delayed  $E\alpha$ ,  $I\alpha$ ,  $\alpha\alpha^-$ , (recoil) $\alpha$ -coin; deduced evidence for  $^{201}\text{Fr}$ ,  $^{203}\text{Ra}$ . Gas-filled recoil separator. JOUR PRVCA 71 024306
- 2005UU02 RADIOACTIVITY  $^{201,202,203,204}\text{Ra}$ ,  $^{197,198,199,200}\text{Rn}$ ,  $^{193,194,195,196}\text{Po}$ ,  $^{201,202,203,204}\text{Fr}$ ,  $^{197,198,199,200}\text{At}(\alpha)$  [from  $^{141}\text{Pr}(^{63,65}\text{Cu}, \text{xnypz}\alpha)$ ,  $^{170}\text{Yb}(^{36}\text{Ar}, \text{xnypz}\alpha)$ , and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ ,  $\alpha\alpha$ -coin for ground and metastable state decay.  $^{193,195}\text{Bi}$ ,  $^{197,199}\text{At}$ ,  $^{201,203}\text{Fr}$  deduced levels,  $J$ ,  $\pi$ . Comparisons with previous results. JOUR PRVCA 71 024306
- $^{204}\text{Ra}$  2005UU02 NUCLEAR REACTIONS  $^{141}\text{Pr}(^{65}\text{Cu}, \text{xnypz}\alpha)$ ,  $E=283\text{-}293$  MeV; measured delayed  $E\alpha$ ,  $I\alpha$ ,  $\alpha\alpha^-$ , (recoil) $\alpha$ -coin; deduced evidence for  $^{199,200,201}\text{Rn}$ ,  $^{202,203,204}\text{Fr}$ ,  $^{203,204}\text{Ra}$ .  $^{141}\text{Pr}(^{63}\text{Cu}, \text{xnypz}\alpha)$ ,  $E=278\text{-}288$  MeV; measured delayed  $E\alpha$ ,  $I\alpha$ ,  $\alpha\alpha^-$ , (recoil) $\alpha$ -coin; deduced evidence for  $^{198,199,200,201,202}\text{Rn}$ ,  $^{201,202}\text{Fr}$ ,  $^{201,202}\text{Ra}$ .  $^{170}\text{Yb}(^{36}\text{Ar}, \text{xnypz}\alpha)$ ,  $E=180\text{-}185$  MeV; measured delayed  $E\alpha$ ,  $I\alpha$ ,  $\alpha\alpha^-$ , (recoil) $\alpha$ -coin; deduced evidence for  $^{201}\text{Fr}$ ,  $^{203}\text{Ra}$ . Gas-filled recoil separator. JOUR PRVCA 71 024306
- 2005UU02 RADIOACTIVITY  $^{201,202,203,204}\text{Ra}$ ,  $^{197,198,199,200}\text{Rn}$ ,  $^{193,194,195,196}\text{Po}$ ,  $^{201,202,203,204}\text{Fr}$ ,  $^{197,198,199,200}\text{At}(\alpha)$  [from  $^{141}\text{Pr}(^{63,65}\text{Cu}, \text{xnypz}\alpha)$ ,  $^{170}\text{Yb}(^{36}\text{Ar}, \text{xnypz}\alpha)$ , and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ ,  $\alpha\alpha$ -coin for ground and metastable state decay.  $^{193,195}\text{Bi}$ ,  $^{197,199}\text{At}$ ,  $^{201,203}\text{Fr}$  deduced levels,  $J$ ,  $\pi$ . Comparisons with previous results. JOUR PRVCA 71 024306

**A=205**

- $^{205}\text{Tl}$  2004MB03 NUCLEAR MOMENTS  $^{113,115}\text{In}$ ,  $^{153,155}\text{Eu}$ ,  $^{185,187}\text{Re}$ ,  $^{203,205}\text{Tl}$ ,  $^{209,211}\text{Fr}$ ; measured hfs; deduced hyperfine magnetic anomaly, relative radii. Laser resonance fluorescence. JOUR BRSPE 68 157

**A=205 (continued)**

- 2005LIZZ ATOMIC MASSES  $^{205}\text{Tl}$ ,  $^{220,221,222}\text{At}$ ,  $^{220,221,222,223}\text{Rn}$ ,  $^{223,224,225}\text{Fr}$ ,  
 $^{223,224,225,226,227,229,230,231}\text{Ra}$ ,  $^{227,229,230,231}\text{Ac}$ ,  $^{230,231}\text{Th}$ ,  $^{232}\text{U}$ ;  
 measured masses. Schottky mass spectrometry,  $^{238}\text{U}$  fragmentation.  
 REPT GSI 2005-1,P79,Litvinov
- $^{205}\text{Pb}$  2004KU33 RADIOACTIVITY  $^{205}\text{Bi}(\text{EC})$  [from Pb, Bi(p, X)]; measured  $T_{1/2}$ .  
 Comparison with previous results. JOUR RAACA 92 233
- 2005SMZZ NUCLEAR REACTIONS  $^{204,206,207,208}\text{Pb}$ ,  $^{205}\text{Tl}(\text{n, F})$ , (p, F),  
 $E=30\text{-}180$  MeV; measured fission  $\sigma$ .  $^{206}\text{Tl}$ ,  $^{205,206,207,208,209}\text{Pb}$ ,  
 $^{205,207,208,209}\text{Bi}$ ; deduced fissility. CONF Santa Fe (Nucl Data for Sci  
 and Technol) Proc,Vol1,P637
- $^{205}\text{Bi}$  2004ADZW NUCLEAR REACTIONS  $^{209}\text{Bi}(\text{n, 4n})$ , (n, 5n), (n, 6n), (n, 7n), (n,  
 9n),  $^{232}\text{Th}(\text{n, } \gamma)$ ,  $^{197}\text{Au}(\text{n, 2n})$ , (n, 4n), (n, 6n), (n, 7n), (n,  $\gamma$ ),  $^{115}\text{In}(\text{n, 5n})$ ,  
 (n, 6n), (n, 7n),  $^{59}\text{Co}(\text{n, 2n})$ , (n, 3n), (n, 4n), (n, 5n), (n,  $\gamma$ ), (n,  
 p), (n, 6n2p),  $E=\text{spectrum}$ ; measured  $E\gamma$ ,  $I\gamma$ ; deduced reaction rates.  
 Pb(p, nX),  $E=1$  GeV; deduced spallation neutron spectrum. REPT  
 JINR-E1-2004-16,Adam
- 2004KE15 NUCLEAR REACTIONS  $^{1,2}\text{H}$ ,  $\text{Ti}(\text{^{208}Pb, X})^{193}\text{Bi} / ^{194}\text{Bi} / ^{195}\text{Bi} /$   
 $^{196}\text{Bi} / ^{197}\text{Bi} / ^{198}\text{Bi} / ^{199}\text{Bi} / ^{200}\text{Bi} / ^{201}\text{Bi} / ^{202}\text{Bi} / ^{203}\text{Bi} / ^{204}\text{Bi} /$   
 $^{205}\text{Bi} / ^{206}\text{Bi} / ^{207}\text{Bi} / ^{208}\text{Bi}$ ,  $E=1$  GeV / nucleon; measured  
 charge-pickup  $\sigma$ , velocity distributions; deduced reaction mechanism  
 features. Comparison with model predictions and previous results.  
 JOUR PRVCA 70 064608
- 2004KU33 RADIOACTIVITY  $^{205}\text{Bi}(\text{EC})$  [from Pb, Bi(p, X)]; measured  $T_{1/2}$ .  
 Comparison with previous results. JOUR RAACA 92 233
- 2004MIZS NUCLEAR REACTIONS  $\text{Fe}(\text{p, X})^{52}\text{Mn}$ ,  $E < 2.6$  GeV;  $\text{Pb}(\text{p, X})^{10}\text{Be}$ ,  
 $E < 2.6$  GeV;  $^{209}\text{Bi}(\text{p, 4np})$ ,  $E < 2.6$  GeV;  $\text{Pb}(\text{n, X})^{196}\text{Au} / ^{95}\text{Zr}$ ,  $E \approx$   
 $70\text{-}180$  MeV; measured excitation functions. Comparison with model  
 predictions. REPT NEA/NSC/DOC(2004)14,P28,Michel
- 2005AD01 NUCLEAR REACTIONS  $^{209}\text{Bi}(\text{n, 4n})$ , (n, 5n), (n, 6n), (n, 7n), (n,  
 9n),  $^{232}\text{Th}(\text{n, } \gamma)$ ,  $^{197}\text{Au}(\text{n, 2n})$ , (n, 4n), (n, 6n), (n, 7n), (n,  $\gamma$ ),  $^{59}\text{Co}(\text{n, 2n})$ ,  
 (n, 3n), (n, 4n), (n, 5n), (n, p), (n, 6n2p),  $^{115}\text{In}(\text{n, 5n})$ , (n, 6n), (n,  
 7n),  $E=\text{spectrum}$ ; measured  $E\gamma$ ,  $I\gamma$ ; deduced reaction rates. Activation  
 technique, spallation neutrons from 1 GeV proton beam, comparison  
 with model predictions. JOUR ZAANE 23 61
- 2005MU21 NUCLEAR REACTIONS  $^{115}\text{In}(\text{n, n}')$ ,  $^{27}\text{Al}(\text{n, } \alpha)$ ,  $^{93}\text{Nb}(\text{n, 2n})$ , (n, 4n),  
 $^{209}\text{Bi}(\text{n, 4n})$ , (n, 5n), (n, 6n), (n, 7n),  $E \approx 10\text{-}1000$  MeV; measured  
 reaction rates. Comparison with model predictions. JOUR NIMAE 547  
 555
- 2005SMZZ NUCLEAR REACTIONS  $^{204,206,207,208}\text{Pb}$ ,  $^{205}\text{Tl}(\text{n, F})$ , (p, F),  
 $E=30\text{-}180$  MeV; measured fission  $\sigma$ .  $^{206}\text{Tl}$ ,  $^{205,206,207,208,209}\text{Pb}$ ,  
 $^{205,207,208,209}\text{Bi}$ ; deduced fissility. CONF Santa Fe (Nucl Data for Sci  
 and Technol) Proc,Vol1,P637
- $^{205}\text{Fr}$  2005DE01 RADIOACTIVITY  $^{200,201,203,205}\text{Fr}$ ,  $^{196,197,199,201}\text{At}$ ,  $^{193}\text{Bi}(\alpha)$  [from  
 $\text{Th}(\text{p, X})$  and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ .  $^{201}\text{Fr}$ ,  $^{197}\text{At}$ ,  
 $^{193}\text{Bi}$ ,  $^{189}\text{Tl}$  deduced levels, J,  $\pi$ . JOUR ZAANE 23 243



**A=205 (continued)**

2005UU03 RADIOACTIVITY <sup>188,190,192,194,196,198,200,202,204</sup>Po,  
<sup>191,193,195,197,199</sup>At, <sup>196,198,200,202,204,206</sup>Rn, <sup>199,201,203,205,207</sup>Fr( $\alpha$ );  
 measured reduced widths using gas filled recoil separator; deduced  
 hindrance factors, proton intruder states and deformation effects.  
 JOUR ZAANE 25 s01 179

**A=206**

<sup>206</sup>Tl 2005SMZZ NUCLEAR REACTIONS <sup>204,206,207,208</sup>Pb, <sup>205</sup>Tl(n, F), (p, F),  
 E=30-180 MeV; measured fission  $\sigma$ . <sup>206</sup>Tl, <sup>205,206,207,208,209</sup>Pb,  
<sup>205,207,208,209</sup>Bi; deduced fissility. CONF Santa Fe (Nucl Data for Sci  
 and Technol) Proc,Vol1,P637

<sup>206</sup>Pb 2005C025 NUCLEAR REACTIONS <sup>208</sup>Pb(<sup>40</sup>Ca, <sup>42</sup>Ca), E=225 MeV; measured  
 $\sigma(E, \theta)$ . <sup>42</sup>Ca deduced excited states configurations. <sup>208</sup>Pb(<sup>90</sup>Zr, X),  
 E=560 MeV; measured E $\gamma$ , I $\gamma$ , (fragment) $\gamma$ -coin, isotopic yields for  
 projectile-like fragments. <sup>90</sup>Zr deduced transitions. JOUR ZAANE 25  
 s01 427

2005PAZW NUCLEAR REACTIONS <sup>207</sup>Pb(n, 2n), E < 20 MeV; <sup>232</sup>Th(n, 5n),  
 E=29-42 MeV; measured E $\gamma$ , I $\gamma$ . <sup>207</sup>Pb(n, 2n), E=8-24 MeV;  
 calculated  $\sigma$ . CONF Santa Fe (Nucl Data for Sci and Technol)  
 Proc,Vol1,P876

2005SMZZ NUCLEAR REACTIONS <sup>204,206,207,208</sup>Pb, <sup>205</sup>Tl(n, F), (p, F),  
 E=30-180 MeV; measured fission  $\sigma$ . <sup>206</sup>Tl, <sup>205,206,207,208,209</sup>Pb,  
<sup>205,207,208,209</sup>Bi; deduced fissility. CONF Santa Fe (Nucl Data for Sci  
 and Technol) Proc,Vol1,P637

2005WA34 NUCLEAR MOMENTS <sup>204,206,207,208</sup>Pb; measured hfs, isotope shifts.  
 JOUR ZDDNE 36 249

<sup>206</sup>Bi 2004ADZW NUCLEAR REACTIONS <sup>209</sup>Bi(n, 4n), (n, 5n), (n, 6n), (n, 7n), (n,  
 9n), <sup>232</sup>Th(n,  $\gamma$ ), <sup>197</sup>Au(n, 2n), (n, 4n), (n, 6n), (n, 7n), (n,  $\gamma$ ), <sup>115</sup>In(n,  
 5n), (n, 6n), (n, 7n), <sup>59</sup>Co(n, 2n), (n, 3n), (n, 4n), (n, 5n), (n,  $\gamma$ ), (n,  
 p), (n, 6n2p), E=spectrum; measured E $\gamma$ , I $\gamma$ ; deduced reaction rates.  
 Pb(p, nX), E=1 GeV; deduced spallation neutron spectrum. REPT  
 JINR-E1-2004-16,Adam

2004KE15 NUCLEAR REACTIONS <sup>1,2</sup>H, Ti(<sup>208</sup>Pb, X)<sup>193</sup>Bi / <sup>194</sup>Bi / <sup>195</sup>Bi /  
<sup>196</sup>Bi / <sup>197</sup>Bi / <sup>198</sup>Bi / <sup>199</sup>Bi / <sup>200</sup>Bi / <sup>201</sup>Bi / <sup>202</sup>Bi / <sup>203</sup>Bi / <sup>204</sup>Bi /  
<sup>205</sup>Bi / <sup>206</sup>Bi / <sup>207</sup>Bi / <sup>208</sup>Bi, E=1 GeV / nucleon; measured  
 charge-pickup  $\sigma$ , velocity distributions; deduced reaction mechanism  
 features. Comparison with model predictions and previous results.  
 JOUR PRVCA 70 064608

2005AD01 NUCLEAR REACTIONS <sup>209</sup>Bi(n, 4n), (n, 5n), (n, 6n), (n, 7n), (n,  
 9n), <sup>232</sup>Th(n,  $\gamma$ ), <sup>197</sup>Au(n, 2n), (n, 4n), (n, 6n), (n, 7n), (n,  $\gamma$ ), <sup>59</sup>Co(n,  
 2n), (n, 3n), (n, 4n), (n, 5n), (n, p), (n, 6n2p), <sup>115</sup>In(n, 5n), (n, 6n), (n,  
 7n), E=spectrum; measured E $\gamma$ , I $\gamma$ ; deduced reaction rates. Activation  
 technique, spallation neutrons from 1 GeV proton beam, comparison  
 with model predictions. JOUR ZAANE 23 61

**A=206 (continued)**

- 2005MU21 NUCLEAR REACTIONS  $^{115}\text{In}(n, n')$ ,  $^{27}\text{Al}(n, \alpha)$ ,  $^{93}\text{Nb}(n, 2n)$ ,  $(n, 4n)$ ,  $^{209}\text{Bi}(n, 4n)$ ,  $(n, 5n)$ ,  $(n, 6n)$ ,  $(n, 7n)$ ,  $E \approx 10\text{-}1000$  MeV; measured reaction rates. Comparison with model predictions. JOUR NIMAE 547 555
- $^{206}\text{At}$  2005KU06 RADIOACTIVITY  $^{210,211,212,213,214}\text{Fr}(\alpha)$  [from  $^{209}\text{Bi}(^{12}\text{C}, xn)$  and subsequent decay]; measured  $E\alpha$ ,  $I\alpha$ ,  $E\gamma$ ,  $I\gamma$ ,  $\alpha\gamma$ -coin,  $T_{1/2}$ ; deduced hindrance factors.  $^{206,207,208,209,210}\text{At}$  deduced levels,  $J$ ,  $\pi$ . Comparison with previous results. JOUR ZAANE 23 417
- $^{206}\text{Rn}$  2005UU03 RADIOACTIVITY  $^{188,190,192,194,196,198,200,202,204}\text{Po}$ ,  $^{191,193,195,197,199}\text{At}$ ,  $^{196,198,200,202,204,206}\text{Rn}$ ,  $^{199,201,203,205,207}\text{Fr}(\alpha)$ ; measured reduced widths using gas filled recoil separator; deduced hindrance factors, proton intruder states and deformation effects. JOUR ZAANE 25 s01 179

**A=207**

- $^{207}\text{Tl}$  2005B0ZU RADIOACTIVITY  $^{207,207m}\text{Tl}(\beta^-)$ ; measured ground-state and isomer decay  $T_{1/2}$  of fully-stripped ion. Time-resolved Schottky mass spectrometry. REPT GSI 2005-1,P81,Boutin
- 2005GEZW ATOMIC MASSES  $^{235}\text{Ac}$ ; measured mass,  $T_{1/2}$ .  $^{185,186,187,188,189,190,191,192,193,194,195,196}\text{Bi}$ ; measured masses, proton separation energies.  $^{207m}\text{Tl}$ ; measured  $T_{1/2}$ . Stored beams, Schottky mass spectrometry. PREPRINT nucl-ex/0510009,10/4/2005
- 2005HU10 NUCLEAR REACTIONS  $^{90}\text{Zr}$ ,  $^{116}\text{Sn}$ ,  $^{208}\text{Pb}(\alpha, \alpha'n)$ ,  $E=200$  MeV;  $^{208}\text{Pb}(\alpha, \alpha'p)$ ,  $E=200$  MeV; measured  $E\alpha$ ,  $\sigma(\theta)$ ,  $p\alpha^-$ ,  $n\alpha$ -coin.  $^{90}\text{Zr}$ ,  $^{116}\text{Sn}$ ,  $^{208}\text{Pb}$  deduced isoscalar GDR parameters, particle decay features. JOUR APOBB 36 1115
- 20050H08 RADIOACTIVITY  $^{207}\text{Tl}(\beta^-)$  [from  $\text{Be}(^{208}\text{Pb}, X)$ ]; measured ratio of bound-state and continuum-state decay rates for  $\beta$ -decay of bare ions. Comparison with model predictions. JOUR PRLTA 95 052501
- $^{207}\text{Pb}$  2005BEZT NUCLEAR REACTIONS  $^{35}\text{Cl}(n, \gamma)$ ,  $E$  not given; measured  $E\gamma$ ,  $I\gamma$ .  $^{36}\text{Cl}$  deduced transitions, level energies, binding energy.  $^{52,54}\text{Cr}$ ,  $^{56}\text{Fe}$ ,  $^{206}\text{Pb}(n, \gamma)$ ,  $E$  not given; analyzed  $E\gamma$ .  $^{53,55}\text{Cr}$ ,  $^{57}\text{Fe}$ ,  $^{207}\text{Pb}$  deduced binding energies. GAMS4 spectrometer. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol1,P1074
- 2005B0ZT NUCLEAR REACTIONS  $^{206}\text{Pb}(n, X)$ ,  $(n, \gamma)$ ,  $E=0\text{-}600$  keV; measured total and capture  $\sigma$ ; deduced resonance parameters.  $^{206}\text{Pb}$ ,  $^{209}\text{Bi}(n, \gamma)$ ,  $E=\text{thermal}$ ; measured  $\sigma$ . THESIS A Borella,Gent Univ
- 2005B0ZU RADIOACTIVITY  $^{207,207m}\text{Tl}(\beta^-)$ ; measured ground-state and isomer decay  $T_{1/2}$  of fully-stripped ion. Time-resolved Schottky mass spectrometry. REPT GSI 2005-1,P81,Boutin
- 2005B0ZV NUCLEAR REACTIONS  $^{206}\text{Pb}(n, X)$ ,  $(n, \gamma)$ ,  $E=0\text{-}600$  keV; measured total and capture  $\sigma$ ; deduced resonance parameters. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol2,P1539
- 2005HU10 NUCLEAR REACTIONS  $^{90}\text{Zr}$ ,  $^{116}\text{Sn}$ ,  $^{208}\text{Pb}(\alpha, \alpha'n)$ ,  $E=200$  MeV;  $^{208}\text{Pb}(\alpha, \alpha'p)$ ,  $E=200$  MeV; measured  $E\alpha$ ,  $\sigma(\theta)$ ,  $p\alpha^-$ ,  $n\alpha$ -coin.  $^{90}\text{Zr}$ ,  $^{116}\text{Sn}$ ,  $^{208}\text{Pb}$  deduced isoscalar GDR parameters, particle decay features. JOUR APOBB 36 1115

**A=207 (continued)**

- 20050H08 RADIOACTIVITY  $^{207}\text{Tl}(\beta^-)$  [from  $\text{Be}(^{208}\text{Pb}, \text{X})$ ]; measured ratio of bound-state and continuum-state decay rates for  $\beta$ -decay of bare ions. Comparison with model predictions. JOUR PRLTA 95 052501
- 2005SH22 NUCLEAR REACTIONS  $^{79}\text{Br}$ ,  $^{90}\text{Zr}$ ,  $^{197}\text{Au}$ ,  $^{207}\text{Pb}(\text{n}, \text{n}')$ ,  $E=2.54, 3.1$  MeV; measured  $\sigma$ . Pulsed beam. JOUR ANEND 32 949
- 2005SHZU NUCLEAR REACTIONS  $^{79}\text{Br}$ ,  $^{90}\text{Zr}$ ,  $^{197}\text{Au}$ ,  $^{207}\text{Pb}(\text{n}, \text{n}')$ ,  $E=2.54, 3.1$  MeV; measured isomer activation  $\sigma$ . CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P992
- 2005SMZZ NUCLEAR REACTIONS  $^{204,206,207,208}\text{Pb}$ ,  $^{205}\text{Tl}(\text{n}, \text{F})$ ,  $(\text{p}, \text{F})$ ,  $E=30-180$  MeV; measured fission  $\sigma$ .  $^{206}\text{Tl}$ ,  $^{205,206,207,208,209}\text{Pb}$ ,  $^{205,207,208,209}\text{Bi}$ ; deduced fissility. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P637
- 2005WA06 NUCLEAR MOMENTS  $^{207}\text{Pb}$ ; measured hfs. Comparison with previous results and model predictions. JOUR PHSTB 71 274
- 2005WA22 NUCLEAR MOMENTS  $^{207}\text{Pb}$ ; measured hfs. Comparison with previous results and model predictions. JOUR PHSTB 72 200
- 2005WA34 NUCLEAR MOMENTS  $^{204,206,207,208}\text{Pb}$ ; measured hfs, isotope shifts. JOUR ZDDNE 36 249
- $^{207}\text{Bi}$  2004KE15 NUCLEAR REACTIONS  $^{1,2}\text{H}$ ,  $\text{Ti}(^{208}\text{Pb}, \text{X})^{193}\text{Bi} / ^{194}\text{Bi} / ^{195}\text{Bi} / ^{196}\text{Bi} / ^{197}\text{Bi} / ^{198}\text{Bi} / ^{199}\text{Bi} / ^{200}\text{Bi} / ^{201}\text{Bi} / ^{202}\text{Bi} / ^{203}\text{Bi} / ^{204}\text{Bi} / ^{205}\text{Bi} / ^{206}\text{Bi} / ^{207}\text{Bi} / ^{208}\text{Bi}$ ,  $E=1$  GeV / nucleon; measured charge-pickup  $\sigma$ , velocity distributions; deduced reaction mechanism features. Comparison with model predictions and previous results. JOUR PRVCA 70 064608
- 2005SMZZ NUCLEAR REACTIONS  $^{204,206,207,208}\text{Pb}$ ,  $^{205}\text{Tl}(\text{n}, \text{F})$ ,  $(\text{p}, \text{F})$ ,  $E=30-180$  MeV; measured fission  $\sigma$ .  $^{206}\text{Tl}$ ,  $^{205,206,207,208,209}\text{Pb}$ ,  $^{205,207,208,209}\text{Bi}$ ; deduced fissility. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P637
- $^{207}\text{At}$  2005KU06 RADIOACTIVITY  $^{210,211,212,213,214}\text{Fr}(\alpha)$  [from  $^{209}\text{Bi}(^{12}\text{C}, \text{xn})$  and subsequent decay]; measured  $E\alpha$ ,  $I\alpha$ ,  $E\gamma$ ,  $I\gamma$ ,  $\alpha\gamma$ -coin,  $T_{1/2}$ ; deduced hindrance factors.  $^{206,207,208,209,210}\text{At}$  deduced levels,  $J$ ,  $\pi$ . Comparison with previous results. JOUR ZAANE 23 417
- $^{207}\text{Fr}$  2005UU03 RADIOACTIVITY  $^{188,190,192,194,196,198,200,202,204}\text{Po}$ ,  $^{191,193,195,197,199}\text{At}$ ,  $^{196,198,200,202,204,206}\text{Rn}$ ,  $^{199,201,203,205,207}\text{Fr}(\alpha)$ ; measured reduced widths using gas filled recoil separator; deduced hindrance factors, proton intruder states and deformation effects. JOUR ZAANE 25 s01 179
- $^{207}\text{Ac}$  2005LI17 NUCLEAR REACTIONS  $\text{Be}(^{238}\text{U}, \text{X})^{207}\text{Ac} / ^{208}\text{Ac} / ^{209}\text{Ac} / ^{210}\text{Ac} / ^{211}\text{Ac} / ^{212}\text{Ac} / ^{213}\text{Ac} / ^{214}\text{Ac} / ^{215}\text{Ac} / ^{216}\text{Ac} / ^{217}\text{Ac} / ^{218}\text{Ac} / ^{219}\text{Ac} / ^{220}\text{Ac} / ^{221}\text{Ac} / ^{211}\text{Th} / ^{212}\text{Th} / ^{213}\text{Th} / ^{214}\text{Th} / ^{215}\text{Th} / ^{216}\text{Th} / ^{217}\text{Th} / ^{218}\text{Th} / ^{219}\text{Th} / ^{220}\text{Th} / ^{221}\text{Th} / ^{222}\text{Th} / ^{223}\text{Th} / ^{216}\text{Pa} / ^{217}\text{Pa} / ^{218}\text{Pa} / ^{219}\text{Pa} / ^{220}\text{Pa} / ^{221}\text{Pa} / ^{222}\text{Pa} / ^{223}\text{Pa} / ^{224}\text{Pa} / ^{225}\text{Pa} / ^{226}\text{Pa} / ^{227}\text{Pa}$ ,  $E=1$  GeV / nucleon; measured (fragment)(decay)-coin, fragment yields. Fragment separator. JOUR NIMAE 543 591

## A=208

- <sup>208</sup>Tl 2005GR28 NUCLEAR REACTIONS <sup>1</sup>H( $\pi^-$ ,  $\pi^+\pi^-$ ), ( $\pi^+$ ,  $2\pi^+$ ), E=243, 264, 284, 305 MeV; <sup>2</sup>H, <sup>12</sup>C, <sup>40</sup>Ca, <sup>208</sup>Pb( $\pi^+$ ,  $2\pi^+$ ), ( $\pi^+$ ,  $\pi^+\pi^-$ ), E=283 MeV; Sc( $\pi^+$ ,  $2\pi^+X$ ), ( $\pi^+$ ,  $\pi^+\pi^-X$ ), E=243, 264, 284, 305 MeV; measured invariant mass distributions,  $\sigma(\theta)$ , correlations; deduced partial chiral symmetry restoration. JOUR NUPAB 763 80
- 2005SZ03 RADIOACTIVITY <sup>212</sup>Pb, <sup>208</sup>Tl( $\beta^-$ ); <sup>212</sup>Bi( $\alpha$ ), ( $\beta^-$ ); measured E $\gamma$ , I $\gamma$ . Application to superheavy element identification discussed. JOUR JRNC 265 367
- 2005VAZZ RADIOACTIVITY <sup>208</sup>Tl( $\beta^-$ ); measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>208</sup>Pb deduced transition intensities. CONF St Petersburg,P320,Brudanin
- <sup>208</sup>Pb 2002LI68 NUCLEAR REACTIONS <sup>208</sup>Pb(<sup>19</sup>F, <sup>19</sup>F), E=88-102 MeV; measured  $\sigma(\theta)$ ; deduced parameters, role of deformation in fusion reactions, threshold anomaly. JOUR JNRS 3, No 1, 27
- 2004PEZW NUCLEAR REACTIONS <sup>208</sup>Pb(<sup>70</sup>Ni, <sup>70</sup>Ni'), (<sup>74</sup>Zn, <sup>74</sup>Zn'), (<sup>76</sup>Ge, <sup>76</sup>Ge'), E  $\approx$  40 MeV / nucleon; measured E $\gamma$ , I $\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation. <sup>70</sup>Ni, <sup>74</sup>Zn deduced transitions B(E2). REPT IPNO-T-05-02, Perru
- 2005CLZZ NUCLEAR REACTIONS Be(<sup>78</sup>Kr, X)<sup>72</sup>Kr / <sup>74</sup>Kr, E=73 MeV; measured delayed E $\gamma$ , I $\gamma$ , E(ce), I(ce), (recoil) $\gamma^-$ , (recoil)(ce)-coin. <sup>72,74</sup>Kr deduced isomeric levels, J,  $\pi$ , T<sub>1/2</sub>, E0 strength. <sup>72</sup>Kr deduced shape isomer. <sup>208</sup>Pb(<sup>76</sup>Kr, <sup>76</sup>Kr'), (<sup>74</sup>Kr, <sup>74</sup>Kr'), E  $\approx$  4.5 MeV / nucleon; measured E $\gamma$ , I $\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation. <sup>74,76</sup>Kr deduced levels, J,  $\pi$ . CONF Argonne(Nuclei at the Limits), P55, Clement
- 2005FL02 NUCLEAR REACTIONS <sup>208</sup>Pb(<sup>16</sup>O, <sup>16</sup>O'), (<sup>16</sup>O,  $\alpha^{12}$ C), E=60, 80 MeV / nucleon; measured particle spectra,  $\sigma(E, \theta)$ , angular correlations; deduced reaction mechanism features. DWBA and coupled-channels analyses. JOUR PYLBB 615 167
- 2005G015 NUCLEAR REACTIONS <sup>208</sup>Pb(<sup>74</sup>Kr, <sup>74</sup>Kr'), (<sup>76</sup>Kr, <sup>76</sup>Kr'), E=4.5 MeV / nucleon; measured E $\gamma$ , I $\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation. <sup>74,76</sup>Kr deduced levels, J,  $\pi$ , quadrupole moments. <sup>208</sup>Pb(<sup>72</sup>Ge, <sup>72</sup>Ge'), E not given; measured E $\gamma$ , I $\gamma$ , E(ce), I(ce), (particle) $\gamma$ -coin following projectile Coulomb excitation. <sup>72</sup>Ge deduced transitions. Exogam array. JOUR APOBB 36 1281
- 2005G034 NUCLEAR REACTIONS <sup>208</sup>Pb(<sup>23</sup>Al, p<sup>22</sup>Mg), E=50 MeV / nucleon; measured relative energy spectrum,  $\sigma(\theta)$ . <sup>23</sup>Al deduced excited state radiative width. Astrophysical implications discussed. JOUR JPGPE 31 S1517
- 2005HIZY NUCLEAR REACTIONS <sup>12</sup>C, <sup>89</sup>Y, <sup>208</sup>Pb(n, n), E=96 MeV; measured  $\sigma$ ,  $\sigma(\theta)$ . Comparison with model predictions. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P853
- 2005HU10 NUCLEAR REACTIONS <sup>90</sup>Zr, <sup>116</sup>Sn, <sup>208</sup>Pb( $\alpha$ ,  $\alpha'n$ ), E=200 MeV; <sup>208</sup>Pb( $\alpha$ ,  $\alpha'p$ ), E=200 MeV; measured E $\alpha$ ,  $\sigma(\theta)$ , p $\alpha^-$ , n $\alpha$ -coin. <sup>90</sup>Zr, <sup>116</sup>Sn, <sup>208</sup>Pb deduced isoscalar GDR parameters, particle decay features. JOUR APOBB 36 1115
- 2005KAZZ NUCLEAR REACTIONS <sup>197</sup>Au, <sup>208</sup>Pb(<sup>6</sup>He, <sup>6</sup>He), E=27 MeV; measured  $\sigma(\theta)$ ; deduced diffuseness parameters, long-range absorption mechanisms. Optical model. PREPRINT nucl-ex/0507024, 7/18/2005

**A=208 (continued)**

- 2005K011 NUCLEAR REACTIONS  $^{208}\text{Pb}(^{74}\text{Kr}, ^{74}\text{Kr}')$ , ( $^{76}\text{Kr}, ^{76}\text{Kr}'$ ),  $E \approx 350$  MeV; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation.  $^{74,76}\text{Kr}$  deduced levels, J,  $\pi$ , quadrupole moments. Exogam array. JOUR NUPAB 752 255c
- 2005KU17 NUCLEAR REACTIONS  $^{208}\text{Pb}(^{152}\text{Sm}, ^{152}\text{Sm}')$ ,  $E=652$  MeV; measured  $E\gamma$ ,  $I\gamma$ , (particle) $\gamma$ -,  $\gamma\gamma$ -coin following projectile Coulomb excitation.  $^{152}\text{Sm}$  deduced levels, J,  $\pi$ , B(E2), rotational band, pairing isomer. Gammasphere, Chico arrays, level systematics in neighboring nuclides discussed. JOUR PRVCA 71 041303
- 2005OR02 NUCLEAR REACTIONS  $^{208}\text{Pb}(p, p')$ ,  $E=17.3$  MeV; measured  $E_p$ ,  $E(\text{ce})$ , (ce)p-coin.  $^{208}\text{Pb}$  deduced levels, electric monopole transitions, E3 / E0 branching ratio. JOUR JPGPE 31 S1705
- 2005R042 NUCLEAR REACTIONS  $^{208}\text{Pb}(^{17}\text{F}, ^{17}\text{F})$ , ( $^{17}\text{F}, ^{16}\text{OX}$ ),  $E=90.4$  MeV; measured  $\sigma(\theta)$ . JOUR ZAANE 25 s01 289
- 2005SA52 NUCLEAR REACTIONS  $^{208}\text{Pb}(^6\text{He}, ^6\text{He})$ , ( $^6\text{He}, \alpha$ ),  $E=14, 16, 17, 18, 22$  MeV; measured  $\sigma(\theta)$ ; deduced reaction mechanism features. JOUR JPGPE 31 S1953
- 2005SCZX NUCLEAR REACTIONS  $^{208}\text{Pb}(^8\text{B}, p^7\text{Be})$ ,  $E=254$  MeV / nucleon; measured fragment spectra, angular correlations.  $^7\text{Be}(p, \gamma)$ ,  $E=\text{low}$ ; deduced astrophysical S-factor. PREPRINT  
nucl-ex/0508014,08/11/2005
- 2005SMZZ NUCLEAR REACTIONS  $^{204,206,207,208}\text{Pb}$ ,  $^{205}\text{Tl}(n, F)$ , ( $p, F$ ),  $E=30-180$  MeV; measured fission  $\sigma$ .  $^{206}\text{Tl}$ ,  $^{205,206,207,208,209}\text{Pb}$ ,  $^{205,207,208,209}\text{Bi}$ ; deduced fissility. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol1,P637
- 2005SZ03 RADIOACTIVITY  $^{212}\text{Pb}$ ,  $^{208}\text{Tl}(\beta^-)$ ;  $^{212}\text{Bi}(\alpha)$ , ( $\beta^-$ ); measured  $E\gamma$ ,  $I\gamma$ . Application to superheavy element identification discussed. JOUR JRNCD 265 367
- 2005T0ZZ NUCLEAR REACTIONS  $^{208}\text{Pb}(^{27}\text{P}, p^{26}\text{Si})$ ,  $E=57$  MeV / nucleon; measured relative energy spectrum,  $\sigma(E)$ .  $^{27}\text{P}$  deduced gamma decay width of first excited state. CONF Riken(Origin of Matter)  
Proc,P549,Togano
- 2005VAZZ RADIOACTIVITY  $^{208}\text{Tl}(\beta^-)$ ; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{208}\text{Pb}$  deduced transition intensities. CONF St Petersburg,P320,Brudanin
- 2005WA34 NUCLEAR MOMENTS  $^{204,206,207,208}\text{Pb}$ ; measured hfs, isotope shifts. JOUR ZDDNE 36 249
- 2005YA17 NUCLEAR REACTIONS  $^{208}\text{Pb}(^7\text{Li}, ^7\text{Li}')$ ,  $E=150$  MeV; measured particle spectra,  $\sigma(E, \theta)$ .  $^{208}\text{Pb}$  deduced giant resonance features. JOUR JUPSA 74 2640
- 2005YAZW NUCLEAR REACTIONS  $^{208}\text{Pb}(n, n'\gamma)$ ,  $E=6.5$  MeV; measured  $E\gamma$ ,  $I\gamma$ .  $^{208}\text{Pb}$  deduced levels, J,  $\pi$ ,  $T_{1/2}$ ,  $\delta$ , B(Ee) / B(M1). PC  
Yates,11/29/2005
- $^{208}\text{Bi}$  2004KE15 NUCLEAR REACTIONS  $^1,^2\text{H}$ ,  $\text{Ti}(^{208}\text{Pb}, X)^{193}\text{Bi}$  /  $^{194}\text{Bi}$  /  $^{195}\text{Bi}$  /  $^{196}\text{Bi}$  /  $^{197}\text{Bi}$  /  $^{198}\text{Bi}$  /  $^{199}\text{Bi}$  /  $^{200}\text{Bi}$  /  $^{201}\text{Bi}$  /  $^{202}\text{Bi}$  /  $^{203}\text{Bi}$  /  $^{204}\text{Bi}$  /  $^{205}\text{Bi}$  /  $^{206}\text{Bi}$  /  $^{207}\text{Bi}$  /  $^{208}\text{Bi}$ ,  $E=1$  GeV / nucleon; measured charge-pickup  $\sigma$ , velocity distributions; deduced reaction mechanism features. Comparison with model predictions and previous results. JOUR PRVCA 70 064608

**A=208 (continued)**

- 2005GR28 NUCLEAR REACTIONS  $^1\text{H}(\pi^-, \pi^+\pi^-)$ ,  $(\pi^+, 2\pi^+)$ , E=243, 264, 284, 305 MeV;  $^2\text{H}$ ,  $^{12}\text{C}$ ,  $^{40}\text{Ca}$ ,  $^{208}\text{Pb}(\pi^+, 2\pi^+)$ ,  $(\pi^+, \pi^+\pi^-)$ , E=283 MeV;  $\text{Sc}(\pi^+, 2\pi^+\text{X})$ ,  $(\pi^+, \pi^+\pi^-\text{X})$ , E=243, 264, 284, 305 MeV; measured invariant mass distributions,  $\sigma(\theta)$ , correlations; deduced partial chiral symmetry restoration. JOUR NUPAB 763 80
- 2005SMZZ NUCLEAR REACTIONS  $^{204,206,207,208}\text{Pb}$ ,  $^{205}\text{Tl}(\text{n}, \text{F})$ ,  $(\text{p}, \text{F})$ , E=30-180 MeV; measured fission  $\sigma$ .  $^{206}\text{Tl}$ ,  $^{205,206,207,208,209}\text{Pb}$ ,  $^{205,207,208,209}\text{Bi}$ ; deduced fissility. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P637
- $^{208}\text{At}$  2005KU06 RADIOACTIVITY  $^{210,211,212,213,214}\text{Fr}(\alpha)$  [from  $^{209}\text{Bi}(\text{C}^{12}, \text{xn})$  and subsequent decay]; measured  $\text{E}\alpha$ ,  $\text{I}\alpha$ ,  $\text{E}\gamma$ ,  $\text{I}\gamma$ ,  $\alpha\gamma$ -coin,  $\text{T}_{1/2}$ ; deduced hindrance factors.  $^{206,207,208,209,210}\text{At}$  deduced levels, J,  $\pi$ . Comparison with previous results. JOUR ZAANE 23 417
- $^{208}\text{Fr}$  2005C002 NUCLEAR REACTIONS  $^{197}\text{Au}(\text{O}^{18}, 4\text{n})$ ,  $(\text{O}^{18}, 5\text{n})$ ,  $(\text{O}^{18}, 6\text{n})$ ,  $(\text{O}^{18}, 7\text{n})$ , E=75-130 MeV; measured delayed  $\text{E}\alpha$ , excitation functions. Comparison with model predictions. JOUR PRVCA 71 014609
- $^{208}\text{Ra}$  2005RE02 NUCLEAR REACTIONS  $^{182}\text{W}(\text{Si}^{30}, 4\text{n})$ , E=151 MeV; measured delayed  $\text{E}\gamma$ ,  $\text{I}\gamma$ , (recoil) $\gamma$ -coin.  $^{208}\text{Ra}$  deduced levels, J,  $\pi$ , isomeric state  $\text{T}_{1/2}$ .  $^{182,183,184,186}\text{W}(\text{Si}^{30}, \text{X})$   $^{210}\text{Ra}$  /  $^{209}\text{Ra}$  /  $^{208}\text{Ra}$  /  $^{209}\text{Fr}$ , E=151 MeV; measured delayed  $\text{E}\gamma$ ,  $\text{I}\gamma$ , (recoil) $\gamma$ -coin.  $^{209}\text{Fr}$ ,  $^{209,210}\text{Ra}$  deduced transitions. Level systematics in neighboring nuclides discussed. JOUR PRVCA 71 014302
- 2005RE23 NUCLEAR REACTIONS  $^{182,184}\text{W}(\text{Si}^{30}, 4\text{n})$ , E=148 MeV; measured delayed  $\text{E}\gamma$ ,  $\text{I}\gamma$ ,  $\gamma\gamma$ -, (recoil) $\gamma$ -coin.  $^{208,210}\text{Ra}$  deduced levels, J,  $\pi$ , isomers  $\text{T}_{1/2}$ , B(E2). Mass separator. JOUR JPGPE 31 S1605
- $^{208}\text{Ac}$  2005LI17 NUCLEAR REACTIONS  $\text{Be}(\text{U}^{238}, \text{X})$   $^{207}\text{Ac}$  /  $^{208}\text{Ac}$  /  $^{209}\text{Ac}$  /  $^{210}\text{Ac}$  /  $^{211}\text{Ac}$  /  $^{212}\text{Ac}$  /  $^{213}\text{Ac}$  /  $^{214}\text{Ac}$  /  $^{215}\text{Ac}$  /  $^{216}\text{Ac}$  /  $^{217}\text{Ac}$  /  $^{218}\text{Ac}$  /  $^{219}\text{Ac}$  /  $^{220}\text{Ac}$  /  $^{221}\text{Ac}$  /  $^{211}\text{Th}$  /  $^{212}\text{Th}$  /  $^{213}\text{Th}$  /  $^{214}\text{Th}$  /  $^{215}\text{Th}$  /  $^{216}\text{Th}$  /  $^{217}\text{Th}$  /  $^{218}\text{Th}$  /  $^{219}\text{Th}$  /  $^{220}\text{Th}$  /  $^{221}\text{Th}$  /  $^{222}\text{Th}$  /  $^{223}\text{Th}$  /  $^{216}\text{Pa}$  /  $^{217}\text{Pa}$  /  $^{218}\text{Pa}$  /  $^{219}\text{Pa}$  /  $^{220}\text{Pa}$  /  $^{221}\text{Pa}$  /  $^{222}\text{Pa}$  /  $^{223}\text{Pa}$  /  $^{224}\text{Pa}$  /  $^{225}\text{Pa}$  /  $^{226}\text{Pa}$  /  $^{227}\text{Pa}$ , E=1 GeV / nucleon; measured (fragment)(decay)-coin, fragment yields. Fragment separator. JOUR NIMAE 543 591

**A=209**

- $^{209}\text{Pb}$  2005SMZZ NUCLEAR REACTIONS  $^{204,206,207,208}\text{Pb}$ ,  $^{205}\text{Tl}(\text{n}, \text{F})$ ,  $(\text{p}, \text{F})$ , E=30-180 MeV; measured fission  $\sigma$ .  $^{206}\text{Tl}$ ,  $^{205,206,207,208,209}\text{Pb}$ ,  $^{205,207,208,209}\text{Bi}$ ; deduced fissility. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P637
- $^{209}\text{Bi}$  2005BA88 NUCLEAR REACTIONS  $^{208}\text{Pb}(\text{p}, \gamma)$ , E=11.9 MeV; measured  $\text{E}\gamma$ ,  $\text{I}\gamma$ .  $^{147}\text{Sm}(\text{O}^{16}, 3\text{n})$ , E=73 MeV; measured  $\text{E}\gamma$ ,  $\text{I}\gamma$ ,  $\gamma\gamma$ -coin.  $^{160}\text{Yb}$  deduced high-spin levels, J,  $\pi$ . Afrodite array. JOUR JPGPE 31 S1747
- 2005CH66 NUCLEAR REACTIONS  $^{209}\text{Bi}(\text{Mg}^{26}, \text{Mg}^{26'})$ , E=78.6 MeV / nucleon;  $^{197}\text{Au}(\text{Mg}^{32}, \text{Mg}^{32'})$ , E=81.1 MeV / nucleon;  $^{209}\text{Bi}(\text{Mg}^{34}, \text{Mg}^{34'})$ , E=76.4 MeV / nucleon; measured  $\text{E}\gamma$ ,  $\text{I}\gamma$ , (particle) $\gamma$ -coin following projectile Coulomb excitation.  $^{26,32,34}\text{Mg}$  deduced transitions B(E2), deformation parameters. Comparison with previous work, model predictions. JOUR PRVCA 72 054320

**A=209 (continued)**

- 2005MIZY NUCLEAR REACTIONS  $^{209}\text{Bi}(n, n'\gamma)$ ,  $E=\text{threshold-18 MeV}$ ; measured  $\gamma$ -ray production  $\sigma$ . Comparison with previous results and model predictions. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P973
- 2005SMZZ NUCLEAR REACTIONS  $^{204,206,207,208}\text{Pb}$ ,  $^{205}\text{Tl}(n, F)$ ,  $(p, F)$ ,  $E=30\text{-}180\text{ MeV}$ ; measured fission  $\sigma$ .  $^{206}\text{Tl}$ ,  $^{205,206,207,208,209}\text{Pb}$ ,  $^{205,207,208,209}\text{Bi}$ ; deduced fissility. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P637
- $^{209}\text{Po}$  2005LI17 RADIOACTIVITY  $^{216,217,221,222}\text{Th}$ ,  $^{216}\text{Ac}$ ,  $^{215}\text{Ra}$ ,  $^{214}\text{Fr}$ ,  $^{213}\text{Rn}(\alpha)$  [from  $\text{Be}(^{238}\text{U}, X)$  and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ . Fragment separator. JOUR NIMAE 543 591
- $^{209}\text{At}$  2005KU06 RADIOACTIVITY  $^{210,211,212,213,214}\text{Fr}(\alpha)$  [from  $^{209}\text{Bi}(^{12}\text{C}, xn)$  and subsequent decay]; measured  $E\alpha$ ,  $I\alpha$ ,  $E\gamma$ ,  $I\gamma$ ,  $\alpha\gamma$ -coin,  $T_{1/2}$ ; deduced hindrance factors.  $^{206,207,208,209,210}\text{At}$  deduced levels,  $J$ ,  $\pi$ . Comparison with previous results. JOUR ZAANE 23 417
- $^{209}\text{Rn}$  2005KUZV RADIOACTIVITY  $^{213}\text{Ra}(\alpha)$  [from  $^{170}\text{Er}(^{50}\text{Ti}, X)$ ]; measured  $E\gamma$ ,  $E\alpha$ ,  $\alpha\gamma$ -coin.  $^{209}\text{Rn}$  deduced levels,  $J$ ,  $\pi$ , ICC. REPT GSI 2005-1, P76, Kuusiniemi
- $^{209}\text{Fr}$  2004MB03 NUCLEAR MOMENTS  $^{113,115}\text{In}$ ,  $^{153,155}\text{Eu}$ ,  $^{185,187}\text{Re}$ ,  $^{203,205}\text{Tl}$ ,  $^{209,211}\text{Fr}$ ; measured hfs; deduced hyperfine magnetic anomaly, relative radii. Laser resonance fluorescence. JOUR BRSPPE 68 157
- 2005C002 NUCLEAR REACTIONS  $^{197}\text{Au}(^{18}\text{O}, 4n)$ ,  $(^{18}\text{O}, 5n)$ ,  $(^{18}\text{O}, 6n)$ ,  $(^{18}\text{O}, 7n)$ ,  $E=75\text{-}130\text{ MeV}$ ; measured delayed  $E\alpha$ , excitation functions. Comparison with model predictions. JOUR PRVCA 71 014609
- 2005RE02 NUCLEAR REACTIONS  $^{182}\text{W}(^{30}\text{Si}, 4n)$ ,  $E=151\text{ MeV}$ ; measured delayed  $E\gamma$ ,  $I\gamma$ , (recoil) $\gamma$ -coin.  $^{208}\text{Ra}$  deduced levels,  $J$ ,  $\pi$ , isomeric state  $T_{1/2}$ .  $^{182,183,184,186}\text{W}(^{30}\text{Si}, X)^{210}\text{Ra} / ^{209}\text{Ra} / ^{208}\text{Ra} / ^{209}\text{Fr}$ ,  $E=151\text{ MeV}$ ; measured delayed  $E\gamma$ ,  $I\gamma$ , (recoil) $\gamma$ -coin.  $^{209}\text{Fr}$ ,  $^{209,210}\text{Ra}$  deduced transitions. Level systematics in neighboring nuclides discussed. JOUR PRVCA 71 014302
- $^{209}\text{Ra}$  2005RE02 NUCLEAR REACTIONS  $^{182}\text{W}(^{30}\text{Si}, 4n)$ ,  $E=151\text{ MeV}$ ; measured delayed  $E\gamma$ ,  $I\gamma$ , (recoil) $\gamma$ -coin.  $^{208}\text{Ra}$  deduced levels,  $J$ ,  $\pi$ , isomeric state  $T_{1/2}$ .  $^{182,183,184,186}\text{W}(^{30}\text{Si}, X)^{210}\text{Ra} / ^{209}\text{Ra} / ^{208}\text{Ra} / ^{209}\text{Fr}$ ,  $E=151\text{ MeV}$ ; measured delayed  $E\gamma$ ,  $I\gamma$ , (recoil) $\gamma$ -coin.  $^{209}\text{Fr}$ ,  $^{209,210}\text{Ra}$  deduced transitions. Level systematics in neighboring nuclides discussed. JOUR PRVCA 71 014302
- $^{209}\text{Ac}$  2005LI17 NUCLEAR REACTIONS  $\text{Be}(^{238}\text{U}, X)^{207}\text{Ac} / ^{208}\text{Ac} / ^{209}\text{Ac} / ^{210}\text{Ac} / ^{211}\text{Ac} / ^{212}\text{Ac} / ^{213}\text{Ac} / ^{214}\text{Ac} / ^{215}\text{Ac} / ^{216}\text{Ac} / ^{217}\text{Ac} / ^{218}\text{Ac} / ^{219}\text{Ac} / ^{220}\text{Ac} / ^{221}\text{Ac} / ^{211}\text{Th} / ^{212}\text{Th} / ^{213}\text{Th} / ^{214}\text{Th} / ^{215}\text{Th} / ^{216}\text{Th} / ^{217}\text{Th} / ^{218}\text{Th} / ^{219}\text{Th} / ^{220}\text{Th} / ^{221}\text{Th} / ^{222}\text{Th} / ^{223}\text{Th} / ^{216}\text{Pa} / ^{217}\text{Pa} / ^{218}\text{Pa} / ^{219}\text{Pa} / ^{220}\text{Pa} / ^{221}\text{Pa} / ^{222}\text{Pa} / ^{223}\text{Pa} / ^{224}\text{Pa} / ^{225}\text{Pa} / ^{226}\text{Pa} / ^{227}\text{Pa}$ ,  $E=1\text{ GeV} / \text{nucleon}$ ; measured (fragment)(decay)-coin, fragment yields. Fragment separator. JOUR NIMAE 543 591

## A=210

$^{210}\text{Pb}$	2005SA52	NUCLEAR REACTIONS $^{208}\text{Pb}(^6\text{He}, ^6\text{He})$ , $(^6\text{He}, \alpha)$ , E=14, 16, 17, 18, 22 MeV; measured $\sigma(\theta)$ ; deduced reaction mechanism features. JOUR JPGPE 31 S1953
$^{210}\text{Bi}$	2004RA29	NUCLEAR REACTIONS $^{208}\text{Pb}$ , $^{209}\text{Bi}(n, \gamma)$ , E=spectrum; measured $\sigma$ . Astrophysical implications discussed. Activation technique. JOUR PRVCA 70 065803
	2005B027	NUCLEAR REACTIONS $^{209}\text{Bi}(n, \gamma)$ , E=cold; measured $E\gamma$ , $I\gamma$ , capture $\sigma$ . JOUR JRNCD 265 267
	2005B0ZT	NUCLEAR REACTIONS $^{206}\text{Pb}(n, X)$ , $(n, \gamma)$ , E=0-600 keV; measured total and capture $\sigma$ ; deduced resonance parameters. $^{206}\text{Pb}$ , $^{209}\text{Bi}(n, \gamma)$ , E=thermal; measured $\sigma$ . THESIS A Borella, Gent Univ
	2005B0ZW	NUCLEAR REACTIONS $^{209}\text{Bi}(n, \gamma)$ , E=thermal; measured total capture $\sigma$ , partial $\sigma$ for capture to ground and isomeric states. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P648
	2005DE16	NUCLEAR REACTIONS $^{209}\text{Bi}(^6\text{He}, \alpha)$ , $(^6\text{He}, n\alpha)$ , E=23.1 MeV; measured $E\alpha$ , $E\nu$ , $n\alpha$ -coin, angular distributions following residual nucleus decay; deduced two-neutron transfer $\sigma$ . JOUR PRVCA 71 051601
	2005D0ZY	NUCLEAR REACTIONS $^{207}\text{Pb}$ , $^{209}\text{Bi}(n, \gamma)$ , E=0-1 MeV; measured capture $\sigma$ . Comparison with previous results. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol2, P1521
$^{210}\text{Po}$	2005HE13	NUCLEAR REACTIONS $^{209}\text{Bi}(\alpha, 2n)$ , $(\alpha, 3n)$ , $(\alpha, 2np)$ , E $\approx$ 20-40 MeV; measured $\sigma$ ; deduced thick-target yields. Stacked-foil activation, comparison with model predictions. JOUR ARISE 63 1
	2005HEZX	NUCLEAR REACTIONS $^{209}\text{Bi}(\alpha, 2n)$ , $(\alpha, 3n)$ , E $\approx$ 20-39 MeV; $^{209}\text{Bi}(\alpha, X)^{210}\text{Po}$ , E $\approx$ 20-39 MeV; measured production $\sigma$ ; deduced thick target yields. Activation technique. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P957
$^{210}\text{At}$	2005HE13	NUCLEAR REACTIONS $^{209}\text{Bi}(\alpha, 2n)$ , $(\alpha, 3n)$ , $(\alpha, 2np)$ , E $\approx$ 20-40 MeV; measured $\sigma$ ; deduced thick-target yields. Stacked-foil activation, comparison with model predictions. JOUR ARISE 63 1
	2005HEZX	NUCLEAR REACTIONS $^{209}\text{Bi}(\alpha, 2n)$ , $(\alpha, 3n)$ , E $\approx$ 20-39 MeV; $^{209}\text{Bi}(\alpha, X)^{210}\text{Po}$ , E $\approx$ 20-39 MeV; measured production $\sigma$ ; deduced thick target yields. Activation technique. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P957
	2005KU06	RADIOACTIVITY $^{210,211,212,213,214}\text{Fr}(\alpha)$ [from $^{209}\text{Bi}(^{12}\text{C}, xn)$ and subsequent decay]; measured $E\alpha$ , $I\alpha$ , $E\gamma$ , $I\gamma$ , $\alpha\gamma$ -coin, $T_{1/2}$ ; deduced hindrance factors. $^{206,207,208,209,210}\text{At}$ deduced levels, J, $\pi$ . Comparison with previous results. JOUR ZAANE 23 417
	2005LI17	RADIOACTIVITY $^{216,217,221,222}\text{Th}$ , $^{216}\text{Ac}$ , $^{215}\text{Ra}$ , $^{214}\text{Fr}$ , $^{213}\text{Rn}(\alpha)$ [from $\text{Be}(^{238}\text{U}, X)$ and subsequent decay]; measured $E\alpha$ , $T_{1/2}$ . Fragment separator. JOUR NIMAE 543 591
$^{210}\text{Rn}$	2005P010	NUCLEAR REACTIONS $^{198}\text{Pt}(^{17}\text{O}, 5n)$ , E=96 MeV; measured prompt and delayed $E\gamma$ , $I\gamma$ , $\gamma\gamma$ -coin, $E(\text{ce})$ , $I(\text{ce})$ . $^{210}\text{Rn}$ deduced high-spin levels, J, $\pi$ , ICC, configurations. Enriched target, pulsed beam, superconducting electron spectrometer. JOUR NUPAB 756 83



**A=210 (continued)**

- 2005POZZ NUCLEAR REACTIONS  $^{198}\text{Pt}(^{17}\text{O}, 5\text{n})$ , E=96 MeV; measured prompt and delayed E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin, E(ce), I(ce).  $^{210}\text{Rn}$  deduced high-spin levels, J,  $\pi$ , ICC, configurations. Pulsed beam. PREPRINT ANU-P/1649,Poletti
- $^{210}\text{Fr}$  2005C002 NUCLEAR REACTIONS  $^{197}\text{Au}(^{18}\text{O}, 4\text{n})$ , ( $^{18}\text{O}, 5\text{n})$ , ( $^{18}\text{O}, 6\text{n})$ , ( $^{18}\text{O}, 7\text{n})$ , E=75-130 MeV; measured delayed E $\alpha$ , excitation functions. Comparison with model predictions. JOUR PRVCA 71 014609
- 2005KU06 RADIOACTIVITY  $^{210,211,212,213,214}\text{Fr}(\alpha)$  [from  $^{209}\text{Bi}(^{12}\text{C}, \text{xn})$  and subsequent decay]; measured E $\alpha$ , I $\alpha$ , E $\gamma$ , I $\gamma$ ,  $\alpha\gamma$ -coin,  $T_{1/2}$ ; deduced hindrance factors.  $^{206,207,208,209,210}\text{At}$  deduced levels, J,  $\pi$ . Comparison with previous results. JOUR ZAANE 23 417
- $^{210}\text{Ra}$  2005RE02 NUCLEAR REACTIONS  $^{182}\text{W}(^{30}\text{Si}, 4\text{n})$ , E=151 MeV; measured delayed E $\gamma$ , I $\gamma$ , (recoil) $\gamma$ -coin.  $^{208}\text{Ra}$  deduced levels, J,  $\pi$ , isomeric state  $T_{1/2}$ .  $^{182,183,184,186}\text{W}(^{30}\text{Si}, \text{X})^{210}\text{Ra} / ^{209}\text{Ra} / ^{208}\text{Ra} / ^{209}\text{Fr}$ , E=151 MeV; measured delayed E $\gamma$ , I $\gamma$ , (recoil) $\gamma$ -coin.  $^{209}\text{Fr}$ ,  $^{209,210}\text{Ra}$  deduced transitions. Level systematics in neighboring nuclides discussed. JOUR PRVCA 71 014302
- 2005RE23 NUCLEAR REACTIONS  $^{182,184}\text{W}(^{30}\text{Si}, 4\text{n})$ , E=148 MeV; measured delayed E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -, (recoil) $\gamma$ -coin.  $^{208,210}\text{Ra}$  deduced levels, J,  $\pi$ , isomers  $T_{1/2}$ , B(E2). Mass separator. JOUR JPGPE 31 S1605
- $^{210}\text{Ac}$  2005LI17 NUCLEAR REACTIONS  $\text{Be}(^{238}\text{U}, \text{X})^{207}\text{Ac} / ^{208}\text{Ac} / ^{209}\text{Ac} / ^{210}\text{Ac} / ^{211}\text{Ac} / ^{212}\text{Ac} / ^{213}\text{Ac} / ^{214}\text{Ac} / ^{215}\text{Ac} / ^{216}\text{Ac} / ^{217}\text{Ac} / ^{218}\text{Ac} / ^{219}\text{Ac} / ^{220}\text{Ac} / ^{221}\text{Ac} / ^{211}\text{Th} / ^{212}\text{Th} / ^{213}\text{Th} / ^{214}\text{Th} / ^{215}\text{Th} / ^{216}\text{Th} / ^{217}\text{Th} / ^{218}\text{Th} / ^{219}\text{Th} / ^{220}\text{Th} / ^{221}\text{Th} / ^{222}\text{Th} / ^{223}\text{Th} / ^{216}\text{Pa} / ^{217}\text{Pa} / ^{218}\text{Pa} / ^{219}\text{Pa} / ^{220}\text{Pa} / ^{221}\text{Pa} / ^{222}\text{Pa} / ^{223}\text{Pa} / ^{224}\text{Pa} / ^{225}\text{Pa} / ^{226}\text{Pa} / ^{227}\text{Pa}$ , E=1 GeV / nucleon; measured (fragment)(decay)-coin, fragment yields. Fragment separator. JOUR NIMAE 543 591

**A=211**

- $^{211}\text{Pb}$  2004LAZV NUCLEAR REACTIONS  $^{238}\text{U}(^{208}\text{Pb}, \text{X})^{211}\text{Pb}$ , E=1360 MeV; measured prompt and delayed E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin.  $^{211}\text{Pb}$  deduced high-spin levels, J,  $\pi$ , configurations, isomeric states  $T_{1/2}$ . Gammasphere array. PREPRINT ANU-P/1637,Lane
- 2005LA01 NUCLEAR REACTIONS  $^{238}\text{U}(^{208}\text{Pb}, \text{X})^{211}\text{Pb}$ , E=1360 MeV; measured prompt and delayed E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin.  $^{211}\text{Pb}$  deduced high-spin levels, J,  $\pi$ , configurations, isomeric states  $T_{1/2}$ . Gammasphere array. JOUR PYLBB 606 34
- $^{211}\text{Bi}$  2005DE16 NUCLEAR REACTIONS  $^{209}\text{Bi}(^6\text{He}, \alpha)$ , ( $^6\text{He}, \text{n}\alpha$ ), E=23.1 MeV; measured E $\alpha$ , E $\nu$ ,  $\text{n}\alpha$ -coin, angular distributions following residual nucleus decay; deduced two-neutron transfer  $\sigma$ . JOUR PRVCA 71 051601
- $^{211}\text{At}$  2005HE13 NUCLEAR REACTIONS  $^{209}\text{Bi}(\alpha, 2\text{n})$ , ( $\alpha, 3\text{n})$ , ( $\alpha, 2\text{np})$ , E  $\approx$  20-40 MeV; measured  $\sigma$ ; deduced thick-target yields. Stacked-foil activation, comparison with model predictions. JOUR ARISE 63 1

**A=211 (continued)**

- 2005HEZX NUCLEAR REACTIONS  $^{209}\text{Bi}(\alpha, 2n)$ ,  $(\alpha, 3n)$ ,  $E \approx 20\text{-}39$  MeV;  $^{209}\text{Bi}(\alpha, X)^{210}\text{Po}$ ,  $E \approx 20\text{-}39$  MeV; measured production  $\sigma$ ; deduced thick target yields. Activation technique. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Voll,P957
- $^{211}\text{Rn}$  2005LI17 RADIOACTIVITY  $^{216,217,221,222}\text{Th}$ ,  $^{216}\text{Ac}$ ,  $^{215}\text{Ra}$ ,  $^{214}\text{Fr}$ ,  $^{213}\text{Rn}(\alpha)$  [from  $\text{Be}(^{238}\text{U}, X)$  and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ . Fragment separator. JOUR NIMAE 543 591
- $^{211}\text{Fr}$  2004MB03 NUCLEAR MOMENTS  $^{113,115}\text{In}$ ,  $^{153,155}\text{Eu}$ ,  $^{185,187}\text{Re}$ ,  $^{203,205}\text{Tl}$ ,  $^{209,211}\text{Fr}$ ; measured hfs; deduced hyperfine magnetic anomaly, relative radii. Laser resonance fluorescence. JOUR BRSPE 68 157
- 2005C002 NUCLEAR REACTIONS  $^{197}\text{Au}(^{18}\text{O}, 4n)$ ,  $(^{18}\text{O}, 5n)$ ,  $(^{18}\text{O}, 6n)$ ,  $(^{18}\text{O}, 7n)$ ,  $E=75\text{-}130$  MeV; measured delayed  $E\alpha$ , excitation functions. Comparison with model predictions. JOUR PRVCA 71 014609
- 2005KU06 RADIOACTIVITY  $^{210,211,212,213,214}\text{Fr}(\alpha)$  [from  $^{209}\text{Bi}(^{12}\text{C}, xn)$  and subsequent decay]; measured  $E\alpha$ ,  $I\alpha$ ,  $E\gamma$ ,  $I\gamma$ ,  $\alpha\gamma$ -coin,  $T_{1/2}$ ; deduced hindrance factors.  $^{206,207,208,209,210}\text{At}$  deduced levels,  $J$ ,  $\pi$ . Comparison with previous results. JOUR ZAANE 23 417
- $^{211}\text{Ra}$  2005KU31 RADIOACTIVITY  $^{215,216,216m,217}\text{Th}(\alpha)$  [from  $^{170}\text{Er}(^{50}\text{Ti}, xn)$ ]; measured  $E\alpha$ ,  $I\alpha$ ,  $E\gamma$ ,  $I\gamma$ ,  $\alpha\gamma$ -coin,  $T_{1/2}$ .  $^{211,212,213}\text{Ra}$  deduced levels,  $J$ ,  $\pi$ , ICC. JOUR ZAANE 25 397
- $^{211}\text{Ac}$  2005LI17 NUCLEAR REACTIONS  $\text{Be}(^{238}\text{U}, X)^{207}\text{Ac} / ^{208}\text{Ac} / ^{209}\text{Ac} / ^{210}\text{Ac} / ^{211}\text{Ac} / ^{212}\text{Ac} / ^{213}\text{Ac} / ^{214}\text{Ac} / ^{215}\text{Ac} / ^{216}\text{Ac} / ^{217}\text{Ac} / ^{218}\text{Ac} / ^{219}\text{Ac} / ^{220}\text{Ac} / ^{221}\text{Ac} / ^{211}\text{Th} / ^{212}\text{Th} / ^{213}\text{Th} / ^{214}\text{Th} / ^{215}\text{Th} / ^{216}\text{Th} / ^{217}\text{Th} / ^{218}\text{Th} / ^{219}\text{Th} / ^{220}\text{Th} / ^{221}\text{Th} / ^{222}\text{Th} / ^{223}\text{Th} / ^{216}\text{Pa} / ^{217}\text{Pa} / ^{218}\text{Pa} / ^{219}\text{Pa} / ^{220}\text{Pa} / ^{221}\text{Pa} / ^{222}\text{Pa} / ^{223}\text{Pa} / ^{224}\text{Pa} / ^{225}\text{Pa} / ^{226}\text{Pa} / ^{227}\text{Pa}$ ,  $E=1$  GeV / nucleon; measured (fragment)(decay)-coin, fragment yields. Fragment separator. JOUR NIMAE 543 591
- $^{211}\text{Th}$  2005LI17 NUCLEAR REACTIONS  $\text{Be}(^{238}\text{U}, X)^{207}\text{Ac} / ^{208}\text{Ac} / ^{209}\text{Ac} / ^{210}\text{Ac} / ^{211}\text{Ac} / ^{212}\text{Ac} / ^{213}\text{Ac} / ^{214}\text{Ac} / ^{215}\text{Ac} / ^{216}\text{Ac} / ^{217}\text{Ac} / ^{218}\text{Ac} / ^{219}\text{Ac} / ^{220}\text{Ac} / ^{221}\text{Ac} / ^{211}\text{Th} / ^{212}\text{Th} / ^{213}\text{Th} / ^{214}\text{Th} / ^{215}\text{Th} / ^{216}\text{Th} / ^{217}\text{Th} / ^{218}\text{Th} / ^{219}\text{Th} / ^{220}\text{Th} / ^{221}\text{Th} / ^{222}\text{Th} / ^{223}\text{Th} / ^{216}\text{Pa} / ^{217}\text{Pa} / ^{218}\text{Pa} / ^{219}\text{Pa} / ^{220}\text{Pa} / ^{221}\text{Pa} / ^{222}\text{Pa} / ^{223}\text{Pa} / ^{224}\text{Pa} / ^{225}\text{Pa} / ^{226}\text{Pa} / ^{227}\text{Pa}$ ,  $E=1$  GeV / nucleon; measured (fragment)(decay)-coin, fragment yields. Fragment separator. JOUR NIMAE 543 591

**A=212**

- $^{212}\text{Pb}$  2005SZ03 RADIOACTIVITY  $^{212}\text{Pb}$ ,  $^{208}\text{Tl}(\beta^-)$ ;  $^{212}\text{Bi}(\alpha)$ ,  $(\beta^-)$ ; measured  $E\gamma$ ,  $I\gamma$ . Application to superheavy element identification discussed. JOUR JRNCD 265 367
- $^{212}\text{Bi}$  2005BE38 NUCLEAR REACTIONS  $\text{C}$ ,  $^{27}\text{Al}$ ,  $^{208}\text{Pb}(^8\text{Li}, \alpha)$ ,  $E=27.7$  MeV; measured  $E\alpha$ ,  $\sigma(\theta)$ ; deduced reaction mechanism features. JOUR PRVCA 71 054610
- 2005SZ03 RADIOACTIVITY  $^{212}\text{Pb}$ ,  $^{208}\text{Tl}(\beta^-)$ ;  $^{212}\text{Bi}(\alpha)$ ,  $(\beta^-)$ ; measured  $E\gamma$ ,  $I\gamma$ . Application to superheavy element identification discussed. JOUR JRNCD 265 367

**A=212 (continued)**

- <sup>212</sup>Po 2005GA46 NUCLEAR REACTIONS <sup>208</sup>Pb, <sup>209</sup>Bi(<sup>8</sup>He, 4n), E=28 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>212</sup>Po, <sup>213</sup>At deduced levels, J,  $\pi$ . Exogam array. JOUR JPGPE 31 S1851
- 2005SZ03 RADIOACTIVITY <sup>212</sup>Pb, <sup>208</sup>Tl( $\beta^-$ ); <sup>212</sup>Bi( $\alpha$ ), ( $\beta^-$ ); measured E $\gamma$ , I $\gamma$ . Application to superheavy element identification discussed. JOUR JRNC D 265 367
- <sup>212</sup>Fr 2005KU06 RADIOACTIVITY <sup>210,211,212,213,214</sup>Fr( $\alpha$ ) [from <sup>209</sup>Bi(<sup>12</sup>C, xn) and subsequent decay]; measured E $\alpha$ , I $\alpha$ , E $\gamma$ , I $\gamma$ ,  $\alpha\gamma$ -coin, T<sub>1/2</sub>; deduced hindrance factors. <sup>206,207,208,209,210</sup>At deduced levels, J,  $\pi$ . Comparison with previous results. JOUR ZAANE 23 417
- 2005LI17 RADIOACTIVITY <sup>216,217,221,222</sup>Th, <sup>216</sup>Ac, <sup>215</sup>Ra, <sup>214</sup>Fr, <sup>213</sup>Rn( $\alpha$ ) [from Be(<sup>238</sup>U, X) and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>. Fragment separator. JOUR NIMAE 543 591
- <sup>212</sup>Ra 2005KU31 RADIOACTIVITY <sup>215,216,216m,217</sup>Th( $\alpha$ ) [from <sup>170</sup>Er(<sup>50</sup>Ti, xn)]; measured E $\alpha$ , I $\alpha$ , E $\gamma$ , I $\gamma$ ,  $\alpha\gamma$ -coin, T<sub>1/2</sub>. <sup>211,212,213</sup>Ra deduced levels, J,  $\pi$ , ICC. JOUR ZAANE 25 397
- 2005KUZZ RADIOACTIVITY <sup>216,216m</sup>Th( $\alpha$ ), (IT) [from <sup>170</sup>Er(<sup>50</sup>Ti, 4n)]; <sup>251,251m</sup>No, <sup>247,247m</sup>Fm( $\alpha$ ) [from <sup>206</sup>Pb(<sup>48</sup>Ca, 3n) and subsequent decay]; <sup>257,257m</sup>Db, <sup>253,253m</sup>Lr, <sup>249</sup>Md( $\alpha$ ) [from <sup>209</sup>Bi(<sup>50</sup>Ti, 2n) and subsequent decay]; measured E $\alpha$ , E $\gamma$ ,  $\alpha\gamma$ -coin, T<sub>1/2</sub>. CONF Argonne(Nuclei at the Limits),P231,Kuusiniemi
- 2005LI17 RADIOACTIVITY <sup>216,217,221,222</sup>Th, <sup>216</sup>Ac, <sup>215</sup>Ra, <sup>214</sup>Fr, <sup>213</sup>Rn( $\alpha$ ) [from Be(<sup>238</sup>U, X) and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>. Fragment separator. JOUR NIMAE 543 591
- <sup>212</sup>Ac 2005LI17 NUCLEAR REACTIONS Be(<sup>238</sup>U, X)<sup>207</sup>Ac / <sup>208</sup>Ac / <sup>209</sup>Ac / <sup>210</sup>Ac / <sup>211</sup>Ac / <sup>212</sup>Ac / <sup>213</sup>Ac / <sup>214</sup>Ac / <sup>215</sup>Ac / <sup>216</sup>Ac / <sup>217</sup>Ac / <sup>218</sup>Ac / <sup>219</sup>Ac / <sup>220</sup>Ac / <sup>221</sup>Ac / <sup>211</sup>Th / <sup>212</sup>Th / <sup>213</sup>Th / <sup>214</sup>Th / <sup>215</sup>Th / <sup>216</sup>Th / <sup>217</sup>Th / <sup>218</sup>Th / <sup>219</sup>Th / <sup>220</sup>Th / <sup>221</sup>Th / <sup>222</sup>Th / <sup>223</sup>Th / <sup>216</sup>Pa / <sup>217</sup>Pa / <sup>218</sup>Pa / <sup>219</sup>Pa / <sup>220</sup>Pa / <sup>221</sup>Pa / <sup>222</sup>Pa / <sup>223</sup>Pa / <sup>224</sup>Pa / <sup>225</sup>Pa / <sup>226</sup>Pa / <sup>227</sup>Pa, E=1 GeV / nucleon; measured (fragment)(decay)-coin, fragment yields. Fragment separator. JOUR NIMAE 543 591
- <sup>212</sup>Th 2005LI17 NUCLEAR REACTIONS Be(<sup>238</sup>U, X)<sup>207</sup>Ac / <sup>208</sup>Ac / <sup>209</sup>Ac / <sup>210</sup>Ac / <sup>211</sup>Ac / <sup>212</sup>Ac / <sup>213</sup>Ac / <sup>214</sup>Ac / <sup>215</sup>Ac / <sup>216</sup>Ac / <sup>217</sup>Ac / <sup>218</sup>Ac / <sup>219</sup>Ac / <sup>220</sup>Ac / <sup>221</sup>Ac / <sup>211</sup>Th / <sup>212</sup>Th / <sup>213</sup>Th / <sup>214</sup>Th / <sup>215</sup>Th / <sup>216</sup>Th / <sup>217</sup>Th / <sup>218</sup>Th / <sup>219</sup>Th / <sup>220</sup>Th / <sup>221</sup>Th / <sup>222</sup>Th / <sup>223</sup>Th / <sup>216</sup>Pa / <sup>217</sup>Pa / <sup>218</sup>Pa / <sup>219</sup>Pa / <sup>220</sup>Pa / <sup>221</sup>Pa / <sup>222</sup>Pa / <sup>223</sup>Pa / <sup>224</sup>Pa / <sup>225</sup>Pa / <sup>226</sup>Pa / <sup>227</sup>Pa, E=1 GeV / nucleon; measured (fragment)(decay)-coin, fragment yields. Fragment separator. JOUR NIMAE 543 591

**A=213**

- <sup>213</sup>At 2005GA46 NUCLEAR REACTIONS <sup>208</sup>Pb, <sup>209</sup>Bi(<sup>8</sup>He, 4n), E=28 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>212</sup>Po, <sup>213</sup>At deduced levels, J,  $\pi$ . Exogam array. JOUR JPGPE 31 S1851
- <sup>213</sup>Rn 2005LI17 RADIOACTIVITY <sup>216,217,221,222</sup>Th, <sup>216</sup>Ac, <sup>215</sup>Ra, <sup>214</sup>Fr, <sup>213</sup>Rn( $\alpha$ ) [from Be(<sup>238</sup>U, X) and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>. Fragment separator. JOUR NIMAE 543 591

**A=213 (continued)**

- <sup>213</sup>Fr 2005KU06 RADIOACTIVITY <sup>210,211,212,213,214</sup>Fr( $\alpha$ ) [from <sup>209</sup>Bi(<sup>12</sup>C, xn) and subsequent decay]; measured E $\alpha$ , I $\alpha$ , E $\gamma$ , I $\gamma$ ,  $\alpha\gamma$ -coin, T<sub>1/2</sub>; deduced hindrance factors. <sup>206,207,208,209,210</sup>At deduced levels, J,  $\pi$ . Comparison with previous results. JOUR ZAANE 23 417
- <sup>213</sup>Ra 2005KU31 RADIOACTIVITY <sup>215,216,216m,217</sup>Th( $\alpha$ ) [from <sup>170</sup>Er(<sup>50</sup>Ti, xn)]; measured E $\alpha$ , I $\alpha$ , E $\gamma$ , I $\gamma$ ,  $\alpha\gamma$ -coin, T<sub>1/2</sub>. <sup>211,212,213</sup>Ra deduced levels, J,  $\pi$ , ICC. JOUR ZAANE 25 397
- 2005KUZV RADIOACTIVITY <sup>213</sup>Ra( $\alpha$ ) [from <sup>170</sup>Er(<sup>50</sup>Ti, X)]; measured E $\gamma$ , E $\alpha$ ,  $\alpha\gamma$ -coin. <sup>209</sup>Rn deduced levels, J,  $\pi$ , ICC. REPT GSI 2005-1,P76,Kuusiniemi
- 2005LI17 RADIOACTIVITY <sup>216,217,221,222</sup>Th, <sup>216</sup>Ac, <sup>215</sup>Ra, <sup>214</sup>Fr, <sup>213</sup>Rn( $\alpha$ ) [from Be(<sup>238</sup>U, X) and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>. Fragment separator. JOUR NIMAE 543 591
- <sup>213</sup>Ac 2005LI17 NUCLEAR REACTIONS Be(<sup>238</sup>U, X)<sup>207</sup>Ac / <sup>208</sup>Ac / <sup>209</sup>Ac / <sup>210</sup>Ac / <sup>211</sup>Ac / <sup>212</sup>Ac / <sup>213</sup>Ac / <sup>214</sup>Ac / <sup>215</sup>Ac / <sup>216</sup>Ac / <sup>217</sup>Ac / <sup>218</sup>Ac / <sup>219</sup>Ac / <sup>220</sup>Ac / <sup>221</sup>Ac / <sup>211</sup>Th / <sup>212</sup>Th / <sup>213</sup>Th / <sup>214</sup>Th / <sup>215</sup>Th / <sup>216</sup>Th / <sup>217</sup>Th / <sup>218</sup>Th / <sup>219</sup>Th / <sup>220</sup>Th / <sup>221</sup>Th / <sup>222</sup>Th / <sup>223</sup>Th / <sup>216</sup>Pa / <sup>217</sup>Pa / <sup>218</sup>Pa / <sup>219</sup>Pa / <sup>220</sup>Pa / <sup>221</sup>Pa / <sup>222</sup>Pa / <sup>223</sup>Pa / <sup>224</sup>Pa / <sup>225</sup>Pa / <sup>226</sup>Pa / <sup>227</sup>Pa, E=1 GeV / nucleon; measured (fragment)(decay)-coin, fragment yields. Fragment separator. JOUR NIMAE 543 591
- <sup>213</sup>Th 2005LE42 RADIOACTIVITY <sup>217,218,218m,219</sup>U( $\alpha$ ); measured E $\alpha$ , T<sub>1/2</sub>. <sup>217,218,219</sup>U deduced ground state J,  $\pi$ . <sup>218</sup>U deduced isomer J,  $\pi$ . Implications for Z=92 shell closure discussed. JOUR ZAANE 25 s01 183
- 2005LI17 NUCLEAR REACTIONS Be(<sup>238</sup>U, X)<sup>207</sup>Ac / <sup>208</sup>Ac / <sup>209</sup>Ac / <sup>210</sup>Ac / <sup>211</sup>Ac / <sup>212</sup>Ac / <sup>213</sup>Ac / <sup>214</sup>Ac / <sup>215</sup>Ac / <sup>216</sup>Ac / <sup>217</sup>Ac / <sup>218</sup>Ac / <sup>219</sup>Ac / <sup>220</sup>Ac / <sup>221</sup>Ac / <sup>211</sup>Th / <sup>212</sup>Th / <sup>213</sup>Th / <sup>214</sup>Th / <sup>215</sup>Th / <sup>216</sup>Th / <sup>217</sup>Th / <sup>218</sup>Th / <sup>219</sup>Th / <sup>220</sup>Th / <sup>221</sup>Th / <sup>222</sup>Th / <sup>223</sup>Th / <sup>216</sup>Pa / <sup>217</sup>Pa / <sup>218</sup>Pa / <sup>219</sup>Pa / <sup>220</sup>Pa / <sup>221</sup>Pa / <sup>222</sup>Pa / <sup>223</sup>Pa / <sup>224</sup>Pa / <sup>225</sup>Pa / <sup>226</sup>Pa / <sup>227</sup>Pa, E=1 GeV / nucleon; measured (fragment)(decay)-coin, fragment yields. Fragment separator. JOUR NIMAE 543 591

**A=214**

- <sup>214</sup>Fr 2005KU06 RADIOACTIVITY <sup>210,211,212,213,214</sup>Fr( $\alpha$ ) [from <sup>209</sup>Bi(<sup>12</sup>C, xn) and subsequent decay]; measured E $\alpha$ , I $\alpha$ , E $\gamma$ , I $\gamma$ ,  $\alpha\gamma$ -coin, T<sub>1/2</sub>; deduced hindrance factors. <sup>206,207,208,209,210</sup>At deduced levels, J,  $\pi$ . Comparison with previous results. JOUR ZAANE 23 417
- 2005LI17 RADIOACTIVITY <sup>216,217,221,222</sup>Th, <sup>216</sup>Ac, <sup>215</sup>Ra, <sup>214</sup>Fr, <sup>213</sup>Rn( $\alpha$ ) [from Be(<sup>238</sup>U, X) and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>. Fragment separator. JOUR NIMAE 543 591
- <sup>214</sup>Ac 2005LI17 NUCLEAR REACTIONS Be(<sup>238</sup>U, X)<sup>207</sup>Ac / <sup>208</sup>Ac / <sup>209</sup>Ac / <sup>210</sup>Ac / <sup>211</sup>Ac / <sup>212</sup>Ac / <sup>213</sup>Ac / <sup>214</sup>Ac / <sup>215</sup>Ac / <sup>216</sup>Ac / <sup>217</sup>Ac / <sup>218</sup>Ac / <sup>219</sup>Ac / <sup>220</sup>Ac / <sup>221</sup>Ac / <sup>211</sup>Th / <sup>212</sup>Th / <sup>213</sup>Th / <sup>214</sup>Th / <sup>215</sup>Th / <sup>216</sup>Th / <sup>217</sup>Th / <sup>218</sup>Th / <sup>219</sup>Th / <sup>220</sup>Th / <sup>221</sup>Th / <sup>222</sup>Th / <sup>223</sup>Th / <sup>216</sup>Pa / <sup>217</sup>Pa / <sup>218</sup>Pa / <sup>219</sup>Pa / <sup>220</sup>Pa / <sup>221</sup>Pa / <sup>222</sup>Pa / <sup>223</sup>Pa / <sup>224</sup>Pa / <sup>225</sup>Pa / <sup>226</sup>Pa / <sup>227</sup>Pa, E=1 GeV / nucleon; measured (fragment)(decay)-coin, fragment yields. Fragment separator. JOUR NIMAE 543 591

**A=214 (continued)**

- <sup>214</sup>Th 2005LE42 RADIOACTIVITY <sup>217,218,218m,219</sup>U( $\alpha$ ); measured E $\alpha$ , T<sub>1/2</sub>.  
<sup>217,218,219</sup>U deduced ground state J,  $\pi$ . <sup>218</sup>U deduced isomer J,  $\pi$ .  
 Implications for Z=92 shell closure discussed. JOUR ZAANE 25 s01  
 183
- 2005LI17 NUCLEAR REACTIONS Be(<sup>238</sup>U, X)<sup>207</sup>Ac / <sup>208</sup>Ac / <sup>209</sup>Ac / <sup>210</sup>Ac /  
<sup>211</sup>Ac / <sup>212</sup>Ac / <sup>213</sup>Ac / <sup>214</sup>Ac / <sup>215</sup>Ac / <sup>216</sup>Ac / <sup>217</sup>Ac / <sup>218</sup>Ac / <sup>219</sup>Ac /  
 / <sup>220</sup>Ac / <sup>221</sup>Ac / <sup>211</sup>Th / <sup>212</sup>Th / <sup>213</sup>Th / <sup>214</sup>Th / <sup>215</sup>Th / <sup>216</sup>Th /  
<sup>217</sup>Th / <sup>218</sup>Th / <sup>219</sup>Th / <sup>220</sup>Th / <sup>221</sup>Th / <sup>222</sup>Th / <sup>223</sup>Th / <sup>216</sup>Pa /  
<sup>217</sup>Pa / <sup>218</sup>Pa / <sup>219</sup>Pa / <sup>220</sup>Pa / <sup>221</sup>Pa / <sup>222</sup>Pa / <sup>223</sup>Pa / <sup>224</sup>Pa / <sup>225</sup>Pa /  
<sup>226</sup>Pa / <sup>227</sup>Pa, E=1 GeV / nucleon; measured (fragment)(decay)-coin,  
 fragment yields. Fragment separator. JOUR NIMAE 543 591

**A=215**

- <sup>215</sup>Ra 2005LI17 RADIOACTIVITY <sup>216,217,221,222</sup>Th, <sup>216</sup>Ac, <sup>215</sup>Ra, <sup>214</sup>Fr, <sup>213</sup>Rn( $\alpha$ )  
 [from Be(<sup>238</sup>U, X) and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>.  
 Fragment separator. JOUR NIMAE 543 591
- <sup>215</sup>Ac 2005LI17 NUCLEAR REACTIONS Be(<sup>238</sup>U, X)<sup>207</sup>Ac / <sup>208</sup>Ac / <sup>209</sup>Ac / <sup>210</sup>Ac /  
<sup>211</sup>Ac / <sup>212</sup>Ac / <sup>213</sup>Ac / <sup>214</sup>Ac / <sup>215</sup>Ac / <sup>216</sup>Ac / <sup>217</sup>Ac / <sup>218</sup>Ac / <sup>219</sup>Ac /  
 / <sup>220</sup>Ac / <sup>221</sup>Ac / <sup>211</sup>Th / <sup>212</sup>Th / <sup>213</sup>Th / <sup>214</sup>Th / <sup>215</sup>Th / <sup>216</sup>Th /  
<sup>217</sup>Th / <sup>218</sup>Th / <sup>219</sup>Th / <sup>220</sup>Th / <sup>221</sup>Th / <sup>222</sup>Th / <sup>223</sup>Th / <sup>216</sup>Pa /  
<sup>217</sup>Pa / <sup>218</sup>Pa / <sup>219</sup>Pa / <sup>220</sup>Pa / <sup>221</sup>Pa / <sup>222</sup>Pa / <sup>223</sup>Pa / <sup>224</sup>Pa / <sup>225</sup>Pa /  
<sup>226</sup>Pa / <sup>227</sup>Pa, E=1 GeV / nucleon; measured (fragment)(decay)-coin,  
 fragment yields. Fragment separator. JOUR NIMAE 543 591
- <sup>215</sup>Th 2005KU31 RADIOACTIVITY <sup>215,216,216m,217</sup>Th( $\alpha$ ) [from <sup>170</sup>Er(<sup>50</sup>Ti, xn)];  
 measured E $\alpha$ , I $\alpha$ , E $\gamma$ , I $\gamma$ ,  $\alpha\gamma$ -coin, T<sub>1/2</sub>. <sup>211,212,213</sup>Ra deduced levels, J,  
 $\pi$ , ICC. JOUR ZAANE 25 397
- 2005LE42 RADIOACTIVITY <sup>217,218,218m,219</sup>U( $\alpha$ ); measured E $\alpha$ , T<sub>1/2</sub>.  
<sup>217,218,219</sup>U deduced ground state J,  $\pi$ . <sup>218</sup>U deduced isomer J,  $\pi$ .  
 Implications for Z=92 shell closure discussed. JOUR ZAANE 25 s01  
 183
- 2005LI17 NUCLEAR REACTIONS Be(<sup>238</sup>U, X)<sup>207</sup>Ac / <sup>208</sup>Ac / <sup>209</sup>Ac / <sup>210</sup>Ac /  
<sup>211</sup>Ac / <sup>212</sup>Ac / <sup>213</sup>Ac / <sup>214</sup>Ac / <sup>215</sup>Ac / <sup>216</sup>Ac / <sup>217</sup>Ac / <sup>218</sup>Ac / <sup>219</sup>Ac /  
 / <sup>220</sup>Ac / <sup>221</sup>Ac / <sup>211</sup>Th / <sup>212</sup>Th / <sup>213</sup>Th / <sup>214</sup>Th / <sup>215</sup>Th / <sup>216</sup>Th /  
<sup>217</sup>Th / <sup>218</sup>Th / <sup>219</sup>Th / <sup>220</sup>Th / <sup>221</sup>Th / <sup>222</sup>Th / <sup>223</sup>Th / <sup>216</sup>Pa /  
<sup>217</sup>Pa / <sup>218</sup>Pa / <sup>219</sup>Pa / <sup>220</sup>Pa / <sup>221</sup>Pa / <sup>222</sup>Pa / <sup>223</sup>Pa / <sup>224</sup>Pa / <sup>225</sup>Pa /  
<sup>226</sup>Pa / <sup>227</sup>Pa, E=1 GeV / nucleon; measured (fragment)(decay)-coin,  
 fragment yields. Fragment separator. JOUR NIMAE 543 591

**A=216**

- <sup>216</sup>Rn 2004KM01 NUCLEAR REACTIONS <sup>198</sup>Pt(<sup>18</sup>O, X), E=96 MeV; measured  
 prompt and delayed E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>216</sup>Rn deduced GDR energy,  
 width, deformation features. Hector array, comparison with model  
 predictions. JOUR PRVCA 70 064317

## A=216 (continued)

- 2005CA23 NUCLEAR REACTIONS  $^{198}\text{Pt}(^{18}\text{O}, \text{xn})$ , E=96 MeV; measured prompt and delayed  $E\gamma$ ,  $I\gamma$ .  $^{216}\text{Rn}$  deduced GDR parameters.  $^{68}\text{Zn}(^{64}\text{Ni}, \text{X})$ , E=300, 400, 500 MeV;  $^{116}\text{Sn}(^{16}\text{O}, \text{X})$ , E=130, 250 MeV; measured  $E\gamma$ ,  $I\gamma$ .  $^{132}\text{Ce}$  deduced GDR features, entrance channel effects. JOUR APOBB 36 1145
- $^{216}\text{Ac}$  2005LI17 NUCLEAR REACTIONS  $\text{Be}(^{238}\text{U}, \text{X})^{207}\text{Ac} / ^{208}\text{Ac} / ^{209}\text{Ac} / ^{210}\text{Ac} / ^{211}\text{Ac} / ^{212}\text{Ac} / ^{213}\text{Ac} / ^{214}\text{Ac} / ^{215}\text{Ac} / ^{216}\text{Ac} / ^{217}\text{Ac} / ^{218}\text{Ac} / ^{219}\text{Ac} / ^{220}\text{Ac} / ^{221}\text{Ac} / ^{211}\text{Th} / ^{212}\text{Th} / ^{213}\text{Th} / ^{214}\text{Th} / ^{215}\text{Th} / ^{216}\text{Th} / ^{217}\text{Th} / ^{218}\text{Th} / ^{219}\text{Th} / ^{220}\text{Th} / ^{221}\text{Th} / ^{222}\text{Th} / ^{223}\text{Th} / ^{216}\text{Pa} / ^{217}\text{Pa} / ^{218}\text{Pa} / ^{219}\text{Pa} / ^{220}\text{Pa} / ^{221}\text{Pa} / ^{222}\text{Pa} / ^{223}\text{Pa} / ^{224}\text{Pa} / ^{225}\text{Pa} / ^{226}\text{Pa} / ^{227}\text{Pa}$ , E=1 GeV / nucleon; measured (fragment)(decay)-coin, fragment yields. Fragment separator. JOUR NIMAE 543 591
- 2005LI17 RADIOACTIVITY  $^{216,217,221,222}\text{Th}$ ,  $^{216}\text{Ac}$ ,  $^{215}\text{Ra}$ ,  $^{214}\text{Fr}$ ,  $^{213}\text{Rn}(\alpha)$  [from  $\text{Be}(^{238}\text{U}, \text{X})$  and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ . Fragment separator. JOUR NIMAE 543 591
- $^{216}\text{Th}$  2002SU35 NUCLEAR REACTIONS  $^{206}\text{Pb}(^{48}\text{Ca}, 2\text{n})$ ,  $^{186}\text{W}(^{34}\text{S}, 4\text{n})$ , E not given; measured yields, focal-plane position spectra in recoil separator. JOUR NIMAE 481 71
- 2005KU31 RADIOACTIVITY  $^{215,216,216m,217}\text{Th}(\alpha)$  [from  $^{170}\text{Er}(^{50}\text{Ti}, \text{xn})$ ]; measured  $E\alpha$ ,  $I\alpha$ ,  $E\gamma$ ,  $I\gamma$ ,  $\alpha\gamma$ -coin,  $T_{1/2}$ .  $^{211,212,213}\text{Ra}$  deduced levels, J,  $\pi$ , ICC. JOUR ZAANE 25 397
- 2005KUZZ RADIOACTIVITY  $^{216,216m}\text{Th}(\alpha)$ , (IT) [from  $^{170}\text{Er}(^{50}\text{Ti}, 4\text{n})$ ];  $^{251,251m}\text{No}$ ,  $^{247,247m}\text{Fm}(\alpha)$  [from  $^{206}\text{Pb}(^{48}\text{Ca}, 3\text{n})$  and subsequent decay];  $^{257,257m}\text{Db}$ ,  $^{253,253m}\text{Lr}$ ,  $^{249}\text{Md}(\alpha)$  [from  $^{209}\text{Bi}(^{50}\text{Ti}, 2\text{n})$  and subsequent decay]; measured  $E\alpha$ ,  $E\gamma$ ,  $\alpha\gamma$ -coin,  $T_{1/2}$ . CONF Argonne(Nuclei at the Limits),P231,Kuusiniemi
- 2005LI17 NUCLEAR REACTIONS  $\text{Be}(^{238}\text{U}, \text{X})^{207}\text{Ac} / ^{208}\text{Ac} / ^{209}\text{Ac} / ^{210}\text{Ac} / ^{211}\text{Ac} / ^{212}\text{Ac} / ^{213}\text{Ac} / ^{214}\text{Ac} / ^{215}\text{Ac} / ^{216}\text{Ac} / ^{217}\text{Ac} / ^{218}\text{Ac} / ^{219}\text{Ac} / ^{220}\text{Ac} / ^{221}\text{Ac} / ^{211}\text{Th} / ^{212}\text{Th} / ^{213}\text{Th} / ^{214}\text{Th} / ^{215}\text{Th} / ^{216}\text{Th} / ^{217}\text{Th} / ^{218}\text{Th} / ^{219}\text{Th} / ^{220}\text{Th} / ^{221}\text{Th} / ^{222}\text{Th} / ^{223}\text{Th} / ^{216}\text{Pa} / ^{217}\text{Pa} / ^{218}\text{Pa} / ^{219}\text{Pa} / ^{220}\text{Pa} / ^{221}\text{Pa} / ^{222}\text{Pa} / ^{223}\text{Pa} / ^{224}\text{Pa} / ^{225}\text{Pa} / ^{226}\text{Pa} / ^{227}\text{Pa}$ , E=1 GeV / nucleon; measured (fragment)(decay)-coin, fragment yields. Fragment separator. JOUR NIMAE 543 591
- 2005LI17 RADIOACTIVITY  $^{216,217,221,222}\text{Th}$ ,  $^{216}\text{Ac}$ ,  $^{215}\text{Ra}$ ,  $^{214}\text{Fr}$ ,  $^{213}\text{Rn}(\alpha)$  [from  $\text{Be}(^{238}\text{U}, \text{X})$  and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ . Fragment separator. JOUR NIMAE 543 591
- $^{216}\text{Pa}$  2005LI17 NUCLEAR REACTIONS  $\text{Be}(^{238}\text{U}, \text{X})^{207}\text{Ac} / ^{208}\text{Ac} / ^{209}\text{Ac} / ^{210}\text{Ac} / ^{211}\text{Ac} / ^{212}\text{Ac} / ^{213}\text{Ac} / ^{214}\text{Ac} / ^{215}\text{Ac} / ^{216}\text{Ac} / ^{217}\text{Ac} / ^{218}\text{Ac} / ^{219}\text{Ac} / ^{220}\text{Ac} / ^{221}\text{Ac} / ^{211}\text{Th} / ^{212}\text{Th} / ^{213}\text{Th} / ^{214}\text{Th} / ^{215}\text{Th} / ^{216}\text{Th} / ^{217}\text{Th} / ^{218}\text{Th} / ^{219}\text{Th} / ^{220}\text{Th} / ^{221}\text{Th} / ^{222}\text{Th} / ^{223}\text{Th} / ^{216}\text{Pa} / ^{217}\text{Pa} / ^{218}\text{Pa} / ^{219}\text{Pa} / ^{220}\text{Pa} / ^{221}\text{Pa} / ^{222}\text{Pa} / ^{223}\text{Pa} / ^{224}\text{Pa} / ^{225}\text{Pa} / ^{226}\text{Pa} / ^{227}\text{Pa}$ , E=1 GeV / nucleon; measured (fragment)(decay)-coin, fragment yields. Fragment separator. JOUR NIMAE 543 591

**A=217**

- <sup>217</sup>Ra 2005LI17 RADIOACTIVITY <sup>216,217,221,222</sup>Th, <sup>216</sup>Ac, <sup>215</sup>Ra, <sup>214</sup>Fr, <sup>213</sup>Rn( $\alpha$ )  
[from Be(<sup>238</sup>U, X) and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>.  
Fragment separator. JOUR NIMAE 543 591
- <sup>217</sup>Ac 2005LI17 NUCLEAR REACTIONS Be(<sup>238</sup>U, X)<sup>207</sup>Ac / <sup>208</sup>Ac / <sup>209</sup>Ac / <sup>210</sup>Ac /  
<sup>211</sup>Ac / <sup>212</sup>Ac / <sup>213</sup>Ac / <sup>214</sup>Ac / <sup>215</sup>Ac / <sup>216</sup>Ac / <sup>217</sup>Ac / <sup>218</sup>Ac / <sup>219</sup>Ac /  
/ <sup>220</sup>Ac / <sup>221</sup>Ac / <sup>211</sup>Th / <sup>212</sup>Th / <sup>213</sup>Th / <sup>214</sup>Th / <sup>215</sup>Th / <sup>216</sup>Th /  
<sup>217</sup>Th / <sup>218</sup>Th / <sup>219</sup>Th / <sup>220</sup>Th / <sup>221</sup>Th / <sup>222</sup>Th / <sup>223</sup>Th / <sup>216</sup>Pa /  
<sup>217</sup>Pa / <sup>218</sup>Pa / <sup>219</sup>Pa / <sup>220</sup>Pa / <sup>221</sup>Pa / <sup>222</sup>Pa / <sup>223</sup>Pa / <sup>224</sup>Pa / <sup>225</sup>Pa /  
<sup>226</sup>Pa / <sup>227</sup>Pa, E=1 GeV / nucleon; measured (fragment)(decay)-coin,  
fragment yields. Fragment separator. JOUR NIMAE 543 591
- <sup>217</sup>Th 2005KU31 RADIOACTIVITY <sup>215,216,216m,217</sup>Th( $\alpha$ ) [from <sup>170</sup>Er(<sup>50</sup>Ti, xn)];  
measured E $\alpha$ , I $\alpha$ , E $\gamma$ , I $\gamma$ ,  $\alpha\gamma$ -coin, T<sub>1/2</sub>. <sup>211,212,213</sup>Ra deduced levels, J,  
 $\pi$ , ICC. JOUR ZAANE 25 397
- 2005LI17 NUCLEAR REACTIONS Be(<sup>238</sup>U, X)<sup>207</sup>Ac / <sup>208</sup>Ac / <sup>209</sup>Ac / <sup>210</sup>Ac /  
<sup>211</sup>Ac / <sup>212</sup>Ac / <sup>213</sup>Ac / <sup>214</sup>Ac / <sup>215</sup>Ac / <sup>216</sup>Ac / <sup>217</sup>Ac / <sup>218</sup>Ac / <sup>219</sup>Ac /  
/ <sup>220</sup>Ac / <sup>221</sup>Ac / <sup>211</sup>Th / <sup>212</sup>Th / <sup>213</sup>Th / <sup>214</sup>Th / <sup>215</sup>Th / <sup>216</sup>Th /  
<sup>217</sup>Th / <sup>218</sup>Th / <sup>219</sup>Th / <sup>220</sup>Th / <sup>221</sup>Th / <sup>222</sup>Th / <sup>223</sup>Th / <sup>216</sup>Pa /  
<sup>217</sup>Pa / <sup>218</sup>Pa / <sup>219</sup>Pa / <sup>220</sup>Pa / <sup>221</sup>Pa / <sup>222</sup>Pa / <sup>223</sup>Pa / <sup>224</sup>Pa / <sup>225</sup>Pa /  
<sup>226</sup>Pa / <sup>227</sup>Pa, E=1 GeV / nucleon; measured (fragment)(decay)-coin,  
fragment yields. Fragment separator. JOUR NIMAE 543 591
- 2005LI17 RADIOACTIVITY <sup>216,217,221,222</sup>Th, <sup>216</sup>Ac, <sup>215</sup>Ra, <sup>214</sup>Fr, <sup>213</sup>Rn( $\alpha$ )  
[from Be(<sup>238</sup>U, X) and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>.  
Fragment separator. JOUR NIMAE 543 591
- <sup>217</sup>Pa 2005LI17 NUCLEAR REACTIONS Be(<sup>238</sup>U, X)<sup>207</sup>Ac / <sup>208</sup>Ac / <sup>209</sup>Ac / <sup>210</sup>Ac /  
<sup>211</sup>Ac / <sup>212</sup>Ac / <sup>213</sup>Ac / <sup>214</sup>Ac / <sup>215</sup>Ac / <sup>216</sup>Ac / <sup>217</sup>Ac / <sup>218</sup>Ac / <sup>219</sup>Ac /  
/ <sup>220</sup>Ac / <sup>221</sup>Ac / <sup>211</sup>Th / <sup>212</sup>Th / <sup>213</sup>Th / <sup>214</sup>Th / <sup>215</sup>Th / <sup>216</sup>Th /  
<sup>217</sup>Th / <sup>218</sup>Th / <sup>219</sup>Th / <sup>220</sup>Th / <sup>221</sup>Th / <sup>222</sup>Th / <sup>223</sup>Th / <sup>216</sup>Pa /  
<sup>217</sup>Pa / <sup>218</sup>Pa / <sup>219</sup>Pa / <sup>220</sup>Pa / <sup>221</sup>Pa / <sup>222</sup>Pa / <sup>223</sup>Pa / <sup>224</sup>Pa / <sup>225</sup>Pa /  
<sup>226</sup>Pa / <sup>227</sup>Pa, E=1 GeV / nucleon; measured (fragment)(decay)-coin,  
fragment yields. Fragment separator. JOUR NIMAE 543 591
- <sup>217</sup>U 2005LE42 NUCLEAR REACTIONS <sup>182</sup>W(<sup>40</sup>Ar, xn)<sup>217</sup>U / <sup>218</sup>U / <sup>218m</sup>U / <sup>219</sup>U,  
E=186 MeV; measured E $\alpha$ ,  $\alpha\alpha$ -, (recoil) $\alpha$ -coin; deduced production  $\sigma$ .  
JOUR ZAANE 25 s01 183
- 2005LE42 RADIOACTIVITY <sup>217,218,218m,219</sup>U( $\alpha$ ); measured E $\alpha$ , T<sub>1/2</sub>.  
<sup>217,218,219</sup>U deduced ground state J,  $\pi$ . <sup>218</sup>U deduced isomer J,  $\pi$ .  
Implications for Z=92 shell closure discussed. JOUR ZAANE 25 s01  
183

**A=218**

- <sup>218</sup>Ra 2005LI17 RADIOACTIVITY <sup>216,217,221,222</sup>Th, <sup>216</sup>Ac, <sup>215</sup>Ra, <sup>214</sup>Fr, <sup>213</sup>Rn( $\alpha$ )  
[from Be(<sup>238</sup>U, X) and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>.  
Fragment separator. JOUR NIMAE 543 591

**A=218 (continued)**

- <sup>218</sup>Ac 2005LI17 NUCLEAR REACTIONS Be(<sup>238</sup>U, X)<sup>207</sup>Ac / <sup>208</sup>Ac / <sup>209</sup>Ac / <sup>210</sup>Ac / <sup>211</sup>Ac / <sup>212</sup>Ac / <sup>213</sup>Ac / <sup>214</sup>Ac / <sup>215</sup>Ac / <sup>216</sup>Ac / <sup>217</sup>Ac / <sup>218</sup>Ac / <sup>219</sup>Ac / <sup>220</sup>Ac / <sup>221</sup>Ac / <sup>211</sup>Th / <sup>212</sup>Th / <sup>213</sup>Th / <sup>214</sup>Th / <sup>215</sup>Th / <sup>216</sup>Th / <sup>217</sup>Th / <sup>218</sup>Th / <sup>219</sup>Th / <sup>220</sup>Th / <sup>221</sup>Th / <sup>222</sup>Th / <sup>223</sup>Th / <sup>216</sup>Pa / <sup>217</sup>Pa / <sup>218</sup>Pa / <sup>219</sup>Pa / <sup>220</sup>Pa / <sup>221</sup>Pa / <sup>222</sup>Pa / <sup>223</sup>Pa / <sup>224</sup>Pa / <sup>225</sup>Pa / <sup>226</sup>Pa / <sup>227</sup>Pa, E=1 GeV / nucleon; measured (fragment)(decay)-coin, fragment yields. Fragment separator. JOUR NIMAE 543 591
- <sup>218</sup>Th 2005LI17 NUCLEAR REACTIONS Be(<sup>238</sup>U, X)<sup>207</sup>Ac / <sup>208</sup>Ac / <sup>209</sup>Ac / <sup>210</sup>Ac / <sup>211</sup>Ac / <sup>212</sup>Ac / <sup>213</sup>Ac / <sup>214</sup>Ac / <sup>215</sup>Ac / <sup>216</sup>Ac / <sup>217</sup>Ac / <sup>218</sup>Ac / <sup>219</sup>Ac / <sup>220</sup>Ac / <sup>221</sup>Ac / <sup>211</sup>Th / <sup>212</sup>Th / <sup>213</sup>Th / <sup>214</sup>Th / <sup>215</sup>Th / <sup>216</sup>Th / <sup>217</sup>Th / <sup>218</sup>Th / <sup>219</sup>Th / <sup>220</sup>Th / <sup>221</sup>Th / <sup>222</sup>Th / <sup>223</sup>Th / <sup>216</sup>Pa / <sup>217</sup>Pa / <sup>218</sup>Pa / <sup>219</sup>Pa / <sup>220</sup>Pa / <sup>221</sup>Pa / <sup>222</sup>Pa / <sup>223</sup>Pa / <sup>224</sup>Pa / <sup>225</sup>Pa / <sup>226</sup>Pa / <sup>227</sup>Pa, E=1 GeV / nucleon; measured (fragment)(decay)-coin, fragment yields. Fragment separator. JOUR NIMAE 543 591
- <sup>218</sup>Pa 2005LI17 NUCLEAR REACTIONS Be(<sup>238</sup>U, X)<sup>207</sup>Ac / <sup>208</sup>Ac / <sup>209</sup>Ac / <sup>210</sup>Ac / <sup>211</sup>Ac / <sup>212</sup>Ac / <sup>213</sup>Ac / <sup>214</sup>Ac / <sup>215</sup>Ac / <sup>216</sup>Ac / <sup>217</sup>Ac / <sup>218</sup>Ac / <sup>219</sup>Ac / <sup>220</sup>Ac / <sup>221</sup>Ac / <sup>211</sup>Th / <sup>212</sup>Th / <sup>213</sup>Th / <sup>214</sup>Th / <sup>215</sup>Th / <sup>216</sup>Th / <sup>217</sup>Th / <sup>218</sup>Th / <sup>219</sup>Th / <sup>220</sup>Th / <sup>221</sup>Th / <sup>222</sup>Th / <sup>223</sup>Th / <sup>216</sup>Pa / <sup>217</sup>Pa / <sup>218</sup>Pa / <sup>219</sup>Pa / <sup>220</sup>Pa / <sup>221</sup>Pa / <sup>222</sup>Pa / <sup>223</sup>Pa / <sup>224</sup>Pa / <sup>225</sup>Pa / <sup>226</sup>Pa / <sup>227</sup>Pa, E=1 GeV / nucleon; measured (fragment)(decay)-coin, fragment yields. Fragment separator. JOUR NIMAE 543 591
- <sup>218</sup>U 2005LE42 NUCLEAR REACTIONS <sup>182</sup>W(<sup>40</sup>Ar, xn)<sup>217</sup>U / <sup>218</sup>U / <sup>218m</sup>U / <sup>219</sup>U, E=186 MeV; measured E $\alpha$ ,  $\alpha$ -, (recoil) $\alpha$ -coin; deduced production  $\sigma$ . JOUR ZAANE 25 s01 183
- 2005LE42 RADIOACTIVITY <sup>217,218,218m,219</sup>U( $\alpha$ ); measured E $\alpha$ , T<sub>1/2</sub>. <sup>217,218,219</sup>U deduced ground state J,  $\pi$ . <sup>218</sup>U deduced isomer J,  $\pi$ . Implications for Z=92 shell closure discussed. JOUR ZAANE 25 s01 183

**A=219**

- <sup>219</sup>Rn 2005JOZY RADIOACTIVITY <sup>227,228</sup>Th, <sup>223,224</sup>Ra( $\alpha$ ); measured E $\gamma$ ,  $\alpha\gamma$ -coin,  $\gamma$ -ray linear polarization. CONF Argonne(Nuclei at the Limits),P348,Jones
- <sup>219</sup>Ac 2005LI17 NUCLEAR REACTIONS Be(<sup>238</sup>U, X)<sup>207</sup>Ac / <sup>208</sup>Ac / <sup>209</sup>Ac / <sup>210</sup>Ac / <sup>211</sup>Ac / <sup>212</sup>Ac / <sup>213</sup>Ac / <sup>214</sup>Ac / <sup>215</sup>Ac / <sup>216</sup>Ac / <sup>217</sup>Ac / <sup>218</sup>Ac / <sup>219</sup>Ac / <sup>220</sup>Ac / <sup>221</sup>Ac / <sup>211</sup>Th / <sup>212</sup>Th / <sup>213</sup>Th / <sup>214</sup>Th / <sup>215</sup>Th / <sup>216</sup>Th / <sup>217</sup>Th / <sup>218</sup>Th / <sup>219</sup>Th / <sup>220</sup>Th / <sup>221</sup>Th / <sup>222</sup>Th / <sup>223</sup>Th / <sup>216</sup>Pa / <sup>217</sup>Pa / <sup>218</sup>Pa / <sup>219</sup>Pa / <sup>220</sup>Pa / <sup>221</sup>Pa / <sup>222</sup>Pa / <sup>223</sup>Pa / <sup>224</sup>Pa / <sup>225</sup>Pa / <sup>226</sup>Pa / <sup>227</sup>Pa, E=1 GeV / nucleon; measured (fragment)(decay)-coin, fragment yields. Fragment separator. JOUR NIMAE 543 591
- <sup>219</sup>Th 2005LI17 NUCLEAR REACTIONS Be(<sup>238</sup>U, X)<sup>207</sup>Ac / <sup>208</sup>Ac / <sup>209</sup>Ac / <sup>210</sup>Ac / <sup>211</sup>Ac / <sup>212</sup>Ac / <sup>213</sup>Ac / <sup>214</sup>Ac / <sup>215</sup>Ac / <sup>216</sup>Ac / <sup>217</sup>Ac / <sup>218</sup>Ac / <sup>219</sup>Ac / <sup>220</sup>Ac / <sup>221</sup>Ac / <sup>211</sup>Th / <sup>212</sup>Th / <sup>213</sup>Th / <sup>214</sup>Th / <sup>215</sup>Th / <sup>216</sup>Th / <sup>217</sup>Th / <sup>218</sup>Th / <sup>219</sup>Th / <sup>220</sup>Th / <sup>221</sup>Th / <sup>222</sup>Th / <sup>223</sup>Th / <sup>216</sup>Pa / <sup>217</sup>Pa / <sup>218</sup>Pa / <sup>219</sup>Pa / <sup>220</sup>Pa / <sup>221</sup>Pa / <sup>222</sup>Pa / <sup>223</sup>Pa / <sup>224</sup>Pa / <sup>225</sup>Pa / <sup>226</sup>Pa / <sup>227</sup>Pa, E=1 GeV / nucleon; measured (fragment)(decay)-coin, fragment yields. Fragment separator. JOUR NIMAE 543 591



**A=219 (continued)**

- <sup>219</sup>Pa 2005LI17 NUCLEAR REACTIONS Be(<sup>238</sup>U, X)<sup>207</sup>Ac / <sup>208</sup>Ac / <sup>209</sup>Ac / <sup>210</sup>Ac / <sup>211</sup>Ac / <sup>212</sup>Ac / <sup>213</sup>Ac / <sup>214</sup>Ac / <sup>215</sup>Ac / <sup>216</sup>Ac / <sup>217</sup>Ac / <sup>218</sup>Ac / <sup>219</sup>Ac / <sup>220</sup>Ac / <sup>221</sup>Ac / <sup>211</sup>Th / <sup>212</sup>Th / <sup>213</sup>Th / <sup>214</sup>Th / <sup>215</sup>Th / <sup>216</sup>Th / <sup>217</sup>Th / <sup>218</sup>Th / <sup>219</sup>Th / <sup>220</sup>Th / <sup>221</sup>Th / <sup>222</sup>Th / <sup>223</sup>Th / <sup>216</sup>Pa / <sup>217</sup>Pa / <sup>218</sup>Pa / <sup>219</sup>Pa / <sup>220</sup>Pa / <sup>221</sup>Pa / <sup>222</sup>Pa / <sup>223</sup>Pa / <sup>224</sup>Pa / <sup>225</sup>Pa / <sup>226</sup>Pa / <sup>227</sup>Pa, E=1 GeV / nucleon; measured (fragment)(decay)-coin, fragment yields. Fragment separator. JOUR NIMAE 543 591
- <sup>219</sup>U 2005LE42 NUCLEAR REACTIONS <sup>182</sup>W(<sup>40</sup>Ar, xn)<sup>217</sup>U / <sup>218</sup>U / <sup>218m</sup>U / <sup>219</sup>U, E=186 MeV; measured E $\alpha$ ,  $\alpha\alpha$ -, (recoil) $\alpha$ -coin; deduced production  $\sigma$ . JOUR ZAANE 25 s01 183
- 2005LE42 RADIOACTIVITY <sup>217,218,218m,219</sup>U( $\alpha$ ); measured E $\alpha$ , T<sub>1/2</sub>. <sup>217,218,219</sup>U deduced ground state J,  $\pi$ . <sup>218</sup>U deduced isomer J,  $\pi$ . Implications for Z=92 shell closure discussed. JOUR ZAANE 25 s01 183

**A=220**

- <sup>220</sup>At 2005LIZZ ATOMIC MASSES <sup>205</sup>Tl, <sup>220,221,222</sup>At, <sup>220,221,222,223</sup>Rn, <sup>223,224,225</sup>Fr, <sup>223,224,225,226,227,229,230,231</sup>Ra, <sup>227,229,230,231</sup>Ac, <sup>230,231</sup>Th, <sup>232</sup>U; measured masses. Schottky mass spectrometry, <sup>238</sup>U fragmentation. REPT GSI 2005-1,P79,Litvinov
- <sup>220</sup>Rn 2005JOZY RADIOACTIVITY <sup>227,228</sup>Th, <sup>223,224</sup>Ra( $\alpha$ ); measured E $\gamma$ ,  $\alpha\gamma$ -coin,  $\gamma$ -ray linear polarization. CONF Argonne(Nuclei at the Limits),P348,Jones
- 2005LIZZ ATOMIC MASSES <sup>205</sup>Tl, <sup>220,221,222</sup>At, <sup>220,221,222,223</sup>Rn, <sup>223,224,225</sup>Fr, <sup>223,224,225,226,227,229,230,231</sup>Ra, <sup>227,229,230,231</sup>Ac, <sup>230,231</sup>Th, <sup>232</sup>U; measured masses. Schottky mass spectrometry, <sup>238</sup>U fragmentation. REPT GSI 2005-1,P79,Litvinov
- <sup>220</sup>Ac 2005LI17 NUCLEAR REACTIONS Be(<sup>238</sup>U, X)<sup>207</sup>Ac / <sup>208</sup>Ac / <sup>209</sup>Ac / <sup>210</sup>Ac / <sup>211</sup>Ac / <sup>212</sup>Ac / <sup>213</sup>Ac / <sup>214</sup>Ac / <sup>215</sup>Ac / <sup>216</sup>Ac / <sup>217</sup>Ac / <sup>218</sup>Ac / <sup>219</sup>Ac / <sup>220</sup>Ac / <sup>221</sup>Ac / <sup>211</sup>Th / <sup>212</sup>Th / <sup>213</sup>Th / <sup>214</sup>Th / <sup>215</sup>Th / <sup>216</sup>Th / <sup>217</sup>Th / <sup>218</sup>Th / <sup>219</sup>Th / <sup>220</sup>Th / <sup>221</sup>Th / <sup>222</sup>Th / <sup>223</sup>Th / <sup>216</sup>Pa / <sup>217</sup>Pa / <sup>218</sup>Pa / <sup>219</sup>Pa / <sup>220</sup>Pa / <sup>221</sup>Pa / <sup>222</sup>Pa / <sup>223</sup>Pa / <sup>224</sup>Pa / <sup>225</sup>Pa / <sup>226</sup>Pa / <sup>227</sup>Pa, E=1 GeV / nucleon; measured (fragment)(decay)-coin, fragment yields. Fragment separator. JOUR NIMAE 543 591
- <sup>220</sup>Th 2005LI17 NUCLEAR REACTIONS Be(<sup>238</sup>U, X)<sup>207</sup>Ac / <sup>208</sup>Ac / <sup>209</sup>Ac / <sup>210</sup>Ac / <sup>211</sup>Ac / <sup>212</sup>Ac / <sup>213</sup>Ac / <sup>214</sup>Ac / <sup>215</sup>Ac / <sup>216</sup>Ac / <sup>217</sup>Ac / <sup>218</sup>Ac / <sup>219</sup>Ac / <sup>220</sup>Ac / <sup>221</sup>Ac / <sup>211</sup>Th / <sup>212</sup>Th / <sup>213</sup>Th / <sup>214</sup>Th / <sup>215</sup>Th / <sup>216</sup>Th / <sup>217</sup>Th / <sup>218</sup>Th / <sup>219</sup>Th / <sup>220</sup>Th / <sup>221</sup>Th / <sup>222</sup>Th / <sup>223</sup>Th / <sup>216</sup>Pa / <sup>217</sup>Pa / <sup>218</sup>Pa / <sup>219</sup>Pa / <sup>220</sup>Pa / <sup>221</sup>Pa / <sup>222</sup>Pa / <sup>223</sup>Pa / <sup>224</sup>Pa / <sup>225</sup>Pa / <sup>226</sup>Pa / <sup>227</sup>Pa, E=1 GeV / nucleon; measured (fragment)(decay)-coin, fragment yields. Fragment separator. JOUR NIMAE 543 591

**A=220 (continued)**

<sup>220</sup>Pa 2005LI17 NUCLEAR REACTIONS Be(<sup>238</sup>U, X)<sup>207</sup>Ac / <sup>208</sup>Ac / <sup>209</sup>Ac / <sup>210</sup>Ac / <sup>211</sup>Ac / <sup>212</sup>Ac / <sup>213</sup>Ac / <sup>214</sup>Ac / <sup>215</sup>Ac / <sup>216</sup>Ac / <sup>217</sup>Ac / <sup>218</sup>Ac / <sup>219</sup>Ac / <sup>220</sup>Ac / <sup>221</sup>Ac / <sup>211</sup>Th / <sup>212</sup>Th / <sup>213</sup>Th / <sup>214</sup>Th / <sup>215</sup>Th / <sup>216</sup>Th / <sup>217</sup>Th / <sup>218</sup>Th / <sup>219</sup>Th / <sup>220</sup>Th / <sup>221</sup>Th / <sup>222</sup>Th / <sup>223</sup>Th / <sup>216</sup>Pa / <sup>217</sup>Pa / <sup>218</sup>Pa / <sup>219</sup>Pa / <sup>220</sup>Pa / <sup>221</sup>Pa / <sup>222</sup>Pa / <sup>223</sup>Pa / <sup>224</sup>Pa / <sup>225</sup>Pa / <sup>226</sup>Pa / <sup>227</sup>Pa, E=1 GeV / nucleon; measured (fragment)(decay)-coin, fragment yields. Fragment separator. JOUR NIMAE 543 591

**A=221**

<sup>221</sup>At 2005LIZZ ATOMIC MASSES <sup>205</sup>Tl, <sup>220,221,222</sup>At, <sup>220,221,222,223</sup>Rn, <sup>223,224,225</sup>Fr, <sup>223,224,225,226,227,229,230,231</sup>Ra, <sup>227,229,230,231</sup>Ac, <sup>230,231</sup>Th, <sup>232</sup>U; measured masses. Schottky mass spectrometry, <sup>238</sup>U fragmentation. REPT GSI 2005-1,P79,Litvinov

<sup>221</sup>Rn 2005LIZZ ATOMIC MASSES <sup>205</sup>Tl, <sup>220,221,222</sup>At, <sup>220,221,222,223</sup>Rn, <sup>223,224,225</sup>Fr, <sup>223,224,225,226,227,229,230,231</sup>Ra, <sup>227,229,230,231</sup>Ac, <sup>230,231</sup>Th, <sup>232</sup>U; measured masses. Schottky mass spectrometry, <sup>238</sup>U fragmentation. REPT GSI 2005-1,P79,Litvinov

<sup>221</sup>Ac 2005LI17 NUCLEAR REACTIONS Be(<sup>238</sup>U, X)<sup>207</sup>Ac / <sup>208</sup>Ac / <sup>209</sup>Ac / <sup>210</sup>Ac / <sup>211</sup>Ac / <sup>212</sup>Ac / <sup>213</sup>Ac / <sup>214</sup>Ac / <sup>215</sup>Ac / <sup>216</sup>Ac / <sup>217</sup>Ac / <sup>218</sup>Ac / <sup>219</sup>Ac / <sup>220</sup>Ac / <sup>221</sup>Ac / <sup>211</sup>Th / <sup>212</sup>Th / <sup>213</sup>Th / <sup>214</sup>Th / <sup>215</sup>Th / <sup>216</sup>Th / <sup>217</sup>Th / <sup>218</sup>Th / <sup>219</sup>Th / <sup>220</sup>Th / <sup>221</sup>Th / <sup>222</sup>Th / <sup>223</sup>Th / <sup>216</sup>Pa / <sup>217</sup>Pa / <sup>218</sup>Pa / <sup>219</sup>Pa / <sup>220</sup>Pa / <sup>221</sup>Pa / <sup>222</sup>Pa / <sup>223</sup>Pa / <sup>224</sup>Pa / <sup>225</sup>Pa / <sup>226</sup>Pa / <sup>227</sup>Pa, E=1 GeV / nucleon; measured (fragment)(decay)-coin, fragment yields. Fragment separator. JOUR NIMAE 543 591

<sup>221</sup>Th 2005LI17 NUCLEAR REACTIONS Be(<sup>238</sup>U, X)<sup>207</sup>Ac / <sup>208</sup>Ac / <sup>209</sup>Ac / <sup>210</sup>Ac / <sup>211</sup>Ac / <sup>212</sup>Ac / <sup>213</sup>Ac / <sup>214</sup>Ac / <sup>215</sup>Ac / <sup>216</sup>Ac / <sup>217</sup>Ac / <sup>218</sup>Ac / <sup>219</sup>Ac / <sup>220</sup>Ac / <sup>221</sup>Ac / <sup>211</sup>Th / <sup>212</sup>Th / <sup>213</sup>Th / <sup>214</sup>Th / <sup>215</sup>Th / <sup>216</sup>Th / <sup>217</sup>Th / <sup>218</sup>Th / <sup>219</sup>Th / <sup>220</sup>Th / <sup>221</sup>Th / <sup>222</sup>Th / <sup>223</sup>Th / <sup>216</sup>Pa / <sup>217</sup>Pa / <sup>218</sup>Pa / <sup>219</sup>Pa / <sup>220</sup>Pa / <sup>221</sup>Pa / <sup>222</sup>Pa / <sup>223</sup>Pa / <sup>224</sup>Pa / <sup>225</sup>Pa / <sup>226</sup>Pa / <sup>227</sup>Pa, E=1 GeV / nucleon; measured (fragment)(decay)-coin, fragment yields. Fragment separator. JOUR NIMAE 543 591

2005LI17 RADIOACTIVITY <sup>216,217,221,222</sup>Th, <sup>216</sup>Ac, <sup>215</sup>Ra, <sup>214</sup>Fr, <sup>213</sup>Rn( $\alpha$ ) [from Be(<sup>238</sup>U, X) and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>. Fragment separator. JOUR NIMAE 543 591

<sup>221</sup>Pa 2005LI17 NUCLEAR REACTIONS Be(<sup>238</sup>U, X)<sup>207</sup>Ac / <sup>208</sup>Ac / <sup>209</sup>Ac / <sup>210</sup>Ac / <sup>211</sup>Ac / <sup>212</sup>Ac / <sup>213</sup>Ac / <sup>214</sup>Ac / <sup>215</sup>Ac / <sup>216</sup>Ac / <sup>217</sup>Ac / <sup>218</sup>Ac / <sup>219</sup>Ac / <sup>220</sup>Ac / <sup>221</sup>Ac / <sup>211</sup>Th / <sup>212</sup>Th / <sup>213</sup>Th / <sup>214</sup>Th / <sup>215</sup>Th / <sup>216</sup>Th / <sup>217</sup>Th / <sup>218</sup>Th / <sup>219</sup>Th / <sup>220</sup>Th / <sup>221</sup>Th / <sup>222</sup>Th / <sup>223</sup>Th / <sup>216</sup>Pa / <sup>217</sup>Pa / <sup>218</sup>Pa / <sup>219</sup>Pa / <sup>220</sup>Pa / <sup>221</sup>Pa / <sup>222</sup>Pa / <sup>223</sup>Pa / <sup>224</sup>Pa / <sup>225</sup>Pa / <sup>226</sup>Pa / <sup>227</sup>Pa, E=1 GeV / nucleon; measured (fragment)(decay)-coin, fragment yields. Fragment separator. JOUR NIMAE 543 591

**A=222**

- <sup>222</sup>At 2005LIZZ ATOMIC MASSES <sup>205</sup>Tl, <sup>220,221,222</sup>At, <sup>220,221,222,223</sup>Rn, <sup>223,224,225</sup>Fr, <sup>223,224,225,226,227,229,230,231</sup>Ra, <sup>227,229,230,231</sup>Ac, <sup>230,231</sup>Th, <sup>232</sup>U; measured masses. Schottky mass spectrometry, <sup>238</sup>U fragmentation. REPT GSI 2005-1,P79,Litvinov
- <sup>222</sup>Rn 2004KU35 RADIOACTIVITY <sup>238</sup>Pu, <sup>226</sup>Ra( $\alpha$ ); <sup>152</sup>Eu(EC); measured low-energy electron spectra, angular distributions, (electron) $\alpha$ -, (electron) $\gamma$ -, (electron)(X-ray)-coin. JOUR BRSPE 68 1358
- 2005LIZZ ATOMIC MASSES <sup>205</sup>Tl, <sup>220,221,222</sup>At, <sup>220,221,222,223</sup>Rn, <sup>223,224,225</sup>Fr, <sup>223,224,225,226,227,229,230,231</sup>Ra, <sup>227,229,230,231</sup>Ac, <sup>230,231</sup>Th, <sup>232</sup>U; measured masses. Schottky mass spectrometry, <sup>238</sup>U fragmentation. REPT GSI 2005-1,P79,Litvinov
- <sup>222</sup>Th 2005LI17 NUCLEAR REACTIONS Be(<sup>238</sup>U, X)<sup>207</sup>Ac / <sup>208</sup>Ac / <sup>209</sup>Ac / <sup>210</sup>Ac / <sup>211</sup>Ac / <sup>212</sup>Ac / <sup>213</sup>Ac / <sup>214</sup>Ac / <sup>215</sup>Ac / <sup>216</sup>Ac / <sup>217</sup>Ac / <sup>218</sup>Ac / <sup>219</sup>Ac / <sup>220</sup>Ac / <sup>221</sup>Ac / <sup>211</sup>Th / <sup>212</sup>Th / <sup>213</sup>Th / <sup>214</sup>Th / <sup>215</sup>Th / <sup>216</sup>Th / <sup>217</sup>Th / <sup>218</sup>Th / <sup>219</sup>Th / <sup>220</sup>Th / <sup>221</sup>Th / <sup>222</sup>Th / <sup>223</sup>Th / <sup>216</sup>Pa / <sup>217</sup>Pa / <sup>218</sup>Pa / <sup>219</sup>Pa / <sup>220</sup>Pa / <sup>221</sup>Pa / <sup>222</sup>Pa / <sup>223</sup>Pa / <sup>224</sup>Pa / <sup>225</sup>Pa / <sup>226</sup>Pa / <sup>227</sup>Pa, E=1 GeV / nucleon; measured (fragment)(decay)-coin, fragment yields. Fragment separator. JOUR NIMAE 543 591
- 2005LI17 RADIOACTIVITY <sup>216,217,221,222</sup>Th, <sup>216</sup>Ac, <sup>215</sup>Ra, <sup>214</sup>Fr, <sup>213</sup>Rn( $\alpha$ ) [from Be(<sup>238</sup>U, X) and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>. Fragment separator. JOUR NIMAE 543 591
- <sup>222</sup>Pa 2005LI17 NUCLEAR REACTIONS Be(<sup>238</sup>U, X)<sup>207</sup>Ac / <sup>208</sup>Ac / <sup>209</sup>Ac / <sup>210</sup>Ac / <sup>211</sup>Ac / <sup>212</sup>Ac / <sup>213</sup>Ac / <sup>214</sup>Ac / <sup>215</sup>Ac / <sup>216</sup>Ac / <sup>217</sup>Ac / <sup>218</sup>Ac / <sup>219</sup>Ac / <sup>220</sup>Ac / <sup>221</sup>Ac / <sup>211</sup>Th / <sup>212</sup>Th / <sup>213</sup>Th / <sup>214</sup>Th / <sup>215</sup>Th / <sup>216</sup>Th / <sup>217</sup>Th / <sup>218</sup>Th / <sup>219</sup>Th / <sup>220</sup>Th / <sup>221</sup>Th / <sup>222</sup>Th / <sup>223</sup>Th / <sup>216</sup>Pa / <sup>217</sup>Pa / <sup>218</sup>Pa / <sup>219</sup>Pa / <sup>220</sup>Pa / <sup>221</sup>Pa / <sup>222</sup>Pa / <sup>223</sup>Pa / <sup>224</sup>Pa / <sup>225</sup>Pa / <sup>226</sup>Pa / <sup>227</sup>Pa, E=1 GeV / nucleon; measured (fragment)(decay)-coin, fragment yields. Fragment separator. JOUR NIMAE 543 591

**A=223**

- <sup>223</sup>Rn 2005LIZZ ATOMIC MASSES <sup>205</sup>Tl, <sup>220,221,222</sup>At, <sup>220,221,222,223</sup>Rn, <sup>223,224,225</sup>Fr, <sup>223,224,225,226,227,229,230,231</sup>Ra, <sup>227,229,230,231</sup>Ac, <sup>230,231</sup>Th, <sup>232</sup>U; measured masses. Schottky mass spectrometry, <sup>238</sup>U fragmentation. REPT GSI 2005-1,P79,Litvinov
- <sup>223</sup>Fr 2005LIZZ ATOMIC MASSES <sup>205</sup>Tl, <sup>220,221,222</sup>At, <sup>220,221,222,223</sup>Rn, <sup>223,224,225</sup>Fr, <sup>223,224,225,226,227,229,230,231</sup>Ra, <sup>227,229,230,231</sup>Ac, <sup>230,231</sup>Th, <sup>232</sup>U; measured masses. Schottky mass spectrometry, <sup>238</sup>U fragmentation. REPT GSI 2005-1,P79,Litvinov
- <sup>223</sup>Ra 2005JOZY RADIOACTIVITY <sup>227,228</sup>Th, <sup>223,224</sup>Ra( $\alpha$ ); measured E $\gamma$ ,  $\alpha\gamma$ -coin,  $\gamma$ -ray linear polarization. CONF Argonne(Nuclei at the Limits),P348,Jones
- 2005LIZZ ATOMIC MASSES <sup>205</sup>Tl, <sup>220,221,222</sup>At, <sup>220,221,222,223</sup>Rn, <sup>223,224,225</sup>Fr, <sup>223,224,225,226,227,229,230,231</sup>Ra, <sup>227,229,230,231</sup>Ac, <sup>230,231</sup>Th, <sup>232</sup>U; measured masses. Schottky mass spectrometry, <sup>238</sup>U fragmentation. REPT GSI 2005-1,P79,Litvinov

**A=223 (continued)**

- <sup>223</sup>Th 2005LI17 NUCLEAR REACTIONS Be(<sup>238</sup>U, X)<sup>207</sup>Ac / <sup>208</sup>Ac / <sup>209</sup>Ac / <sup>210</sup>Ac / <sup>211</sup>Ac / <sup>212</sup>Ac / <sup>213</sup>Ac / <sup>214</sup>Ac / <sup>215</sup>Ac / <sup>216</sup>Ac / <sup>217</sup>Ac / <sup>218</sup>Ac / <sup>219</sup>Ac / <sup>220</sup>Ac / <sup>221</sup>Ac / <sup>211</sup>Th / <sup>212</sup>Th / <sup>213</sup>Th / <sup>214</sup>Th / <sup>215</sup>Th / <sup>216</sup>Th / <sup>217</sup>Th / <sup>218</sup>Th / <sup>219</sup>Th / <sup>220</sup>Th / <sup>221</sup>Th / <sup>222</sup>Th / <sup>223</sup>Th / <sup>216</sup>Pa / <sup>217</sup>Pa / <sup>218</sup>Pa / <sup>219</sup>Pa / <sup>220</sup>Pa / <sup>221</sup>Pa / <sup>222</sup>Pa / <sup>223</sup>Pa / <sup>224</sup>Pa / <sup>225</sup>Pa / <sup>226</sup>Pa / <sup>227</sup>Pa, E=1 GeV / nucleon; measured (fragment)(decay)-coin, fragment yields. Fragment separator. JOUR NIMAE 543 591
- <sup>223</sup>Pa 2005LI17 NUCLEAR REACTIONS Be(<sup>238</sup>U, X)<sup>207</sup>Ac / <sup>208</sup>Ac / <sup>209</sup>Ac / <sup>210</sup>Ac / <sup>211</sup>Ac / <sup>212</sup>Ac / <sup>213</sup>Ac / <sup>214</sup>Ac / <sup>215</sup>Ac / <sup>216</sup>Ac / <sup>217</sup>Ac / <sup>218</sup>Ac / <sup>219</sup>Ac / <sup>220</sup>Ac / <sup>221</sup>Ac / <sup>211</sup>Th / <sup>212</sup>Th / <sup>213</sup>Th / <sup>214</sup>Th / <sup>215</sup>Th / <sup>216</sup>Th / <sup>217</sup>Th / <sup>218</sup>Th / <sup>219</sup>Th / <sup>220</sup>Th / <sup>221</sup>Th / <sup>222</sup>Th / <sup>223</sup>Th / <sup>216</sup>Pa / <sup>217</sup>Pa / <sup>218</sup>Pa / <sup>219</sup>Pa / <sup>220</sup>Pa / <sup>221</sup>Pa / <sup>222</sup>Pa / <sup>223</sup>Pa / <sup>224</sup>Pa / <sup>225</sup>Pa / <sup>226</sup>Pa / <sup>227</sup>Pa, E=1 GeV / nucleon; measured (fragment)(decay)-coin, fragment yields. Fragment separator. JOUR NIMAE 543 591

**A=224**

- <sup>224</sup>Fr 2005LIZZ ATOMIC MASSES <sup>205</sup>Tl, <sup>220,221,222</sup>At, <sup>220,221,222,223</sup>Rn, <sup>223,224,225</sup>Fr, <sup>223,224,225,226,227,229,230,231</sup>Ra, <sup>227,229,230,231</sup>Ac, <sup>230,231</sup>Th, <sup>232</sup>U; measured masses. Schottky mass spectrometry, <sup>238</sup>U fragmentation. REPT GSI 2005-1,P79,Litvinov
- <sup>224</sup>Ra 2005JOZY RADIOACTIVITY <sup>227,228</sup>Th, <sup>223,224</sup>Ra( $\alpha$ ); measured E $\gamma$ ,  $\alpha\gamma$ -coin,  $\gamma$ -ray linear polarization. CONF Argonne(Nuclei at the Limits),P348,Jones
- 2005LIZZ ATOMIC MASSES <sup>205</sup>Tl, <sup>220,221,222</sup>At, <sup>220,221,222,223</sup>Rn, <sup>223,224,225</sup>Fr, <sup>223,224,225,226,227,229,230,231</sup>Ra, <sup>227,229,230,231</sup>Ac, <sup>230,231</sup>Th, <sup>232</sup>U; measured masses. Schottky mass spectrometry, <sup>238</sup>U fragmentation. REPT GSI 2005-1,P79,Litvinov
- <sup>224</sup>Th 2005SE03 NUCLEAR REACTIONS <sup>176</sup>Yb(<sup>48</sup>Ca, X), E=206, 219, 256, 259 MeV; measured E $\gamma$ , I $\gamma$ , (evaporation residue) $\gamma$ -coin,  $\gamma$ -ray multiplicity and sum energy, fusion and evaporation residue  $\sigma$ . <sup>224</sup>Th deduced GDR parameters. Comparison with model predictions. JOUR NUPAB 750 245
- <sup>224</sup>Pa 2005LI17 NUCLEAR REACTIONS Be(<sup>238</sup>U, X)<sup>207</sup>Ac / <sup>208</sup>Ac / <sup>209</sup>Ac / <sup>210</sup>Ac / <sup>211</sup>Ac / <sup>212</sup>Ac / <sup>213</sup>Ac / <sup>214</sup>Ac / <sup>215</sup>Ac / <sup>216</sup>Ac / <sup>217</sup>Ac / <sup>218</sup>Ac / <sup>219</sup>Ac / <sup>220</sup>Ac / <sup>221</sup>Ac / <sup>211</sup>Th / <sup>212</sup>Th / <sup>213</sup>Th / <sup>214</sup>Th / <sup>215</sup>Th / <sup>216</sup>Th / <sup>217</sup>Th / <sup>218</sup>Th / <sup>219</sup>Th / <sup>220</sup>Th / <sup>221</sup>Th / <sup>222</sup>Th / <sup>223</sup>Th / <sup>216</sup>Pa / <sup>217</sup>Pa / <sup>218</sup>Pa / <sup>219</sup>Pa / <sup>220</sup>Pa / <sup>221</sup>Pa / <sup>222</sup>Pa / <sup>223</sup>Pa / <sup>224</sup>Pa / <sup>225</sup>Pa / <sup>226</sup>Pa / <sup>227</sup>Pa, E=1 GeV / nucleon; measured (fragment)(decay)-coin, fragment yields. Fragment separator. JOUR NIMAE 543 591

**A=225**

- <sup>225</sup>Fr 2005LIZZ ATOMIC MASSES <sup>205</sup>Tl, <sup>220,221,222</sup>At, <sup>220,221,222,223</sup>Rn, <sup>223,224,225</sup>Fr, <sup>223,224,225,226,227,229,230,231</sup>Ra, <sup>227,229,230,231</sup>Ac, <sup>230,231</sup>Th, <sup>232</sup>U; measured masses. Schottky mass spectrometry, <sup>238</sup>U fragmentation. REPT GSI 2005-1,P79,Litvinov

**A=225 (continued)**

- <sup>225</sup>Ra 2005LIZZ ATOMIC MASSES <sup>205</sup>Tl, <sup>220,221,222</sup>At, <sup>220,221,222,223</sup>Rn, <sup>223,224,225</sup>Fr, <sup>223,224,225,226,227,229,230,231</sup>Ra, <sup>227,229,230,231</sup>Ac, <sup>230,231</sup>Th, <sup>232</sup>U; measured masses. Schottky mass spectrometry, <sup>238</sup>U fragmentation. REPT GSI 2005-1,P79,Litvinov
- <sup>225</sup>Pa 2005LI17 NUCLEAR REACTIONS Be(<sup>238</sup>U, X)<sup>207</sup>Ac / <sup>208</sup>Ac / <sup>209</sup>Ac / <sup>210</sup>Ac / <sup>211</sup>Ac / <sup>212</sup>Ac / <sup>213</sup>Ac / <sup>214</sup>Ac / <sup>215</sup>Ac / <sup>216</sup>Ac / <sup>217</sup>Ac / <sup>218</sup>Ac / <sup>219</sup>Ac / <sup>220</sup>Ac / <sup>221</sup>Ac / <sup>211</sup>Th / <sup>212</sup>Th / <sup>213</sup>Th / <sup>214</sup>Th / <sup>215</sup>Th / <sup>216</sup>Th / <sup>217</sup>Th / <sup>218</sup>Th / <sup>219</sup>Th / <sup>220</sup>Th / <sup>221</sup>Th / <sup>222</sup>Th / <sup>223</sup>Th / <sup>216</sup>Pa / <sup>217</sup>Pa / <sup>218</sup>Pa / <sup>219</sup>Pa / <sup>220</sup>Pa / <sup>221</sup>Pa / <sup>222</sup>Pa / <sup>223</sup>Pa / <sup>224</sup>Pa / <sup>225</sup>Pa / <sup>226</sup>Pa / <sup>227</sup>Pa, E=1 GeV / nucleon; measured (fragment)(decay)-coin, fragment yields. Fragment separator. JOUR NIMAE 543 591

**A=226**

- <sup>226</sup>Ra 2004KU35 RADIOACTIVITY <sup>238</sup>Pu, <sup>226</sup>Ra( $\alpha$ ); <sup>152</sup>Eu(EC); measured low-energy electron spectra, angular distributions, (electron) $\alpha$ -, (electron) $\gamma$ -, (electron)(X-ray)-coin. JOUR BRSPE 68 1358
- 2005LIZZ ATOMIC MASSES <sup>205</sup>Tl, <sup>220,221,222</sup>At, <sup>220,221,222,223</sup>Rn, <sup>223,224,225</sup>Fr, <sup>223,224,225,226,227,229,230,231</sup>Ra, <sup>227,229,230,231</sup>Ac, <sup>230,231</sup>Th, <sup>232</sup>U; measured masses. Schottky mass spectrometry, <sup>238</sup>U fragmentation. REPT GSI 2005-1,P79,Litvinov
- <sup>226</sup>Pa 2005LI17 NUCLEAR REACTIONS Be(<sup>238</sup>U, X)<sup>207</sup>Ac / <sup>208</sup>Ac / <sup>209</sup>Ac / <sup>210</sup>Ac / <sup>211</sup>Ac / <sup>212</sup>Ac / <sup>213</sup>Ac / <sup>214</sup>Ac / <sup>215</sup>Ac / <sup>216</sup>Ac / <sup>217</sup>Ac / <sup>218</sup>Ac / <sup>219</sup>Ac / <sup>220</sup>Ac / <sup>221</sup>Ac / <sup>211</sup>Th / <sup>212</sup>Th / <sup>213</sup>Th / <sup>214</sup>Th / <sup>215</sup>Th / <sup>216</sup>Th / <sup>217</sup>Th / <sup>218</sup>Th / <sup>219</sup>Th / <sup>220</sup>Th / <sup>221</sup>Th / <sup>222</sup>Th / <sup>223</sup>Th / <sup>216</sup>Pa / <sup>217</sup>Pa / <sup>218</sup>Pa / <sup>219</sup>Pa / <sup>220</sup>Pa / <sup>221</sup>Pa / <sup>222</sup>Pa / <sup>223</sup>Pa / <sup>224</sup>Pa / <sup>225</sup>Pa / <sup>226</sup>Pa / <sup>227</sup>Pa, E=1 GeV / nucleon; measured (fragment)(decay)-coin, fragment yields. Fragment separator. JOUR NIMAE 543 591

**A=227**

- <sup>227</sup>Ra 2005LIZZ ATOMIC MASSES <sup>205</sup>Tl, <sup>220,221,222</sup>At, <sup>220,221,222,223</sup>Rn, <sup>223,224,225</sup>Fr, <sup>223,224,225,226,227,229,230,231</sup>Ra, <sup>227,229,230,231</sup>Ac, <sup>230,231</sup>Th, <sup>232</sup>U; measured masses. Schottky mass spectrometry, <sup>238</sup>U fragmentation. REPT GSI 2005-1,P79,Litvinov
- <sup>227</sup>Ac 2005LIZZ ATOMIC MASSES <sup>205</sup>Tl, <sup>220,221,222</sup>At, <sup>220,221,222,223</sup>Rn, <sup>223,224,225</sup>Fr, <sup>223,224,225,226,227,229,230,231</sup>Ra, <sup>227,229,230,231</sup>Ac, <sup>230,231</sup>Th, <sup>232</sup>U; measured masses. Schottky mass spectrometry, <sup>238</sup>U fragmentation. REPT GSI 2005-1,P79,Litvinov
- <sup>227</sup>Th 2005JOZY RADIOACTIVITY <sup>227,228</sup>Th, <sup>223,224</sup>Ra( $\alpha$ ); measured E $\gamma$ ,  $\alpha\gamma$ -coin,  $\gamma$ -ray linear polarization. CONF Argonne(Nuclei at the Limits),P348,Jones

**A=227 (continued)**

<sup>227</sup>Pa 2005LI17 NUCLEAR REACTIONS Be(<sup>238</sup>U, X)<sup>207</sup>Ac / <sup>208</sup>Ac / <sup>209</sup>Ac / <sup>210</sup>Ac / <sup>211</sup>Ac / <sup>212</sup>Ac / <sup>213</sup>Ac / <sup>214</sup>Ac / <sup>215</sup>Ac / <sup>216</sup>Ac / <sup>217</sup>Ac / <sup>218</sup>Ac / <sup>219</sup>Ac / <sup>220</sup>Ac / <sup>221</sup>Ac / <sup>211</sup>Th / <sup>212</sup>Th / <sup>213</sup>Th / <sup>214</sup>Th / <sup>215</sup>Th / <sup>216</sup>Th / <sup>217</sup>Th / <sup>218</sup>Th / <sup>219</sup>Th / <sup>220</sup>Th / <sup>221</sup>Th / <sup>222</sup>Th / <sup>223</sup>Th / <sup>216</sup>Pa / <sup>217</sup>Pa / <sup>218</sup>Pa / <sup>219</sup>Pa / <sup>220</sup>Pa / <sup>221</sup>Pa / <sup>222</sup>Pa / <sup>223</sup>Pa / <sup>224</sup>Pa / <sup>225</sup>Pa / <sup>226</sup>Pa / <sup>227</sup>Pa, E=1 GeV / nucleon; measured (fragment)(decay)-coin, fragment yields. Fragment separator. JOUR NIMAE 543 591

**A=228**

<sup>228</sup>Th 2005JOZY RADIOACTIVITY <sup>227,228</sup>Th, <sup>223,224</sup>Ra( $\alpha$ ); measured E $\gamma$ ,  $\alpha\gamma$ -coin,  $\gamma$ -ray linear polarization. CONF Argonne(Nuclei at the Limits),P348,Jones

2005PAZW NUCLEAR REACTIONS <sup>207</sup>Pb(n, 2n), E < 20 MeV; <sup>232</sup>Th(n, 5n), E=29-42 MeV; measured E $\gamma$ , I $\gamma$ . <sup>207</sup>Pb(n, 2n), E=8-24 MeV; calculated  $\sigma$ . CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol1,P876

**A=229**

<sup>229</sup>Ra 2005HE26 ATOMIC MASSES <sup>229,230,231,232</sup>Ra, <sup>230</sup>Fr; measured masses. Penning trap mass spectrometer. JOUR ZAANE 25 s01 17

2005LIZZ ATOMIC MASSES <sup>205</sup>Tl, <sup>220,221,222</sup>At, <sup>220,221,222,223</sup>Rn, <sup>223,224,225</sup>Fr, <sup>223,224,225,226,227,229,230,231</sup>Ra, <sup>227,229,230,231</sup>Ac, <sup>230,231</sup>Th, <sup>232</sup>U; measured masses. Schottky mass spectrometry, <sup>238</sup>U fragmentation. REPT GSI 2005-1,P79,Litvinov

<sup>229</sup>Ac 2005LIZZ ATOMIC MASSES <sup>205</sup>Tl, <sup>220,221,222</sup>At, <sup>220,221,222,223</sup>Rn, <sup>223,224,225</sup>Fr, <sup>223,224,225,226,227,229,230,231</sup>Ra, <sup>227,229,230,231</sup>Ac, <sup>230,231</sup>Th, <sup>232</sup>U; measured masses. Schottky mass spectrometry, <sup>238</sup>U fragmentation. REPT GSI 2005-1,P79,Litvinov

<sup>229</sup>Np 2002AS08 RADIOACTIVITY <sup>235,236</sup>Am(EC) [from <sup>233,235</sup>U(<sup>6</sup>Li, xn)]; measured prompt and delayed E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin; deduced log ft. <sup>235,236</sup>Pu deduced levels, J,  $\pi$ , configurations. <sup>233,234,235,236</sup>Am, <sup>237,238</sup>Cm( $\alpha$ ) [from <sup>233,235</sup>U, <sup>237</sup>Np(<sup>6</sup>Li, xn)]; measured E $\alpha$ , T<sub>1/2</sub>. Isotope separator. JOUR JNRS A 3,No 1,187

**A=230**

<sup>230</sup>Fr 2005HE26 ATOMIC MASSES <sup>229,230,231,232</sup>Ra, <sup>230</sup>Fr; measured masses. Penning trap mass spectrometer. JOUR ZAANE 25 s01 17

<sup>230</sup>Ra 2005HE26 ATOMIC MASSES <sup>229,230,231,232</sup>Ra, <sup>230</sup>Fr; measured masses. Penning trap mass spectrometer. JOUR ZAANE 25 s01 17

2005LIZZ ATOMIC MASSES <sup>205</sup>Tl, <sup>220,221,222</sup>At, <sup>220,221,222,223</sup>Rn, <sup>223,224,225</sup>Fr, <sup>223,224,225,226,227,229,230,231</sup>Ra, <sup>227,229,230,231</sup>Ac, <sup>230,231</sup>Th, <sup>232</sup>U; measured masses. Schottky mass spectrometry, <sup>238</sup>U fragmentation. REPT GSI 2005-1,P79,Litvinov

**A=230 (continued)**

- <sup>230</sup>Ac 2005LIZZ ATOMIC MASSES <sup>205</sup>Tl, <sup>220,221,222</sup>At, <sup>220,221,222,223</sup>Rn, <sup>223,224,225</sup>Fr, <sup>223,224,225,226,227,229,230,231</sup>Ra, <sup>227,229,230,231</sup>Ac, <sup>230,231</sup>Th, <sup>232</sup>U; measured masses. Schottky mass spectrometry, <sup>238</sup>U fragmentation. REPT GSI 2005-1,P79,Litvinov
- <sup>230</sup>Th 2005LIZZ ATOMIC MASSES <sup>205</sup>Tl, <sup>220,221,222</sup>At, <sup>220,221,222,223</sup>Rn, <sup>223,224,225</sup>Fr, <sup>223,224,225,226,227,229,230,231</sup>Ra, <sup>227,229,230,231</sup>Ac, <sup>230,231</sup>Th, <sup>232</sup>U; measured masses. Schottky mass spectrometry, <sup>238</sup>U fragmentation. REPT GSI 2005-1,P79,Litvinov
- 2005P002 RADIOACTIVITY <sup>234,235,238</sup>U( $\alpha$ ); measured E $\alpha$ , I $\alpha$  from thick source. Comparison with model predictions. JOUR RMEAE 39 565
- <sup>230</sup>Np 2002AS08 RADIOACTIVITY <sup>235,236</sup>Am(EC) [from <sup>233,235</sup>U(<sup>6</sup>Li, xn)]; measured prompt and delayed E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin; deduced log ft. <sup>235,236</sup>Pu deduced levels, J,  $\pi$ , configurations. <sup>233,234,235,236</sup>Am, <sup>237,238</sup>Cm( $\alpha$ ) [from <sup>233,235</sup>U, <sup>237</sup>Np(<sup>6</sup>Li, xn)]; measured E $\alpha$ , T<sub>1/2</sub>. Isotope separator. JOUR JNRS A 3, No 1, 187

**A=231**

- <sup>231</sup>Ra 2005HE26 ATOMIC MASSES <sup>229,230,231,232</sup>Ra, <sup>230</sup>Fr; measured masses. Penning trap mass spectrometer. JOUR ZAANE 25 s01 17
- 2005LIZZ ATOMIC MASSES <sup>205</sup>Tl, <sup>220,221,222</sup>At, <sup>220,221,222,223</sup>Rn, <sup>223,224,225</sup>Fr, <sup>223,224,225,226,227,229,230,231</sup>Ra, <sup>227,229,230,231</sup>Ac, <sup>230,231</sup>Th, <sup>232</sup>U; measured masses. Schottky mass spectrometry, <sup>238</sup>U fragmentation. REPT GSI 2005-1,P79,Litvinov
- <sup>231</sup>Ac 2005LIZZ ATOMIC MASSES <sup>205</sup>Tl, <sup>220,221,222</sup>At, <sup>220,221,222,223</sup>Rn, <sup>223,224,225</sup>Fr, <sup>223,224,225,226,227,229,230,231</sup>Ra, <sup>227,229,230,231</sup>Ac, <sup>230,231</sup>Th, <sup>232</sup>U; measured masses. Schottky mass spectrometry, <sup>238</sup>U fragmentation. REPT GSI 2005-1,P79,Litvinov
- <sup>231</sup>Th 2005GA36 RADIOACTIVITY <sup>235</sup>U( $\alpha$ ); measured E $\alpha$ , I $\alpha$ ; deduced emission probabilities. JOUR NIMAE 550 581
- 2005LIZZ ATOMIC MASSES <sup>205</sup>Tl, <sup>220,221,222</sup>At, <sup>220,221,222,223</sup>Rn, <sup>223,224,225</sup>Fr, <sup>223,224,225,226,227,229,230,231</sup>Ra, <sup>227,229,230,231</sup>Ac, <sup>230,231</sup>Th, <sup>232</sup>U; measured masses. Schottky mass spectrometry, <sup>238</sup>U fragmentation. REPT GSI 2005-1,P79,Litvinov
- 2005P002 RADIOACTIVITY <sup>234,235,238</sup>U( $\alpha$ ); measured E $\alpha$ , I $\alpha$  from thick source. Comparison with model predictions. JOUR RMEAE 39 565
- <sup>231</sup>Np 2002AS08 RADIOACTIVITY <sup>235,236</sup>Am(EC) [from <sup>233,235</sup>U(<sup>6</sup>Li, xn)]; measured prompt and delayed E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin; deduced log ft. <sup>235,236</sup>Pu deduced levels, J,  $\pi$ , configurations. <sup>233,234,235,236</sup>Am, <sup>237,238</sup>Cm( $\alpha$ ) [from <sup>233,235</sup>U, <sup>237</sup>Np(<sup>6</sup>Li, xn)]; measured E $\alpha$ , T<sub>1/2</sub>. Isotope separator. JOUR JNRS A 3, No 1, 187

**A=232**

- <sup>232</sup>Ra 2005HE26 ATOMIC MASSES <sup>229,230,231,232</sup>Ra, <sup>230</sup>Fr; measured masses. Penning trap mass spectrometer. JOUR ZAANE 25 s01 17

**A=232 (continued)**

- <sup>232</sup>U 2005LIZZ ATOMIC MASSES <sup>205</sup>Tl, <sup>220,221,222</sup>At, <sup>220,221,222,223</sup>Rn, <sup>223,224,225</sup>Fr, <sup>223,224,225,226,227,229,230,231</sup>Ra, <sup>227,229,230,231</sup>Ac, <sup>230,231</sup>Th, <sup>232</sup>U; measured masses. Schottky mass spectrometry, <sup>238</sup>U fragmentation. REPT GSI 2005-1,P79,Litvinov
- <sup>232</sup>Np 2002AS08 RADIOACTIVITY <sup>235,236</sup>Am(EC) [from <sup>233,235</sup>U(<sup>6</sup>Li, xn)]; measured prompt and delayed E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin; deduced log ft. <sup>235,236</sup>Pu deduced levels, J,  $\pi$ , configurations. <sup>233,234,235,236</sup>Am, <sup>237,238</sup>Cm( $\alpha$ ) [from <sup>233,235</sup>U, <sup>237</sup>Np(<sup>6</sup>Li, xn)]; measured E $\alpha$ , T<sub>1/2</sub>. Isotope separator. JOUR JNRS A 3,No 1,187

**A=233**

- <sup>233</sup>Th 2004ADZW NUCLEAR REACTIONS <sup>209</sup>Bi(n, 4n), (n, 5n), (n, 6n), (n, 7n), (n, 9n), <sup>232</sup>Th(n,  $\gamma$ ), <sup>197</sup>Au(n, 2n), (n, 4n), (n, 6n), (n, 7n), (n,  $\gamma$ ), <sup>115</sup>In(n, 5n), (n, 6n), (n, 7n), <sup>59</sup>Co(n, 2n), (n, 3n), (n, 4n), (n, 5n), (n,  $\gamma$ ), (n, p), (n, 6n2p), E=spectrum; measured E $\gamma$ , I $\gamma$ ; deduced reaction rates. Pb(p, nX), E=1 GeV; deduced spallation neutron spectrum. REPT JINR-E1-2004-16,Adam
- 2004HA64 NUCLEAR REACTIONS <sup>232</sup>Th(n,  $\gamma$ ), E=0.05-2 MeV; <sup>230</sup>Th, <sup>231,233</sup>Pa(n, F), E=0.5-10 MeV; measured  $\sigma$ . Comparison with previous results. JOUR BJPHE 34 814
- 2005AD01 NUCLEAR REACTIONS <sup>209</sup>Bi(n, 4n), (n, 5n), (n, 6n), (n, 7n), (n, 9n), <sup>232</sup>Th(n,  $\gamma$ ), <sup>197</sup>Au(n, 2n), (n, 4n), (n, 6n), (n, 7n), (n,  $\gamma$ ), <sup>59</sup>Co(n, 2n), (n, 3n), (n, 4n), (n, 5n), (n, p), (n, 6n2p), <sup>115</sup>In(n, 5n), (n, 6n), (n, 7n), E=spectrum; measured E $\gamma$ , I $\gamma$ ; deduced reaction rates. Activation technique, spallation neutrons from 1 GeV proton beam, comparison with model predictions. JOUR ZAANE 23 61
- 2005AEZZ NUCLEAR REACTIONS <sup>232</sup>Th(n,  $\gamma$ ), E=0-1 MeV; measured capture  $\sigma$ ; deduced resonance parameters. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol2,P1470
- 2005MAZO NUCLEAR REACTIONS <sup>232</sup>Th(n,  $\gamma$ ), E=thermal; measured capture  $\sigma$ . Activation technique. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol2,P1466
- <sup>233</sup>Pu 2002AS08 RADIOACTIVITY <sup>235,236</sup>Am(EC) [from <sup>233,235</sup>U(<sup>6</sup>Li, xn)]; measured prompt and delayed E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin; deduced log ft. <sup>235,236</sup>Pu deduced levels, J,  $\pi$ , configurations. <sup>233,234,235,236</sup>Am, <sup>237,238</sup>Cm( $\alpha$ ) [from <sup>233,235</sup>U, <sup>237</sup>Np(<sup>6</sup>Li, xn)]; measured E $\alpha$ , T<sub>1/2</sub>. Isotope separator. JOUR JNRS A 3,No 1,187
- <sup>233</sup>Am 2002AS08 RADIOACTIVITY <sup>235,236</sup>Am(EC) [from <sup>233,235</sup>U(<sup>6</sup>Li, xn)]; measured prompt and delayed E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin; deduced log ft. <sup>235,236</sup>Pu deduced levels, J,  $\pi$ , configurations. <sup>233,234,235,236</sup>Am, <sup>237,238</sup>Cm( $\alpha$ ) [from <sup>233,235</sup>U, <sup>237</sup>Np(<sup>6</sup>Li, xn)]; measured E $\alpha$ , T<sub>1/2</sub>. Isotope separator. JOUR JNRS A 3,No 1,187



**A=234**

- <sup>234</sup>Th 2005CHZT NUCLEAR REACTIONS <sup>233</sup>Th(n,  $\gamma$ ), E=thermal; measured E $\gamma$ , I $\gamma$ ; deduced effective  $\sigma$ , resonance integral. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P664
- 2005P002 RADIOACTIVITY <sup>234,235,238</sup>U( $\alpha$ ); measured E $\alpha$ , I $\alpha$  from thick source. Comparison with model predictions. JOUR RMEAE 39 565
- <sup>234</sup>U 2004KU35 RADIOACTIVITY <sup>238</sup>Pu, <sup>226</sup>Ra( $\alpha$ ); <sup>152</sup>Eu(EC); measured low-energy electron spectra, angular distributions, (electron) $\alpha$ -, (electron) $\gamma$ -, (electron)(X-ray)-coin. JOUR BRSPE 68 1358
- 2005P002 RADIOACTIVITY <sup>234,235,238</sup>U( $\alpha$ ); measured E $\alpha$ , I $\alpha$  from thick source. Comparison with model predictions. JOUR RMEAE 39 565
- <sup>234</sup>Pu 2002AS08 RADIOACTIVITY <sup>235,236</sup>Am(EC) [from <sup>233,235</sup>U(<sup>6</sup>Li, xn)]; measured prompt and delayed E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin; deduced log ft. <sup>235,236</sup>Pu deduced levels, J,  $\pi$ , configurations. <sup>233,234,235,236</sup>Am, <sup>237,238</sup>Cm( $\alpha$ ) [from <sup>233,235</sup>U, <sup>237</sup>Np(<sup>6</sup>Li, xn)]; measured E $\alpha$ , T<sub>1/2</sub>. Isotope separator. JOUR JNRS A 3, No 1, 187
- <sup>234</sup>Am 2002AS08 RADIOACTIVITY <sup>235,236</sup>Am(EC) [from <sup>233,235</sup>U(<sup>6</sup>Li, xn)]; measured prompt and delayed E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin; deduced log ft. <sup>235,236</sup>Pu deduced levels, J,  $\pi$ , configurations. <sup>233,234,235,236</sup>Am, <sup>237,238</sup>Cm( $\alpha$ ) [from <sup>233,235</sup>U, <sup>237</sup>Np(<sup>6</sup>Li, xn)]; measured E $\alpha$ , T<sub>1/2</sub>. Isotope separator. JOUR JNRS A 3, No 1, 187

**A=235**

- <sup>235</sup>Ac 2005GEZW ATOMIC MASSES <sup>235</sup>Ac; measured mass, T<sub>1/2</sub>. 185,186,187,188,189,190,191,192,193,194,195,196Bi; measured masses, proton separation energies. <sup>207m</sup>Tl; measured T<sub>1/2</sub>. Stored beams, Schottky mass spectrometry. PREPRINT nucl-ex/0510009, 10/4/2005
- <sup>235</sup>U 2005GA36 RADIOACTIVITY <sup>235</sup>U( $\alpha$ ); measured E $\alpha$ , I $\alpha$ ; deduced emission probabilities. JOUR NIMAE 550 581
- 2005P002 RADIOACTIVITY <sup>234,235,238</sup>U( $\alpha$ ); measured E $\alpha$ , I $\alpha$  from thick source. Comparison with model predictions. JOUR RMEAE 39 565
- 2005WAZZ NUCLEAR REACTIONS <sup>235</sup>U(<sup>136</sup>Xe, <sup>136</sup>Xe'), E=720 MeV; <sup>235</sup>U(<sup>40</sup>Ar, <sup>40</sup>Ar'), E=180 MeV; measured E $\gamma$ , I $\gamma$ , (particle) $\gamma$ -coin following Coulomb excitation. <sup>235</sup>U deduced levels, J,  $\pi$ , configurations, transition quadrupole moments, rotational bands, Coriolis effects. Gammasphere, 8PI, Chico arrays. CONF Argonne(Nuclei at the Limits), P263, Ward
- <sup>235</sup>Pu 2002AS08 RADIOACTIVITY <sup>235,236</sup>Am(EC) [from <sup>233,235</sup>U(<sup>6</sup>Li, xn)]; measured prompt and delayed E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin; deduced log ft. <sup>235,236</sup>Pu deduced levels, J,  $\pi$ , configurations. <sup>233,234,235,236</sup>Am, <sup>237,238</sup>Cm( $\alpha$ ) [from <sup>233,235</sup>U, <sup>237</sup>Np(<sup>6</sup>Li, xn)]; measured E $\alpha$ , T<sub>1/2</sub>. Isotope separator. JOUR JNRS A 3, No 1, 187
- <sup>235</sup>Am 2002AS08 RADIOACTIVITY <sup>235,236</sup>Am(EC) [from <sup>233,235</sup>U(<sup>6</sup>Li, xn)]; measured prompt and delayed E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin; deduced log ft. <sup>235,236</sup>Pu deduced levels, J,  $\pi$ , configurations. <sup>233,234,235,236</sup>Am, <sup>237,238</sup>Cm( $\alpha$ ) [from <sup>233,235</sup>U, <sup>237</sup>Np(<sup>6</sup>Li, xn)]; measured E $\alpha$ , T<sub>1/2</sub>. Isotope separator. JOUR JNRS A 3, No 1, 187

**A=236**

- <sup>236</sup>U      2005CS01      NUCLEAR REACTIONS <sup>235</sup>U(d, pF), E=9.73 MeV; measured E<sub>p</sub>, prompt fission probability vs excitation energy. <sup>236</sup>U deduced hyperdeformed rotational bands, fission barrier features, resonant tunneling. JOUR PYLBB 615 175
- 2005CSZZ      NUCLEAR REACTIONS <sup>235</sup>U(d, pF), E=13 MeV; measured E<sub>p</sub>, fission fragment angular correlations. <sup>236</sup>U deduced hyperdeformed resonances. REPT MLL 2004 Annual,P19,Csige
- 2005RY03      NUCLEAR REACTIONS <sup>232</sup>Th, <sup>238</sup>U(n, F), E=21-95 MeV; measured fission fragments angular distributions, anisotropy. <sup>232</sup>Th, <sup>238</sup>U(n, F), E=0-95 MeV; <sup>232</sup>Th, <sup>238</sup>U(n, 2n), (n, 3n), (n, xnF), E=0-20 MeV; calculated σ, fission fragments angular anisotropy. <sup>238</sup>U(n, pX), E=25-65 MeV; calculated σ. Multichance fission, saddle-point statistical model analysis. JOUR NUPAB 760 19
- <sup>236</sup>Pu      2002AS08      RADIOACTIVITY <sup>235,236</sup>Am(EC) [from <sup>233,235</sup>U(<sup>6</sup>Li, xn)]; measured prompt and delayed E<sub>γ</sub>, I<sub>γ</sub>, γγ-coin; deduced log ft. <sup>235,236</sup>Pu deduced levels, J, π, configurations. <sup>233,234,235,236</sup>Am, <sup>237,238</sup>Cm(α) [from <sup>233,235</sup>U, <sup>237</sup>Np(<sup>6</sup>Li, xn)]; measured E<sub>α</sub>, T<sub>1/2</sub>. Isotope separator. JOUR JNRS A 3,No 1,187
- 2005AS01      RADIOACTIVITY <sup>236,236m</sup>Am(EC) [from <sup>235</sup>U(<sup>6</sup>Li, 5n)]; measured E<sub>γ</sub>, I<sub>γ</sub>, γγ-, (X-ray)γγ-coin, T<sub>1/2</sub>; deduced log ft. <sup>236</sup>Pu deduced levels, J, π, configurations, β-feeding intensities, B(E1), B(M1). <sup>236</sup>Am deduced isomeric state J, π, configuration. JOUR ZAANE 23 395
- 2005QIZZ      RADIOACTIVITY <sup>240</sup>Cm(α) [from <sup>232</sup>Th(<sup>12</sup>C, 4n)]; measured E<sub>α</sub>. REPT GSI 2005-1,P75,Qin
- <sup>236</sup>Am      2002AS08      RADIOACTIVITY <sup>235,236</sup>Am(EC) [from <sup>233,235</sup>U(<sup>6</sup>Li, xn)]; measured prompt and delayed E<sub>γ</sub>, I<sub>γ</sub>, γγ-coin; deduced log ft. <sup>235,236</sup>Pu deduced levels, J, π, configurations. <sup>233,234,235,236</sup>Am, <sup>237,238</sup>Cm(α) [from <sup>233,235</sup>U, <sup>237</sup>Np(<sup>6</sup>Li, xn)]; measured E<sub>α</sub>, T<sub>1/2</sub>. Isotope separator. JOUR JNRS A 3,No 1,187
- 2005AS01      RADIOACTIVITY <sup>236,236m</sup>Am(EC) [from <sup>235</sup>U(<sup>6</sup>Li, 5n)]; measured E<sub>γ</sub>, I<sub>γ</sub>, γγ-, (X-ray)γγ-coin, T<sub>1/2</sub>; deduced log ft. <sup>236</sup>Pu deduced levels, J, π, configurations, β-feeding intensities, B(E1), B(M1). <sup>236</sup>Am deduced isomeric state J, π, configuration. JOUR ZAANE 23 395

**A=237**

- <sup>237</sup>U      2005RY03      NUCLEAR REACTIONS <sup>232</sup>Th, <sup>238</sup>U(n, F), E=21-95 MeV; measured fission fragments angular distributions, anisotropy. <sup>232</sup>Th, <sup>238</sup>U(n, F), E=0-95 MeV; <sup>232</sup>Th, <sup>238</sup>U(n, 2n), (n, 3n), (n, xnF), E=0-20 MeV; calculated σ, fission fragments angular anisotropy. <sup>238</sup>U(n, pX), E=25-65 MeV; calculated σ. Multichance fission, saddle-point statistical model analysis. JOUR NUPAB 760 19
- 2005ZH20      NUCLEAR REACTIONS <sup>239</sup>Pu(<sup>207</sup>Pb, <sup>207</sup>Pb'), E=1300 MeV; measured E<sub>γ</sub>, I<sub>γ</sub>, γγ-coin following Coulomb excitation. <sup>238</sup>U(<sup>207</sup>Pb, <sup>208</sup>Pb), E=1400 MeV; measured E<sub>γ</sub>, I<sub>γ</sub>, γγ-coin. <sup>239</sup>Pu, <sup>237</sup>U deduced high-spin levels, J, π, octupole correlation strength. JOUR PYLBB 618 51

**A=237 (continued)**

- <sup>237</sup>Np 2005IW01 RADIOACTIVITY <sup>65</sup>Zn( $\beta^+$ ), (EC); measured E $\gamma$ , I $\gamma$ , (X-ray) $\gamma$ -coin; deduced  $\gamma$ -ray emission probability. <sup>241</sup>Am( $\alpha$ ); measured E $\gamma$ , I $\gamma$ ,  $\alpha\gamma$ -coin; deduced  $\gamma$ -ray emission probabilities. <sup>65</sup>Cu, <sup>237</sup>Np deduced transitions. JOUR ARISE 63 107
- 2005MA90 RADIOACTIVITY <sup>242</sup>Am( $\beta^-$ ), (EC) [from <sup>241</sup>Am(n,  $\gamma$ )]; measured  $\beta\gamma$ -coin; deduced source activity. <sup>241</sup>Am( $\alpha$ ); measured E $\alpha$ . JOUR NIMAE 553 559
- 2005PA56 RADIOACTIVITY <sup>252</sup>Cf(SF); measured neutron emission rates. <sup>241</sup>Am( $\alpha$ ); measured neutron emission rates for Am-Be source. Manganese sulphate bath system. JOUR KPSJA 47 603
- <sup>237</sup>Cm 2002AS08 RADIOACTIVITY <sup>235,236</sup>Am(EC) [from <sup>233,235</sup>U(<sup>6</sup>Li, xn)]; measured prompt and delayed E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin; deduced log ft. <sup>235,236</sup>Pu deduced levels, J,  $\pi$ , configurations. <sup>233,234,235,236</sup>Am, <sup>237,238</sup>Cm( $\alpha$ ) [from <sup>233,235</sup>U, <sup>237</sup>Np(<sup>6</sup>Li, xn)]; measured E $\alpha$ , T<sub>1/2</sub>. Isotope separator. JOUR JNRSA 3,No 1,187

**A=238**

- <sup>238</sup>U 2005P002 RADIOACTIVITY <sup>234,235,238</sup>U( $\alpha$ ); measured E $\alpha$ , I $\alpha$  from thick source. Comparison with model predictions. JOUR RMEAE 39 565
- 2005Y012 RADIOACTIVITY <sup>238</sup>U(SF); measured spontaneous fission decay constant. Solid-state nuclear track detectors. JOUR NIMAE 555 386
- <sup>238</sup>Np 2004KRZX NUCLEAR REACTIONS <sup>27</sup>Al(n, n3p), <sup>59</sup>Co, <sup>139</sup>La, <sup>129</sup>I, <sup>197</sup>Au, <sup>237</sup>Np(n,  $\gamma$ ), <sup>59</sup>Co, <sup>127,129</sup>I, <sup>197</sup>Au, <sup>209</sup>Bi(n, xn), <sup>235,238</sup>U(n, F), E=spectrum; measured yields; deduced reaction rates. Pb(p, nX), E=1.5 GeV; deduced neutron spectrum. REPT JINR-E1-2004-79,Krivopustov
- 2005ADZZ NUCLEAR REACTIONS <sup>129</sup>I(n, 7n), (n, 6n), (n, 4n), (n,  $\gamma$ ), E=fast; <sup>237</sup>Np(n,  $\gamma$ ), E=fast; measured yields. <sup>237</sup>Np(n, F)<sup>91</sup>Sr / <sup>97</sup>Zr / <sup>132</sup>Te / <sup>133</sup>I / <sup>135</sup>I, E=fast; <sup>238</sup>Pu(n, F)<sup>97</sup>Zr / <sup>129</sup>Sb / <sup>132</sup>I / <sup>133</sup>I / <sup>135</sup>Xe / <sup>105</sup>Ru, E=fast; <sup>239</sup>Pu(n, F)<sup>88</sup>Kr / <sup>91</sup>Sr / <sup>92</sup>Sr / <sup>92</sup>Y / <sup>97</sup>Zr / <sup>99</sup>Mo / <sup>103</sup>Ru / <sup>105</sup>Ru / <sup>128</sup>Sb / <sup>129</sup>Sb / <sup>132</sup>Te / <sup>131</sup>I / <sup>132</sup>I / <sup>133</sup>I / <sup>135</sup>I / <sup>135</sup>Xe / <sup>143</sup>Ce / <sup>140</sup>Ba / <sup>140</sup>La, E=fast; measured fission fragment yields. Secondary neutrons from proton irradiation. JINR nuclotron. CONF St Petersburg,P195,Adam
- 2005ESZZ NUCLEAR REACTIONS <sup>237</sup>Np(n,  $\gamma$ ), E=0.02-100 eV; measured  $\sigma$ . Comparison with previous results. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol1,P989
- 2005RE25 NUCLEAR REACTIONS <sup>237</sup>Np(n,  $\gamma$ ), E=0.01-10 eV; measured  $\sigma$ . Comparison with previous results. JOUR NIMBE 241 176
- 2005SH15 NUCLEAR REACTIONS <sup>237</sup>Np(n,  $\gamma$ ), E=0.02-100 eV; measured average capture  $\sigma$ ; deduced resonance integral. Comparison with previous results. JOUR JNSTA 42 135
- 2005SHZT NUCLEAR REACTIONS <sup>237</sup>Np(n,  $\gamma$ ), E=0.02-100 eV; measured capture  $\sigma$ ; deduced resonance integral. Comparisons with previous results. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol1,P1007

**A=238 (continued)**

- <sup>238</sup>Pu 2004KU35 RADIOACTIVITY <sup>238</sup>Pu, <sup>226</sup>Ra( $\alpha$ ); <sup>152</sup>Eu(EC); measured low-energy electron spectra, angular distributions, (electron) $\alpha$ -, (electron) $\gamma$ -, (electron)(X-ray)-coin. JOUR BRSPPE 68 1358
- <sup>238</sup>Cm 2002AS08 RADIOACTIVITY <sup>235,236</sup>Am(EC) [from <sup>233,235</sup>U(<sup>6</sup>Li, xn)]; measured prompt and delayed E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin; deduced log ft. <sup>235,236</sup>Pu deduced levels, J,  $\pi$ , configurations. <sup>233,234,235,236</sup>Am, <sup>237,238</sup>Cm( $\alpha$ ) [from <sup>233,235</sup>U, <sup>237</sup>Np(<sup>6</sup>Li, xn)]; measured E $\alpha$ , T<sub>1/2</sub>. Isotope separator. JOUR JNRS A 3, No 1, 187

**A=239**

- <sup>239</sup>Pu 2005ZH20 NUCLEAR REACTIONS <sup>239</sup>Pu(<sup>207</sup>Pb, <sup>207</sup>Pb'), E=1300 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin following Coulomb excitation. <sup>238</sup>U(<sup>207</sup>Pb, <sup>208</sup>Pb), E=1400 MeV; measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>239</sup>Pu, <sup>237</sup>U deduced high-spin levels, J,  $\pi$ , octupole correlation strength. JOUR PYLBB 618 51

**A=240**

- <sup>240</sup>U 2005IS07 NUCLEAR REACTIONS <sup>238</sup>U(<sup>18</sup>O, <sup>16</sup>O), E=200 MeV; measured E $\gamma$ , I $\gamma$ , (particle) $\gamma$ -coin,  $\gamma$ -ray anisotropy. <sup>240</sup>U deduced levels, J,  $\pi$ , rotational bands, octupole correlations. JOUR PRVCA 72 021301
- <sup>240</sup>Pu 2005GRZY NUCLEAR REACTIONS <sup>235</sup>U, <sup>239</sup>Pu(n,  $\gamma$ ), (n, F), E=2-2150 eV; measured  $\gamma$ -ray multiplicities; deduced  $\sigma$  ratio, Doppler effect. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P928
- 2005THZZ NUCLEAR REACTIONS <sup>232</sup>Th, <sup>238</sup>U( $\alpha$ , 2n), E=20-27 MeV; measured prompt and delayed fission fragment yields; deduced excitation functions for isomeric and prompt fission. REPT MLL 2004 Annual, P17, Thirolf
- <sup>240</sup>Cm 2005QIZZ RADIOACTIVITY <sup>240</sup>Cm( $\alpha$ ) [from <sup>232</sup>Th(<sup>12</sup>C, 4n)]; measured E $\alpha$ . REPT GSI 2005-1, P75, Qin

**A=241**

- <sup>241</sup>Pu 2005CAZX NUCLEAR REACTIONS <sup>237</sup>Np, <sup>240</sup>Pu(n,  $\gamma$ ), E=0-300 keV; measured capture  $\sigma$ . CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol2, P1442
- <sup>241</sup>Am 2005IW01 RADIOACTIVITY <sup>65</sup>Zn( $\beta^+$ ), (EC); measured E $\gamma$ , I $\gamma$ , (X-ray) $\gamma$ -coin; deduced  $\gamma$ -ray emission probability. <sup>241</sup>Am( $\alpha$ ); measured E $\gamma$ , I $\gamma$ ,  $\alpha\gamma$ -coin; deduced  $\gamma$ -ray emission probabilities. <sup>65</sup>Cu, <sup>237</sup>Np deduced transitions. JOUR ARISE 63 107
- 2005MA90 RADIOACTIVITY <sup>242</sup>Am( $\beta^-$ ), (EC) [from <sup>241</sup>Am(n,  $\gamma$ )]; measured  $\beta\gamma$ -coin; deduced source activity. <sup>241</sup>Am( $\alpha$ ); measured E $\alpha$ . JOUR NIMAE 553 559

**A=241 (continued)**

- 2005PA56 RADIOACTIVITY  $^{252}\text{Cf}(\text{SF})$ ; measured neutron emission rates.  $^{241}\text{Am}(\alpha)$ ; measured neutron emission rates for Am-Be source. Manganese sulphate bath system. JOUR KPSJA 47 603
- $^{241}\text{Cm}$  2003ASZY RADIOACTIVITY  $^{241}\text{Bk}(\text{EC})$  [from  $^{239}\text{Pu}(^6\text{Li}, 4\text{n})$ ]; measured  $E\gamma$ ,  $I\gamma$ , (X-ray) $\gamma$ -coin,  $T_{1/2}$ ; deduced log ft.  $^{241}\text{Bk}$  deduced ground-state configuration.  $^{241}\text{Cm}$  deduced levels, J,  $\pi$ . REPT JAERI-TV 2002 Annual,P29,Asai
- $^{241}\text{Bk}$  2003ASZY NUCLEAR REACTIONS  $^{239}\text{Pu}(^6\text{Li}, 4\text{n})$ , E=34-42 MeV; measured prompt and delayed  $E\gamma$ ,  $I\gamma$ , (X-ray) $\gamma$ -, (recoil) $\gamma$ -coin; deduced evidence for  $^{241}\text{Bk}$ . Isotope separator. REPT JAERI-TV 2002 Annual,P29,Asai
- 2003ASZY RADIOACTIVITY  $^{241}\text{Bk}(\text{EC})$  [from  $^{239}\text{Pu}(^6\text{Li}, 4\text{n})$ ]; measured  $E\gamma$ ,  $I\gamma$ , (X-ray) $\gamma$ -coin,  $T_{1/2}$ ; deduced log ft.  $^{241}\text{Bk}$  deduced ground-state configuration.  $^{241}\text{Cm}$  deduced levels, J,  $\pi$ . REPT JAERI-TV 2002 Annual,P29,Asai

**A=242**

- $^{242}\text{Pu}$  2005MA90 RADIOACTIVITY  $^{242}\text{Am}(\beta^-)$ , (EC) [from  $^{241}\text{Am}(\text{n}, \gamma)$ ]; measured  $\beta\gamma$ -coin; deduced source activity.  $^{241}\text{Am}(\alpha)$ ; measured  $E\alpha$ . JOUR NIMAE 553 559
- $^{242}\text{Am}$  2005MA90 RADIOACTIVITY  $^{242}\text{Am}(\beta^-)$ , (EC) [from  $^{241}\text{Am}(\text{n}, \gamma)$ ]; measured  $\beta\gamma$ -coin; deduced source activity.  $^{241}\text{Am}(\alpha)$ ; measured  $E\alpha$ . JOUR NIMAE 553 559
- 2005OHZY NUCLEAR REACTIONS  $^{241}\text{Am}(\text{n}, \gamma)$ , E=fast; measured isomer production ratio.  $^{237}\text{Np}$ ,  $^{241,243}\text{Am}$ ,  $^{244}\text{Cm}(\text{n}, \text{X})$ , E=fast; measured residual isotopes yield ratios following reactor irradiation. Comparison with previous results. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol1,P472
- $^{242}\text{Cm}$  2005MA90 RADIOACTIVITY  $^{242}\text{Am}(\beta^-)$ , (EC) [from  $^{241}\text{Am}(\text{n}, \gamma)$ ]; measured  $\beta\gamma$ -coin; deduced source activity.  $^{241}\text{Am}(\alpha)$ ; measured  $E\alpha$ . JOUR NIMAE 553 559

**A=243**

- $^{243}\text{Cf}$  2005KUZZ RADIOACTIVITY  $^{216,216\text{m}}\text{Th}(\alpha)$ , (IT) [from  $^{170}\text{Er}(^{50}\text{Ti}, 4\text{n})$ ];  $^{251,251\text{m}}\text{No}$ ,  $^{247,247\text{m}}\text{Fm}(\alpha)$  [from  $^{206}\text{Pb}(^{48}\text{Ca}, 3\text{n})$  and subsequent decay];  $^{257,257\text{m}}\text{Db}$ ,  $^{253,253\text{m}}\text{Lr}$ ,  $^{249}\text{Md}(\alpha)$  [from  $^{209}\text{Bi}(^{50}\text{Ti}, 2\text{n})$  and subsequent decay]; measured  $E\alpha$ ,  $E\gamma$ ,  $\alpha\gamma$ -coin,  $T_{1/2}$ . CONF Argonne(Nuclei at the Limits),P231,Kuusiniemi
- $^{243}\text{Es}$  2005HE27 RADIOACTIVITY  $^{247,249,251,253,255}\text{Md}(\alpha)$  [from  $^{209}\text{Bi}(^{40}\text{Ar}, \text{xn})$ ,  $(^{50}\text{Ti}, \text{xn})$ ,  $^{207,207}\text{Pb}$ ,  $^{209}\text{Bi}(^{48}\text{Ca}, \text{xn})$  and subsequent decay]; measured  $E\alpha$ ,  $E\gamma$ ,  $\alpha\gamma$ -coin; deduced branching ratios, hindrance factors.  $^{243,245,247,249,251}\text{Es}$  deduced levels, J,  $\pi$ , configurations, deformation. Comparison with model predictions. JOUR ZAANE 26 233

**A=244**

- <sup>244</sup>Cm 2004NA44 RADIOACTIVITY <sup>244</sup>Cm(SF); measured fission fragments isomeric yield ratios; deduced fragment angular momentum distributions. JOUR RAACA 92 1
- 2005RE06 RADIOACTIVITY <sup>244</sup>Cm, <sup>252</sup>Cf(SF); measured E $\gamma$ , I $\gamma$ ; deduced fission fragments isotopic yields. JOUR JRNCD 264 243
- 2005VOZX RADIOACTIVITY <sup>252</sup>Cf, <sup>244,248</sup>Cm(SF); measured fission fragment mass distributions and kinetic energy spectra, prompt neutron multiplicity distributions vs fragment mass; deduced fission mechanism features. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol1,P613

**A=245**

- <sup>245</sup>Es 2005HE27 RADIOACTIVITY <sup>247,249,251,253,255</sup>Md( $\alpha$ ) [from <sup>209</sup>Bi(<sup>40</sup>Ar, xn), (<sup>50</sup>Ti, xn), <sup>207,207</sup>Pb, <sup>209</sup>Bi(<sup>48</sup>Ca, xn) and subsequent decay]; measured E $\alpha$ , E $\gamma$ ,  $\alpha\gamma$ -coin; deduced branching ratios, hindrance factors. <sup>243,245,247,249,251</sup>Es deduced levels, J,  $\pi$ , configurations, deformation. Comparison with model predictions. JOUR ZAANE 26 233
- 2005KUZZ RADIOACTIVITY <sup>216,216m</sup>Th( $\alpha$ ), (IT) [from <sup>170</sup>Er(<sup>50</sup>Ti, 4n)]; <sup>251,251m</sup>No, <sup>247,247m</sup>Fm( $\alpha$ ) [from <sup>206</sup>Pb(<sup>48</sup>Ca, 3n) and subsequent decay]; <sup>257,257m</sup>Db, <sup>253,253m</sup>Lr, <sup>249</sup>Md( $\alpha$ ) [from <sup>209</sup>Bi(<sup>50</sup>Ti, 2n) and subsequent decay]; measured E $\alpha$ , E $\gamma$ ,  $\alpha\gamma$ -coin, T<sub>1/2</sub>. CONF Argonne(Nuclei at the Limits),P231,Kuusiniemi

**A=246**

No references found

**A=247**

- <sup>247</sup>Es 2005GR36 RADIOACTIVITY <sup>255</sup>Lr, <sup>251</sup>Md( $\alpha$ ) [from <sup>209</sup>Bi(<sup>48</sup>Ca, 2n) and subsequent decay]; measured E $\alpha$ ,  $\alpha\alpha$ -coin; deduced excited state decay. JOUR ZAANE 25 s01 599
- 2005HE27 RADIOACTIVITY <sup>247,249,251,253,255</sup>Md( $\alpha$ ) [from <sup>209</sup>Bi(<sup>40</sup>Ar, xn), (<sup>50</sup>Ti, xn), <sup>207,207</sup>Pb, <sup>209</sup>Bi(<sup>48</sup>Ca, xn) and subsequent decay]; measured E $\alpha$ , E $\gamma$ ,  $\alpha\gamma$ -coin; deduced branching ratios, hindrance factors. <sup>243,245,247,249,251</sup>Es deduced levels, J,  $\pi$ , configurations, deformation. Comparison with model predictions. JOUR ZAANE 26 233
- <sup>247</sup>Fm 2005KUZZ RADIOACTIVITY <sup>216,216m</sup>Th( $\alpha$ ), (IT) [from <sup>170</sup>Er(<sup>50</sup>Ti, 4n)]; <sup>251,251m</sup>No, <sup>247,247m</sup>Fm( $\alpha$ ) [from <sup>206</sup>Pb(<sup>48</sup>Ca, 3n) and subsequent decay]; <sup>257,257m</sup>Db, <sup>253,253m</sup>Lr, <sup>249</sup>Md( $\alpha$ ) [from <sup>209</sup>Bi(<sup>50</sup>Ti, 2n) and subsequent decay]; measured E $\alpha$ , E $\gamma$ ,  $\alpha\gamma$ -coin, T<sub>1/2</sub>. CONF Argonne(Nuclei at the Limits),P231,Kuusiniemi
- 2005SUZZ RADIOACTIVITY <sup>255</sup>Rf, <sup>251</sup>No( $\alpha$ ) [from <sup>207</sup>Pb(<sup>50</sup>Ti, 2n) and <sup>206</sup>Pb(<sup>48</sup>Ca, 2n)]; measured E $\gamma$ ,  $\alpha\gamma$ -coin. <sup>251</sup>No deduced isomeric state. REPT GSI 2005-1,P74,Sulignano

**A=247 (continued)**

<sup>247</sup>Md 2005HE27 RADIOACTIVITY <sup>247,249,251,253,255</sup>Md( $\alpha$ ) [from <sup>209</sup>Bi(<sup>40</sup>Ar, xn), (<sup>50</sup>Ti, xn), <sup>207,207</sup>Pb, <sup>209</sup>Bi(<sup>48</sup>Ca, xn) and subsequent decay]; measured E $\alpha$ , E $\gamma$ ,  $\alpha\gamma$ -coin; deduced branching ratios, hindrance factors. <sup>243,245,247,249,251</sup>Es deduced levels, J,  $\pi$ , configurations, deformation. Comparison with model predictions. JOUR ZAANE 26 233

**A=248**

<sup>248</sup>Cm 2005GA25 RADIOACTIVITY <sup>248</sup>Cm(SF); measured E $\gamma$ , I $\gamma$ ; deduced <sup>138,139,140,141,142</sup>Xe fission fragment yields. JOUR FECLA 125 44

2005UR01 RADIOACTIVITY <sup>248</sup>Cm(SF); measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>109,110,111</sup>Tc, <sup>135</sup>I deduced transitions. <sup>111</sup>Tc deduced levels, J,  $\pi$ , configurations. Eurogam2 array. Level systematics in neighboring nuclides discussed. JOUR ZAANE 24 161

2005UR02 RADIOACTIVITY <sup>248</sup>Cm(SF); measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin, angular correlations. <sup>107</sup>Mo deduced high-spin levels, J,  $\pi$ , configurations. Eurogam2 array. JOUR PRVCA 72 027302

2005VOZX RADIOACTIVITY <sup>252</sup>Cf, <sup>244,248</sup>Cm(SF); measured fission fragment mass distributions and kinetic energy spectra, prompt neutron multiplicity distributions vs fragment mass; deduced fission mechanism features. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol1,P613

<sup>248</sup>Fm 2005NIZW NUCLEAR REACTIONS <sup>238</sup>U(<sup>16</sup>O, 4n), (<sup>16</sup>O, 5n), (<sup>16</sup>O, 6n), E(cm)  $\approx$  70-100 MeV; measured evaporation residue  $\sigma$ ; deduced fusion probability. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol1,P977

**A=249**

<sup>249</sup>Cm 2004AHZY RADIOACTIVITY <sup>253</sup>Es( $\alpha$ ); measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>249</sup>Cm( $\beta^-$ ) [from <sup>248</sup>Cm(n,  $\gamma$ )]; measured E $\gamma$ , I $\gamma$ . <sup>249</sup>Bk deduced transitions, proton single-particle states J,  $\pi$ , configurations. REPT ANL-04/22,P45,Ahmad

2005AH03 RADIOACTIVITY <sup>253</sup>Es( $\alpha$ ); measured E $\alpha$ , E $\gamma$ ,  $\gamma\gamma$ -,  $\alpha\gamma$ -coin. <sup>249</sup>Cm( $\beta^-$ ) [from <sup>248</sup>Cm(n,  $\gamma$ )]; measured E $\gamma$ , I $\gamma$ . <sup>249</sup>Bk deduced levels, J,  $\pi$ , configurations, B( $\lambda$ ), g factors. <sup>253</sup>Es(SF); measured E $\gamma$ , I $\gamma$  from fission fragment decay; deduced fission branching ratio. Gammasphere array, comparisons with model predictions. JOUR PRVCA 71 054305

2005AHZZ RADIOACTIVITY <sup>253</sup>Es( $\alpha$ ); measured E $\alpha$ , E $\gamma$ ,  $\gamma\gamma$ -,  $\alpha\gamma$ -coin. <sup>249</sup>Cm( $\beta^-$ ) [from <sup>248</sup>Cm(n,  $\gamma$ )]; measured E $\gamma$ , I $\gamma$ . <sup>249</sup>Bk deduced levels, J,  $\pi$ , configurations. Gammasphere array. CONF Argonne(Nuclei at the Limits),P251,Ahmad

<sup>249</sup>Bk 2002AH06 RADIOACTIVITY <sup>255</sup>Fm, <sup>253</sup>Es( $\alpha$ ); measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>251</sup>Cf, <sup>249</sup>Bk deduced levels, J,  $\pi$ , single-particle states. JOUR JNRS 3,No 1,179

**A=249 (continued)**

- 2004AHZY RADIOACTIVITY  $^{253}\text{Es}(\alpha)$ ; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{249}\text{Cm}(\beta^-)$  [from  $^{248}\text{Cm}(n, \gamma)$ ]; measured  $E\gamma$ ,  $I\gamma$ .  $^{249}\text{Bk}$  deduced transitions, proton single-particle states J,  $\pi$ , configurations. REPT ANL-04/22,P45,Ahmad
- 2005AH03 RADIOACTIVITY  $^{253}\text{Es}(\alpha)$ ; measured  $E\alpha$ ,  $E\gamma$ ,  $\gamma\gamma^-$ ,  $\alpha\gamma$ -coin.  $^{249}\text{Cm}(\beta^-)$  [from  $^{248}\text{Cm}(n, \gamma)$ ]; measured  $E\gamma$ ,  $I\gamma$ .  $^{249}\text{Bk}$  deduced levels, J,  $\pi$ , configurations,  $B(\lambda)$ , g factors.  $^{253}\text{Es}(\text{SF})$ ; measured  $E\gamma$ ,  $I\gamma$  from fission fragment decay; deduced fission branching ratio. Gammasphere array, comparisons with model predictions. JOUR PRVCA 71 054305
- 2005AHZZ RADIOACTIVITY  $^{253}\text{Es}(\alpha)$ ; measured  $E\alpha$ ,  $E\gamma$ ,  $\gamma\gamma^-$ ,  $\alpha\gamma$ -coin.  $^{249}\text{Cm}(\beta^-)$  [from  $^{248}\text{Cm}(n, \gamma)$ ]; measured  $E\gamma$ ,  $I\gamma$ .  $^{249}\text{Bk}$  deduced levels, J,  $\pi$ , configurations. Gammasphere array. CONF Argonne(Nuclei at the Limits),P251,Ahmad
- 2005SE08 RADIOACTIVITY  $^{253,254}\text{Es}$ ,  $^{255}\text{Fm}(\alpha)$  [from  $^{252}\text{Cf}(n, X)$ ]; measured  $E\alpha$ , angular distributions from decay of oriented nuclei; deduced anisotropies. Comparison with model predictions. JOUR PRVCA 71 044324
- $^{249}\text{Es}$  2005HE27 RADIOACTIVITY  $^{247,249,251,253,255}\text{Md}(\alpha)$  [from  $^{209}\text{Bi}(^{40}\text{Ar}, xn)$ ,  $(^{50}\text{Ti}, xn)$ ,  $^{207,207}\text{Pb}$ ,  $^{209}\text{Bi}(^{48}\text{Ca}, xn)$  and subsequent decay]; measured  $E\alpha$ ,  $E\gamma$ ,  $\alpha\gamma$ -coin; deduced branching ratios, hindrance factors.  $^{243,245,247,249,251}\text{Es}$  deduced levels, J,  $\pi$ , configurations, deformation. Comparison with model predictions. JOUR ZAANE 26 233
- $^{249}\text{Fm}$  2005NIZW NUCLEAR REACTIONS  $^{238}\text{U}(^{16}\text{O}, 4n)$ ,  $(^{16}\text{O}, 5n)$ ,  $(^{16}\text{O}, 6n)$ ,  $E(\text{cm}) \approx 70\text{-}100$  MeV; measured evaporation residue  $\sigma$ ; deduced fusion probability. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol1,P977
- $^{249}\text{Md}$  2005HE27 RADIOACTIVITY  $^{247,249,251,253,255}\text{Md}(\alpha)$  [from  $^{209}\text{Bi}(^{40}\text{Ar}, xn)$ ,  $(^{50}\text{Ti}, xn)$ ,  $^{207,207}\text{Pb}$ ,  $^{209}\text{Bi}(^{48}\text{Ca}, xn)$  and subsequent decay]; measured  $E\alpha$ ,  $E\gamma$ ,  $\alpha\gamma$ -coin; deduced branching ratios, hindrance factors.  $^{243,245,247,249,251}\text{Es}$  deduced levels, J,  $\pi$ , configurations, deformation. Comparison with model predictions. JOUR ZAANE 26 233
- 2005KUZZ RADIOACTIVITY  $^{216,216m}\text{Th}(\alpha)$ , (IT) [from  $^{170}\text{Er}(^{50}\text{Ti}, 4n)$ ];  $^{251,251m}\text{No}$ ,  $^{247,247m}\text{Fm}(\alpha)$  [from  $^{206}\text{Pb}(^{48}\text{Ca}, 3n)$  and subsequent decay];  $^{257,257m}\text{Db}$ ,  $^{253,253m}\text{Lr}$ ,  $^{249}\text{Md}(\alpha)$  [from  $^{209}\text{Bi}(^{50}\text{Ti}, 2n)$  and subsequent decay]; measured  $E\alpha$ ,  $E\gamma$ ,  $\alpha\gamma$ -coin,  $T_{1/2}$ . CONF Argonne(Nuclei at the Limits),P231,Kuusiniemi

**A=250**

- $^{250}\text{Bk}$  2005SE08 RADIOACTIVITY  $^{253,254}\text{Es}$ ,  $^{255}\text{Fm}(\alpha)$  [from  $^{252}\text{Cf}(n, X)$ ]; measured  $E\alpha$ , angular distributions from decay of oriented nuclei; deduced anisotropies. Comparison with model predictions. JOUR PRVCA 71 044324
- $^{250}\text{Fm}$  2005NIZW NUCLEAR REACTIONS  $^{238}\text{U}(^{16}\text{O}, 4n)$ ,  $(^{16}\text{O}, 5n)$ ,  $(^{16}\text{O}, 6n)$ ,  $E(\text{cm}) \approx 70\text{-}100$  MeV; measured evaporation residue  $\sigma$ ; deduced fusion probability. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol1,P977



## A=251

- <sup>251</sup>Cf 2002AH06 RADIOACTIVITY <sup>255</sup>Fm, <sup>253</sup>Es( $\alpha$ ); measured E $\gamma$ , I $\gamma$ ,  $\gamma\gamma$ -coin. <sup>251</sup>Cf, <sup>249</sup>Bk deduced levels, J,  $\pi$ , single-particle states. JOUR JNRS A 3, No 1, 179
- 2005AH09 RADIOACTIVITY <sup>255</sup>Fm( $\alpha$ ); measured E $\gamma$ , I $\gamma$ . <sup>251</sup>Es(EC); measured E $\gamma$ , I $\gamma$ , E(ce), I(ce). <sup>251</sup>Cf deduced levels, J,  $\pi$ , configurations, vibrational states. JOUR PRVCA 72 054308
- 2005SE08 RADIOACTIVITY <sup>253,254</sup>Es, <sup>255</sup>Fm( $\alpha$ ) [from <sup>252</sup>Cf(n, X)]; measured E $\alpha$ , angular distributions from decay of oriented nuclei; deduced anisotropies. Comparison with model predictions. JOUR PRVCA 71 044324
- <sup>251</sup>Es 2005AH09 RADIOACTIVITY <sup>255</sup>Fm( $\alpha$ ); measured E $\gamma$ , I $\gamma$ . <sup>251</sup>Es(EC); measured E $\gamma$ , I $\gamma$ , E(ce), I(ce). <sup>251</sup>Cf deduced levels, J,  $\pi$ , configurations, vibrational states. JOUR PRVCA 72 054308
- 2005HE27 RADIOACTIVITY <sup>247,249,251,253,255</sup>Md( $\alpha$ ) [from <sup>209</sup>Bi(<sup>40</sup>Ar, xn), (<sup>50</sup>Ti, xn), <sup>207,207</sup>Pb, <sup>209</sup>Bi(<sup>48</sup>Ca, xn) and subsequent decay]; measured E $\alpha$ , E $\gamma$ ,  $\alpha\gamma$ -coin; deduced branching ratios, hindrance factors. <sup>243,245,247,249,251</sup>Es deduced levels, J,  $\pi$ , configurations, deformation. Comparison with model predictions. JOUR ZAANE 26 233
- <sup>251</sup>Fm 2005HEZU RADIOACTIVITY <sup>255</sup>No( $\alpha$ ) [from <sup>208</sup>Pb(<sup>48</sup>Ca, n) and <sup>209</sup>Bi(<sup>48</sup>Ca, 2n)]; measured E $\alpha$ , E $\gamma$ ,  $\alpha\gamma$ -coin. <sup>251</sup>Fm deduced levels, configurations. REPT GSI 2005-1,P73,Hessberger
- <sup>251</sup>Md 2002GU33 RADIOACTIVITY <sup>259</sup>Db, <sup>255</sup>Lr( $\alpha$ ) [from <sup>241</sup>Am(<sup>22</sup>Ne, 4n) and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>. JOUR JNRS A 3, No 1, 183
- 2005GR36 RADIOACTIVITY <sup>255</sup>Lr, <sup>251</sup>Md( $\alpha$ ) [from <sup>209</sup>Bi(<sup>48</sup>Ca, 2n) and subsequent decay]; measured E $\alpha$ ,  $\alpha\alpha$ -coin; deduced excited state decay. JOUR ZAANE 25 s01 599
- 2005GR36 NUCLEAR REACTIONS <sup>205</sup>Tl(<sup>48</sup>Ca, 2n), E=218 MeV; measured E $\gamma$ , I $\gamma$ , (recoil) $\gamma$ -coin. Jurogam array. JOUR ZAANE 25 s01 599
- 2005HE27 RADIOACTIVITY <sup>247,249,251,253,255</sup>Md( $\alpha$ ) [from <sup>209</sup>Bi(<sup>40</sup>Ar, xn), (<sup>50</sup>Ti, xn), <sup>207,207</sup>Pb, <sup>209</sup>Bi(<sup>48</sup>Ca, xn) and subsequent decay]; measured E $\alpha$ , E $\gamma$ ,  $\alpha\gamma$ -coin; deduced branching ratios, hindrance factors. <sup>243,245,247,249,251</sup>Es deduced levels, J,  $\pi$ , configurations, deformation. Comparison with model predictions. JOUR ZAANE 26 233
- <sup>251</sup>No 2005KUZU RADIOACTIVITY <sup>216,216m</sup>Th( $\alpha$ ), (IT) [from <sup>170</sup>Er(<sup>50</sup>Ti, 4n)]; <sup>251,251m</sup>No, <sup>247,247m</sup>Fm( $\alpha$ ) [from <sup>206</sup>Pb(<sup>48</sup>Ca, 3n) and subsequent decay]; <sup>257,257m</sup>Db, <sup>253,253m</sup>Lr, <sup>249</sup>Md( $\alpha$ ) [from <sup>209</sup>Bi(<sup>50</sup>Ti, 2n) and subsequent decay]; measured E $\alpha$ , E $\gamma$ ,  $\alpha\gamma$ -coin, T<sub>1/2</sub>. CONF Argonne(Nuclei at the Limits),P231,Kuusiniemi
- 2005SUZU RADIOACTIVITY <sup>255</sup>Rf, <sup>251</sup>No( $\alpha$ ) [from <sup>207</sup>Pb(<sup>50</sup>Ti, 2n) and <sup>206</sup>Pb(<sup>48</sup>Ca, 2n)]; measured E $\gamma$ ,  $\alpha\gamma$ -coin. <sup>251</sup>No deduced isomeric state. REPT GSI 2005-1,P74,Sulignano

## A=252

- <sup>252</sup>Cf 2004PYZZ RADIOACTIVITY <sup>252</sup>Cf(SF); measured fission fragment mass distributions, neutron multiplicity; deduced ternary decay mode. REPT JINR-E15-2004-65,Pyatkov

**A=252 (continued)**

- 2005BI02 RADIOACTIVITY  $^{252}\text{Cf}(\text{SF})$ ; measured Doppler-shifted  $E_\gamma$ ,  $I_\gamma$ , (particle) $\gamma$ -,  $\gamma\gamma$ -coin.  $^{142,144}\text{Ba}$  levels deduced  $T_{1/2}$ , transition quadrupole moments. Euroball, Saphir arrays, differential Doppler shift method. JOUR PRVCA 71 011301
- 2005F009 RADIOACTIVITY  $^{252}\text{Cf}(\text{SF})$ ; measured  $E_\gamma$ ,  $I_\gamma$ ,  $\gamma\gamma$ -coin.  $^{113,115,117}\text{Pd}$  deduced levels,  $J$ ,  $\pi$ . Gammasphere array. JOUR PRVCA 72 014315
- 2005F017 RADIOACTIVITY  $^{252}\text{Cf}(\text{SF})$ ; measured  $E_\gamma$ ,  $I_\gamma$ ,  $\gamma\gamma$ -coin.  $^{98}\text{Sr}$ ,  $^{102,104}\text{Zr}$ ,  $^{137}\text{Xe}$ ,  $^{143}\text{Ba}$ ,  $^{152}\text{Ce}$  levels deduced  $T_{1/2}$ . Gammasphere array, time-gated triple-coincidence method. JOUR ZAANE 25 s01 465
- 2005HAZQ RADIOACTIVITY  $^{252}\text{Cf}(\text{SF})$ ; measured neutron spectra, fission fragment mass distribution. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol1,P644
- 2005HW06 RADIOACTIVITY  $^{252}\text{Cf}(\text{SF})$ ; measured  $E_\gamma$ ,  $I_\gamma$ ,  $\gamma\gamma$ -coin.  $^{95,97}\text{Sr}$ ,  $^{99}\text{Zr}$ ,  $^{108}\text{Tc}$ ,  $^{133,134}\text{Te}$ ,  $^{137}\text{Xe}$  levels deduced  $T_{1/2}$ . Gammasphere array, time-gated triple-coincidence method. JOUR ZAANE 25 s01 463
- 2005JA12 RADIOACTIVITY  $^{252}\text{Cf}(\text{SF})$ ; measured  $E_\gamma$ ,  $I_\gamma$ ,  $\alpha\gamma$ -,  $\gamma\gamma$ -coin for  $\alpha$ -accompanied ternary fission; deduced fission fragments average angular momentum.  $^{100,102}\text{Zr}$ ,  $^{106}\text{Mo}$ ,  $^{144,146}\text{Ba}$ ,  $^{138,140,142}\text{Xe}$ ; deduced transition intensities. Gammasphere array. JOUR ZAANE 24 373
- 2005JE04 RADIOACTIVITY  $^{252}\text{Cf}(\text{SF})$ ; measured  $E_\alpha$ , light charged particle yields, spectra, coincidences from quaternary fission; deduced fission mechanism features. JOUR ZAANE 24 379
- 2005J024 RADIOACTIVITY  $^{252}\text{Cf}(\text{SF})$ ; measured  $E_\gamma$ ,  $I_\gamma$ ,  $\gamma\gamma$ -coin.  $^{162,164}\text{Gd}$  deduced levels,  $J$ ,  $\pi$ . Gammasphere array, level systematics in neighboring nuclides discussed. JOUR ZAANE 25 s01 467
- 2005LU21 RADIOACTIVITY  $^{252}\text{Cf}(\text{SF})$ ; measured  $E_\gamma$ ,  $I_\gamma$ ,  $\gamma\gamma$ -coin.  $^{99,101}\text{Y}$ ,  $^{101,105}\text{Nb}$  deduced levels,  $J$ ,  $\pi$ , configurations, rotational bands, shape transition features. Gammasphere array, triaxial-rotor-plus-quasiparticle calculations. JOUR JPGPE 31 1303
- 2005LU24 RADIOACTIVITY  $^{252}\text{Cf}(\text{SF})$ ; measured  $E_\gamma$ ,  $I_\gamma$ ,  $\gamma\gamma$ -coin.  $^{99,101}\text{Y}$ ,  $^{101,105}\text{Nb}$  deduced levels,  $J$ ,  $\pi$ , configurations, deformation. Gammasphere array, triaxial-rotor-plus-particle calculations. JOUR ZAANE 25 s01 469
- 2005PA56 RADIOACTIVITY  $^{252}\text{Cf}(\text{SF})$ ; measured neutron emission rates.  $^{241}\text{Am}(\alpha)$ ; measured neutron emission rates for Am-Be source. Manganese sulphate bath system. JOUR KPSJA 47 603
- 2005RE06 RADIOACTIVITY  $^{244}\text{Cm}$ ,  $^{252}\text{Cf}(\text{SF})$ ; measured  $E_\gamma$ ,  $I_\gamma$ ; deduced fission fragments isotopic yields. JOUR JRNCD 264 243
- 2005SH49 RADIOACTIVITY  $^{252}\text{Cf}(\text{SF})$ ; measured Doppler-shifted  $E_\gamma$ ,  $I_\gamma$ ,  $\gamma\gamma$ -, (fragment) $\gamma$ -coin.  $^{144}\text{Ba}$  deduced transitions  $T_{1/2}$ ,  $B(E2)$ , transition dipole, quadrupole, and octupole moments for alternating-parity band. Gammasphere array, cluster-model analysis. JOUR ZAANE 25 387
- 2005SIZY RADIOACTIVITY  $^{252}\text{Cf}(\text{SF})$ ; measured neutron leakage spectrum from uranium sphere. CONF Santa Fe (Nucl Data for Sci and Technol) Proc,Vol1,P67

**A=252 (continued)**

- 2005SM08 RADIOACTIVITY  $^{252}\text{Cf}(\text{SF})$ ; measured  $E\gamma$ ,  $I\gamma(\theta, \text{H}, \text{t})$ ,  $\gamma\gamma$ -coin.  $^{96,100,102}\text{Zr}$ ,  $^{102,104,106,108}\text{Mo}$ ,  $^{106,108,110,112}\text{Ru}$ ,  $^{110,114,116}\text{Pd}$  levels deduced g factors, B(E2). Gammasphere array, time-integral perturbed angular correlation technique. Comparison with interacting boson model predictions. JOUR JPGPE 31 S1433
- 2005TR06 RADIOACTIVITY  $^{252}\text{Cf}(\text{SF})$ ; measured iron-moderated photon and neutron spectra. Comparison with model predictions. JOUR AENGA 98 54
- 2005VOZX RADIOACTIVITY  $^{252}\text{Cf}$ ,  $^{244,248}\text{Cm}(\text{SF})$ ; measured fission fragment mass distributions and kinetic energy spectra, prompt neutron multiplicity distributions vs fragment mass; deduced fission mechanism features. CONF Santa Fe (Nucl Data for Sci and Technol) Proc, Vol1, P613
- 2005ZH36 RADIOACTIVITY  $^{252}\text{Cf}(\text{SF})$ ; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{106}\text{Mo}$  deduced high-spin levels, J,  $\pi$ , chiral vibrational bands. Gammasphere array, tilted-axis cranking model analysis. JOUR ZAANE 25 s01 459
- $^{252}\text{No}$  2002SU35 NUCLEAR REACTIONS  $^{206}\text{Pb}(^{48}\text{Ca}, 2\text{n})$ ,  $^{186}\text{W}(^{34}\text{S}, 4\text{n})$ , E not given; measured yields, focal-plane position spectra in recoil separator. JOUR NIMAE 481 71
- 2005YE02 RADIOACTIVITY  $^{252}\text{No}(\text{SF})$  [from  $^{206}\text{Pb}(^{48}\text{Ca}, 2\text{n})$ ]; measured fission fragments spectra, prompt neutron multiplicity. Recoil separator. JOUR NIMAE 539 441

**A=253**

- $^{253}\text{Es}$  2002AH06 RADIOACTIVITY  $^{255}\text{Fm}$ ,  $^{253}\text{Es}(\alpha)$ ; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{251}\text{Cf}$ ,  $^{249}\text{Bk}$  deduced levels, J,  $\pi$ , single-particle states. JOUR JNRS 3, No 1, 179
- 2004AHZY RADIOACTIVITY  $^{253}\text{Es}(\alpha)$ ; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{249}\text{Cm}(\beta^-)$  [from  $^{248}\text{Cm}(\text{n}, \gamma)$ ]; measured  $E\gamma$ ,  $I\gamma$ .  $^{249}\text{Bk}$  deduced transitions, proton single-particle states J,  $\pi$ , configurations. REPT ANL-04/22, P45, Ahmad
- 2005AH03 RADIOACTIVITY  $^{253}\text{Es}(\alpha)$ ; measured  $E\alpha$ ,  $E\gamma$ ,  $\gamma\gamma$ -,  $\alpha\gamma$ -coin.  $^{249}\text{Cm}(\beta^-)$  [from  $^{248}\text{Cm}(\text{n}, \gamma)$ ]; measured  $E\gamma$ ,  $I\gamma$ .  $^{249}\text{Bk}$  deduced levels, J,  $\pi$ , configurations, B( $\lambda$ ), g factors.  $^{253}\text{Es}(\text{SF})$ ; measured  $E\gamma$ ,  $I\gamma$  from fission fragment decay; deduced fission branching ratio. Gammasphere array, comparisons with model predictions. JOUR PRVCA 71 054305
- 2005AHZZ RADIOACTIVITY  $^{253}\text{Es}(\alpha)$ ; measured  $E\alpha$ ,  $E\gamma$ ,  $\gamma\gamma$ -,  $\alpha\gamma$ -coin.  $^{249}\text{Cm}(\beta^-)$  [from  $^{248}\text{Cm}(\text{n}, \gamma)$ ]; measured  $E\gamma$ ,  $I\gamma$ .  $^{249}\text{Bk}$  deduced levels, J,  $\pi$ , configurations. Gammasphere array. CONF Argonne(Nuclei at the Limits), P251, Ahmad
- 2005SE08 RADIOACTIVITY  $^{253,254}\text{Es}$ ,  $^{255}\text{Fm}(\alpha)$  [from  $^{252}\text{Cf}(\text{n}, \text{X})$ ]; measured  $E\alpha$ , angular distributions from decay of oriented nuclei; deduced anisotropies. Comparison with model predictions. JOUR PRVCA 71 044324
- $^{253}\text{Fm}$  2004V024 RADIOACTIVITY  $^{269,270}\text{Hs}$ ,  $^{265,266}\text{Sg}$ ,  $^{257}\text{No}(\alpha)$ ;  $^{261,262}\text{Rf}(\text{SF})$  [from  $^{248}\text{Cm}(^{26}\text{Mg}, \text{xn})$  and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ . JOUR RAACA 92 855

**A=253 (continued)**

- 2005AS05 RADIOACTIVITY  $^{257}\text{No}(\alpha)$  [from  $^{248}\text{Cm}(^{13}\text{C}, 4n)$ ]; measured  $E\gamma$ ,  $E\alpha$ ,  $E(\text{ce})$ ,  $\alpha\gamma$ -,  $(\text{ce})\alpha$ -coin; deduced branching ratios.  $^{253}\text{Fm}$  deduced levels,  $J$ ,  $\pi$ , ICC, configurations.  $^{257}\text{No}$  deduced ground-state  $J$ ,  $\pi$ , configuration. JOUR PRLTA 95 102502
- $^{253}\text{Md}$  2005HE27 RADIOACTIVITY  $^{247,249,251,253,255}\text{Md}(\alpha)$  [from  $^{209}\text{Bi}(^{40}\text{Ar}, \text{xn})$ ,  $(^{50}\text{Ti}, \text{xn})$ ,  $^{207,207}\text{Pb}$ ,  $^{209}\text{Bi}(^{48}\text{Ca}, \text{xn})$  and subsequent decay]; measured  $E\alpha$ ,  $E\gamma$ ,  $\alpha\gamma$ -coin; deduced branching ratios, hindrance factors.  $^{243,245,247,249,251}\text{Es}$  deduced levels,  $J$ ,  $\pi$ , configurations, deformation. Comparison with model predictions. JOUR ZAANE 26 233
- $^{253}\text{No}$  2005RE14 NUCLEAR REACTIONS  $^{207}\text{Pb}(^{48}\text{Ca}, 2n)$ ,  $E=219$  MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -, (recoil) $\gamma$ -coin.  $^{253}\text{No}$  deduced high-spin levels,  $J$ ,  $\pi$ , configurations. Gammasphere array, fragment separator. JOUR PRLTA 95 032501
- $^{253}\text{Lr}$  2005KUZZ RADIOACTIVITY  $^{216,216m}\text{Th}(\alpha)$ , (IT) [from  $^{170}\text{Er}(^{50}\text{Ti}, 4n)$ ];  $^{251,251m}\text{No}$ ,  $^{247,247m}\text{Fm}(\alpha)$  [from  $^{206}\text{Pb}(^{48}\text{Ca}, 3n)$  and subsequent decay];  $^{257,257m}\text{Db}$ ,  $^{253,253m}\text{Lr}$ ,  $^{249}\text{Md}(\alpha)$  [from  $^{209}\text{Bi}(^{50}\text{Ti}, 2n)$  and subsequent decay]; measured  $E\alpha$ ,  $E\gamma$ ,  $\alpha\gamma$ -coin,  $T_{1/2}$ . CONF Argonne(Nuclei at the Limits),P231,Kuusiniemi

**A=254**

- $^{254}\text{Es}$  2005SE08 RADIOACTIVITY  $^{253,254}\text{Es}$ ,  $^{255}\text{Fm}(\alpha)$  [from  $^{252}\text{Cf}(n, X)$ ]; measured  $E\alpha$ , angular distributions from decay of oriented nuclei; deduced anisotropies. Comparison with model predictions. JOUR PRVCA 71 044324
- $^{254}\text{No}$  2004KHZY RADIOACTIVITY  $^{254m}\text{No}(\text{IT})$  [from  $^{208}\text{Pb}(^{48}\text{Ca}, 2n)$ ]; measured  $E(\text{ce})$ ,  $I(\text{ce})$  following decay of high-spin isomer.  $^{254}\text{No}$  level deduced  $J$ ,  $\pi$ , configuration. REPT ANL-04/22,P47,Khoo
- 2005EE01 NUCLEAR REACTIONS  $^{208}\text{Pb}(^{48}\text{Ca}, 2n)$ ,  $E$  not given; measured  $E\gamma$ ,  $I\gamma$ , (recoil) $\gamma$ -coin.  $^{254}\text{No}$  deduced rotational band levels,  $J$ ,  $\pi$ . Jurogam array, recoil-decay tagging. JOUR ZAANE 25 s01 605
- 2005EE02 NUCLEAR REACTIONS  $^{208}\text{Pb}(^{48}\text{Ca}, 2n)$ ,  $E=219, 221$  MeV; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -, (recoil) $\gamma$ -coin.  $^{254}\text{No}$  deduced levels,  $J$ ,  $\pi$ , rotational band, non-yrast state. Jurogam array, recoil-decay tagging. JOUR ZAANE 26 227
- 2005MUZZ RADIOACTIVITY  $^{254}\text{No}(\text{IT})$  [from  $^{208}\text{Pb}(^{48}\text{Ca}, 2n)$ ]; measured  $E(\text{ce})$ ,  $I(\text{ce})$ ,  $T_{1/2}$ .  $^{254}\text{No}$  deduced isomer  $J$ ,  $\pi$ , configuration. CONF Argonne(Nuclei at the Limits),P243,Mukherjee

**A=255**

- $^{255}\text{Fm}$  2002AH06 RADIOACTIVITY  $^{255}\text{Fm}$ ,  $^{253}\text{Es}(\alpha)$ ; measured  $E\gamma$ ,  $I\gamma$ ,  $\gamma\gamma$ -coin.  $^{251}\text{Cf}$ ,  $^{249}\text{Bk}$  deduced levels,  $J$ ,  $\pi$ , single-particle states. JOUR JNRS 3, No 1,179
- 2005AH09 RADIOACTIVITY  $^{255}\text{Fm}(\alpha)$ ; measured  $E\gamma$ ,  $I\gamma$ .  $^{251}\text{Es}(\text{EC})$ ; measured  $E\gamma$ ,  $I\gamma$ ,  $E(\text{ce})$ ,  $I(\text{ce})$ .  $^{251}\text{Cf}$  deduced levels,  $J$ ,  $\pi$ , configurations, vibrational states. JOUR PRVCA 72 054308

**A=255 (continued)**

- 2005SE08 RADIOACTIVITY  $^{253,254}\text{Es}$ ,  $^{255}\text{Fm}(\alpha)$  [from  $^{252}\text{Cf}(n, X)$ ]; measured  $E\alpha$ , angular distributions from decay of oriented nuclei; deduced anisotropies. Comparison with model predictions. JOUR PRVCA 71 044324
- $^{255}\text{Md}$  2005HE27 RADIOACTIVITY  $^{247,249,251,253,255}\text{Md}(\alpha)$  [from  $^{209}\text{Bi}(^{40}\text{Ar}, xn)$ ,  $(^{50}\text{Ti}, xn)$ ,  $^{207,207}\text{Pb}$ ,  $^{209}\text{Bi}(^{48}\text{Ca}, xn)$  and subsequent decay]; measured  $E\alpha$ ,  $E\gamma$ ,  $\alpha\gamma$ -coin; deduced branching ratios, hindrance factors.  $^{243,245,247,249,251}\text{Es}$  deduced levels, J,  $\pi$ , configurations, deformation. Comparison with model predictions. JOUR ZAANE 26 233
- $^{255}\text{No}$  2005HEZU RADIOACTIVITY  $^{255}\text{No}(\alpha)$  [from  $^{208}\text{Pb}(^{48}\text{Ca}, n)$  and  $^{209}\text{Bi}(^{48}\text{Ca}, 2n)$ ]; measured  $E\alpha$ ,  $E\gamma$ ,  $\alpha\gamma$ -coin.  $^{251}\text{Fm}$  deduced levels, configurations. REPT GSI 2005-1,P73,Hessberger
- $^{255}\text{Lr}$  2002GU33 RADIOACTIVITY  $^{259}\text{Db}$ ,  $^{255}\text{Lr}(\alpha)$  [from  $^{241}\text{Am}(^{22}\text{Ne}, 4n)$  and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ . JOUR JNRS A 3, No 1, 183
- 2005GR36 RADIOACTIVITY  $^{255}\text{Lr}$ ,  $^{251}\text{Md}(\alpha)$  [from  $^{209}\text{Bi}(^{48}\text{Ca}, 2n)$  and subsequent decay]; measured  $E\alpha$ ,  $\alpha\alpha$ -coin; deduced excited state decay. JOUR ZAANE 25 s01 599
- $^{255}\text{Rf}$  2005SUZX RADIOACTIVITY  $^{255}\text{Rf}$ ,  $^{251}\text{No}(\alpha)$  [from  $^{207}\text{Pb}(^{50}\text{Ti}, 2n)$  and  $^{206}\text{Pb}(^{48}\text{Ca}, 2n)$ ]; measured  $E\gamma$ ,  $\alpha\gamma$ -coin.  $^{251}\text{No}$  deduced isomeric state. REPT GSI 2005-1,P74,Sulignano

**A=256**

No references found

**A=257**

- $^{257}\text{No}$  2004V024 RADIOACTIVITY  $^{269,270}\text{Hs}$ ,  $^{265,266}\text{Sg}$ ,  $^{257}\text{No}(\alpha)$ ;  $^{261,262}\text{Rf}(\text{SF})$  [from  $^{248}\text{Cm}(^{26}\text{Mg}, xn)$  and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ . JOUR RAACA 92 855
- 2005AS05 RADIOACTIVITY  $^{257}\text{No}(\alpha)$  [from  $^{248}\text{Cm}(^{13}\text{C}, 4n)$ ]; measured  $E\gamma$ ,  $E\alpha$ ,  $E(\text{ce})$ ,  $\alpha\gamma$ -,  $(\text{ce})\alpha$ -coin; deduced branching ratios.  $^{253}\text{Fm}$  deduced levels, J,  $\pi$ , ICC, configurations.  $^{257}\text{No}$  deduced ground-state J,  $\pi$ , configuration. JOUR PRLTA 95 102502
- 2005MOZT RADIOACTIVITY  $^{277}\text{112}$ ,  $^{273}\text{Ds}$ ,  $^{269}\text{Hs}$ ,  $^{265}\text{Sg}$ ,  $^{261}\text{Rf}(\alpha)$  [from  $^{208}\text{Pb}(^{70}\text{Zn}, n)$  and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ . REPT RIKEN 2004 Annual,P69,Morita
- $^{257}\text{Rf}$  2005ST16 NUCLEAR REACTIONS  $^{208}\text{Pb}(^{50}\text{Ti}, n)$ ,  $E=237$  MeV; measured delayed  $\alpha\alpha$ -coin; deduced evidence for  $^{257}\text{Rf}$ . Gas-filled separator, fast liquid-liquid extraction system. JOUR NIMAE 543 509
- $^{257}\text{Db}$  2005KUZZ RADIOACTIVITY  $^{216,216m}\text{Th}(\alpha)$ ,  $(\text{IT})$  [from  $^{170}\text{Er}(^{50}\text{Ti}, 4n)$ ];  $^{251,251m}\text{No}$ ,  $^{247,247m}\text{Fm}(\alpha)$  [from  $^{206}\text{Pb}(^{48}\text{Ca}, 3n)$  and subsequent decay];  $^{257,257m}\text{Db}$ ,  $^{253,253m}\text{Lr}$ ,  $^{249}\text{Md}(\alpha)$  [from  $^{209}\text{Bi}(^{50}\text{Ti}, 2n)$  and subsequent decay]; measured  $E\alpha$ ,  $E\gamma$ ,  $\alpha\gamma$ -coin,  $T_{1/2}$ . CONF Argonne(Nuclei at the Limits),P231,Kuusiniemi

**A=258**

No references found

**A=259**

- <sup>259</sup>Db 2002GU33 NUCLEAR REACTIONS <sup>241</sup>Am(<sup>22</sup>Ne, 4n), E=118 MeV; measured delayed E $\alpha$ ,  $\alpha\alpha$ -coin; deduced evidence for <sup>259</sup>Db. JOUR JNRS A 3, No 1, 183
- 2002GU33 RADIOACTIVITY <sup>259</sup>Db, <sup>255</sup>Lr( $\alpha$ ) [from <sup>241</sup>Am(<sup>22</sup>Ne, 4n) and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>. JOUR JNRS A 3, No 1, 183

**A=260**

No references found

**A=261**

- <sup>261</sup>Rf 2002NA37 NUCLEAR REACTIONS <sup>248</sup>Cm(<sup>18</sup>O, 5n), E=91, 94, 99 MeV; <sup>248</sup>Cm(<sup>19</sup>F, 5n), E=106 MeV; measured delayed E $\alpha$ ,  $\alpha\alpha$ -coin; deduced production  $\sigma$ . JOUR JNRS A 3, No 1, 85
- 2004MOZU RADIOACTIVITY <sup>277</sup>112, <sup>273</sup>Ds, <sup>269</sup>Hs, <sup>265</sup>Sg( $\alpha$ ) [from <sup>208</sup>Pb(<sup>70</sup>Zn, n) and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>. <sup>261</sup>Rf(SF); measured T<sub>1/2</sub>. PREPRINT Morita
- 2004V024 RADIOACTIVITY <sup>269,270</sup>Hs, <sup>265,266</sup>Sg, <sup>257</sup>No( $\alpha$ ); <sup>261,262</sup>Rf(SF) [from <sup>248</sup>Cm(<sup>26</sup>Mg, xn) and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>. JOUR RAACA 92 855
- 2005MOZT RADIOACTIVITY <sup>277</sup>112, <sup>273</sup>Ds, <sup>269</sup>Hs, <sup>265</sup>Sg, <sup>261</sup>Rf( $\alpha$ ) [from <sup>208</sup>Pb(<sup>70</sup>Zn, n) and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>. REPT RIKEN 2004 Annual, P69, Morita

**A=262**

- <sup>262</sup>Rf 2004V024 RADIOACTIVITY <sup>269,270</sup>Hs, <sup>265,266</sup>Sg, <sup>257</sup>No( $\alpha$ ); <sup>261,262</sup>Rf(SF) [from <sup>248</sup>Cm(<sup>26</sup>Mg, xn) and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>. JOUR RAACA 92 855
- <sup>262</sup>Db 2002NA37 NUCLEAR REACTIONS <sup>248</sup>Cm(<sup>18</sup>O, 5n), E=91, 94, 99 MeV; <sup>248</sup>Cm(<sup>19</sup>F, 5n), E=106 MeV; measured delayed E $\alpha$ ,  $\alpha\alpha$ -coin; deduced production  $\sigma$ . JOUR JNRS A 3, No 1, 85
- 2005MOZS RADIOACTIVITY <sup>278</sup>113, <sup>274</sup>Rg, <sup>270</sup>Mt, <sup>266</sup>Bh( $\alpha$ ) [from <sup>209</sup>Bi(<sup>70</sup>Zn, n) and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>. REPT RIKEN 2004 Annual, P70, Morita

**A=263**

No references found

**A=264**

No references found

**A=265**

- <sup>265</sup>Sg 2004MOZU RADIOACTIVITY <sup>277</sup>112, <sup>273</sup>Ds, <sup>269</sup>Hs, <sup>265</sup>Sg( $\alpha$ ) [from <sup>208</sup>Pb(<sup>70</sup>Zn, n) and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ . <sup>261</sup>Rf(SF); measured  $T_{1/2}$ . PREPRINT Morita
- 2004V024 RADIOACTIVITY <sup>269,270</sup>Hs, <sup>265,266</sup>Sg, <sup>257</sup>No( $\alpha$ ); <sup>261,262</sup>Rf(SF) [from <sup>248</sup>Cm(<sup>26</sup>Mg, xn) and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ . JOUR RAACA 92 855
- 2005MOZT RADIOACTIVITY <sup>277</sup>112, <sup>273</sup>Ds, <sup>269</sup>Hs, <sup>265</sup>Sg, <sup>261</sup>Rf( $\alpha$ ) [from <sup>208</sup>Pb(<sup>70</sup>Zn, n) and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ . REPT RIKEN 2004 Annual,P69,Morita

**A=266**

- <sup>266</sup>Sg 2004V024 RADIOACTIVITY <sup>269,270</sup>Hs, <sup>265,266</sup>Sg, <sup>257</sup>No( $\alpha$ ); <sup>261,262</sup>Rf(SF) [from <sup>248</sup>Cm(<sup>26</sup>Mg, xn) and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ . JOUR RAACA 92 855
- <sup>266</sup>Bh 2005MOZS RADIOACTIVITY <sup>278</sup>113, <sup>274</sup>Rg, <sup>270</sup>Mt, <sup>266</sup>Bh( $\alpha$ ) [from <sup>209</sup>Bi(<sup>70</sup>Zn, n) and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ . REPT RIKEN 2004 Annual,P70,Morita

**A=267**

- <sup>267</sup>Rf 20040G12 RADIOACTIVITY <sup>271</sup>Sg, <sup>275</sup>Hs, <sup>279</sup>Ds, <sup>282,283,285</sup>112, <sup>286,287,288,289</sup>114, <sup>292,293</sup>116( $\alpha$ ); <sup>267</sup>Rf, <sup>271</sup>Sg, <sup>279,281</sup>Ds, <sup>284</sup>112, <sup>286</sup>114(SF) [from <sup>233,238</sup>U, <sup>242</sup>Pu, <sup>248</sup>Cm(<sup>48</sup>Ca, xn) and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ . Comparison with model predictions. JOUR PRVCA 70 064609
- 20040GZZ RADIOACTIVITY <sup>271</sup>Sg, <sup>275</sup>Hs, <sup>279</sup>Ds, <sup>282,283,285</sup>112, <sup>286,287,288,289</sup>114, <sup>292,293</sup>116( $\alpha$ ); <sup>267</sup>Rf, <sup>271</sup>Sg, <sup>279,281</sup>Ds, <sup>284</sup>112, <sup>286</sup>114(SF) [from <sup>233,238</sup>U, <sup>242</sup>Pu, <sup>248</sup>Cm(<sup>48</sup>Ca, xn) and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ . Comparison with model predictions. REPT JINR-E7-2004-160,Oganessian
- 20050G03 RADIOACTIVITY <sup>294</sup>118, <sup>290,291,292,293</sup>116, <sup>287,288,289</sup>114, <sup>285</sup>112, <sup>275</sup>Hs( $\alpha$ ); <sup>286</sup>114, <sup>283</sup>112, <sup>279</sup>Ds, <sup>271</sup>Sg( $\alpha$ ), (SF); <sup>282,284</sup>112, <sup>281</sup>Ds, <sup>267</sup>Rf(SF); measured  $E\alpha$ ,  $T_{1/2}$ , branching ratios. JOUR ZAANE 25 s01 589
- <sup>267</sup>Db 20030GZY RADIOACTIVITY <sup>287,288</sup>115, <sup>283,284</sup>113, <sup>279,280</sup>Rg, <sup>275,276</sup>Mt, <sup>272</sup>Bh( $\alpha$ ) [from <sup>243</sup>Am(<sup>48</sup>Ca, xn) and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ ; deduced  $Q\alpha$ . <sup>267,268</sup>Db(SF) [from <sup>243</sup>Am(<sup>48</sup>Ca, xn) and subsequent decay]; measured  $T_{1/2}$ . Comparison with model predictions. REPT JINR-E7-2003-178,Oganessian
- 20050G02 RADIOACTIVITY <sup>287,288</sup>115, <sup>283,284</sup>113, <sup>279,280</sup>Rg, <sup>275,276</sup>Mt, <sup>272</sup>Bh( $\alpha$ ) [from <sup>243</sup>Am(<sup>48</sup>Ca, xn) and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ ; deduced  $Q\alpha$ . <sup>267,268</sup>Db(SF); measured  $T_{1/2}$ . JOUR PRVCA 72 034611

**A=268**

- <sup>268</sup>Db 20030GZY RADIOACTIVITY <sup>287,288</sup>115, <sup>283,284</sup>113, <sup>279,280</sup>Rg, <sup>275,276</sup>Mt, <sup>272</sup>Bh( $\alpha$ ) [from <sup>243</sup>Am(<sup>48</sup>Ca, xn) and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ ; deduced  $Q\alpha$ . <sup>267,268</sup>Db(SF) [from <sup>243</sup>Am(<sup>48</sup>Ca, xn) and subsequent decay]; measured  $T_{1/2}$ . Comparison with model predictions. REPT JINR-E7-2003-178,Oganessian
- 2004DMZZ RADIOACTIVITY <sup>268</sup>Db(SF) [from <sup>243</sup>Am(<sup>48</sup>Ca, 3n) and subsequent decay]; measured  $T_{1/2}$ . REPT JINR-E12-2004-157,Dmitriev
- 20050G02 RADIOACTIVITY <sup>287,288</sup>115, <sup>283,284</sup>113, <sup>279,280</sup>Rg, <sup>275,276</sup>Mt, <sup>272</sup>Bh( $\alpha$ ) [from <sup>243</sup>Am(<sup>48</sup>Ca, xn) and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ ; deduced  $Q\alpha$ . <sup>267,268</sup>Db(SF); measured  $T_{1/2}$ . JOUR PRVCA 72 034611

**A=269**

- <sup>269</sup>Hs 2004M0ZU RADIOACTIVITY <sup>277</sup>112, <sup>273</sup>Ds, <sup>269</sup>Hs, <sup>265</sup>Sg( $\alpha$ ) [from <sup>208</sup>Pb(<sup>70</sup>Zn, n) and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ . <sup>261</sup>Rf(SF); measured  $T_{1/2}$ . PREPRINT Morita
- 2004V024 NUCLEAR REACTIONS <sup>248</sup>Cm(<sup>26</sup>Mg, xn), E=144-149 MeV; measured delayed  $\alpha\alpha$ -coin; deduced evidence for <sup>269,270</sup>Hs. Radiochemical analysis. JOUR RAACA 92 855
- 2004V024 RADIOACTIVITY <sup>269,270</sup>Hs, <sup>265,266</sup>Sg, <sup>257</sup>No( $\alpha$ ); <sup>261,262</sup>Rf(SF) [from <sup>248</sup>Cm(<sup>26</sup>Mg, xn) and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ . JOUR RAACA 92 855
- 2005M0ZT RADIOACTIVITY <sup>277</sup>112, <sup>273</sup>Ds, <sup>269</sup>Hs, <sup>265</sup>Sg, <sup>261</sup>Rf( $\alpha$ ) [from <sup>208</sup>Pb(<sup>70</sup>Zn, n) and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ . REPT RIKEN 2004 Annual,P69,Morita

**A=270**

- <sup>270</sup>Hs 2004V024 NUCLEAR REACTIONS <sup>248</sup>Cm(<sup>26</sup>Mg, xn), E=144-149 MeV; measured delayed  $\alpha\alpha$ -coin; deduced evidence for <sup>269,270</sup>Hs. Radiochemical analysis. JOUR RAACA 92 855
- 2004V024 RADIOACTIVITY <sup>269,270</sup>Hs, <sup>265,266</sup>Sg, <sup>257</sup>No( $\alpha$ ); <sup>261,262</sup>Rf(SF) [from <sup>248</sup>Cm(<sup>26</sup>Mg, xn) and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ . JOUR RAACA 92 855
- <sup>270</sup>Mt 2005M0ZS RADIOACTIVITY <sup>278</sup>113, <sup>274</sup>Rg, <sup>270</sup>Mt, <sup>266</sup>Bh( $\alpha$ ) [from <sup>209</sup>Bi(<sup>70</sup>Zn, n) and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ . REPT RIKEN 2004 Annual,P70,Morita

**A=271**

- <sup>271</sup>Sg 20040G12 RADIOACTIVITY <sup>271</sup>Sg, <sup>275</sup>Hs, <sup>279</sup>Ds, <sup>282,283,285</sup>112, <sup>286,287,288,289</sup>114, <sup>292,293</sup>116( $\alpha$ ); <sup>267</sup>Rf, <sup>271</sup>Sg, <sup>279,281</sup>Ds, <sup>284</sup>112, <sup>286</sup>114(SF) [from <sup>233,238</sup>U, <sup>242</sup>Pu, <sup>248</sup>Cm(<sup>48</sup>Ca, xn) and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ . Comparison with model predictions. JOUR PRVCA 70 064609



**A=271 (continued)**

- 20040GZZ RADIOACTIVITY  $^{271}\text{Sg}$ ,  $^{275}\text{Hs}$ ,  $^{279}\text{Ds}$ ,  $^{282,283,285}112$ ,  $^{286,287,288,289}114$ ,  $^{292,293}116(\alpha)$ ;  $^{267}\text{Rf}$ ,  $^{271}\text{Sg}$ ,  $^{279,281}\text{Ds}$ ,  $^{284}112$ ,  $^{286}114(\text{SF})$  [from  $^{233,238}\text{U}$ ,  $^{242}\text{Pu}$ ,  $^{248}\text{Cm}(^{48}\text{Ca}, \text{xn})$  and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ .  
Comparison with model predictions. REPT  
JINR-E7-2004-160,Oganessian
- 20050G03 RADIOACTIVITY  $^{294}118$ ,  $^{290,291,292,293}116$ ,  $^{287,288,289}114$ ,  $^{285}112$ ,  $^{275}\text{Hs}(\alpha)$ ;  $^{286}114$ ,  $^{283}112$ ,  $^{279}\text{Ds}$ ,  $^{271}\text{Sg}(\alpha)$ , (SF);  $^{282,284}112$ ,  $^{281}\text{Ds}$ ,  $^{267}\text{Rf}(\text{SF})$ ; measured  $E\alpha$ ,  $T_{1/2}$ , branching ratios. JOUR ZAANE 25 s01  
589
- $^{271}\text{Bh}$  20030GZY RADIOACTIVITY  $^{287,288}115$ ,  $^{283,284}113$ ,  $^{279,280}\text{Rg}$ ,  $^{275,276}\text{Mt}$ ,  $^{272}\text{Bh}(\alpha)$  [from  $^{243}\text{Am}(^{48}\text{Ca}, \text{xn})$  and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ ; deduced  $Q\alpha$ .  $^{267,268}\text{Db}(\text{SF})$  [from  $^{243}\text{Am}(^{48}\text{Ca}, \text{xn})$  and subsequent decay]; measured  $T_{1/2}$ . Comparison with model predictions. REPT JINR-E7-2003-178,Oganessian
- 20050G02 RADIOACTIVITY  $^{287,288}115$ ,  $^{283,284}113$ ,  $^{279,280}\text{Rg}$ ,  $^{275,276}\text{Mt}$ ,  $^{272}\text{Bh}(\alpha)$  [from  $^{243}\text{Am}(^{48}\text{Ca}, \text{xn})$  and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ ; deduced  $Q\alpha$ .  $^{267,268}\text{Db}(\text{SF})$ ; measured  $T_{1/2}$ . JOUR PRVCA 72 034611

**A=272**

- $^{272}\text{Bh}$  20030GZY RADIOACTIVITY  $^{287,288}115$ ,  $^{283,284}113$ ,  $^{279,280}\text{Rg}$ ,  $^{275,276}\text{Mt}$ ,  $^{272}\text{Bh}(\alpha)$  [from  $^{243}\text{Am}(^{48}\text{Ca}, \text{xn})$  and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ ; deduced  $Q\alpha$ .  $^{267,268}\text{Db}(\text{SF})$  [from  $^{243}\text{Am}(^{48}\text{Ca}, \text{xn})$  and subsequent decay]; measured  $T_{1/2}$ . Comparison with model predictions. REPT JINR-E7-2003-178,Oganessian
- 20050G02 RADIOACTIVITY  $^{287,288}115$ ,  $^{283,284}113$ ,  $^{279,280}\text{Rg}$ ,  $^{275,276}\text{Mt}$ ,  $^{272}\text{Bh}(\alpha)$  [from  $^{243}\text{Am}(^{48}\text{Ca}, \text{xn})$  and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ ; deduced  $Q\alpha$ .  $^{267,268}\text{Db}(\text{SF})$ ; measured  $T_{1/2}$ . JOUR PRVCA 72 034611

**A=273**

- $^{273}\text{Ds}$  2004MOZU RADIOACTIVITY  $^{277}112$ ,  $^{273}\text{Ds}$ ,  $^{269}\text{Hs}$ ,  $^{265}\text{Sg}(\alpha)$  [from  $^{208}\text{Pb}(^{70}\text{Zn}, \text{n})$  and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ .  $^{261}\text{Rf}(\text{SF})$ ; measured  $T_{1/2}$ .  
PREPRINT Morita
- 2005MOZT RADIOACTIVITY  $^{277}112$ ,  $^{273}\text{Ds}$ ,  $^{269}\text{Hs}$ ,  $^{265}\text{Sg}$ ,  $^{261}\text{Rf}(\alpha)$  [from  $^{208}\text{Pb}(^{70}\text{Zn}, \text{n})$  and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ . REPT  
RIKEN 2004 Annual,P69,Morita

**A=274**

- $^{274}\text{Rg}$  2005MOZS RADIOACTIVITY  $^{278}113$ ,  $^{274}\text{Rg}$ ,  $^{270}\text{Mt}$ ,  $^{266}\text{Bh}(\alpha)$  [from  $^{209}\text{Bi}(^{70}\text{Zn}, \text{n})$  and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ . REPT RIKEN 2004  
Annual,P70,Morita

**A=275**

- <sup>275</sup>Hs 20040G12 RADIOACTIVITY <sup>271</sup>Sg, <sup>275</sup>Hs, <sup>279</sup>Ds, <sup>282,283,285</sup>112, <sup>286,287,288,289</sup>114, <sup>292,293</sup>116( $\alpha$ ); <sup>267</sup>Rf, <sup>271</sup>Sg, <sup>279,281</sup>Ds, <sup>284</sup>112, <sup>286</sup>114(SF) [from <sup>233,238</sup>U, <sup>242</sup>Pu, <sup>248</sup>Cm(<sup>48</sup>Ca, xn) and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ .  
Comparison with model predictions. JOUR PRVCA 70 064609
- 20040GZZ RADIOACTIVITY <sup>271</sup>Sg, <sup>275</sup>Hs, <sup>279</sup>Ds, <sup>282,283,285</sup>112, <sup>286,287,288,289</sup>114, <sup>292,293</sup>116( $\alpha$ ); <sup>267</sup>Rf, <sup>271</sup>Sg, <sup>279,281</sup>Ds, <sup>284</sup>112, <sup>286</sup>114(SF) [from <sup>233,238</sup>U, <sup>242</sup>Pu, <sup>248</sup>Cm(<sup>48</sup>Ca, xn) and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ .  
Comparison with model predictions. REPT  
JINR-E7-2004-160,Oganessian
- 20050G03 RADIOACTIVITY <sup>294</sup>118, <sup>290,291,292,293</sup>116, <sup>287,288,289</sup>114, <sup>285</sup>112, <sup>275</sup>Hs( $\alpha$ ); <sup>286</sup>114, <sup>283</sup>112, <sup>279</sup>Ds, <sup>271</sup>Sg( $\alpha$ ), (SF); <sup>282,284</sup>112, <sup>281</sup>Ds, <sup>267</sup>Rf(SF); measured  $E\alpha$ ,  $T_{1/2}$ , branching ratios. JOUR ZAANE 25 s01 589
- <sup>275</sup>Mt 20030GZY RADIOACTIVITY <sup>287,288</sup>115, <sup>283,284</sup>113, <sup>279,280</sup>Rg, <sup>275,276</sup>Mt, <sup>272</sup>Bh( $\alpha$ ) [from <sup>243</sup>Am(<sup>48</sup>Ca, xn) and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ ; deduced  $Q\alpha$ . <sup>267,268</sup>Db(SF) [from <sup>243</sup>Am(<sup>48</sup>Ca, xn) and subsequent decay]; measured  $T_{1/2}$ . Comparison with model predictions. REPT JINR-E7-2003-178,Oganessian
- 20050G02 RADIOACTIVITY <sup>287,288</sup>115, <sup>283,284</sup>113, <sup>279,280</sup>Rg, <sup>275,276</sup>Mt, <sup>272</sup>Bh( $\alpha$ ) [from <sup>243</sup>Am(<sup>48</sup>Ca, xn) and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ ; deduced  $Q\alpha$ . <sup>267,268</sup>Db(SF); measured  $T_{1/2}$ . JOUR PRVCA 72 034611

**A=276**

- <sup>276</sup>Mt 20030GZY RADIOACTIVITY <sup>287,288</sup>115, <sup>283,284</sup>113, <sup>279,280</sup>Rg, <sup>275,276</sup>Mt, <sup>272</sup>Bh( $\alpha$ ) [from <sup>243</sup>Am(<sup>48</sup>Ca, xn) and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ ; deduced  $Q\alpha$ . <sup>267,268</sup>Db(SF) [from <sup>243</sup>Am(<sup>48</sup>Ca, xn) and subsequent decay]; measured  $T_{1/2}$ . Comparison with model predictions. REPT JINR-E7-2003-178,Oganessian
- 20050G02 RADIOACTIVITY <sup>287,288</sup>115, <sup>283,284</sup>113, <sup>279,280</sup>Rg, <sup>275,276</sup>Mt, <sup>272</sup>Bh( $\alpha$ ) [from <sup>243</sup>Am(<sup>48</sup>Ca, xn) and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ ; deduced  $Q\alpha$ . <sup>267,268</sup>Db(SF); measured  $T_{1/2}$ . JOUR PRVCA 72 034611

**A=277**

- <sup>277</sup>112 2004MOZU NUCLEAR REACTIONS <sup>208</sup>Pb(<sup>70</sup>Zn, n), E=349.5 MeV; measured delayed  $\alpha\alpha$ -coin; deduced production  $\sigma$ . PREPRINT Morita
- 2004MOZU RADIOACTIVITY <sup>277</sup>112, <sup>273</sup>Ds, <sup>269</sup>Hs, <sup>265</sup>Sg( $\alpha$ ) [from <sup>208</sup>Pb(<sup>70</sup>Zn, n) and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ . <sup>261</sup>Rf(SF); measured  $T_{1/2}$ . PREPRINT Morita
- 2005MOZT NUCLEAR REACTIONS <sup>208</sup>Pb(<sup>70</sup>Zn, n), E=349.5 MeV; measured delayed  $\alpha\alpha$ -coin; deduced production  $\sigma$ . REPT RIKEN 2004 Annual,P69,Morita
- 2005MOZT RADIOACTIVITY <sup>277</sup>112, <sup>273</sup>Ds, <sup>269</sup>Hs, <sup>265</sup>Sg, <sup>261</sup>Rf( $\alpha$ ) [from <sup>208</sup>Pb(<sup>70</sup>Zn, n) and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ . REPT RIKEN 2004 Annual,P69,Morita

**A=278**

- <sup>278</sup>Ds 20040G12 RADIOACTIVITY <sup>271</sup>Sg, <sup>275</sup>Hs, <sup>279</sup>Ds, <sup>282,283,285</sup>112, <sup>286,287,288,289</sup>114, <sup>292,293</sup>116( $\alpha$ ); <sup>267</sup>Rf, <sup>271</sup>Sg, <sup>279,281</sup>Ds, <sup>284</sup>112, <sup>286</sup>114(SF) [from <sup>233,238</sup>U, <sup>242</sup>Pu, <sup>248</sup>Cm(<sup>48</sup>Ca, xn) and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>.  
Comparison with model predictions. JOUR PRVCA 70 064609
- 20040GZZ RADIOACTIVITY <sup>271</sup>Sg, <sup>275</sup>Hs, <sup>279</sup>Ds, <sup>282,283,285</sup>112, <sup>286,287,288,289</sup>114, <sup>292,293</sup>116( $\alpha$ ); <sup>267</sup>Rf, <sup>271</sup>Sg, <sup>279,281</sup>Ds, <sup>284</sup>112, <sup>286</sup>114(SF) [from <sup>233,238</sup>U, <sup>242</sup>Pu, <sup>248</sup>Cm(<sup>48</sup>Ca, xn) and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>.  
Comparison with model predictions. REPT  
JINR-E7-2004-160,Oganessian
- <sup>278</sup>113 2005MOZS NUCLEAR REACTIONS <sup>209</sup>Bi(<sup>70</sup>Zn, n), E=349.0 MeV; measured delayed  $\alpha\alpha$ -coin; deduced production  $\sigma$ . REPT RIKEN 2004  
Annual,P70,Morita
- 2005MOZS RADIOACTIVITY <sup>278</sup>113, <sup>274</sup>Rg, <sup>270</sup>Mt, <sup>266</sup>Bh( $\alpha$ ) [from <sup>209</sup>Bi(<sup>70</sup>Zn, n) and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>. REPT RIKEN 2004  
Annual,P70,Morita

**A=279**

- <sup>279</sup>Ds 20040G12 RADIOACTIVITY <sup>271</sup>Sg, <sup>275</sup>Hs, <sup>279</sup>Ds, <sup>282,283,285</sup>112, <sup>286,287,288,289</sup>114, <sup>292,293</sup>116( $\alpha$ ); <sup>267</sup>Rf, <sup>271</sup>Sg, <sup>279,281</sup>Ds, <sup>284</sup>112, <sup>286</sup>114(SF) [from <sup>233,238</sup>U, <sup>242</sup>Pu, <sup>248</sup>Cm(<sup>48</sup>Ca, xn) and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>.  
Comparison with model predictions. JOUR PRVCA 70 064609
- 20040GZZ RADIOACTIVITY <sup>271</sup>Sg, <sup>275</sup>Hs, <sup>279</sup>Ds, <sup>282,283,285</sup>112, <sup>286,287,288,289</sup>114, <sup>292,293</sup>116( $\alpha$ ); <sup>267</sup>Rf, <sup>271</sup>Sg, <sup>279,281</sup>Ds, <sup>284</sup>112, <sup>286</sup>114(SF) [from <sup>233,238</sup>U, <sup>242</sup>Pu, <sup>248</sup>Cm(<sup>48</sup>Ca, xn) and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>.  
Comparison with model predictions. REPT  
JINR-E7-2004-160,Oganessian
- 20050G03 RADIOACTIVITY <sup>294</sup>118, <sup>290,291,292,293</sup>116, <sup>287,288,289</sup>114, <sup>285</sup>112, <sup>275</sup>Hs( $\alpha$ ); <sup>286</sup>114, <sup>283</sup>112, <sup>279</sup>Ds, <sup>271</sup>Sg( $\alpha$ ), (SF); <sup>282,284</sup>112, <sup>281</sup>Ds, <sup>267</sup>Rf(SF); measured E $\alpha$ , T<sub>1/2</sub>, branching ratios. JOUR ZAANE 25 s01  
589
- <sup>279</sup>Rg 20030GZY RADIOACTIVITY <sup>287,288</sup>115, <sup>283,284</sup>113, <sup>279,280</sup>Rg, <sup>275,276</sup>Mt, <sup>272</sup>Bh( $\alpha$ ) [from <sup>243</sup>Am(<sup>48</sup>Ca, xn) and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>; deduced Q $\alpha$ . <sup>267,268</sup>Db(SF) [from <sup>243</sup>Am(<sup>48</sup>Ca, xn) and subsequent decay]; measured T<sub>1/2</sub>. Comparison with model predictions. REPT JINR-E7-2003-178,Oganessian
- 20050G02 RADIOACTIVITY <sup>287,288</sup>115, <sup>283,284</sup>113, <sup>279,280</sup>Rg, <sup>275,276</sup>Mt, <sup>272</sup>Bh( $\alpha$ ) [from <sup>243</sup>Am(<sup>48</sup>Ca, xn) and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>; deduced Q $\alpha$ . <sup>267,268</sup>Db(SF); measured T<sub>1/2</sub>. JOUR PRVCA 72 034611

**A=280**

- <sup>280</sup>Rg 20030GZY RADIOACTIVITY <sup>287,288</sup>115, <sup>283,284</sup>113, <sup>279,280</sup>Rg, <sup>275,276</sup>Mt, <sup>272</sup>Bh( $\alpha$ ) [from <sup>243</sup>Am(<sup>48</sup>Ca, xn) and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>; deduced Q $\alpha$ . <sup>267,268</sup>Db(SF) [from <sup>243</sup>Am(<sup>48</sup>Ca, xn) and subsequent decay]; measured T<sub>1/2</sub>. Comparison with model predictions. REPT JINR-E7-2003-178,Oganessian

**A=280 (continued)**

- 20050G02 RADIOACTIVITY <sup>287,288</sup>115, <sup>283,284</sup>113, <sup>279,280</sup>Rg, <sup>275,276</sup>Mt, <sup>272</sup>Bh( $\alpha$ ) [from <sup>243</sup>Am(<sup>48</sup>Ca, xn) and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>; deduced Q $\alpha$ . <sup>267,268</sup>Db(SF); measured T<sub>1/2</sub>. JOUR PRVCA 72 034611

**A=281**

- <sup>281</sup>Ds 20040G12 RADIOACTIVITY <sup>271</sup>Sg, <sup>275</sup>Hs, <sup>279</sup>Ds, <sup>282,283,285</sup>112, <sup>286,287,288,289</sup>114, <sup>292,293</sup>116( $\alpha$ ); <sup>267</sup>Rf, <sup>271</sup>Sg, <sup>279,281</sup>Ds, <sup>284</sup>112, <sup>286</sup>114(SF) [from <sup>233,238</sup>U, <sup>242</sup>Pu, <sup>248</sup>Cm(<sup>48</sup>Ca, xn) and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>.  
Comparison with model predictions. JOUR PRVCA 70 064609
- 20040GZZ RADIOACTIVITY <sup>271</sup>Sg, <sup>275</sup>Hs, <sup>279</sup>Ds, <sup>282,283,285</sup>112, <sup>286,287,288,289</sup>114, <sup>292,293</sup>116( $\alpha$ ); <sup>267</sup>Rf, <sup>271</sup>Sg, <sup>279,281</sup>Ds, <sup>284</sup>112, <sup>286</sup>114(SF) [from <sup>233,238</sup>U, <sup>242</sup>Pu, <sup>248</sup>Cm(<sup>48</sup>Ca, xn) and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>.  
Comparison with model predictions. REPT  
JINR-E7-2004-160,Oganessian
- 20050G03 RADIOACTIVITY <sup>294</sup>118, <sup>290,291,292,293</sup>116, <sup>287,288,289</sup>114, <sup>285</sup>112, <sup>275</sup>Hs( $\alpha$ ); <sup>286</sup>114, <sup>283</sup>112, <sup>279</sup>Ds, <sup>271</sup>Sg( $\alpha$ ), (SF); <sup>282,284</sup>112, <sup>281</sup>Ds, <sup>267</sup>Rf(SF); measured E $\alpha$ , T<sub>1/2</sub>, branching ratios. JOUR ZAANE 25 s01 589

**A=282**

- <sup>282</sup>112 20030GZZ RADIOACTIVITY <sup>294</sup>118, <sup>290</sup>116( $\alpha$ ), <sup>286</sup>114( $\alpha$ ), (SF) [from <sup>249</sup>Cf(<sup>48</sup>Ca, 3n) and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>, fission fragment spectra. Comparison with model predictions. REPT  
UCRL-ID-151619,Oganessian
- 20040G12 RADIOACTIVITY <sup>271</sup>Sg, <sup>275</sup>Hs, <sup>279</sup>Ds, <sup>282,283,285</sup>112, <sup>286,287,288,289</sup>114, <sup>292,293</sup>116( $\alpha$ ); <sup>267</sup>Rf, <sup>271</sup>Sg, <sup>279,281</sup>Ds, <sup>284</sup>112, <sup>286</sup>114(SF) [from <sup>233,238</sup>U, <sup>242</sup>Pu, <sup>248</sup>Cm(<sup>48</sup>Ca, xn) and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>.  
Comparison with model predictions. JOUR PRVCA 70 064609
- 20040GZZ RADIOACTIVITY <sup>271</sup>Sg, <sup>275</sup>Hs, <sup>279</sup>Ds, <sup>282,283,285</sup>112, <sup>286,287,288,289</sup>114, <sup>292,293</sup>116( $\alpha$ ); <sup>267</sup>Rf, <sup>271</sup>Sg, <sup>279,281</sup>Ds, <sup>284</sup>112, <sup>286</sup>114(SF) [from <sup>233,238</sup>U, <sup>242</sup>Pu, <sup>248</sup>Cm(<sup>48</sup>Ca, xn) and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>.  
Comparison with model predictions. REPT  
JINR-E7-2004-160,Oganessian
- 20050G03 NUCLEAR REACTIONS <sup>238</sup>U(<sup>48</sup>Ca, 3n), (<sup>48</sup>Ca, 4n), <sup>233</sup>U, <sup>242</sup>Pu(<sup>48</sup>Ca, 2n), (<sup>48</sup>Ca, 3n), (<sup>48</sup>Ca, 4n), E  $\approx$  230-250 MeV; measured  $\sigma$ . JOUR ZAANE 25 s01 589
- 20050G03 RADIOACTIVITY <sup>294</sup>118, <sup>290,291,292,293</sup>116, <sup>287,288,289</sup>114, <sup>285</sup>112, <sup>275</sup>Hs( $\alpha$ ); <sup>286</sup>114, <sup>283</sup>112, <sup>279</sup>Ds, <sup>271</sup>Sg( $\alpha$ ), (SF); <sup>282,284</sup>112, <sup>281</sup>Ds, <sup>267</sup>Rf(SF); measured E $\alpha$ , T<sub>1/2</sub>, branching ratios. JOUR ZAANE 25 s01 589

**A=283**

- <sup>283</sup>112 2003YA22 NUCLEAR REACTIONS <sup>238</sup>U(<sup>48</sup>Ca, 3n), E ≈ 233 MeV; measured radiochemical yield; deduced chemical properties. JOUR RAACA 91 433
- 20040G12 RADIOACTIVITY <sup>271</sup>Sg, <sup>275</sup>Hs, <sup>279</sup>Ds, <sup>282,283,285</sup>112, <sup>286,287,288,289</sup>114, <sup>292,293</sup>116(α); <sup>267</sup>Rf, <sup>271</sup>Sg, <sup>279,281</sup>Ds, <sup>284</sup>112, <sup>286</sup>114(SF) [from <sup>233,238</sup>U, <sup>242</sup>Pu, <sup>248</sup>Cm(<sup>48</sup>Ca, xn) and subsequent decay]; measured Eα, T<sub>1/2</sub>. Comparison with model predictions. JOUR PRVCA 70 064609
- 20040GZZ RADIOACTIVITY <sup>271</sup>Sg, <sup>275</sup>Hs, <sup>279</sup>Ds, <sup>282,283,285</sup>112, <sup>286,287,288,289</sup>114, <sup>292,293</sup>116(α); <sup>267</sup>Rf, <sup>271</sup>Sg, <sup>279,281</sup>Ds, <sup>284</sup>112, <sup>286</sup>114(SF) [from <sup>233,238</sup>U, <sup>242</sup>Pu, <sup>248</sup>Cm(<sup>48</sup>Ca, xn) and subsequent decay]; measured Eα, T<sub>1/2</sub>. Comparison with model predictions. REPT JINR-E7-2004-160,Oganessian
- 2005GR19 NUCLEAR REACTIONS <sup>238</sup>U(<sup>48</sup>Ca, 3n), E=230.3, 235.6 MeV; measured σ upper limits; deduced no evidence for <sup>283</sup>112. Comparison with previous results. JOUR PRVCA 72 014605
- 2005HOZX NUCLEAR REACTIONS <sup>238</sup>U(<sup>48</sup>Ca, xn), E=233, 236, 239 MeV; measured fission fragment spectra; deduced evidence for <sup>283</sup>112. PREPRINT Hofmann
- 20050G03 NUCLEAR REACTIONS <sup>238</sup>U(<sup>48</sup>Ca, 3n), (<sup>48</sup>Ca, 4n), <sup>233</sup>U, <sup>242</sup>Pu(<sup>48</sup>Ca, 2n), (<sup>48</sup>Ca, 3n), (<sup>48</sup>Ca, 4n), E ≈ 230-250 MeV; measured σ. JOUR ZAANE 25 s01 589
- 20050G03 RADIOACTIVITY <sup>294</sup>118, <sup>290,291,292,293</sup>116, <sup>287,288,289</sup>114, <sup>285</sup>112, <sup>275</sup>Hs(α); <sup>286</sup>114, <sup>283</sup>112, <sup>279</sup>Ds, <sup>271</sup>Sg(α), (SF); <sup>282,284</sup>112, <sup>281</sup>Ds, <sup>267</sup>Rf(SF); measured Eα, T<sub>1/2</sub>, branching ratios. JOUR ZAANE 25 s01 589
- <sup>283</sup>113 20030GZY RADIOACTIVITY <sup>287,288</sup>115, <sup>283,284</sup>113, <sup>279,280</sup>Rg, <sup>275,276</sup>Mt, <sup>272</sup>Bh(α) [from <sup>243</sup>Am(<sup>48</sup>Ca, xn) and subsequent decay]; measured Eα, T<sub>1/2</sub>; deduced Qα. <sup>267,268</sup>Db(SF) [from <sup>243</sup>Am(<sup>48</sup>Ca, xn) and subsequent decay]; measured T<sub>1/2</sub>. Comparison with model predictions. REPT JINR-E7-2003-178,Oganessian
- 20050G02 RADIOACTIVITY <sup>287,288</sup>115, <sup>283,284</sup>113, <sup>279,280</sup>Rg, <sup>275,276</sup>Mt, <sup>272</sup>Bh(α) [from <sup>243</sup>Am(<sup>48</sup>Ca, xn) and subsequent decay]; measured Eα, T<sub>1/2</sub>; deduced Qα. <sup>267,268</sup>Db(SF); measured T<sub>1/2</sub>. JOUR PRVCA 72 034611

**A=284**

- <sup>284</sup>112 20040G12 RADIOACTIVITY <sup>271</sup>Sg, <sup>275</sup>Hs, <sup>279</sup>Ds, <sup>282,283,285</sup>112, <sup>286,287,288,289</sup>114, <sup>292,293</sup>116(α); <sup>267</sup>Rf, <sup>271</sup>Sg, <sup>279,281</sup>Ds, <sup>284</sup>112, <sup>286</sup>114(SF) [from <sup>233,238</sup>U, <sup>242</sup>Pu, <sup>248</sup>Cm(<sup>48</sup>Ca, xn) and subsequent decay]; measured Eα, T<sub>1/2</sub>. Comparison with model predictions. JOUR PRVCA 70 064609
- 20040GZZ RADIOACTIVITY <sup>271</sup>Sg, <sup>275</sup>Hs, <sup>279</sup>Ds, <sup>282,283,285</sup>112, <sup>286,287,288,289</sup>114, <sup>292,293</sup>116(α); <sup>267</sup>Rf, <sup>271</sup>Sg, <sup>279,281</sup>Ds, <sup>284</sup>112, <sup>286</sup>114(SF) [from <sup>233,238</sup>U, <sup>242</sup>Pu, <sup>248</sup>Cm(<sup>48</sup>Ca, xn) and subsequent decay]; measured Eα, T<sub>1/2</sub>. Comparison with model predictions. REPT JINR-E7-2004-160,Oganessian

**A=284 (continued)**

- 20050G03 RADIOACTIVITY <sup>294</sup>118, <sup>290,291,292,293</sup>116, <sup>287,288,289</sup>114, <sup>285</sup>112, <sup>275</sup>Hs( $\alpha$ ); <sup>286</sup>114, <sup>283</sup>112, <sup>279</sup>Ds, <sup>271</sup>Sg( $\alpha$ ), (SF); <sup>282,284</sup>112, <sup>281</sup>Ds, <sup>267</sup>Rf(SF); measured E $\alpha$ , T<sub>1/2</sub>, branching ratios. JOUR ZAANE 25 s01 589
- <sup>284</sup>113 20030GZY RADIOACTIVITY <sup>287,288</sup>115, <sup>283,284</sup>113, <sup>279,280</sup>Rg, <sup>275,276</sup>Mt, <sup>272</sup>Bh( $\alpha$ ) [from <sup>243</sup>Am(<sup>48</sup>Ca, xn) and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>; deduced Q $\alpha$ . <sup>267,268</sup>Db(SF) [from <sup>243</sup>Am(<sup>48</sup>Ca, xn) and subsequent decay]; measured T<sub>1/2</sub>. Comparison with model predictions. REPT JINR-E7-2003-178,Oganessian
- 20050G02 RADIOACTIVITY <sup>287,288</sup>115, <sup>283,284</sup>113, <sup>279,280</sup>Rg, <sup>275,276</sup>Mt, <sup>272</sup>Bh( $\alpha$ ) [from <sup>243</sup>Am(<sup>48</sup>Ca, xn) and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>; deduced Q $\alpha$ . <sup>267,268</sup>Db(SF); measured T<sub>1/2</sub>. JOUR PRVCA 72 034611

**A=285**

- <sup>285</sup>112 20040G12 RADIOACTIVITY <sup>271</sup>Sg, <sup>275</sup>Hs, <sup>279</sup>Ds, <sup>282,283,285</sup>112, <sup>286,287,288,289</sup>114, <sup>292,293</sup>116( $\alpha$ ); <sup>267</sup>Rf, <sup>271</sup>Sg, <sup>279,281</sup>Ds, <sup>284</sup>112, <sup>286</sup>114(SF) [from <sup>233,238</sup>U, <sup>242</sup>Pu, <sup>248</sup>Cm(<sup>48</sup>Ca, xn) and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>. Comparison with model predictions. JOUR PRVCA 70 064609
- 20040GZZ RADIOACTIVITY <sup>271</sup>Sg, <sup>275</sup>Hs, <sup>279</sup>Ds, <sup>282,283,285</sup>112, <sup>286,287,288,289</sup>114, <sup>292,293</sup>116( $\alpha$ ); <sup>267</sup>Rf, <sup>271</sup>Sg, <sup>279,281</sup>Ds, <sup>284</sup>112, <sup>286</sup>114(SF) [from <sup>233,238</sup>U, <sup>242</sup>Pu, <sup>248</sup>Cm(<sup>48</sup>Ca, xn) and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>. Comparison with model predictions. REPT JINR-E7-2004-160,Oganessian
- 20050G03 RADIOACTIVITY <sup>294</sup>118, <sup>290,291,292,293</sup>116, <sup>287,288,289</sup>114, <sup>285</sup>112, <sup>275</sup>Hs( $\alpha$ ); <sup>286</sup>114, <sup>283</sup>112, <sup>279</sup>Ds, <sup>271</sup>Sg( $\alpha$ ), (SF); <sup>282,284</sup>112, <sup>281</sup>Ds, <sup>267</sup>Rf(SF); measured E $\alpha$ , T<sub>1/2</sub>, branching ratios. JOUR ZAANE 25 s01 589

**A=286**

- <sup>286</sup>114 20030GZZ RADIOACTIVITY <sup>294</sup>118, <sup>290</sup>116( $\alpha$ ), <sup>286</sup>114( $\alpha$ ), (SF) [from <sup>249</sup>Cf(<sup>48</sup>Ca, 3n) and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>, fission fragment spectra. Comparison with model predictions. REPT UCRL-ID-151619,Oganessian
- 20040G12 RADIOACTIVITY <sup>271</sup>Sg, <sup>275</sup>Hs, <sup>279</sup>Ds, <sup>282,283,285</sup>112, <sup>286,287,288,289</sup>114, <sup>292,293</sup>116( $\alpha$ ); <sup>267</sup>Rf, <sup>271</sup>Sg, <sup>279,281</sup>Ds, <sup>284</sup>112, <sup>286</sup>114(SF) [from <sup>233,238</sup>U, <sup>242</sup>Pu, <sup>248</sup>Cm(<sup>48</sup>Ca, xn) and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>. Comparison with model predictions. JOUR PRVCA 70 064609
- 20040GZZ RADIOACTIVITY <sup>271</sup>Sg, <sup>275</sup>Hs, <sup>279</sup>Ds, <sup>282,283,285</sup>112, <sup>286,287,288,289</sup>114, <sup>292,293</sup>116( $\alpha$ ); <sup>267</sup>Rf, <sup>271</sup>Sg, <sup>279,281</sup>Ds, <sup>284</sup>112, <sup>286</sup>114(SF) [from <sup>233,238</sup>U, <sup>242</sup>Pu, <sup>248</sup>Cm(<sup>48</sup>Ca, xn) and subsequent decay]; measured E $\alpha$ , T<sub>1/2</sub>. Comparison with model predictions. REPT JINR-E7-2004-160,Oganessian
- 20050G03 NUCLEAR REACTIONS <sup>238</sup>U(<sup>48</sup>Ca, 3n), (<sup>48</sup>Ca, 4n), <sup>233</sup>U, <sup>242</sup>Pu(<sup>48</sup>Ca, 2n), (<sup>48</sup>Ca, 3n), (<sup>48</sup>Ca, 4n), E  $\approx$  230-250 MeV; measured  $\sigma$ . JOUR ZAANE 25 s01 589

**A=286 (continued)**

20050G03 RADIOACTIVITY  $^{294}_{118}$ ,  $^{290,291,292,293}_{116}$ ,  $^{287,288,289}_{114}$ ,  $^{285}_{112}$ ,  $^{275}_{114}\text{Hs}(\alpha)$ ;  $^{286}_{114}$ ,  $^{283}_{112}$ ,  $^{279}_{114}\text{Ds}$ ,  $^{271}_{114}\text{Sg}(\alpha)$ , (SF);  $^{282,284}_{112}$ ,  $^{281}_{114}\text{Ds}$ ,  $^{267}_{114}\text{Rf}$ (SF); measured  $E\alpha$ ,  $T_{1/2}$ , branching ratios. JOUR ZAANE 25 s01 589

**A=287**

$^{287}_{114}$  20040G12 RADIOACTIVITY  $^{271}_{114}\text{Sg}$ ,  $^{275}_{114}\text{Hs}$ ,  $^{279}_{114}\text{Ds}$ ,  $^{282,283,285}_{112}$ ,  $^{286,287,288,289}_{114}$ ,  $^{292,293}_{116}(\alpha)$ ;  $^{267}_{114}\text{Rf}$ ,  $^{271}_{114}\text{Sg}$ ,  $^{279,281}_{114}\text{Ds}$ ,  $^{284}_{112}$ ,  $^{286}_{114}$ (SF) [from  $^{233,238}_{114}\text{U}$ ,  $^{242}_{114}\text{Pu}$ ,  $^{248}_{114}\text{Cm}(\text{}^{48}\text{Ca}$ , xn) and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ . Comparison with model predictions. JOUR PRVCA 70 064609

20040GZZ RADIOACTIVITY  $^{271}_{114}\text{Sg}$ ,  $^{275}_{114}\text{Hs}$ ,  $^{279}_{114}\text{Ds}$ ,  $^{282,283,285}_{112}$ ,  $^{286,287,288,289}_{114}$ ,  $^{292,293}_{116}(\alpha)$ ;  $^{267}_{114}\text{Rf}$ ,  $^{271}_{114}\text{Sg}$ ,  $^{279,281}_{114}\text{Ds}$ ,  $^{284}_{112}$ ,  $^{286}_{114}$ (SF) [from  $^{233,238}_{114}\text{U}$ ,  $^{242}_{114}\text{Pu}$ ,  $^{248}_{114}\text{Cm}(\text{}^{48}\text{Ca}$ , xn) and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ . Comparison with model predictions. REPT JINR-E7-2004-160,Oganessian

20050G03 NUCLEAR REACTIONS  $^{238}_{114}\text{U}(\text{}^{48}\text{Ca}$ , 3n), ( $^{48}\text{Ca}$ , 4n),  $^{233}_{114}\text{U}$ ,  $^{242}_{114}\text{Pu}(\text{}^{48}\text{Ca}$ , 2n), ( $^{48}\text{Ca}$ , 3n), ( $^{48}\text{Ca}$ , 4n),  $E \approx 230\text{-}250$  MeV; measured  $\sigma$ . JOUR ZAANE 25 s01 589

20050G03 RADIOACTIVITY  $^{294}_{118}$ ,  $^{290,291,292,293}_{116}$ ,  $^{287,288,289}_{114}$ ,  $^{285}_{112}$ ,  $^{275}_{114}\text{Hs}(\alpha)$ ;  $^{286}_{114}$ ,  $^{283}_{112}$ ,  $^{279}_{114}\text{Ds}$ ,  $^{271}_{114}\text{Sg}(\alpha)$ , (SF);  $^{282,284}_{112}$ ,  $^{281}_{114}\text{Ds}$ ,  $^{267}_{114}\text{Rf}$ (SF); measured  $E\alpha$ ,  $T_{1/2}$ , branching ratios. JOUR ZAANE 25 s01 589

$^{287}_{115}$  20030GZY NUCLEAR REACTIONS  $^{243}_{115}\text{Am}(\text{}^{48}\text{Ca}$ , 3n), ( $^{48}\text{Ca}$ , 4n),  $E=253$  MeV; measured (recoil) $\alpha$ -,  $\alpha\alpha$ -coin following residual nucleus decay; deduced production  $\sigma$ . REPT JINR-E7-2003-178,Oganessian

20030GZY RADIOACTIVITY  $^{287,288}_{115}$ ,  $^{283,284}_{113}$ ,  $^{279,280}_{113}\text{Rg}$ ,  $^{275,276}_{113}\text{Mt}$ ,  $^{272}_{113}\text{Bh}(\alpha)$  [from  $^{243}_{115}\text{Am}(\text{}^{48}\text{Ca}$ , xn) and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ ; deduced  $Q\alpha$ .  $^{267,268}_{113}\text{Db}$ (SF) [from  $^{243}_{115}\text{Am}(\text{}^{48}\text{Ca}$ , xn) and subsequent decay]; measured  $T_{1/2}$ . Comparison with model predictions. REPT JINR-E7-2003-178,Oganessian

20050G02 NUCLEAR REACTIONS  $^{243}_{115}\text{Am}(\text{}^{48}\text{Ca}$ , 3n), ( $^{48}\text{Ca}$ , 4n),  $E=248$ , 253 MeV; measured delayed  $E\alpha$ ,  $\alpha\alpha$ -coin; deduced  $\sigma$ . JOUR PRVCA 72 034611

20050G02 RADIOACTIVITY  $^{287,288}_{115}$ ,  $^{283,284}_{113}$ ,  $^{279,280}_{113}\text{Rg}$ ,  $^{275,276}_{113}\text{Mt}$ ,  $^{272}_{113}\text{Bh}(\alpha)$  [from  $^{243}_{115}\text{Am}(\text{}^{48}\text{Ca}$ , xn) and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ ; deduced  $Q\alpha$ .  $^{267,268}_{113}\text{Db}$ (SF); measured  $T_{1/2}$ . JOUR PRVCA 72 034611

**A=288**

$^{288}_{114}$  20040G12 RADIOACTIVITY  $^{271}_{114}\text{Sg}$ ,  $^{275}_{114}\text{Hs}$ ,  $^{279}_{114}\text{Ds}$ ,  $^{282,283,285}_{112}$ ,  $^{286,287,288,289}_{114}$ ,  $^{292,293}_{116}(\alpha)$ ;  $^{267}_{114}\text{Rf}$ ,  $^{271}_{114}\text{Sg}$ ,  $^{279,281}_{114}\text{Ds}$ ,  $^{284}_{112}$ ,  $^{286}_{114}$ (SF) [from  $^{233,238}_{114}\text{U}$ ,  $^{242}_{114}\text{Pu}$ ,  $^{248}_{114}\text{Cm}(\text{}^{48}\text{Ca}$ , xn) and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ . Comparison with model predictions. JOUR PRVCA 70 064609

**A=288 (continued)**

- 20040GZZ RADIOACTIVITY  $^{271}\text{Sg}$ ,  $^{275}\text{Hs}$ ,  $^{279}\text{Ds}$ ,  $^{282,283,285}112$ ,  $^{286,287,288,289}114$ ,  $^{292,293}116(\alpha)$ ;  $^{267}\text{Rf}$ ,  $^{271}\text{Sg}$ ,  $^{279,281}\text{Ds}$ ,  $^{284}112$ ,  $^{286}114(\text{SF})$  [from  $^{233,238}\text{U}$ ,  $^{242}\text{Pu}$ ,  $^{248}\text{Cm}(^{48}\text{Ca}, \text{xn})$  and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ . Comparison with model predictions. REPT JINR-E7-2004-160, Oganessian
- 20050G03 NUCLEAR REACTIONS  $^{238}\text{U}(^{48}\text{Ca}, 3\text{n})$ ,  $(^{48}\text{Ca}, 4\text{n})$ ,  $^{233}\text{U}$ ,  $^{242}\text{Pu}(^{48}\text{Ca}, 2\text{n})$ ,  $(^{48}\text{Ca}, 3\text{n})$ ,  $(^{48}\text{Ca}, 4\text{n})$ ,  $E \approx 230\text{-}250\text{ MeV}$ ; measured  $\sigma$ . JOUR ZAANE 25 s01 589
- 20050G03 RADIOACTIVITY  $^{294}118$ ,  $^{290,291,292,293}116$ ,  $^{287,288,289}114$ ,  $^{285}112$ ,  $^{275}\text{Hs}(\alpha)$ ;  $^{286}114$ ,  $^{283}112$ ,  $^{279}\text{Ds}$ ,  $^{271}\text{Sg}(\alpha)$ , (SF);  $^{282,284}112$ ,  $^{281}\text{Ds}$ ,  $^{267}\text{Rf}(\text{SF})$ ; measured  $E\alpha$ ,  $T_{1/2}$ , branching ratios. JOUR ZAANE 25 s01 589
- $^{288}115$  20030GZY NUCLEAR REACTIONS  $^{243}\text{Am}(^{48}\text{Ca}, 3\text{n})$ ,  $(^{48}\text{Ca}, 4\text{n})$ ,  $E=253\text{ MeV}$ ; measured (recoil) $\alpha$ -,  $\alpha\alpha$ -coin following residual nucleus decay; deduced production  $\sigma$ . REPT JINR-E7-2003-178, Oganessian
- 20030GZY RADIOACTIVITY  $^{287,288}115$ ,  $^{283,284}113$ ,  $^{279,280}\text{Rg}$ ,  $^{275,276}\text{Mt}$ ,  $^{272}\text{Bh}(\alpha)$  [from  $^{243}\text{Am}(^{48}\text{Ca}, \text{xn})$  and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ ; deduced  $Q\alpha$ .  $^{267,268}\text{Db}(\text{SF})$  [from  $^{243}\text{Am}(^{48}\text{Ca}, \text{xn})$  and subsequent decay]; measured  $T_{1/2}$ . Comparison with model predictions. REPT JINR-E7-2003-178, Oganessian
- 2004DMZZ NUCLEAR REACTIONS  $^{243}\text{Am}(^{48}\text{Ca}, 3\text{n})$ ,  $E=247\text{ MeV}$ ; measured delayed fission fragment and neutron spectra following radiochemical separation; deduced  $\sigma$ , evidence for  $Z=115$  and  $Z=113$  production. REPT JINR-E12-2004-157, Dmitriev
- 20050G02 NUCLEAR REACTIONS  $^{243}\text{Am}(^{48}\text{Ca}, 3\text{n})$ ,  $(^{48}\text{Ca}, 4\text{n})$ ,  $E=248, 253\text{ MeV}$ ; measured delayed  $E\alpha$ ,  $\alpha\alpha$ -coin; deduced  $\sigma$ . JOUR PRVCA 72 034611
- 20050G02 RADIOACTIVITY  $^{287,288}115$ ,  $^{283,284}113$ ,  $^{279,280}\text{Rg}$ ,  $^{275,276}\text{Mt}$ ,  $^{272}\text{Bh}(\alpha)$  [from  $^{243}\text{Am}(^{48}\text{Ca}, \text{xn})$  and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ ; deduced  $Q\alpha$ .  $^{267,268}\text{Db}(\text{SF})$ ; measured  $T_{1/2}$ . JOUR PRVCA 72 034611

**A=289**

- $^{289}114$  20040G12 RADIOACTIVITY  $^{271}\text{Sg}$ ,  $^{275}\text{Hs}$ ,  $^{279}\text{Ds}$ ,  $^{282,283,285}112$ ,  $^{286,287,288,289}114$ ,  $^{292,293}116(\alpha)$ ;  $^{267}\text{Rf}$ ,  $^{271}\text{Sg}$ ,  $^{279,281}\text{Ds}$ ,  $^{284}112$ ,  $^{286}114(\text{SF})$  [from  $^{233,238}\text{U}$ ,  $^{242}\text{Pu}$ ,  $^{248}\text{Cm}(^{48}\text{Ca}, \text{xn})$  and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ . Comparison with model predictions. JOUR PRVCA 70 064609
- 20040GZZ RADIOACTIVITY  $^{271}\text{Sg}$ ,  $^{275}\text{Hs}$ ,  $^{279}\text{Ds}$ ,  $^{282,283,285}112$ ,  $^{286,287,288,289}114$ ,  $^{292,293}116(\alpha)$ ;  $^{267}\text{Rf}$ ,  $^{271}\text{Sg}$ ,  $^{279,281}\text{Ds}$ ,  $^{284}112$ ,  $^{286}114(\text{SF})$  [from  $^{233,238}\text{U}$ ,  $^{242}\text{Pu}$ ,  $^{248}\text{Cm}(^{48}\text{Ca}, \text{xn})$  and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ . Comparison with model predictions. REPT JINR-E7-2004-160, Oganessian
- 20050G03 RADIOACTIVITY  $^{294}118$ ,  $^{290,291,292,293}116$ ,  $^{287,288,289}114$ ,  $^{285}112$ ,  $^{275}\text{Hs}(\alpha)$ ;  $^{286}114$ ,  $^{283}112$ ,  $^{279}\text{Ds}$ ,  $^{271}\text{Sg}(\alpha)$ , (SF);  $^{282,284}112$ ,  $^{281}\text{Ds}$ ,  $^{267}\text{Rf}(\text{SF})$ ; measured  $E\alpha$ ,  $T_{1/2}$ , branching ratios. JOUR ZAANE 25 s01 589



**A=290**

- <sup>290</sup>116 20030GZZ RADIOACTIVITY <sup>294</sup>118, <sup>290</sup>116( $\alpha$ ), <sup>286</sup>114( $\alpha$ ), (SF) [from <sup>249</sup>Cf(<sup>48</sup>Ca, 3n) and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ , fission fragment spectra. Comparison with model predictions. REPT UCRL-ID-151619,Oganessian
- 20050G03 RADIOACTIVITY <sup>294</sup>118, <sup>290,291,292,293</sup>116, <sup>287,288,289</sup>114, <sup>285</sup>112, <sup>275</sup>Hs( $\alpha$ ); <sup>286</sup>114, <sup>283</sup>112, <sup>279</sup>Ds, <sup>271</sup>Sg( $\alpha$ ), (SF); <sup>282,284</sup>112, <sup>281</sup>Ds, <sup>267</sup>Rf(SF); measured  $E\alpha$ ,  $T_{1/2}$ , branching ratios. JOUR ZAANE 25 s01 589

**A=291**

- <sup>291</sup>116 20040G12 NUCLEAR REACTIONS <sup>233,238</sup>U, <sup>242</sup>Pu, <sup>248</sup>Cm(<sup>48</sup>Ca, 2n), (<sup>48</sup>Ca, 3n), (<sup>48</sup>Ca, 4n), (<sup>48</sup>Ca, 5n),  $E^* \approx 25$ -55 MeV; measured excitation functions. Comparison with model predictions. JOUR PRVCA 70 064609
- 20040GZZ NUCLEAR REACTIONS <sup>233,238</sup>U, <sup>242</sup>Pu, <sup>248</sup>Cm(<sup>48</sup>Ca, 2n), (<sup>48</sup>Ca, 3n), (<sup>48</sup>Ca, 4n), (<sup>48</sup>Ca, 5n),  $E^* \approx 25$ -55 MeV; measured excitation functions. Comparison with model predictions. REPT JINR-E7-2004-160,Oganessian
- 20050G03 RADIOACTIVITY <sup>294</sup>118, <sup>290,291,292,293</sup>116, <sup>287,288,289</sup>114, <sup>285</sup>112, <sup>275</sup>Hs( $\alpha$ ); <sup>286</sup>114, <sup>283</sup>112, <sup>279</sup>Ds, <sup>271</sup>Sg( $\alpha$ ), (SF); <sup>282,284</sup>112, <sup>281</sup>Ds, <sup>267</sup>Rf(SF); measured  $E\alpha$ ,  $T_{1/2}$ , branching ratios. JOUR ZAANE 25 s01 589

**A=292**

- <sup>292</sup>116 20040G12 NUCLEAR REACTIONS <sup>233,238</sup>U, <sup>242</sup>Pu, <sup>248</sup>Cm(<sup>48</sup>Ca, 2n), (<sup>48</sup>Ca, 3n), (<sup>48</sup>Ca, 4n), (<sup>48</sup>Ca, 5n),  $E^* \approx 25$ -55 MeV; measured excitation functions. Comparison with model predictions. JOUR PRVCA 70 064609
- 20040G12 RADIOACTIVITY <sup>271</sup>Sg, <sup>275</sup>Hs, <sup>279</sup>Ds, <sup>282,283,285</sup>112, <sup>286,287,288,289</sup>114, <sup>292,293</sup>116( $\alpha$ ); <sup>267</sup>Rf, <sup>271</sup>Sg, <sup>279,281</sup>Ds, <sup>284</sup>112, <sup>286</sup>114(SF) [from <sup>233,238</sup>U, <sup>242</sup>Pu, <sup>248</sup>Cm(<sup>48</sup>Ca, xn) and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ . Comparison with model predictions. JOUR PRVCA 70 064609
- 20040GZZ NUCLEAR REACTIONS <sup>233,238</sup>U, <sup>242</sup>Pu, <sup>248</sup>Cm(<sup>48</sup>Ca, 2n), (<sup>48</sup>Ca, 3n), (<sup>48</sup>Ca, 4n), (<sup>48</sup>Ca, 5n),  $E^* \approx 25$ -55 MeV; measured excitation functions. Comparison with model predictions. REPT JINR-E7-2004-160,Oganessian
- 20040GZZ RADIOACTIVITY <sup>271</sup>Sg, <sup>275</sup>Hs, <sup>279</sup>Ds, <sup>282,283,285</sup>112, <sup>286,287,288,289</sup>114, <sup>292,293</sup>116( $\alpha$ ); <sup>267</sup>Rf, <sup>271</sup>Sg, <sup>279,281</sup>Ds, <sup>284</sup>112, <sup>286</sup>114(SF) [from <sup>233,238</sup>U, <sup>242</sup>Pu, <sup>248</sup>Cm(<sup>48</sup>Ca, xn) and subsequent decay]; measured  $E\alpha$ ,  $T_{1/2}$ . Comparison with model predictions. REPT JINR-E7-2004-160,Oganessian
- 20050G03 RADIOACTIVITY <sup>294</sup>118, <sup>290,291,292,293</sup>116, <sup>287,288,289</sup>114, <sup>285</sup>112, <sup>275</sup>Hs( $\alpha$ ); <sup>286</sup>114, <sup>283</sup>112, <sup>279</sup>Ds, <sup>271</sup>Sg( $\alpha$ ), (SF); <sup>282,284</sup>112, <sup>281</sup>Ds, <sup>267</sup>Rf(SF); measured  $E\alpha$ ,  $T_{1/2}$ , branching ratios. JOUR ZAANE 25 s01 589

**A=293**

- <sup>293</sup>116 20040G12 NUCLEAR REACTIONS <sup>233,238</sup>U, <sup>242</sup>Pu, <sup>248</sup>Cm(<sup>48</sup>Ca, 2n), (<sup>48</sup>Ca, 3n), (<sup>48</sup>Ca, 4n), (<sup>48</sup>Ca, 5n), E\* ≈ 25-55 MeV; measured excitation functions. Comparison with model predictions. JOUR PRVCA 70 064609
- 20040G12 RADIOACTIVITY <sup>271</sup>Sg, <sup>275</sup>Hs, <sup>279</sup>Ds, <sup>282,283,285</sup>112, <sup>286,287,288,289</sup>114, <sup>292,293</sup>116(α); <sup>267</sup>Rf, <sup>271</sup>Sg, <sup>279,281</sup>Ds, <sup>284</sup>112, <sup>286</sup>114(SF) [from <sup>233,238</sup>U, <sup>242</sup>Pu, <sup>248</sup>Cm(<sup>48</sup>Ca, xn) and subsequent decay]; measured Eα, T<sub>1/2</sub>. Comparison with model predictions. JOUR PRVCA 70 064609
- 20040GZZ NUCLEAR REACTIONS <sup>233,238</sup>U, <sup>242</sup>Pu, <sup>248</sup>Cm(<sup>48</sup>Ca, 2n), (<sup>48</sup>Ca, 3n), (<sup>48</sup>Ca, 4n), (<sup>48</sup>Ca, 5n), E\* ≈ 25-55 MeV; measured excitation functions. Comparison with model predictions. REPT  
JINR-E7-2004-160,Oganessian
- 20040GZZ RADIOACTIVITY <sup>271</sup>Sg, <sup>275</sup>Hs, <sup>279</sup>Ds, <sup>282,283,285</sup>112, <sup>286,287,288,289</sup>114, <sup>292,293</sup>116(α); <sup>267</sup>Rf, <sup>271</sup>Sg, <sup>279,281</sup>Ds, <sup>284</sup>112, <sup>286</sup>114(SF) [from <sup>233,238</sup>U, <sup>242</sup>Pu, <sup>248</sup>Cm(<sup>48</sup>Ca, xn) and subsequent decay]; measured Eα, T<sub>1/2</sub>. Comparison with model predictions. REPT  
JINR-E7-2004-160,Oganessian
- 20050G03 RADIOACTIVITY <sup>294</sup>118, <sup>290,291,292,293</sup>116, <sup>287,288,289</sup>114, <sup>285</sup>112, <sup>275</sup>Hs(α); <sup>286</sup>114, <sup>283</sup>112, <sup>279</sup>Ds, <sup>271</sup>Sg(α), (SF); <sup>282,284</sup>112, <sup>281</sup>Ds, <sup>267</sup>Rf(SF); measured Eα, T<sub>1/2</sub>, branching ratios. JOUR ZAANE 25 s01 589

**A=294**

- <sup>294</sup>116 20040G12 NUCLEAR REACTIONS <sup>233,238</sup>U, <sup>242</sup>Pu, <sup>248</sup>Cm(<sup>48</sup>Ca, 2n), (<sup>48</sup>Ca, 3n), (<sup>48</sup>Ca, 4n), (<sup>48</sup>Ca, 5n), E\* ≈ 25-55 MeV; measured excitation functions. Comparison with model predictions. JOUR PRVCA 70 064609
- 20040GZZ NUCLEAR REACTIONS <sup>233,238</sup>U, <sup>242</sup>Pu, <sup>248</sup>Cm(<sup>48</sup>Ca, 2n), (<sup>48</sup>Ca, 3n), (<sup>48</sup>Ca, 4n), (<sup>48</sup>Ca, 5n), E\* ≈ 25-55 MeV; measured excitation functions. Comparison with model predictions. REPT  
JINR-E7-2004-160,Oganessian
- <sup>294</sup>118 20030GZZ NUCLEAR REACTIONS <sup>249</sup>Cf(<sup>48</sup>Ca, 3n), E=245 MeV; measured Eα, fission fragment spectra following residual nucleus decay; deduced evidence for <sup>294</sup>118. Gas-filled recoil separator. REPT  
UCRL-ID-151619,Oganessian
- 20030GZZ RADIOACTIVITY <sup>294</sup>118, <sup>290</sup>116(α), <sup>286</sup>114(α), (SF) [from <sup>249</sup>Cf(<sup>48</sup>Ca, 3n) and subsequent decay]; measured Eα, T<sub>1/2</sub>, fission fragment spectra. Comparison with model predictions. REPT  
UCRL-ID-151619,Oganessian
- 20050G03 RADIOACTIVITY <sup>294</sup>118, <sup>290,291,292,293</sup>116, <sup>287,288,289</sup>114, <sup>285</sup>112, <sup>275</sup>Hs(α); <sup>286</sup>114, <sup>283</sup>112, <sup>279</sup>Ds, <sup>271</sup>Sg(α), (SF); <sup>282,284</sup>112, <sup>281</sup>Ds, <sup>267</sup>Rf(SF); measured Eα, T<sub>1/2</sub>, branching ratios. JOUR ZAANE 25 s01 589

## References

- 2002AH06 I.Ahmad - J.Nucl.Radiochem.Sci. 3, No 1, 179 (2002)  
Structure and Spectroscopy of Transcurium Nuclei
- 2002AS08 M.Asai, M.Sakama, K.Tsukada, S.Ichikawa, H.Haba, I.Nishinaka, Y.Nagame, S.Goto, K.Akiyama, A.Toyoshima, Y.Kojima, Y.Oura, H.Nakahara, M.Shibata, K.Kawade - J.Nucl.Radiochem.Sci. 3, No 1, 187 (2002)  
Decay Studies of Neutron-deficient Am, Cm, and Bk Nuclei Using an On-line Isotope Separator
- 2002B066 V.A.Bondarenko, J.Honzatko, V.A.Khitrov, A.M.Sukhovoj, I.Tomandl - Fizika(Zagreb) B 11, 83 (2002)  
Cascade  $\gamma$ -decay of the  $^{193}\text{Os}$  compound nucleus and some aspects of dynamics of change in nuclear properties below  $B_n$
- 2002B067 V.A.Bondarenko, J.Honzatko, V.A.Khitrov, A.M.Sukhovoj, I.Tomandl - Fizika(Zagreb) B 11, 201 (2002)  
Two-step cascades of the  $^{185}\text{W}$  compound nucleus  $\gamma$ -decay
- 2002DU22 Ch.E.Dullmann, B.Eichler, R.Eichler, H.W.Gaggeler, D.T.Jost, D.Piguet, A.Turler - Nucl.Instrum.Methods Phys.Res. A479, 631 (2002)  
IVO, a device for In situ Volatilization and On-line detection of products from heavy ion reactions
- 2002GU33 J.S.Guo, Z.Qin, Z.G.Gan, H.M.Fan, Y.B.Xu, J.J.He, X.G.Lei, X.L.Wu, H.Y.Liu, X.H.Zhou, S.G.Yuan, G.M.Jin - J.Nucl.Radiochem.Sci. 3, No 1, 183 (2002)  
Preparation of Thick Americium Targets and Synthesis of  $^{259}\text{Db}$
- 2002LI68 C.J.Lin, H.Q.Zhang, Z.H.Liu, J.C.Xu, F.Yang - J.Nucl.Radiochem.Sci. 3, No 1, 27 (2002)  
The Effects of Deformed Projectile in Threshold Anomaly and Fusion Reaction for  $^{19}\text{F} + ^{208}\text{Pb}$  System
- 2002NA37 Y.Nagame, M.Asai, H.Haba, S.Goto, K.Tsukada, I.Nishinaka, K.Nishio, S.Ichikawa, A.Toyoshima, K.Akiyama, H.Nakahara, M.Sakama, M.Schadel, J.V.Kratz, H.W.Gaggeler, A.Turler - J.Nucl.Radiochem.Sci. 3, No 1, 85 (2002)  
Production Cross Sections of  $^{261}\text{Rf}$  and  $^{262}\text{Db}$  in Bombardments of  $^{248}\text{Cm}$  with  $^{18}\text{O}$  and  $^{19}\text{F}$  Ions
- 2002SU35 K.Subotic, Yu.Ts.Oganessian, V.K.Utyonkov, Yu.V.Lobanov, F.Sh.Abdullin, A.N.Polyakov, Yu.S.Tsyganov, O.V.Ivanov - Nucl.Instrum.Methods Phys.Res. A481, 71 (2002)  
Evaporation residue collection efficiencies and position spectra of the Dubna gas-filled recoil separator

REFERENCES

---

- 2003ASZY M.Asai, K.Tsukada, S.Ichikawa, M.Sakama, H.Haba, Y.Nagame, I.Nishinaka, K.Akiyama, A.Toyoshima, T.Kaneko, Y.Oura, Y.Kojima, M.Shibata - Japan Atomic Energy Res.Inst.Tandem VDG Ann.Rept., 2002, p.29 (2003); JAERI-Review 2003-028 (2003)  
EC Decay of the New Isotope  $^{241}\text{Bk}$
- 2003G041 O.K.Gorpinich, O.M.Povoroznyk, O.O.Yachmenov - Ukr.J.Phys. 48, 1035 (2003)  
About the evidence for high excited levels of  $^5\text{Li}$  above the  $t+2p$  threshold in the  $^3\text{He}(\alpha, dt)^2\text{He}$  reaction
- 2003HI23 J.C.Hill, for the NA53 Collaboration - Ukr.J.Phys. 48, 1165 (2003)  
Electromagnetic dissociation of relativistic heavy ions
- 2003KI26 N.Kinoshita, A.Yokoyama, T.Nakanishi - J.Nucl.Radiochem.Sci. 4, No 1, 5 (2003)  
Half-Life of Samarium-147
- 2003MB03 V.M.Mazur, V.A.Zheltonozhsky, Z.M.Bigun - Ukr.J.Phys. 48, 403 (2003)  
Excitation mechanism of isomer states of  $^{197}\text{Pt}$  and  $^{197}\text{Hg}$  nuclei in photoneutron reactions in the energy region of a giant E1-resonance
- 2003MOZP C.B.Moon, G.D.Dracoulis, R.A.Bark, A.P.Byrne, P.M.Davidson, A.N.Wilson, A.M.Baxter, T.Kibedi, G.J.Lane, J.C.Hazel, A.M.Bruce, N.Orce Gonzalez, F.Prados-Estevez, H.El-Masri, C.Wheldon, P.M.Walker, R.Wood - Australian National Univ., Dept. of Nuclear Physics 2002 Ann.Rept., p.17 (2003); ANU-P/1564 (2003)  
Quasi-collective bands in  $^{126}\text{I}$
- 2003MOZQ C.B.Moon, G.D.Dracoulis, R.A.Bark, A.P.Byrne, P.M.Davidson, A.N.Wilson, T.Kibedi, G.J.Lane, A.M.Baxter - Australian National Univ., Dept. of Nuclear Physics 2002 Ann.Rept., p.15 (2003); ANU-P/1564 (2003)  
Collective bands in  $^{124}\text{I}$
- 2003MOZR C.B.Moon, G.D.Dracoulis, R.A.Bark, A.P.Byrne, P.M.Davidson, A.N.Wilson, T.Kibedi, G.J.Lane, A.M.Baxter - Australian National Univ., Dept. of Nuclear Physics 2002 Ann.Rept., p.13 (2003); ANU-P/1564 (2003)  
The  $\pi h_{11/12} (x) \nu h_{11/2}$  band in the odd-odd nuclide  $^{122}\text{I}$
- 2003MOZS C.B.Moon, G.D.Dracoulis, R.A.Bark, A.P.Byrne, P.M.Davidson, A.N.Wilson, T.Kibedi, G.J.Lane - Australian National Univ., Dept. of Nuclear Physics 2002 Ann.Rept., p.11 (2003); ANU-P/1564 (2003)  
Candidates for Chiral Bands in  $^{120}\text{I}$
- 2003OGZY Yu.Ts.Oganessian, V.K.Utyonkov, Yu.V.Lobanov, F.Sh.Abdullin, A.N.Polyakov, I.V.Shirokovsky, Yu.S.Tsyganov, G.G.Gulbekian, S.L.Bogomolov, A.N.Mezentsev, S.Iliev, V.G.Subbotin, A.M.Sukhov, A.A.Voinov, G.V.Buklanov, K.Subotic, V.I.Zagrebaev, M.G.Itkis, J.B.Patin, K.J.Moody, J.F.Wild, M.A.Stoyer, N.J.Stoyer, D.A.Shaughnessy, J.M.Kenneally, R.W.Lougheed - JINR-E7-2003-178 (2003)  
Experiments on the synthesis of element 115 in the reaction  $^{243}\text{Am}(^{48}\text{Ca}, xn)^{291-x}115$

REFERENCES

---

- 20030GZZ Y.T.Oganessian, V.K.Utyonkov, Y.V.Lobanov, F.S.Abdullin, A.N.Polyakov, I.V.Shirokovsky, Y.S.Tsyganov, A.N.Mezentsev, S.Iliev, V.G.Subbotin, A.M.Sukhov, O.V.Ivanov, A.A.Voinov, K.Subotic, V.I.Zagrebaev, M.G.Itkis, K.J.Moody, J.F.Wild, M.A.Stoyer, N.J.Stoyer, C.A.Laue, D.A.Shaughnessy, J.B.Patin, R.W.Lougheed - UCRL-ID-151619 (2003)  
Results from the First  $^{249}\text{Cf} + ^{48}\text{Ca}$  Experiment
- 2003WIZU A.N.Wilson, R.A.Bark, P.M.Davidson - Australian National Univ., Dept. of Nuclear Physics 2002 Ann.Rept., p.18 (2003); ANU-P/1564 (2003)  
High-spin study of  $^{127}\text{Ce}$
- 2003YA22 A.B.Yakushev, I.Zvara, Yu.Ts.Oganessian, A.V.Belozеров, S.N.Dmitriev, B.Eichler, S.Hubener, E.A.Sokol, A.Turler, A.V.Yeremin, G.V.Buklanov, M.L.Chelnokov, V.I.Chepigin, V.A.Gorshkov, A.V.Gulyaev, V.Ya.Lebedev, O.N.Malyshev, A.G.Popeko, S.Soverna, Z.Szeglowski, S.N.Timokhin, S.P.Tretyakova, V.M.Vasko, M.G.Itkis - Radiochim.Acta 91, 433 (2003)  
Chemical identification and properties of element 112
- 2004ADZW J.Adam, A.R.Balabekyan, V.S.Barashenkov, R.Brandt, V.M.Golovatyuk, V.G.Kalinnikov, K.Katovsky, M.I.Krivopustov, V.Kumar, H.Kumawat, R.Odoj, V.S.Pronskikh, A.A.Solnyshkin, V.I.Stegailov, V.M.Tsoupko-Sitnikov, W.Westmeier - JINR-E1-2004-16 (2004)  
Spallation Neutron Spectrum on a Massive Lead / Paraffin Target Irradiated with 1 GeV Protons
- 2004AG09 Y.Agus, I.Celenk, A.Ozmen - Radiochim.Acta 92, 63 (2004)  
Measurement of cross sections of threshold detectors with spectrum average technique
- 2004AHZW M.Ahmed, M.Blackston, A.S.Crowell, C.R.Howell, K.Joshi, N.Kalantar, S.O.Nelson, R.M.Prior, B.Perdue, A.L.Sabourov, K.Sabourov, M.Spraker, A.P.Tonchev, H.R.Weller - Triangle Univ.Nuclear Lab., Ann.Rept., p.28 (2004); TUNL-XLIII (2004)  
Measurement of the  $^7\text{Li}(d(\text{pol}), n)^8\text{Be}$  Reaction at Low Energies
- 2004AHZY I.Ahmad, E.F.Moore, R.R.Chasman, J.P.Greene, M.P.Carpenter, C.J.Lister, R.V.F.Janssens, T.Lauritsen, D.Seweryniak, F.G.Kondev, R.W.Hoff, J.E.Evans, R.W.Lougheed, C.E.Porter, L.K.Felker - ANL-04/22 (Physics Division Ann.Rept., 2003), p.45 (2004)  
Proton Single-Particle States in  $^{249}\text{Bk}$
- 2004AHZZ I.Ahmad, J.P.Greene, D.J.Henderson, C.L.Jiang, R.C.Pardo, T.Pennington, K.E.Rehm, R.Scott, S.Sinha, X.Tang, R.Vondrasek, H.Nassar, M.Paul, S.Ghelberg, S.Dababneh, M.Heil, F.Kappeler, R.Plug, R.Reifarh, A.Heger, H.Koivisto, P.Collon, S.O'Brien, M.Bettan, D.Berkovits, N.Patronis - ANL-04/22 (Physics Division Ann.Rept., 2003), p.15 (2004)  
Stellar  $^{62}\text{Ni}(n, \gamma)^{63}\text{Ni}$  Reaction

## REFERENCES

---

- 2004AL35 A.Algora, E.Nacher, B.Rubio, D.Cano-Ott, J.L.Tain, A.Gadea, J.Agramunt, M.Karny, Z.Janas, K.Rykaczewski, R.Collatz, M.Hellstrom, Z.Hu, R.Kirchner, E.Roeckl, M.Shibata, L.Batist, F.Moroz, V.Wittmann - Phys.Rev. C 70, 064301 (2004)  
 $\beta$  decay of  $^{148}\text{Dy}$ : Study of the Gamow-Teller giant state by means of total absorption spectroscopy
- 2004AL43 J.A.Alcantara-Nunez, J.R.B.Oliveira, E.W.Cybulska, N.H.Medina, M.N.Rao, R.V.Ribas, M.A.Rizzutto, W.A.Seale, F.Falla-Sotelo, K.T.Wiedemann, V.I.Dimitrov, S.Frauendorf - Braz.J.Phys. 34, 999 (2004)  
 Chiral Bands in  $^{105}\text{Rh}$
- 2004AL44 J.A.Alcantara-Nunez, J.R.B.Oliveira, E.W.Cybulska, N.H.Medina, M.N.Rao, R.V.Ribas, M.A.Rizzutto, W.A.Seale, F.Falla-Sotelo - Braz.J.Phys. 34, 1005 (2004)  
 Rotational and Vibrational bands in  $^{108}\text{Pd}$
- 2004AS13 N.I.Ashwood, M.Freer, J.C.Angelique, V.Bouchat, W.N.Catford, N.M.Clark, N.Curtis, O.Dorvaux, F.Hanappe, Y.Kerckx, M.Labiche, J.L.Lecouey, F.M.Marques, T.Materna, A.Ninane, G.Normand, N.A.Orr, S.Pain, N.Soic, L.Stuttge, C.Timis, A.Unshakova, V.A.Ziman - Phys.Rev. C 70, 064607 (2004)  
 Measurements of the breakup and neutron removal cross sections for  $^{16}\text{C}$
- 2004AZZW L.S.Azhgirey, S.V.Afanasiev, A.Yu.Isupov, V.I.Ivanov, A.N.Khrenov, V.P.Ladygin, N.B.Ladygina, A.G.Litvinenko, V.F.Peresedov, N.P.Yudin, V.N.Zhmyrov, L.S.Zolin - JINR-E1-2004-117 (2004)  
 Measurement of the tensor  $A_{yy}$  and vector  $A_y$  analyzing powers of the deuteron inelastic scattering on beryllium at 5.0 GeV / c and 178 mrad
- 2004AZZX L.S.Azhgirey, S.V.Afanas'ev, V.N.Zhmyrov, L.S.Zolin, V.I.Ivanov, A.Yu.Isupov, V.P.Ladygin, A.G.Litvinenko, V.F.Leresedov, A.N.Khrenov, N.L.Yudin - JINR-P1-2004-118 (2004)  
 Tensor Analyzing Power of the Relativistic Deuteron Fragmentation as a Means of Study of Deuteron Structure in the Framework of Light-Front Dynamics
- 2004BE58 G.J.Beyer, S.K.Zeisler, D.W.Becker - Radiochim.Acta 92, 219 (2004)  
 The Auger-electron emitter  $^{165}\text{Er}$ : excitation function of the  $^{165}\text{Ho}(p, n)^{165}\text{Er}$  process
- 2004BEZP E.Becheva - IPNO-T-04-17 (2004)  
 Etude de la reaction  $^{22}\text{O}(p, p')$  avec le detecteur Must + Developpement de l'etage CsI(Tl) de l'ensemble MUST II
- 2004B047 D.Bosnar, M.Makek, for the A1 Collaboration at MAMI - Fizika(Zagreb) B 13, 507 (2004)  
 Modifications of Delta in nuclear medium

## REFERENCES

---

- 2004B0ZX V.R.Bom, A.M.Demin, D.L.Demin, C.W.E.van Eijk, M.P.Faifman, V.V.Filchenkov, A.N.Golubkov, N.N.Grafov, S.K.Grishechkin, K.I.Gritsaj, V.G.Klevtsov, A.D.Konin, A.V.Kuryakin, S.V.Medved, R.K.Musyaev, V.V.Perevozchikov, A.I.Rudenko, S.M.Sadetsky, Yu.I.Vinogradov, A.A.Yukhimchuk, S.A.Yukhimchuk, V.G.Zinov, S.V.Zlatoustovskii - JINR-E15-2004-132 (2004)  
Experimental investigation of muon-catalyzed dt fusion in wide ranges of D / T mixture
- 2004BRZV V.B.Brudanin, N.I.Rukhadze, Sh.Brianson, P.Benesh, T.Vylov, N.Gusev, V.Egorov, A.A.Klimenko, V.E.Kovalenko, N.A.Korolev, A.V.Salamatin, V.V.Timkin, P.Cermak, M.V.Shirchenko, Yu.A.Shitov, I.Stekl - JINR-P6-2004-219 (2004)  
Searching of Double Electron Capture in the TGV Experiment
- 2004BUZY B.D.Buck, B.J.Crowe III, A.S.Crowell, J.H.Esterline, C.R.Howell, J.H.Kelley, R.A.Macri, R.S.Pedroni, W.Tornow, R.L.Walter, G.J.Weisel, H.Witala - Triangle Univ.Nuclear Lab., Ann.Rept., p.20 (2004); TUNL-XLIII (2004)  
Neutron-Deuteron Analyzing Power Data at 19.0 MeV
- 2004CAZW M.P.Carpenter, F.G.Kondev, R.V.F.Janssens, I.Ahmad, C.N.Davids, N.Hammond, T.L.Khoo, T.Lauritsen, C.J.Lister, G.Mukherjee, D.Seweryniak, S.Sinha, D.J.Jenkins, P.Raddon, R.Wadsworth, S.F.Freeman, S.M.Fischer, G.Jones, A.J.Larabee, A.Liechty - ANL-04/22 (Physics Division Ann.Rept., 2003), p.43 (2004)  
Alpha Decay of  $^{181}\text{Pb}$
- 2004C026 C.Cozzini, G.Angloher, C.Bucci, F.von Feilitzsch, D.Hauff, S.Henry, Th.Jagemann, J.Jochum, H.Kraus, B.Majorovits, V.Mikhailik, J.Ninkovic, F.Petricca, W.Potzel, F.Probst, Y.Ramachers, W.Rau, M.Razeti, W.Seidel, M.Stark, L.Stodolsky, A.J.B.Tolhurst, W.Westphal, H.Wulandari - Phys.Rev. C 70, 064606 (2004)  
Detection of the natural  $\alpha$  decay of tungsten
- 2004C027 F.Confortola, D.Bemmerer, R.Bonetti, C.Broggini, P.Corvisiero, H.Costantini, J.Cruz, A.Formicola, Z.Fulop, G.Gervino, A.Guglielmetti, C.Gustavino, G.Gyurky, G.Imbriani, A.P.Jesus, M.Junker, A.Lemut, R.Menegazzo, P.Prati, V.Roca, C.Rolfs, M.Romano, C.Rossi Alvarez, F.Schumann, E.Somorjai, O.Straniero, F.Strieder, F.Terrasi, H.P.Trautvetter, S.Zavatarelli - Nuovo Cim. C 27, 423 (2004)  
The  $^{14}\text{N}(p, \gamma)^{15}\text{O}$  measurement at low energy
- 2004C029 S.Courtin, P.Baumann, Ph.Dessagne, F.Marechal, Ch.Miehe, F.Perrot, E.Poirier, M.Ramdhane, and the ISOLDE Collaboration - Braz.J.Phys. 34, 850 (2004)  
Beta Decay and Structure of Exotic Nuclei in the Mass Regions  $N=Z$ ,  $A \sim 70$  and Near the  $N=20$  Closed Shell
- 2004CRZZ B.J.Crowe III, A.S.Crowell, J.H.Esterline, C.R.Howell, R.A.Macri, R.S.Pedroni, S.Tajima, W.Tornow, G.J.Weisel - Triangle Univ.Nuclear Lab., Ann.Rept., p.23 (2004); TUNL-XLIII (2004)  
Neutron-Helion Analyzing Power Data at 4.02 and 5.54 MeV

## REFERENCES

---

- 2004DAZX C.N.Davids, D.Seweryniak, B.Blank, M.P.Carpenter, N.Hammond, R.V.F.Janssens, G.Mukherjee, S.Sinha, A.Robinson, P.J.Woods, T.Davinson, Z.Liu, S.J.Freeman, N.Hoteling, J.Shergur, W.B.Walters, A.Woehr, A.A.Sonzogni - ANL-04/22 (Physics Division Ann.Rept., 2003), p.29 (2004)  
Recoil-Decay Tagging Study of  $^{146}\text{Tm}$
- 2004DMZZ S.N.Dmitriev, Yu.Ts.Oganessian, V.K.Utyonkov, S.V.Shishkin, A.V.Yeremin, Yu.V.Lobanov, Yu.S.Tsyganov, V.I.Chepigin, E.A.Sokol, G.K.Vostokin, N.V.Aksenov, M.Hussonnois, M.G.Itkis, H.W.Gaggeler, D.Schumann, H.Bruchertseifer, R.Eichler, D.A.Shaughnessy, P.A.Wilk, J.M.Kenneally, M.A.Stoyer, J.F.Wild - JINR-E12-2004-157 (2004)  
Results of the experiment on chemical identification of Db as a decay product of element 115
- 2004FI12 J.M.Finn, for the Jefferson Laboratory E93038 Collaboration - Fizika(Zagreb) B 13, 545 (2004)  
Measurements of the electric form factor of the neutron at JLab via recoil polarimetry in the reaction  $d(e(\text{pol}), e'n(\text{pol}))$
- 2004F009 B.Fornal, S.Zhu, R.V.F.Janssens, M.Honma, R.Broda, P.F.Mantica, B.A.Brown, M.P.Carpenter, P.J.Daly, S.J.Freeman, Z.W.Grabowski, N.J.Hammond, F.G.Kondev, W.Krolas, T.Lauritsen, S.N.Liddick, C.J.Lister, E.F.Moore, T.Otsuka, T.Pawlat, D.Seweryniak, B.E.Tomlin, J.Wrzesinski - Phys.Rev. C 70, 064304 (2004)  
Development of shell closures at  $N = 32, 34$ . II. Lowest yrast excitations in even-even Ti isotopes from deep-inelastic heavy-ion collisions
- 2004F0ZY C.Fox, C.Iliadis, A.E.Champagne, A.Coc, J.Jose, R.Longland, J.Newton, J.Pollanen, R.Runkle - Triangle Univ.Nuclear Lab., Ann.Rept., p.32 (2004); TUNL-XLIII (2004)  
Explosive Hydrogen Burning of  $^{17}\text{O}$  in Classical Nova
- 2004F0ZZ R.D.Foster, C.R.Gould, D.G.Haase, J.H.Kelley, D.M.Markoff, W.Tornow - Triangle Univ.Nuclear Lab., Ann.Rept., p.18 (2004); TUNL-XLIII (2004)  
Longitudinal  $(n(\text{pol})-d(\text{pol}))$  Total Cross-Section Difference
- 2004FR34 M.Freer, M.P.Nicoli, S.M.Singer, C.A.Bremner, S.P.G.Chappell, W.D.M.Rae, I.Boztosun, B.R.Fulton, D.L.Watson, B.J.Greenhalgh, G.K.Dillon, R.L.Cowin, D.C.Weisser - Phys.Rev. C 70, 064311 (2004)  
 $^8\text{Be}+^8\text{Be}$  decay of excited states in  $^{16}\text{O}$
- 2004FU30 K.Furutaka, H.Harada, S.Raman - J.Nucl.Sci.Technol.(Tokyo) 41, 1033 (2004)  
Prompt Gamma Rays Emitted in Thermal-neutron Capture Reaction by  $^{99}\text{Tc}$  and Its Reaction Cross Section
- 2004FU34 M.Furic, E.V.Hungerford, for the E89-009 / HNSS Collaboration - Fizika(Zagreb) B 13, 645 (2004)  
High resolution spectroscopy of the  $^{12}_{\Lambda}\text{B}$  hypernucleus produced by the  $(e, e'K^+)$  reaction



REFERENCES

---

- 2004FUZX T.Fukuchi, Y.Gono, A.Odahara, H.Watanabe, S.Tanaka, M.Inoue, Y.Wakabayashi, T.Sasaki, M.Kibe, N.Hokoiwa, T.Shinozuka, M.Fujita, A.Yamazaki, T.Sonoda, C.S.Lee, Y.K.Kwon, J.H.Lee - CNS-REP-64, p.109 (2004)  
High-Spin Isomer in  $^{93}\text{Mo}$
- 2004GA57 Yu.P.Gangrsky, N.N.Kolesnikov, V.G.Lukashik, L.M.Melnikova - Bull.Rus.Acad.Sci.Phys. 68, 187 (2004)  
Isomeric ratios in crossing reactions yielding odd-odd  $^{184}\text{Re}$ ,  $^{190}\text{Ir}$ , and  $^{196}\text{Au}$  nuclei
- 2004GA60 Yu.P.Gangrsky, V.I.Zhemenik, N.Yu.Maslova, G.V.Myshinsky, Kh.S.Norov, Yu.E.Penionzhkevich - Bull.Rus.Acad.Sci.Phys. 68, 1298 (2004)  
Independent yields of Kr and Xe fragments from  $^{237}\text{Np}$  photofission
- 2004GAZV Yu.L.Gangrsky, V.I.Zhemenik, G.V.Myshinsky, Yu.E.Lenionzhkevich - JINR-P15-2004-119 (2004)  
Independent Yields of Kr and Xe Fragments at Photofission of Odd Nuclei  $^{237}\text{Np}$  and  $^{243}\text{Am}$
- 2004GE20 F.A.Genezini, C.B.Zamboni, M.T.F.da Cruz, J.Y.Zevallos-Chavez - Braz.J.Phys. 34, 722 (2004)  
Angular Correlation Measurements in  $^{155}\text{Eu}$  Nuclei
- 2004GL10 M.Glaser, D.B.Mackay, A.S.O.Ranicar, S.L.Waters, F.Brady, S.K.Luthra - Radiochim.Acta 92, 951 (2004)  
Improved targetry and production of iodine-124 for PET studies
- 2004G054 M.S.Golovkov, L.V.Grigorenko, A.S.Fomichev, S.A.Krupko, Yu.Ts.Oganessian, A.M.Rodin, S.I.Sidorchuk, R.S.Slepnev, S.V.Stepantsov, G.M.Ter-Akopian, R.Wolski, M.G.Itkis, A.A.Bogatchev, N.A.Kondratiev, E.M.Kozulin, A.A.Korshennikov, E.Yu.Nikolskii, P.Roussel-Chomaz, W.Mittig, R.Palit, V.Bouchat, V.Kinnard, T.Materna, F.Hanappe, O.Dorvaux, L.Stuttge, C.Angulo, V.Lapoux, R.Raabe, L.Nalpas, A.A.Yukhimchuk, V.V.Perevozchikov, Yu.I.Vinogradov, S.K.Grishechkin, S.V.Zlatoustovsky - Phys.Rev.Lett. 93, 262501 (2004)  
Observation of Excited States in  $^5\text{H}$
- 2004G056 O.K.Gorpinich, O.M.Povoroznyk, O.O.Yachmenov - Ukr.J.Phys. 49, 16 (2004)  
Investigation of excited levels of  $^6\text{Li}$  nucleus from the three-particle  $^3\text{H}(\alpha, d\alpha)n$  reaction
- 2004G058 C.Gordon, J.Melone, P.Cole, J.Kellie, F.Klein, K.Livingston, J.Mueller, J.C.Sanabria, D.Tedeschi, for the CLAS Collaboration - Fizika(Zagreb) B 13, 553 (2004)  
Vector meson and associated strangeness production using a linearly polarised photon beam at Jefferson Lab
- 2004G059 S.K.Godovikov, S.M.Nikitin - Bull.Rus.Acad.Sci.Phys. 68, 1335 (2004)  
Controlled radioactive decay of  $^{125m}\text{Te}$  nuclei
- 2004G0ZZ J.TM.Goon - Thesis, University of Tennessee, Knoxville (2004)

REFERENCES

---

- Alpha and Gamma-ray Spectroscopic Studies of Au, Pt, and Ir Nuclei Near the Proton Dripline
- 2004GU21 V.Guimaraes - Braz.J.Phys. 34, 1012 (2004)  
Nuclear Reaction Studies with Exotic Boron Beams
- 2004HA59 B.Hadinia, B.Cederwall, K.Lagergren, J.Blomqvist, T.Back, S.Eeckhauadt, T.Grahn, P.Greenlees, A.Johnson, D.T.Joss, R.Julin, S.Juutinen, H.Kettunen, M.Leino, A.-P.Leppanen, R.J.Liotta, P.Nieminen, M.Nyman, J.Pakarinen, E.S.Paul, P.Rahkila, C.Scholey, J.Uusitalo, R.Wadsworth, D.R.Wiseman - Phys.Rev. C 70, 064314 (2004)  
First identification of  $\gamma$ -ray transitions in  $^{107}\text{Te}$
- 2004HA64 B.Haas - Braz.J.Phys. 34, 814 (2004)  
Nuclear Data for New Fuel Cycles
- 2004HAZR Y.Hayashi, T.Tamae, K.Abe, R.Hashimoto, K.Hirose, T.Ishikawa, H.Kanda, O.Konno, K.Maeda, H.Miyase, M.Nanao, I.Nishikawa, T.Ohtsuki, Y.Sato, K.Takahashi, T.Takahashi, H.Tsubota, M.Wakamatsu, H.Yamazaki - Res.Rep.Lab.Nucl.Sci., Tohoku Univ. 37, 1 (2004)  
Comparison of the  $^{16}\text{O}(e, e'p)$  Cross Section at Low Momentum Transfer with Relativistic Calculations Including MEC
- 2004HE35 A.Hermanne, S.Takacs, F.Tarkanyi, R.Bolbos - Radiochim.Acta 92, 215 (2004)  
Cross section measurements of proton and deuteron induced formation of  $^{103}\text{Ag}$  in natural palladium
- 2004HIZZ K.Hilgers, I.Spahn, Ye.Skakun, F.Tarkanyi, S.Takacs, S.M.Qaim, H.H.Coenen - NEA/NSC/DOC(2004)14 (Jul-4151), p.15 (2004)  
Cross sections for production of the therapeutic radionuclides  $^{103}\text{Pd}$ ,  $^{140}\text{Nd}$ ,  $^{169}\text{Yb}$  and  $^{192}\text{Ir}$
- 2004H025 J.Honzatko, I.Tomandl, A.M.Sukhovoi, V.A.Khitrov - Bull.Rus.Acad.Sci.Phys. 68, 1324 (2004)  
Cascade  $\gamma$ -decay of compound states of  $^{71,74}\text{Ge}$  nuclei
- 2004ISZX T.Ishii, M.Asai, A.Makishima, M.Matsuda, S.Ichikawa, T.Kohno, M.Ogawa - CNS-REP-64, p.27 (2004)  
Nano-second isomer spectroscopy of the  $^{48}\text{Ca}$  region through deep-inelastic collisions
- 2004J019 K.L.Jones, R.L.Kozub, C.Baktash, D.W.Bardayan, J.C.Blackmon, W.N.Catford, J.A.Cizewski, R.P.Fitzgerald, M.S.Johnson, R.J.Livesay, Z.Ma, C.D.Nesaraja, D.Shapira, M.S.Smith, J.S.Thomas, D.W.Visser - Phys.Rev. C 70, 067602 (2004)  
Study of the  $^{124}\text{Sn}(d, p)$  reaction in inverse kinematics close to the Coulomb barrier
- 2004KA62 L.Kaubler, H.Schnare, R.Schwengner, H.Prade, F.Donau, P.von Brentano, J.Eberth, J.Enders, A.Fitzler, C.Fransen, M.Grinberg, R.-D.Herzberg, H.Kaiser, P.von Neumann-Cosel, N.Pietralla, A.Richter, G.Rusev, Ch.Stoyanov, I.Wiedenhover - Phys.Rev. C 70, 064307 (2004)  
Dipole and quadrupole excitations in  $^{88}\text{Sr}$  up to 6.8 MeV

REFERENCES

---

- 2004KA68 S.Kastleiner, Yu.N.Shubin, F.M.Nortier, T.N.Van der Walt, S.M.Qaim -  
Radiochim.Acta 92, 449 (2004)  
Experimental studies and nuclear model calculations on (p, xn) and (p, pxn)  
reactions on  $^{85}\text{Rb}$  from their thresholds up to 100 MeV
- 2004KE15 A.Kelic, K.-H.Schmidt, T.Enqvist, A.Boudard, P.Armbruster, J.Benlliure,  
M.Bernas, S.Czajkowski, R.Legrain, S.Leray, B.Mustapha, M.Pravikoff, F.Rejmund,  
C.Stephan, J.Taieb, L.Tassan-Got, C.Volant, W.Wlazlo - Phys.Rev. C 70, 064608  
(2004)  
Isotopic and velocity distributions of  $^{83}\text{Bi}$  produced in charge-pickup reactions of  
 $^{208}\text{Pb}$  at 1A GeV
- 2004KE18 J.J.Kelly, for the Jefferson Laboratory Hall A Collaboration - Fizika(Zagreb) B 13,  
81 (2004)  
Recoil polarization for neutral pion electroproduction near the delta resonance
- 2004KHZX T.L.Khoo, T.Lauritsen, I.Ahmad, I.Calderin, M.P.Carpenter, G.Hackman,  
R.V.F.Janssens, A.Lopez-Martens, T.Dossing, B.Herskind, M.Matsuo, K.Yoshida,  
F.Hannachi, A.Korichi - ANL-04/22 (Physics Division Ann.Rept., 2003), p.61 (2004)  
Narrow Spreading Widths of Excited Bands in a Superdeformed Well
- 2004KHZY T.L.Khoo, R.Blinstrup, D.Seweryniak, I.Ahmad, M.P.Carpenter, C.N.Davids,  
S.Freeman, J.Greene, N.Hammond, R.V.F.Janssens, F.G.Kondev, T.Lauritsen,  
C.J.Lister, G.Mukherjee, P.A.Butler, P.Chowdhury, J.A.Cizewski, R.Gramer,  
R.D.Herzberg, A.Heinz, P.Ikin, M.Johnson, G.D.Jones, E.Ngijoi-Yogo, P.Reiter -  
ANL-04/22 (Physics Division Ann.Rept., 2003), p.47 (2004)  
Electrons from a 0.3s Isomer in  $^{254}\text{No}$
- 2004KI23 H.Kim, J.K.Ahn, G.Kim, T.-I.Ro, W.-C.Chung, M.Igashira, T.Ohsaki, S.Mizuno -  
J.Korean Phys.Soc. 45, 1474 (2004)  
Measurement of Neutron Capture Cross-Sections and Capture  $\gamma$ -ray Spectra of  
 $^{161,162,163,164}\text{Dy}$  at 550 keV
- 2004KM01 M.Kmiecik, A.Maj, B.Million, M.Brekiesz, W.Krolas, W.Meczynski, J.Styczen,  
M.Zieblinski, A.Bracco, F.Camera, G.Benzoni, S.Leoni, O.Wieland, S.Brambilla,  
B.Herskind, M.Kicinska-Habior, N.Dubray, J.Dudek, N.Schunck - Phys.Rev. C 70,  
064317 (2004)  
Probing nuclear shapes close to the fission limit with the giant dipole resonance in  
 $^{216}\text{Rn}$
- 2004KMZZ M.Kmiecik, A.Maj, J.Styczen, P.Bednarczyk, M.Brekiesz, J.Grebosz, M.Lach,  
W.Meczynski, M.Zieblinski, K.Zuber, A.Bracco, F.Camera, G.Benzoni, B.Million,  
S.Leoni, O.Wieland, B.Herskind, D.Curien, N.Dubray, J.Dudek, N.Schunck,  
K.Mazurek - nucl-ex/0412046,12/21/2004 (2004)  
GDR Feeding of the Highly-Deformed Band in  $^{42}\text{Ca}$

REFERENCES

---

- 2004K064 A.Korff, P.Haefner, C.Baumer, A.M.van den Berg, N.Blasi, B.Davids, D.De Frenne, R.de Leo, D.Frekers, E.-W.Grewe, M.N.Harakeh, F.Hofmann, M.Hunyadi, E.Jacobs, B.C.Junk, A.Negret, P.von Neumann-Cosel, L.Popescu, S.Rakers, A.Richter, H.J.Wortche - Phys.Rev. C 70, 067601 (2004)  
Deuteron elastic and inelastic scattering at intermediate energies from nuclei in the mass range  $6 \leq A \leq 116$
- 2004KRZX M.I.Krivopustov, J.Adam, A.R.Balabekyan, Yu.A.Batusov, M.Bielewicz, R.Brandt, P.Chaloun, D.Chultem, K.K.Dwivedi, A.F.Elishev, M.Fragopoulou, V.Henzl, D.Henzlova, V.G.Kalinnikov, M.K.Kievets, A.Krasa, F.Krizek, A.Kugler, M.Manolopoulou, I.I.Mariin, A.Nourreddine, R.Odoj, A.V.Pavliouk, V.S.Pronskikh, H.Botham, K.Siemon, M.Szuta, V.I.Stegailov, A.A.Solnyshkin, A.N.Sosnin, S.Stoulos, V.M.Tsoupko-Sitnikov, Ts.Tumendelger, A.Wojciechowski, V.Wagner, J.S.Wan, W.Westmeier, M.Zamani-Valassiadou, H.Kumawat, V.Kumar, O.S.Zaveriokha, I.V.Zhuk - JINR-E1-2004-79 (2004)  
Investigation of Neutron Spectra and Transmutation of  $^{129}\text{I}$ ,  $^{237}\text{Np}$  and Other Nuclides with 1.5 GeV Protons from the Dubna Nuclotron Using the Electronuclear Setup <<Energy plus Transmutation>>
- 2004KU30 K.A.Kuterbekov, I.N.Kuchtina, B.M.Sadykov, E.I.Ismatov - Ukr.J.Phys. 49, 841 (2004)  
Phenomenological and semimicroscopic analysis of 50-MeV alpha particles scattering and structure of even tin isotopes
- 2004KU33 J.Kuhnenn, U.Herpers, R.Michel - Radiochim.Acta 92, 233 (2004)  
New determination of the half-life of  $^{205}\text{Bi}$
- 2004KU35 V.T.Kupryashkin, L.P.Sidorenko, A.I.Feoktistov, I.P.Shapovalova - Bull.Rus.Acad.Sci.Phys. 68, 1358 (2004)  
Angular distributions of near-zero-energy electrons emitted from surface of source in radioactive decay
- 2004KU36 R.Kuramoto, R.Lichtenthaler, A.Lepine-Szily, V.Guimaraes, G.F.Lima, E.Benjamim, P.N.de Faria - Braz.J.Phys. 34, 933 (2004)  
Spectroscopy of  $^6\text{Li}$  Using the  $^3\text{He}(^7\text{Li}, \alpha)^6\text{Li}$  Reaction
- 2004LAZV G.J.Lane, K.H.Maier, A.P.Byrne, G.D.Dracoulis, R.Broda, B.Fornal, M.P.Carpenter, R.M.Clark, M.Cromaz, R.V.F.Janssens, A.O.Macchiavelli, I.Wiedenhover, K.Vetter - ANU-P/1637 (2004)  
High-Spin Isomers and Three-Neutron Valence Configurations in  $^{211}\text{Pb}$
- 2004LAZW T.Lauritsen, I.Ahmad, M.P.Carpenter, A.M.Heinz, R.V.F.Janssens, D.G.Jenkins, T.L.Khoo, F.G.Kondev, C.J.Lister, D.Seweryniak, P.Fallon, A.O.Macchiavelli, D.Ward, R.M.Clark, M.Cromaz, A.Larabee, B.Herskind, T.Dossing, A.Lopez-Martens, A.Korichi, S.Siem - ANL-04/22 (Physics Division Ann.Rept., 2003), p.51 (2004)  
Rotational Damping, Ridges, and the Quasicontinuum of  $\gamma$  Rays in  $^{152}\text{Dy}$

REFERENCES

---

- 2004LI75 S.N.Liddick, P.F.Mantica, R.Broda, B.A.Brown, M.P.Carpenter, A.D.Davies, B.Fornal, T.Glasmacher, D.E.Groh, M.Honma, M.Horoi, R.V.F.Janssens, T.Mizusaki, D.J.Morrissey, A.C.Morton, W.F.Mueller, T.Otsuka, J.Pavan, H.Schatz, A.Stolz, S.L.Tabor, B.E.Tomlin, M.Wiedeking - Phys.Rev. C 70, 064303 (2004)  
Development of shell closures at N = 32, 34. I.  $\beta$  decay of neutron-rich Sc isotopes
- 2004L022 Yu.E.Loginov, S.E.Malyutenkova - Bull.Rus.Acad.Sci.Phys. 68, 1292 (2004)  
 $\gamma$ -lines from  $^{183}\text{W}(n\gamma)^{184}\text{W}$  reaction
- 2004MAZP H.Matsumura, T.Sanami, K.Masumoto, N.Nakao, A.Toyoda, M.Kawai, T.Aze, H.Nagai, M.Takada, H.Matsuzaki - KEK Preprint 2004-90 (2004)  
Target Dependence of Beryllium Fragment Production in Neutron- and Alpha-induced Nuclear Reactions at Intermediate Energies
- 2004MB03 B.N.Markov, Z.Blaszczak, Yu.P.Gangrsky, S.G.Zemlyanoi, D.V.Karaivanov, K.P.Marinova, L.M.Melnikova - Bull.Rus.Acad.Sci.Phys. 68, 157 (2004)  
Radii of magnetic moment distribution in atomic nuclei
- 2004MB08 G.V.Marti, A.J.Pacheco, J.E.Testoni, D.Aabriola, O.A.Capurro, D.E.DiGregorio, J.O.Fernandez Niello, A.O.Macchiavelli, R.M.Clark, P.Fallon, A.Goergen, D.Ward, C.Y.Wu, A.Hayes, D.Cline, R.Teng - Braz.J.Phys. 34, 885 (2004)  
Measurement of Inelastic-Scattering Cross Sections in the  $^{16}\text{O}+^{28}\text{Si}$  System to Discriminate Regular and Chaotic Regimes
- 2004ME23 D.Mekterovic, I.Supek, for the Crystal Ball Collaboration - Fizika(Zagreb) B 13, 501 (2004)  
Preliminary differential cross sections of the charge-exchange reaction
- 2004ME25 N.H.Medina, J.R.B.Oliveira, E.W.Cybulska, M.N.Rao, R.V.Ribas, M.A.Rizzutto, W.A.Seale, F.R.Espinoza-Quinones, D.Bazzacco, F.Brandolini, S.Lunardi, C.M.Petrache, Zs.Podolyak, C.Rossi-Alvarez, F.Soramel, C.A.Ur, M.A.Cardona, G.de Angelis, D.R.Napoli, P.Spolaore, A.Gadea, D.De Acuna, M.De Poli, E.Farnea, D.Foltescu, M.Ionescu-Bujor, A.Iordachescu - Braz.J.Phys. 34, 1002 (2004)  
First Allowed Bandcrossing in Neutron Deficient Nucleus  $^{141}\text{Tb}$
- 2004MIZR S.Michimasa, S.Shimoura, H.Iwasaki, M.Tamaki, N.Aoi, H.Baba, N.Iwasa, S.Kanno, S.Kubono, K.Kurita, M.Kurokawa, T.Minemura, T.Motobayashi, M.Notani, H.J.Ong, S.Ota, A.Saito, H.Sakurai, S.Takeuchi, E.Takeshita, Y.Yanagisawa, A.Yoshida - CNS-REP-64, p.269 (2004)  
In-beam Gamma-ray Spectroscopy of Neutron-rich Nucleus  $^{23}\text{F}$
- 2004MIZS R.Michel, W.Glasser, D.Kollar, M.A.M.Uosif, U.Herpers, P.Malmborg, A.V.Prokofiev, V.Dangendorf, R.Nolte, H.Schuhmacher, I.Ryzhov, A.N.Smirnov, D.Schumann, R.Weinreich, P.W.Kubik, H.-A.Synal, I.Leya, J.-P.Meulders - NEA/NSC/DOC(2004)14 (Jul-4151), p.28 (2004)  
Production of Residual Nuclides at Medium Energies- Finalizing the HINDAS Project

REFERENCES

---

- 2004M054 S.Mohammadi, Zs.Podolyak, G.de Angelis, M.Axiotis, D.Bazzacco, P.G.Bizzeti, F.Brandolini, R.Broda, D.Bucurescu, E.Farnea, W.Gelletly, A.Gadea, M.Ionescu-Bujor, A.Iordachescu, Th.Kroll, S.Longdown, S.Lunardi, N.Marginean, T.Martinez, N.H.Medina, B.Quintana, P.H.Regan, B.Rubio, C.A.Ur, J.J.Valiente Dobon, P.M.Walker, Y.H.Zhang - Braz.J.Phys. 34, 792 (2004)  
High-Spin States Populated in Deep-Inelastic Reactions
- 2004M0ZT C.B.Moon - Priv.Comm. (2004)
- 2004M0ZU K.Morita - Priv.Comm. (to be published in Proc. EXON 2004) (2004)  
Decay of an isotope  $^{277}112$  produced by  $^{208}\text{Pb} + ^{70}\text{Zn}$  reaction
- 2004NA42 B.S.Nara Singh, M.Hass, Y.Nir-El, G.Haquin - Phys.Rev.Lett. 93, 262503 (2004)  
New Precision Measurement of the  $^3\text{He}(^4\text{He}, \gamma)^7\text{Be}$  Cross Section
- 2004NA44 H.Naik, R.J.Singh, R.H.Iyer - Radiochim.Acta 92, 1 (2004)  
Fission fragment angular momentum in the spontaneous fission of  $^{244}\text{Cm}$
- 2004NE13 A.Neusser, H.Hubel, A.Al-Khatib, P.Bringel, A.Burger, N.Nenoff, G.Schonwasser, A.K.Singh, C.M.Petrache, G.Lo Bianco, I.Ragnarsson, G.B.Hagemann, B.Herskind, D.R.Jensen, G.Sletten, P.Fallon, A.Gorgen, P.Bednarczyk, D.Curien, G.Gangopadhyay, A.Korichi, A.Lopez-Martens, B.V.T.Rao, T.S.Reddy, N.Singh - Phys.Rev. C 70, 064315 (2004)  
Superdeformed band at very high spin in  $^{140}\text{Nd}$
- 2004NI18 S.Niccolai, and the CLAS Collaboration - Phys.Rev. C 70, 064003 (2004)  
Complete measurement of three-body photodisintegration of  $^3\text{He}$  for photon energies between 0.35 and 1.55 GeV
- 20040DZZ A.Odahara, Y.Gono, Y.Wakabayashi, T.Fukuchi, N.Hokoiwa, M.Kibe, T.Teranishi, S.Kubono, M.Notani, Y.Yanagisawa, S.Michimasa, J.J.He, H.Iwasaki, S.Shimoura, H.Watanabe, T.Kishida, E.Ideguchi, H.Baba, S.Nishimura, M.Nishimura, J.Y.Moon, S.Kato, H.Sagawa - CNS-REP-64, p.289 (2004)  
Gamma-Ray Spectroscopy by Secondary Fusion Reactions using CRIB
- 20040G12 Yu.Ts.Oganessian, V.K.Utyonkov, Yu.V.Lobanov, F.Sh.Abdullin, A.N.Polyakov, I.V.Shirokovsky, Yu.S.Tsyganov, G.G.Gulbekian, S.L.Bogomolov, B.N.Gikal, A.N.Mezentsev, S.Iliev, V.G.Subbotin, A.M.Sukhov, A.A.Voinov, G.V.Buklanov, K.Subotic, V.I.Zagrebaev, M.G.Itkis, J.B.Patin, K.J.Moody, J.F.Wild, M.A.Stoyer, N.J.Stoyer, D.A.Shaughnessy, J.M.Kenneally, P.A.Wilk, R.W.Lougheed, R.I.Ilkaev, S.P.Vesnovskii - Phys.Rev. C 70, 064609 (2004); Erratum Phys.Rev. C 71, 029902 (2005)  
Measurements of cross sections and decay properties of the isotopes of elements 112, 114, and 116 produced in the fusion reactions  $^{233,238}\text{U}$ ,  $^{242}\text{Pu}$ , and  $^{248}\text{Cm} + ^{48}\text{Ca}$

REFERENCES

---

- 20040GZZ Yu.Ts.Oganessian, V.K.Utyonkov, Yu.V.Lobanov, F.Sh.Abdullin, A.N.Polyakov, I.V.Shirokovsky, Yu.S.Tsyganov, G.G.Gulbekian, S.L.Bogomolov, B.N.Gikal, A.N.Mezentsev, S.Iliev, V.G.Subbotin, A.M.Sukhov, A.A.Voinov, G.V.Buklanov, K.Subotic, V.I.Zagrebaev, M.G.Itkis, J.B.Patin, K.J.Moody, J.F.Wild, M.A.Stoyer, N.J.Stoyer, D.A.Shaughnessy, J.M.Kenneally, P.A.Wilk, R.W.Lougheed, R.I.Ilkaev, S.P.Vesnovskii - JINR-E7-2004-160 (2004)  
Measurements of cross sections and decay properties of the isotopes of elements 112, 114 and 116 produced in the fusion reactions  $^{233,238}\text{U}$ ,  $^{242}\text{Pu}$  and  $^{248}\text{Cm} + ^{48}\text{Ca}$
- 20040NZZ T.K.Onishi, A.Gelberg, H.Sakurai, K.Yoneda, N.Aoi, N.Imai, H.Baba, P.von Brentano, N.Fukuda, Y.Ichikawa, M.Ishihara, H.Iwasaki, D.Kameda, T.Kishida, A.F.Lisetskiy, H.J.Ong, M.Osada, T.Otsuka, M.K.Suzuki, K.Ue, Y.Utsuno, H.Watanabe - CNS-REP-64, p.235 (2004)  
Gamow-Teller beta decay of  $^{46}\text{Cr}$
- 2004PA42 Y.Parpottas, S.M.Grimes, S.Al-Quraishi, C.R.Brune, T.N.Massey, J.E.Oldendick, A.Salas, R.T.Wheeler - Phys.Rev. C 70, 065805 (2004); Erratum Phys.Rev. C 73, 049907 (2006)  
Astrophysically important  $^{26}\text{Si}$  states studied with the ( $^3\text{He}$ , n) reaction and the  $^{25}\text{Al}(p, \gamma)^{26}\text{Si}$  reaction rates in explosive hydrogen burning environments
- 2004PE24 B.A.Perdue, M.W.Ahmed, A.P.Tonchev, H.R.Weller, G.Feldman, V.N.Litvinenko, I.V.Pinayev, B.E.Norum, R.M.Prior, M.C.Spraker, B.D.Sawatzky - Phys.Rev. C 70, 064305 (2004)  
Compton scattering of polarized  $\gamma$  rays by  $^{16}\text{O}$  for  $E_\gamma = 25\text{-}40$  MeV
- 2004PEZW O.Perru - IPNO-T-05-02 (2004)  
Etude des fermetures de couches N=40 et N=50 dans les noyaux riches en neutrons
- 2004PYZZ Yu.V.Pyatkov, D.V.Kamanin, W.Trzaska, S.R.Yamaletdinov, E.A.Sokol, A.N.Tyukavkin, A.A.Aleksandrov, I.A.Aleksandrova, S.V.Denisov, V.P.Kraynov, S.V.Khlebnikov, T.E.Kuzmina, E.A.Kuznetsova, S.V.Mitrofanov, Yu.E.Penionzhkevich, Yu.V.Ryabov, V.G.Tishchenko, B.V.Florko - JINR-E15-2004-65 (2004)  
New Results in Study of the Collinear Cluster Tripartition of the  $^{252}\text{Cf}$  Nucleus
- 2004QAZZ S.M.Qaim, S.Sudar, Ye.Skakun, A.Fessler - NEA/NSC/DOC(2004)14 (Jul-4151), p.11 (2004)  
Fundamental Studies on Isomeric Cross Sections
- 2004RA28 P.M.Raddon, D.G.Jenkins, C.D.O'Leary, A.J.Simons, R.Wadsworth, A.N.Andreyev, R.D.Page, M.P.Carpenter, F.G.Kondev, T.Enqvist, P.T.Greenlees, P.M.Jones, R.Julin, S.Juutinen, H.Kettunen, M.Leino, A.-P.Leppanen, P.Nieminen, J.Pakarinen, P.Rahkila, J.Uusitalo, D.T.Joss - Phys.Rev. C 70, 064308 (2004)  
 $\alpha$  decay and recoil decay tagging studies of  $^{183}\text{Tl}$
- 2004RA29 U.Ratzel, C.Arlandini, F.Kappeler, A.Couture, M.Wiescher, R.Reifarh, R.Gallino, A.Mengoni, C.Travaglio - Phys.Rev. C 70, 065803 (2004)  
Nucleosynthesis at the termination point of the s process

REFERENCES

---

- 2004REZY K.E.Rehm, C.L.Jiang, J.P.Greene, D.Henderson, R.V.F.Janssens, E.F.Moore, G.Mukherjee, R.C.Pardo, T.Pennington, J.P.Schiffer, S.Sinha, X.D.Tang, R.H.Siemssen, L.Jisonna, R.E.Segel, A.H.Wuosmaa - ANL-04/22 (Physics Division Ann.Rept., 2003), p.3 (2004)  
Studies of the  $^8\text{B}(\alpha, p)^{11}\text{C}$  Reaction
- 2004R047 C.L.Rodrigues, M.R.D.Rodrigues, T.Borello-Lewin, L.B.Horodyski-Matsushigue, J.L.M.Duarte, G.M.Ukita, G.N.Hanninger - Braz.J.Phys. 34, 760 (2004)  
Coulomb-Nuclear Interference (CNI) Results of the Collective Quadrupolar Excitations in Odd and Even Ru Isotopes
- 2004R048 M.R.D.Rodrigues, C.L.Rodrigues, T.Borello-Lewin, L.B.Horodyski-Matsushigue, J.L.M.Duarte, G.M.Ukita - Braz.J.Phys. 34, 777 (2004)  
Coulomb Nuclear Interference with Deuterons in even Palladium Isotopes
- 2004SA61 K.Sabourov, M.W.Ahmed, R.S.Canon, B.Crowley, K.Joshi, J.H.Kelley, S.O.Nelson, B.A.Perdue, E.C.Schreiber, A.Sabourov, A.Tonchev, H.R.Weller, E.A.Wulf, R.M.Prior, M.C.Spraker, H.M.Hofmann, M.Trini - Phys.Rev. C 70, 064601 (2004)  
Experimental and theoretical study of the  $^2\text{H}(d(\text{pol}), \gamma)^4\text{He}$  reaction below  $E_{c.m.}=60\text{keV}$
- 2004SA64 M.E.Sadler, for the Crystal Ball Collaboration - Fizika(Zagreb) B 13, 405 (2004)  
Pion-nucleon charge exchange measurements in the region of the  $\Delta(1232)$  resonance
- 2004SC48 B.Scholten, S.Takacs, F.Tarkanyi, H.H.Coenen, S.M.Qaim - Radiochim.Acta 92, 203 (2004)  
Excitation functions of deuteron induced nuclear reactions on enriched  $^{78}\text{Kr}$  with particular relevance to the production of  $^{76}\text{Br}$
- 2004SCZU B.Scholten, H.E.Hassan, S.Spellerberg, D.Steyn, N.van der Walt, S.Takacs, F.Tarkanyi, S.M.Qaim, H.H.Coenen - NEA/NSC/DOC(2004)14 (Jul-4151), p.13 (2004)  
Cross sections and yields of nuclear processes for the production of the positron emitters  $^{76}\text{Br}$ ,  $^{124}\text{I}$  and  $^{82}\text{Sr}$  ( $^{82}\text{Rb}$ )
- 2004SEZW D.Seweryniak, C.N.Davids, M.P.Carpenter, N.Hammond, R.V.F.Janssens, T.-L.Khoo, G.Mukherjee, S.Sinha, A.Robinson, P.J.Woods, B.Blank, T.Davinson, S.J.Freeman, N.Hoteling, Z.Liu, J.Shergur, A.A.Sonzogni, W.B.Walters, A.Woehr - ANL-04/22 (Physics Division Ann.Rept., 2003), p.27 (2004)  
Ground-State Bands in the Proton Emitters  $^{145,147}\text{Tm}$
- 2004SEZX D.Seweryniak, M.P.Carpenter, N.Hammond, A.Heinz, R.V.F.Janssens, T.L.Khoo, C.J.Lister, G.Mukherjee, E.Rehm, S.Sinha, P.J.Woods, B.Blank, T.Davinson, S.J.Freeman, J.Goerres, N.Hoteling, D.G.Jenkins, H.Mahmud, Z.Liu, F.Sarazin, J.Shergur, M.Shawcross, A.Woehr - ANL-04/22 (Physics Division Ann.Rept., 2003), p.12 (2004)  
The Level Structured and Mass of  $^{22}\text{Mg}$



REFERENCES

---

- 2004SHZZ V.I.Sharov, N.G.Anischenko, V.G.Antonenko, S.A.Averichev, L.S.Azhgirey, V.D.Bartenev, N.A.Bazhanov, A.A.Belyaev, N.A.Blinov, N.S.Borisov, S.B.Borzakov, Yu.T.Borzunov, Yu.P.Bushuev, L.P.Chernenko, E.V.Chernykh, V.F.Chumakov, S.A.Dolgii, A.N.Fedorov, V.V.Fimushkin, M.Finger, M.Finger, Jr., L.B.Golovanov, G.M.Gurevich, A.Janata, A.D.Kirillov, V.G.Kolomiets, E.V.Komogorov, A.D.Kovalenko, A.I.Kovalev, V.A.Krasnov, P.Krstonoshich, E.S.Kuzmin, V.P.Ladygin, A.B.Lazarev, F.Lehar, A.de Lesquen, M.Yu.Liburg, A.N.Livanov, A.A.Lukhanin, P.K.Maniakov, V.N.Matafonov, E.A.Matyushevsky, V.D.Moroz, A.A.Morozov, A.B.Neganov, G.P.Nikolaevsky, A.A.Nomofilov, Tz.Panteleev, Yu.K.Pilipenko, I.L.Pisarev, Yu.A.Plis, Yu.P.Polunin, A.N.Prokofiev, V.Yu.Prytkov, P.A.Rukoyatkin, V.A.Schedrov, O.N.Schevelev, S.N.Shilov, R.A.Shindin, M.Slunecka, V.Sluneckova, A.Yu.Starikov, G.D.Stoletov, L.N.Strunov, A.L.Svetov, Yu.A.Usov, T.Vasiliev, V.I.Volkov, E.I.Vorobiev, I.P.Yudin, I.V.Zaitsev, A.A.Zhdanov, V.N.Zhmyrov - JINR-E1-2004-87 (2004)  
Measurements of the Total Cross-Section Difference  $\Delta\sigma_L$ (np) at 1.39, 1.69, 1.89 and 1.99 GeV
- 2004SIZX S.Sinha, J.Greene, D.Henderson, R.V.F.Janssens, C.L.Jiang, E.F.Moore, R.C.Pardo, K.E.Rehm, J.P.Schiffer, X.Tang, A.Chen, L.Jisonna, R.Segel, R.H.Siemssen, A.H.Wuosmaa - ANL-04/22 (Physics Division Ann.Rept., 2003), p.8 (2004)  
Study of the Breakout Reaction  $^{18}\text{Ne}(\alpha, p)^{21}\text{Na}$
- 2004S035 N.Soic, S.Blagus, M.Bogovac, W.Catford, S.Cherubini, N.Clarke, E.Costanzo, L.Donadille, S.Fazinic, M.Freer, B.Fulton, B.Greenhalgh, K.Jones, M.Lattuada, P.Leask, D.Mahboub, M.Milin, D.Miljanic, D.Rendic, S.Romano, C.Spitaleri, T.Tadic, D.Watson, D.Weisser, M.Zadro - Fizika(Zagreb) B 13, 433 (2004)  
Experimental evidence for molecular structures in light nuclei
- 2004S036 F.A.Souza, A.Szanto de Toledo, M.G.Munhoz, J.Takahashi, N.Carlin, A.A.P.Suaide, M.M.de Moura, e.M.Szanto - Braz.J.Phys. 34, 907 (2004)  
Study of the Effect of the Breakup on the Fusion Cross Section of the Systems  $^{6,7}\text{Li}+^{59}\text{Co}$
- 2004SP06 I.Spahn, H.H.Coenen, S.M.Qaim - Radiochim.Acta 92, 183 (2004)  
Enhanced production possibility for the therapeutic radionuclides  $^{64}\text{Cu}$ ,  $^{67}\text{Cu}$  and  $^{89}\text{Sr}$  via (n, p) reactions induced by fast spectral neutrons
- 2004ST32 S.Strauch, for the CLAS Collaboration - Fizika(Zagreb) B 13, 179 (2004)  
Helicity-dependent angular distributions in double-charged-pion photoproduction
- 2004TA46 F.Tarkanyi, A.Hermanne, S.Takacs, Yu.N.Shubin, A.I.Dityuk - Radiochim.Acta 92, 223 (2004)  
Cross sections for production of the therapeutic radioisotopes  $^{198}\text{Au}$  and  $^{199}\text{Au}$  in proton and deuteron induced reactions on  $^{198}\text{Pt}$
- 2004TAZW X.Tang, K.E.Rehm, I.Ahmad, J.Greene, A.Hecht, D.Henderson, C.L.Jiang, E.F.Moore, M.Notani, R.C.Pardo, G.Savard, J.P.Schiffer, S.Sinha, M.Paul, R.E.Segel, L.Jisonna, C.Brune, A.Wuosmaa - ANL-04/22 (Physics Division Ann.Rept., 2003), p.5 (2004)  
Measurement of the  $\beta$ -Delayed  $\alpha$  Spectrum of  $^{16}\text{N}$  with a New Technique

REFERENCES

---

- 2004TH15 M.Thoennessen - Acta Phys.Hung.N.S. 21, 379 (2004)  
Pushing the Limits of Nuclear Stability
- 2004VA37 S.I.Vasiliev, Yu.G.Zdesenko, A.A.Klimenko, S.B.Osetrov, A.A.Smolnikov,  
V.I.Tretyak - Bull.Rus.Acad.Sci.Phys. 68, 1255 (2004)  
Experimental limit on charge-nonconserving  $^{73}\text{Ge}$   $\beta$ -decay probability
- 2004VE14 D.Verney, F.Ibrahim, O.Perru, O.Bajeat, C.Bourgeois, F.Clapier, E.Cottureau,  
C.Donzaud, S.Du, M.Ducourtieux, S.Essabaa, S.Gales, L.Gaudefroy,  
D.Guillemaud-Mueller, F.Hammache, F.Hosni, C.Lau, H.Lefort, F.Le Blanc,  
A.C.Mueller, N.Pauwels, J.C.Potier, F.Pougheon, J.Proust, B.Roussiere, J.Sauvage,  
O.Sorlin - Braz.J.Phys. 34, 979 (2004)  
Study of the N=50 Shell Closure Close to  $^{78}\text{Ni}$
- 2004V021 A.N.Vodin, A.S.Kachan, L.P.Korda, V.M.Mishchenko, R.P.Slabospitsky,  
I.V.Ushakov, G.K.Khomyakov - Bull.Rus.Acad.Sci.Phys. 68, 210 (2004)  
Isobar-analogue resonances in  $^{22}\text{Ne}(p\gamma)^{23}\text{Na}$  reaction
- 2004V022 A.N.Vodin, A.S.Kachan, L.P.Korda, V.M.Mishchenko, R.P.Slabospitsky,  
I.V.Ushakov, G.K.Khomyakov - Bull.Rus.Acad.Sci.Phys. 68, 218 (2004)  
Fine structure of analogue  $d_{5/2}$  resonance in  $^{31}\text{P}$  nucleus
- 2004V024 A.von Zweidorf, R.Angert, W.Bruchle, S.Burger, K.Eberhardt, R.Eichler,  
H.Hummrich, E.Jager, H.-O.Kling, J.V.Kratz, B.Kuczewski, G.Langrock,  
M.Mendel, U.Rieth, M.Schadel, B.Schausten, E.Schimpf, P.Thorle, N.Trautmann,  
K.Tsukada, N.Wiehl, G.Wirth - Radiochim.Acta 92, 855 (2004)  
Evidence for the formation of sodium hassate(VIII)
- 2004WA35 H.L.Wang, Y.H.Zhang, X.H.Zhou, M.M.Ndontchueng, Y.X.Guo, X.G.Lei, M.L.Liu,  
L.Peng, C.Y.Xie, L.T.Song, H.P.Yu, Y.Zheng, W.T.Guo, S.X.Wen, L.H.Zhu,  
X.G.Wu, F.R.Xu - Phys.Rev. C 70, 064306 (2004)  
Observation of the  $\pi h_{11/2}$  (X)  $\nu i_{13/2}$  band in odd-odd  $^{170}\text{Re}$
- 2004WAZW H.Watanabe, H.Ueno, A.Yoshimi, Y.Kobayashi, T.Haseyama, T.Kishida, K.Asahi,  
D.Kameda, H.Miyoshi, K.Shimada, S.Emori, G.Kato, Y.Gono, A.Odahara -  
CNS-REP-64, p.243 (2004)  
g-Factor measurements of high-spin isomers and condensed matter studies with  
 $\gamma$ -TDPAD method
- 2004WE17 F.R.Wesselmann - Fizika(Zagreb) B 13, 531 (2004)  
Measurement of the neutron's electric form factor  $G_E^n$  via doubly polarized,  
quasi-elastic scattering at Jefferson Lab
- 2004WIZX A.N.Wilson, G.D.Dracoulis, P.M.Davidson, A.P.Byrne, R.M.Clark, P.Fallon,  
A.Gorgen, G.J.Lane, A.O.Macchiavelli, D.Ward - ANU-P/1610 (2004)  
Quadrupole Moment of the Yrast Superdeformed Band in  $^{192}\text{Pb}$
- 2004WU08 C.Y.Wu, H.Hua, D.Cline, A.B.Hayes, R.Teng, R.M.Clark, P.Fallon, A.Goergen,  
A.O.Macchiavelli, K.Vetter - Phys.Rev. C 70, 064312 (2004)

REFERENCES

---

- Multifaceted yrast structure and the onset of deformation in  $^{96,97}\text{Sr}$  and  $^{98,99}\text{Zr}$
- 2004YU11 K.L.Yurkewicz, D.Bazin, B.A.Brown, C.M.Campbell, J.A.Church, D.-C.Dinca, A.Gade, T.Glasmacher, M.Honma, T.Mizusaki, W.F.Mueller, H.Olliver, T.Otsuka, L.A.Riley, J.R.Terry - Phys.Rev. C 70, 064321 (2004)  
E2 excitation strength in  $^{55}\text{Ni}$ : Coupling of the  $^{56}\text{Ni}$   $2_1^+$  collective core vibration to the  $f_{7/2}$  odd neutron hole
- 2004ZA15 G.S.Zahn, C.B.Zamboni, F.A.Genezini, M.P.Raele, M.T.F.da Cruz, J.Y.Zevallos-Chavez - Braz.J.Phys. 34, 719 (2004)  
New Gamma Transitions in  $^{193}\text{Ir}$  From the Beta Decay of  $^{193}\text{Os}$
- 2004ZH42 X.Zheng, and the Jefferson Lab Hall A Collaboration - Phys.Rev. C 70, 065207 (2004)  
Precision measurement of the neutron spin asymmetries and spin-dependent structure functions in the valence quark region
- 2004ZH45 B.V.Zhuravlev, A.A.Lychagin, N.N.Titarenko, V.G.Demenkov, V.I.Trykova, A.Ya.Slekenichs - Bull.Rus.Acad.Sci.Phys. 68, 1319 (2004)  
Level densities in  $^{90}\text{Nb}$  and  $^{94}\text{Nb}$  nuclei from neutron evaporation spectra
- 2005AB01 M.Abdel-Bary, A.Budzanowski, A.Chatterjee, J.Ernst, P.Hawranek, F.Hinterberger, V.Jha, K.Kilian, S.Kliczewski, D.Kirillov, D.Kolev, M.Kravcikova, T.Kutsarova, M.Lesiak, J.Lieb, H.Machner, A.Magiera, R.Maier, G.Martinska, S.Nedev, J.Niskanen, N.Piskunov, D.Prasuhn, D.Protic, P.von Rossen, B.J.Roy, I.Sitnik, R.Siudak, M.Smiechowicz, R.Tsenov, M.Ulicny, J.Urban, G.Vankova, C.Wilkin, and the GEM Collaboration - Phys.Lett. B 610, 31 (2005)  
Detailed comparison of the  $pp \rightarrow \pi^+ pn$  and  $pp \rightarrow \pi^+ d$  reactions at 951 MeV
- 2005AB04 B.M.Abramov, Yu.A.Borodin, S.A.Bulychjov, I.A.Dukhovskoy, A.P.Krutenkova, V.V.Kulikov, M.A.Martemyanov, M.A.Matsyuk, V.E.Tarasov, E.N.Turdakina, A.I.Khanov - Yad.Fiz. 68, 503 (2005); Phys.Atomic Nuclei 68, 474 (2005)  
Quasielastic Deuteron and Triton Knockout from Lithium Isotopes by Intermediate-Energy Pions
- 2005AB22 U.Abbondanno, for the n\_TOF Collaboration - Nucl.Phys. A758, 501c (2005)  
Neutron capture cross section measurements for nuclear astrophysics at CERN n\_TOF
- 2005AC22 P.Achenbach, for the A1 Collaboration - Eur.Phys.J. A 25, 177 (2005)  
Measurement of the Asymmetries in  $^3(\text{He}(\text{pol}))(\text{e}(\text{pol}), \text{e}'\text{p})\text{d}$  and  $^3(\text{He}(\text{pol}))(\text{e}(\text{pol}), \text{e}'\text{p})\text{np}$
- 2005AD01 J.Adam, A.R.Balabekyan, V.S.Barashenkov, R.Brandt, V.M.Golovatyuk, V.G.Kalinnikov, K.Katovsky, M.I.Krivopustov, V.Kumar, H.Kumawat, R.Odoj, V.S.Pronskikh, A.A.Solnyshkin, V.I.Stegailov, V.M.Tsoupko-Sitnikov, W.Westmeier - Eur.Phys.J. A 23, 61 (2005)  
Spallation neutron spectrum on a massive lead / paraffin target irradiated with 1 GeV protons

## REFERENCES

---

- 2005AD29 P.Adrich, A.Klimkiewicz, M.Fallot, K.Boretzky, T.Aumann, D.Cortina-Gil, U.Datta Pramanik, Th.W.Elze, H.Emling, H.Geissel, M.Hellstrom, K.L.Jones, J.V.Kratz, R.Kulesa, Y.Leifels, C.Nociforo, R.Palit, H.Simon, G.Surowka, K.Summerer, W.Walus, and the LAND-FRS Collaboration - Phys.Rev.Lett. 95, 132501 (2005)  
Evidence for Pygmy and Giant Dipole Resonances in  $^{130}\text{Sn}$  and  $^{132}\text{Sn}$
- 2005AD35 S.Adhikari, C.Samanta, C.Basu, S.Ray, A.Chatterjee, S.Kailas - Eur.Phys.J. A 25, Supplement 1, 299 (2005)  
Entrance channel dependence in compound nuclear reactions with loosely bound nuclei
- 2005ADZV E.G.Adelberger, O.D.Biesel, A.Garcia, H.E.Swanson, S.Triambak - Univ. Washington Nucl.Phys.Lab., Ann.Rept., 2005, p.59 (2005)  
Resonance energies in  $^{32}\text{S}(p, \gamma)$  and calibration of  $^{33}\text{Ar}$  beta-delayed spectrum
- 2005ADZW E.G.Adelberger, A.Garcia, S.A.Hoedl, S.K.L.Sjue, A.L.Sallaska, S.Triambak - Univ. Washington Nucl.Phys.Lab., Ann.Rept., 2005, p.58 (2005)  
Mass determination of the lowest  $T = 2$  state in  $^{32}\text{S}$  using the  $^{31}\text{P}(p, \gamma)$  reaction
- 2005ADZX P.Adrich, T.Aumann, K.Boretzky, D.Cortina-Gil, U.Datta Pramanik, Th.W.Elze, H.Emling, M.Fallot, H.Geissel, M.Hellstrom, K.L.Jones, A.Klimkiewicz, J.V.Kratz, R.Kulesa, Y.Leifels, C.Nociforo, R.Palit, H.Simon, G.Surowka, K.Summerer, W.Walus - GSI 2005-1, p.94 (2005)  
Pygmy and Giant Dipole Resonances in  $^{130-132}\text{Sn}$
- 2005ADZZ J.Adam, A.Balabekyan, R.Brandt, P.Caloun, D.Chultem, V.G.Kalinnikov, K.Katovsky, M.I.Krivopustov, A.Kugler, R.Odoj, A.V.Pavlyuk, V.S.Pronskikh, A.A.Solnyshkin, V.I.Stegailov, S.G.Stetsenko, V.M.Tsoupko-Sitnikov, V.Wagner, W.Westmeier - Book of Abstracts, LV National Conference on Nuclear Physics "Frontiers in the Physics of Nucleus", St.-Petersburg, p.195 (2005)  
Yields of Product Nuclei in Radioactive  $^{129}\text{I}$ ,  $^{237}\text{Np}$ ,  $^{238}\text{Pu}$  and  $^{239}\text{Pu}$  Samples Exposed to the Secondary Neutrons of the U / Pb-Assembly of the Setup "Energy Plus Transmutation" Irradiated by 1 GeV Protons from Nuclotron (JINR, Dubna)
- 2005AEZZ G.Aerts, for the n\_TOF Collaboration - Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.2, p. 1470 (2005); AIP Conf.Proc. 769 (2005)  
Measurement of the  $^{232}\text{Th}$  Neutron Capture Cross Section at the CERN n\_TOF Facility
- 2005AF02 M.Afzal Ansari, N.P.M.Sathik, D.Singh, M.H.Rashid - J.Phys.Soc.Jpn. 74, 1150 (2005)  
Measurement and Analysis of Alpha Particle Induced Reactions on Praseodymium
- 2005AG03 E.S.Ageev, and the COMPASS Collaboration - Phys.Lett. B 612, 154 (2005)  
Measurement of the spin structure of the deuteron in the DIS region

REFERENCES

---

- 2005AG04 M.Agnello, G.Beer, L.Benussi, M.Bertani, S.Bianco, E.Botta, T.Bressani, L.Busso, D.Calvo, P.Camerini, P.Cerello, B.Dalena, F.De Mori, G.D'Erasmo, D.Di Santo, F.L.Fabbri, D.Faso, A.Feliciello, A.Filippi, V.Filippini, E.M.Fiore, H.Fujioka, P.Gianotti, N.Grion, A.Krasnoperov, V.Lucherini, S.Marcello, T.Maruta, N.Mirfakhrai, O.Morra, A.Olin, E.Pace, M.Palotta, M.Palomba, A.Pantaleo, A.Panzarasa, V.Paticchio, S.Piano, F.Pompili, R.Rui, G.Simonetti, H.So, S.Tomassini, R.Wheadon, A.Zenoni - Nucl.Phys. A752, 139c (2005)  
First results from the FINUDA experiment
- 2005AG09 M.Agnello, G.Beer, L.Benussi, M.Bertani, S.Bianco, E.Botta, T.Bressani, L.Busso, D.Calvo, P.Camerini, P.Cerello, B.Dalena, F.De Mori, G.D'Erasmo, D.Di Santo, F.L.Fabbri, D.Faso, A.Feliciello, A.Filippi, V.Filippini, E.M.Fiore, H.Fujioka, P.Gianotti, N.Grion, A.Krasnoperov, V.Lucherini, S.Marcello, T.Maruta, N.Mirfakhrai, O.Morra, A.Olin, E.Pace, M.Palomba, A.Pantaleo, A.Panzarasa, V.Paticchio, S.Piano, F.Pompili, R.Rui, G.Simonetti, H.So, S.Tomassini, R.Wheadon, A.Zenoni - Nucl.Phys. A754, 399c (2005)  
First results from the FINUDA experiment at DAΦNE
- 2005AG11 M.Agnello, and the FINUDA Collaboration - Phys.Lett. B 622, 35 (2005)  
First results on  $^{12}\text{C}$  production at DAΦNE
- 2005AG15 U.Agvaanluvsan, E.Algin, J.A.Becker, M.Guttormsen, G.E.Mitchell, S.Siem, A.Schiller, A.Voinov - Nucl.Instrum.Methods Phys.Res. B241, 180 (2005)  
Investigation of the radiative strength function
- 2005AH01 J.Ahrens, V.M.Alexeev, J.R.M.Annand, H.J.Arends, R.Beck, G.Caselotti, S.N.Cherepnya, D.Drechsel, L.V.Filkov, K.Fohl, I.Giller, P.Grabmayr, T.Hehl, D.Hornidge, V.L.Kashevarov, M.Kotulla, D.Krambrich, B.Krusche, M.Lang, J.C.McGeorge, I.J.D.MacGregor, V.Metag, M.Moinester, R.Novotny, M.Pfeiffer, M.Rost, S.Schadmand, S.Scherer, A.Thomas, C.Unkmeir, Th.Walcher - Eur.Phys.J. A 23, 113 (2005)  
Measurement of the  $\pi^+$ -meson polarizabilities via the  $\gamma p \rightarrow \gamma \pi^+ n$  reaction
- 2005AH03 I.Ahmad, F.G.Kondev, E.F.Moore, M.P.Carpenter, R.R.Chasman, J.P.Greene, R.V.F.Janssens, T.Lauritsen, C.J.Lister, D.Seweryniak, R.W.Hoff, J.E.Evans, R.W.Lougheed, C.E.Porter, L.K.Felker - Phys.Rev. C 71, 054305 (2005)  
Energy levels of  $^{249}\text{Bk}$  populated in the  $\alpha$  decay of  $^{253}\text{Es}$  and  $\beta^-$  decay of  $^{249}\text{Cm}$
- 2005AH05 J.Ahrens, and the GDH and A2 Collaborations - Phys.Lett. B 624, 173 (2005)  
Intermediate resonance excitation in the  $\gamma p \rightarrow p \pi^0 \pi^0$  reaction
- 2005AH07 J.Ahrens, S.Altieri, J.R.M.Annand, H.-J.Arends, R.Beck, A.Braghieri, N.d'Hose, H.Dutz, S.Goertz, P.Grabmayr, S.Hasegawa, E.Heid, H.Holvoet, L.Van Hoorebeke, N.Horikawa, T.Iwata, O.Jahn, P.Jennwein, R.Kondratiev, J.Krimmer, M.Lang, B.Lannoy, K.Livingston, J.C.McGeorge, W.Meyer, A.Panzeri, P.Pedroni, T.Pinelli, I.Preobrajenski, G.Reicherz, G.Rosner, M.Rost, T.Rostomyan, D.Ryckbosch, M.Schumacher, B.Seitz, G.Tamas, A.Thomas, R.van de Vyver, Th.Walcher, F.Zapadtka - Eur.Phys.J. A 26, 135 (2005)  
Measurement of the G asymmetry for the  $\gamma p \rightarrow N \pi$  channels in the  $\Delta(1232)$  resonance region

REFERENCES

---

- 2005AH09 I.Ahmad, J.P.Greene, E.F.Moore, F.G.Kondev, R.R.Chasman, C.E.Porter, L.K.Felker - Phys.Rev. C 72, 054308 (2005)  
Energy levels of  $^{251}\text{Cf}$  populated in the  $\alpha$  decay of  $^{255}_{100}\text{Fm}$  and EC decay of  $^{251}_{99}\text{Es}$
- 2005AHZZ I.Ahmad, F.G.Kondev, E.F.Moore, R.R.Chasman, M.P.Carpenter, J.P.Greene, R.V.F.Janssens, T.Lauritsen, C.J.Lister, D.Seweryniak, R.W.Hoff, J.E.Evans, R.W.Lougheed, C.E.Porter, L.K.Felker - Proc.Nuclei at the Limits, Argonne, Illinois, D.Seweryniak and T.L.Khoo, eds., p.251 (2005); AIP Conf. Proc 764 (2005)  
Proton Single-Particle States In The Heaviest Actinide Nuclei
- 2005AI06 A.Airapetian, and the HERMES Collaboration - Phys.Rev.Lett. 95, 242001 (2005)  
Measurement of the Tensor Structure Function  $b_1$  of the Deuteron
- 2005AK09 A.Aktas, and the H1 Collaboration - Eur.Phys.J. C 44, 1 (2005)  
Measurement of deeply virtual Compton scattering at HERA
- 2005AL01 M.Altmeier, F.Bauer, J.Bisplinghoff, K.Busser, M.Busch, T.Colberg, L.Demirors, H.P.Engelhardt, P.D.Eversheim, K.O.Eyser, O.Felden, R.Gebel, M.Glende, J.Greiff, F.Hinterberger, E.Jonas, H.Krause, T.Lindemann, J.Lindlein, B.Lorentz, R.Maier, R.Maschuw, A.Meinerzhagen, D.Prasuhn, H.Rohdjess, D.Rosendaal, P.von Rossen, N.Schirm, V.Schwarz, W.Scobel, H.-J.Trelle, K.Ulbrich, E.Weise, A.Wellinghausen, R.Ziegler, and the EDDA Collaboration - Eur.Phys.J. A 23, 351 (2005)  
Excitation functions of the analyzing power in elastic proton-proton scattering from 0.45 to 2.5 GeV
- 2005AL03 J.J.S.Alves, P.R.S.Gomes, J.Lubian, L.C.Chamon, D.Pereira, R.M.Anjos, E.S.Rossi, Jr., C.P.Silva, M.A.G.Alvarez, G.P.A.Nobre, L.R.Gasques - Nucl.Phys. A748, 59 (2005)  
Consistent analysis of peripheral reaction channels and fusion for the  $^{16,18}\text{O} + ^{58}\text{Ni}$  systems
- 2005AL15 D.V.Aleksandrov, E.Yu.Nikolskii, B.G.Novatskii, S.B.Sakuta, D.N.Stepanov - Pisma Zh.Eksp.Teor.Fiz. 81, 49 (2005); JETP Lett. 81, 43 (2005)  
Search for Resonances in the Three- and Four-Neutron Systems in the  $^7\text{Li}(^7\text{Li}, ^{11}\text{C})3n$  and  $^7\text{Li}(^7\text{Li}, ^{10}\text{C})4n$  Reactions
- 2005AL20 A.Al-Khatib, A.K.Singh, H.Hubel, P.Bringel, A.Burger, A.Neusser, G.Schoenwasser, G.B.Hagemann, C.R.Hansen, B.Herskind, G.Sletten, A.Algora, Zs.Dombradi, J.Gal, G.Kalinka, J.Molnar, B.M.Nyako, D.Sohler, J.Timar, L.Zolnai, M.Kmiecik, A.Maj, J.Styczen, K.Zuber, K.Hauschild, A.Korichi, A.Lopez-Martens, J.Rocaz, S.Siem, F.Hannachi, J.N.Scheurer, P.Bednarczyk, Th.Byrski, D.Curien, O.Dorvaux, G.Duchene, B.Gall, F.Khalfallah, I.Piqueras, J.Robin, K.Juhasz, S.B.Patel, A.O.Evans, G.Rainovski, A.Airoidi, G.Benzoni, A.Bracco, F.Camera, B.Million, P.Mason, A.Paleni, R.Sacchi, O.Wieland, C.M.Petrache, D.Petrache, G.La Rana, R.Moro, G.De Angelis, P.Fallon, I-Y.Lee, J.C.Lisle, B.Cederwall, K.Lagergren, R.M.Lieder, E.Podsvirova, W.Gast, H.Jaeger, N.Redon, A.Gorgen - Acta Phys.Pol. B36, 1029 (2005)  
High-spin states in  $^{124}\text{Ba}$

## REFERENCES

---

- 2005AL25 J.A.Alcantara-Nunez, J.R.B.Oliveira, E.W.Cybulska, N.H.Medina, M.N.Rao, R.V.Ribas, M.A.Rizzutto, W.A.Seale, F.Falla-Sotelo, K.T.Wiedemann - Phys.Rev. C 71, 054315 (2005)  
High-spin structures in  $^{108}\text{Pd}$ :  $\gamma$ -vibrational band and two-quasineutron excitations
- 2005AL27 V.Kh.Alimov, M.Mayer, J.Roth - Nucl.Instrum.Methods Phys.Res. B234, 169 (2005)  
Differential cross-section of the  $\text{D}(^3\text{He}, \text{p})^4\text{He}$  nuclear reaction and depth profiling of deuterium up to large depths
- 2005AL37 G.D.Alkhozov, V.V.Astashin, A.G.Atamantchouk, W.Augustyniak, D.Bachelier, V.V.Baublis, M.Boivin, J.-L.Boyard, J.-F.Clavelin, P.Courtat, M.Denoit, R.Douet, C.Ellegaard, L.Farhi, C.Gaarde, R.Gacougnolle, V.Ya.Gerzenstein, V.L.Golovtsov, V.V.Golubev, T.Hennino, J.-C.Jourdain, A.V.Khanzadeev, B.G.Komkov, A.V.Kravtsov, L.G.Kudin, R.Kunne, J.Larsen, S.Lebon, L.V.Malinina, A.Maroni, J.-M.Martin, H.-P.Morsch, V.A.Mylnikov, E.M.Orischin, M.Osterlund, V.Poux, A.N.Prokofiev, P.Radvanyi, B.Ramstein, B.V.Razmyslovich, M.Roy-Stephan, V.M.Samsonov, R.Skowron, I.B.Smirnov, E.A.Strokovsky, I.I.Tkach, V.V.Vikhrov, S.S.Volkov, An.A.Vorobyov, A.A.Zhdanov, P.Zupranski - Nucl.Instrum.Methods Phys.Res. A551, 290 (2005)  
SPES4- $\pi$ : installation for exclusive study of nuclear reactions
- 2005AL45 J.J.S.Alves, P.R.S.Gomes, J.Lubian, L.C.Chamon, R.M.Anjos, D.Pereira, E.S.Rossi, Jr., C.P.Silva, M.A.G.Alvarez, G.P.A.Nobre, L.R.Gasques - Braz.J.Phys. 35, 909 (2005)  
Elastic, Inelastic Scatterings and Transfer Reactions for  $^{16,18}\text{O}$  on  $^{58}\text{Ni}$  Described by the Sao Paulo Potential
- 2005ALZX A.Alimeti, G.H.R.Kegel, J.J.Egan, D.J.DeSimone, T.M.McKittrick, C.Ji, S.E.Tremblay, C.Roldan, X.Chen, D.S.Kim - Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.1, p. 1054 (2005); AIP Conf.Proc. 769 (2005)  
Neutron Scattering Cross Section Measurements for  $^{169}\text{Tm}$  via the  $(n, n')$  Technique
- 2005ALZY I.E.Alekseev, V.V.Lazarev - Book of Abstracts, LV National Conference on Nuclear Physics "Frontiers in the Physics of Nucleus", St.-Petersburg, p.181 (2005)  
The Yields of  $^{186}\text{Re}$  in Reaction  $^{186}\text{W}(d, 2n)$
- 2005ALZZ R.A.Aliev, A.N.Ermakov, B.S.Ishkhanov, I.M.Kapitonov, I.G.Konyukhov, K.Kyay, I.V.Makarenko, T.N.Mineeva, K.A.Stopani - Book of Abstracts, LV National Conference on Nuclear Physics "Frontiers in the Physics of Nucleus", St.-Petersburg, p.56 (2005)  
Excitation of 135.5 keV Isomeric Level of  $^{92}\text{Nb}$  Nucleus in Photonuclear Reactions
- 2005AM02 H.Amro, G.B.Hagemann, W.C.Ma, R.M.Diamond, J.Domscheit, P.Fallon, B.Herskind, H.Hubel, D.R.Jensen, Y.Li, A.O.Macchiavelli, D.Roux, G.Sletten, J.Thompson, I.Wiedenhöver, J.N.Wilson, J.A.Winger - Phys.Rev. C 71, 011302 (2005)  
Competing modes of excitations and the decay out of the triaxial strongly deformed well in  $^{167}\text{Lu}$

REFERENCES

---

- 2005AM04 Y.Amelin, W.J.Davis - Geochim.Cosmochim.Act. 69, 465 (2005)  
Geochemical test for branching decay of  $^{176}\text{Lu}$
- 2005AM05 M.Ambrogiani, and the Fermilab E835 Collaboration - Phys.Lett. B 610, 177 (2005)  
Measurement of the angular distribution in  $(\bar{p})p \rightarrow \psi(2S) \rightarrow e^+e^-$
- 2005AN01 A.Andrighetto, O.Bajeat, A.E.Barzakh, S.Essabaa, D.V.Fedorov, A.M.Ionan, V.S.Ivanov, R.Leroy, G.Lhersonneau, K.A.Mezilev, F.V.Moroz, S.Yu.Orlov, V.N.Panteleev, L.Stroe, L.B.Tecchio, A.Villari, Yu.M.Volkov, X.F.Wang - Eur.Phys.J. A 23, 257 (2005)  
On-line production of Rb and Cs isotopes from uranium carbide targets
- 2005AN03 L.-L.Andersson, E.K.Johansson, J.Ekman, D.Rudolph, R.du Rietz, C.Fahlander, C.J.Gross, P.A.Hausladen, D.C.Radford, G.Hammond - Phys.Rev. C 71, 011303 (2005)  
Identification of excited states in  $^{61}_{31}\text{Ga}_{30}$ : Mirror nuclei in the upper fp shell
- 2005AN04 K.Andgren, Zs.Podolyak, A.Dewald, F.R.Xu, A.Algora, M.Axiotis, D.Bazzacco, P.G.Bizzeti, A.M.Bizzeti-Sona, B.Cederwall, G.de Angelis, E.Farnea, A.Fitzler, A.Gadea, W.Gelletly, S.Lunardi, O.Moller, N.Marginean, T.Martinez, T.Pissulla, C.Rusu, C.A.Ur, R.Venturelli, P.M.Walker, C.Wheldon - Phys.Rev. C 71, 014312 (2005)  
Lifetime measurements of normal deformed states in  $^{165}_{71}\text{Lu}$
- 2005AN15 A.Antusek, K.Jackowski, M.Jaszunski, W.Makulski, M.Wilczek - Chem.Phys.Lett. 411, 111 (2005)  
Nuclear magnetic dipole moments from NMR spectra
- 2005AN17 A.N.Andreyev, D.Ackermann, S.Antalic, I.G.Darby, S.Franchoo, F.P.Hessberger, S.Hofmann, M.Huyse, P.Kuusiniemi, B.Lommel, B.Kindler, R.Mann, G.Munzenberg, R.D.Page, S.Saro, B.Sulignano, B.Streicher, K.Van de Vel, P.Van Duppen, D.R.Wiseman - Phys.Rev. C 72, 014612 (2005)  
Cross section systematics for the lightest Bi and Po nuclei produced in complete fusion reactions with heavy ions
- 2005AN23 C.Angulo, E.Casarejos, A.Coc, T.Davinson, N.Achouri, D.Cortina-Gil, M.Couder, P.Figuera, B.Fulton, J.Kiener, P.Leleux, I.Mukha, A.S.Murphy, A.Ninane, N.Orr, V.Tatischeff, F.Vanderbist - Nucl.Phys. A758, 775c (2005)  
Study of  $^7\text{Be}+d$  reactions for Standard Big Bang Nucleosynthesis
- 2005AN24 E.Angeli, A.Tartari, M.Frignani, D.Mostacci, F.Rocchi, M.Sumini - Appl.Radiat.Isot. 63, 545 (2005)  
Preliminary results on the production of short-lived radioisotopes with a Plasma Focus Device



## REFERENCES

---

- 2005AN26 K.Andgren, S.F.Ashley, P.H.Regan, E.A.McCutchan, N.V.Zamfir, L.Amon, R.B.Cakirli, R.F.Casten, R.M.Clark, G.Gurdal, K.L.Keyes, D.A.Meyer, M.N.Erduran, A.Papenberg, N.Pietralla, C.Plettner, G.Rainovski, R.V.Ribas, N.J.Thomas, J.Vinson, D.D.Warner, V.Werner, E.Williams - J.Phys.(London) G31, S1563 (2005)  
RDM lifetime measurements in  $^{107}\text{Cd}$
- 2005AN30 C.Angulo, E.Casarejos, M.Couder, P.Demaret, P.Leleux, F.Vanderbist, A.Coc, J.Kiener, V.Tatischeff, T.Davinson, A.S.Murphy, N.L.Achouri, N.A.Orr, D.Cortina-Gil, P.Figuera, B.R.Fulton, I.Mukha, E.Vangioni - Astrophys.J. 630, L105 (2005)  
The  $^7\text{Be}(d, p)2\alpha$  Cross Section at Big Bang Energies and the Primordial  $^7\text{Li}$  Abundance
- 2005ANZY A.N.Andreyev, S.Antalic, D.Ackermann, S.Franchoo, F.P.Hessberger, S.Hofmann, M.Huyse, I.Kojouharov, B.Kindler, P.Kuusiniemi, S.R.Lesher, B.Lommel, R.Mann, G.Munzenberg, K.Nishio, R.D.Page, J.Ressler, B.Streicher, B.Sulignano, P.Van Duppen, D.Wiseman - GSI 2005-1, p.77 (2005)  
New isotopes  $^{186,187}\text{Po}$  and  $^{192}\text{At}$
- 2005ANZZ K.A.Aniol, and the HAPPEX Collaboration - nucl-ex/0506010,6/07/2005 (2005)  
Parity-Violating Electron Scattering from  $^4\text{He}$  and the Strange Electric Form Factor of the Nucleon
- 2005AR21 D.S.Armstrong, and the G0 Collaboration - Phys.Rev.Lett. 95, 092001 (2005)  
Strange-Quark Contributions to Parity-Violating Asymmetries in the Forward G0 Electron-Proton scattering Experiment
- 2005AR25 C.Arnaboldi, D.R.Artusa, F.T.Avignone III, M.Balata, I.Bandac, M.Barucci, J.W.Beeman, C.Brofferio, C.Bucci, S.Capelli, L.Carbone, S.Cebrian, O.Cremonesi, R.J.Creswick, A.de Waard, H.A.Farach, E.Fiorini, G.Frossati, E.Guardincerri, A.Giuliani, P.Gorla, E.E.Haller, R.J.McDonald, A.Morales, E.B.Norman, A.Nucciotti, E.Olivieri, M.Pallavicini, E.Palmieri, E.Pasca, M.Pavan, M.Pedretti, G.Pessina, S.Pirro, E.Preitali, L.Risegari, C.Rosenfeld, S.Sangiorgio, M.Sisti, A.R.Smith, L.Torres, G.Ventura - Phys.Rev.Lett. 95, 142501 (2005)  
New Limit on the Neutrinoless  $\beta\beta$  Decay of  $^{130}\text{Te}$
- 2005AR27 R.Arnold, C.Augier, J.Baker, A.Barabash, G.Broudin, V.Brudanin, A.J.Caffrey, E.Caurier, V.Egorov, K.Errahmane, A.I.Etienvre, J.L.Guyonnet, F.Hubert, Ph.Hubert, C.Jollet, S.Jullian, O.Kochetov, V.Kovalenko, S.Konovalov, D.Lalanne, F.Leccia, C.Longuemare, G.Lutter, Ch.Marquet, F.Mauger, F.Nowacki, H.Ohsumi, F.Piquemal, J.L.Reyss, R.Saakyan, X.Sarazin, L.Simard, F.Simkovic, Yu.Shitov, A.Smolnikov, L.Stekl, J.Suhonen, C.S.Sutton, G.Szklarz, J.Thomas, V.Timkin, V.Tretyak, V.Umatov, L.Vala, I.Vanushin, V.Vasilyev, V.Vorobel, Ts.Vylov - Phys.Rev.Lett. 95, 182302 (2005)  
First Results of the Search for Neutrinoless Double-Beta Decay with the NEMO 3 Detector

REFERENCES

---

- 2005AS01 M.Asai, M.Sakama, K.Tsukada, S.Ichikawa, H.Haba, I.Nishinaka, Y.Nagame, S.Goto, Y.Kojima, Y.Oura, H.Nakahara, M.Shibata, K.Kawade - Eur.Phys.J. A 23, 395 (2005)  
Proton-neutron configurations in  $^{236g,m}\text{Am}$  and its EC-decay daughter  $^{236}\text{Pu}$
- 2005AS04 N.I.Ashwood, M.Freer, D.J.Millener, N.A.Orr, F.Carstoiu, S.Ahmed, J.C.Angelique, V.Bouchat, W.N.Catford, N.M.Clarke, N.Curtis, F.Hanappe, M.Horoi, Y.Kerckx, J.L.Lecouey, F.M.Marques, T.Materna, G.Normand, S.Pain, N.Soic, C.Timis, A.Unshakova, V.A.Ziman - Phys.Rev. C 72, 024314 (2005)  
High-energy two-neutron removal from  $^{10}\text{Be}$
- 2005AS05 M.Asai, K.Tsukada, M.Sakama, S.Ichikawa, T.Ishii, Y.Nagame, I.Nishinaka, K.Akiyama, A.Osa, Y.Oura, K.Sueki, M.Shibata - Phys.Rev.Lett. 95, 102502 (2005)  
Experimental Identification of Spin-Parities and Single-Particle Configurations in  $^{257}\text{No}$  and Its  $\alpha$ -Decay Daughter  $^{253}\text{Fm}$
- 2005AT04 F.Atchison, B.van den Brandt, T.Brys, M.Daum, P.Fierlinger, P.Hautle, R.Henneck, S.Heule, M.Kasprzak, K.Kirch, J.A.Konter, A.Michels, A.Pichlmaier, M.Wohlmuther, A.Wokaun, K.Bodek, U.Szerer, P.Geltenbort, J.Zmeskal, Y.Pokotilovsky - Phys.Rev. C 71, 054601 (2005)  
Production of ultracold neutrons from a cold neutron beam on a  $^2\text{H}_2$  target
- 2005BA01 A.S.Barabash, and the NEMO Collaboration - Nucl.Phys. B(Proc.Supp.) S138, 207 (2005)  
Nemo-3 double beta decay experiment: Present status
- 2005BA02 D.Bandyopadhyay, N.Warr, C.Fransen, N.Boukharouba, V.Werner, S.W.Yates, J.L.Weil, M.T.McEllistrem - Nucl.Phys. A747, 206 (2005)  
Three-phonon excitations in  $^{124}\text{Sn}$
- 2005BA10 G.Basar, G.Basar, I.K.Ozturk, F.G.Acar, S.Kroger - Phys.Scr. 71, 159 (2005)  
Hyperfine Structure of High Lying Levels of Tm I
- 2005BA11 E.Kh.Bazarov, V.V.Glagolev, K.G.Gulamov, S.L.Lutpullaev, K.Olimov, A.A.Yuldashev, E.I.Ismatov, D.A.Karshiev, Kh.Sh.Khamidov, B.S.Yuldashev - Ukr.J.Phys. 50, 16 (2005)  
Fragmentation of oxygen nuclei into  $\alpha$ -particles and  $^{12}\text{C}$  nuclei in  $^{16}\text{O}$ p-collisions at 3.25A GeV / c
- 2005BA13 M.D.L.Barbosa, T.Borello-Lewin, L.B.Horodyski-Matsushigue, J.L.M.Duarte, C.L.Rodrigues, M.R.D.Rodrigues, G.M.Ukita - Phys.Rev. C 71, 024303 (2005)  
Coulomb-nuclear interference with  $^6\text{Li}$ : Isospin character of the  $2^+_1$  excitation in  $^{70,72,74}\text{Ge}$
- 2005BA14 C.Baumer, A.M.van den Berg, B.Davids, D.Frekers, D.De Frenne, E.-W.Grewe, P.Haefner, M.N.Harakeh, F.Hofmann, S.Hollstein, M.Hunyadi, M.A.de Huu, E.Jacobs, B.C.Junk, A.Korff, K.Langanke, G.Martinez-Pinedo, A.Negret, P.von Neumann-Cosel, L.Popescu, S.Rakers, A.Richter, H.J.Wortche - Phys.Rev. C 71, 024603 (2005); Erratum Phys.Rev. C 71, 029903 (2005)

REFERENCES

---

- Determination of the Gamow-Teller strength distribution from the odd-odd nucleus  $^{50}\text{V}$  measured through  $^{50}\text{V}(\text{d}, ^2\text{He})^{50}\text{Ti}$  and astrophysical implications
- 2005BA18 A.R.Balabekyan, A.S.Danagulyan, J.R.Drnoyan, N.A.Demekhina, J.Adam, V.G.Kalinnikov, M.I.Krivopustov, V.S.Pronskikh, V.I.Stegailov, A.A.Solnyshkin, P.Chaloun, V.M.Tsoupko-Sitnikov, G.Musulmanbekov - *Yad.Fiz.* 68, 195 (2005); *Phys.Atomic Nuclei* 68, 171 (2005)  
Investigation of Spallation Reactions on  $^{120}\text{Sn}$  and (d, xn), (d, pxn), (p, xn), and (p, pxn) Reactions on Enriched Tin Isotopes
- 2005BA25 S.Baunack, for the A4 Collaboration - *Eur.Phys.J. A* 24, Supplement 2, 35 (2005)  
Transverse spin asymmetry at the A4 experiment: Experimental results
- 2005BA30 M.S.Basunia, E.B.Norman, H.A.Shugart, A.R.Smith, M.J.Dolinski, B.J.Quiter - *Phys.Rev. C* 71, 035801 (2005)  
Measurement of cross sections for the  $^{63}\text{Cu}(\alpha, \gamma)^{67}\text{Ga}$  reaction from 5.9 to 8.7 MeV
- 2005BA33 A.S.Barabash, and the NEMO Collaboration - *Yad.Fiz.* 68, 443 (2005); *Phys.Atomic Nuclei* 68, 414 (2005)  
Investigation of Double-Beta-Decay Processes at the NEMO-3 Tracking Detector
- 2005BA34 Chr.Bargholtz, B.A.Chernyshev, L.Geren, V.N.Grebenev, Yu.B.Gurov, B.Hoistad, I.V.Laukhin, K.Lindberg, V.G.Sandukovsky, R.R.Shafigullin, P.-E.Tegner - *Yad.Fiz.* 68, 517 (2005); *Phys.Atomic Nuclei* 68, 488 (2005)  
A Search for Deeply bound Pionic States of Xenon Produced in the  $^{136}\text{Xe}(\text{d}, ^3\text{He})^{135}\text{Xe}_{\pi\text{-bound}}$  Reaction
- 2005BA40 E.Kh.Bazarov, V.V.Glagolev, V.V.Lugovoy, S.L.Lutpullaev, K.Olimov, V.I.Petrov, A.A.Yuldashev, B.S.Yuldashev - *Pisma Zh.Eksp.Teor.Fiz.* 81, 174 (2005); *JETP Lett.* 81, 140 (2005)  
Cross Sections for the Production of Stable and Unstable Isotopes with Charge Numbers from One to Eight in  $^{16}\text{O}$ p Collisions at 3.25 A GeV / c
- 2005BA43 C.Baumer, D.Frekers, E.-W.Grewe, P.Haefner, S.Hollstein, B.C.Junk, A.Korff, S.Rakers, R.Schmidt, A.M.van den Berg, B.Davids, M.N.Harakeh, M.Hunyadi, M.A.de Huu, H.J.Wortche, N.Biasi, D.De Frenne, E.Jacobs, A.Negret, L.Popescu, R.De Leo, F.Hofmann, P.von Neumann-Cosel, A.Richter - *Phys.Rev. C* 71, 044003 (2005)  
Measurement of the  $^2\text{H}(\text{d}, ^2\text{He})^2\text{n}$  reaction at  $E_d = 171$  MeV and implications for the neutron-neutron scattering length
- 2005BA50 F.Bauer, J.Bisplinghoff, K.Busser, M.Busch, T.Colberg, C.Dahl, L.Demirors, P.D.Eversheim, K.O.Eyser, O.Felden, R.Gebel, J.Greiff, F.Hinterberger, E.Jonas, H.Krause, C.Lehmann, J.Lindlein, R.Maier, A.Meinerzhagen, C.Pauly, D.Prasuhn, H.Rohdjess, D.Rosendaal, P.von Rossen, N.Schirm, W.Scobel, K.Ulbrich, E.Weise, T.Wolf, R.Ziegler, and the EDDA Collaboration - *Phys.Rev. C* 71, 054002 (2005)  
Excitation functions of spin correlation parameters  $A_{NN}$ ,  $A_{SS}$ , and  $A_{SL}$  in elastic p(pol)p(pol) scattering between 0.45 and 2.5 GeV

## REFERENCES

---

- 2005BA51 A.M.Baxter, A.P.Byrne, G.D.Dracoulis, P.M.Davidson, T.Kibedi, R.V.F.Janssens, M.P.Carpenter, C.N.Davids, T.L.Khoo, T.Lauritsen - Phys.Rev. C 71, 054302 (2005)  
Spherical and deformed structures in  $^{189}\text{Pb}$
- 2005BA58 S.Baunack, for the A4 Collaboration - Nucl.Phys. A755, 249c (2005)  
Single Spin Asymmetries from the Mainz A4 Experiment
- 2005BA60 A.M.Bakalyarov, A.Ya.Balysh, S.T.Belyaev, V.I.Lebedev, S.V.Zhukov - Part. and Nucl., Lett. 125, 21 (2005)  
Results of the Experiment on Investigation of  $^{76}\text{Ge}$  Double Beta Decay
- 2005BA64 A.E.Barzakh, D.V.Fedorov, A.M.Ionan, V.S.Ivanov, F.V.Moroz, K.A.Mezilev, S.Yu.Orlov, V.N.Pantelev, Yu.M.Volkov - Phys.Rev. C 72, 017301 (2005)  
Laser spectroscopic studies of  $^{145}\text{Gd}$ ,  $^{145}\text{Gd}^m$ , and  $^{143}\text{Gd}^m$
- 2005BA82 D.W.Bardayan, J.C.Blackmon, J.Gomez del Campo, R.L.Kozub, J.F.Liang, Z.Ma, L.Sahin, D.Shapira, M.S.Smith - Nucl.Phys. A758, 737c (2005)  
New  $^{19}\text{Ne}$  Level Observed with a Thick Target  $^{18}\text{F}(p, p)^{18}\text{F}$  Measurement
- 2005BA88 R.A.Bark, M.Lipoglavsek, S.M.Maliage, S.S.Ntshangase, A.Shevchenko - J.Phys.(London) G31, S1747 (2005)  
Aspects of nuclear physics research at iThemba LABS, South Africa
- 2005BA93 O.Bartholomy, and the CB-ELSA Collaboration - Phys.Rev.Lett. 94, 012003 (2005)  
Neutral-Pion Photoproduction off Protons in the Energy Range  $0.3 \text{ GeV} \leq E_\gamma \leq 3 \text{ GeV}$
- 2005BA94 J.C.Batchelder, J.-C.Bilheux, C.R.Bingham, H.K.Carter, D.Fong, P.E.Garrett, R.Grzywacz, J.H.Hamilton, D.J.Hartley, J.K.Hwang, W.Krolas, W.D.Kulp, Y.Larochelle, A.Piechaczek, A.V.Ramayya, K.P.Rykaczewski, E.H.Spejewski, D.W.Stracener, M.N.Tantawy, J.A.Winger, J.L.Wood, E.F.Zganjar - Phys.Rev. C 72, 044306 (2005)  
New isomeric state in  $^{116}\text{Ag}$
- 2005BA96 S.Barua, J.J.Das, A.Jhingan, N.Madhavan, T.Varughese, P.Sugathan, K.Kalita, S.Verma, B.Bhattacharjee, S.K.Datta, K.Boruah - Phys.Rev. C 72, 044602 (2005)  
Investigation of scattering between mirror nuclei  $^7\text{Be}$  and  $^7\text{Li}$
- 2005BAZP H.Baba, S.Shimoura, T.Minemura, Y.U.Matsuyama, A.Saito, H.Akiyoshi, N.Aoi, T.Gomi, Y.Higurashi, K.Ieki, N.Imai, N.Iwasa, H.Iwasaki, S.Kanno, S.Kubono, M.Kunibu, S.Michimasa, T.Motobayashi, T.Nakamura, H.Sakurai, M.Serata, E.Takeshita, S.Takeuchi, T.Teranishi, K.Ue, K.Yamada, Y.Yanagisawa - CNS-REP-66, p.28 (2005)  
Isoscalar E0 and E1 Responses in  $^{14}\text{O}$

## REFERENCES

---

- 2005BAZQ H.Baba, S.Shimoura, T.Minemura, Y.U.Matsuyama, A.Saito, H.Akiyoshi, N.Aoi, T.Gomi, Y.Higurashi, K.Ieki, N.Imai, N.Iwasa, H.Iwasaki, S.Kanno, S.Kubono, M.Kunibu, S.Michimasa, T.Motobayashi, T.Nakamura, H.Sakurai, M.Serata, E.Takeshita, S.Takeuchi, T.Teranishi, K.Ue, K.Yamada, Y.Yanagisawa - RIKEN Accelerator Progress Report 2004, p.48 (2005)  
Isoscalar electric multipole strength in  $^{14}\text{O}$
- 2005BAZR C.M.Baglin, E.B.Norman, R.Larimer, G.A.Rech - Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.2, p. 1370 (2005); AIP Conf.Proc. 769 (2005)  
Measurement of  $^{107}\text{Ag}(\alpha, \gamma)^{111}\text{In}$  Cross Sections
- 2005BAZS M.S.Basunia, E.B.Norman, H.A.Shugart, A.R.Smith, M.J.Dolinski, B.J.Quiter - Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.2, p. 1366 (2005); AIP Conf.Proc. 769 (2005)  
Measurement of Cross Sections for the  $^{63}\text{Cu}(\alpha, \gamma)^{67}\text{Ga}$  Reaction from 5.9-8.7 MeV
- 2005BAZU M.Baba - Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.1, p. 884 (2005); AIP Conf.Proc. 769 (2005)  
Experimental Studies on Particle and Radionuclide Production Cross Sections for Tens of MeV Neutrons and Protons
- 2005BAZV F.B.Bateman, S.I.Al-Quraishi, C.E.Brient, N.Boukharouba, A.D.Carlson, D.E.Carter, S.M.Grimes, R.C.Haight, T.N.Massey, R.T.Wheeler - Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.1, p. 834 (2005); AIP Conf.Proc. 769 (2005)  
Measurement of the  $\text{H}(n, n)\text{H}$  Elastic Scattering Angular Distribution at  $E_n = 15$  MeV
- 2005BAZY A.M.Baxter, G.D.Dracoulis, A.P.Byrne, T.Kibedi, P.M.Davidson, R.V.F.Janssens, M.P.Carpenter, C.N.Davids, T.L.Khoo, T.Lauritsen - Proc.Nuclei at the Limits, Argonne, Illinois, D.Seweryniak and T.L.Khoo, eds., p.62 (2005); AIP Conf. Proc 764 (2005)  
Spherical And Deformed Structures In  $^{189}\text{Pb}$
- 2005BAZZ A.M.Baxter, A.P.Byrne, G.D.Dracoulis, P.M.Davidson, T.Kibedi, R.V.F.Janssens, M.P.Carpenter, C.N.Davids, T.L.Khoo, T.Lauritsen - ANU-P/1634 (2005)  
Spherical and deformed structures in  $^{189}\text{Pb}$
- 2005BB01 C.Bachelet, G.Audi, C.Gaulard, C.Guenaut, F.Herfurth, D.Lunney, M.De Saint Simon, C.Thibault - Eur.Phys.J. A 25, Supplement 1, 31 (2005)  
Mass measurement of short-lived halo nuclides

REFERENCES

---

- 2005BB02 J.C.Batchelder, M.Tantawy, C.R.Bingham, M.Danchev, D.J.Fong, T.N.Ginter, C.J.Gross, R.Grzywacz, K.Hagino, J.H.Hamilton, M.Karny, W.Krolas, C.Mazzocchi, A.Piechaczek, A.V.Ramayya, K.P.Rykaczewski, A.Stolz, J.A.Winger, C.-H.Yu, E.F.Zganjar - Eur.Phys.J. A 25, Supplement 1, 149 (2005)  
Study of fine structure in the proton radioactivity of  $^{146}\text{Tm}$
- 2005BB05 D.W.Bardayan, J.C.Blackmon, J.Gomez del Campo, R.L.Kozub, J.F.Liang, Z.Ma, D.Shapira, L.Sahin, M.S.Smith - Eur.Phys.J. A 25, Supplement 1, 643 (2005)  
New  $^{19}\text{Ne}$  resonance observed using an exotic  $^{18}\text{F}$  beam
- 2005BB06 L.Barron-Palos, E.Chavez, A.Huerta, M.E.Ortiz, G.Murillo, E.Aguilera, E.Martinez, E.Moreno, R.Policroniades, A.Varela - Eur.Phys.J. A 25, Supplement 1, 645 (2005)  
 $^{12}\text{C} + ^{12}\text{C}$  cross-section measurements at low energies
- 2005BE03 R.Bernabei, P.Belli, F.Cappella, F.Montecchia, F.Nozzoli, A.d'Angelo, A.Incicchitti, D.Prospieri, R.Cerulli, C.J.Dai, H.H.Kuang, J.M.Ma, Z.P.Ye - Eur.Phys.J. A 23, 7 (2005)  
Search for spontaneous transition of nuclei to a superdense state
- 2005BE12 F.Benmokhtar, for the Jefferson Lab Hall A Collaboration - Phys.Rev.Lett. 94, 082305 (2005)  
Measurement of the  $^3\text{He}(e, e'p)\text{pn}$  Reaction at High Missing Energies and Momenta
- 2005BE17 R.Bernabei, P.Belli, F.Cappella, F.Montecchia, F.Nozzoli, A.d'Angelo, A.Incicchitti, D.Prospieri, R.Cerulli, C.J.Dai, H.L.He, H.H.Kuang, J.M.Ma, Z.P.Ye, V.I.Tretyak - Eur.Phys.J. A 24, 51 (2005)  
A search for spontaneous emission of heavy clusters in the  $^{127}\text{I}$  nuclide
- 2005BE33 P.Bednarczyk, A.Banu, T.Beck, F.Becker, M.A.Bentley, G.Benzoni, A.Bracco, A.Burger, F.Camera, P.Doornenbal, C.Fahlander, H.Geissel, J.Gerl, M.Gorska, H.Grawe, J.Grebosz, G.Hammond, M.Hellstrom, H.Hubel, J.Jolie, M.Kmiecik, I.Kojouharov, N.Kurz, R.Lozeva, A.Maj, S.Mandal, W.Meczynski, B.Million, S.Muralithar, P.Reiter, D.Rudolph, N.Saito, T.R.Saito, H.Schaffner, J.Simpson, J.Styczen, N.Warr, H.Weick, C.Wheldon, O.Wieland, M.Winkler, H.J.Wollersheim - Acta Phys.Pol. B36, 1235 (2005)  
Status of the RISING project at relativistic energies
- 2005BE34 G.Benzoni, A.Bracco, S.Leoni, N.Biasi, F.Camera, C.Grassi, B.Million, A.Paleni, M.Pignanelli, E.Vigezzi, O.Wieland, M.Matsuo, T.Dossing, B.Herskind, G.B.Hagemann, J.Wilson, A.Maj, M.Kmiecik, G.Lo Bianco, C.M.Petrache, M.Castoldi, A.Zucchiati, G.De Angelis, D.Napoli, P.Bednarczyk, D.Curien - Phys.Lett. B 615, 160 (2005)  
Is the K-quantum number conserved in the order-to-chaos transition region?
- 2005BE38 F.D.Becchetti, R.S.Raymond, D.A.Roberts, J.Lucido, P.A.DeYoung, B.Hilldore, J.Bychowski, A.J.Huisman, P.J.VanWylen, J.J.Kolata, G.Rogachev, J.D.Hinnefeld - Phys.Rev. C 71, 054610 (2005)  
The ( $^8\text{Li}, \alpha$ ) reaction at low energy: Direct  $^4\text{H}$  cluster transfer?

REFERENCES

---

- 2005BE40 G.Beer, A.M.Bragadireanu, M.Cargnelli, C.Curceanu Petrascu, J.-P.Egger, H.Fuhrmann, C.Guaraldo, M.Iliescu, T.Ishiwatari, K.Itahashi, M.Iwasaki, P.Kienle, T.Koike, B.Lauss, V.Lucherini, L.Ludhova, J.Marton, F.Mulhauser, T.Ponta, L.A.Schaller, R.Seki, D.L.Sirghi, F.Sirghi, J.Zmeskal, and the DEAR Collaboration - Phys.Rev.Lett. 94, 212302 (2005)  
Measurement of the Kaonic Hydrogen X-Ray Spectrum
- 2005BE43 A.C.Betker, S.Chang, E.J.Stephenson, A.D.Bacher, S.M.Bowyer, W.A.Franklin, J.Liu, C.Olmer, D.L.Prout, S.P.Wells, S.W.Wissink, C.Yu, R.A.Lindgren, H.Baghaei, V.Gladyshev, J.A.Carr, S.K.Yoon, F.Petrovich, B.L.Clausen, J.Lisantti - Phys.Rev. C 71, 064607 (2005)  
Reaction mechanism for natural parity (p, p') transitions in  $^{10}\text{B}$
- 2005BE60 M.Belleguic, F.Azaiez, Zs.Dombradi, D.Sohler, M.J.Lopez-Jimenez, T.Otsuka, M.G.Saint-Laurent, O.Sorlin, M.Stanoiui, Y.Utsuno, Yu.-E.Penionzhkevich, N.L.Achouri, J.C.Angelique, C.Borcea, C.Bourgeois, J.M.Daugas, F.De Oliveira-Santos, Z.Dlouhy, C.Donzaud, J.Duprat, Z.Elekes, S.Grevy, D.Guillemaud-Mueller, S.Leenhardt, M.Lewitowicz, S.M.Lukyanov, W.Mittig, M.G.Porquet, F.Pougheon, P.Roussel-Chomaz, H.Savajols, Y.Sobolev, C.Stodel, J.Timar - Phys.Rev. C 72, 054316 (2005)  
Search for neutron excitations across the  $N = 20$  shell gap in  $^{25-29}\text{Ne}$
- 2005BE61 N.Benczer-Koller, G.Kumbartzki, J.R.Cooper, T.J.Mertzimekis, M.J.Taylor, L.Bernstein, K.Hiles, P.Maier-Komor, M.A.McMahan, L.Phair, J.Powell, K.-H.Speidel, D.Wutte - Eur.Phys.J. A 25, Supplement 1, 203 (2005)  
First g-factor measurement using a radioactive  $^{76}\text{Kr}$  beam
- 2005BEZS T.Behrens, R.Gernhauser, D.Habs, Th.Kroll, R.Krucken, R.Lutter, T.Morgan, M.Pasini, K.Rudolph, P.G.Thirolf, V.Bildstein, H.Scheit, J.Jolie, D.Martin, N.Warr, and the MINIBALL / REX-ISOLDE Collaboration - Maier-Leibnitz-Laboratorium 2004 Ann.Rept., p.14 (2005)  
Coulomb Excitation of Neutron-rich Cd Isotopes
- 2005BEZT T.Belgya, P.Mutti, H.G.Borner, M.Jentschel, G.L.Molnar - Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.1, p. 1074 (2005); AIP Conf.Proc. 769 (2005)  
Accurate Wavelength Measurement of High-Energy Gamma Rays from the  $^{35}\text{Cl}(n, \gamma)$  Reactions
- 2005BEZU L.A.Bernstein, J.T.Burke, J.A.Church, L.Ahle, J.R.Cooper, R.D.Hoffman, J.Punyon, A.Schiller, E.Algin, C.Plettner, H.Ai, C.W.Beausang, R.F.Casten, R.Hughes, E.Ricard-McCutchan, D.Meyer, J.J.Ressler, J.A.Caggiano, N.V.Zamfir, H.Amro, A.Heinz, P.Fallon, M.A.McMahan, A.O.Macchiavelli, L.W.Phair - Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.1, p. 890 (2005); AIP Conf.Proc. 769 (2005)  
Surrogate Nuclear Reactions using STARS

REFERENCES

---

- 2005BEZV T.Belgya, G.L.Molnar, Zs.Revay, J.L.Weil - Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.1, p. 744 (2005); AIP Conf.Proc. 769 (2005)  
Determination of Thermal Neutron Capture Cross Sections using Cold Neutron Beams
- 2005BEZW O.A.Bezshyyko, I.M.Kadenko, V.M.Mazur, V.A.Plujko, N.V.Strilchuk, I.M.Vishnevsky, R.V.Yermolenko, V.A.Zheltonozhsky - Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.1, p. 641 (2005); AIP Conf.Proc. 769 (2005)  
Mean Angular Momenta of Primary Photofission Products
- 2005BEZX M.M.Be, M.-N.Amiot, C.Bobin, M.-C.Lepy, J.Plagnard, J.M.Lee, K.B.Lee, T.S.Park, A.Luca, M.Sahagia, A.-M.Razdolescu, L.Grigorescu, Y.Sato, Y.Hino, K.Kossert, R.Klein, M.H.K.Schneider, H.Schrader, P.Dryak, J.Sochorova, P.Kovar, P.Auerbach, M.Havelka, T.Altzitzoglou, A.Iwahara, M.A.L.da Silva, J.U.Delgado, C.J.Da Silva, L.Johansson, S.Collins, A.Stroak - CEA-R-6081 (2005)  
Activity measurement and gamma emission intensities determination in the decay of  $^{65}\text{Zn}$
- 2005BH06 T.Bhattacharjee, S.Chanda, S.Bhattacharyya, S.K.Basu, R.K.Bhowmik, S.Muralithar, R.P.Singh, N.S.Pattabiraman, S.S.Ghugre, U.Datta Pramanik, S.Bhattacharya - Nucl.Phys. A750, 199 (2005)  
Structure of odd-odd  $^{136}\text{La}$  at high spin
- 2005BI02 D.C.Biswas, A.G.Smith, R.M.Wall, D.Patel, G.S.Simpson, D.M.Cullen, J.L.Durell, S.J.Freeman, J.C.Lisle, J.F.Smith, B.J.Varley, T.Yousef, G.Barreau, M.Petit, Ch.Theisen, E.Bouchez, M.Houry, R.Lucas, B.Cahan, A.Le Coguie, B.J.P.Gall, O.Dorvaux, N.Schulz - Phys.Rev. C 71, 011301 (2005); Erratum Phys.Rev. C 71, 019901 (2005)  
Lifetimes of excited states in octupole-collective  $^{142,144}\text{Ba}$  nuclei
- 2005BI24 C.R.Bingham, M.N.Tantawy, J.C.Batchelder, M.Danchev, T.N.Ginter, C.J.Gross, D.J.Fong, R.Grzywacz, K.Hagino, J.H.Hamilton, M.Karny, W.Krolas, C.Mazzocchi, A.Piechaczek, A.V.Ramayya, K.Rykaczewski, A.Stolz, J.A.Winger, C.-H.Yu, E.F.Zganjar - Nucl.Instrum.Methods Phys.Res. B241, 185 (2005)  
Nuclear structure studies at the proton drip line via proton radioactivity studies
- 2005BI25 J.Billowes - Eur.Phys.J. A 25, Supplement 1, 187 (2005)  
Developments in laser spectroscopy at the Jyvaskyla IGISOL
- 2005BIZY Z.M.Bigani, V.I.Kirschuk, V.M.Mazur, D.M.Simochko, V.A.Zheltonozhsky - Book of Abstracts, LV National Conference on Nuclear Physics "Frontiers in the Physics of Nucleus", St.-Petersburg, p.215 (2005)  
Excitation of  $^{113m}\text{In}$ ,  $^{195m}\text{Pt}$  and  $^{199m}\text{Hg}$  Isomers in the Reactions of Inelastic Gamma Scattering



REFERENCES

---

- 2005BIZZ Z.M.Bigán, V.A.Zheltonozhsky, V.M.Mazur, D.M.Simochko - Book of Abstracts, LV National Conference on Nuclear Physics "Frontiers in the Physics of Nucleus", St.-Petersburg, p.214 (2005)  
Cross-Sections of ( $\gamma$ , n) Reaction on  $^{81}\text{Br}$  and  $^{121}\text{Sb}$  Nuclei
- 2005BL09 Y.Blumenfeld - Nucl.Phys. A752, 279c (2005)  
Reactions near the neutron drip-line
- 2005BL15 B.Blank, A.Bey, G.Canchel, C.Dossat, A.Fleury, J.Giovinazzo, I.Matea, N.Adimi, F.De Oliveira, I.Stefan, G.Georgiev, S.Grevy, J.C.Thomas, C.Borcea, D.Cortina, M.Caamano, M.Stanoiú, F.Aksouh, B.A.Brown, F.C.Barker, W.A.Richter - Phys.Rev.Lett. 94, 232501 (2005); Erratum Phys.Rev.Lett. 94, 249901 (2005)  
First Observation of  $^{54}\text{Zn}$  and its Decay by Two-Proton Emission
- 2005BL23 J.C.Blackmon, F.Carstoiu, L.Trache, D.W.Bardayan, C.R.Brune, C.A.Gagliardi, U.Greife, C.J.Gross, C.C.Jewett, R.L.Kozub, T.A.Lewis, J.F.Liang, B.H.Moazen, A.M.Mukhamedzhanov, C.D.Nesaraja, F.M.Nunes, P.D.Parker, L.Sahin, J.P.Scott, D.Shapira, M.S.Smith, J.S.Thomas, R.E.Tribble - Phys.Rev. C 72, 034606 (2005)  
Elastic scattering of the proton drip-line nucleus  $^{17}\text{F}$
- 2005BL31 B.Blank, N.Adimi, A.Bey, G.Canchel, C.Dossat, A.Fleury, J.Giovinazzo, I.Matea, F.De Oliveira, I.Stefan, G.Georgiev, S.Grevy, J.C.Thomas, C.Borcea, D.Cortina, M.Caamano, M.Stanoiú, F.Aksouh - Eur.Phys.J. A 25, Supplement 1, 169 (2005)  
First observation of  $^{54}\text{Zn}$  and its decay by two-proton emission
- 2005BLZZ B.Blank, A.Bey, G.Canchel, C.Dossat, A.Fleury, J.Giovinazzo, I.Matea, N.Adimi, F.De Oliveira, I.Stefan, G.Georgiev, S.Grevy, J.C.Thomas, C.Borcea, D.Cortina, M.Caamano, M.Stanoiú, F.Aksouh, B.A.Brown, F.C.Barker, W.A.Richter - nucl-ex/0505016,5/13/2005 (2005)  
First observation of  $^{54}\text{Zn}$  and its decay by two-proton emission
- 2005B010 M.L.Bonardi, F.Groppi, H.S.Mainardi, V.M.Kokhanyuk, E.V.Lapshina, M.V.Mebel, B.L.Zhuikov - J.Radioanal.Nucl.Chem. 264, 101 (2005)  
Cross section studies on  $^{64}\text{Cu}$  with zinc target in the proton energy range from 141 down to 31 MeV
- 2005B015 V.R.Bom, A.M.Demin, D.L.Demin, C.W.E.van Eijk, M.P.Faifman, V.V.Filchenkov, A.N.Golubkov, N.N.Grafov, S.K.Grishechkin, K.I.Gritsaj, V.G.Klevtsov, A.D.Konin, A.V.Kuryakin, S.V.Medved, R.K.Musyaev, V.V.Perevozchikov, A.I.Rudenko, S.M.Sadetsky, Yu.I.Vinogradov, A.A.Yukhimchuk, S.A.Yukhimchuk, V.G.Zinov, S.V.Zlatoustovskii - Zh.Eksp.Teor.Fiz. 127, 752 (2005); J.Exper.Theo.Phys. 100, 663 (2005)  
Experimental Investigation of Muon-catalyzed dt Fusion in Wide Ranges of D / T Mixture Conditions
- 2005B022 J.-L.Boyard, W.Augustyniak, R.Dahl, M.Drews, C.Ellegaard, L.Farhi, C.Gaarde, T.Hennino, J.A.Jensen, J.-C.Jourdain, M.Kagarlis, R.Kunne, J.S.Larsen, P.Radvanyi, B.Ramstein, M.Roy-Stephan, P.Zupranski - Nucl.Phys. A755, 507c (2005)  
Coherent pion production in heavy ion charge exchange reactions

## REFERENCES

---

- 2005B027 A.Borella, A.Moens, P.Schillebeeckx, R.Van Bijlen, G.L.Molnar, T.Belgys, Zs.Revay, L.Szentmiklosi - J.Radioanal.Nucl.Chem. 265, 267 (2005)  
Determination of the  $^{209}\text{Bi}(n, \gamma)$  capture cross section at a cold neutron beam
- 2005B035 K.Bodek, G.Ban, M.Beck, A.Bialek, T.Brys, A.Czarnecki, W.Fetscher, P.Gorel, K.Kirch, St.Kistryn, A.Kozela, M.Kuzniak, A.Lindroth, O.Naviliat-Cuncic, J.Pulut, A.Serebrov, N.Severijns, E.Stephan, J.Zejma - J.Res.Natl.Inst.Stand.Technol. 110, 461 (2005)  
Search for Time Reversal Violating Effects: R-Correlation Measurement in Neutron Decay
- 2005B036 P.Boutachkov, G.V.Rogachev, V.Z.Goldberg, A.Aprahamian, F.D.Becchetti, J.P.Bychowski, Y.Chen, G.Chubarian, P.A.DeYoung, J.J.Kolata, L.O.Lamm, G.F.Peaslee, M.Quinn, B.B.Skorodumov, A.Wohr - Phys.Rev.Lett. 95, 132502 (2005)  
Doppler Shift as a Tool for Studies of Isobaric Analog States of Neutron-Rich Nuclei: Application to  $^7\text{He}$
- 2005B039 H.G.Bohlen, R.Kalpakchieva, W.von Oertzen, T.N.Massey, A.A.Ogloblin, G.de Angelis, Ch.Schulz, Tz.Kokalova, C.Wheldon - J.Phys.(London) G31, S1461 (2005)  
Structure studies of excited states of  $^{17}\text{C}$  and  $^{16}\text{C}$
- 2005B045 D.Borremans, D.L.Balabanski, K.Blaum, W.Geithner, S.Gheysen, P.Himpe, M.Kowalska, J.Lassen, P.Lievens, S.Mallion, R.Neugart, G.Neyens, N.Vermeulen, D.Yordanov - Phys.Rev. C 72, 044309 (2005); Erratum Phys.Rev. C 72, 059902 (2005)  
New measurement and reevaluation of the nuclear magnetic and quadrupole moments of  $^8\text{Li}$  and  $^9\text{Li}$
- 2005B047 V.Bondarenko, J.Honzatko, I.Tomandl, T.von Egidy, H.-F.Wirth, A.M.Sukhovoij L.A.Malov, L.I.Simonova, P.Alexa, J.Berzins, R.Hertenberger, Y.Eisermann, G.Graw - Nucl.Phys. A762, 167 (2005)  
Low-spin mixed particle-hole structures in  $^{185}\text{W}$
- 2005B049 P.Boutachkov, G.V.Rogachev, V.Z.Goldberg, A.Aprahamian, F.D.Becchetti, J.P.Bychowski, Y.Chen, G.Chubarian, P.A.DeYoung, J.J.Kolata, L.O.Lamm, G.F.Peaslee, M.Quinn, B.B.Skorodumov, A.Wohr - Eur.Phys.J. A 25, Supplement 1, 259 (2005)  
Isobaric analog states of neutron-rich nuclei. Doppler shift as a measurement tool for resonance excitation functions
- 2005B0ZT A.Borella - Thesis, Gent Univ. Belgium (2005)  
Determination of the neutron resonance parameters for  $^{206}\text{Pb}$  and of the thermal neutron capture cross section for  $^{206}\text{Pb}$  and  $^{209}\text{Bi}$

REFERENCES

---

- 2005B0ZU D.Boutin, Yu.A.Litvinov, C.Scheidenberger, K.Beckert, P.Beller, F.Bosch, T.Faestermann, B.Franczak, B.Franzke, H.Geissel, E.Kaza, A.Kelic, P.Kienle, O.Klepper, C.Kozhuharov, L.Maier, M.Matos, G.Munzenberg, F.Nolden, Yu.N.Novikov, T.Ohtsubo, W.Plass, M.Portillo, K.-H.Schmidt, J.Stadlmann, M.Steck, H.Weick, M.Winkler, T.Yamaguchi - GSI 2005-1, p.81 (2005)  
Study of production and decay of long-lived isomeric states using time-resolved Schottky Mass Spectrometry
- 2005B0ZV A.Borella, A.Brusegan, M.C.Moxon, G.Aerts, F.Gunsing, P.Siegler, P.Schillebeeckx - Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.2, p. 1539 (2005); AIP Conf.Proc. 769 (2005)  
High-Resolution Neutron Total and Capture Cross-Section Measurements on  $^{206}\text{Pb}$
- 2005B0ZW A.Borella, P.Schillebeeckx, G.Molnar, T.Belgya, Zs.Revay, L.Szentmiklosi, E.Berthoumieux, F.Gunsing, A.Letourneau, F.Marie - Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.1, p. 648 (2005); AIP Conf.Proc. 769 (2005)  
The  $^{209}\text{Bi}(n_{th}, \gamma)^{210}\text{Bi}$  and  $^{209}\text{Bi}(n_{th}, \gamma)^{210m,g}\text{Bi}$  Cross Sections Determined at the Budapest Neutron Centre
- 2005BR04 C.Broggini, and the LUNA Collaboration - Nucl.Phys. B(Proc.Supp.) S143, 60 (2005)  
Neutrino Cross Sections for Astrophysics
- 2005BR10 A.Bracco, G.Benzoni, S.Leoni, N.Biasi, F.Camera, C.Grassi, B.Million, A.Paleni, M.Pignanelli, E.Vigezzi, O.Wieland, M.Matsuo, T.Dossing, B.Herskind, G.B.Hagemann, J.Wilson, A.Maj, M.Kmiecik, G.Lo Bianco, C.M.Petrache, M.Castoldi, A.Zucchiati, G.De Angelis, D.Napoli, D.Curien, P.Bednarczyk - Nucl.Phys. A752, 227c (2005)  
Conservation of the K-quantum number in warm nuclei
- 2005BR14 P.Bringel, G.B.Hagemann, H.Hubel, A.Al-khatib, P.Bednarczyk, A.Burger, D.Curien, G.Gangopadhyay, B.Herskind, D.R.Jensen, D.T.Joss, Th.Kroll, G.Lo Bianco, S.Lunardi, W.C.Ma, N.Nenoff, A.Neusser-Neffgen, C.M.Petrache, G.Schonwasser, J.Simpson, A.K.Singh, N.Singh, G.Sletten - Eur.Phys.J. A 24, 167 (2005)  
Evidence for wobbling excitation in  $^{161}\text{Lu}$
- 2005BR15 C.Broggini, the LUNA Collaboration - Nucl.Phys. B(Proc.Supp.) S145, 33 (2005)  
Laboratory measurements of astrophysical factors
- 2005BR18 R.Broda, B.Fornal, W.Krolas, T.Pawlat, J.Wrzesinski, D.Bazzacco, S.Lunardi, G.de Angelis, A.Gadea, C.Ur, N.Marginean, R.V.F.Janssens, M.P.Carpenter, S.J.Freeman, N.Hammond, T.Lauritsen, C.J.Lister, F.Moore, D.Seweryniak, P.J.Daly, Z.W.Grabowski, B.A.Brown, M.Honma - Acta Phys.Pol. B36, 1343 (2005)  
Yrast states in  $N=30$   $^{50}\text{Ca}$  and  $^{51}\text{Sc}$  isotones studied with deep-inelastic heavy ion reactions

## REFERENCES

---

- 2005BRZU F.Bringas, M.T.Yamashita, I.D.Goldman, P.R.Pascholati, V.Sciani - Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.2, p. 1374 (2005); AIP Conf.Proc. 769 (2005)  
Measurement of Proton-Induced Reaction Cross Sections in Ti, Ni and Zr near the Threshold
- 2005BRZV A.Brusegan, E.Berthoumieux, A.Borella, F.Gunsing, M.Moxon, P.Siegler, P.Schillebeeckx - Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.1, p. 953 (2005); AIP Conf.Proc. 769 (2005)  
Neutron Capture and Transmission Measurements on  $^{103}\text{Rh}$  Down to Thermal Energies
- 2005BRZX V.B.Brudanin, N.I.Rukhadze, V.G.Egorov, Ch.Briancon, P.Benes, P.Cermak, K.N.Gusev, F.A.Danevich, A.A.Klimenko, V.E.Kovalenko, A.Kovalik, A.V.Salamatin, I.Stekl, V.V.Timkin, V.I.Tretyak, Ts.Vylov - Book of Abstracts, LV National Conference on Nuclear Physics "Frontiers in the Physics of Nucleus", St.-Petersburg, p.299 (2005)  
Search for Double Electron Capture of  $^{106}\text{Cd}$  in the Experiment TGV-2
- 2005BU02 D.G.Burke - Nucl.Phys. A747, 131 (2005)  
Single-proton-transfer studies of  $^{153}\text{Eu}$  levels
- 2005BU05 A.A.Burlon, A.J.Kreiner, A.A.Valda, D.M.Minsky, H.R.Somacal, M.E.Debray, P.Stoliar - Nucl.Instrum.Methods Phys.Res. B229, 144 (2005)  
Optimization of a neutron production target and a beam shaping assembly based on the  $^7\text{Li}(p, n)^7\text{Be}$  reaction for BNCT
- 2005BU07 D.G.Burke, G.Lovhoiden - Nucl.Phys. A750, 185 (2005)  
(t, p) reaction studies of  $^{165}\text{Dy}$  and  $^{179}\text{Hf}$
- 2005BU08 D.Bucurescu, Zs.Podolyak, C.Rusu, G.de Angelis, Y.H.Zhang, G.Cata-Danil, I.Cata-Danil, M.Ivascu, N.Marginean, R.Marginean, L.C.Mihailescu, G.A.Suliman, P.H.Regan, W.Gelletly, S.D.Langdown, J.J.Valiente-Dobon, D.Bazzacco, S.Lunardi, C.A.Ur, M.Axiotis, A.Gadea, E.Farnea, M.Ionescu-Bujor, A.Iordachescu, Th.Kroll, T.Martinez, P.G.Bizzeti, R.Broda, N.H.Medina, B.Quintana, B.Rubio - Phys.Rev. C 71, 034315 (2005)  
High-spin states in the nuclei  $^{91}\text{Y}$  and  $^{95}\text{Nb}$
- 2005BU14 A.Burger, T.Saito, A.Al-Khatib, A.Banu, T.Beck, F.Becker, P.Bednarczyk, G.Benzoni, A.Bracco, P.Bringel, F.Camera, E.Clement, P.Doornenbal, H.Geissel, J.Gerl, M.Gorska, A.Gorgen, H.Grawe, J.Grebosz, G.Hammond, M.Hellstrom, H.Hubel, M.Kavatsyuk, O.Kavatsyuk, M.Kmiecik, I.Kojouharov, N.Kurz, R.Lozeva, A.Maj, S.Mandal, W.Meczynski, D.Mehta, B.Million, S.Muralithar, A.Neusser, Zs.Podolyak, T.S.Reddy, P.Reiter, N.Saito, H.Schaffner, A.K.Singh, H.Weick, O.Wieland, C.Wheldon, M.Winkler, H.J.Wollersheim - Acta Phys.Pol. B36, 1249 (2005)  
Relativistic Coulomb excitations of  $^{54,56,58}\text{Cr}$

REFERENCES

---

- 2005BU20 D.Bucurescu, Y.Eisermann, G.Graw, R.Hertenberger, H.-F.Wirth, V.Yu.Ponomarev - Nucl.Phys. A756, 54 (2005)  
Detailed spectroscopy of  $^{113}\text{Cd}$  through transfer reactions
- 2005BU21 D.G.Burke, I.G.Nowikow - Nucl.Phys. A756, 308 (2005)  
Nuclear structure studies and particle-rotor model tests for  $^{151,153}\text{Sm}$  using  $^{149,151}\text{Sm}(t, p)$  reactions
- 2005BU29 A.Burger, and the RISING Collaboration - Phys.Lett. B 622, 29 (2005)  
Relativistic Coulomb excitation of neutron-rich  $^{54,56,58}\text{Cr}$ : On the pathway of magicity from  $N = 40$  to  $N = 32$
- 2005BU33 N.Burtebaev, M.K.Baktybaev, B.A.Duisebaev, R.J.Peterson, S.B.Sakuta - Yad.Fiz. 68, 1356 (2005); Phys.Atomic Nuclei 68, 1303 (2005)  
Scattering of  $\alpha$  Particles on  $^{11}\text{B}$  Nuclei at Energies 40 and 50 MeV
- 2005BU37 M.J.Burns, R.Chapman, K.M.Spohr, J.Ollier, M.Labiche, X.Liang, E.Farnea, M.Axiotis, T.Martinez, D.R.Napoli, C.A.Ur, Th.Kroll - J.Phys.(London) G31, S1827 (2005)  
High spin studies of the Er and Tm isotopes around  $A = 166$
- 2005BUZZ D.Bucurescu, H.-F.Wirth, R.Hertenberger, G.Graw, D.A.Meyer, R.F.Casten, S.Heinze, J.Jolie - Maier-Leibnitz-Laboratorium 2004 Ann.Rept., p.16 (2005)  
Investigation of  $0^+$  Excitations in a Deformed Nucleus:  $^{168}\text{Er}$
- 2005BY03 J.Byrne - J.Res.Natl.Inst.Stand.Technol. 110, 395 (2005)  
Determination of the Electron-Antineutrino Angular Correlation Coefficient  $a_0$  in Unpolarized Neutron  $\beta$ -Decay
- 2005BY04 J.Byrne, R.U.Khafizov, Yu A.Mostovoi, O.Rozhnov, V.A.Solovei, M.Beck, V.U.Kozlov, N.Severijns - J.Res.Natl.Inst.Stand.Technol. 110, 415 (2005)  
Search for Radiative  $\beta$ -Decay of the Free Neutron
- 2005CA02 M.Caamano, P.M.Walker, P.H.Regan, M.Pfutzner, Zs.Podolyak, J.Gerl, M.Hellstrom, P.Mayet, M.N.Mineva, A.Aprahamian, J.Benlliure, A.M.Bruce, P.A.Butler, D.Cortina Gil, D.M.Cullen, J.Doring, T.Enqvist, C.Fox, J.Garces Narro, H.Geissel, W.Gelletly, J.Giovinazzo, M.Gorska, H.Grawe, R.Grzywacz, A.Kleinbohl, W.Korten, M.Lewitowicz, R.Lucas, H.Mach, C.D.O'Leary, F.De Oliveira, C.J.Pearson, F.Rejmund, M.Rejmund, M.Sawicka, H.Schaffner, C.Schlegel, K.Schmidt, K.-H.Schmidt, P.D.Stevenson, Ch.Theisen, F.Vives, D.D.Warner, C.Wheldon, H.J.Wollersheim, S.Wooding, F.Xu, O.Yordanov - Eur.Phys.J. A 23, 201 (2005)  
Isomers in neutron-rich  $A \approx 190$  nuclides from  $^{208}\text{Pb}$  fragmentation
- 2005CA03 C.M.Cattadori, M.De Deo, M.Laubenstein, L.Pandola, V.I.Tretyak - Nucl.Phys. A748, 333 (2005)  
Observation of  $\beta$  decay of  $^{115}\text{In}$  to the first excited level of  $^{115}\text{Sn}$

REFERENCES

---

- 2005CA06 G.Canchel, B.Blank, M.Chartier, F.Delalee, P.Dendooven, C.Dossat, J.Giovinazzo, J.Huikari, A.S.Lalleman, M.J.Lopez Jimenez, V.Madec, J.L.Pedroza, H.Penttila, J.C.Thomas - Eur.Phys.J. A 23, 409 (2005)  
Precision measurement of the half-life and the decay branches of  $^{62}\text{Ga}$
- 2005CA14 S.A.Catlow, G.L.Troyer, D.R.Hansen, R.A.Jones - J.Radioanal.Nucl.Chem. 263, 599 (2005)  
Half-life measurement of  $^{126}\text{Sn}$  isolated from Hanford nuclear defense waste
- 2005CA23 F.Camera, M.Kmiecik, O.Wieland, G.Benzoni, A.Bracco, S.Brambilla, F.Crespi, P.Mason, A.Moroni, B.Million, S.Leoni, A.Maj, J.Styczen, M.Brekiesz, W.Meczynski, M.Zieblinski, F.Gramegna, S.Barlina, V.L.Kravchuk, A.L.Lanchais, P.F.Mastinu, M.Bruno, M.D'Agostino, E.Geraci, A.Ordine, G.Casini, M.Chiari - Acta Phys.Pol. B36, 1145 (2005)  
GDR in hot nuclei: new measurements
- 2005CA29 R.F.Carlson, A.Ingemarsson, M.Lantz, G.J.Arendse, A.Auce, A.J.Cox, S.V.Fortsch, N.M.Jacobs, R.Johansson, J.Nyberg, J.Peavy, P.-U.Renberg, O.Sundberg, J.A.Stander, G.F.Steyn, G.Tibell, R.Zorro - Nucl.Instrum.Methods Phys.Res. A547, 541 (2005)  
A method for measuring light ion reaction cross-sections
- 2005CA42 G.Cazzoli, C.Puzzarini, J.Gauss - Astrophys.J.Suppl.Ser. 159, 181 (2005)  
The rare isotopomers of HCN:  $\text{HC}^{15}\text{N}$  and  $\text{DC}^{15}\text{N}$  rotational spectrum and resolved nuclear hyperfine structures due to  $^{15}\text{N}$  and D
- 2005CA43 M.P.Carpenter, F.G.Kondev, R.V.F.Janssens - J.Phys.(London) G31, S1599 (2005)  
Studies of neutron-deficient nuclei near the  $Z = 82$  shell closure via cold fusion reactions
- 2005CA44 W.N.Catford, C.N.Timis, R.C.Lemmon, M.Labiche, N.A.Orr, L.Caballero, R.Chapman, M.Freer, M.Chartier, H.Savajols, M.Rejmund, N.Amzal, N.I.Ashwood, T.D.Baldwin, M.Burns, N.Curtis, G.de France, W.Gelletly, X.Liang, S.D.Pain, V.P.E.Pucknell, B.Rubio, O.Sorlin, K.Spohr, Ch.Theisen, D.D.Warner - J.Phys.(London) G31, S1655 (2005)  
Nucleon transfer via (d, p) using TIARA with a  $^{24}\text{Ne}$  radioactive beam
- 2005CA50 W.N.Catford, R.C.Lemmon, M.Labiche, C.N.Timis, N.A.Orr, L.Caballero, R.Chapman, M.Chartier, M.Rejmund, H.Savajols, and the TIARA Collaboration - Eur.Phys.J. A 25, Supplement 1, 245 (2005)  
First experiments on transfer with radioactive beams using the TIARA array
- 2005CAZW C.M.Cattadori, M.De Deo, M.Laubenstein, L.Pandola, V.I.Tretyak - nucl-ex/0509020,9/15/2005 (2005)  
Beta decay of  $^{115}\text{In}$  to the first excited level of  $^{115}\text{Sn}$ : Potential outcome for neutrino mass

## REFERENCES

---

- 2005CAZX D.Cano-Ott, and the n\_TOF Collaboration - Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.2, p. 1442 (2005); AIP Conf.Proc. 769 (2005)  
Measurements at n\_TOF of the Neutron Capture Cross Section of Minor Actinides Relevant to the Nuclear Waste Transmutation
- 2005CAZY M.P.Carpenter, F.G.Kondev, R.V.F.Janssens - Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.1, p. 894 (2005); AIP Conf.Proc. 769 (2005)  
Shape Coexistence at the Outer Edges of Stability
- 2005CAZZ C.M.Campbell, N.Aoi, D.Bazin, M.D.Bowen, B.A.Brown, J.M.Cook, D.-C.Dinca, A.Gade, T.Glasmacher, S.Kanno, T.Motobayashi, W.F.Mueller, H.Olliver, H.Sakurai, K.Starosta, S.Takeuchi, J.R.Terry, K.Yoneda - Proc.Nuclei at the Limits, Argonne, Illinois, D.Seweryniak and T.L.Khoo, eds., p.127 (2005); AIP Conf. Proc 764 (2005)  
Trends In Collectivity Approaching  $N = 28$
- 2005CE02 J.Cerny, Z.Dlouhy, Z.Dolezal, M.P.Ivanov, P.Kubik, E.A.Kuznetsova, Yu.E.Penionzhkevich, E.A.Sokol, J.Svejda, I.Wilhelm - Nucl.Instrum.Methods Phys.Res. A540, 430 (2005)  
Neutron response function for a detector with  $^3\text{He}$  counters for the 0.39-1.54 MeV neutron energy range
- 2005CH30 A.A.Chen, R.E.Azuma, S.Bishop, L.Buchmann, M.L.Chatterjee, J.M.D'Auria, S.Engel, D.Gigliotti, U.Greife, D.Hunter, A.Hussein, D.Hutcheon, C.C.Jewett, J.Jose, J.D.King, A.M.Laird, M.Lamey, R.Lewis, W.Liu, A.Olin, D.Ottewell, P.Parker, J.Rogers, C.Ruiz, M.Trinczek, C.Wrede - Nucl.Phys. A752, 510c (2005)  
The  $^{21}\text{Na}(p, \gamma)^{22}\text{Mg}$  reaction in novae and x-ray bursts
- 2005CH38 S.K.Chamoli, P.Joshi, A.Kumar, R.Kumar, R.P.Singh, S.Muralithar, R.K.Bhowmik, I.M.Govil - Phys.Rev. C 71, 054324 (2005)  
Shape coexistence and lifetime measurement in  $^{187}\text{Tl}$  nucleus
- 2005CH44 A.Chafa, V.Tatischeff, P.Aguer, S.Barhoumi, A.Coc, F.Garrido, M.Hernanz, J.Jose, J.Kiener, A.Lefebvre-Schuhl, S.Ouichaoui, N.de Sereville, J.-P.Thibaud - Phys.Rev.Lett. 95, 031101 (2005); Erratum Phys.Rev.Lett. 96, 019902 (2006)  
Hydrogen Burning of  $^{17}\text{O}$  in Classical Novae
- 2005CH49 L.V.Chulkov, H.Simon, I.J.Thompson, T.Aumann, M.J.G.Borge, Th.W.Elze, H.Emling, H.Geissel, L.V.Grigorenko, M.Hellstrom, B.Jonson, J.W.V.Kratz, R.Kulesa, K.Markenroth, M.Meister, G.Munzenberg, F.Nickel, T.Nilsson, G.Nyman, V.Pribora, A.Richter, K.Riisager, C.Scheidenberger, G.Schrieder, O.Tengblad, M.V.Zhukov - Nucl.Phys. A759, 23 (2005)  
Three-body correlations in electromagnetic dissociation of Borromean nuclei: The  $^6\text{He}$  case

REFERENCES

---

- 2005CH50 L.V.Chulkov, F.Aksouh, A.Bleile, O.V.Bochkarev, D.Cortina-Gil, A.V.Dobrovolsky, P.Egelhof, H.Geissel, M.Hellstrom, N.B.Isaev, O.A.Kiselev, B.G.Komkov, M.Matos, F.N.Moroz, G.Munzenberg, M.Mutterer, V.A.Mylnikov, S.R.Neumaier, V.N.Pribora, D.M.Seliverstov, L.O.Sergeev, A.Shrivastava, K.Summerer, S.Yu.Torilov, H.Weick, M.Winkler, V.I.Yatsoura - Nucl.Phys. A759, 43 (2005)  
Quasi-free scattering with  $^{6,8}\text{He}$  beams
- 2005CH53 J.A.Church, L.Ahle, L.A.Bernstein, J.Cooper, F.S.Dietrich, J.Escher, C.Forssen, H.Ai, H.Amro, M.Babilon, C.Beausang, J.Caggiano, A.Heinz, R.Hughes, E.McCutchan, D.Meyer, C.Plettner, J.Ressler, V.Zamfir - Nucl.Phys. A758, 126c (2005)  
Determining neutron capture cross sections with the Surrogate Reaction Technique: Measuring decay probabilities with STARS
- 2005CH60 M.Chartier, M.B.Gomez Hornillos, W.Mittig, A.Lepine-Szily, L.Caballero Ontanaya, C.E.Demonchy, G.Georgiev, N.A.Orr, G.Politi, M.Rousseau, P.Roussel-Chomaz, A.C.C.Villari - J.Phys.(London) G31, S1771 (2005)  
Direct mass measurement of  $N \sim Z$  nuclei with  $A = 64-80$  using the CSS2 cyclotron
- 2005CH62 Y.Cheng, B.Xia, Y.-N.Liu, Q.-X.Jin - Chin.Phys.Lett. 22, 2530 (2005)  
Rhodium Mossbauer Effect Generated by Bremsstrahlung Excitation
- 2005CH65 A.Chakraborty, Krishichayan, S.S.Ghugre, R.Goswami, S.Mukhopadhyay, N.S.Pattabiraman, S.Ray, A.K.Sinha, S.Sarkar, P.V.Madhusudhana Rao, U.Garg, S.K.Basu, M.B.Chatterjee, M.S.Sarkar, L.Chaturvedi, A.Dhal, R.K.Sinha, I.M.Govil, R.K.Bhowmik, A.Jhingan, N.Madhavan, S.Muralithar, S.Nath, R.P.Singh, P.Sugathan - Phys.Rev. C 72, 054309 (2005)  
Spectroscopy of  $^{90}\text{Nb}$  at high spin
- 2005CH66 J.A.Church, C.M.Campbell, D.-C.Dinca, J.Enders, A.Gade, T.Glasmacher, Z.Hu, R.V.F.Janssens, W.F.Mueller, H.Olliver, B.C.Perry, L.A.Riley, K.L.Yurkewicz - Phys.Rev. C 72, 054320 (2005)  
Measurement of E2 transition strengths in  $^{32,34}\text{Mg}$
- 2005CH67 R.S.Chakrawarthy, P.M.Walker, M.B.Smith, A.N.Andreyev, S.F.Ashley, G.C.Ball, J.A.Becker, J.J.Daoud, P.E.Garrett, G.Hackman, G.A.Jones, Y.Litvinov, A.C.Morton, C.J.Pearson, C.E.Svensson, S.J.Williams, E.F.Zganjar - Eur.Phys.J. A 25, Supplement 1, 125 (2005)  
Discovery of a new 2.3 s isomer in neutron-rich  $^{174}\text{Tm}$
- 2005CHZT H.Chatani - Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.1, p. 664 (2005); AIP Conf.Proc. 769 (2005)  
Measurement of Effective Cross Section of  $\text{Th-233}(n, \gamma)\text{Th-234}$  Reaction Using the KUR
- 2005CHZW R.Chankova, A.Schiller, U.Agvaanlvsan, E.Algin, L.A.Bernstein, M.Guttormsen, F.Ingebretsen, T.Lonnroth, S.Messelt, G.E.Mitchell, J.Rekstad, S.Siem, A.C.Sunde, A.Voinov, S.Odegard - nucl-ex/0507007,7/04/2005 (2005)  
Level densities and thermodynamical quantities of heated  $^{93-98}\text{Mo}$  isotopes



## REFERENCES

---

- 2005CHZY C.Chandler, M.A.Bentley, M.P.Carpenter, C.N.Davids, R.Du Rietz, J.Ekman, S.J.Freeman, G.Hammond, R.V.F.Janssens, S.M.Lenzi, D.Seweryniak - Proc.Nuclei at the Limits, Argonne, Illinois, D.Seweryniak And T.L.Khoo, eds., p.199 (2005); AIP Conf. Proc 764 (2005)  
First Observation Of Excited States In The T=-1, Odd-Odd Nucleus  $^{48}\text{Mn}$
- 2005CHZZ C.J.Chicara, D.G.Sarantites, M.Montero, J.O'Brien, O.L.Pechenaya, W.Reviol, R.M.Clark, P.Fallon, A.Gorgen, A.O.Macchiavelli, D.Ward, W.Satula - Proc.Nuclei at the Limits, Argonne, Illinois, D.Seweryniak and T.L.Khoo, eds., p.40 (2005); AIP Conf. Proc 764 (2005)  
Discrete Linking Transitions For A Superdeformed Band In The  $A\approx 80$  Region
- 2005CI07 J.A.Cizewski, K.L.Jones, S.D.Pain, J.S.Thomas, C.Baktash, D.W.Bardayan, J.C.Blackmon, C.Gross, J.F.Liang, D.Shapira, M.S.Smith, R.L.Kozub, B.H.Moazen, C.D.Nesaraja, H.K.Carter, M.S.Johnson, R.P.Fitzgerald, D.W.Visser, U.Greife, R.J.Livesay, W.Catford, Z.Ma - Nucl.Instrum.Methods Phys.Res. B241, 200 (2005)  
Neutron transfer reactions with neutron-rich radioactive ion beams
- 2005CL07 R.M.Clark, L.W.Phair, M.Descovich, M.Cromaz, M.A.Deleplanque, P.Fallon, I.Y.Lee, A.O.Macchiavelli, M.A.McMahan, L.G.Moretto, E.Rodriguez-Vieitez, S.Sinha, F.S.Stephens, D.Ward, M.Wiedeking, L.A.Bernstein, J.T.Burke, J.A.Church - Phys.Rev. C 72, 054605 (2005)  
Population of nuclei via  $^7\text{Li}$ -induced binary reactions
- 2005CL08 J.A.Clark, R.C.Barber, B.Blank, C.Boudreau, F.Buchinger, J.E.Crawford, J.P.Greene, S.Gulick, J.C.Hardy, A.A.Hecht, A.Heinz, J.K.P.Lee, A.F.Levand, B.F.Lundgren, R.B.Moore, G.Savard, N.D.Scielzo, D.Seweryniak, K.S.Sharma, G.D.Sprouse, W.Trimble, J.Vaz, J.C.Wang, Y.Wang, B.J.Zabransky, Z.Zhou - Eur.Phys.J. A 25, Supplement 1, 629 (2005)  
Investigating the rp-process with the Canadian Penning trap mass spectrometer
- 2005CLZZ E.Clement, A.Gorgen, E.Bouchez, A.Chatillon, W.Korten, Y.Le Coz, C.Theisen, C.Andreoiu, F.Becker, B.Blank, C.Borcea, A.Buta, P.Butler, J.M.Casandjian, W.N.Catford, T.Czosnyka, A.Emsallem, G.de France, J.Genevey, J.Gerl, F.Hannachi, K.Hauschild, R.-D.Herzberg, A.Hurstel, J.Iwanicki, D.Jenkins, G.Jones, M.Lewitowicz, R.Lucas, I.Matea, F.Negoita, F.de Oliveira Santos, D.Pantelica, J.Pinston, P.Rahkila, M.Rejmund, G.Sletten, M.Stanoiu, C.Timis, R.Wadsworth, J.N.Wilson, M.Zielinska - Proc.Nuclei at the Limits, Argonne, Illinois, D.Seweryniak and T.L.Khoo, eds., p.55 (2005); AIP Conf. Proc 764 (2005)  
Shape Coexistence In Light Krypton Isotopes
- 2005C002 L.Corradi, B.R.Behera, E.Fioretto, A.Gadea, A.Latina, A.M.Stefanini, S.Szilner, M.Trotta, Y.Wu, S.Beghini, G.Montagnoli, F.Scarlassara, R.N.Sagaidak, S.N.Atutov, B.Mai, G.Stancari, L.Tomassetti, E.Mariotti, A.Khanbekyan, S.Veronesi - Phys.Rev. C 71, 014609 (2005)  
Excitation functions for  $^{208-211}\text{Fr}$  produced in the  $^{18}\text{O} + ^{197}\text{Au}$  fusion reaction

REFERENCES

---

- 2005C016 H.Costantini, C.Angulo, D.Bemmerer, R.Bonetti, C.Broggini, F.Confortola, P.Corvisiero, J.Cruz, P.Descouvemont, A.Formicola, Z.Fulop, G.Gervino, A.Guglielmetti, C.Gustavino, G.Gyurky, G.Imbriani, A.P.Jesus, M.Junker, A.Lemut, R.Menegazzo, P.Prati, V.Roca, C.Rolfs, M.Romano, C.Rossi Alvarez, F.Schumann, E.Somorjai, O.Straniero, F.Strieder, F.Terrasi, H.P.Trautvetter, A.Vomiero, S.Zavatarelli - Nucl.Phys. A758, 383c (2005)  
Recent results of the  $^{14}\text{N}(p, \gamma)^{15}\text{O}$  measurement at LUNA
- 2005C017 M.Couder, C.Angulo, E.Casarejos, P.Demaret, P.Leleux, F.Vanderbist - Nucl.Phys. A758, 741c (2005)  
Study of the  $^{19}\text{Ne}(p, \gamma)^{20}\text{Na}$  reaction and subsequent improvements to ARES
- 2005C022 A.Costin, N.Pietralla, T.Koike, C.Vaman, T.Ahn, G.Rainovski - Phys.Rev. C 72, 054305 (2005)  
Subnanosecond lifetime measurement for the  $T = 0, 3_1^+$  state of odd-odd  $N = Z$   $^{58}\text{Cu}$
- 2005C024 D.Cortina-Gil, J.Fernandez-Vazquez, T.Aumann, T.Baumann, J.Benlliure, M.J.G.Borge, L.V.Chulkov, U.Datta Pramanik, C.Forsen, L.M.Fraile, H.Geissel, J.Gerl, F.Hammache, K.Itahashi, R.Janik, B.Jonson, S.Mandal, K.Markenroth, M.Meister, M.Mocko, G.Munzenberg, T.Ohtsubo, A.Ozawa, Y.Prezado, V.Pribora, K.Riisager, H.Scheit, R.Schneider, G.Schrieder, H.Simon, B.Sitar, A.Stolz, P.Strmen, K.Summerer, I.Szarka, H.Weick - Eur.Phys.J. A 25, Supplement 1, 343 (2005)  
One-neutron knockout of  $^{23}\text{O}$
- 2005C025 L.Corradi, A.M.Stefanini, S.Szilner, S.Beghini, B.R.Behera, E.Farnea, A.Gadea, E.Fioretto, F.Haas, A.Latina, N.Marginean, G.Montagnoli, G.Pollarolo, F.Scarlassara, M.Trotta, C.Ur, and the PRISMA-CLARA Collaboration - Eur.Phys.J. A 25, Supplement 1, 427 (2005)  
Multinucleon transfer reactions studied with the heavy-ion magnetic spectrometer PRISMA
- 2005CR05 J.Cruz, Z.Fulop, G.Gyurky, F.Raiola, A.Di Leva, B.Limata, M.Fonseca, H.Luis, D.Schurmann, M.Aliotta, H.W.Becker, A.P.Jesus, K.U.Kettner, J.P.Ribeiro, C.Rolfs, M.Romano, E.Somorjai, F.Strieder, and the LUNA Collaboration - Phys.Lett. B 624, 181 (2005)  
Electron screening in  $^7\text{Li}(p, \alpha)\alpha$  and  $^6\text{Li}(p, \alpha)^3\text{He}$  for different environments
- 2005CS01 M.Csatlos, A.Krasznahorkay, P.G.Thirolf, D.Habs, Y.Eisermann, T.Faestermann, G.Graw, J.Gulyas, M.N.Harakeh, R.Hertenberger, M.Hunyadi, H.J.Maier, Z.Mate, O.Schaile, H.-F.Wirth - Phys.Lett. B 615, 175 (2005)  
Resonant tunneling through the triple-humped fission barrier of  $^{236}\text{U}$
- 2005CSZZ L.Csige, M.Csatlos, A.Krasznahorkay, P.G.Thirolf, T.Faestermann, Z.Gacsi, J.Gulyas, D.Habs, R.Hertenberger, M.Hunyadi, H.J.Maier, T.Morgan, O.Schaile, W.Schwerdtfeger, H.-F.Wirth - Maier-Leibnitz-Laboratorium 2004 Ann.Rept., p.19 (2005)  
Angular Distribution of Fission Fragments from the  $^{236}\text{U}(d, pf)$  Reaction
- 2005CU05 D.M.Cullen, R.Glover, L.K.Pattison, P.M.Walker, S.Frauentorf, D.Almehed - J.Phys.(London) G31, S1709 (2005)

REFERENCES

---

- Nuclear-tidal waves in the osmium nuclei
- 2005CU06 N.Curtis, N.I.Ashwood, W.N.Catford, N.M.Clarke, M.Freer, D.Mahboub, C.J.Metelko, S.D.Pain, N.Soic, D.C.Weisser - Phys.Rev. C 72, 044320 (2005)  
 $\alpha$ +Li and H+Be decay of  $^{10,11,12}\text{B}$
- 2005CU07 X.Z.Cui, L.H.Zhu, X.G.Wu, Z.M.Wang, C.Y.He, Y.Liu, G.S.Li, S.X.Wen, Z.L.Zhang, R.Meng, R.G.Ma, P.Luo, Y.Zheng, M.M.Ndontchueng, J.D.Huo, C.X.Yang - Phys.Rev. C 72, 044322 (2005)  
 High-spin states and shell structure of the odd-odd nucleus  $^{90}\text{Nb}$
- 2005DA03 F.A.Danevich, P.G.Bizzeti, T.F.Fazzini, A.Sh.Georgadze, V.V.Kobychev, B.N.Kropivnyansky, P.R.Maurenzig, A.S.Nikolaiko, V.I.Tretyak, S.Yu.Zdesenko, Yu.G.Zdesenko - Nucl.Phys. B(Proc.Supp.) S138, 230 (2005)  
 Double  $\beta$  decay of  $^{116}\text{Cd}$ . Final results of the Solotvina experiment and CAMEO project
- 2005DA12 V.M.Datar, S.Kumar, D.R.Chakrabarty, V.Nanal, E.T.Mirgule, A.Mitra, H.H.Oza - Phys.Rev.Lett. 94, 122502 (2005)  
 Direct Observation of the  $4^+$ -to- $2^+$  Gamma Transition in  $^8\text{Be}$
- 2005DA16 P.Datta, S.Chattopadhyay, S.Bhattacharya, T.K.Ghosh, A.Goswami, S.Pal, M.S.Sarkar, H.C.Jain, P.K.Joshi, R.K.Bhowmik, R.Kumar, N.Madhavan, S.Muralithar, P.V.Madhusudhana Rao, R.P.Singh - Phys.Rev. C 71, 041305 (2005)  
 Observation of antimagnetic rotation in  $^{108}\text{Cd}$
- 2005DA20 Y.Danon, R.C.Block - Nucl.Instrum.Methods Phys.Res. A544, 659 (2005)  
 Minimizing the statistical error in capture cross-section measurements
- 2005DA29 A.Danagoulian, D.J.Hamilton, C.E.Hyde-Wright, V.H.Mamyan, A.M.Nathan, M.Roedelbron, B.Wojtsekhowski - Nucl.Phys. A755, 281c (2005)  
 Real Compton Scattering on Proton at High Momentum Transfers
- 2005DA34 T.Datta, S.P.Dange, H.Naik - J.Radioanal.Nucl.Chem. 266, 79 (2005)  
 Single nucleon transfer reactions near Coulomb barrier on  $^{197}\text{Au}$
- 2005DA38 U.Datta Pramanik, P.Adrich, T.Aumann, K.Boretzky, D.Cortina, Th.W.Elze, H.Emling, H.Geissel, M.Hellstrom, K.L.Jones, L.H.Khiem, J.V.Kratz, R.Kulesa, Y.Leifels, G.Munzenberg, C.Nociforo, R.Palit, H.Scheit, H.Simon, K.Summerer, S.Typel, W.Walus, H.Weick - J.Phys.(London) G31, S1583 (2005)  
 Coulomb breakup of psd-shell neutron-rich nuclei
- 2005DA40 D.Das, V.Natarajan - Europhys.Lett. 72, 740 (2005)  
 Hyperfine spectroscopy on the  $6P_{3/2}$  state of  $^{133}\text{Cs}$  using coherent control
- 2005DA41 J.J.Das, P.Sugathan, N.Madhavan, P.V.Madhusudhana Rao, A.Jhingan, T.Varughese, S.Barua, S.Nath, A.K.Sinha, B.Kumar, J.Zacharias - Nucl.Instrum.Methods Phys.Res. B241, 953 (2005)  
 Production of light radioactive ion beams (RIB) using inverse kinematics

REFERENCES

---

- 2005DA42 M.Danchev, J.Pavan, N.J.Stone, A.E.Stuchbery, C.Baktash, J.Beene, N.Benczer-Koller, C.R.Bingham, J.Dupak, A.Galindo-Uribarri, C.J.Gross, G.Kumbartzki, D.C.Radford, J.R.Stone, C.L.Timlin, C.-H.Yu, N.V.Zamfir - Nucl.Instrum.Methods Phys.Res. B241, 971 (2005)  
g-Factor measurements of first  $2^+$  states of heavy Te isotopes based on nuclear spin deorientation for nuclei recoiling in vacuum
- 2005DA43 U.Datta Pramanik, T.Aumann, K.Boretzky, D.Cortina, Th.W.Elze, H.Emling, H.Geissel, M.Hellstrom, K.L.Jones, L.H.Khiem, J.V.Kratz, R.Kulesa, Y.Leifels, G.Munzenberg, C.Nociforo, R.Palit, H.Scheit, H.Simon, K.Summerer, S.Typel, W.Walus, H.Weick - Eur.Phys.J. A 25, Supplement 1, 339 (2005)  
Studies of light neutron-rich nuclei near the drip line
- 2005DAZW J.M.D'Auria, for the DRAGON Collaboration - Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.2, p. 1345 (2005); AIP Conf.Proc. 769 (2005)  
Nuclear Astrophysics At ISAC With DRAGON
- 2005DAZX D.Dashdorj, P.E.Garrett, J.A.Becker, L.A.Bernstein, J.R.Cooper, M.Devlin, N.Fotiades, G.E.Mitchell, R.O.Nelson, W.Younes - Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.1, p. 1035 (2005); AIP Conf.Proc. 769 (2005)  
 $^{48}\text{Ti}(n, \text{xnypz}\alpha\gamma)$  Reactions for Neutron Energies up to 250 MeV
- 2005DE01 H.De Witte, A.N.Andreyev, S.Dean, S.Franchoo, M.Huyse, O.Ivanov, U.Koster, W.Kurcewicz, J.Kurpeta, A.Plochocki, K.Van de Vel, J.Van de Walle, P.Van Duppen - Eur.Phys.J. A 23, 243 (2005)  
Alpha-decay of neutron-deficient  $^{200}\text{Fr}$  and heavier neighbours
- 2005DE02 A.Y.Deo, S.K.Tandel, S.B.Patel, P.V.Madhusudhana Rao, S.Muralithar, R.P.Singh, R.Kumar, R.K.Bhowmik, Amita - Phys.Rev. C 71, 017303 (2005)  
Lifetime measurements in  $^{112}\text{Sb}$
- 2005DE12 G.de Angelis - Nucl.Phys. A751, 533c (2005)  
Future Perspectives in Nuclear Structure: From high intensity stable to radioactive nuclear beams
- 2005DE15 F.de Oliveira Santos, P.Himpe, M.Lewitowicz, I.Stefan, N.Smirnova, N.L.Achouri, J.C.Angelique, C.Angulo, L.Axelsson, D.Baiborodin, F.Becker, M.Belleguic, E.Berthoumieux, B.Blank, C.Borcea, A.Cassimi, J.M.Daugas, G.de France, F.Dembinski, C.E.Demonchy, Z.Dlouhy, P.Dolegieviev, C.Donzaud, G.Georgiev, L.Giot, S.Grevy, D.Guillemaud-Mueller, V.Lapoux, E.Lienard, M.J.Lopez Jimenez, K.Markenroth, I.Matea, W.Mittig, F.Negoita, G.Neyens, N.Orr, F.Pougheon, P.Roussel-Chomaz, M.G.Saint-Laurent, F.Sarazin, H.Savajols, M.Sawicka, O.Sorlin, M.Stanoiu, C.Stodel, G.Thiamova, D.Verney, A.C.C.Villari - Eur.Phys.J. A 24, 237 (2005)  
Study of  $^{19}\text{Na}$  at SPIRAL

REFERENCES

---

- 2005DE16 P.A.DeYoung, P.J.Mears, J.J.Kolata, E.F.Aguilera, F.D.Becchetti, Y.Chen, M.Cloughesy, H.Griffin, C.Guess, J.D.Hinnefeld, H.Jiang, S.R.Jones, U.Khadka, D.Lizcano, E.Martinez-Quiroz, M.Ojaniega, G.F.Peaslee, A.Pena, J.Rieth, S.VanDenDriessche, J.A.Zimmerman - Phys.Rev. C 71, 051601 (2005)  
Two-neutron transfer in the  ${}^6\text{He} + {}^{209}\text{Bi}$  reaction near the Coulomb barrier
- 2005DE34 A.N.Deacon, S.J.Freeman, R.V.F.Janssens, F.R.Xu, M.P.Carpenter, I.R.Calderin, P.Chowdhury, N.J.Hammond, T.Lauritsen, C.J.Lister, D.Seweryniak, J.F.Smith, S.L.Tabor, B.J.Varley, S.Zhu - Phys.Lett. B 622, 151 (2005); Erratum Phys.Lett. B 625, 375 (2005)  
Changes in  $\nu g_{9/2}$  shape polarisation across the odd neutron-rich Cr isotopes
- 2005DE42 L.De Smet, C.Wagemans, G.Goeminne, J.Wagemans, J.Heyse, J.Van Gils - Nucl.Phys. A758, 80c (2005)  
Investigation of the (n, p) and (n,  $\alpha$ ) reactions on  ${}^{26}\text{Al}$  and  ${}^{36}\text{Cl}$  and their astrophysical relevance
- 2005DE45 N.de Sereville, E.Berthoumieux, A.Coc - Nucl.Phys. A758, 745c (2005)  
The  ${}^{18}\text{F}(p, \alpha){}^{15}\text{O}$  reaction rate for application to nova  $\gamma$ -ray emission
- 2005DE48 A.Dewald, O.Moller, B.Saha, K.Jessen, A.Fitzler, B.Melon, T.Pissulla, S.Heinze, J.Jolie, K.O.Zell, P.von Brentano, P.Petkov, S.Harissopulos, G.De Angelis, T.Martinez, D.R.Napoli, N.Marginean, M.Axiotis, C.Rusu, D.Tonev, A.Gadea, Y.H.Zhang, D.Bazzacco, S.Lunardi, C.A.Ur, R.Menegazzo, E.Farnea - J.Phys.(London) G31, S1427 (2005)  
Test of the critical point symmetry X(5) in the mass A = 180 region
- 2005DE54 G.Della Mea, A.Patelli, S.Restello, V.Rigato, A.Vomiero - Nucl.Instrum.Methods Phys.Res. B240, 803 (2005)  
 ${}^{14}\text{N}(\alpha, p){}^{17}\text{O}$  nuclear reaction cross-section at 4.9-6.1 MeV
- 2005DEZT H.Denz, P.Amaudruz, J.T.Brack, J.Breitschopf, P.Camerini, J.L.Clark, H.Clement, L.Felawka, E.Fragiacomo, E.F.Gibson, N.Grion, G.J.Hofman, B.Jamieson, E.L.Mathie, R.Meier, G.Moloney, D.Ottewell, O.Patarakin, J.D.Patterson, M.M.Pavan, S.Piano, K.Raywood, R.A.Ristinen, R.Rui, M.E.Sevior, G.R.Smith, J.Stahov, R.Tacik, G.J.Wagner, F.von Wrochem, D.M.Yeomans - nucl-ex/0512006,12/3/2005 (2005)  
 $\pi^\pm p$  differential cross sections at low energies
- 2005DEZV A.M.Demidov, L.I.Govor, V.A.Kurkin, I.V.Mikhailov - Book of Abstracts, LV National Conference on Nuclear Physics "Frontiers in the Physics of Nucleus", St.-Petersburg, p.53 (2005)  
Multipole Mixtures in  ${}^{154}\text{Sm}$   $\gamma$ -Transitions from the (n, n' $\gamma$ ) Reaction
- 2005DEZW M.S.Dewey, E.G.Kessler, Jr., R.D.Deslattes, H.G.Borner, M.Jentschel, C.Doll, P.Mutti - nucl-ex/0507011,7/06/2005 (2005)  
Precision Measurement of the  ${}^{29}\text{Si}$ ,  ${}^{33}\text{S}$ , and  ${}^{36}\text{Cl}$  Binding Energies

REFERENCES

---

- 2005DEZX M.A.Deleplanque, F.S.Stephens, I.Y.Lee, A.O.Macchiavelli, D.Ward, P.Fallon, M.Cromaz, R.M.Clark, M.Descovich, R.M.Diamond, E.Rodriguez-Vieitez - Proc.Nuclei at the Limits, Argonne, Illinois, D.Seweryniak and T.L.Khoo, eds., p.303 (2005); AIP Conf. Proc 764 (2005)  
Transition From Order To Chaos In Rotational Nuclei
- 2005DEZZ F.Della Vedova, S.M.Lenzi, M.Ionescu-Bujor, N.Marginean, E.Farnea, M.Nespolo, G.de Angelis, M.Axiotis, D.Bazzacco, A.Bizzeti-Sona, P.G.Bizzeti, F.Brandolini, D.Bucurescu, A.Iordachescu, S.Lunardi, R.Menegazzo, D.R.Napoli, C.Rossi Alvarez, C.A.Ur - Proc.Nuclei at the Limits, Argonne, Illinois, D.Seweryniak and T.L.Khoo, eds., p.205 (2005); AIP Conf. Proc 764 (2005)  
Isospin Symmetry Along The N=Z Line In The sd Shell
- 2005DI03 P.Di Nezza - Eur.Phys.J. A 24, Supplement 1, 23 (2005)  
Spin structure of the nucleon
- 2005DI05 D.-C.Dinca, R.V.F.Janssens, A.Gade, D.Bazin, R.Broda, B.A.Brown, C.M.Campbell, M.P.Carpenter, P.Chowdhury, J.M.Cook, A.N.Deacon, B.Fornal, S.J.Freeman, T.Glasmacher, M.Honma, F.G.Kondev, J.-L.Lecouey, S.N.Liddick, P.F.Mantica, W.F.Mueller, H.Olliver, T.Otsuka, J.R.Terry, B.A.Tomlin, K.Yoneda - Phys.Rev. C 71, 041302 (2005)  
Reduced transition probabilities to the first  $2^+$  state in  $^{52,54,56}\text{Ti}$  and development of shell closures at N=32, 34
- 2005DI15 I.Dillmann, M.Heil, F.Kappeler, T.Rauscher, F.-K.Thielemann - Nucl.Phys. A758, 513c (2005)  
The  $(n, \gamma)$  cross sections of the p-process nuclei  $^{74}\text{Se}$  and  $^{84}\text{Sr}$  at  $kT=25$  keV
- 2005DI16 C.Aa.Diget, F.C.Barker, M.G.Borge, J.Cederkall, V.N.Fedosseev, L.M.Fraile, B.R.Fulton, H.O.U.Fynbo, H.B.Jeppesen, B.Jonson, U.Koster, M.Meister, T.Nilsson, G.Nyman, Y.Prezado, K.Riisager, S.Rinta-Antila, O.Tengblad, M.Turrión, K.Wilhelmsen, J.Aysto - Nucl.Phys. A760, 3 (2005)  
Properties of the  $^{12}\text{C}$  10 MeV state determined through  $\beta$ -decay
- 2005DIZY F.Ditroi, F.Tarkanyi, J.Csikai, M.S.Uddin, M.Hagiwara, M.Baba - Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.1, p. 1011 (2005); AIP Conf.Proc. 769 (2005)  
Investigation of Activation Cross Sections of the Proton Induced Nuclear Reactions on Natural Iron at Medium Energies
- 2005DIZZ D.C.Dinca, R.V.F.Janssens, A.Gade, B.Fornal, S.Zhu, D.Bazin, R.Broda, C.M.Campbell, M.P.Carpenter, P.Chowdhury, J.M.Cook, P.J.Daly, A.N.Deacon, S.J.Freeman, T.Glasmacher, Z.W.Grabowski, N.J.Hammond, F.G.Kondev, W.Krolas, T.Lauritsen, J.-L.Lecouey, S.N.Liddick, C.J.Lister, P.F.Mantica, E.F.Moore, W.F.Mueller, H.Olliver, T.Pawlat, D.Seweryniak, K.Starosta, J.R.Terry, B.E.Tomlin, J.Wrzesinski, K.Yoneda - Proc.Nuclei at the Limits, Argonne, Illinois, D.Seweryniak and T.L.Khoo, eds., p.131 (2005); AIP Conf. Proc 764 (2005)  
Neutron-Rich Ti Isotopes And Possible N = 32 And N = 34 Shell Gaps

REFERENCES

---

- 2005D016 Zs.Dombradi, Z.Elekes, R.Kanungo, H.Baba, Zs.Fulop, J.Gibelin, A.Horvath, E.Ideguchi, Y.Ichikawa, N.Iwasa, H.Iwasaki, S.Kanno, S.Kawai, Y.Kondo, T.Motobayashi, M.Notani, T.Ohnishi, A.Ozawa, H.Sakurai, S.Shimoura, E.Takeshita, S.Takeuchi, I.Tanihata, Y.Togano, C.Wu, Y.Yamaguchi, Y.Yanagisawa, A.Yoshida, K.Yoshida - Phys.Lett. B 621, 81 (2005)  
Decoupling of valence neutrons from the core in  $^{17}\text{B}$
- 2005D020 C.Dossat, A.Bey, B.Blank, G.Canchel, A.Fleury, J.Giovinazzo, I.Matea, F.de Oliveira Santos, G.Georgiev, S.Grevy, I.Stefan, J.C.Thomas, N.Adimi, C.Borcea, D.Cortina Gil, M.Caamano, M.Stanoiu, F.Aksouh, B.A.Brown, L.V.Grigorenko - Phys.Rev. C 72, 054315 (2005)  
Two-proton radioactivity studies with  $^{45}\text{Fe}$  and  $^{48}\text{Ni}$
- 2005D0ZW Zs.Dombradi, D.Sohler, T.Otsuka, F.Azaiez, M.Belleguic, M.J.Lopez-Jimenez, M.G.Saint-Laurent, O.Sorlin, N.L.Achouri, J.C.Angelique, C.Borcea, C.Bourgeois, J.M.Daugas, F.De Oliveira-Santos, Z.Dlouhy, C.Donzaud, J.Duprat, S.Grevy, D.Guillemaud-Mueller, S.Leenhardt, M.Lewitowicz, S.M.Lukyanov, W.Mittig, Y.Utsuno, Yu.-E.Penionzhkevich, M.G.Porquet, F.Pougheon, P.Roussel-Chomaz, H.Savajols, Y.Sobolev, C.Stodel, M.Stanoiu, J.Timar - ATOMKI 2004 Ann.Rept., p.10 (2005)  
Neutron excitations across the  $N = 20$  shell gap in  $^{26,28}\text{Ne}$
- 2005D0ZX Zs.Dombradi, D.Sohler, F.Azaiez, M.Belleguic, M.J.Lopez-Jimenez, M.G.Saint-Laurent, O.Sorlin, N.L.Achouri, J.C.Angelique, C.Borcea, C.Bourgeois, J.M.Daugas, F.De Oliveira-Santos, Z.Dlouhy, C.Donzaud, J.Duprat, S.Grevy, D.Guillemaud-Mueller, S.Leenhardt, M.Lewitowicz, S.M.Lukyanov, W.Mittig, Yu.-E.Penionzhkevich, M.G.Porquet, F.Pougheon, P.Roussel-Chomaz, H.Savajols, Y.Sobolev, C.Stodel, M.Stanoiu, J.Timar - ATOMKI 2004 Ann.Rept., p.8 (2005)  
In beam  $\gamma$ -ray spectroscopy of the neutron rich isotope  $^{19}\text{N}$
- 2005D0ZY C.Domingo-Pardo, and the n\_TOF Collaboration - Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.2, p. 1521 (2005); AIP Conf.Proc. 769 (2005)  
New Measurement of the Capture Cross Section of Bismuth and Lead Isotopes
- 2005DR05 G.D.Dracoulis, G.J.Lane, F.G.Kondev, A.P.Byrne, T.Kibedi, H.Watanabe, I.Ahmad, M.P.Carpenter, S.J.Freeman, R.V.F.Janssens, N.J.Hammond, T.Lauritsen, C.J.Lister, G.Mukherjee, D.Seweryniak, P.Chowdhury, S.K.Tandel - Phys.Rev. C 71, 044326 (2005); Erratum Phys.Rev. C 73, 019901 (2006)  
Structure of two-, four-, and six-quasiparticle isomers in  $^{174}\text{Yb}$  and K-forbidden decays
- 2005DRZW G.D.Dracoulis, G.J.Lane, T.M.Peatey, A.P.Byrne, A.M.Baxter, P.M.Davidson, A.N.Wilson, T.Kibedi, F.R.Xu - ANU-P/1662 (2005)  
E3 strength of the  $11^-$  to  $8^+$  isomeric decays in  $^{194}\text{Pb}$  and  $^{196}\text{Pb}$  and oblate deformation

REFERENCES

---

- 2005DRZY G.D.Dracoulis, G.J.Lane, F.G.Kondev, A.P.Byrne, T.Kibedi, H.Watanabe, I.Ahmad, M.P.Carpenter, S.J.Freeman, R.V.F.Janssens, N.J.Hammond, T.Lauritsen, C.J.Lister, G.Mukherjee, D.Seweryniak, P.Chowdhury, S.K.Tandel - ANU-P/1648 (2005)  
Structure of two- four- and six-quasiparticle isomers in  $^{174}\text{Yb}$  and K-forbidden decays
- 2005DU14 C.Duweke, R.Emmerich, A.Imig, J.Ley, G.Tenckhoff, H.Paetz gen.Schieck, J.Golak, H.Witala, E.Epelbaum, W.Glockle, A.Nogga - Phys.Rev. C 71, 054003 (2005)  
The reaction  $^2\text{H}(p, pp)n$  in three kinematical configurations at  $E_p = 16$  MeV
- 2005DU15 C.L.Duncan, K.S.Krane - Phys.Rev. C 71, 054322 (2005)  
Neutron capture cross section of  $^{102}\text{Pd}$
- 2005DU19 R.du Rietz, S.J.Williams, D.Rudolph, J.Ekman, C.Fahlander, C.Andreoiu, M.Axiotis, M.A.Bentley, M.P.Carpenter, C.Chandler, R.J.Charity, R.M.Clark, M.Cromaz, A.Dewald, G.de Angelis, F.Della Vedova, P.Fallon, A.Gadea, G.Hammond, E.Ideguchi, S.M.Lenzi, A.O.Macchiavelli, N.Marginean, M.N.Mineva, O.Moller, D.R.Napoli, M.Nespolo, W.Reviol, C.Rusu, B.Saha, D.G.Sarantites, D.Seweryniak, D.Tonev, C.A.Ur - Phys.Rev. C 72, 014307 (2005)  
Investigation of high-spin states in  $^{53}\text{Fe}$
- 2005DU23 Ch.E.Dullmann, C.M.Folden III, K.E.Gregorich, D.C.Hoffman, D.Leitner, G.K.Pang, R.Sudowe, P.M.Zielinski, H.Nitsche - Nucl.Instrum.Methods Phys.Res. A551, 528 (2005)  
Heavy-ion-induced production and physical preseparation of short-lived isotopes for chemistry experiments
- 2005DZ03 S.N.Dzhosyuk, A.Copete, J.M.Doyle, L.Yang, K.J.Coakley, R.Golub, E.Korobkina, T.Kreft, S.K.Lamoreaux, A.K.Thompson, G.L.Yang, P.R.Huffman - J.Res.Natl.Inst.Stand.Technol. 110, 339 (2005)  
Determination of the Neutron Lifetime Using Magnetically Trapped Neutrons
- 2005EE01 S.Eckhauadt, N.Amzal, J.E.Bastin, E.Bouchez, P.A.Butler, A.Chatillon, K.Eskola, J.Gerl, T.Grahn, A.Gorgen, P.T.Greenlees, R.-D.Herzberg, F.P.Hessberger, A.Hurstel, P.J.C.Ikin, G.D.Jones, P.Jones, R.Julin, S.Juutinen, H.Kettunen, T.L.Khoo, W.Korten, P.Kuusiniemi, Y.Le Coz, M.Leino, A.-P.Leppanen, P.Nieminen, J.Pakarinen, J.Perkowski, A.Pritchard, P.Reiter, P.Rahkila, C.Scholey, Ch.Theisen, J.Uusitalo, K.Van de Vel, J.Wilson, H.J.Wollersheim - Eur.Phys.J. A 25, Supplement 1, 605 (2005)  
In-beam gamma-ray spectroscopy of  $^{254}\text{No}$
- 2005EE02 S.Eckhauadt, P.T.Greenlees, N.Amzal, J.E.Bastin, E.Bouchez, P.A.Butler, A.Chatillon, K.Eskola, J.Gerl, T.Grahn, A.Gorgen, R.-D.Herzberg, F.P.Hessberger, A.Hurstel, P.J.C.Ikin, G.D.Jones, P.Jones, R.Julin, S.Juutinen, H.Kettunen, T.L.Khoo, W.Korten, P.Kuusiniemi, Y.Le Coz, M.Leino, A.-P.Leppanen, P.Nieminen, J.Pakarinen, J.Perkowski, A.Pritchard, P.Reiter, P.Rahkila, C.Scholey, Ch.Theisen, J.Uusitalo, K.Van de Vel, J.Wilson - Eur.Phys.J. A 26, 227 (2005)  
Evidence for non-yrast states in  $^{254}\text{No}$



REFERENCES

---

- 2005EG01 A.I.Egorov, R.I.Krutova, Yu.E.Loginov, S.Eh.Malyutenkova - Nucl.Instrum.Methods Phys.Res. A545, 296 (2005)  
Measurement of thermal neutron radiative capture cross-sections of the  $^{14}\text{N}$  and  $^{19}\text{F}$  by in-beam  $\gamma$ -spectroscopy method with reactor neutrons
- 2005EGZZ K.S.Egiyan, for the CLAS Collaboration - nucl-ex/0508026,8/24/2005 (2005)  
Measurement of 2- and 3-Nucleon Short Range Correlation Probabilities in Nuclei
- 2005EK01 J.Ekman, L.-L.Andersson, C.Fahlander, E.K.Johansson, R.du Rietz, D.Rudolph - Eur.Phys.J. A 25, Supplement 1, 363 (2005)  
News on mirror nuclei in the sd and fp shells
- 2005EL07 Z.Elekes, Zs.Dombradi, R.Kanungo, H.Baba, Zs.Fulop, J.Gibelin, A.Horvath, E.Ideguchi, Y.Ichikawa, N.Iwasa, H.Iwasaki, S.Kanno, S.Kawai, Y.Kondo, T.Motobayashi, M.Notani, T.Ohnishi, A.Ozawa, H.Sakurai, S.Shimoura, E.Takeshita, S.Takeuchi, I.Tanihata, Y.Togano, C.Wu, Y.Yamaguchi, Y.Yanagisawa, A.Yoshida, K.Yoshida - Phys.Lett. B 614, 174 (2005)  
Low-lying excited states in  $^{17,19}\text{C}$
- 2005EL10 H.M.El-Masri, P.M.Walker, G.D.Dracoulis, T.Kibedi, A.P.Byrne, A.M.Bruce, J.N.Orce, A.Emmanouilidis, D.M.Cullen, C.Wheldon, F.R.Xu - Phys.Rev. C 72, 054306 (2005)  
High-K states in the odd-odd nuclide  $^{180}\text{Re}$
- 2005ER01 K.N.Ermakov, T.S.Oposhnyan, V.L.Rappoport, O.V.Rogachevsky, V.V.Sarantsev, S.G.Sherman - Eur.Phys.J. A 23, 345 (2005)  
Study of the  $\pi^-n \rightarrow \pi^- \pi^-$  reaction at 430 MeV energy
- 2005ER03 K.Ermisch, H.R.Amir-Ahmadi, A.M.van den Berg, R.Castelijns, B.Davids, A.Deltuva, E.Epelbaum, W.Glockle, J.Golak, M.N.Harakeh, M.Hunyadi, M.A.de Huu, N.Kalantar-Nayestanaki, H.Kamada, M.Kis, M.Mahjour-Shafiei, A.Nogga, P.U.Sauer, R.Skibinski, H.Witala, H.J.Wortche - Phys.Rev. C 71, 064004 (2005)  
Systematic investigation of three-nucleon force effects in elastic scattering of polarized protons from deuterons at intermediate energies
- 2005ERZZ T.Eronen, V.Elomaa, U.Hager, J.Hakala, A.Jokinen, I.Moore, H.Penttila, S.Rahaman, S.Rinta-Antila, A.Saastamoinen, T.Sonoda, J.Aysto, A.Bey, B.Blank, G.Canchel, C.Dossat, J.Giovinazzo, I.Matea, N.Adimi - nucl-ex/0512010,12/12/2005 (2005)  
Q-value of the superallowed  $\beta$  decay of  $^{62}\text{Ga}$
- 2005ESZZ E.-I.Esch, A.Alpizar-Vicente, E.M.Bond, T.A.Bredeweg, S.E.Glover, U.Greife, R.C.Haight, R.Hatarik, A.Kronenberg, J.M.O'Donnell, E.J.Pitcher, R.Reifarth, R.S.Rundberg, J.L.Ullmann, D.J.Vieira, S.A.Wender, J.M.Wouters - Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.1, p. 989 (2005); AIP Conf.Proc. 769 (2005)  
Status of the Neutron Capture Measurement on  $^{237}\text{Np}$  with the DANCE Array at LANSCE

REFERENCES

---

- 2005FA06 P.Fallon - Nucl.Phys. A752, 231c (2005)  
From Superdeformations to Hyperdeformations
- 2005FE11 J.O.Fernandez-Niello, A.Priller, A.Arazi, D.Djokic, R.Golser, W.Kutschera, P.Steier, C.Vockenhuber, A.Wallner - Nucl.Instrum.Methods Phys.Res. B240, 495 (2005)  
A study of the tandem-terminal-stripper reaction  $^1\text{H}(^{12}\text{C}, \gamma)^{13}\text{N}$  with accelerator mass spectrometry
- 2005FI01 R.Fitzgerald, E.Abbotoy, D.W.Bardayan, J.C.Blackmon, A.E.Champagne, A.A.Chen, U.Greife, D.W.Hill, A.N.James, R.L.Kozub, T.A.Lewis, R.Livesay, Z.Ma, S.L.Mahan, J.W.McConnell, W.T.Milner, B.H.Moazen, P.D.Parker, D.E.Pierce, M.E.Roettger, L.Sahin, D.Shapira, M.S.Smith, F.Strieder, K.B.Swartz, J.S.Thomas, D.W.Visser - Nucl.Phys. A748, 351 (2005)  
Studies of (p,  $\gamma$ ) reactions with the Daresbury Recoil Separator at ORNL'S HRIBF
- 2005FI10 S.M.Fischer, T.Anderson, P.Kerns, G.Mesoloras, D.Svelnys, C.J.Lister, D.P.Balamuth, P.A.Hausladen, D.G.Sarantites - Phys.Rev. C 72, 024321 (2005)  
Shape coexistence in  $^{71}\text{Br}$  and the question of the ground-state spin of  $^{71}\text{Kr}$
- 2005FL02 F.Fleurot, A.M.van den Berg, B.Davids, M.N.Harakeh, V.L.Kravchuk, H.W.Wilschut, J.Guillot, H.Laurent, A.Willis, M.Assuncao, J.Kiener, A.Lefebvre, N.de Sereville, V.Tatischeff - Phys.Lett. B 615, 167 (2005)  
 $^{16}\text{O}$  Coulomb dissociation: towards a new means to determine the  $^{12}\text{C} + \alpha$  fusion rate in stars
- 2005F003 C.Fox, C.Iliadis, A.E.Champagne, R.P.Fitzgerald, R.Longland, J.Newton, J.Pollanen, R.Runkle - Phys.Rev. C 71, 055801 (2005)  
Thermonuclear reaction rate of  $^{17}\text{O}(p, \gamma)^{18}\text{F}$
- 2005F005 N.Fotiades, J.A.Cizewski, R.Krucken, R.M.Clark, P.Fallon, I.Y.Lee, A.O.Macchiavelli, D.P.McNabb, J.A.Becker, L.A.Bernstein, W.Younes - Phys.Rev. C 71, 064312 (2005)  
High-spin states in  $N = 50$   $^{85}\text{Br}$  and  $^{87}\text{Rb}$  nuclei
- 2005F006 N.Fotiades, R.O.Nelson, M.Devlin, K.Starosta, J.A.Becker, L.A.Bernstein, P.E.Garrett, W.Younes - Phys.Rev. C 71, 064314 (2005)  
States in  $^{197}\text{Au}$  from the (n, n' $\gamma$ ) reaction
- 2005F009 D.Fong, J.K.Hwang, A.V.Ramayya, J.H.Hamilton, Y.X.Luo, P.M.Gore, E.F.Jones, W.B.Walters, J.O.Rasmussen, M.A.Stoyer, S.J.Zhu, I.Y.Lee, A.O.Macchiavelli, S.C.Wu, A.V.Daniel, G.M.Ter-Akopian, Yu.Ts.Oganessian, J.D.Cole, R.Donangelo, W.C.Ma - Phys.Rev. C 72, 014315 (2005)  
Negative parity bands of  $^{115}\text{Pd}$  and band structures in  $^{113,115,117}\text{Pd}$
- 2005F014 B.Fornal, S.Zhu, R.V.F.Janssens, M.Honma, R.Broda, B.A.Brown, M.P.Carpenter, S.J.Freeman, N.Hammond, F.G.Kondev, W.Krolas, T.Lauritsen, S.N.Liddick, C.J.Lister, S.Lunardi, P.F.Mantica, N.Marginean, T.Mizusaki, E.F.Moore, T.Otsuka, T.Pawlat, D.Seweryniak, B.E.Tomlin, C.A.Ur, I.Wiedenhover, J.Wrzesinski - Phys.Rev. C 72, 044315 (2005)  
Yrast structure of neutron-rich  $^{53}\text{Ti}$

REFERENCES

---

- 2005F017 D.Fong, J.K.Hwang, A.V.Ramayya, J.H.Hamilton, C.J.Beyer, K.Li, P.M.Gore, E.F.Jones, Y.X.Luo, J.O.Rasmussen, S.J.Zhu, S.C.Wu, I.Y.Lee, P.Fallon, M.A.Stoyer, S.J.Asztalos, T.N.Ginter, J.D.Cole, G.M.Ter-Akopian, A.Daniel, R.Donangelo - Eur.Phys.J. A 25, Supplement 1, 465 (2005)  
Investigations of short half-life states from SF of  $^{252}\text{Cf}$
- 2005F0ZZ N.Fotiades, R.O.Nelson, M.Devlin, M.B.Chadwick, P.Talou, J.A.Becker, P.E.Garrett, W.Younes - Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.1, p. 898 (2005); AIP Conf.Proc. 769 (2005)  
Cross Sections for  $\gamma$ -Ray Production in the  $^{191}\text{Ir}(n, xn\gamma)$  Reactions
- 2005FR14 M.Freer, I.Boztosun, C.A.Bremner, S.P.G.Chappell, R.L.Cowin, G.K.Dillon, B.R.Fulton, B.J.Greenhalgh, M.P.Nicoli, W.D.M.Rae, S.M.Singer, D.L.Watson, D.C.Weisser - Phys.Rev. C 71, 047305 (2005)  
 $^8\text{Be} + ^{12}\text{C}(0_2^+)$  decay of excited states in  $^{20}\text{Ne}$
- 2005FR17 C.Fransen, V.Werner, D.Bandyopadhyay, N.Boukharouba, S.R.Lesher, M.T.McEllistrem, J.Jolie, N.Pietralla, P.von Brentano, S.W.Yates - Phys.Rev. C 71, 054304 (2005)  
Investigation of low-spin states in  $^{92}\text{Zr}$  with the  $(n, n'\gamma)$  reaction
- 2005FR19 J.Fridmann, I.Wiedenhover, A.Gade, L.T.Baby, D.Bazin, B.A.Brown, C.M.Campbell, J.M.Cook, P.D.Cottle, E.Diffenderfer, D.-C.Dinca, T.Glasmacher, P.G.Hansen, K.W.Kemper, J.L.Lecouey, W.F.Mueller, H.Olliver, E.Rodriguez-Vieitez, J.R.Terry, J.A.Tostevin, K.Yoneda - Nature(London) 435, 922 (2005)  
'Magic' nucleus  $^{42}\text{Si}$
- 2005FR29 S.J.Freeman, R.V.F.Janssens, A.N.Deacon, F.Xu, I.J.Calderin, M.P.Carpenter, P.Chowdhury, S.M.Fischer, N.J.Hammond, M.Honma, T.Lauritsen, C.J.Lister, T.L.Khoo, G.Mukherjee, D.Seweryniak, J.F.Smith, S.L.Tabor, B.J.Varley, S.Zhu - J.Phys.(London) G31, S1465 (2005)  
Structure of the neutron-rich Cr isotopes
- 2005FRZZ S.J.Freeman, R.V.F.Janssens, B.A.Brown, I.V.Calderin, M.P.Carpenter, P.Chowdhury, A.N.Deacon, S.M.Fischer, N.J.Hammond, M.Honma, T.Lauritsen, C.J.Lister, T.L.Khoo, G.Mukherjee, D.Seweryniak, J.F.Smith, S.L.Tabor, B.J.Varley, M.Whitehead, S.Zhu - Proc.Nuclei at the Limits, Argonne, Illinois, D.Seweryniak and T.L.Khoo, eds., p.142 (2005); AIP Conf. Proc 764 (2005)  
Structure Of The Neutron Rich Cr Isotopes: Inadequacy Of The fp Model Space And Onset Of Deformation
- 2005FU01 T.Fukuchi, Y.Gono, A.Odahara, S.Tanaka, M.Inoue, Y.Wakabayashi, T.Sasaki, M.Kibe, N.Hokoiwa, T.Shinozuka, M.Fujita, A.Yamazaki, T.Sonoda, C.S.Lee, Y.K.Kwon, J.Y.Moon, J.H.Lee - Eur.Phys.J. A 24, 249 (2005)  
High-spin isomer in  $^{93}\text{Mo}$

REFERENCES

---

- 2005FU03 M.Fukada, M.Ohmura, F.Harima, K.Ogino, K.Takimoto, S.Ohkubo - Phys.Rev. C 71, 067602 (2005)  
 $\alpha$ -cluster states in  $^{38}\text{Ar}$  observed via the  $^{34}\text{S}(^7\text{Li}, t\alpha)^{34}\text{S}$  reaction
- 2005FU13 Zs.Fulop, Gy.Gyurky, E.Somorjai, D.Schurmann, F.Raiola, F.Strieder, C.Rolfs, B.N.Limata, L.Gialanella, G.Imbriani, V.Roca, M.Romano, N.De Cesare, A.D'Onofrio, D.Rogalla, F.Terrasi - Nucl.Phys. A758, 697c (2005)  
 Decay of  $^7\text{Be}$  in metallic environment
- 2005FU16 Y.Fujita, T.Adachi, P.von Brentano, G.P.A.Berg, C.Fransen, D.De Frenne, H.Fujita, K.Fujita, K.Hatanaka, E.Jacobs, K.Nakanishi, A.Negret, N.Pietralla, L.Popescu, B.Rubio, Y.Sakemi, Y.Shimbara, Y.Shimizu, Y.Tameshige, A.Tamii, M.Yosoi, K.O.Zell - Phys.Rev.Lett. 95, 212501 (2005)  
 Gamow-Teller Strengths in Proton-Rich Exotic Nuclei Deduced in the Combined Analysis of Mirror Transitions
- 2005FUZV T.Fukuchi, N.Hokoiwa, Y.Wakabayashi, Y.Gono, A.Odahara, T.Shinozuka, M.Fujita, A.Yamazaki, T.Sonoda, T.Suzuki - CNS-REP-66, p.17 (2005)  
 Study of High-Spin States in  $^{91}\text{Zr}$
- 2005FUZW H.Fujikawa, S.Kubono, A.Saito, H.Yamaguchi, G.Amadio, J.J.He, L.H.Khiem, S.Nishimura, H.Ohta, A.Ozawa, Y.Tagishi, Y.Wakabayashi, M.Yamaguchi, T.Yasuno - CNS-REP-66, p.13 (2005)  
 Development of a High-Precision Method for Alpha Resonant Scattering Measurements for Nuclear Astrophysics
- 2005FUZX Zs.Fulop, H.Yamaguchi, Z.Elekes, S.Kubono, G.Amadio, H.Fujikawa, J.J.He, S.Michimasa, J.Niikura, S.Nishimura, A.Saito, T.Teranishi, Y.Wakabayashi, Y.Yanagisawa - CNS-REP-66, p.8 (2005)  
 Production of  $^{39}\text{Ar}$  at the CRIB Facility
- 2005FUZY K.Furutaka, H.Harada, S.Raman - Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.2, p. 1454 (2005); AIP Conf.Proc. 769 (2005)  
 Determination of the  $^{99}\text{Tc}(\text{thermal } n, \gamma)^{100}\text{Tc}$  Reaction Cross Section from the Prompt  $\gamma$ -Ray Yields
- 2005GA01 L.Gaudefroy, O.Sorlin, C.Donzaud, J.C.Angelique, F.Azaiez, C.Bourgeois, V.Chiste, Z.Dlouhy, S.Grevy, D.Guillemaud-Mueller, F.Ibrahim, K.-L.Kratz, M.Lewitowicz, S.M.Lukyanov, I.Matea, J.Mrazek, F.Nowacki, F.de Oliveira Santos, Yu.-E.Penionzhkevich, B.Pfeiffer, F.Pougheon, M.G.Saint-Laurent, M.Stanoiou - Eur.Phys.J. A 23, 41 (2005)  
 Beta-decay studies of neutron-rich Sc-Cr nuclei
- 2005GA09 F.Garibaldi, on behalf of the Hall A Collaboration - Eur.Phys.J. A 24, Supplement 1, 91 (2005)  
 High resolution hypernuclear spectroscopy

REFERENCES

---

- 2005GA14 G.Gangopadhyay, S.Bhowal, R.K.Bhowmik, U.Datta Pramanik, P.Ghosh, A.Goswami, C.Petrache, A.Mukherjee, S.Muralithar, R.Raut, M.S.Sarkar, A.K.Singh, R.P.Singh, S.Bhattacharya - Eur.Phys.J. A 24, 173 (2005)  
Levels in doubly odd  $^{138}\text{Pr}$
- 2005GA15 A.Gade, D.Bazin, B.A.Brown, C.M.Campbell, J.A.Church, D.-C.Dinca, J.Enders, T.Glasmacher, P.G.Hansen, M.Honma, T.Mizusaki, W.F.Mueller, H.Olliver, T.Otsuka, L.A.Riley, J.R.Terry, J.A.Tostevin, K.L.Yurkewicz - Acta Phys.Pol. B36, 1227 (2005)  
Nuclear spectroscopy with fast exotic beams
- 2005GA18 A.Gade, D.Bazin, C.A.Bertulani, B.A.Brown, C.M.Campbell, J.A.Church, D.C.Dinca, J.Enders, T.Glasmacher, P.G.Hansen, Z.Hu, K.W.Kemper, W.F.Mueller, H.Olliver, B.C.Perry, L.A.Riley, B.T.Roeder, B.M.Sherrill, J.R.Terry, J.A.Tostevin, K.L.Yurkewicz - Phys.Rev. C 71, 051301 (2005)  
Knockout from  $^{46}\text{Ar}$ :  $l=3$  neutron removal and deviations from eikonal theory
- 2005GA20 A.Gadea, S.M.Lenzi, D.R.Napoli, M.Axiotis, C.A.Ur, G.Martinez-Pinedo, M.Gorska, E.Roeckl, E.Caurier, F.Nowacki, G.De Angelis, L.Batist, R.Borcea, F.Brandolini, D.Cano-Ott, J.Doring, C.Fahlander, E.Farnea, H.Grawe, M.Hellstrom, Z.Janas, R.Kirchner, M.La Commara, C.Mazzocchi, E.Nacher, C.Plettner, A.Plochocki, B.Rubio, K.Schmidt, R.Schwengner, J.L.Tain, J.Zylicz - Phys.Lett. B 619, 88 (2005)  
Hindered E4 decay of the  $12^+$  yrast trap in  $^{52}\text{Fe}$
- 2005GA21 D.Galaviz, Zs.Fulop, Gy.Gyurky, Z.Mate, P.Mohr, T.Rauscher, E.Somorjai, A.Zilges - Phys.Rev. C 71, 065802 (2005)  
Elastic  $\alpha$  scattering on  $^{112}\text{Sn}$  and  $^{124}\text{Sn}$  at astrophysically relevant energies
- 2005GA22 A.Gade, D.Bazin, A.Becerril, C.M.Campbell, J.M.Cook, D.J.Dean, D.-C.Dinca, T.Glasmacher, G.W.Hitt, M.E.Howard, W.F.Mueller, H.Olliver, J.R.Terry, K.Yoneda - Phys.Rev.Lett. 95, 022502 (2005); Erratum Phys.Rev.Lett. 96, 189901 (2006)  
Quadrupole Deformation of the Self-Conjugate Nucleus  $^{72}\text{Kr}$
- 2005GA25 Yu.P.Gangrsky, V.I.Zhemenik, N.Yu.Maslova, G.V.Mishinsky, Yu.E.Penionzhkevich - Part. and Nucl., Lett. 125, 44 (2005)  
Yields of Fragments in the Spontaneous and Photofission of  $^{248}\text{Cm}$
- 2005GA36 E.Garcia-Torano, M.T.Crespo, M.Roteta, G.Sibbens, S.Pomme, A.M.Sanchez, M.P.R.Montero, S.Woods, A.Pearce - Nucl.Instrum.Methods Phys.Res. A550, 581 (2005)  
 $\alpha$ -particle emission probabilities in the decay of  $^{235}\text{U}$
- 2005GA40 D.Galaviz, A.Kretschmer, S.Muller, K.Sonnabend, A.Zilges - Nucl.Phys. A758, 521c (2005)  
Nuclear astrophysics with real photons

REFERENCES

---

- 2005GA44 A.Gadea, N.Marginean, L.Corradi, S.M.Lenzi, C.A.Ur, E.Farnea, G.de Angelis, E.Fioretto, D.R.Napoli, A.M.Stefanini, S.Szilner, M.Axiotis, B.R.Behera, A.Latina, C.Rusu, W.Zhimin, D.Bazzacco, S.Beghini, S.Lunardi, G.Montagnoli, R.Menegazzo, F.Scarlassara, F.Della Vedova, M.Nespolo, A.Bracco, F.Camera, S.Leoni, B.Million, M.Pignanelli, G.Pollarolo, M.Trotta, P.G.Bizzeti, A.M.Bizzeti-Sona, D.Curien, P.Medina, M.Chambit, R.Chapman, X.Liang, S.J.Freeman, A.Smith, B.J.Varley, V.Pucknell, R.Lemmon - J.Phys.(London) G31, S1443 (2005)  
The CLARA-PRISMA setup installed at LNL: first results
- 2005GA45 L.Gaudefroy, O.Sorlin, D.Beaumel, Y.Blumenfeld, Z.Dombradi, S.Fortier, S.Franchoo, M.Gelin, J.Gibelin, S.Grevy, F.Hammache, F.Ibrahim, K.Kemper, K.L.Kratz, S.M.Lukyanov, C.Monrozeau, L.Nalpas, F.Nowacki, A.N.Ostrowski, Yu.-E.Penionzhkevich, E.Pollacco, P.Roussel-Chomaz, E.Rich, J.A.Scarpaci, M.G.St Laurent, D.Sohler, M.Stanoiu, E.Tryggstad, D.Verney - J.Phys.(London) G31, S1623 (2005)  
Study of  $^{45}\text{Ar}$  through (d, p) reaction at SPIRAL
- 2005GA46 A.B.Garnsworthy, N.J.Thompson, Zs.Podolyak, P.M.Walker, S.J.Williams, G.D.Dracoulis, G.de France, G.J.Lane, K.Andgren, A.M.Bruce, A.P.Byrne, W.N.Catford, B.Cederwall, G.A.Jones, B.McGuirk, S.Mandal, E.S.Paul, V.Pucknell, N.Redon, B.Rosse, R.J.Senior, G.Sletten - J.Phys.(London) G31, S1851 (2005)  
Spectroscopy of  $^{212}\text{Po}$  and  $^{213}\text{At}$  using a  $^8\text{He}$  radioactive beam and EXOGAM
- 2005GA47 P.E.Garrett, W.D.Kulp, J.L.Wood, D.Bandyopadhyay, S.Christen, S.Choudry, A .Dewald, A.Fitzler, C .Fransen, K.Jessen, J.Jolie, A.Kloezer, P.Kudejova, A.Kumar, S.R.Lesher, A.Linnemann, A.Lisetskiy, D.Martin, M.Masur, M.T.McEllistrem, O.Moller, M.Mynk, J.N.Orce, P.Pejovic, T.Pissulla, J.M.Regis, A.Schiller, D.Tonev, S.W.Yates - J.Phys.(London) G31, S1855 (2005)  
Octupole and hexadecapole bands in  $^{152}\text{Sm}$
- 2005GA50 Yu.P.Gangrsky, V.I.Zhemenik, G.V.Mishinsky, Yu.E.Penionzhkevich - Yad.Fiz. 68, 1475 (2005); Phys.Atomic Nuclei 68, 1417 (2005)  
Independent Yields of Kr and Xe Fragments in the Photofission of  $^{237}\text{Np}$  and  $^{243}\text{Am}$  Odd Nuclei
- 2005GA54 A.Gade, D.Bazin, B.A.Brown, C.M.Campbell, J.A.Church, D.-C.Dinca, J.Enders, T.Glasmacher, P.G.Hansen, Z.Hu, K.W.Kemper, W.F.Mueller, H.Olliver, B.C.Perry, L.A.Riley, B.T.Roeder, B.M.Sherrill, J.R.Terry, J.A.Tostevin, K.L.Yurkewicz - Eur.Phys.J. A 25, Supplement 1, 251 (2005)  
Spectroscopic factors in exotic nuclei from nucleon-knockout reactions
- 2005GA56 A.Gadea - Eur.Phys.J. A 25, Supplement 1, 421 (2005)  
First results of the CLARA-PRISMA setup installed at LNL
- 2005GAZT C.Gaulard, G.Audi, C.Bachelet, D.Lunney, M.de Saint Simon, C.Thibault, N.Vieira - nucl-ex/0511007,11/2/2005 (2005)  
Accurate mass measurements of  $^{26}\text{Ne}$ ,  $^{26-30}\text{Na}$ ,  $^{29-33}\text{Mg}$  performed with the MISTRAL spectrometer

REFERENCES

---

- 2005GAZU Ju.M.Gavriljuk, A.M.Gangapshev, V.V.Kuzminov, S.I.Panasenko, S.S.Ratkevich - nucl-ex/0510071,10/26/2005 (2005)  
Results of a search for  $2\beta$ -decay of  $^{136}\text{Xe}$  with high-pressure copper proportional counters in Baksan Neutrino Observatory
- 2005GAZV Ju.M.Gavriljuk, V.N.Gavrin, A.M.Gangapshev, V.V.Kazalov, V.V.Kuzminov, N.Ya.Osetrova, I.I.Pul'nikov, A.V.Ryabukhin, A.N.Shubin, G.M.Skorynin, S.I.Panasenko, S.S.Ratkevich - nucl-ex/0510070,10/26/2005 (2005)  
Next stage of search for  $2K(2\nu)$ -capture of  $^{78}\text{Kr}$
- 2005GAZW Yu.P.Gangrsky, N.N.Kolesnikov, V.G.Lukashik, G.V.Mishinsky, Yu.E.Penionzhkevich, V.I.Zhemenik - Book of Abstracts, LV National Conference on Nuclear Physics "Frontiers in the Physics of Nucleus", St.-Petersburg, p.66 (2005)  
The Ratio of  $^{135m}\text{Xe}$  and  $^{135g}\text{Xe}$  Yields in the Photofission Reactions of Heavy Nuclei
- 2005GE06 W.Geithner, B.A.Brown, K.M.Hilligsoe, S.Kappertz, M.Keim, G.Kotrotsios, P.Lievens, K.Marinova, R.Neugart, H.Simon, S.Wilbert - Phys.Rev. C 71, 064319 (2005)  
Nuclear moments of neon isotopes in the range from  $^{17}\text{Ne}$  at the proton drip line to neutron-rich  $^{25}\text{Ne}$
- 2005GE07 M.T.Gericke, J.D.Bowman, R.D.Carlini, T.E.Chupp, K.P.Coulter, M.Dabaghyan, D.Desai, S.J.Freeman, T.R.Gentile, R.C.Gillis, G.L.Greene, F.W.Hersman, T.Ino, S.Ishimoto, G.L.Jones, B.Lauss, M.B.Leuschner, B.Losowski, R.Mahurin, Y.Masuda, G.S.Mitchell, S.Muto, H.Nann, S.A.Page, S.I.Penttila, W.D.Ramsay, S.Santra, P.-N.Seo, E.I.Sharapov, T.B.Smith, W.M.Snow, W.S.Wilburn, V.Yuan, H.Zhu - J.Res.Natl.Inst.Stand.Technol. 110, 215 (2005)  
Commissioning of the NPDGamma Detector Array: Counting Statistics in Current Mode Operation and Parity Violation in the Capture of Cold Neutrons on  $\text{B}_4\text{C}$  and  $^{27}\text{Al}$
- 2005GE09 G.Georgiev, I.Matea, D.L.Balabanski, J.M.Daugas, F.de Oliveira Santos, S.Franchoo, F.Ibrahim, F.Le Blanc, M.Lewitowicz, G.Lo Bianco, S.Lukyanov, V.Meot, P.Morel, G.Neyens, Yu.E.Penionzhkevich, A.Saltarelli, O.Sorlin, M.Stanoiu, M.Tarisien, N.Vermeulen, D.Verney, D.Yordanov - J.Phys.(London) G31, S1439 (2005)  
g-factor measurement of the  $9/2^+$  isomeric state in  $^{65}\text{Ni}$
- 2005GE10 H.Geissel, Yu.A.Litvinov - J.Phys.(London) G31, S1779 (2005)  
Precision experiments with relativistic exotic nuclei at GSI
- 2005GEZW H.Geissel, Yu.A.Litvinov, B.Pfeiffer, F.Attallah, G.Audi, K.Beckert, P.Beller, F.Bosch, D.Boutin, T.J.Burvenich, L.Chen, T.Faestermann, M.Falch, B.Franzke, M.Hausmann, E.Kaza, T.Kerscher, P.Kienle, O.Klepper, R.Knobel, C.Kozhuharov, K.-L.Kratz, S.A.Litvinov, K.E.G.Lobner, L.Maier, M.Matos, F.Montes, G.Munzenberg, C.Nociforo, F.Nolden, Yu.N.Novikov, T.Ohtsubo, A.Ostrowski, Z.Patyk, W.Plass, M.Portillo, T.Radon, H.Schatz, C.Scheidenberger, J.Stadlmann, M.Steck, B.Sun, K.Takahashi, G.Vorobjev, H.Weick, M.Winkler, H.Wollnik, T.Yamaguchi - nucl-ex/0510009,10/4/2005 (2005)

REFERENCES

---

- Present and Future Experiments with Stored Exotic Nuclei at Relativistic Energies
- 2005GEZY L.N.Generalov, A.G.Zvenigorodsky, S.N.Abramovich, I.A.Karpov, Yu.I.Vinogradov - Book of Abstracts, LV National Conference on Nuclear Physics "Frontiers in the Physics of Nucleus", St.-Petersburg, p.172 (2005)  
Investigation of the Excitation Function of  $^{11}\text{B}(t, p)^{13}\text{B}$  Reaction
- 2005GEZZ L.N.Generalov - Book of Abstracts, LV National Conference on Nuclear Physics "Frontiers in the Physics of Nucleus", St.-Petersburg, p.171 (2005)  
Total Cross Section of  $^9\text{Be}(p, \alpha)^6\text{Li}^*(3.56 \text{ MeV})$  Reaction at  $E_p=3.1\text{-}5.24 \text{ MeV}$
- 2005GI03 G.Giorginis, V.Khriatchkov - Nucl.Instrum.Methods Phys.Res. A538, 550 (2005)  
The effect of particle leaking and its implications for measurements of the  $(n, \alpha)$  reaction on light elements by using ionisation chambers
- 2005GI07 L.Giot, P.Roussel-Chomaz, C.E.Demonchy, W.Mittig, H.Savajols, N.Alamanos, F.Auger, A.Gillibert, C.Jouanne, V.Lapoux, L.Nalpas, E.C.Pollacco, J.L.Sida, F.Skaza, M.D.Cortina-Gil, J.Fernandez-Vazquez, R.S.Mackintosh, A.Pakou, S.Pita, A.Rodin, S.Stepantsov, G.M.Ter-Akopian, K.Rusek, I.J.Thompson, R.Wolski - Phys.Rev. C 71, 064311 (2005)  
Investigation of  $^6\text{He}$  cluster structures
- 2005GI15 J.Giovinazzo - J.Phys.(London) G31, S1509 (2005)  
The two-proton radioactivity in the  $A \sim 50$  mass region
- 2005GI17 A.Giannatiempo, A.Perego, P.Sona, A.Nannini, H.Mach, B.Fogelberg, M.J.G.Borge, O.Tengblad, L.M.Fraile, A.J.Aas, K.Gulda - Phys.Rev. C 72, 044308 (2005)  
Spectroscopy and lifetime measurements of states in  $^{76}\text{Kr}$  populated in  $^{76}\text{Rb}$  decay
- 2005GI18 L.Giot, P.Roussel-Chomaz, N.Alamanos, F.Auger, M.-D.Cortina-Gil, Ch.E.Demonchy, J.Fernandez, A.Gillibert, C.Jouanne, V.Lapoux, R.S.Mackintosh, W.Mittig, L.Nalpas, A.Pakou, S.Pita, E.C.Pollacco, A.Rodin, K.Rusek, H.Savajols, J.L.Sida, F.Skaza, S.Stepantsov, G.Ter-Akopian, I.Thompson, R.Wolski - Eur.Phys.J. A 25, Supplement 1, 267 (2005)  
Study of the ground-state wave function of  $^6\text{He}$  via the  $^6\text{He}(p, t)\alpha$  transfer reaction
- 2005GIZX J.Gibelin, N.Aoi, H.Baba, D.Beaumel, Y.Blumenfeld, Z.Elekes, N.Fukuda, T.Gomi, K.Ishikawa, Y.Kondo, T.Kubo, V.Lima, T.Motobayashi, T.Nakamura, A.Saito, Y.Satou, E.Takeshita, S.Takeuchi, T.Teranishi, Y.Togano, A.M.Vinodkumar, Y.Yanagisawa, K.Yoshida - RIKEN Accelerator Progress Report 2004, p.53 (2005)  
In-beam gamma spectroscopy of  $^{25}\text{Ne}$  via  $^{26}\text{Ne}$  breakup
- 2005GIZY G.Giorginis, V.Khryachkov - Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.1, p. 816 (2005); AIP Conf.Proc. 769 (2005)  
Particle Leaking, Cross-Section Ratio  $^{10}\text{B}(n, \alpha) / ^{238}\text{U}(n, \text{fission})$ , and Excitation Function of the Reaction  $^{10}\text{B}(n, \alpha)^7\text{Li}$  at MeV Energies



## REFERENCES

---

- 2005GIZZ L.Giot, P.Roussel-Chomaz, C.E.Demonchy, W.Mittig, H.Savajols, N.Alamanos, F.Auger, A.Gillibert, C.Jouanne, V.Lapoux, L.Nalpas, E.C.Pollacco, J.L.Sida, F.Skaza, M.D.Cortina-Gil, J.Fernandez-Vazquez, R.S.Mackintosh, A.Pakou, S.Pita, A.Rodin, S.Stepantsov, G.M.Ter-Akopian, K.Rusek, I.J.Thompson, R.Wolski - nucl-ex/0505007,5/04/2005 (2005)  
Investigation of the  ${}^6\text{He}$  cluster structures
- 2005GL03 D.I.Glazier, M.Seimetz, J.R.M.Annand, H.Arenhovel, M.A.Antelo, C.Ayerbe, P.Bartsch, D.Baumann, J.Bermuth, R.Bohm, D.Bosnar, M.Ding, M.O.Distler, D.Elsner, J.Friedrich, S.Hedicke, P.Jennewein, G.J.Manas, F.H.Klein, F.Klein, M.Kohl, K.W.Krygier, K.Livingston, I.J.D.MacGregor, M.Makek, H.Merkel, P.Merle, D.Middleton, U.Muller, R.Neuhausen, L.Nungesser, M.Ostrick, R.Perez Benito, J.Pochodzalla, Th.Pospischil, M.Potokar, A.Reiter, G.Rosner, J.Sanner, H.Schmieden, A.Sule, Th.Walcher, D.P.Watts, M.Weis, and the A1 Collaboration - Eur.Phys.J. A 24, 101 (2005)  
Measurement of the electric form factor of the neutron at  $Q^2 = 0.3-0.8$  ( $\text{GeV} / c$ )<sup>2</sup>
- 2005GL05 I.V.Glavanakov, Yu.F.Krechetov, O.K.Saigushkin, E.N.Shuvalov, V.M.Bystritskii - Pisma Zh.Eksp.Teor.Fiz. 81, 546 (2005); JETP Lett. 81, 432 (2005)  
Nucleon-Nucleon Correlations in the  $(\gamma, \pi^-p)$  and  $(\gamma, \pi^-pp)$  Reactions on the  ${}^{12}\text{C}$  Nucleus
- 2005GL09 K.A.Gladnishki, D.L.Balabanski, P.Petkov, A.Dewald, D.Tonev, M.Axiotis, A.Fitzler, M.Danchev, S.Harissopulos, S.Lalkovski, N.Marginean, T.Martinez, O.Moeller, G.Neyens, A.Spyrou, E.A.Stefanova, C.Ur - J.Phys.(London) G31, S1559 (2005)  
Lifetime measurements in the Yrast magnetic band in  ${}^{193}\text{Pb}$
- 2005G009 P.R.S.Gomes, M.D.Rodriguez, G.V.Marti, I.Padron, L.C.Chamon, J.O.Fernandez Niello, O.A.Capurro, A.J.Pacheco, J.E.Testoni, A.Arazi, M.Ramirez, R.M.Anjos, J.Lubian, R.Veiga, R.Liguori Neto, E.Crema, N.Added, C.Tenreiro, M.S.Hussein - Phys.Rev. C 71, 034608 (2005)  
Effect of the breakup on the fusion and elastic scattering of weakly bound projectiles on  ${}^{64}\text{Zn}$
- 2005G010 T.P.Gorringe, D.P.Corbin, T.J.Stocki - Phys.Rev. C 71, 035503 (2005)  
Recoil alignment in muon capture on  ${}^{14}\text{N}$
- 2005G011 A.Gorelov, D.Melconian, W.P.Alford, D.Ashery, G.Ball, J.A.Behr, P.G.Bricault, J.M.D'Auria, J.Deutsch, J.Dilling, M.Dombsky, P.Dube, J.Fingler, U.Giesen, F.Gluck, S.Gu, O.Hausser, K.P.Jackson, B.K.Jennings, M.R.Pearson, T.J.Stocki, T.B.Swanson, M.Trinczek - Phys.Rev.Lett. 94, 142501 (2005)  
Scalar Interaction Limits from the  $\beta$ - $\nu$  Correlation of Trapped Radioactive Atoms
- 2005G014 O.K.Gorpinich, O.M.Povoroznyk - Ukr.J.Phys. 50, 327 (2005)  
Determination of the energy parameters of the unbound states of  ${}^6\text{Li}$  up to an excitation energy of 6 MeV

REFERENCES

---

- 2005G015 A.Gorgen, E.Clement, E.Bouchez, A.Chatillon, W.Korten, Y.Le Coz, Ch.Theisen, C.Andreoiu, F.Becker, B.Blank, A.Burger, P.Butler, J.M.Casandjian, W.Catford, T.Czosnyka, P.Davies, S.P.Fox, G.de France, G.Georgiev, J.Gerl, H.Hubel, J.Iwanicki, D.G.Jenkins, F.Johnston-Theasby, P.Joshi, I.Matea, P.Napiorkowski, F.de Oliveira Santos, G.Sletten, C.Timis, R.Wadsworth, M.Zielinska - Acta Phys.Pol. B36, 1281 (2005)  
Shape coexistence in light Krypton isotopes
- 2005G030 V.Z.Goldberg, K.-M.Kallman, T.Lonnroth, P.Manngard, B.B.Skorodumov - Yad.Fiz. 68, 1123 (2005); Phys.Atomic Nuclei 68, 1079 (2005)  
Alpha-Cluster States in  $^{18}\text{O}$
- 2005G033 T.Gomi, T.Motobayashi, Y.Ando, N.Aoi, H.Baba, K.Demichi, Z.Elekes, N.Fukuda, Zs.Fulop, U.Futakami, H.Hasegawa, Y.Higurashi, K.Ieki, N.Imai, M.Ishihara, K.Ishikawa, N.Iwasa, H.Iwasaki, S.Kanno, Y.Kondo, T.Kubo, S.Kubono, M.Kunibu, K.Kurita, Y.U.Matsuyama, S.Michimasa, T.Minemura, M.Miura, H.Murakami, T.Nakamura, M.Notani, S.Ota, A.Saito, H.Sakurai, M.Serata, S.Shimoura, T.Sugimoto, E.Takeshita, S.Takeuchi, Y.Togano, K.Ue, K.Yamada, Y.Yanagisawa, K.Yoneda, A.Yoshida - Nucl.Phys. A758, 761c (2005)  
Coulomb Dissociation of  $^{23}\text{Al}$  for the stellar  $^{22}\text{Mg}(p, \gamma)^{23}\text{Al}$  reaction
- 2005G034 T.Gomi, T.Motobayashi, Y.Ando, N.Aoi, H.Baba, K.Demichi, Z.Elekes, N.Fukuda, Zs.Fulop, U.Futakami, H.Hasegawa, Y.Higurashi, K.Ieki, N.Imai, M.Ishihara, K.Ishikawa, N.Iwasa, H.Iwasaki, S.Kanno, Y.Kondo, T.Kubo, S.Kubono, M.Kunibu, K.Kurita, Y.U.Matsuyama, S.Michimasa, T.Minemura, M.Miura, H.Murakami, T.Nakamura, M.Notani, S.Ota, A.Saito, H.Sakurai, M.Serata, S.Shimoura, T.Sugimoto, E.Takeshita, S.Takeuchi, Y.Togano, K.Ue, K.Yamada, Y.Yanagisawa, K.Yoneda, A.Yoshida - J.Phys.(London) G31, S1517 (2005)  
Coulomb dissociation experiment for explosive hydrogen burning: study of the  $^{22}\text{Mg}(p, \gamma)^{23}\text{Al}$  reaction
- 2005G036 M.B.Gomez Hornillos, M.Chartier, W.Mittig, B.Blank, F.Chautard, C.E.Demonchy, A.Gillibert, B.Jacquot, B.Jurado, N.Lecesne, A.Lepine-Szily, N.A.Orr, P.Roussel-Chomaz, H.Savajols, A.C.C.Villari - J.Phys.(London) G31, S1869 (2005)  
Mass measurements with the CIME cyclotron at GANIL
- 2005G043 A.Gorgen, E.Clement, A.Chatillon, A.Dewald, W.Korten, Y.Le Coz, N.Marginean, B.Melon, R.Menegazzo, O.Moller, Ch.Theisen, D.Tonev, C.A.Ur, K.O.Zell - Eur.Phys.J. A 26, 153 (2005)  
Lifetime measurement in  $^{74}\text{Kr}$  and  $^{76}\text{Kr}$
- 2005G0ZX C.Goessling, M.Junker, H.Kiel, D.Muenstermann, S.Oehl, K.Zuber - nucl-ex/0508016,08/12/2005 (2005)  
Experimental study of  $^{113}\text{Cd}$  beta decay using CdZnTe detectors

REFERENCES

---

- 2005G0ZY M.S.Golovkov, L.V.Grigorenko, A.S.Fomichev, S.A.Krupko, Yu.Ts.Oganessian, A.M.Rodin, S.I.Sidorchuk, R.S.Slepnev, S.V.Stepantsov, G.M.Ter-Akopian, R.Wolski, A.A.Korshennikov, E.Yu.Nikolskii, P.Roussel-Chomaz, W.Mittig, R.Palit, C.Angulo, V.Bouchat, V.Kinnard, T.Materna, F.Hanappe, O.Dorvaux, L.Stuttge - Book of Abstracts, LV National Conference on Nuclear Physics "Frontiers in the Physics of Nucleus", St.-Petersburg, p.124 (2005)  
Correlation Studies of the  $^5\text{H}$  Spectrum
- 2005G0ZZ A.Gorgen, G.B.Hagemann, I.Hamamoto, R.Bengtsson, R.M.Clark, M.Cromaz, P.Fallon, H.Hubel, I.Y.Lee, A.O.Macchiavelli, G.Sletten, D.Ward - Proc.Nuclei at the Limits, Argonne, Illinois, D.Seweryniak and T.L.Khoo, eds., p.9 (2005); AIP Conf. Proc 764 (2005)  
Quadrupole Moments And Gamma Deformation Of Wobbling Excitations In  $^{163}\text{Lu}$
- 2005GR07 G.F.Grinyer, C.E.Svensson, C.Andreoiu, A.N.Andreyev, R.A.E.Austin, G.C.Ball, R.S.Chakrawarthy, P.Finlay, P.E.Garrett, G.Hackman, J.C.Hardy, B.Hyland, V.E.Iacob, K.A.Koopmans, W.D.Kulp, J.R.Leslie, J.A.Macdonald, A.C.Morton, W.E.Ormand, C.J.Osborne, C.J.Pearson, A.A.Phillips, F.Sarazin, M.A.Schumaker, H.C.Scraggs, J.Schwarzenberg, M.B.Smith, J.J.Valiente-Dobon, J.C.Waddington, J.L.Wood, E.F.Zganjar - Phys.Rev. C 71, 044309 (2005)  
High precision measurements of  $^{26}\text{Na}$   $\beta^-$  decay
- 2005GR09 F.Gramegna, S.Barlino, V.L.Kravchuk, A.L.Lanchais, O.Wieland, A.Bracco, A.Moroni, G.Casini, G.Benzoni, N.Biasi, S.Brambilla, M.Brekiesz, M.Bruno, F.Camera, M.Chiari, F.Crespi, E.Geraci, B.Guiot, M.Kmiecik, S.Leoni, A.Maj, P.F.Mastinu, B.Million, A.Nannini, A.Ordine, G.Vannini - Acta Phys.Pol. B36, 1155 (2005)  
Light charged particle emission and the giant dipole resonance in Ce nucleus
- 2005GR10 E.Grodner, I.Zalewska, T.Morek, J.Srebrny, Ch.Droste, M.Kowalczyk, J.Mierzejewski, M.Salata, A.A.Pasternak, J.Kownacki, M.Kisielinski, A.Kordyasz, P.Napiorkowski, M.Wolinska, S.G.Rohozinski, R.Kaczarowski, W.Plociennik, E.Ruchowska, A.Wasilewski, J.Perkowski - Int.J.Mod.Phys. E14, 347 (2005)  
Lifetime measurements in  $^{128}\text{Cs}$  and  $^{132}\text{La}$  as a test of chirality
- 2005GR15 P.Grabmayr, for the GDH Collaboration - Prog.Part.Nucl.Phys. 55, 375 (2005)  
An experimental test of the GDH sum rule
- 2005GR19 K.E.Gregorich, W.Loveland, D.Peterson, P.M.Zielinski, S.L.Nelson, Y.H.Chung, Ch.E.Dullmann, C.M.Folden III, K.Aleklett, R.Eichler, D.C.Hoffman, J.P.Omtvedt, G.K.Pang, J.M.Schwantes, S.Soverna, P.Sprunger, R.Sudowe, R.E.Wilson, H.Nitsche - Phys.Rev. C 72, 014605 (2005)  
Attempt to confirm superheavy element production in the  $^{48}\text{Ca} + ^{238}\text{U}$  reaction
- 2005GR22 C.Granja, S.Pospisil, R.E.Chrien, S.A.Telezhnikov - Nucl.Phys. A757, 287 (2005)  
Levels of  $^{174}\text{Yb}$  populated in average resonance neutron capture
- 2005GR25 C.J.Gross - J.Phys.(London) G31, S1639 (2005)  
Recent results at HRIBF using neutron-rich radioactive ion beams

REFERENCES

---

- 2005GR26 I.Grabowska-Bold - Eur.Phys.J. C 44, S1 (2005)  
Measurement of deeply virtual Compton scattering using the ZEUS detector at HERA
- 2005GR28 N.Grion, M.Bregant, P.Camerini, E.Fragiacomo, S.Piano, R.Rui, E.F.Gibson, G.Hofman, E.L.Mathie, R.Meier, M.E.Sevior, G.R.Smith, R.Tacik, for the CHAOS Collaboration - Nucl.Phys. A763, 80 (2005)  
The  $\pi \rightarrow \pi\pi$  process in nuclei and the restoration of chiral symmetry
- 2005GR30 S.Grevy, F.Negoita, I.Stefan, N.L.Achouri, J.C.Angelique, B.Bastin, R.Borcea, A.Buta, J.M.Daugas, F.De Oliveira, O.Giarmana, C.Jollet, B.Laurent, M.Lazar, E.Lienard, F.Marechal, J.Mrazek, D.Pantelica, Y.Penionzhkevich, S.Pietri, O.Sorlin, M.Stanoiu, C.Stodel, M.G.St-Laurent - Eur.Phys.J. A 25, Supplement 1, 111 (2005)  
Observation of the  $0_2^+$  state in  $^{44}\text{S}$
- 2005GR32 R.Grzywacz, M.Karny, K.P.Rykaczewski, J.C.Batchelder, C.R.Bingham, D.Fong, C.J.Gross, W.Krolas, C.Mazzocchi, A.Piechaczek, M.N.Tantawy, J.A.Winger, E.F.Zganjar - Eur.Phys.J. A 25, Supplement 1, 145 (2005)  
Discovery of the new proton emitter  $^{144}\text{Tm}$
- 2005GR35 T.Grahn, A.Dewald, O.Moller, C.W.Beausang, S.Eeckhauudt, P.T.Greenlees, J.Jolie, P.Jones, R.Julin, S.Juutinen, H.Kettunen, T.Kroll, R.Krucken, M.Leino, A.-P.Leppanen, P.Maierbeck, D.A.Meyer, P.Nieminen, M.Nyman, J.Pakarinen, P.Petkov, P.Rahkila, B.Saha, C.Scholey, J.Uusitalo - Eur.Phys.J. A 25, Supplement 1, 441 (2005)  
RDDS lifetime measurement with JUROGAM + RITU
- 2005GR36 P.T.Greenlees, N.Amzal, J.E.Bastin, E.Bouchez, P.A.Butler, A.Chatillon, O.Dorvaux, S.Eeckhauudt, K.Eskola, B.Gall, J.Gerl, T.Grahn, A.Gorgen, N.J.Hammond, K.Hauschild, R.-D.Herzberg, F.-P.Hessberger, R.D.Humphreys, A.Hurstel, D.G.Jenkins, G.D.Jones, P.Jones, R.Julin, S.Juutinen, H.Kankaanpaa, A.Keenan, H.Kettunen, F.Khalfallah, T.L.Khoo, W.Korten, P.Kuusiniemi, Y.Le Coz, M.Leino, A.-P.Leppanen, M.Muikku, P.Nieminen, J.Pakarinen, P.Rahkila, P.Reiter, M.Rousseau, C.Scholey, Ch.Theisen, J.Uusitalo, J.Wilson, H.-J.Wollersheim - Eur.Phys.J. A 25, Supplement 1, 599 (2005)  
In-beam and decay spectroscopy of transfermium elements
- 2005GRZY Yu.V.Grigoriev, V.Ya.Kitaev, V.V.Sinita, Zh.V.Mezentseva, H.Faikov-Stanczyk, N.B.Janeva - Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.1, p. 928 (2005); AIP Conf.Proc. 769 (2005)  
The Investigation of the Doppler-Effect of the  $\alpha$ -Value of  $^{235}\text{U}$  and  $^{239}\text{Pu}$  for Different Temperatures
- 2005GU07 Yu.B.Gurov, D.V.Aleshkin, M.N.Behr, S.V.Lapushkin, P.V.Morokhov, V.A.Pechkurov, N.O.Poroshin, V.G.Sandukovsky, M.V.Telkushhev, B.A.Chernyshev, T.D.Tschurenkova - Yad.Fiz. 68, 520 (2005); Phys.Atomic Nuclei 68, 491 (2005)  
Spectroscopy of Superheavy Hydrogen Isotopes in Stopped-Pion Absorption by Nuclei

REFERENCES

---

- 2005GU16 M.Guttormsen, R.Chankova, U.Agvaanluvsan, E.Algin, L.A.Bernstein, F.Ingebretsen, T.Lonnroth, S.Messelt, G.E.Mitchell, J.Rekstad, A.Schiller, S.Siem, A.C.Sunde, A.Voinov, S.Odegard - Phys.Rev. C 71, 044307 (2005)  
Radiative strength functions in  $^{93-98}\text{Mo}$
- 2005GU17 Yu.B.Gurov, M.N.Behr, D.V.Aleshkin, B.A.Chernyshev, S.V.Lapushkin, P.V.Morokhov, V.A.Pechkurov, N.O.Poroshin, V.G.Sandukovsky, M.V.Telkushv - Eur.Phys.J. A 24, 231 (2005)  
Spectroscopy of superheavy hydrogen isotopes  $^4\text{H}$  and  $^5\text{H}$
- 2005GU18 W.Guryn, for the pp2pp Collaboration - Nucl.Phys. B(Proc.Supp.) S146, 82 (2005)  
The First Measurement of  $A_N$  at  $\sqrt{s} = 200$  GeV in proton-proton elastic scattering at RHIC
- 2005GU25 F.Q.Guo, J.Powell, D.W.Lee, D.Leitner, M.A.McMahan, D.M.Moltz, J.P.O'Neil, K.Perajarvi, L.Phair, C.A.Ramsey, X.J.Xu, J.Cerny - Phys.Rev. C 72, 034312 (2005)  
Reexamination of the energy levels of  $^{15}\text{F}$  by  $^{14}\text{O} + ^1\text{H}$  elastic resonance scattering
- 2005GU27 C.Guenaut, G.Audi, D.Beck, K.Blaum, G.Bollen, P.Delahaye, F.Herfurth, A.Kellerbauer, H.-J.Kluge, D.Lunney, S.Schwarz, L.Schweikhard, C.Yazidjian - J.Phys.(London) G31, S1765 (2005)  
Mass measurements of  $^{56-57}\text{Cr}$  and the question of shell reincarnation at  $N = 32$
- 2005GU28 G.Gurdal, H.Amro, C.W.Beausang, D.S.Brenner, M.P.Carpenter, R.F.Casten, C.Engelhardt, G.B.Hagemann, C.R.Hansen, D.J.Hartley, B.Herskind, H.Hubel, T.L.Khoo, T.Lauritsen, W.C.Ma, D.A.Meyer, E.F.Moore, A.Neusser, P.Bringel, D.G.Roux, G.Sletten, R.B.Yadav, Y.Zhang - J.Phys.(London) G31, S1873 (2005)  
Quadrupole moment measurements of TSD1 and TSD2 bands in  $^{167}\text{Lu}$
- 2005GU29 B.Guo, Z.H.Li, W.P.Liu, X.X.Bai, G.Lian, S.Q.Yan, B.X.Wang, S.Zeng, J.Su, Y.Lu - Nucl.Phys. A761, 162 (2005)  
The  $^8\text{Li}(d, p)^9\text{Li}$  reaction and astrophysical  $^8\text{B}(p, \gamma)^9\text{C}$  reaction rate
- 2005GU32 P.Guazzoni, L.Zetta, B.F.Bayman, A.Covello, A.Gargano, G.Graw, R.Hertenberger, H.-F.Wirth, M.Jaskola - Phys.Rev. C 72, 044604 (2005)  
 $^{120}\text{Sn}$  homologous levels via the  $^{123}\text{Sb}(p(\text{pol}), \alpha)^{120}\text{Sn}$  reaction: Experimental evidence and microscopic calculations
- 2005GU37 C.Guenaut, G.Audi, D.Beck, K.Blaum, G.Bollen, P.Delahaye, F.Herfurth, A.Kellerbauer, H.-J.Kluge, D.Lunney, S.Schwarz, L.Schweikhard, C.Yazidjian - Eur.Phys.J. A 25, Supplement 1, 35 (2005)  
Extending the mass "backbone" to short-lived nuclides with ISOLTRAP
- 2005GUZW P.Guazzoni, L.Zetta, F.Della Vedova, S.M.Lenzi, A.Vitturi, G.Graw, R.Hertenberger, H.-F.Wirth, M.Jaskola - Maier-Leibnitz-Laboratorium 2004 Ann.Rept., p.7 (2005)  
The  $^{48}\text{Sc}(p(\text{pol}), \alpha)^{42}\text{Ca}$  Reaction and the Corresponding Homologous States

REFERENCES

---

- 2005GUZX P.Guazzoni, S.Russo, M.Sassi, L.Zetta, F.Della Vedova, S.M.Lenzi, A.Vitturi, G.Graw, R.Hertenberger, H.-F.Wirth, M.Jaskola - Maier-Leibnitz-Laboratorium 2004 Ann.Rept., p.6 (2005)  
The  $^{44}\text{Ca}(p(\text{pol}), \alpha)^{41}\text{K}$  Reaction
- 2005GUZZ Yu.B.Gurov, D.V.Aleshkin, B.A.Chernyshev, S.V.Lapushkin, I.V.Laukhin, V.A.Pechkurov, N.O.Poroshin, V.G.Sandukovsky, M.V.Tel'kushev - Book of Abstracts, LV National Conference on Nuclear Physics "Frontiers in the Physics of Nucleus", St.-Petersburg, p.139 (2005)  
The Search for the Superheavy Hydrogen Isotope  $^7\text{H}$  in the Reaction  $^9\text{Be}(\pi^-, pp)\text{X}$
- 2005GY02 Gy.Gyurky, Z.Elekes, Zs.Fulop, G.Kiss, E.Somorjai, A.Palumbo, M.Wiescher - Phys.Rev. C 71, 057302 (2005)  
Precise half-life measurement of  $^{110}\text{Sn}$  and  $^{109}\text{In}$  isotopes
- 2005GY03 Gy.Gyurky, Zs.Fulop, G.Kiss, Z.Mate, E.Somorjai, J.Gorres, A.Palumbo, M.Wiescher, D.Galaviz, A.Kretschmer, K.Sonnabend, A.Zilges, T.Rauscher - Nucl.Phys. A758, 517c (2005)  
A comprehensive study of the  $^{106}\text{Cd}(\alpha, \gamma)^{110}\text{Sn}$  reaction at energies relevant to the p-process
- 2005GYZY Gy.Gyurky, Z.Elekes, Zs.Fulop, G.G.Kiss, E.Somorjai, A.Palumbo, M.Wiescher, J.Gorres, W.Rapp, N.Ozkan, R.T.Guray, T.Rauscher - ATOMKI 2004 Ann.Rept., p.19 (2005)  
Alpha capture cross section of  $^{106}\text{Cd}$  for the astrophysical p-process
- 2005GYZZ Gy.Gyurky, Z.Elekes, Zs.Fulop, G.G.Kiss, E.Somorjai, A.Palumbo, M.Wiescher - nucl-ex/0503012,3/18/2005 (2005)  
Precise half-life measurement of  $^{110}\text{Sn}$  and  $^{109}\text{In}$  isotopes
- 2005HA03 M.Hagemann, C.Baumer, A.M.van den Berg, D.De Frenne, D.Frekers, V.M.Hannen, M.N.Harakeh, J.Heyse, M.A.de Huu, E.Jacobs, K.Langanke, G.Martinez-Pinedo, A.Negret, L.Popescu, S.Rakers, R.Schmidt, H.J.Wortche - Phys.Rev. C 71, 014606 (2005)  
Spin-isospin excitations in the medium-mass nucleus  $^{58}\text{Co}$  investigated with the (d,  $^2\text{He}$ ) reaction
- 2005HA05 D.J.Hartley, M.K.Djongolov, L.L.Riedinger, G.B.Hagemann, R.V.F.Janssens, F.G.Kondev, E.F.Moore, M.A.Riley, A.Aguilar, C.R.Bingham, D.B.Campbell, M.P.Carpenter, P.Chowdhury, M.Cromaz, D.M.Cullen, M.Danchev, G.D.Dracoulis, P.Fallon, J.Goon, R.A.Kaye, T.L.Khoo, R.W.Laird, T.Lauritsen, A.O.Macchiavelli, B.McClain, G.Mukherjee, E.Ngijoi-Yogo, H.I.Park, G.Sletten, S.K.Tandel, P.M.Walker, J.-Y.Zhang - Phys.Lett. B 608, 31 (2005)  
Wobbling excitations in strongly deformed Hf nuclei?
- 2005HA07 R.Hartke, D.R.Symes, F.Buersgens, L.E.Ruggles, J.L.Porter, T.Ditmire - Nucl.Instrum.Methods Phys.Res. A540, 464 (2005)  
Fusion neutron detector calibration using a table-top laser generated plasma neutron source

## REFERENCES

---

- 2005HA16 J.W.Hammer, M.Fey, R.Kunz, J.Kiener, V.Tatischeff, F.Haas, J.L.Weil, M.Assuncao, C.Beck, C.Boukari-Pelissie, A.Coc, J.J.Correia, S.Courtin, F.Fleurot, E.Galanopoulos, C.Grama, F.Hammache, S.Harissopulos, A.Korichi, E.Krmpotic, D.Le Du, A.Lopez-Martens, D.Malcherek, R.Meunier, P.Papka, T.Paradellis, M.Rousseau, N.Rowley, G.Staudt, S.Szilner - Nucl.Phys. A752, 514c (2005)  
New determination of the  $^{12}\text{C}(\alpha, \gamma)^{16}\text{O}$  reaction rate from  $\gamma$ -ray angular distribution measurements
- 2005HA25 G.Hammond, M.A.Bentley, F.Becker, J.Grebosz, M.J.Taylor, A.Banu, C.J.Barton, T.Beck, P.Bednarczyk, A.Bracco, A.M.Bruce, L.C.Bullock, A.Burger, F.Camera, C.Chandler, P.Doornenbal, J.Gerl, H.Geissel, M.Gorska, M.Hellstrom, D.Judson, I.Kojouharov, N.Kurz, R.Lozeva, A.Maj, S.Mandal, B.McGuirk, S.Muralithar, E.S.Paul, Zs.Podolyak, W.Prokopowicz, D.Rudolph, N.Saito, T.R.Saito, H.Schaffner, J.Simpson, D.D.Warner, H.Weick, C.Wheldon, M.Winkler, H.-J.Wollersheim - Acta Phys.Pol. B36, 1253 (2005)  
Spectroscopy of T=3 / 2 mirror nuclei via two-step fragmentation using RISING
- 2005HA32 D.J.Hamilton, and the Jefferson Lab Hall A Collaboration - Phys.Rev.Lett. 94, 242001 (2005)  
Polarization Transfer in Proton Compton Scattering at High Momentum Transfer
- 2005HA37 D.K.Hasell, for the BLAST Collaboration - Nucl.Phys. A755, 257c (2005)  
Recent Results from BLAST
- 2005HA39 C.Hadjidakis, on behalf of the HERMES Collaboration - Nucl.Phys. A755, 557c (2005)  
Exclusive pion production at HERMES
- 2005HA45 S.Harissopulos, J.Doring, M.La Commara, K.Schmidt, C.Mazzocchi, R.Borcea, S.Galanopoulos, M.Gorska, H.Grawe, M.Hellstrom, Z.Janas, R.Kirchner, E.Roeckl, I.P.Johnstone, R.Schwengner, L.D.Skouras - Phys.Rev. C 72, 024303 (2005)  
 $\beta$  decay of  $^{95}\text{Ag}$
- 2005HA48 J.W.Hammer, M.Fey, R.Kunz, J.Kiener, V.Tatischeff, F.Haas, J.L.Weil, M.Assuncao, C.Beck, C.Boukari-Pelissie, A.Coc, J.J.Correia, S.Courtin, F.Fleurot, E.Galanopoulos, C.Grama, F.Hammache, S.Harissopulos, A.Korichi, E.Krmpotic, D.Le Du, A.Lopez-Martens, D.Malcherek, R.Meunier, P.Papka, T.Paradellis, M.Rousseau, N.Rowley, G.Staudt, S.Szilner - Nucl.Phys. A758, 363c (2005)  
E1 and E2 capture cross section and astrophysical reaction rate of the key reaction  $^{12}\text{C}(\alpha, \gamma)^{16}\text{O}$
- 2005HA49 S.Harissopulos, A.Spyrou, A.Lagoyannis, Ch.Zarkadas, H.-W.Becker, C.Rolfs, F.Strieder, J.W.Hammer, A.Dewald, K.-O.Zell, P.von Brentano, R.Julin, P.Demetriou, S.Goriely - Nucl.Phys. A758, 505c (2005)  
Systematic measurements of proton- and alpha-capture cross sections relevant to the modelling of the p process

REFERENCES

---

- 2005HA56 S.Harissopoulos, A.Lagoyannis, A.Spyrou, Ch.Zarkadas, S.Galanopoulos, G.Perdikakis, H.-W.Becker, C.Rolfs, F.Strieder, R.Kunz, M.Fey, J.W.Hammer, A.Dewald, K.-O.Zell, P.von Brentano, R.Julin, P.Demetriou - J.Phys.(London) G31, S1417 (2005)  
Proton and alpha-particle capture reactions at sub-Coulomb energies relevant to the p process
- 2005HA57 B.Hadinia, B.Cederwall, J.Blomqvist, E.Ganioglu, P.T.Greenlees, K.Andgren, I.G.Darby, S.Eeckhauudt, E.Ideguchi, P.M.Jones, D.T.Joss, R.Julin, S.Juutinen, S.Ketelhut, K.Lagergren, A.-P.Leppanen, M.Leino, M.Nyman, J.Pakarinen, E.S.Paul, M.Petri, P.Rahkila, M.Sandzelius, J.Saren, C.Scholey, J.Uusitalo, R.Wadsworth, R.Wyss - Phys.Rev. C 72, 041303 (2005)  
First identification of excited states in  $^{106}\text{Te}$  and evidence for isoscalar-enhanced vibrational collectivity
- 2005HA60 T.Hayakawa, T.Shizuma, T.Kajino, S.Chiba, N.Shinohara, T.Nakagawa, T.Arima - Astrophys.J. 628, 533 (2005)  
New s-Process Path and Its Implications for a  $^{187}\text{Re}$ - $^{187}\text{Os}$  Nucleo-Cosmochronometer
- 2005HA64 M.Hatano, H.Sakai, T.Wakui, T.Uesaka, N.Aoi, Y.Ichikawa, T.Ikeda, K.Itoh, H.Iwasaki, T.Kawabata, H.Kuboki, Y.Maeda, N.Matsui, T.Ohnishi, T.K.Onishi, T.Saito, N.Sakamoto, M.Sasano, Y.Satou, K.Sekiguchi, K.Suda, A.Tamii, Y.Yanagisawa, K.Yako - Eur.Phys.J. A 25, Supplement 1, 255 (2005)  
First experiment of  $^6\text{He}$  with a polarized proton target
- 2005HAZN S.Harissopoulos, H.W.Becker, J.W.Hammer, A.Lagoyannis, C.Rolfs, F.Strieder - nucl-ex/0509014,9/09/2005 (2005)  
The reaction  $^{13}\text{C}(\alpha, n)^{16}\text{O}$ : a background for the observation of geo-neutrinos
- 2005HAZQ F.-J.Hambsch, N.Varapai, S.Zeinalov, S.Oberstedt, O.Serot - Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.1, p. 644 (2005); AIP Conf.Proc. 769 (2005)  
Prompt Fission Neutron Emission in Resonance Fission of  $^{239}\text{Pu}$
- 2005HAZU M.Hatano, H.Sakai, T.Wakui, T.Uesaka, N.Aoi, Y.Ichikawa, T.Ikeda, K.Itoh, H.Iwasaki, T.Kawabata, H.Kuboki, Y.Maeda, N.Matsui, T.Ohnishi, T.K.Onishi, T.Saito, N.Sakamoto, M.Sasano, Y.Satou, K.Sekiguchi, K.Suda, A.Tamii, Y.Yanagisawa, K.Yako - Proc.Nuclei at the Limits, Argonne, Illinois, D.Seweryniak and T.L.Khoo, eds., p.360 (2005); AIP Conf. Proc 764 (2005)  
 $^6\text{He}$  Scattering With Polarized Proton Target
- 2005HAZW C.R.Hansen, G.B.Hagemann, B.Herskind, D.R.Jensen, G.Sletten, J.N.Wilson, S.Odegard, P.Bringel, C.Engelhardt, H.Hubel, A.Neusser, A.K.Singh, G.Benzoni, A.Bracco, F.Camera, S.Leoni, A.Maj, T.Byrski, D.Curien, P.Bednarczyk, A.Korichi, J.Rocaz, J.C.Lisle, T.Steinhardt, O.Thelen, M.P.Carpenter, R.V.F.Janssens, T.L.Khoo, T.Lauritsen, R.M.Clark, P.Fallon - Proc.Nuclei at the Limits, Argonne, Illinois, D.Seweryniak and T.L.Khoo, eds., p.46 (2005); AIP Conf. Proc 764 (2005)  
Search For Hyperdeformation In Xe Nuclei



## REFERENCES

---

- 2005HAZX D.J.Hartley, M.K.Djongolov, L.L.Riedinger, G.B.Hagemann, R.V.F.Janssens, F.G.Kondev, E.F.Moore, M.A.Riley, A.A.Aguilar, C.R.Bingham, D.B.Campbell, M.P.Carpenter, P.Chowdhury, M.Cromaz, D.M.Cullen, M.Danchev, G.D.Dracoulis, P.Fallon, J.Goon, R.A.Kaye, T.L.Khoo, R.W.Laird, T.Lauritsen, A.O.Macchiavelli, B.McClain, G.Mukherjee, E.Ngijoi-Yogo, H.I.Park, G.Sletten, S.K.Tandel, P.M.Walker, J.-y.Zhang - Proc.Nuclei at the Limits, Argonne, Illinois, D.Seweryniak and T.L.Khoo, eds., p.15 (2005); AIP Conf. Proc 764 (2005)  
Search For Wobbling Excitations In Hf Nuclei: Are The SD Bands Triaxial?
- 2005HAZZ T.Hayakawa, T.Shizuma, T.Arima, T.Kajino, S.Chiba, N.Shinohara, H.Utsunomiya - Proc. Intern. Symposium on the Origin of Matter and Evolution of Galaxies, Riken, Saitama, Japan, 17-19 November 2003, World Scientific, Singapore, p.208 (2005)  
 $^{186}\text{Re}$  isomer contribution to  $^{187}\text{Re}$ - $^{187}\text{Os}$  cosmochronometer
- 2005HE03 A.Herlert, D.Beck, K.Blaum, F.Carrel, P.Delahaye, S.George, C.Guenaut, F.Herfurth, A.Kellerbauer, H.-J.Kluge, D.Lunney, M.Mukherjee, L.Schweikhard, C.Yazidjian - New Journal of Physics 7, 44 (2005)  
Mass spectrometry of atomic ions produced by in-trap decay of short-lived nuclides
- 2005HE04 M.Heil, S.Dababneh, A.Juseviciute, F.Kappeler, R.Plug, R.Reifarth, S.O'Brien - Phys.Rev. C 71, 025803 (2005)  
Quasistellar spectrum for neutron activation measurements at  $kT = 5$  keV
- 2005HE05 A.Hermanne, F.Tarkanyi, S.Takacs, Yu.N.Shubin - Nucl.Instrum.Methods Phys.Res. B229, 321 (2005)  
Experimental determination of cross section of alpha-induced reactions on  $^{nat}\text{Pd}$
- 2005HE08 P.Heckman, B.B.Back, T.Baumann, M.P.Carpenter, I.Dioszegi, D.J.Hofman, T.L.Khoo, S.Mitsuoka, V.Nanal, T.Pennington, J.P.Seitz, M.Thoennessen, E.Tryggestad, R.L.Varner - Nucl.Phys. A750, 175 (2005)  
Temperature and spin dependence of the giant dipole resonance width
- 2005HE13 A.Hermanne, F.Tarkanyi, S.Takacs, Z.Szucs, Yu.N.Shubin, A.I.Dityuk - Appl.Radiat.Isot. 63, 1 (2005)  
Experimental study of the cross-sections of  $\alpha$ -particle induced reactions on  $^{209}\text{Bi}$
- 2005HE19 M.Heil, S.Dababneh, F.Kappeler, R.Plug, A.Juseviciute, N.Winckler, R.Reifarth, S.O'Brien - Nucl.Phys. A758, 529c (2005)  
A neutron source to measure stellar neutron capture cross sections at  $kT=5$  keV
- 2005HE24 M.He, S.Jiang, Y.Nagashima, Y.Yang, T.Takahashi, K.Liu, K.Sasa, K.Dong, S.Wu, T.Matsuihiro, H.Tosaki, X.Ren, R.Seki, K.Sueki - Nucl.Instrum.Methods Phys.Res. B240, 612 (2005)  
Measurement of the cross-section of  $^{14}\text{N}(^{16}\text{O}, \alpha)^{26}\text{Al}$  with AMS

REFERENCES

---

- 2005HE26 F.Herfurth, G.Audi, D.Beck, K.Blaum, G.Bollen, P.Delahaye, S.George, C.Guenaut, A.Herlert, A.Kellerbauer, H.-J.Kluge, D.Lunney, M.Mukherjee, S.Rahaman, S.Schwarz, L.Schweikhard, C.Weber, C.Yazidjian - Eur.Phys.J. A 25, Supplement 1, 17 (2005)  
Recent high-precision mass measurements with the Penning trap spectrometer ISOLTRAP
- 2005HE27 F.P.Hessberger, S.Antalic, B.Streicher, S.Hofmann, D.Ackermann, B.Kindler, I.Kojouharov, P.Kuusiniemi, M.Leino, B.Lommel, R.Mann, K.Nishio, S.Saro, B.Sulignano - Eur.Phys.J. A 26, 233 (2005)  
Energy systematics of low-lying Nilsson levels in odd-mass einsteinium isotopes
- 2005HEZS J.J.He, S.Kubono, T.Teranishi, M.Notani, H.Baba, S.Nishimura, J.Y.Moon, M.Nishimura, S.Michimasa, H.Iwasaki, Y.Yanagisawa, N.Hokoiwa, M.Kibe, J.H.Lee, S.Kato, Y.Gono, C.S.Lee - CNS-REP-66, p.3 (2005)  
Study of Proton Resonant States in  $^{23}\text{Al}$  using a Radioactive Beam of  $^{22}\text{Mg}$
- 2005HEZT J.J.He, S.Kubono, T.Teranishi, M.Notani, H.Baba, S.Nishimura, J.Y.Moon, M.Nishimura, S.Michimasa, H.Iwasaki, Y.Yanagisawa, N.Hokoiwa, M.Kibe, J.H.Lee, S.Kato, Y.Gono, C.S.Lee - CNS-REP-66, p.1 (2005)  
Study of Proton Resonant States in  $^{22}\text{Mg}$  using a Radioactive Beam of  $^{21}\text{Na}$
- 2005HEZU F.P.Hessberger, S.Hofmann, D.Ackermann, S.Antalic, I.Kojouharov, P.Kuusiniemi, R.Mann, K.Nishio, S.Saro, B.Streicher, B.Sulignano, M.Venhardt - GSI 2005-1, p.73 (2005)  
Decay spectroscopy of  $^{255}\text{No}$
- 2005HEZW A.Hermanne, F.Tarkanyi, S.Takacs, Yu.N.Shubin - Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.1, p. 961 (2005); AIP Conf.Proc. 769 (2005)  
Experimental Determination of Cross Section of Alpha-Induced Reactions on  $^{nat}\text{Pd}$
- 2005HEZX A.Hermanne, F.Tarkanyi, S.Takacs, Z.Szucs - Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.1, p. 957 (2005); AIP Conf.Proc. 769 (2005)  
Experimental Study of the Cross Sections of alpha-Particle Induced Reactions on  $^{209}\text{Bi}$
- 2005HEZZ J.J.He, S.Kubono, T.Teranishi, M.Notani, S.Michimasa, H.Baba, S.Nishimura, M.Nishimura, Y.Yanagisawa, N.Hokoiwa, M.Kibe, Y.Gono, J.Y.Moon, J.H.Lee, C.S.Lee, H.Iwasaki, S.Kato - Proc. Intern. Symposium on the Origin of Matter and Evolution of Galaxies, Riken, Saitama, Japan, 17-19 November 2003, World Scientific, Singapore, p.481 (2005)  
Investigation of resonant states in  $^{23}\text{Al}$  using a radioactive beam of  $^{22}\text{Mg}$  on a proton target
- 2005HI03 Y.Hirayama, T.Shimoda, H.Izumi, A.Hatakeyama, K.P.Jackson, C.D.P.Levy, H.Miyatake, M.Yagi, H.Yano - Phys.Lett. B 611, 239 (2005)

REFERENCES

---

- Study of  $^{11}\text{Be}$  structure through  $\beta$ -delayed decays from polarized  $^{11}\text{Li}$
- 2005HI04 S.F.Hicks, G.K.Alexander, C.A.Aubin, M.C.Burns, C.J.Collard, M.M.Walbran, J.R.Vanhoy, E.Jensen, P.E.Garrett, M.Kadi, A.Martin, N.Warr, S.W.Yates - Phys.Rev. C 71, 034307 (2005)  
Intruder structures observed in  $^{122}\text{Te}$  through inelastic neutron scattering
- 2005HI08 K.Hilgers, S.Sudar, S.M.Qaim - Appl.Radiat.Isot. 63, 93 (2005)  
Experimental study and nuclear model calculations on the  $^{192}\text{Os}(p, n)^{192}\text{Ir}$  reaction: Comparison of reactor and cyclotron production of the therapeutic radionuclide  $^{192}\text{Ir}$
- 2005HIZX K.Hilgers, S.M.Qaim, H.H.Coenen - Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.2, p. 1631 (2005); AIP Conf.Proc. 769 (2005)  
New Cross Section Data for Production of the Therapeutic Radionuclides  $^{64}\text{Cu}$ ,  $^{140}\text{Nd}$ , and  $^{192}\text{Ir}$
- 2005HIZY A.Hildebrand, J.Blomgren, A.Atac, B.Bergenwall, C.Johansson, J.Klug, P.Mermod, L.Nilsson, S.Pomp, M.Esterlund, S.Dangtip, U.Tippawan, P.Phansuke, O.Jonsson, P.-U.Renberg, A.Prokofiev, P.Nadel-Turonski, K.Elmgren, N.Olsson, V.Blideanu, C.Le Brun, J.-F.Lecolley, F.-R.Lecolley, M.Louvel, N.Marie-Noury, C.Schweitzer, Ph.Eudes, F.Haddad, C.Lebrun, A.J.Koning - Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.1, p. 853 (2005); AIP Conf.Proc. 769 (2005)  
Elastic Neutron Scattering at 96 MeV
- 2005HIZZ S.F.Hicks, G.K.Alexander, C.A.Aubin, M.C.Burns, C.J.Collard, M.W.Walbran, J.R.Vanhoy, E.Jensen, P.E.Garrett, M.Kadi, A.Martin, N.Warr, S.W.Yates - Priv.Comm. (2005)  
Intruder Structures in  $^{122}\text{Te}$  through inelastic neutron scattering
- 2005H008 P.T.Hosmer, H.Schatz, A.Aprahamian, O.Arndt, R.R.C.Clement, A.Estrade, K.-L.Kratz, S.N.Liddick, P.F.Mantica, W.F.Mueller, F.Montes, A.C.Morton, M.Ouellette, E.Pellegrini, B.Pfeiffer, P.Reeder, P.Santi, M.Steiner, A.Stolz, B.E.Tomlin, W.B.Walters, A.Wohr - Phys.Rev.Lett. 94, 112501 (2005)  
Half-Life of the Doubly Magic r-Process Nucleus  $^{78}\text{Ni}$
- 2005H010 F.Hofmann, C.Baumer, A.M.van den Berg, D.Frekers, V.M.Hannen, M.N.Harakeh, M.A.de Huu, Y.Kalmykov, P.von Neumann-Cosel, V.Yu.Ponomarev, S.Rakers, B.Reitz, A.Richter, A.Shevchenko, K.Schweda, J.Wambach, H.J.Wortche - Phys.Lett. B 612, 165 (2005)  
Polarized proton scattering on  $^{58}\text{Ni}$  at small momentum transfer: A test of the microscopic optical model and effective interactions
- 2005H015 J.Honzatko, V.Bondarenko, I.Tomandl, T.von Egidy, H.-F.Wirth, D.Bucurescu, V.Yu.Ponomarev, N.Marginean, R.Hertenberger, Y.Eisermann, G.Graw, L.Rubacek - Nucl.Phys. A756, 249 (2005)

REFERENCES

---

- Nuclear structure of  $^{127}\text{Te}$  studied with (n,  $\gamma$ ) and (d(pol), p) reactions and interpreted with IBFM and QPM
- 2005H016 M.V.Hoshovsky, V.M.Mazur, Z.M.Bigan, V.I.Lyamayev, T.Yo.Marynets - Ukr.J.Phys. 50, 649 (2005)  
Excitation cross sections for the  $13 / 2^+$  isomer state of mercury-199 nucleus in the ( $\gamma$ ,  $\gamma'$ ) and ( $\gamma$ , n) reactions
- 2005H0ZW M.J.Hornish, L.De Braecheleer, A.S.Barabash, V.I.Umatov - nucl-ex/0512030,12/20/2005 (2005)  
Double Beta Decay of  $^{100}\text{Mo}$  to Excited Final States
- 2005H0ZX S.Hofmann, D.Ackermann, S.Antalic, H.G.Burkhard, R.Dressler, F.P.Hessberger, B.Kindler, I.Kojouharov, P.Kuusiniemi, M.Leino, B.Lommel, R.Mann, G.Munzenberg, K.Nishio, A.G.Popeko, S.Saro, H.J.Schott, B.Streicher, B.Sulignano, J.Uusitalo, A.V.Yeremin - Priv.Comm. (2005)  
Synthesis of SHE at ship
- 2005HU08 R.O.Hughes, N.V.Zamfir, D.C.Radford, C.J.Gross, C.J.Barton, C.Baktash, M.A.Caprio, R.F.Casten, A.Galindo-Urbarri, P.A.Hausladen, E.A.McCutchan, J.J.Ressler, D.Shapira, D.W.Stracener, C.-H.Yu - Phys.Rev. C 71, 044311 (2005)  
 $\gamma$ -ray spectroscopy of  $^{132}\text{Te}$  through  $\beta$  decay of a  $^{132}\text{Sb}$  radioactive beam
- 2005HU10 M.Hunyadi, A.M.van den Berg, M.Csatlos, L.Csige, B.Davids, U.Garg, J.Gulyas, M.N.Harakeh, M.A.de Huij, A.Krasznahorkay, D.Sohler, H.J.Wortche - Acta Phys.Pol. B36, 1115 (2005)  
Overtones of isoscalar giant resonances studied in direct particle decay measurements
- 2005HU14 D.Huang, P.Wang, X.Chen, W.Tian, B.Ni, L.Zhang, G.Zhang, C.Liu, L.Liu - J.Radioanal.Nucl.Chem. 265, 499 (2005)  
Half-life of  $^{97}\text{Zr}$ , re-measured
- 2005HUZZ H.Hubel, A.Burger, T.R.Saito, H.Grawe, P.Reiter, F.Becker, J.Gerl, M.Gorska, H.J.Wollersheim, A.Al-Khatib, A.Banu, T.Beck, P.Bednarczyk, G.Benzoni, A.Bracco, S.Brambilla, P.Bringel, F.Camera, E.Clement, P.Doornenbal, H.Geissel, A.Gorgen, J.Grebosz, G.Hammond, M.Hellstrom, M.Kavatsyuk, O.Kavatsyuk, M.Kmiecik, I.Kojouharov, W.Korten, N.Kurz, R.Lozeva, A.Maj, S.Mandal, B.Million, S.Muralithar, A.Neusser, Zs.Podolyak, N.Saito, A.K.Singh, H.Weick, O.Wieland, M.Winkler, C.Wheldon - Proc. XLIII Intern.Winter Meeting on Nuclear Physics, Bormio, Italy, 14 - 19 March 2005, I.Iori and A.Bortolotti, eds., p.232 (2005)  
Relativistic Coulomb Excitation of Neutron-Rich Cr Isotopes
- 2005HW06 J.K.Hwang, A.V.Ramayya, J.H.Hamilton, D.Fong, C.J.Beyer, K.Li, P.M.Gore, E.F.Jones, Y.X.Luo, J.O.Rasmussen, S.J.Zhu, S.C.Wu, I.Y.Lee, M.A.Stoyer, J.D.Cole, G.M.Ter-Akopian, A.Daniel, R.Donangelo - Eur.Phys.J. A 25, Supplement 1, 463 (2005)  
Half-life measurement of excited states in neutron-rich nuclei

REFERENCES

---

- 2005HY04 B.Hyland, D.Melconian, G.C.Ball, J.R.Leslie, C.E.Svensson, P.Bricault, E.Cunningham, M.Dombsky, G.F.Grinyer, G.Hackman, K.Koopmans, F.Sarazin, M.A.Schumaker, H.C.Scraggs, M.B.Smith, P.M.Walker - J.Phys.(London) G31, S1885 (2005)  
Precision half-life measurement of  $^{62}\text{Ga}$
- 2005IC02 S.Ichikawa, M.Asai, K.Tsukada, H.Haba, Y.Nagame, M.Shibata, M.Sakama, Y.Kojima - Phys.Rev. C 71, 067302 (2005)  
 $\beta$ -decay half-lives of new neutron-rich rare-earth isotopes  $^{159}\text{Pm}$ ,  $^{162}\text{Sm}$ , and  $^{166}\text{Gd}$
- 2005ID03 E.Ideguchi, M.Niikura, C.Ishida, T.Fukuchi, H.Baba, N.Hokoiwa, H.Iwasaki, T.Koike, T.Komatsubara, T.Kubo, M.Kurokawa, S.Michimasa, K.Miyakawa, K.Morimoto, T.Ohnishi, S.Ota, A.Ozawa, S.Shimoura, T.Suda, M.Tamaki, I.Tanihata, Y.Wakabayashi, K.Yoshida, B.Cederwall - Eur.Phys.J. A 25, Supplement 1, 429 (2005)  
Study of high-spin states in the  $^{48}\text{Ca}$  region by using secondary fusion reactions
- 2005IDZY E.Ideguchi, B.Cederwall, E.Ganioglu, B.Hadinia, K.Lagergren, T.Back, S.Eeckhauadt, T.Grahn, P.Greenlees, A.Johnson, D.T.Joss, R.Julin, S.Juutinen, H.Kettunen, M.Leino, A.-P.Leppanen, P.Nieminen, M.Nyman, J.Pakarinen, E.S.Paul, P.Rahkila, C.Scholey, J.Uusitalo, R.Wadsworth, D.R.Wiseman, R.Wyss - CNS-REP-66, p.19 (2005)  
A Rotational Band in  $^{107}\text{In}$
- 2005IDZZ E.Ideguchi, M.Niikura, C.Ishida, T.Fukuchi, H.Baba, N.Hokoiwa, H.Iwasaki, T.Koike, T.Komatsubara, T.Kubo, M.Kurokawa, S.Michimasa, K.Miyakawa, K.Morimoto, T.Ohnishi, S.Ota, A.Ozawa, S.Shimoura, T.Suda, M.Tamaki, I.Tanihata, Y.Wakabayashi, K.Yoshida, B.Cederwall - Proc.Nuclei at the Limits, Argonne, Illinois, D.Seweryniak and T.L.Khoo, eds., p.136 (2005); AIP Conf. Proc 764 (2005)  
Study Of High-Spin States In  $^{48}\text{Ca}$  Region Induced By Secondary Fusion Reactions
- 2005II01 H.Iimura, M.Asai, S.Ichikawa, J.Katakura, M.Magara, A.Osa, M.Oshima, N.Shinohara, H.Yamamoto - Eur.Phys.J. A 23, 33 (2005)  
Levels in  $^{127}\text{La}$  fed by the  $^{127}\text{Ce}$  beta-decay
- 2005IL01 M.Iliescu, for the DEAR and SIDDHARTA Collaborations - Nucl.Phys. A755, 455c (2005)  
Precision measurements on kaonic hydrogen and kaonic deuterium: DEAR and SIDDHARTA
- 2005IL02 C.Iliadis, A.E.Champagne - Nucl.Phys. A758, 73c (2005)  
Nuclear Astrophysics: Direct measurements with stable beams
- 2005IL03 C.Iliadis, A.Champagne, J.Jose - J.Phys.(London) G31, S1785 (2005)  
Explosive hydrogen burning of  $^{23}\text{Na}$  in classical novae

REFERENCES

---

- 2005IM02 G.Imbriani, H.Costantini, A.Formicola, A.Vomiero, C.Angulo, D.Bemmerer, R.Bonetti, C.Broggini, F.Confortola, P.Corvisiero, J.Cruz, P.Descouvemont, Z.Fulop, G.Gervino, A.Guglielmetti, C.Gustavino, Gy.Gyurky, A.P.Jesus, M.Junker, J.N.Klug, A.Lemut, R.Menegazzo, P.Prati, V.Roca, C.Rolfs, M.Romano, C.Rossi-Alvarez, F.Schumann, D.Schurmann, E.Somorjai, O.Straniero, F.Strieder, F.Terrasi, H.P.Trautvetter - Eur.Phys.J. A 25, 455 (2005)  
S-factor of  $^{14}\text{N}(p, \gamma)^{15}\text{O}$  at astrophysical energies
- 2005IMZY G.Imbriani, H.Costantini, A.Formicola, A.Vomiero, C.Angulo, D.Bemmerer, R.Bonetti, C.Broggini, F.Confortola, P.Corvisiero, J.Cruz, P.Descouvemont, Zs.Fulop, G.Gervino, A.Guglielmetti, C.Gustavino, Gy.Gyurky, A.P.Jesus, M.Junker, J.N.Klug, A.Lemut, R.Menegazzo, P.Prati, V.Roca, C.Rolfs, M.Romano, C.Rossi Alvarez, F.Schumann, D.Schurmann, E.Somorjai, O.Straniero, F.Strieder, F.Terrasi, H.P.Trautvetter - nucl-ex/0509005,9/01/2005 (2005)  
S-factor of  $^{14}\text{N}(p, \gamma)^{15}\text{O}$  at astrophysical energies
- 2005IMZZ N.Imai, N.Aoi, H.J.Ong, H.Sakurai, K.Demichi, H.Kawasaki, H.Baba, Zs.Dombradi, Z.Elekes, N.Fukuda, Zs.Fulop, A.Gelberg, T.Gomi, H.Hasegawa, K.Ishikawa, H.Iwasaki, E.Kaneko, S.Kanno, T.Kishida, Y.Kondo, T.Kubo, K.Kurita, S.Michimasa, T.Minemura, M.Miura, T.Motobayashi, T.Nakamura, M.Notani, T.K.Onishi, A.Saito, S.Shimoura, T.Sugimoto, M.K.Suzuki, E.Takeshita, S.Takeuchi, M.Tamaki, K.Yoneda, H.Watanabe, M.Ishihara - RIKEN Accelerator Progress Report 2004, p.41 (2005)  
Lifetime of the first excited state of  $^{12}\text{Be}$
- 2005I002 M.Ionescu-Bujor, A.Iordachescu, D.Bucurescu, N.Marginean - Phys.Rev. C 72, 044313 (2005)  
New short-lived isomers in  $^{84}\text{Y}$
- 2005IS07 T.Ishii, S.Shigematsu, M.Asai, A.Makishima, M.Matsuda, J.Kaneko, I.Hossain, S.Ichikawa, T.Kohno, M.Ogawa - Phys.Rev. C 72, 021301 (2005)  
In-beam  $\gamma$ -ray spectroscopy of  $^{240}\text{U}$  using the ( $^{18}\text{O}$ ,  $^{16}\text{O}$ ) reaction
- 2005ISZZ H.Ishiyama, H.Miyatake, M.-H.Tanaka, Y.Watanabe, N.Yoshikawa, S.Jeong, Y.Matsuyama, Y.Fuchi, I.Katayama, T.Nomura, T.Hashimoto, T.Ishikawa, K.Nakai, S.K.Das, P.K.Saha, T.Fukuda, K.Nishio, S.Mitsuoka, H.Ikezoe, M.Matsuda, S.Ichikawa, T.Furukawa, H.Izumi, T.Shimoda, Y.Mizoi, M.Terasawa - Proc. Intern. Symposium on the Origin of Matter and Evolution of Galaxies, Riken, Saitama, Japan, 17-19 November 2003, World Scientific, Singapore, p.316 (2005)  
Direct measurements of the astrophysical ( $\alpha$ , n) and (p, n) reactions by using low-energy light neutron-rich RNB
- 2005IW01 A.Iwahara, M.A.L.da Silva, A.E.Carvalho Filho, E.M.de Oliveira Bernardes, J.U.Delgado - Appl.Radiat.Isot. 63, 107 (2005)  
Determination of disintegration rates and  $\gamma$ -ray emission probabilities of  $^{65}\text{Zn}$  and  $^{241}\text{Am}$

## REFERENCES

---

- 2005IW02 H.Iwasaki, T.Motobayashi, H.Sakurai, K.Yoneda, T.Gomi, N.Aoi, N.Fukuda, Zs.Fulop, U.Futakami, Z.Gacsi, Y.Higurashi, N.Imai, N.Iwasa, T.Kubo, M.Kunibu, M.Kurokawa, Z.Liu, T.Minemura, A.Saito, M.Serata, S.Shimoura, S.Takeuchi, Y.X.Watanabe, K.Yamada, Y.Yanagisawa, M.Ishihara - Phys.Lett. B 620, 118 (2005)  
Quadrupole collectivity of  $^{28}\text{Ne}$  and the boundary of the island of inversion
- 2005IW03 H.Iwasaki, N.Aoi, S.Takeuchi, S.Ota, H.Sakurai, M.Tamaki, T.K.Onishi, E.Takeshita, H.J.Ong, N.Iwasa, H.Baba, Z.Elekes, T.Fukuchi, Y.Ichikawa, M.Ishihara, S.Kanno, R.Kanungo, S.Kawai, T.Kubo, K.Kurita, S.Michimasa, M.Niikura, A.Saito, Y.Satou, S.Shimoura, H.Suzuki, M.K.Suzuki, Y.Togano, Y.Yanagisawa, T.Motobayashi - Eur.Phys.J. A 25, Supplement 1, 415 (2005)  
Intermediate-energy Coulomb excitation of the neutron-rich Ge isotopes around  $N = 50$
- 2005IWZX N.Iwasa, S.Bishop, Z.Elekes, J.Gibelin, M.Hosoi, K.Ieki, K.Ishikawa, H.Iwasaki, S.Kawai, S.Kubono, K.Kurita, M.Kurokawa, N.Matsui, T.Minemura, H.Morikawa, T.Nakamura, M.Niikura, M.Notani, S.Ota, A.Saito, H.Sakurai, S.Shimoura, K.Sugawara, T.Sugimoto, H.Suzuki, T.Suzuki, E.Takeshita, S.Takeuchi, I.Tanihata, T.Teranishi, Y.Togano, K.Yamada, K.Yamaguchi, Y.Yanagisawa, T.Motobayashi - RIKEN Accelerator Progress Report 2004, p.58 (2005)  
Coulomb excitation of  $^{20}\text{Mg}$
- 2005JA03 Z.Janas, C.Mazzocchi, L.Batist, A.Blazhev, M.Gorska, M.Kavatsyuk, O.Kavatsyuk, R.Kirchner, A.Korgul, M.La Commara, K.Miernik, I.Mukha, A.Plochocki, E.Roeckl, K.Schmid - Eur.Phys.J. A 23, 197 (2005)  
Measurements of  $^{110}\text{Xe}$  and  $^{106}\text{Te}$  decay half-lives
- 2005JA06 Z.Janas, L.Batist, J.Doring, M.Gierlik, R.Kirchner, J.Kurcewicz, H.Mahmud, C.Mazzocchi, A.Plochocki, E.Roeckl, K.Schmidt, P.J.Woods, J.Zylicz - Eur.Phys.J. A 23, 401 (2005)  
Total absorption spectroscopy of the  $\beta$ -delayed proton emitter  $^{117}\text{Ba}$
- 2005JA10 Z.Janas, L.Batist, R.Borcea, J.Doring, M.Gierlik, M.Karny, R.Kirchner, M.La Commara, S.Mandal, C.Mazzocchi, F.Moroz, S.Orlov, A.Plochocki, E.Roeckl, J.Zylicz - Eur.Phys.J. A 24, 205 (2005)  
Lifetimes of proton unstable states in  $^{113}\text{I}$  measured by the particle-X-ray coincidence technique
- 2005JA12 M.Jandel, J.Kliman, L.Krupa, M.Morhac, J.H.Hamilton, J.Kormicki, A.V.Ramayya, J.K.Hwang, Y.X.Luo, D.Fong, P.Gore, G.M.Ter-Akopian, Yu.Ts.Oganessian, A.M.Rodin, A.S.Fomichev, G.S.Popeko, A.V.Daniel, J.O.Rasmussen, A.O.Macchiavelli, M.A.Stoyer, R.Donangelo, J.D.Cole - Eur.Phys.J. A 24, 373 (2005)  
Angular momenta of fission fragments in the  $\alpha$ -accompanied fission of  $^{252}\text{Cf}$
- 2005JA17 Th.Jagemann, J.Jochum, F.V.Feilitzsch - Nucl.Instrum.Methods Phys.Res. A551, 245 (2005)  
Neutron scattering facility for the measurement of nuclear recoil quenching factors

REFERENCES

---

- 2005JAZZ H.C.Jain, S.Lakshmi, P.K.Joshi - Proc.Nuclei at the Limits, Argonne, Illinois, D.Seweryniak and T.L.Khoo, eds., p.99 (2005); AIP Conf. Proc 764 (2005)  
Identification Of Chiral Bands In  $^{135}\text{Ce}$
- 2005JE01 H.B.Jeppesen, and the ISOLDE and REX-ISOLDE Collaborations - Nucl.Phys. A748, 374 (2005)  
Low energy reactions with radioactive ions at REX-ISOLDE-the  $^9\text{Li} + ^2\text{H}$  case
- 2005JE03 D.G.Jenkins, B.R.Fulton, J.Pearson, C.J.Lister, M.P.Carpenter, S.J.Freeman, N.J.Hammond, R.V.F.Janssens, T.L.Khoo, T.Lauritsen, A.H.Wuosmaa, P.Fallon, A.Gorgen, A.O.Macchiavelli, M.McMahan, M.Freer, F.Haas - Phys.Rev. C 71, 041301 (2005)  
Doorway states as a principal decay pathway in  $^{12}\text{C}(^{12}\text{C}, \gamma)$  radiative capture
- 2005JE04 P.Jesinger, Yu.N.Kopatch, M.Mutterer, F.Gonnenwein, A.M.Gagarski, J.V.Kalben, V.Nesvizhevsky, G.A.Petrov, W.H.Trzaska, H.-J.Wollersheim - Eur.Phys.J. A 24, 379 (2005)  
New experimental studies on the quaternary fission of  $^{233,235}\text{U}(n_{th}, f)$  and  $^{252}\text{Cf}(sf)$
- 2005JE06 D.G.Jenkins, B.R.Fulton, C.J.Lister, R.V.F.Janssens, T.L.Khoo, E.F.Moore, K.E.Rehm, B.Truett, A.H.Wuosmaa, M.Freer, J.Jose - Nucl.Phys. A758, 749c (2005)  
Reevaluation of the  $^{22}\text{Na}(p, \gamma)$  reaction rate
- 2005JE07 D.G.Jenkins, C.J.Lister, M.P.Carpenter, P.Chowdhury, N.J.Hammond, R.V.F.Janssens, T.L.Khoo, T.Lauritsen, D.Seweryniak, T.Davinson, P.J.Woods, A.Jokinen, H.Penttila - Phys.Rev. C 72, 031303 (2005)  
Mirror energy differences in the  $A = 31$  mirror nuclei,  $^{31}\text{S}$  and  $^{31}\text{P}$ , and their significance in electromagnetic spin-orbit splitting
- 2005JEZY M.Jentschel, H.G.Borner, P.Mutti, E.G.Kessler, Jr., M.S.Dewey, A.Henins - Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.1, p. 617 (2005); AIP Conf.Proc. 769 (2005)  
Accurate Determination of Neutron Binding Energies
- 2005JEZZ D.G.Jenkins, B.R.Fulton, J.Pearson, C.J.Lister, M.P.Carpenter, S.J.Freeman, N.J.Hammond, R.V.F.Janssens, T.L.Khoo, T.Lauritsen, A.H.Wuosmaa, P.Fallon, A.Gorgen, A.O.Macchiavelli, M.McMahan, F.Haas, and the DRAGON E947 Collaboration - Proc.Nuclei at the Limits, Argonne, Illinois, D.Seweryniak and T.L.Khoo, eds., p.367 (2005); AIP Conf. Proc 764 (2005)  
Doorway States As Principal Decay Pathway In  $^{12}\text{C}(^{12}\text{C}, \gamma)$  Radiative Capture
- 2005J002 C.Johansson, J.Blomgren, A.Atac, B.Bergenwall, S.Dangtip, K.Elmgren, A.Hildebrand, O.Jonsson, J.Klug, P.Mermod, P.Nadel-Turonski, L.Nilsson, N.Olsson, S.Pomp, A.V.Prokofiev, P.-U.Renberg, U.Tippawan, M.Osterlund - Phys.Rev. C 71, 024002 (2005)  
Forward-angle neutron-proton scattering at 96 MeV



REFERENCES

---

- 2005J003 M.S.Johnson, J.A.Cizewski, M.B.Smith, J.S.Thomas, J.A.Becker, L.A.Bernstein, A.Schiller, D.P.McNabb, P.Fallon, A.O.Macchiavelli - Phys.Rev. C 71, 024317 (2005)  
Population of superdeformed excitations in  $^{198}\text{Po}$
- 2005J004 P.Joshi, A.R.Wilkinson, T.Koike, D.B.Fossan, S.Finnigan, E.S.Paul, P.M.Raddon, G.Rainovski, K.Starosta, A.J.Simons, C.Vaman, R.Wadsworth - Eur.Phys.J. A 24, 23 (2005)  
First evidence for chirality in Tc isotopes: Spectroscopy of  $^{100}\text{Tc}$
- 2005J010 M.S.Johnson, J.A.Cizewski, K.Y.Ding, N.Fotiades, M.B.Smith, J.S.Thomas, W.Younes, J.A.Becker, L.A.Bernstein, K.Hauschild, D.P.McNabb, M.A.Deleplanque, R.M.Diamond, P.Fallon, I.Y.Lee, A.O.Macchiavelli, F.S.Stephens - Phys.Rev. C 71, 044310 (2005)  
Quasicontinuous decay and properties of superdeformed excitations in  $^{195}\text{Pb}$
- 2005J011 G.A.Jones, Zs.Podolyak, N.Schunck, P.M.Walker, G.De Angelis, Y.H.Zhang, M.Axiotis, D.Bazzacco, P.G.Bizzeti, F.Brandolini, R.Broda, D.Bucurescu, E.Farnea, W.Gelletly, A.Gadea, M.Ionescu-Bujor, A.Iordachescu, Th.Kroll, S.D.Langdown, S.Lunardi, N.Marginean, T.Martinez, N.H.Medina, B.Quintana, P.H.Regan, B.Rubio, C.A.Ur, J.J.Valiente-Dobon, S.J.Williams - Acta Phys.Pol. B36, 1323 (2005)  
Oblate collectivity in the yrast structure of  $^{194}\text{Pt}$
- 2005J012 C.Jouanne, V.Lapoux, F.Auger, N.Alamanos, A.Drouart, A.Gillibert, G.Lobo, A.Musumarra, L.Nalpas, E.Pollacco, J.-L.Sida, M.Trotta, Y.Blumenfeld, E.Khan, T.Suomijarvi, T.Zerguerras, P.Roussel-Chomaz, H.Savajols, A.Lagoyannis, A.Pakou - Phys.Rev. C 72, 014308 (2005)  
Structure of low-lying states of  $^{10,11}\text{C}$  from proton elastic and inelastic scattering
- 2005J018 D.T.Joss, J.Simpson, D.E.Appelbe, K.Lagergren, C.J.Barton, B.Cederwall, S.Eeckhaudt, T.Grahn, P.M.Jones, R.Julin, S.Juutinen, B.Hadinia, H.Kettunen, M.Leino, A.-P.Leppanen, P.Nieminen, R.D.Page, J.Pakarinen, E.S.Paul, J.Perkowski, P.Rahkila, M.A.Riley, C.Scholey, J.Uusitalo, K.Van de Vel, D.D.Warner, D.R.Wiseman - J.Phys.(London) G31, S1715 (2005)  
Yrast structures in the light Pt isotopes  $^{169-173}\text{Pt}$
- 2005J019 G.A.Jones, Zs.Podolyak, P.M.Walker, P.H.Regan, G.de Angelis, M.Axiotis, D.Bazzacco, P.G.Bizzeti, F.Brandolini, R.Broda, D.Bucurescu, E.Farnea, W.Gelletly, A.Gadea, M.Ionescu-Bujor, A.Iordachescu, Th.Kroll, S.D.Langdown, S.Lunardi, N.Marginean, T.Martinez, N.H.Medina, B.Quintana, B.Rubio, C.A.Ur, J.J.Valiente-Dobon, S.J.Williams, Y.H.Zhang - J.Phys.(London) G31, S1891 (2005)  
Population of yrast states in  $^{191}\text{Os}$  using deep-inelastic reactions
- 2005J020 P.Joshi, S.Finnigan, D.B.Fossan, T.Koike, E.S.Paul, G.Rainovski, K.Starosta, C.Vaman, R.Wadsworth - J.Phys.(London) G31, S1895 (2005)  
Evidence for a new region of chirality around  $A \sim 104$
- 2005J021 K.Joo, for the CLAS Collaboration - Phys.Rev. C 72, 058202 (2005)

## REFERENCES

---

- Measurement of the polarized structure function  $\sigma_{LT'}$  for pion electroproduction in the Roper-resonance region
- 2005J022 A.Jokinen, T.Eronen, U.Hager, J.Hakala, S.Kopecky, A.Nieminen, S.Rinta-Antila, J.Aysto - Eur.Phys.J. A 25, Supplement 1, 27 (2005)  
Ion manipulation and precision measurements at JYFLTRAP
- 2005J023 K.L.Jones, C.Baktash, D.W.Bardayan, J.C.Blackmon, W.N.Catford, J.A.Cizewski, R.P.Fitzgerald, U.Greife, M.S.Johnson, R.L.Kozub, R.J.Livesay, Z.Ma, C.D.Nesaraja, D.Shapira, M.S.Smith, J.S.Thomas, D.Visser - Eur.Phys.J. A 25, Supplement 1, 283 (2005)  
Developing techniques to study  $A \sim 132$  nuclei with (d, p) reactions in inverse kinematics
- 2005J024 E.F.Jones, J.H.Hamilton, P.M.Gore, A.V.Ramayya, J.K.Hwang, A.P.deLima - Eur.Phys.J. A 25, Supplement 1, 467 (2005)  
Identification of levels in  $^{162,164}\text{Gd}$  and decrease in moment of inertia between  $N = 98-100$
- 2005J0ZX C.Johansson, J.Blomgren, A.Atac, B.Bergenwall, A.Hildebrand, J.Klug, P.Mermod, L.Nilsson, N.Olsson, M.Osterlund, S.Pomp, U.Tippawan, O.Jonsson, A.Prokofiev, P.-U.Renberg, K.Elmgren, S.Dangtip, P.Nadel-Turonski - Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.1, p. 804 (2005); AIP Conf.Proc. 769 (2005)  
Forward-Angle Neutron-Proton Scattering at 96 MeV
- 2005J0ZY G.D.Jones, N.J.Hammond, C.J.Lister, K.Teh, E.F.Moore - Proc.Nuclei at the Limits, Argonne, Illinois, D.Seweryniak and T.L.Khoo, eds., p.348 (2005); AIP Conf. Proc 764 (2005)  
Linear Polarization Measurements Of Gamma Rays Following Alpha Decay
- 2005J0ZZ K.L.Jones, C.Baktash, D.W.Bardayan, J.C.Blackmon, W.N.Catford, J.A.Cizewski, R.P.Fitzgerald, U.Greife, C.J.Gross, M.S.Johnson, R.L.Kozub, J.F.Liang, R.J.Livesay, Z.Ma, B.H.Moazen, C.D.Nesaraja, D.Shapira, M.S.Smith, J.S.Thomas, D.Visser - Proc.Nuclei at the Limits, Argonne, Illinois, D.Seweryniak And T.L.Khoo, eds., p.176 (2005); AIP Conf. Proc 764 (2005)  
Studies Of Neutron-Rich Nuclei With (d, p) Reactions In Inverse Kinematics At The HRIBF
- 2005JU03 A.R.Junghans, E.C.Mohrmann, K.A.Snover, T.D.Steiger, E.G.Adelberger, J.M.Casandjian, H.E.Swanson, L.R.Buchmann, A.Laird, S.Park, A.Y.Zyuzin - Nucl.Phys. B(Proc.Supp.) S138, 112 (2005)  
The new Seattle-TRIUMF  $^7\text{Be}(p, \gamma)^8\text{B}$  S-factor determination
- 2005JU12 D.S.Judson, A.M.Bruce, M.J.Taylor, G.D.Dracoulis, T.Kibedi, A.P.Byrne, K.H.Maier, P.Nieminen, J.N.Orce - J.Phys.(London) G31, S1899 (2005)  
Microsecond isomers in  $^{125}\text{Sb}$

REFERENCES

---

- 2005KA06 R.Kanungo, Z.Elekes, H.Baba, Zs.Dombradi, Zs.Fulop, J.Gibelin, A.Horvath, Y.Ichikawa, E.Ideguchi, N.Iwasa, H.Iwasaki, S.Kawai, Y.Kondo, T.Motobayashi, M.Notani, T.Ohnishi, A.Ozawa, H.Sakurai, S.Shimoura, E.Takeshita, S.Takeuchi, I.Tanihata, Y.Togano, C.Wu, Y.Yamaguchi, Y.Yanagisawa, A.Yoshida, K.Yoshida - Phys.Lett. B 608, 206 (2005)  
Excited states in neutron rich boron isotopes
- 2005KA23 S.Kameoka, S.Ajimura, K.Aoki, A.Banu, H.C.Bhang, T.Fukuda, O.Hashimoto, J.I.Hwang, B.H.Kang, E.H.Kim, J.H.Kim, M.J.Kim, T.Maruta, Y.Miura, Y.Miyake, T.Nagae, M.Nakamura, S.N.Nakamura, H.Noumi, S.Okada, Y.Okayasu, H.Outa, H.Park, P.K.Saha, Y.Sato, M.Sekimoto, T.Takahashi, H.Tamura, K.Tanida, A.Toyoda, K.Tsukada, T.Watanabe, H.J.Yim - Nucl.Phys. A754, 173c (2005)  
Measurement of the  $\pi^-$  decay width of  ${}^5_{\Lambda}\text{He}$
- 2005KA25 S.G.Karshenboim, V.G.Ivanov, Yu.I.Neronov, B.P.Nikolaev, Yu.N.Tolparov - Can.J.Phys. 83, 405 (2005)  
A new determination of the proton-to-deuteron ratio of magnetic moments
- 2005KA26 R.Kanungo, Z.Elekes, H.Baba, Zs.Dombradi, Zs.Fulop, J.Gibelin, A.Horvath, Y.Ichikawa, E.Ideguchi, N.Iwasa, H.Iwasaki, S.Kawai, Y.Kondo, T.Motobayashi, M.Notani, T.Ohnishi, A.Ozawa, H.Sakurai, S.Shimoura, E.Takeshita, S.Takeuchi, I.Tanihata, Y.Togano, C.Wu, Y.Yamaguchi, Y.Yanagisawa, A.Yoshida, K.Yoshida - Nucl.Phys. A757, 315 (2005)  
Search for an isomeric state in  ${}^{19}\text{C}$
- 2005KA33 M.Karadag, H.Yucel - Nucl.Instrum.Methods Phys.Res. A550, 626 (2005)  
Thermal neutron cross-section and resonance integral for  ${}^{164}\text{Dy}(n, \gamma) {}^{165}\text{Dy}$  reaction
- 2005KA34 O.Kavatsyuk, M.Kavatsyuk, L.Batist, A.Banu, F.Becker, A.Blazhev, W.Bruchle, J.Doring, T.Faestermann, M.Gorska, H.Grawe, Z.Janas, A.Jungclaus, M.Karny, R.Kirchner, M.La Commara, S.Mandal, C.Mazzocchi, I.Mukha, S.Muralithar, C.Plettner, A.Plochocki, E.Roeckl, M.Romoli, M.Schadel, R.Schwengner, J.Zylicz - Eur.Phys.J. A 25, 211 (2005)  
Beta decay of  ${}^{103}\text{Sn}$
- 2005KA39 A.Kankainen, G.K.Vorobjev, S.A.Eliseev, W.Huang, J.Huikari, A.Jokinen, A.Nieminen, Yu.N.Novikov, H.Penttila, A.V.Popov, S.Rinta-Antila, H.Schatz, D.M.Seliverstov, Yu.P.Suslov, J.Aysto - Eur.Phys.J. A 25, 355 (2005)  
Isomers of astrophysical interest in neutron-deficient nuclei at masses  $A = 81, 85$  and  $86$
- 2005KA45 T.Kautzsch, A.Wohr, W.B.Walters, K.-L.Kratz, B.Pfeiffer, M.Hannawald, J.Shergur, O.Arndt, S.Hennrich, S.Falahat, T.Griesel, O.Keller, A.Aprahamian, B.A.Brown, P.F.Mantica, M.A.Stoyer, H.L.Ravn, for the ISOLDE IS333 and Rochester CHICO / Gammasphere Collaborations - Eur.Phys.J. A 25, Supplement 1, 117 (2005)  
Structure of neutron-rich even-even  ${}^{124,126}\text{Cd}$

REFERENCES

---

- 2005KA46 A.Kankainen, S.A.Eliseev, T.Eronen, S.P.Fox, U.Hager, J.Hakala, W.Huang, J.Huikari, D.Jenkins, A.Jokinen, S.Kopecky, I.Moore, A.Nieminen, Yu.N.Novikov, H.Penttila, A.V.Popov, S.Rinta-Antila, H.Schatz, D.M.Seliverstov, G.K.Vorobjev, Y.Wang, J.Aysto, and the IS403 Collaboration - Eur.Phys.J. A 25, Supplement 1, 129 (2005)  
Beta-delayed gamma and proton spectroscopy near the  $Z = N$  line
- 2005KA47 M.Karny, L.Batist, A.Banu, F.Becker, A.Blazhev, K.Burkard, W.Bruchle, J.Doring, T.Faestermann, M.Gorska, H.Grawe, Z.Janas, A.Jungclaus, M.Kavatsyuk, O.Kavatsyuk, R.Kirchner, M.La Commara, S.Mandal, C.Mazzocchi, K.Miernik, I.Mukha, S.Muralithar, C.Plettner, A.Plochocki, E.Roeckl, M.Romoli, K.Rykaczewski, M.Schadel, K.Schmidt, R.Schwengner, J.Zylicz - Eur.Phys.J. A 25, Supplement 1, 135 (2005)  
Beta-decay studies near  $^{100}\text{Sn}$
- 2005KA48 M.Kavatsyuk, O.Kavatsyuk, L.Batist, A.Banu, F.Becker, A.Blazhev, W.Bruchle, K.Burkard, J.Doring, T.Faestermann, M.Gorska, H.Grawe, Z.Janas, A.Jungclaus, M.Karny, R.Kirchner, M.La Commara, S.Mandal, C.Mazzocchi, I.Mukha, S.Muralithar, C.Plettner, A.Plochocki, E.Roeckl, M.Romoli, M.Schadel, R.Schwengner, J.Zylicz - Eur.Phys.J. A 25, Supplement 1, 139 (2005)  
Beta-decay spectroscopy of  $^{103,105}\text{Sn}$
- 2005KA51 R.Kanungo, M.Chiba, B.Abu-Ibrahim, S.Adhikari, D.Q.Fang, N.Iwasa, K.Kimura, K.Maeda, S.Nishimura, T.Ohnishi, A.Ozawa, C.Samanta, T.Suda, T.Suzuki, Q.Wang, C.Wu, Y.Yamaguchi, K.Yamada, A.Yoshida, T.Zheng, I.Tanihata - Eur.Phys.J. A 25, Supplement 1, 327 (2005)  
Observation of a two-proton halo in  $^{17}\text{Ne}$
- 2005KA52 S.A.Karamian - Yad.Fiz. 68, 1827 (2005); Phys.Atomic Nuclei 68, 1765 (2005)  
Comparative Analysis of the  $^{178m2}\text{Hf}$  Yield at Reactions with Different Projectiles
- 2005KAZU T.Kawabata, H.Akimune, H.Fujita, Y.Fujita, M.Fujiwara, K.Hara, K.Hatanaka, M.Itoh, Y.Kanada-En'yo, S.Kishi, K.Nakanishi, H.Sakaguchi, Y.Shimbara, A.Tamii, S.Terashima, M.Uchida, T.Wakasa, Y.Yasuda, H.P.Yoshida, M.Yosoi - nucl-ex/0512040,12/25/2005 (2005)  
Indication of dilute  $2\alpha + t$  cluster structure in  $^{11}\text{B}$
- 2005KAZV T.Kawabata, H.Akimune, H.Fujita, Y.Fujita, M.Fujiwara, K.Hara, K.Hatanaka, M.Itoh, Y.Kanada-Enyo, S.Kishi, K.Nakanishi, H.Sakaguchi, Y.Shimbara, A.Tamii, S.Terashima, M.Uchida, T.Wakasa, Y.Yasuda, H.P.Yoshida, M.Yosoi - CNS-REP-66, p.40 (2005)  
Quadrupole Excitation Strengths and Cluster Structures in  $^{11}\text{B}$
- 2005KAZX V.G.Kalinnikov, Z.Hons, V.I.Stegailov, P.Chaloun - Book of Abstracts, LV National Conference on Nuclear Physics "Frontiers in the Physics of Nucleus", St.-Petersburg, p.72 (2005)  
Decay of  $^{160}\text{Ho}$  (3 s)

## REFERENCES

---

- 2005KAZY V.G.Kalinnikov, V.I.Stegailov, A.V.Sushkov, P.Chaloun, Ya.V.Yushkevich - Book of Abstracts, LV National Conference on Nuclear Physics "Frontiers in the Physics of Nucleus", St.-Petersburg, p.58 (2005)  
Measurement of Lifetimes of some  $^{156,158,160}\text{Ho}$  Levels by Delayed Coincidence Method
- 2005KAZZ O.R.Kakuee, M.A.G.Alvarez, M.V.Andres, S.Cherubini, T.Davinson, A.Di Pietro, W.Galster, J.Gomez-Camacho, A.M.Laird, M.Lamehi-Rachti, I.Martel, A.M.Moro, J.Rahighi, A.M.Sanchez-Benitez, A.C.Shotter, W.B.Smith, J.Vervier, P.J.Woods - nucl-ex/0507024,7/18/2005 (2005)  
Long range absorption in the scattering of  $^6\text{He}$  on  $^{208}\text{Pb}$  and  $^{197}\text{Au}$  at 27 MeV
- 2005KE05 W.Ketter, W.Heil, G.Badurek, M.Baron, R.Loidl, H.Rauch - J.Res.Natl.Inst.Stand.Technol. 110, 241 (2005)  
Measurement of the Coherent Neutron Scattering Length of  $^3\text{He}$
- 2005KE07 K.C.Kelley, N.E.Hertel, E.J.Pitcher, M.Devlin, S.G.Mashnik - Nucl.Phys. A760, 225 (2005)  
 $^{148}\text{Gd}$  production cross section measurements for 600- and 800-MeV protons on tantalum, tungsten, and gold
- 2005KE08 K.L.Keyes, A.Papenberg, R.Chapman, J.Ollier, X.Liang, M.J.Burns, M.Labiche, K.M.Spohr, N.Amzal, C.Beck, P.Bednarczyk, F.Haas, G.Duchene, P.Papka, B.Gebauer, T.Kokalova, S.Thummerer, W.von Oertzen, C.Wheldon - J.Phys.(London) G31, S1903 (2005)  
Spectroscopy of Ne, Na and Mg isotopes approaching the Island of Inversion
- 2005KE10 H.Kettunen, T.Enqvist, K.Eskola, T.Grahn, P.T.Greenlees, K.Helariutta, P.Jones, R.Julin, S.Juutinen, H.Kankaanpaa, A.Keenan, H.Koivisto, P.Kuusiniemi, M.Leino, A.-P.Leppanen, M.Muikku, P.Nieminen, J.Pakarinen, P.Rahkila, J.Uusitalo - Eur.Phys.J. A 25, Supplement 1, 181 (2005)  
Decay studies of neutron-deficient odd-mass At and Bi isotopes
- 2005KE11 K.L.Keyes, A.Papenberg, R.Chapman, J.Ollier, X.Liang, M.J.Burns, M.Labiche, K.-M.Spohr, N.Amzal, C.Beck, P.Bednarczyk, F.Haas, G.Duchene, P.Papka, B.Gebauer, T.Kokalova, S.Thummerer, W.von Oertzen, C.Wheldon - Eur.Phys.J. A 25, Supplement 1, 431 (2005)  
Spectroscopy of Ne and Na isotopes: Preliminary results from a EUROBALL + Binary Reaction Spectrometer experiment
- 2005KEZZ K.Kettern, I.Spahn, S.Spellerberg, S.M.Qaim, H.H.Coenen - Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.1, p. 758 (2005); AIP Conf.Proc. 769 (2005)  
Nuclear Reaction Cross-Section Measurements via Characterization of Soft Radiation Emitting Products
- 2005KH13 D.T.Khoa, H.G.Bohlen, W.von Oertzen, G.Bartnitzky, A.Blazevic, F.Nuoffer, B.Gebauer, W.Mittig, P.Roussel-Chomaz - Nucl.Phys. A759, 3 (2005)

## REFERENCES

---

- Study of refractive structure in the inelastic  $^{16}\text{O} + ^{16}\text{O}$  Image scattering at the incident energies of 250 to 1120 MeV
- 2005KHZX R.U.Khafizov, N.Severijns, O.Zimmer, H.-F.Wirth, D.Rich, S.V.Tolokonnikov, V.A.Solovei, M.R.Kolhidashvili - nucl-ex/0512001,12/1/2005 (2005)  
Discovery of the neutron radiative decay
- 2005KHZZ D.T.Khoa, H.G.Bohlen, W.von Oertzen, G.Bartnitzky, A.Blazevic, F.Nuoffer, B.Gebauer, W.Mittig, P.Roussel-Chomaz - nucl-ex/0504020,4/22/2005 (2005)  
Study of refractive structure in the inelastic  $^{16}\text{O} + ^{16}\text{O}$  scattering at the incident energies of 250 to 1120 MeV
- 2005KI01 S.Kishimoto, Y.Yoda, Y.Kobayashi, S.Kitao, R.Haruki, M.Seto - Nucl.Phys. A748, 3 (2005)  
Evidence for nuclear excitation by electron transition on  $^{193}\text{Ir}$  and its probability
- 2005KI03 P.M.King, for the  $G^0$  Collaboration - Eur.Phys.J. A 24, Supplement 2, 39 (2005)  
Normal beam spin asymmetries during the  $G^0$  forward angle measurement
- 2005KI09 J.-H.Kim, C.S.Lee, Y.K.Kwon, J.H.Lee - J.Korean Phys.Soc. 46, 1318 (2005)  
Measurement of Deuterons Scattered from the  $^{12}\text{C}(p, d)^{11}\text{C}$  Reaction by Using a Double-sided Silicon Strip Detector
- 2005KI11 T.Kishimoto, T.Hayakawa, S.Ajimura, S.Minami, A.Sakaguchi, Y.Shimizu, R.E.Chrien, M.May, P.Pile, A.Rusek, R.Sutter, H.Noumi, H.Tamura, M.Ukai, Y.Miura, K.Tanida - Nucl.Phys. A754, 383c (2005)  
Kaonic nuclei probed by the in-flight ( $K^-$ , n) reaction
- 2005KI17 T.Kii, T.Shima, T.Baba, Y.Nagai - Nucl.Instrum.Methods Phys.Res. A552, 329 (2005)  
A time projection chamber for the study of nuclear photodisintegration
- 2005KI19 St.Kistryn, E.Stephan, A.Biegun, K.Bodek, A.Deltuva, E.Epelbaum, K.Ermisch, W.Glockle, J.Golak, N.Kalantar-Nayestanaki, H.Kamada, M.Kis, B.Klos, A.Kozela, J.Kuros-Zolnierczuk, M.Mahjour-Shafiei, U.-G.Meissner, A.Micherdzinska, A.Nogga, P.U.Sauer, R.Skibinski, R.Sworst, H.Witala, J.Zejma, W.Zipper - Phys.Rev. C 72, 044006 (2005)  
Systematic study of three-nucleon force effects in the cross section of the deuteron-proton breakup at 130 MeV
- 2005KI20 E.R.Kinney, J.L.Matthews, P.A.M.Gram, D.W.MacArthur, E.Piasetzky, G.A.Rebka, Jr., D.A.Roberts - Phys.Rev. C 72, 044608 (2005)  
Inclusive pion double charge exchange in  $^4\text{He}$  at intermediate energies
- 2005KI21 O.A.Kiselev, F.Aksouh, A.Bleile, O.V.Bochkarev, L.V.Chulkov, D.Cortina-Gil, A.V.Dobrovolsky, P.Egelhof, H.Geissel, M.Hellstrom, N.B.Isaev, B.G.Komkov, M.Matos, F.V.Moroz, G.Munzenberg, M.Mutterer, V.A.Myl'nikov, S.R.Neumaier, V.N.Pribora, D.M.Seliverstov, L.O.Sergueev, A.Shrivastava, K.Summerer, H.Weick, M.Winkler, V.I.Yatsoura - Eur.Phys.J. A 25, Supplement 1, 215 (2005)

REFERENCES

---

- Investigation of nuclear matter distribution of the neutron-rich He isotopes by proton elastic scattering at intermediate energies
- 2005KIZV G.G.Kiss, Zs.Fulop, Gy.Gyurky, Z.Mate, E.Somorjai, D.Galaviz, A.Zilges - ATOMKI 2004 Ann.Rept., p.14 (2005)  
Study of low energy  $\alpha$ -scattering on  $^{89}\text{Y}$
- 2005KL02 H.V.Klapdor-Kleingrothaus, for the Heidelberg-Moscow / HDMS / Genius-TF Collaborations - Nucl.Phys. B(Proc.Supp.) S143, 229 (2005)  
First evidence for neutrinoless double beta decay, with enriched  $^{76}\text{Ge}$  in Gran Sasso 1990-2003
- 2005KLZZ T.Klechneva, C.Carasco, I.Goussev, M.Hauger, J.Jourdan, B.Krusche, H.Muehry, Ch.Normand, D.Rohe, D.Seliverstov, I.Sick, G.Testa, G.Warren, H.Wohrle, M.Zeier - nucl-ex/0509008,9/05/2005 (2005)  
Vector and Tensor Analyzing Powers of the  $^1\text{H}((d(\text{pol}), \gamma)^3\text{He}$ -capture reaction
- 2005KM01 M.Kmiecik, A.Maj, J.Styczen, P.Bednarczyk, M.Brekiesz, J.Grebosz, M.Lach, W.Meczynski, M.Zieblinski, K.Zuber, A.Bracco, F.Camera, G.Benzoni, B.Million, S.Leoni, O.Wieland, B.Herskind, D.Curien, N.Dubray, J.Dudek, N.Schunck, K.Mazurek - Acta Phys.Pol. B36, 1169 (2005)  
GDR feeding of the highly-deformed band in  $^{42}\text{Ca}$
- 2005KN02 H.H.Knudsen, H.O.U.Fynbo, M.J.G.Borge, R.Boutami, P.Dendooven, C.Aa.Diget, T.Eronen, S.Fox, L.M.Fraile, B.Fulton, J.Huikary, H.B.Jeppesen, A.S.Jokinen, B.Jonson, A.Kankainen, I.Moore, A.Nieminen, G.Nyman, H.Penttila, K.Riisager, S.Rinta-Antila, O.Tengblad, Y.Wang, K.Wilhelmsen, J.Aysto - Phys.Rev. C 72, 044312 (2005)  
 $\beta$ -decay of  $^{13}\text{O}$
- 2005K001 Tz.Kokalova, W.von Oertzen, S.Torilov, S.Thummerer, M.Milin, A.Tumino, G.de Angelis, E.Farnea, A.Gadea, D.R.Napoli, Th.Kroll, N.Marginean, T.Martinez, M.Axiotis, S.M.Lenzi, C.Ur, P.Papka, M.Rousseau - Eur.Phys.J. A 23, 19 (2005)  
Emission of unbound  $^8\text{Be}$  and  $^{12}\text{C}^*$  ( $0_2^+$ ) clusters in compound nucleus reactions
- 2005K002 K.Kobayashi, Y.Itow, M.Shiozawa, M.Yosoi, H.Toyokawa, H.Akimune, H.Ejiri, H.Fujimura, M.Fujiwara, K.Hara, K.Y.Hara, T.Ishikawa, M.Itoh, T.Kawabata, M.Nakamura, H.Sakaguchi, Y.Sakemi, H.Takeda, , M.Uchida, T.Yamada, Y.Yasuda, H.P.Yoshida, R.G.T.Zegers - Nucl.Phys. B(Proc.Supp.) S139, 72 (2005)  
Detection of nuclear de-excitation gamma-rays in water Cherenkov detector
- 2005K009 R.L.Kozub, D.W.Bardayan, J.C.Batchelder, J.C.Blackmon, C.R.Brune, A.E.Champagne, J.A.Cizewski, T.Davinson, U.Greife, C.J.Gross, C.C.Jewett, R.J.Livesay, Z.Ma, B.H.Moazen, C.D.Nesaraja, L.Sahin, J.P.Scott, D.Shapira, M.S.Smith, J.S.Thomas, P.J.Woods - Phys.Rev. C 71, 032801 (2005)  
New constraints on the  $^{18}\text{F}(p, \alpha)^{15}\text{O}$  rate in novae from the (d, p) reaction

## REFERENCES

---

- 2005K011 W.Korten, E.Clement, E.Bouchez, A.Chatillon, A.Gorgen, Y.Le Coz, Ch.Theisen, J.M.Casandjian, G.de France, G.Sletten, T.Czosnyka, J.Iwanicki, M.Zielinska, F.Becker, J.Gerl, W.Catford, C.Timis, P.Butler, C.Andreoiu - Nucl.Phys. A752, 255c (2005)  
Investigation of heavy  $N \sim Z$  nuclei using energetic radioactive ion beams
- 2005K013 Y.Kondo, T.Nakamura, N.Aoi, H.Baba, D.Bazin, N.Fukuda, T.Gomi, H.Hasegawa, N.Imai, M.Ishihara, T.Kobayashi, T.Kubo, M.Miura, T.Motobayashi, A.Saito, H.Sakurai, S.Shimoura, T.Sugimoto, K.Watanabe, Y.X.Watanabe, T.Yakushiji, Y.Yanagisawa, K.Yoneda - Phys.Rev. C 71, 044611 (2005)  
In-beam  $\gamma$ -ray spectroscopy of neutron-rich boron isotopes  $^{15,17}\text{B}$  via inelastic scattering on  $^{12}\text{C}$
- 2005K031 R.L.Kozub, D.W.Bardayan, J.C.Batchelder, J.C.Blackmon, C.R.Brune, A.E.Champagne, J.A.Cizewski, T.Davinson, U.Greife, C.J.Gross, C.C.Jewet, R.J.Livesay, Z.Ma, B.H.Moazen, C.D.Nesaraja, J.P.Scott, L.Sahin, D.Shapira, M.S.Smith, J.S.Thomas, P.J.Woods - Nucl.Phys. A758, 753c (2005)  
New Limits for the  $^{18}\text{F}(p, \alpha)^{15}\text{O}$  Rate in Novae
- 2005K032 C.Kohstall, D.Belic, P.von Brentano, C.Fransen, A.Gade, R.-D.Herzberg, J.Jolie, U.Kneissl, A.Linnemann, A.Nord, N.Pietralla, H.H.Pitz, M.Scheck, F.Stedile, V.Werner, S.W.Yates - Phys.Rev. C 72, 034302 (2005)  
Low-lying dipole excitations in vibrational nuclei: The Cd isotopic chain studied in photon scattering experiments
- 2005K040 A.Korgul, H.Mach, B.A.Brown, A.Covello, A.Gargano, B.Fogelberg, R.Schuber, W.Kurcewicz, E.Werner-Malento, R.Orlandi, M.Sawicka - Eur.Phys.J. A 25, Supplement 1, 123 (2005)  
On the structure of the anomalously low-lying  $5 / 2^+$  state of  $^{135}\text{Sb}$
- 2005K041 M.Kowalska, D.Yordanov, K.Blaum, D.Borremans, P.Himpe, P.Lievens, S.Mallion, R.Neugart, G.Neyens, N.Vermeulen - Eur.Phys.J. A 25, Supplement 1, 193 (2005)  
Laser and  $\beta$ -NMR spectroscopy on neutron-rich magnesium isotopes
- 2005K043 U.Koster, O.Arndt, U.C.Bergmann, R.Catherall, J.Cederkall, I.Dillmann, M.Dubois, F.Durantel, L.Fraile, S.Franchoo, G.Gaubert, L.Gaudefroy, O.Hallmann, C.Huet-Equilbec, B.Jacquot, P.Jardin, K.L.Kratz, N.Lecesne, R.Leroy, A.Lopez, L.Maunoury, J.Y.Pacquet, B.Pfeiffer, M.G.Saint-Laurent, C.Stodel, A.C.C.Villari, L.Weissman - Eur.Phys.J. A 25, Supplement 1, 729 (2005)  
ISOL beams of neutron-rich oxygen isotopes
- 2005KR03 Ch.Kraus, B.Bornschein, L.Bornschein, J.Bonn, B.Flatt, A.Kovalik, B.Ostrick, E.W.Otten, J.P.Schall, Th.Thummler, Ch.Weinheimer - Eur.Phys.J. C 40, 447 (2005)  
Final results from phase II of the Mainz neutrino mass search in tritium  $\beta$  decay



REFERENCES

---

- 2005KR14 K.Kramer, D.S.Armstrong, T.D.Averett, W.Bertozzi, S.Binet, C.Butuceanu, A.Camsonne, G.D.Cates, J.-P.Chen, S.Choi, E.Chudakov, F.Cusanno, A.Deur, P.Djawotho, D.Dutta, J.M.Finn, H.Gao, F.Garibaldi, O.Gayou, R.Gilman, A.Glamazdin, V.Gorbenko, K.A.Griffioen, J.-O.Hansen, D.W.Higinbotham, W.Hinton, T.Horn, C.W.de Jager, X.Jiang, W.Korsch, J.LeRose, D.Lhuillier, N.Liyanage, D.J.Margaziotis, K.McCormick, Z.-E.Meziani, R.Michaels, B.Milbrath, B.Moffit, S.Nanda, C.F.Perdrisat, R.Pomatsalyuk, V.Punjabi, B.Reitz, J.Roche, R.Roche, M.Roedelbronn, N.Savvinov, J.Secrest, J.Singh, S.Sirca, K.Slifer, P.Solvignon, D.J.Steiner, R.Suleiman, V.Sulkosky, A.Tobias, A.Vacheret, Y.Xiao, X.Zheng, J.Zhou, L.Zhu, X.Zhu, P.A.Zolnierczuk - Phys.Rev.Lett. 95, 142002 (2005)  
 $Q^2$  Dependence of the Neutron Spin Structure Function  $g_2^n$  at Low  $Q^2$
- 2005KR15 A.Krishna, K.Pandey, A.Wasan, V.Natarajan - Europhys.Lett. 72, 221 (2005)  
 High-resolution hyperfine spectroscopy of excited states using electromagnetically induced transparency
- 2005KRZY A.Krasznahorkay, F.W.N.de Boer, J.Gulyas, Z.Gacsi, T.J.Ketel, M.Csatlos, L.Csige, M.Hunyadi, J.Van Klinken, A.Krasznahorkay, Jr., A.Vitez - ATOMKI 2004 Ann.Rept., p.3 (2005)  
 Internal pairs observed in a forbidden  $0^- \rightarrow 0^+$  transition: a sign for a neutral boson?
- 2005KSZZ R.Kshetri, I.Ray, P.Banerjee, R.Raut, A.Goswami, J.M.Chatterjee, S.Chattopadhyay, U.Datta Pramanik, A.Mukherjee, C.C.Dey, S.Bhattacharya, B.Dasmahapatra, M.S.Sarkar, S.Sarkar, S.Bhowal, G.Ganguly, K.S.Golda, R.Kumar, R.P.Singh, S.Muralithar - nucl-ex/0507019,7/13/2005 (2005)  
 Absence of M2 Retardation in  $^{35}\text{Cl}$ : Evidence for Stronger Isospin-Mixing Effects in A=35 Mirror Nuclei
- 2005KU01 T.Kutsarova, C.Schuck, E.Gueorguieva, A.Minkova, I.Zartova, F.Hannachi, A.Korichi, A.Lopez-Martens - Eur.Phys.J. A 23, 69 (2005)  
 Coexisting oblate and strongly triaxial structures in  $^{191}\text{Pt}$
- 2005KU06 P.Kuusiniemi, F.P.Hessberger, D.Ackermann, S.Hofmann, I.Kojouharov - Eur.Phys.J. A 23, 417 (2005)  
 Decay studies of  $^{210-214}\text{Fr}$  using  $\alpha$ - $\gamma$ -coincidences
- 2005KU10 R.Kumar, K.Singh, D.Mehta, N.Singh, S.S.Malik, E.S.Paul, A.Gorgen, S.Chmel, R.P.Singh, S.Muralithar - Eur.Phys.J. A 24, 13 (2005)  
 Collective structures of the  $^{131}\text{Cs}$  nucleus
- 2005KU17 W.D.Kulp, J.L.Wood, P.E.Garrett, J.M.Allmond, D.Cline, A.B.Hayes, H.Hua, K.S.Krane, R.-M.Larimer, J.Loats, E.B.Norman, P.Schmelzenbach, C.J.Stapels, R.Teng, C.Y.Wu - Phys.Rev. C 71, 041303 (2005)  
 Identification of a pairing isomeric band in  $^{152}\text{Sm}$

REFERENCES

---

- 2005KU27 S.Kubono, T.Teranishi, M.Notani, H.Yamaguchi, A.Saito, J.J.He, M.Wakabayashi, H.Fujikawa, G.Amadio, H.Baba, T.Fukuchi, S.Shimoura, S.Michimasa, S.Nishimura, M.Nishimura, Y.Gono, A.Odahara, S.Kato, J.Y.Moon, J.H.Lee, C.S.Lee, J.C.Kim, K.I.Hahn, T.Ishikawa, T.Hashimoto, H.Ishiyama, Y.X.Watanabe, M.H.Tanaka, H.Miyatake, Zs.Fulop, V.Guimaraes, R.Lichtenthaler - Nucl.Phys. A758, 733c (2005)  
Study of Stellar Reactions in Explosive Hydrogen Burning with CRIB
- 2005KU28 A.Kumar, J.N.Orce, S.R.Lesher, C.J.McKay, M.T.McEllistrem, S.W.Yates - Phys.Rev. C 72, 034313 (2005)  
Heterogeneous vibrations in  $^{112}\text{Sn}$
- 2005KU31 P.Kuusiniemi, F.P.Hessberger, D.Ackermann, S.Hofmann, B.Sulignano, I.Kojouharov, R.Mann - Eur.Phys.J. A 25, 397 (2005)  
Decay studies of  $^{215-217}\text{Th}$  using ER- $\gamma$ - $\alpha$ - $\gamma$  coincidences
- 2005KU34 R.Kumar, A.Kumar, S.K.Chamoli, K.Singh, M.Sharma, D.Mehta, N.Singh, S.S.Ghugre, N.S.Pattabiraman, L.Chaturvedi, P.K.Joshi, H.C.Jain, Z.Naik, C.R.Praharaj, I.M.Govil - Phys.Rev. C 72, 044319 (2005)  
Polarization measurement and  $\gamma$ -ray spectroscopy of  $^{122}\text{Cs}$
- 2005KU36 S.Kumar, S.V.Kumar, G.L.N.Reddy, V.Kain, J.V.Ramana, V.S.Raju - Nucl.Instrum.Methods Phys.Res. B240, 704 (2005)  
Depth profiling of nitrogen using 429 keV and 897 keV resonances in the  $^{15}\text{N}(p, \alpha\gamma)^{12}\text{C}$  reaction
- 2005KU37 A.Kumar, J.N.Orce, S.R.Lesher, C.J.McKay, M.T.McEllistrem, S.W.Yates - Eur.Phys.J. A 25, Supplement 1, 443 (2005)  
Lifetime measurements and low-lying structure in  $^{112}\text{Sn}$
- 2005KUZV P.Kuusiniemi, F.P.Hessberger, D.Ackermann, S.Hofmann, K.Nishio, B.Sulignano, I.Kojouharov, R.Mann - GSI 2005-1, p.76 (2005)  
 $\alpha$  - Decay Fine Structure of  $^{213}\text{Ra}$  to  $^{209}\text{Rn}$
- 2005KUZX W.D.Kulp, J.L.Wood, K.S.Krane, J.Loats, P.D.Schmelzenbach, C.J.Stapels, E.B.Norman - Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.1, p. 830 (2005); AIP Conf.Proc. 769 (2005)  
An Investigation of  $^{154}\text{Eu}$  as a High-Precision Multi- $\gamma$ -Ray Intensity Calibration Standard for Detector Arrays
- 2005KUZZ P.Kuusiniemi - Proc.Nuclei at the Limits, Argonne, Illinois, D.Seweryniak and T.L.Khoo, eds., p.231 (2005); AIP Conf. Proc 764 (2005)  
Nuclear Structure Investigations Of Heavy Nuclei And The Decay Of SHE
- 2005LA01 G.J.Lane, K.H.Maier, A.P.Byrne, G.D.Dracoulis, R.Broda, B.Fornal, M.P.Carpenter, R.M.Clark, M.Cromaz, R.V.F.Janssens, A.O.Macchiavelli, I.Wiedenhover, K.Vetter - Phys.Lett. B 606, 34 (2005)  
High-spin isomers and three-neutron valence configurations in  $^{211}\text{Pb}$

REFERENCES

---

- 2005LA07 S.Lalkovski, G.Rainovski, K.Starosta, M.P.Carpenter, D.B.Fossan, S.Finnigan, S.Ilieva, P.Joshi, T.Koike, E.S.Paul, N.Pietralla, C.Vaman, R.Wadsworth - Phys.Rev. C 71, 034318 (2005)  
Quasi- $\gamma$  band and odd-even staggering effect in  $^{102}\text{Ru}$
- 2005LA13 A.Laptev, H.Harada, S.Nakamura, J.Hori, M.Igashira, T.Ohsaki, K.Ohgama - Nucl.Instrum.Methods Phys.Res. A543, 502 (2005)  
Baseline distortion effect on gamma-ray pulse-height spectra in neutron capture experiments
- 2005LA19 M.Lach, J.Styczen, W.Meczynski, P.Bednarczyk, A.Bracco, J.Grebosz, A.Maj, J.C.Merdinger, N.Schulz, M.B.Smith, K.M.Spohr, M.Zieblinski - Eur.Phys.J. A 25, 1 (2005)  
Unnatural-parity states in  $^{44}_{21}\text{Sc}_{23}$
- 2005LA25 M.La Cognata, A.Musumarra, C.Spitaleri, A.Tumino, C.Bonomo, S.Cherubini, P.Figuera, L.Lamia, M.G.Pellegriti, A.Rinollo, R.G.Pizzone, C.Rolfs, S.Romano, D.Schurmann, F.Strieder, S.Tudisco, S.Typel - Nucl.Phys. A758, 98c (2005)  
Study of the  $^3\text{He}(d, p)^4\text{He}$  reaction through the Trojan Horse Method
- 2005LA28 M.Labiche, C.N.Timis, R.C.Lemmon, W.N.Catford, R.Chapman, N.Amzal, N.I.Ashwood, T.D.Baldwin, M.Burns, L.Caballero, M.Chartier, N.Curtis, G.de France, W.Gelletly, X.Liang, M.Freer, N.A.Orr, S.D.Pain, V.P.E.Pucknell, M.Rejmund, B.Rubio, H.Savajols, O.Sorlin, K.Spohr, Ch.Theisen, D.D.Warner - J.Phys.(London) G31, S1691 (2005)  
Study of transfer reactions in inverse kinematics with the TIARA array
- 2005LA29 S.Lakshmi, H.C.Jain, P.K.Joshi, I.Mazumdar, R.Palit, A.K.Jain, S.S.Malik - Nucl.Phys. A761, 1 (2005)  
High spin structure of  $^{136}\text{Ce}$
- 2005LA30 V.P.Ladygin, L.S.Azhgirey, S.V.Afanasiev, V.V.Arkipov, V.K.Bondarev, Yu.T.Borzunov, G.Filipov, L.B.Golovanov, A.Yu.Isupov, V.I.Ivanov, A.A.Kartamyshev, V.A.Kashirin, A.N.Khrenov, V.I.Kolesnikov, V.A.Kuznetsov, A.G.Litvinenko, S.G.Reznikov, P.A.Rukoyatkin, A.Yu.Semenov, I.A.Semenova, G.D.Stoletov, A.P.Tzvinev, N.P.Yudin, V.N.Zhmyrov, L.S.Zolin - Phys.Lett. B 629, 60 (2005)  
Tensor analyzing power  $A_{yy}$  in deuteron inclusive breakup on hydrogen and carbon at 9 GeV / c and large proton transverse momenta
- 2005LA32 K.Lagergren, M.A.Riley, J.Simpson, D.E.Appelbe, P.Bednarczyk, D.B.Campbell, C.Chandler, P.T.W.Choy, D.Curien, D.T.Joss, E.S.Paul - Phys.Rev. C 72, 057303 (2005)  
Observation of the second proton alignment in  $^{160}\text{Tm}$
- 2005LAZZ T.Lauritsen, R.V.Janssens, T.L.Khoo, I.Ahmad, M.P.Carpenter, A.M.Heinz, D.G.Jenkins, F.G.Kondev, C.J.Lister, E.F.Moore, D.Seweryniak, S.Zhu, T.Dossing, B.Herskind, R.M.Clark, M.Cromaz, P.Fallon, G.Lane, A.O.Macchiavelli, D.Ward, A.Korichi, A.Lopez-Martens A.J.Larabee - Proc.Nuclei at the Limits, Argonne, Illinois, D.Seweryniak and T.L.Khoo, eds., p.34 (2005); AIP Conf. Proc 764 (2005)

REFERENCES

---

- Rotational Damping, Ridges And The Quasi-Continuum Of  $\gamma$  Rays In  $^{152}\text{Dy}$
- 2005LE04 I.Leya, R.Wieler, J.-C.David, S.Leray, L.Donadille, J.Cugnon, R.Michel - Nucl.Instrum.Methods Phys.Res. B229, 1 (2005)  
Production of noble gas isotopes by proton-induced reactions on lead
- 2005LE12 J.Leske, K.-H.Speidel, S.Schielke, O.Kenn, D.Hohn, J.Gerber, P.Maier-Komor - Phys.Rev. C 71, 034303 (2005)  
Experimental g factors and B(E2) values of  $2_1^+$ ,  $4_1^+$ ,  $2_2^+$ , and  $3_1^-$  states in  $^{64}\text{Zn}$  and  $^{68}\text{Zn}$  compared to shell model predictions
- 2005LE19 J.Leske, K.-H.Speidel, S.Schielke, O.Kenn, J.Gerber, P.Maier-Komor, S.J.Q.Robinson, A.Escuderos, Y.Y.Sharon, L.Zamick - Phys.Rev. C 71, 044316 (2005)  
Nuclear structure of the first  $2^+$  state in radioactive  $^{68}\text{Ge}$  based on g factor and lifetime measurements
- 2005LE21 S.Leoni, G.Benzoni, A.Bracco, N.Biasi, F.Camera, C.Grassi, B.Million, A.Paleni, M.Pignanelli, E.Vigezzi, O.Wieland, M.Matsuo, T.Dossing, B.Herskind, G.B.Hagemann, J.Wilson, A.Maj, M.Kmiecik, G.Lo Bianco, C.M.Petrache, M.Castoldi, A.Zucchiati, G.De Angelis, D.Napoli, P.Bednarczyk, D.Curien - Acta Phys.Pol. B36, 1121 (2005)  
Warm rotating nuclei: damping mechanism and the order-to-chaos transition
- 2005LE30 R.Lewis, J.Caggiano, A.Parikh, C.Deibel, D.Visser, K.Fear, P.Parker, W.R.Hix - Nucl.Phys. A758, 84c (2005)  
 $^{26}\text{Al}^{g,m} + p$  resonances studied via proton decays of  $^{27}\text{Si}$
- 2005LE34 F.Le Blanc, L.Cabaret, E.Cottureau, J.E.Crawford, S.Essabaa, J.Genevey, R.Horn, G.Huber, J.Lassen, J.K.P.Lee, G.Le Scornet, J.Letry, J.Obert, J.Oms, A.Ouchrif, J.Pinard, H.Ravn, B.Roussiere, J.Sauvage, D.Verney - Phys.Rev. C 72, 034305 (2005)  
Charge-radius change and nuclear moments in the heavy tin isotopes from laser spectroscopy: Charge radius of  $^{132}\text{Sn}$
- 2005LE35 S.Leoni, G.Benzoni, A.Bracco, N.Biasi, F.Camera, C.Grassi, P.Mason, B.Million, A.Paleni, M.Pignanelli, E.Vigezzi, O.Wieland, M.Matsuo, T.Dossing, B.Herskind, G.B.Hagemann, J.Wilson, A.Maj, M.Kmiecik, G.Lo Bianco, C.M.Petrache, M.Castoldi, A.Zucchiatti, G.de Angelis, D.R.Napoli, P.Bednarczyk, D.Curien - Phys.Rev. C 72, 034307 (2005)  
Damping mechanisms and order-to-chaos transition in the warm rotating  $^{163}\text{Er}$  nucleus
- 2005LE38 J.Leske, K.-H.Speidel, S.Schielke, J.Gerber, P.Maier-Komor, T.Engeland, M.Hjorth-Jensen - Phys.Rev. C 72, 044301 (2005)  
Dominant  $(g_{9/2})^2$  neutron configuration in the  $4_1^+$  state of  $^{68}\text{Zn}$  based on new g factor measurements

## REFERENCES

---

- 2005LE42 A.-P.Leppanen, J.Uusitalo, S.Eeckhaudt, T.Enqvist, K.Eskola, T.Grahn, F.P.Hessberger, P.T.Greenlees, P.Jones, R.Julin, S.Juutinen, H.Kettunen, P.Kuusiniemi, M.Leino, P.Nieminen, J.Pakarinen, J.Perkowski, P.Rahkila, C.Scholey, G.Sletten - Eur.Phys.J. A 25, Supplement 1, 183 (2005)  
Alpha-decay study of  $^{218}\text{U}$ ; a search for the sub-shell closure at  $Z = 92$
- 2005LEZW A.I.Levon, I.B.Kovgar, Yu.V.Nosenko, V.A.Onischuk, A.A.Shevchuk - Book of Abstracts, LV National Conference on Nuclear Physics "Frontiers in the Physics of Nucleus", St.-Petersburg, p.81 (2005)  
Nuclear g-Factors of High-Spin Isomers in  $^{190,192,194}\text{Pt}$  and  $^{196,198}\text{Hg}$
- 2005LEZX J.Leske, K.-H.Speidel, S.Schielke, J.Gerber, P.Maier-Komor, T.Engeland, M.Hjorth-Jensen - nucl-ex/0506006,6/05/2005 (2005)  
Dominant  $(g_{9/2})^2$  neutron configuration in the  $4_1^+$  state of  $^{68}\text{Zn}$  based on new g factor measurements
- 2005LEZZ S.Leoni, M.Matsuo, A.Bracco, G.Benzoni, N.Biasi, F.Camera, C.Grassi, B.Million, A.Paleni, M.Pignanelli, E.Vigezzi, O.Wieland, T.Dossing, B.Herskind, G.B.Hagemann, J.Wilson, A.Maj, M.Kmiecik, G.LoBianco, C.M.Petrache, M.Castoldi, A.Zucchiati, G.De Angelis, D.Napoli, P.Bednarczyk, D.Curien - Proc.Nuclei at the Limits, Argonne, Illinois, D.Seweryniak and T.L.Khoo, eds., p.309 (2005); AIP Conf. Proc 764 (2005)  
Compound And Rotational Damping In Warm Nuclei
- 2005LH01 G.Lhersonneau, S.Brant - Phys.Rev. C 72, 034308 (2005)  
Levels in  $^{99}\text{Zr}$  observed in the decay of  $^{99}\text{Y}$
- 2005LI02 Y.Li, S.-F.Shen, S.-H.Shi, J.-H.Gu, J.-Y.Liu, H.Xu - Chinese Physics 14, 95 (2005)  
New levels and transitions in  $^{72}\text{Ge}$  following the decay of  $^{72}\text{Ga}$
- 2005LI09 Y.Li, S.-F.Shen, J.-H.Gu, S.-H.Shi, J.-Y.Liu - Chinese Physics 14, 487 (2005)  
A study on the decay of  $^{72}\text{As}$
- 2005LI13 D.Li, K.Imasaki, S.Miyamoto, S.Amano, T.Mochizuki - J.Nucl.Sci.Technol.(Tokyo) 42, 259 (2005)  
Experiment on Photonuclear Reaction Induced by Laser Compton Scattering Gamma-Ray
- 2005LI14 T.C.Li, N.Pietralla, C.Fransen, H.von Garrel, U.Kneissl, C.Kohstall, A.Linnemann, H.H.Pitz, G.Rainovski, A.Richter, M.Scheck, F.Stedile, P.von Brentano, P.von Neumann-Cosel, V.Werner - Phys.Rev. C 71, 044318 (2005)  
One-phonon  $2_{1,ms}^+$  mixed-symmetry state of  $^{148}\text{Sm}$  observed in nuclear resonance fluorescence
- 2005LI17 Z.Liu, J.Kurcewicz, P.J.Woods, C.Mazzocchi, F.Attallah, E.Badura, C.N.Davids, T.Davinson, J.Doring, H.Geissel, M.Gorska, R.Grzywacz, M.Hellstrom, Z.Janas, M.Karny, A.Korgul, I.Mukha, M.Pfutzner, C.Plettner, A.Robinson, E.Roeckl, K.Rykaczewski, K.Schmidt, D.Seweryniak, H.Weick - Nucl.Instrum.Methods Phys.Res. A543, 591 (2005)

REFERENCES

---

- Decay spectroscopy of suburanium isotopes following projectile fragmentation of  $^{238}\text{U}$  at 1 GeV / u
- 2005LI19 Z.H.Li, W.P.Liu, X.X.Bai, B.Guo, G.Lian, S.Q.Yan, B.X.Wang, S.Zeng, Y.Lu, J.Su, Y.S.Chen, K.S.Wu, N.C.Shu, T.Kajino - Phys.Rev. C 71, 052801 (2005)  
The  $^8\text{Li}(d, p)^9\text{Li}$  reaction and the astrophysical  $^8\text{Li}(n, \gamma)^9\text{Li}$  reaction rate
- 2005LI29 A.G.Lipson, A.S.Rusetskii, A.B.Karabut, G.Miley - Zh.Eksp.Teor.Fiz. 127, 1334 (2005); J.Exper.Theo.Phys. 100, 1175 (2005)  
DD Reaction Enhancement and X-ray Generation in a High-Current Pulsed Glow Discharge in Deuterium with Titanium Cathode at 0.8-2.45 kV
- 2005LI35 Z.H.Li, B.Guo, W.-P.Liu, X.-X.Bai, G.Lian, J.Su, S.-Q.Yan, B.-X.Wang, S.Zeng - Chin.Phys.Lett. 22, 1870 (2005)  
Radius of  $^9\text{C}$  from the Asymptotic Normalization Coefficient
- 2005LI40 W.Liu, Z.Li, X.Bai, G.Lian, B.Guo, S.Zeng, S.Yan, B.Wang, N.Shu, K.Wu Y.Chen - Nucl.Phys. A758, 110c (2005)  
Nuclear Astrophysics Experiments at CIAE
- 2005LI47 Z.Liu, P.J.Woods, K.Schmidt, H.Mahmud, P.S.L.Munro, A.Blazhev, J.Doring, H.Grawe, M.Hellstrom, R.Kirchner, Z.K.Li, C.Mazzocchi, I.Mukha, C.Plettner, E.Roeckl, M.La Commara - Phys.Rev. C 72, 047301 (2005)  
Reinvestigation of direct proton decay of  $^{105}\text{Sb}$
- 2005LI53 S.N.Liddick, P.F.Mantica, R.Broda, B.A.Brown, M.P.Carpenter, A.D.Davies, B.Fornal, M.Horoi, R.V.F.Janssens, A.C.Morton, W.F.Mueller, J.Pavan, H.Schatz, A.Stolz, S.L.Tabor, B.E.Tomlin, M.Wiedeking - Phys.Rev. C 72, 054321 (2005)  
 $\beta$ -decay of odd-A  $^{57}\text{Ti}$  and  $^{59}\text{V}$
- 2005LIZY Z.Liu, P.J.Woods, K.Schmidt, H.Mahmud, P.S.L.Munro, A.Blazhev, J.Doring, H.Grawe, M.Hellstrom, R.Kirchner, Z.K.Li, C.Mazzocchi, I.Mukha, C.Plettner, E.Roeckl, M.La Commara - GSI 2005-1, p.85 (2005)  
Reinvestigation of direct proton decay of  $^{105}\text{Sb}$
- 2005LIZZ Yu.A.Litvinov, D.Boutin, L.Chen, H.Geissel, E.Kaza, C.Kozhuharov, S.A.Litvinov, M.Matos, Yu.N.Novikov, W.Plass, C.Scheidenberger, G.Vorobjev, H.Weick, F.Attallah, K.Beckert, P.Beller, F.Bosch, L.Caceres, J.J.Carroll, R.S.Chakrawarthy, D.Cullen, B.Franczak, B.Franzke, J.Gerl, E.Greda, M.Hausmann, G.Jones, A.Kishada, O.Klepper, H.-J.Kluge, R.Knobel, R.Koyama, K.L.Kratz, E.Kulich, N.Kuzminchuk, Z.Liu, S.Mandal, F.Montes, G.Munzenberg, F.Nolden, T.Ohtsubo, A.Ostrowski, A.Ozawa, Z.Patyk, B.Pfeiffer, Z.Podolyak, M.Portillo, R.Propri, T.Radon, S.Rigby, N.Saito, T.Saito, H.Schatz, M.Shindo, J.Stadlmann, M.Steck, K.Summerer, T.Suzuki, P.Ugorowski, D.Vieira, P.M.Walker, S.Watanabe, S.Williams, M.Winkler, T.Winkler, H.-J.Wollersheim, H.Wollnik, T.Yamaguchi - GSI 2005-1, p.79 (2005)  
Direct Mass Measurements of Stored exotic Nuclei
- 2005L006 S.J.Lokitz, G.E.Mitchell, J.F.Shriener, Jr. - Phys.Rev. C 71, 064315 (2005)  
Test of  $^{45}\text{Sc}$  level densities with proton resonances

## REFERENCES

---

- 2005LU06 Y.-W.Lui, D.H.Youngblood, H.L.Clark, Y.Tokimoto, B.John - Acta Phys.Pol. B36, 1107 (2005)  
Giant monopole resonance in Cd and Sn isotopes
- 2005LU07 S.Lunardi - Acta Phys.Pol. B36, 1301 (2005)  
Investigation of neutron-rich nuclei with the clover array and the PRISMA magnetic spectrometer
- 2005LU21 Y.X.Luo, J.O.Rasmussen, I.Stefanescu, A.Gelberg, J.H.Hamilton, A.V.Ramayya, J.K.Hwang, S.J.Zhu, P.M.Gore, D.Fong, E.F.Jones, S.C.Wu, I.Y.Lee, T.N.Ginter, W.C.Ma, G.M.Ter-Akopian, A.V.Daniel, M.A.Stoyer, R.Donangelo - J.Phys.(London) G31, 1303 (2005)  
Shape trends and triaxiality in neutron-rich odd-mass Y and Nb isotopes
- 2005LU24 Y.X.Luo, J.O.Rasmussen, J.H.Hamilton, A.V.Ramayya, A.Gelberg, I.Stefanescu, J.K.Hwang, S.J.Zhu, P.M.Gore, D.Fong, E.F.Jones, S.C.Wu, I.Y.Lee, T.N.Ginter, W.C.Ma, G.M.Ter-Akopian, A.V.Daniel, M.A.Stoyer, R.Donangelo - Eur.Phys.J. A 25, Supplement 1, 469 (2005)  
Shape transitions and triaxiality in neutron-rich odd-mass Y and Nb isotopes
- 2005MA03 P.Mason, N.Marginean, S.M.Lenzi, M.Ionescu-Bujor, F.Della Vedova, D.R.Napoli, T.Otsuka, Y.Utsuno, F.Nowacki, M.Axiotis, D.Bazzacco, P.G.Bizzeti, A.Bizzeti-Sona, F.Brandolini, M.Cardona, G.de Angelis, E.Farnea, A.Gadea, D.Hojman, A.Iordachescu, C.Kalfas, Th.Kroll, S.Lunardi, T.Martinez, C.M.Petrache, B.Quintana, R.V.Ribas, C.Rossi Alvarez, C.A.Ur, R.Vlastou, S.Zilio - Phys.Rev. C 71, 014316 (2005)  
High spin structure of  $^{34}\text{S}$  and the proton-neutron coupling of intruder states
- 2005MA10 H.-L.Ma - Chinese Physics 14, 511 (2005)  
Measurement of hyperfine structure and isotope shifts in the 580.56nm line of  $^{142-145,146,148,150}\text{Nd}^+$
- 2005MA13 F.E.Maas, K.Aulenbacher, S.Baunack, L.Capozza, J.Diefenbach, B.Glaser, Y.Imai, T.Hammel, D.von Harrach, E.-M.Kabuss, R.Kothe, J.H.Lee, A.Sanchez-Lorente, E.Schilling, D.Schwaab, G.Stephan, G.Weber, C.Weinrich, I.Altarev, J.Arviex, M.Elyakoubi, R.Frascaria, R.Kunne, M.Morlet, S.Ong, J.Van de Wiele, S.Kowalski, R.Suleiman, S.Taylor - Phys.Rev.Lett. 94, 082001 (2005)  
Measurement of the Transverse Beam Spin Asymmetry in Elastic Electron-Proton Scattering and the Inelastic Contribution to the Imaginary Part of the Two-Photon Exchange Amplitude
- 2005MA19 F.E.Maas, for the A4 Collaboration - Eur.Phys.J. A 24, Supplement 2, 47 (2005)  
Parity violating electron scattering at the MAMI facility in Mainz The strangeness contribution to the form factors of the nucleon

REFERENCES

---

- 2005MA25 F.E.Maas, K.Aulenbacher, S.Baunack, L.Capozza, J.Diefenbach, B.Glaser, T.Hammel, D.von Harrach, Y.Imai, E.-M.Kabuss, R.Kothe, J.H.Lee, A.Lorente, E.Schilling, D.Schwaab, M.Sikora, G.Stephan, G.Weber, C.Weinrich, I.Altarev, J.Arvioux, M.El-Yakoubi, R.Frascaria, R.Kunne, M.Morlet, S.Ong, J.van de Wiele, S.Kowalski, B.Plaster, R.Suleiman, S.Taylor - Phys.Rev.Lett. 94, 152001 (2005)  
Evidence for Strange-Quark Contributions to the Nucleon's Form Factors at  $Q^2=0.108 \text{ (GeV / c)}^2$
- 2005MA44 F.E.Maas, for the A4-Collaboration - Prog.Part.Nucl.Phys. 55, 320 (2005)  
The Mainz A4 parity violation experiment (single spin asymmetries in elastic scattering)
- 2005MA45 T.Maruta, S.Ajimura, K.Aoki, A.Banu, H.Bhang, T.Fukuda, O.Hashimoto, J.I.Hwang, S.Kameoka, B.H.Kang, E.H.Kim, J.H.Kim, M.J.Kim, Y.Miura, Y.Miyake, T.Nagae, M.Nakamura, S.N.Nakamura, H.Noumi, S.Okada, Y.Okayasu, H.Outa, H.Park, P.K.Saha, Y.Sato, M.Sekimoto, T.Takahashi, H.Tamura, K.Tanida, A.Toyoda, K.Tsukada, T.Watanabe, H.J.Yim - Nucl.Phys. A754, 168c (2005)  
Proton asymmetry in non-mesonic weak decay of light hypernuclei
- 2005MA48 J.W.Martin, for the  $G^0$  Collaboration - Nucl.Phys. A755, 245c (2005)  
The Strange Form Factors of the Proton and the  $G^0$  Experiment
- 2005MA51 G.K.Mabala, E.Gueorguieva, J.F.Sharpey-Schafer, M.Benatar, R.W.Fearick, K.I.Korir, J.J.Lawrie, S.M.Mullins, S.H.T.Murray, N.J.Ncapayi, R.T.Newman, D.G.Roux, F.D.Smit, R.Wyss - Eur.Phys.J. A 25, 49 (2005)  
Shears band with a large dynamic moment of inertia in  $^{197}\text{Bi}$
- 2005MA52 H.Makii, K.Mishima, M.Segawa, E.Sano, H.Ueda, T.Shima, Y.Nagai, M.Igashira, T.Ohsaki - Nucl.Instrum.Methods Phys.Res. A547, 411 (2005)  
Measurement system of the  $\gamma$ -ray angular distributions of the  $^{12}\text{C}(\alpha, \gamma)^{16}\text{O}$  reaction
- 2005MA55 N.Marginean, C.Rusu, D.Bucurescu, C.Rossi Alvarez, C.A.Ur, D.Bazzacco, S.Lunardi, P.Pavan, G.de Angelis, M.Axiotis, E.Farnea, A.Gadea, M.Ionescu-Bujor, A.Iordachescu, W.Krolas, Th.Kroll, S.M.Lenzi, T.Martinez, R.Menegazzo, D.R.Napoli, B.Quintana, P.Spoladore, Y.H.Zhang, J.Wrzesinski - Phys.Rev. C 72, 014302 (2005); Erratum Phys.Rev. C 72, 039903 (2005)  
Identification of excited states and shell model description of the  $N = Z + 1$  nucleus  $^{91}\text{Rh}$
- 2005MA59 C.Mazzocchi, R.Grzywacz, J.C.Batchelder, C.R.Bingham, D.Fong, J.H.Hamilton, J.K.Hwang, M.Karny, W.Krolas, S.N.Liddick, A.F.Lisetskiy, A.C.Morton, P.F.Mantica, W.F.Mueller, K.P.Rykaczewski, M.Steiner, A.Stolz, J.A.Winger - Phys.Lett. B 622, 45 (2005)  
Low energy structure of even-even Ni isotopes close to  $^{78}\text{Ni}$
- 2005MA69 H.Makii, Y.Nagai, T.Shima, M.Segawa, H.Ueda, T.Masaki, K.Mishima, M.Igashira, T.Ohsaki, S.Okabe - Nucl.Phys. A758, 371c (2005)  
Measurement of the  $^{12}\text{C}(\alpha, \gamma)^{16}\text{O}$  Reaction Cross Section Using Pulsed  $\alpha$  Beams
- 2005MA71 C.Matei, C.R.Brune - Nucl.Phys. A758, 403c (2005)



REFERENCES

---

- Branching ratio measurements of the 7.12-MeV state in  $^{16}\text{O}$
- 2005MA73 S.Marrone, for the n\_TOF Collaboration - Nucl.Phys. A758, 533c (2005)  
Measurement of the  $^{151}\text{Sm}(n, \gamma)^{152}\text{Sm}$  cross section at n\_TOF
- 2005MA81 H.Mach, P.M.Walker, R.Julin, M.Leino, S.Juutinen, M.Stanoiu, Zs.Podolyak, R.Wood, A.M.Bruce, T.Back, J.A.Cameron, B.Cederwall, J.Ekman, B.Fogelberg, P.T.Greenlees, M.Hellstrom, P.Jones, W.Klamra, K.Lagergren, A.-P.Leppanen, P.Nieminen, R.Orlandi, J.Pakarinen, P.Rahkila, D.Rudolph, G.Simpson, J.Uusitalo, C.Wheldon - J.Phys.(London) G31, S1421 (2005)  
Application of ultra-fast timing techniques to the study of exotic and weakly produced nuclei
- 2005MA84 P.Mason, G.Benzoni, A.Bracco, F.Camera, B.Million, O.Wieland, S.Leoni, A.K.Singh, A.Al-Khatib, H.Hubel, P.Bringel, A.Burger, A.Neusser, G.Schonwasser, G.B.Hagemann, C.R.Hansen, B.Herskind, G.Sletten, A.Algora, Zs.Dombradi, J.Gal, G.Kalinka, J.Molnar, B.M.Nyako, D.Sohler, J.Timar, L.Zolnai, M.Kmiecik, A.Maj, J.Styczen, K.Zuber, F.Azaiez, K.Hauschild, A.Korichi, A.Lopez-Martens, J.Roccaz, S.Siem, F.Hannachi, J.N.Scheurer, P.Bednarczyk, Th.Byrski, D.Curien, O.Dorvaux, G.Duchene, B.Gall, F.Khalfallah, I.Piqueras, J.Robin, K.Juhasz, S.B.Patel, A.O.Evans, G.Rainovski, C.M.Petrache, D.Petrache, G.La Rana, R.Moro, G.De Angelis, P.Fallon, I.-Y.Lee, J.C.Lisle, B.Cederwall, K.Lagergren, R.M.Lieder, E.Podsvirova, W.Gast, H.Jager, N.Redon, A.Gorgen - J.Phys.(London) G31, S1729 (2005)  
Octupole signatures in  $^{124,125}\text{Ba}$
- 2005MA86 F.Marechal, D.L.Balabanski, D.Borremans, J.-M.Daugas, F.de Oliveira Santos, P.Dessagne, G.Georgiev, J.Giovinazzo, S.Grevy, P.Himpe, C.Jollet, I.Matea, G.Neyens, F.Perrot, E.Poirier, O.Roig, M.Stanoiu, C.Stodel, J.-C.Thomas, K.Turzo, D.Yordanov, E.Caurier, F.Nowacki, A.Poves - Phys.Rev. C 72, 044314 (2005)  
 $\beta$  decay of  $^{31}\text{Mg}$ : Extending the "island of inversion"
- 2005MA90 N.L.Maidana, M.N.Takeda, M.S.Dias, M.F.Koskinas, V.R.Vanin - Nucl.Instrum.Methods Phys.Res. A553, 559 (2005)  
Absolute measurement of  $^{242g}\text{Am}$  sources activities in the  $^{241}\text{Am}(n, \gamma)$  cross-section determination-Improvement by simulation
- 2005MA92 N.W.Makau, T.E.Derry - Nucl.Instrum.Methods Phys.Res. A555, 31 (2005)  
A new way of depositing thin targets of monolayer thickness for nuclear reaction analysis: A case of the 550 keV  $^{13}\text{C}(p, \gamma)^{14}\text{N}$  resonant nuclear reaction
- 2005MA93 P.F.Mantica, S.N.Liddick, B.E.Tomlin - Nucl.Instrum.Methods Phys.Res. B241, 195 (2005)  
Beta-decay studies of neutron-rich nuclei produced using projectile fragmentation at the NSCL
- 2005MA95 C.Mazzocchi, R.Grzywacz, J.C.Batchelder, C.R.Bingham, D.Fong, J.H.Hamilton, J.K.Hwang, M.Karny, W.Krolas, S.N.Liddick, A.C.Morton, P.F.Mantica, W.F.Mueller, K.P.Rykaczewski, M.Steiner, A.Stolz, J.A.Winger - Eur.Phys.J. A 25, Supplement 1, 93 (2005)

REFERENCES

---

Beta-delayed  $\gamma$  and neutron emission near the double shell closure at  $^{78}\text{Ni}$

- 2005MA96 H.Mach, L.M.Fraile, O.Tengblad, R.Boutami, C.Jollet, W.A.Plociennik, D.T.Yordanov, M.Stanoiu, M.J.G.Borge, P.A.Butler, J.Cederkall, Ph.Dessagne, B.Fogelberg, H.Fynbo, P.Hoff, A.Jokinen, A.Korgul, U.Koster, W.Kurcewicz, F.Marechal, T.Motobayashi, J.Mrazek, G.Neyens, T.Nilsson, S.Pedersen, A.Poves, B.Rubio, E.Ruchowska, and the ISOLDE Collaboration - Eur.Phys.J. A 25, Supplement 1, 105 (2005)  
New structure information on  $^{30}\text{Mg}$ ,  $^{31}\text{Mg}$  and  $^{32}\text{Mg}$
- 2005MAZL M.Mahgoub, A.Bergmaier, D.Bucurescu, T.Behrens, G.Dollinger, T.Faestermann, R.Gernhauser, R.Hertenberger, Th.Kroll, R.Krucken, P.Maierbeck, F.Nebel, M.Schlarb, H.-F.Wirth - Maier-Leibnitz-Laboratorium 2004 Ann.Rept., p.9 (2005)  
One and two Neutron Transfer Reactions in Normal and Inverse Kinematics
- 2005MAZM P.Maierbeck, T.Behrens, A.Bergmaier, M.Bohmer, T.Faestermann, R.Gernhauser, R.Hertenberger, Th.Kroll, R.Krucken, R.Lutter, M.Mahgoub, L.Maier, S.Nimmrichter, B.Sailer, M.Schlarb, H.-F.Wirth, T.Nilsson, M.Pantea, A.Richter, G.Schrieder, S.Volz, N.Braun, B.Bruyneel, T.Striepling, P.Reiter, A.Wiens, N.Warr, and the MINIBALL Collaboration - Maier-Leibnitz-Laboratorium 2004 Ann.Rept., p.8 (2005)  
Study of  $^{49}\text{Ca}$  in One-Neutron Transfer Reactions
- 2005MAZN Y.Maeda, K.Fujita, M.B.Greenfield, Y.Hagiwara, K.Hatanaka, M.Hatano, K.Itoh, H.Kamada, J.Kamiya, T.Kawabata, H.Kuboki, T.Kudoh, Y.Nagasue, H.Okamura, T.Saito, H.Sakai, Y.Sakemi, M.Sasano, K.Sekiguchi, Y.Shimizu, K.Suda, A.Tamii, T.Wakasa, K.Yako - CNS-REP-66, p.38 (2005)  
Measurements of the nd Elastic Scattering at 250 MeV and Three Nucleon Force Effects
- 2005MAZO N.L.Maidana, V.R.Vanin, R.M.Castro, P.R.Pascholati, O.Helene, M.S.Dias, M.F.Koskinas - Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.2, p. 1466 (2005); AIP Conf.Proc. 769 (2005)  
 $^{232}\text{Th}(n, \gamma)^{233}\text{Th}$  Thermal Reaction Cross-Section Measurement
- 2005MAZP W.Mannhart, D.Schmidt - Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.1, p. 609 (2005); AIP Conf.Proc. 769 (2005)  
Measurement of Neutron Reaction Cross Sections between 8 and 14 MeV
- 2005MAZQ T.N.Massey, S.M.Grimes, M.T.Wenner, A.Haghighat, J.M.Adams, A.D.Carlson - Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.1, p. 480 (2005); AIP Conf.Proc. 769 (2005)  
Measurement of Neutron Transmission Through Iron Spheres

REFERENCES

---

- 2005MAZX C.Mazzocchi, R.Grzywacz, J.C.Batchelder, C.R.Bingham, D.Fong, J.H.Hamilton, J.K.Hwang, M.Karny, W.Krolas, S.N.Liddick, P.F.Mantica, A.C.Morton, W.F.Mueller, K.P.Rykaczewski, M.Steiner, A.Stolz, J.A.Winger - Proc.Nuclei at the Limits, Argonne, Illinois, D.Seweryniak And T.L.Khoo, eds., p.164 (2005); AIP Conf. Proc 764 (2005)  
Isomer And Beta-Decay Studies Of Nuclei Near  $^{78}\text{Ni}$
- 2005MC01 E.A.McCutchan, N.V.Zamfir, R.F.Casten, M.A.Caprio, H.Ai, H.Amro, C.W.Beausang, A.A.Hecht, D.A.Meyer, J.J.Ressler - Phys.Rev. C 71, 024309 (2005)  
 $\gamma$ -ray spectroscopy of  $^{166}\text{Hf}$ : X(5) in  $N > 90$ ?
- 2005MC12 P.McEwan, M.Freer, N.Ashwood, N.Curtis, D.Price, V.Ziman, H.G.Bohlen, Tz.Kokalova, Ch.Schulz, R.Torabi, W.von Oertzen, C.Wheldon, T.N.Massey, R.Kalpakchieva, W.Catford - J.Phys.(London) G31, S1921 (2005)  
Investigation into the structure of  $^{14}\text{C}$  using recoil co-incidence techniques
- 2005MC13 C.J.McKay, J.N.Orce, S.R.Lesher, D.Bandyopadhyay, M.T.McEllistrem, C.Fransen, J.Jolie, A.Linnemann, N.Pietralla, V.Werner, S.W.Yates - Eur.Phys.J. A 25, Supplement 1, 377 (2005); Eur.Phys.J. A 25, Supplement 1, 773 (2005)  
Identification of mixed-symmetry states in odd-A  $^{93}\text{Nb}$
- 2005ME01 A.K.M.M.H.Meaze, H.Ahmed, G.Kim, D.Son, Y.S.Lee, H.Kang, M-H.Cho, I.S.Ko, W.Namkung, T.-I.Ro, W.-C.Chung, Y.-A.Kim, K.J.Yoo, J.H.Chang - J.Korean Phys.Soc. 46, 401 (2005)  
Measurement of the Total Neutron Cross-Sections and the Resonance Parameters of Natural Hafnium at the Pohang Neutron Facility
- 2005ME03 Z.E.Meziani, for the polarized  $^3\text{He}$  Collaboration - Eur.Phys.J. A 24, Supplement 1, 153 (2005)  
 $Q^2$  evolution of  $^3\text{He}$  spin structure functions moments
- 2005ME05 S.Yu.Mezhevych, A.T.Rudchik, K.Rusek, A.Budzanowski, B.Czech, J.Choinski, L.Glowacka, S.Kliczewski, E.I.Koshchy, V.M.Kyryanchuk, A.V.Mokhnach, A.A.Rudchik, S.B.Sakuta, R.Siudak, I.Skwirczynska, A.Szczurek - Nucl.Phys. A753, 13 (2005)  
Excitation of  $^{14}\text{C}$  by 45 MeV  $^{11}\text{B}$  ions
- 2005ME09 A.A.Mehmandoost-Khajeh-Dad, H.R.Amir-Ahmadi, J.C.S.Bacelar, A.M.van den Berg, R.Castelijns, A.Deltuva, E.D.van Garderen, W.Glockle, J.Golak, N.Kalantar-Nayestanaki, H.Kamada, M.Kis, R.Koochi-Fayegh-Dehkordi, H.Lohner, M.Mahjour-Shafiei, H.Mardanpour, J.G.Messchendorp, A.Nogga, P.Sauer, S.V.Shende, R.Skibinski, H.Witala, H.J.Wortche - Phys.Lett. B 617, 18 (2005)  
Spin observables in deuteron-proton radiative capture at intermediate energies
- 2005ME19 D.A.Meyer, G.Graw, R.Hertenberger, H.-F.Wirth, R.F.Casten, P.von Brentano, D.Bucurescu, S.Heinze, J.L.Jerke, J.Jolie, R.Krucken, M.Mahgoub, P.Pejovic, O.Moller, D.Mucher, C.Scholl - J.Phys.(London) G31, S1399 (2005)  
Systematic exploration of  $0^+$  states in structurally diverse nuclei

REFERENCES

---

- 2005MEZY P.Mermod, J.Blomgren, B.Bergengwall, A.Hildebrand, C.Johansson, J.Klug, L.Nilsson, N.Olsson, M.Osterlund, S.Pomp, U.Tippawan, O.Jonsson, A.Prokofiev, P.-U.Renberg, P.Nadel-Turonski, Y.Maeda, H.Sakai, A.Tamii - Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.1, p. 688 (2005); AIP Conf.Proc. 769 (2005)  
Investigation of Three-Body Force Effects in Neutron-Deuteron Scattering at 95 MeV
- 2005MEZZ A.A.Mehmandoost-Khajeh-Dad, H.R.Amir-Ahmadi, J.C.S.Bacelar, A.M.van den Berg, R.Castelijns, A.Deltuva, E.D.van Garderen, W.Glockle, J.Golak, N.Kalantar-Nayestanaki, H.Kamada, M.Kis, R.Koochi-Fayegh-Dehkordi, H.Lohner, M.Mahjour-Shafiei, H.Mardanpur, J.G.Messchendorp, A.Nogga, P.Sauer, S.V.Shende, R.Skibinski, H.Witala, H.J.Wortche - nucl-ex/0501012,1/17/2005 (2005)  
Spin observables in deuteron-proton radiative capture at intermediate energies
- 2005MI13 M.Milin, M.Zadro, S.Cherubini, T.Davinson, A.Di Pietro, P.Figuera, D.Miljanic, A.Musumarra, A.Ninane, A.N.Ostrowski, M.G.Pellegriti, A.C.Shotter, N.Soic, C.Spitaleri - Nucl.Phys. A753, 263 (2005)  
Sequential decay reactions induced by a 18 MeV  $^6\text{He}$  beam on  $^6\text{Li}$  and  $^7\text{Li}$
- 2005MI19 Y.Miura, S.Ajimura, Y.Fujii, T.Fukuda, O.Hashimoto, H.Hotchi, K.Imai, W.Imoto, Y.Kakiguchi, S.Kameoka, A.Krutenkova, T.Maruta, A.Matsumura, K.Miwa, K.Mizunuma, S.N.Nakamura, T.Nagae, H.Nomura, H.Noumi, H.Outa, P.K.Saha, T.Saitoh, Y.Sato, M.Sekimoto, T.Takahashi, H.Tamura, K.Tanida, A.Toyoda, M.Ukai, H.Yamauchi - Nucl.Phys. A754, 75c (2005)  
 $\gamma$  spectroscopy of  $^{11}\text{B}$
- 2005MI20 K.Miwa, K.Tanida, H.Akikawa, Y.Fukao, E.Hiyama, H.Hotchi, K.Imai, Y.Miura, K.Mizunuma, S.N.Nakamura, M.Niiyama, S.Ota, P.K.Saha, H.Takahashi, T.Takahashi, H.Tamura, S.Terashima, M.Togawa, M.Ukai - Nucl.Phys. A754, 80c (2005)  
High-resolution  $\gamma$ -ray spectroscopy of hyperfragments produced by stopped  $\text{K}^-$  reactions
- 2005MI28 T.Mitsui, R.Masuda, S.Kitao, M.Seto - J.Phys.Soc.Jpn. 74, 3122 (2005)  
Nuclear Resonant Scattering of Synchrotron Radiation by  $^{158}\text{Gd}$
- 2005MI32 S.Michimasa, S.Shimoura, H.Iwasaki, M.Tamaki, S.Ota, N.Aoi, H.Baba, N.Iwasa, S.Kanno, S.Kubono, K.Kurita, M.Kurokawa, T.Minemura, T.Motobayashi, M.Notani, H.J.Ong, A.Saito, H.Sakurai, S.Takeuchi, E.Takeshita, Y.Yanagisawa, A.Yoshida - Eur.Phys.J. A 25, Supplement 1, 367 (2005)  
Study of single-particle states in  $^{23}\text{F}$  using proton transfer reaction
- 2005MIZT S.Michimasa, S.Shimoura, H.Iwasaki, M.Tamaki, S.Ota, N.Aoi, H.Baba, N.Iwasa, S.Kanno, S.Kubono, K.Kurita, M.Kurokawa, T.Minemura, T.Motobayashi, M.Notani, H.J.Ong, A.Saito, H.Sakurai, E.Takeshita, S.Takeuchi, Y.Yanagisawa, A.Yoshida - CNS-REP-67 (2005)  
Proton Single-Particle States in the Neutron-rich  $^{23}\text{F}$  Nucleus

REFERENCES

---

- 2005MIZU S.Michimasa, S.Shimoura, H.Iwasaki, M.Tamaki, S.Ota, N.Aoi, H.Baba, N.Iwasa, S.Kanno, S.Kubono, K.Kurita, M.Kurokawa, T.Minemura, T.Motobayashi, M.Notani, H.J.Ong, A.Saito, H.Sakurai, E.Takeshita, S.Takeuchi, Y.Yanagisawa, A.Yoshida - CNS-REP-66, p.26 (2005)  
Proton Single Particle States in  $^{23}\text{F}$
- 2005MIZV S.Michimasa, S.Shimoura, H.Iwasaki, M.Tamaki, S.Ota, N.Aoi, H.Baba, N.Iwasa, S.Kanno, S.Kubono, K.Kurita, M.Kurokawa, T.Minemura, T.Motobayashi, M.Notani, H.J.Ong, A.Saito, H.Sakurai, S.Takeuchi, E.Takeshita, Y.Yanagisawa, A.Yoshida - RIKEN Accelerator Progress Report 2004, p.51 (2005)  
Proton single particle states in  $^{23}\text{F}$
- 2005MIZW K.Miernik, L.Batist, A.Blazhev, T.Faestermann, M.Gorska, H.Grawe, Z.Janas, M.Karny, M.Kavatsyuk, O.Kavatsyuk, R.Kirchner, M.La Commara, C.Mazzocchi, I.Mukha, C.Plettner, A.Plochocki, E.Roeckl, K.Rykaczewski, K.Schmidt - GSI 2005-1, p.84 (2005)  
Beta decay studies of  $^{106}\text{Sb}$  and  $^{107}\text{Sb}$
- 2005MIZX I.Miyazaki, T.Shimizu, M.Shibata, K.Kawade, A.Taniguchi, H.Harada, K.Furutaka, H.Sakane - Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.1, p. 996 (2005); AIP Conf.Proc. 769 (2005)  
Reliability of Prompt  $\gamma$ -Ray Intensities for the Measurement of Neutron Capture Cross Sections
- 2005MIZY L.C.Mihailescu, C.Borcea, A.J.M.Plompen - Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.1, p. 973 (2005); AIP Conf.Proc. 769 (2005)  
Measurement of Neutron Inelastic Scattering Cross Sections for  $^{209}\text{Bi}$  from Threshold up to 18 MeV
- 2005MIZZ R.Michel, W.Glasser, U.Herperts, H.Schuhmacher, H.J.Brede, V.Dangendorf, R.Nolte, P.Malmborg, A.V.Prokofiev, A.N.Smirnov, I.Rishkov, D.Kollar, J.P.Meulders, M.Duijvestijn, A.Koning - Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.1, p. 861 (2005); AIP Conf.Proc. 769 (2005)  
Residual Nuclide Production from Iron, Lead, and Uranium by Neutron-Induced Reactions up to 180 MeV
- 2005M004 S.A.Morrow, J.Arneil, E.C.Aschenauer, M.F.van Batenburg, H.P.Blok, D.J.Boersma, D.Branford, T.Davinson, G.DeMeyer, J.E.Ducret, W.H.A.Hesselink, D.Groep, K.Hicks, D.G.Ireland, N.Kalantar-Nayestanaki, L.Lapikas, M.Liang, J.Mackenzie, C.Marchand, R.Medaglia, J.Ryckebusch, M.van Sambeek, R.Starink, G.van der Steenhoven, M.A.van Uden, H.de Vries - Phys.Rev. C 71, 014607 (2005)  
Comparison between the transverse responses of the reactions  $^{12}\text{C}(e, e'p)^{11}\text{B}$  and  $^{12}\text{C}(\gamma, p)^{11}\text{B}$

REFERENCES

---

- 2005M007 K.Morita, H.Miyahara, Y.Ogata, K.Katoh - Nucl.Instrum.Methods Phys.Res. A540, 324 (2005)  
Emission probability measurement of  $\gamma$ -ray of  $^{105}\text{Rh}$
- 2005M020 O.Moller, N.Warr, J.Jolie, A.Dewald, A.Fitzler, A.Linnemann, K.O.Zell, P.E.Garrett, S.W.Yates - Phys.Rev. C 71, 064324 (2005)  
E2 transition probabilities in  $^{114}\text{Te}$ : A conundrum
- 2005M028 J.Y.Moon, C.S.Lee, J.H.Lee, C.C.Yun, J.C.Kim, M.Youn, S.Kubono, T.Teranishi, J.J.He, M.Notani, S.Nishimura, M.Nishimura, V.Guimaraes, R.F.Lichtenthaler, S.Kato - Nucl.Phys. A758, 158c (2005)  
Study of proton resonances in  $^{26}\text{Si}$  and  $^{27}\text{P}$  by using the  $^{25}\text{Al}$  and  $^{26}\text{Si}$  radioactive ion beams
- 2005M030 F.Montes, H.Schatz, A.Aprahamian, O.Arndt, A.Estrade, K.-L.Kratz, S.N.Liddick, P.F.Mantica, W.F.Mueller, P.Hosmer, A.C.Morton, M.Ouellette, E.Pellegrini, B.Pfeiffer, P.Reeder, P.Santi, A.Stolz, B.E.Tomlin, W.B.Walters, A.Wohr - Nucl.Phys. A758, 643c (2005)  
 $\beta$ -Decay Studies Close to the N=82 r-process Path
- 2005M033 O.Moller, P.Petkov, B.Melon, A.Dewald, A.Fitzler, J.Jolie, D.Tonev, S.Christen, B.Saha, K.O.Zell, M.Heidemann - Phys.Rev. C 72, 034306 (2005)  
Lifetimes of the first excited  $2^+$  states in  $^{176,178,180}\text{Os}$
- 2005M0ZR J.Y.Moon, C.S.Lee, J.H.lee, C.C.Yun, J.C.Kim, M.Youn, S.Kubono, T.Teranishi, J.J.He, M.Notani, S.Nishimura, M.Nishimura, V.Guimaraes, R.F.Lichtenthaler, S.Kato - CNS-REP-66, p.6 (2005)  
Study of the Proton Resonance States in  $^{27}\text{P}$  by using a Radioactive Beam of  $^{26}\text{Si}$
- 2005M0ZS K.Morita, K.Morimoto, D.Kaji, T.Akiyama, S.Goto, H.Haba, E.Ideguchi, R.Kanungo, K.Katori, H.Koura, H.Kudo, T.Ohnishi, A.Ozawa, T.Suda, K.Sueki, H.Xu, T.Yamaguchi, A.Yoneda, A.Yoshida, Y.-L.Zhao - RIKEN Accelerator Progress Report 2004, p.70 (2005)  
Experiment on synthesis of element 113 in reaction  $^{209}\text{Bi}(^{70}\text{Zn}, n)^{278}113$
- 2005M0ZT K.Morita, K.Morimoto, D.Kaji, T.Akiyama, S.Goto, H.Haba, E.Ideguchi, H.Koura, H.Kudo, T.Ohnishi, A.Ozawa, T.Suda, K.Sueki, H.Xu, T.Yamaguchi, A.Yoneda, A.Yoshida, Y.-L.Zhao - RIKEN Accelerator Progress Report 2004, p.69 (2005)  
Experiments on synthesis of isotope  $^{277}112$  by  $^{208}\text{Pb} + ^{70}\text{Zn}$  reaction
- 2005M0ZU J.Y.Moon, C.-S.Lee, J.-H.Lee, C.C.Yun, J.C.Kim, M.Youn, S.Kubono, T.Teranishi, J.J.He, M.Notani, S.Nishimura, M.Kurata-Nishimura, S.Kato, V.Guimaraes, R.F.Lichtenthaler - RIKEN Accelerator Progress Report 2004, p.63 (2005)  
Study of astrophysically important resonance states in  $^{26}\text{Si}$  and  $^{27}\text{P}$  using radioactive ion beams
- 2005M0ZV M.Mosconi, and the n-TOF Collaboration - Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.2, p. 1335 (2005); AIP Conf.Proc. 769 (2005)

## REFERENCES

---

### Neutron Capture Cross Sections for the Re / Os Clock

- 2005MOZW C.Moreau, and the n-TOF Collaboration - Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.1, p. 880 (2005); AIP Conf.Proc. 769 (2005)  
Measurement of Capture Cross Sections of  $^{90,91,92,94,96}\text{Zr}$  Isotopes at n-TOF
- 2005MOZZ J.Y.Moon, C.S.Lee, J.H.Lee, C.C.Yun, J.C.Kim, M.Youn, S.Kubono, T.Teranishi, J.J.He, M.Notani, S.Nishimura, M.Nishimura, V.Guimaraes, R.F.Lichtenthaler, S.Kato - Proc. Intern. Symposium on the Origin of Matter and Evolution of Galaxies, Riken, Saitama, Japan, 17-19 November 2003, World Scientific, Singapore, p.505 (2005)  
Study of proton resonances in  $^{26}\text{Si}$  and  $^{27}\text{P}$  by the elastic scattering of  $^1\text{H}(^{25}\text{Al}, \text{p})^{25}\text{Al}$ ,  $^1\text{H}(^{26}\text{Si}, \text{p})^{26}\text{Si}$
- 2005MU15 I.Mukha, E.Roeckl, J.Doring, L.Batist, A.Blazhev, H.Grawe, C.R.Hoffman, M.Huyse, Z.Janas, R.Kirchner, M.La Commara, C.Mazzocchi, C.Plettner, S.L.Tabor, P.Van Duppen, M.Wiedeking - Phys.Rev.Lett. 95, 022501 (2005)  
Observation of Proton Radioactivity of the  $(21^+)$  High-Spin Isomer in  $^{94}\text{Ag}$
- 2005MU21 G.Muhrer, E.J.Pitcher, G.J.Russell, F.Maekawa, Y.Kasugai, H.Takada - Nucl.Instrum.Methods Phys.Res. A547, 555 (2005)  
Comparison of calculated and measured high energy neutron reaction rates at the manual Jr. Lujan Center Spallation Source
- 2005MU22 S.Mukherjee, N.L.Singh, G.Kiran Kumar, L.Chaturvedi - Phys.Rev. C 72, 014609 (2005)  
Measurement and analysis of isomeric cross section ratios in the reaction  $^{93}\text{Nb}(\alpha, 2\text{n})^{95}\text{Tc}$ : Pre-equilibrium reaction mechanism
- 2005MU26 I.Mukha, M.Kavatsyuk, A.Algora, L.Batist, A.Blazhev, J.Doring, H.Grawe, M.Hellstrom, O.Kavatsyuk, R.Kirchner, M.La Commara, C.Mazzocchi, C.Plettner, E.Roeckl - Nucl.Phys. A758, 647c (2005)  
The reaction of triple radiative capture  $\alpha\alpha(\text{n}, \gamma)^9\text{Be}$  studied in a  $\beta$  decay of  $^9\text{Li}$
- 2005MUZX I.Mukha, E.Roeckl, L.Batist, A.Blazhev, J.Doring, H.Grawe, L.Grigorenko, C.Hoffman, M.Huyse, Z.Janas, R.Kirchner, M.La Commara, C.Mazzocchi, C.Plettner, S.L.Tabor, P.Van Duppen, M.Wiedeking - GSI 2005-1, p.87 (2005)  
Two-proton radioactivity of  $^{94m}\text{Ag}$   $(21^+)$
- 2005MUZY P.Mutti, H.Beer, A.Brusegan, F.Corvi, R.Gallino - Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.2, p. 1327 (2005); AIP Conf.Proc. 769 (2005)  
New Kr Cross Sections and Astrophysical Constraints on Presolar Grains

REFERENCES

---

- 2005MUZZ G.Mukherjee, T.L.Khoo, R.Blinstrup, D.Seweryniak, I.Ahmad, P.A.Butler, M.P.Carpenter, P.Chowdhury, J.A.Cizewski, C.N.Davids, S.J.Freeman, J.P.Greene, N.J.Hammond, A.Heinz, R.D.Herzberg, P.J.C.Ikin, R.V.F.Janssens, M.S.Johnson, G.D.Jones, F.G.Kondev, T.Lauritsen, C.J.Lister, E.F.Moore, E.Ngijoi-Yogo, P.Reiter, S.Sinha - Proc.Nuclei at the Limits, Argonne, Illinois, D.Seweryniak and T.L.Khoo, eds., p.243 (2005); AIP Conf. Proc 764 (2005)  
Electrons From A 0.3s Isomer In  $^{254}\text{No}$
- 2005NA05 H.Naik, S.P.Dange, R.J.Singh - Phys.Rev. C 71, 014304 (2005)  
Angular momentum of fission fragments in low energy fission of actinides
- 2005NA08 H.Nassar, M.Paul, I.Ahmad, D.Berkovits, M.Bettan, P.Collon, S.Dababneh, S.Ghelberg, J.P.Greene, A.Heger, M.Heil, D.J.Henderson, C.L.Jiang, F.Kappeler, H.Koivisto, S.O'Brien, R.C.Pardo, N.Patronis, T.Pennington, R.Plug, K.E.Rehm, R.Reifarth, R.Scott, S.Sinha, X.Tang, R.Vondrasek - Phys.Rev.Lett. 94, 092504 (2005)  
Stellar (n,  $\gamma$ ) Cross Section of  $^{62}\text{Ni}$
- 2005NA14 B.Naranjo, J.K.Gimzewski, S.Putterman - Nature(London) 434, 1115 (2005)  
Observation of nuclear fusion driven by a pyroelectric crystal
- 2005NA15 Y.Nagai, M.Igashira, T.Takaoka, T.Kikuchi, T.Shima, A.Tomyo, A.Mengoni, T.Otsuka - Phys.Rev. C 71, 055803 (2005)  
 $^7\text{Li}(n, \gamma)^8\text{Li}$  reaction and the  $S_{17}$  factor at  $E_{c.m.} > 500$  keV
- 2005NA28 B.S.Nara Singh, M.Hass, G.Goldring, D.Ackermann, J.Gerl, F.P.Hessberger, S.Hofmann, I.Kojouharov, P.Kuusiniemi, H.Schaffner, B.Sulignano, B.A.Brown - Phys.Rev. C 72, 027303 (2005)  
Parity nonconservation in the  $\gamma$  decay of polarized  $17 / 2^-$  isomers in  $^{93}\text{Tc}$
- 2005NA30 H.Nassar, M.Paul, S.Ghelberg, A.Ofan, N.Trubnikov, Y.Ben-Dov, M.Hass, B.S.Nara Singh - Nucl.Phys. A758, 411c (2005)  
Study of the supernova nucleosynthesis  $^{40}\text{Ca}(\alpha, \gamma)^{44}\text{Ti}$  reaction: progress report
- 2005NA31 Y.Nagai, A.Tomyo, Y.Temma, M.Segawa, T.Shima, H.Makii, M.Igashira, T.Ohsaki - Nucl.Phys. A758, 537c (2005)  
Measurement of the keV neutron capture cross section of  $^{62}\text{Ni}$
- 2005NA32 B.S.Nara Singh, M.Hass, Y.Nir-El, G.Haquin - Nucl.Phys. A758, 689c (2005)  
A New Precision Measurement of the  $^3\text{He}(^4\text{He}, \gamma)^7\text{Be}$  Cross section
- 2005NA36 S.Nakayama, T.Yamagata, H.Akimune, Y.Arimoto, H.Daito, H.Ejiri, H.Fujimura, Y.Fujita, M.Fujiwara, K.Fushimi, M.B.Greenfield, H.Kohri, N.Koori, K.Takahisa, T.Takeuchi, M.Tanaka, K.Yonehara, H.P.Yoshida - Phys.Rev. C 72, 041001 (2005)  
M1 cross section for the photodisintegration of deuterium using the  $^2\text{H}(^7\text{Li}, ^7\text{Be})$  reaction



## REFERENCES

---

- 2005NA37 S.Naguleswaran, R.S.Chakrawarthy, U.Garg, K.L.Lamkin, G.Smith, J.C.Walpe, A.Galindo-Uribarri, V.P.Janzen, D.C.Radford, R.Kaczarowski, D.B.Fossan, D.R.Lafosse, P.Vaska, Ch.Droste, T.Morek, S.Pilotte, J.DeGraaf, T.Drake, R.Wyss - Phys.Rev. C 72, 044304 (2005)  
Magnetic and intruder rotational bands in  $^{113}\text{In}$
- 2005NA43 B.S.Nara Singh, M.Hass, G.Goldring, D.Ackermann, J.Gerl, F.P.Hessberger, S.Hofmann, I.Kojouharov, P.Kuusiniemi, H.Schaffner, B.Sulignano, B.A.Brown - Eur.Phys.J. A 25, Supplement 1, 703 (2005)  
Parity non-conservation in the  $\gamma$ -decay of polarized  $17 / 2^-$  isomers in  $^{93}\text{Tc}$
- 2005NAZW H.Nassar, M.Paul, I.Ahmad, Y.Ben-Dov, J.Caggiano, S.Ghelberg, S.Goriely, J.P.Greene, M.Hass, A.Heger, A.Heinz, D.J.Henderson, R.V.F.Janssens, C.L.Jiang, Y.Kashiv, B.S.Nara Singh, A.Ofan, R.C.Pardo, T.Pennington, K.E.Rehm, G.Savard, R.Scott, R.Vondrasek - nucl-ex/0509006,9/03/2005 (2005)  
The  $^{40}\text{Ca}(\alpha, \gamma)^{44}\text{Ti}$  reaction in the energy regime of supernova nucleosynthesis
- 2005NAZY M.Nakao, J.Hori, K.Ochiai, S.Sato, M.Yamauchi, N.S.Ishioka, T.Nishitani - Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.2, p. 1489 (2005); AIP Conf.Proc. 769 (2005)  
Measurements of Deuteron-Induced Activation Cross Sections for IFMIF Accelerator Structural Material
- 2005NAZZ T.Nakamura, N.Fukuda - Proc. Intern. Symposium on the Origin of Matter and Evolution of Galaxies, Riken, Saitama, Japan, 17-19 November 2003, World Scientific, Singapore, p.155 (2005)  
Neutron capture cross section of  $^{14}\text{C}$  studied by intermediate-energy Coulomb dissociation
- 2005NC01 N.J.Ncapayi, S.M.Mullins, M.Benatar, E.Gueorgueiva, J.J.Lawrie, G.K.Mabala, S.Mukherjee, S.H.T.Murray, K.P.Mutshena, R.T.Newman, J.F.Sharpey-Schafer, F.D.Smit, P.Vymers - Eur.Phys.J. A 26, 265 (2005)  
Characterization of quasiparticle states at and beyond stability in ytterbium isotopes: Spectroscopy of  $^{175}\text{Yb}$ ,  $^{176}\text{Yb}$  and  $^{177}\text{Yb}$
- 2005NE01 G.Neyens, M.Kowalska, D.Yordanov, K.Blaum, P.Himpe, P.Lievens, S.Mallion, R.Neugart, N.Vermeulen, Y.Utsuno, T.Otsuka - Phys.Rev.Lett. 94, 022501 (2005)  
Measurement of the Spin and Magnetic Moment of  $^{31}\text{Mg}$ : Evidence for a Strongly Deformed Intruder Ground State
- 2005NE05 A.Negret, T.Adachi, G.P.A.Berg, P.von Brentano, H.Fraiquin, D.De Frenne, H.Fujita, K.Fujita, Y.Fujita, K.Hatanaka, E.Jacobs, K.Nakanishi, L.Popescu, Y.Sakemi, Y.Shimbara, Y.Shimizu, Y.Tameshige, A.Tamii, M.Uchida, M.Yosoi - Phys.Rev. C 71, 047303 (2005)  
Level widths of  $^{14}\text{O}$  states studied in the high-resolution  $^{14}\text{N}(^3\text{He}, t)^{14}\text{O}$  reaction

REFERENCES

---

- 2005NE14 A.Negret, T.Adachi, C.Baumer, A.M.van den Berg, G.P.A.Berg, P.von Brentano, D.Frekers, D.De Frenne, K.Fujita, Y.Fujita, E.-W.Grewe, P.Haefner, K.Hatanaka, M.Hunyadi, E.Jacobs, A.Korff, K.Nakanishi, L.Popescu, S.Rakers, Y.Sakemi, Y.Shimbara, Y.Shimizu, Y.Tameshige, A.Tamii, M.Uchida, H.J.Wortche, M.Yosoi - J.Phys.(London) G31, S1931 (2005)  
High resolution study of the Gamow-Teller strength distribution starting from the ground state of  $^{14}\text{N}$  in the  $\beta^-$  and  $\beta^+$  directions
- 2005NEZY R.O.Nelson, N.Fotiades, M.Devlin, J.A.Becker, P.E.Garrett, W.Younes - Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.1, p. 838 (2005); AIP Conf.Proc. 769 (2005)  
Cross-Section Standards for Neutron-Induced Gamma-Ray Production in the MeV Energy Range
- 2005NI09 O.Niedermaier, H.Scheit, V.Bildstein, H.Boie, J.Fitting, R.von Hahn, F.Kock, M.Lauer, U.K.Pal, H.Podlech, R.Repnow, D.Schwalm, C.Alvarez, F.Ames, G.Bollen, S.Emhofer, D.Habs, O.Kester, R.Lutter, K.Rudolph, M.Pasini, P.G.Thirolf, B.H.Wolf, J.Eberth, G.Gersch, H.Hess, P.Reiter, O.Thelen, N.Warr, D.Weisshaar, F.Aksouh, P.Van den Bergh, P.Van Duppen, M.Huyse, O.Ivanov, P.Mayet, J.Van de Walle, J.Aysto, P.A.Butler, J.Cederkall, P.Delahaye, H.O.U.Fynbo, L.M.Fraile, O.Forstner, S.Franchoo, U.Koster, T.Nilsson, M.Oinonen, T.Sieber, F.Wenander, M.Pantea, A.Richter, G.Schrieder, H.Simon, T.Behrens, R.Gernhauser, T.Kroll, R.Krucken, M.Munch, T.Davinson, J.Gerl, G.Huber, A.Hurst, J.Iwanicki, B.Jonson, P.Lieb, L.Liljeby, A.Schempp, A.Scherillo, P.Schmidt, G.Walter - Nucl.Phys. A752, 273c (2005)  
The neutron-rich Mg isotopes: first results from MINIBALL at REX-ISOLDE
- 2005NI11 O.Niedermaier, H.Scheit, V.Bildstein, H.Boie, J.Fitting, R.von Hahn, F.Kock, M.Lauer, U.K.Pal, H.Podlech, R.Repnow, D.Schwalm, C.Alvarez, F.Ames, G.Bollen, S.Emhofer, D.Habs, O.Kester, R.Lutter, K.Rudolph, M.Pasini, P.G.Thirolf, B.H.Wolf, J.Eberth, G.Gersch, H.Hess, P.Reiter, O.Thelen, N.Warr, D.Weisshaar, F.Aksouh, P.Van den Bergh, P.Van Duppen, M.Huyse, O.Ivanov, P.Mayet, J.Van de Walle, J.Aysto, P.A.Butler, J.Cederkall, P.Delahaye, H.O.U.Fynbo, L.M.Fraile, O.Forstner, S.Franchoo, U.Koster, T.Nilsson, M.Oinonen, T.Sieber, F.Wenander, M.Pantea, A.Richter, G.Schrieder, H.Simon, T.Behrens, R.Gernhauser, T.Kroll, R.Krucken, M.Munch, T.Davinson, J.Gerl, G.Huber, A.Hurst, J.Iwanicki, B.Jonson, P.Lieb, L.Liljeby, A.Schempp, A.Scherillo, P.Schmidt, G.Walter - Phys.Rev.Lett. 94, 172501 (2005)  
"Safe" Coulomb Excitation of  $^{30}\text{Mg}$
- 2005NI12 N.Nica, J.C.Hardy, V.E.Iacob, J.R.Montague, M.B.Trzhaskovskaya - Phys.Rev. C 71, 054320 (2005)  
Precise measurement of K-shell fluorescence yield in iridium: An improved test of internal-conversion theory
- 2005NI13 J.S.Nico, M.S.Dewey, D.M.Gilliam, F.E.Wietfeldt, X.Fei, W.M.Snow, G.L.Greene, J.Pauwels, R.Eykens, A.Lamberty, J.Van Gestel, R.D.Scott - Phys.Rev. C 71, 055502 (2005)

REFERENCES

---

- Measurement of the neutron lifetime by counting trapped protons in a cold neutron beam
- 2005NI20 B.Nilsson, J.-O.Adler, B.-E.Andersson, J.R.M.Annand, I.Akkurt, M.J.Boland, G.I.Crawford, K.G.Fissum, K.Hansen, P.D.Harty, D.G.Ireland, L.Isaksson, M.Karlsson, M.Lundin, J.C.McGeorge, G.J.Miller, H.Ruijter, A.Sandell, B.Schroder, D.A.Sims, D.Watts - Phys.Lett. B 626, 65 (2005)  
Near-threshold measurement of the  $^4\text{He}(\gamma, n)$  reaction
- 2005NIZT M.Niikura, E.Ideguchi, T.Fukuchi, H.Baba, N.Hokoiwa, C.Ishida, H.Iwasaki, T.Koike, T.Komatsubara, T.Kubo, M.Kurokawa, S.Michimasa, K.Miyakawa, K.Morimoto, T.Ohnishi, S.Ota, A.Ozawa, S.Shimoura, T.Suda, M.Tamaki, I.Tanihata, Y.Wakabayashi, K.Yoshida - CNS-REP-66, p.22 (2005)  
Study of High-Spin States in  $^{49-51}\text{Ti}$
- 2005NIZU S.Nishimura, M.Kurata-Nishimura, H.Fujikawa, A.Guilherume, J.J.He, S.Kubono, H.Yamaguchi, T.Teranishi, Y.Wakabayashi, S.Bishop, M.Kurokawa, T.Kishida, T.Motobayashi - CNS-REP-66, p.9 (2005)  
Study of Low Energy Nuclear Reaction Measurements using Monolithic Silicon Telescope at CRIB
- 2005NIZV M.Niikura, E.Ideguchi, T.Fukuchi, H.Baba, N.Hokoiwa, C.Ishida, H.Iwasaki, T.Koike, T.Komatsubara, T.Kubo, M.Kurokawa, S.Michimasa, K.Miyakawa, K.Morimoto, T.Ohnishi, S.Ota, A.Ozawa, S.Shimoura, T.Suda, M.Tamaki, I.Tanihata, Y.Wakabayashi, K.Yoshida - RIKEN Accelerator Progress Report 2004, p.67 (2005)  
Excitation function measurement of neutron-rich Ti isotope by secondary fusion reaction
- 2005NIZW K.Nishio, H.Ikezoe, Y.Nagame, M.Asai, K.Tsukada, S.Mitsuoka, K.Tsuruta, K.Satou, C.J.Lin, T.Ohsawa - Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.1, p. 977 (2005); AIP Conf.Proc. 769 (2005)  
Measurement of Evaporation Residue Cross Sections for the Sub-barrier  $^{16}\text{O} + ^{238}\text{U}$  Reaction
- 2005NIZX B.Nilsson, J.-O.Adler, B.-E.Andersson, J.R.M.Annand, I.Akkurt, M.J.Boland, G.I.Crawford, K.G.Fissum, K.Hansen, P.D.Harty, D.G.Ireland, L.Isaksson, M.Karlsson, M.Lundin, J.C.McGeorge, G.J.Miller, H.Ruijter, A.Sandell, B.Schroder, D.A.Sims, D.Watts - nucl-ex/0506001,6/01/2005 (2005)  
Near-threshold measurement of the  $^4\text{He}(\gamma, n)$  reaction
- 2005NIZZ S.Nishimura, Y.Nishi, M.Kurata-Nishimura, I.Tanihata, M.A.Famiano, M.E.Howard, D.Reitzner, E.E.Smith, R.N.Boyd - Proc. Intern. Symposium on the Origin of Matter and Evolution of Galaxies, Riken, Saitama, Japan, 17-19 November 2003, World Scientific, Singapore, p.304 (2005)  
Half-life measurement of neutron-rich nuclei and future at RIBF

REFERENCES

---

- 2005N001 C.Nociforo, K.L.Jones, L.H.Khiem, P.Adriach, T.Aumann, B.V.Carlson, D.Cortina-Gil, U.Datta Pramanik, Th.W.Elze, H.Emling, H.Geissel, M.Hellstrom, J.V.Kratz, R.Kulesa, T.Lange, Y.Leifels, H.Lenske, E.Lubkiewicz, G.Munzenberg, R.Palit, H.Scheit, H.Simon, K.Summerer, S.Typel, E.Wajda, W.Walus, H.Weick, and the LAND-FRS Collaboration - Phys.Lett. B 605, 79 (2005)  
Coulomb breakup of  $^{23}\text{O}$
- 2005N004 E.B.Norman, A.R.Smith, A.F.Barghouty, R.C.Haight, S.A.Wender - Nucl.Phys. B(Proc.Supp.) S143, 508 (2005)  
Cosmic-Ray Production of  $^{60}\text{Co}$  in Double Beta-Decay Source Materials
- 2005N013 T.Noro, T.Yonemura, S.Asaji, N.S.Chant, K.Fujita, Y.Hagihara, K.Hatanaka, G.C.Hillhouse, T.Ishida, M.Itoh, S.Kishi, M.Nakamura, Y.Nagasue, H.Sakaguchi, Y.Sakemi, Y.Shimizu, H.Takeda, Y.Tamesige, S.Terashima, M.Uchida, T.Wakasa, Y.Yasuda, H.P.Yoshida, M.Yosoi - Phys.Rev. C 72, 041602 (2005)  
Analyzing powers for exclusive  $1s_{1/2}$  proton knockout from light nuclei
- 2005N015 W.Nortershauser, B.A.Bushaw, A.Dax, G.W.F.Drake, G.Ewald, S.Gotte, R.Kirchner, H.-J.Kluge, Th.Kuhl, R.Sanchez, A.Wojtaszek, Z.-C.Yan, C.Zimmermann - Eur.Phys.J. A 25, Supplement 1, 199 (2005)  
Measurement of the nuclear charge radii of  $^{8,9}\text{Li}$ : The last step towards the determination of the charge radius of  $^{11}\text{Li}$
- 2005NY02 B.M.Nyako, F.Papp, J.Gal, J.Molnar, J.Timar, A.Algora, Zs.Dombradi, G.Kalinka, L.Zolnai, K.Juhasz, A.K.Singh, H.Hubel, A.Al-Khatib, P.Bringel, A.Burger, A.Neusser, G.Schonwasser, B.Herskind, G.B.Hagemann, C.R.Hansen, G.Sletten, J.N.Scheurer, F.Hannachi, M.Kmiecik, A.Maj, J.Styczen, K.Zuber, K.Hauschild, A.Korichi, A.Lopez-Martens, J.Roccaz, S.Siem, P.Bednarczyk, Th.Byrski, D.Curien, O.Dorvaux, G.Duchene, B.Gall, F.Khalfallah, I.Piqueras, J.Robin, S.B.Patel, A.O.Evans, G.Rainovski, A.Airoidi, G.Benzoni, A.Bracco, F.Camera, B.Million, P.Mason, A.Paleni, R.Sacchi, O.Wieland, G.La Rana, R.Moro, C.M.Petrache, D.Petrache, G.De Angelis, P.Fallon, I.-Y.Lee, J.C.Lisle, B.Cederwall, K.Lagergren, R.M.Lieder, E.Podsvirova, W.Gast, H.Jager, N.Redon, A.Gorgen - Acta Phys.Pol. B36, 1033 (2005)  
Search for hyperdeformation in light Xe nuclei
- 20050B04 S.Oberstedt, A.Oberstedt, D.Rochman, F.Gonnenwein, I.Tsekhanovich, J.Becker, A.Sartz, H.Bax, F.-J.Hambsch, S.Raman - Nucl.Phys. A761, 173 (2005)  
Light charged particle emission in the reaction  $^{251}\text{Cf}(n_{th}, f)$
- 20050G02 Yu.Ts.Oganessian, V.K.Utyonkov, S.N.Dmitriev, Yu.V.Lobanov, M.G.Itkis, A.N.Polyakov, Yu.S.Tsyganov, A.N.Mezentsev, A.V.Yeremin, A.A.Voinov, E.A.Sokol, G.G.Gulbekian, S.L.Bogomolov, S.Iliev, V.G.Subbotin, A.M.Sukhov, G.V.Buklanov, S.V.Shishkin, V.I.Chepigin, G.K.Vostokin, N.V.Aksenov, M.Hussonnois, K.Subotic, V.I.Zagrebaev, K.J.Moody, J.B.Patin, J.F.Wild, M.A.Stoyer, N.J.Stoyer, D.A.Shaughnessy, J.M.Kenneally, P.A.Wilk, R.W.Lougheed, H.W.Gaggeler, D.Schumann, H.Bruchertseifer, R.Eichler - Phys.Rev. C 72, 034611 (2005)  
Synthesis of elements 115 and 113 in the reaction  $^{243}\text{Am} + ^{48}\text{Ca}$

REFERENCES

---

- 20050G03 Yu.Ts.Oganessian, V.K.Utyonkov, Yu.V.Lobanov, F.Sh.Abdullin, A.N.Polyakov, I.V.Shirokovsky, Yu.S.Tsyganov, G.G.Gulbekian, S.L.Bogomolov, B.N.Gikal, A.N.Mezentsev, S.Iliev, V.G.Subbotin, A.M.Sukhov, A.A.Voinov, G.V.Buklanov, K.Subotic, V.I.Zagrebaev, M.G.Itkis, J.B.Patin, K.J.Moody, J.F.Wild, M.A.Stoyer, N.J.Stoyer, D.A.Shaughnessy, J.M.Kenneally, P.A.Wilk, R.W.Lougheed - Eur.Phys.J. A 25, Supplement 1, 589 (2005)  
New elements from Dubna
- 20050H04 K.Ohgama, M.Igashira, T.Ohsaki - J.Nucl.Sci.Technol.(Tokyo) 42, 333 (2005)  
Measurement of keV-Neutron Capture Cross Sections and Capture Gamma-Ray Spectra of  $^{91,92}\text{Zr}$
- 20050H08 T.Ohtsubo, F.Bosch, H.Geissel, L.Maier, C.Scheidenberger, F.Attallah, K.Beckert, P.Beller, D.Boutin, T.Faestermann, B.Franczak, B.Franzke, M.Hausmann, M.Hellstrom, E.Kaza, P.Kienle, O.Klepper, H.-J.Kluge, C.Kozhuharov, Yu.A.Litvinov, M.Matos, G.Munzenberg, F.Nolden, Yu.N.Novikov, M.Portillo, T.Radon, J.Stadlmann, M.Steck, T.Stohlker, K.Summerer, K.Takahashi, H.Weick, M.Winkler, T.Yamaguchi - Phys.Rev.Lett. 95, 052501 (2005); Erratum Phys.Rev.Lett. 95, 069901 (2005)  
Simultaneous Measurement of  $\beta^-$  Decay to Bound and Continuum Electron States
- 20050HZX K.Ohgama, M.Igashira, T.Ohsaki - Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.1, p. 945 (2005); AIP Conf.Proc. 769 (2005)  
Systematic Measurement of keV-Neutron Capture Cross Sections and Capture Gamma-Ray Spectra of Zr Isotopes
- 20050HZY S.Ohki - Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.1, p. 472 (2005); AIP Conf.Proc. 769 (2005)  
Validation of MA Nuclear Data by Sample Irradiation Experiments with the Fast Reactor JOYO
- 20050K02 S.Okada, S.Ajimura, K.Aoki, A.Banu, H.C.Bhang, T.Fukuda, O.Hashimoto, J.I.Hwang, S.Kameoka, B.H.Kang, E.H.Kim, J.H.Kim, M.J.Kim, T.Maruta, Y.Miura, Y.Miyake, T.Nagae, M.Nakamura, S.N.Nakamura, H.Noumi, Y.Okayasu, H.Outa, H.Park, P.K.Saha, Y.Sato, M.Sekimoto, T.Takahashi, H.Tamura, K.Tanida, A.Toyoda, K.Tsukada, T.Watanabe, H.J.Yim - Nucl.Phys. A752, 196c (2005)  
Nucleon-nucleon coincidence measurement in the non-mesonic weak decay of  $^5_{\Lambda}\text{He}$  and  $^{12}_{\Lambda}\text{C}$  hypernuclei
- 20050K04 S.Okada, S.Ajimura, K.Aoki, A.Banu, H.C.Bhang, T.Fukuda, O.Hashimoto, J.I.Hwang, S.Kameoka, B.H.Kang, E.H.Kim, J.H.Kim, M.J.Kim, T.Maruta, Y.Miura, Y.Miyake, T.Nagae, M.Nakamura, S.N.Nakamura, H.Noumi, Y.Okayasu, H.Outa, H.Park, P.K.Saha, Y.Sato, M.Sekimoto, T.Takahashi, H.Tamura, K.Tanida, A.Toyoda, K.Tsukada, T.Watanabe, H.J.Yim - Nucl.Phys. A754, 178c (2005)  
 $\pi^0$  decay branching ratios of  $^5_{\Lambda}\text{He}$  and  $^{12}_{\Lambda}\text{C}$  hypernuclei

## REFERENCES

---

- 20050KZZ H.Okada, I.G.Alekseev, A.Bravar, G.Bunce, S.Dhawan, R.Gill, W.Haeberli, O.Jinnouchi, A.Khodinov, A.Kponou, Y.Makdisi, W.Meng, A.Nass, N.Saito, H.Spinka, E.J.Stephenson, D.N.Svirida, T.Wise, A.Zelenski - nucl-ex/0502022,2/25/2005 (2005)  
Measurement of the analyzing power in pp elastic scattering in the peak CNI region at RHIC
- 20050L02 J.Ollier, R.Chapman, X.Liang, M.Labiche, K.-M.Spohr, M.Davison, G.de Angelis, M.Axiotis, T.Kroll, D.R.Napoli, T.Martinez, D.Bazzacco, E.Farnea, S.Lunardi, A.G.Smith, F.Haas - Phys.Rev. C 71, 034316 (2005)  
Intruder configurations in neutron-rich  $^{34}\text{P}$
- 20050L04 J.Ollier, A.Hodsdon, R.Chapman, X.Liang, M.Burns, K.Keyes, M.Labiche, A.Papenberg, K.-M.Spohr, M.Davison, G.de Angelis, M.Axiotis, B.Behera, L.Corradi, A.Gadea, A.Latina, T.Kroll, N.Marginean, T.Martinez, D.R.Napoli, A.Stefanini, M.Trotta, S.Beghini, D.Bazzacco, E.Farnea, S.Lunardi, G.Montagnoli, F.Scarlassara, A.Deacon, A.G.Smith, J.F.Smith, D.Curien, F.Haas, D.Verney, A.Jungclaus, F.Azaiez, F.Ibrahim, M.Stanoiou, Zs.Dombradi - J.Phys.(London) G31, S1935 (2005)  
Intruder configurations in neutron-rich P and S isotopes
- 20050N03 T.K.Onishi, A.Gelberg, H.Sakurai, K.Yoneda, N.Aoi, N.Imai, H.Baba, P.von Brentano, N.Fukuda, Y.Ichikawa, M.Ishihara, H.Iwasaki, D.Kameda, T.Kishida, A.F.Lisetskiy, H.J.Ong, M.Osada, T.Otsuka, M.K.Suzuki, K.Ue, Y.Utsuno, H.Watanabe - Phys.Rev. C 72, 024308 (2005)  
Gamow-Teller decay of the  $T = 1$  nucleus  $^{46}\text{Cr}$
- 20050N04 H.J.Ong, N.Imai, N.Aoi, H.Sakurai, Zs.Dombradi, A.Saito, Z.Elekes, H.Baba, K.Demichi, Zs.Fulop, J.Gibelin, T.Gomi, H.Hasegawa, M.Ishihara, H.Iwasaki, S.Kanno, S.Kawai, T.Kubo, K.Kurita, Y.U.Matsuyama, S.Michimasa, T.Minemura, T.Motobayashi, M.Notani, S.Ota, H.K.Sakai, S.Shimoura, E.Takehita, S.Takeuchi, M.Tamaki, Y.Togano, K.Yamada, Y.Yanagisawa, K.Yoneda - Eur.Phys.J. A 25, Supplement 1, 347 (2005)  
Inelastic proton scattering on  $^{16}\text{C}$
- 20050R02 J.N.Orce, T.Kibedi, G.D.Dracoulis, R.Julin, S.W.Yates - J.Phys.(London) G31, S1705 (2005)  
Conversion-electron study of  $0^+$  excitations in  $^{208}\text{Pb}$
- 20050S02 W.H.Oskay, W.M.Itano, J.C.Bergquist - Phys.Rev.Lett. 94, 163001 (2005)  
Measurement of the  $^{199}\text{Hg}^+ 5d^9 6s^2 D_{5/2}$  Electric Quadrupole Moment and a Constraint on the Quadrupole Shift
- 20050U02 H.Outa, S.Ajimura, K.Aoki, A.Banu, H.C.Bhang, T.Fukuda, O.Hashimoto, J.I.Hwang, S.Kameoka, B.H.Kang, E.H.Kim, J.H.Kim, M.J.Kim, T.Maruta, Y.Miura, Y.Miyake, T.Nagae, M.Nakamura, S.N.Nakamura, H.Noumi, S.Okada, Y.Okayasu, H.Park, P.K.Saha, Y.Sato, M.Sekimoto, T.Takahashi, H.Tamura, K.Tanida, A.Toyoda, K.Tsukada, T.Watanabe, H.J.Yim - Nucl.Phys. A754, 157c (2005)

REFERENCES

---

- Hypernuclear weak decay experiments at KEK: n-n and n-p coincidence measurement
- 2005PA07 A.A.Pasternak, E.O.Podsvirova, R.M.Lieder, S.Chmel, W.Gast, Ts.Venkova, H.M.Jager, L.Mihailescu, G.de Angelis, D.R.Napoli, A.Gadea, D.Bazzacco, R.Menegazzo, S.Lunardi, W.Urban, Ch.Droste, T.Morek, T.Rzaca-Urban, G.Duchene, A.Dewald - Eur.Phys.J. A 23, 191 (2005)  
Investigation of lifetimes in dipole bands of  $^{142}\text{Gd}$
- 2005PA22 J.Pal, S.Saha, C.C.Dey, P.Banerjee, S.Bose, B.K.Sinha, M.B.Chatterjee, S.K.Basu - Phys.Rev. C 71, 034605 (2005)  
Pre-equilibrium and equilibrium emission of neutrons in  $^{114}\text{Cd}(\alpha, \text{xn})$  reactions
- 2005PA23 E.Padilla-Rodal, A.Galindo-Uribarri, C.Baktash, J.C.Batchelder, J.R.Beene, R.Bijker, B.A.Brown, O.Castanos, B.Fuentes, J.Gomez del Campo, P.A.Hausladen, Y.Larochelle, A.F.Lisetskiy, P.E.Mueller, D.C.Radford, D.W.Stracener, J.P.Urrego, R.L.Varner, C.-H.Yu - Phys.Rev.Lett. 94, 122501 (2005)  
 $B(E2)\uparrow$  Measurements for Radioactive Neutron-Rich Ge Isotopes: Reaching the  $N=50$  Closed Shell
- 2005PA30 E.S.Paul, P.T.W.Choy, C.Andreoiu, A.J.Boston, A.O.Evans, C.Fox, S.Gros, P.J.Nolan, G.Rainovski, J.A.Sampson, H.C.Scraggs, A.Walker, D.E.Appelbe, D.T.Joss, J.Simpson, J.Gizon, A.Astier, N.Bufoin, A.Prevost, N.Redon, O.Stezowski, B.M.Nyako, D.Sohler, J.Timar, L.Zolnai, D.Bazzacco, S.Lunardi, C.M.Petrache, P.Bednarczyk, D.Curien, N.Kintz, I.Ragnarsson - Phys.Rev. C 71, 054309 (2005)  
Highest spin discrete levels in  $^{131,132}\text{Ce}$ : Spin generation near the mesoscopic limit
- 2005PA31 A.Parikh, J.A.Caggiano, C.Deibel, J.P.Greene, R.Lewis, P.D.Parker, C.Wrede - Phys.Rev. C 71, 055804 (2005)  
Mass measurements of  $^{22}\text{Mg}$  and  $^{26}\text{Si}$  via the  $^{24}\text{Mg}(p, t)^{22}\text{Mg}$  and  $^{28}\text{Si}(p, t)^{26}\text{Si}$  reactions
- 2005PA33 S.R.Palvanov, G.Yu.Tadzhibaev, Sh.M.Ruzimov - At.Energ. 98, 238 (2005); At.Energy 98, 230 (2005)  
Isomeric ratios of the yields of  $(\gamma, n)$  reactions on  $^{85}\text{Rb}$  and  $^{87}\text{Rb}$  nuclei
- 2005PA39 K.D.Paschke, for the HAPPEX Collaborations - Nucl.Phys. A755, 241c (2005)  
The Second Generation HAPPEX Experiments
- 2005PA41 J.H.Park, C.S.Lee, Y.K.Kwon, J.H.Lee, J.Y.Kim, K.B.Lee, H.Park - J.Korean Phys.Soc. 47, 23 (2005)  
Activation Cross Section Measurements of  $^{16}\text{O}(n, ^3\text{He})^{14}\text{C}$  and  $^{16}\text{O}(n, t)^{14}\text{N}$  above Neutron Thresholds up to 18.1 MeV
- 2005PA42 J.Pakarinen, I.G.Darby, S.Eeckhaudt, T.Enqvist, T.Grahn, P.T.Greenlees, V.Hellemans, K.Heyde, F.Johnston-Theasby, P.Jones, R.Julin, S.Juutinen, H.Kettunen, M.Leino, A.-P.Leppanen, P.Nieminen, M.Nyman, R.D.Page, P.M.Raddon, P.Rahkila, C.Scholey, J.Uusitalo, R.Wadsworth - Phys.Rev. C 72, 011304 (2005)

REFERENCES

---

- Evidence for oblate structure in  $^{186}\text{Pb}$
- 2005PA48 D.Pantelica, I.Gh.Stefan, N.Nica, M.-G.Porquet, G.Duchene, A.Astier, S.Courtin, I.Deloncle, F.Hoellinger, A.Bauchet, N.Buform, L.Donadille, O.Dorvaux, J.Duprat, B.J.P.Gall, C.Gautherin, T.Kutsarova, S.Lalkovski, R.Lucas, M.Meyer, A.Minkova, A.Prevoist, N.Redon, N.Schulz, H.Sergolle, O.Stezowski, Ts.Venkova, A.Wilson - Phys.Rev. C 72, 024304 (2005)  
High-spin states in  $^{92-96}\text{Zr}$  nuclei
- 2005PA50 Y.Parpottas, S.M.Grimes, S.Al-Quraishi, C.R.Brune, T.N.Massey, J.E.O'Donnell, J.E.Oldendick, A.Salas, R.T.Wheeler - Phys.Rev. C 72, 025802 (2005)  
The  $^{17}\text{F}(p, \gamma)^{18}\text{Ne}3^+$  resonance state studied with the  $^{16}\text{O}(^3\text{He}, n)^{18}\text{Ne}$  reaction
- 2005PA56 H.Park, K.-O.Choi, J.-M.Lee, K.B.Lee, M.S.Hahn, M.Kralik - J.Korean Phys.Soc. 47, 603 (2005)  
Absolute Measurement of the Neutron Emission Rate with a Manganese Sulphate Bath System
- 2005PA68 S.D.Pain, W.N.Catford, N.A.Orr, J.C.Angelique, N.I.Ashwood, V.Bouchat, N.M.Clarke, N.Curtis, M.Freer, B.R.Fulton, F.Hanappe, M.Labiche, J.L.Lecouey, R.C.Lemmon, D.Mahboub, A.Ninane, G.Normand, N.Soic, L.Stuttge, C.N.Timis, J.A.Tostevin, J.S.Winfield, V.Ziman - Eur.Phys.J. A 25, Supplement 1, 349 (2005)  
Experimental evidence of a  $\nu(1d_{5/2})^2$  component to the  $^{12}\text{Be}$  ground state
- 2005PA69 J.Pakarinen, I.Darby, S.Eeckhaudt, T.Enqvist, T.Grahn, P.Greenlees, F.Johnston-Theasby, P.Jones, R.Julin, S.Juutinen, H.Kettunen, M.Leino, A.-P.Leppanen, P.Nieminen, M.Nyman, R.Page, P.Raddon, P.Rahkila, C.Scholey, J.Uusitalo, R.Wadsworth - Eur.Phys.J. A 25, Supplement 1, 449 (2005)  
Probing the three shapes in  $^{186}\text{Pb}$  using in-beam  $\gamma$ -ray spectroscopy
- 2005PAZV S.D.Pain, W.N.Catford, N.A.Orr, J.C.Angelique, N.I.Ashwood, V.Bouchat, N.M.Clarke, N.Curtis, M.Freer, B.R.Fulton, F.Hanappe, M.Labiche, J.L.Lecouey, R.C.Lemmon, D.Mahboub, A.Ninane, G.Normand, N.Soic, L.Stuttge, C.N.Timis, J.A.Tostevin, J.S.Winfield, V.Ziman - nucl-ex/0510048,10/16/2005 (2005)  
Structure of  $^{12}\text{Be}$ : intruder d-wave strength at N=8
- 2005PAZW A.Pavlik, P.Baumann, C.Borcea, E.Jericha, S.Jokic, M.Kerveno, S.Lukic, J.P.Meulders, L.C.Mihailescu, R.Nolte, A.J.M.Plompen, I.Raskinyte, G.Rudolf, and the n\_TOF Collaboration - Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.1, p. 876 (2005); AIP Conf.Proc. 769 (2005)  
Cross-Section Measurements for (n, xn) Reactions by In-Beam Gamma-Ray Spectroscopy
- 2005PAZY Yu.N.Pavlenko, V.L.Shablov, F.I.Karmanov, V.N.Dobrikov, O.K.Gorpinich, V.O.Kyva, I.N.Kolomiets - Book of Abstracts, LV National Conference on Nuclear Physics "Frontiers in the Physics of Nucleus", St.-Petersburg, p.179 (2005)  
On Excited States of  $^5\text{He}$  in the Reactions  $^6\text{Li}(d, ^3\text{He})^5\text{He}$  and  $^7\text{Li}(d, ^4\text{He})^5\text{He}$



## REFERENCES

---

- 2005PAZZ S.D.Pain, W.N.Catford, N.A.Orr, J.C.Angelique, N.I.Ashwood, V.Bouchat, N.M.Clarke, N.Curtis, M.Freer, B.Fulton, F.Hanappe, M.Labiche, J.L.Lecouey, R.Lemmon, D.Mahboub, A.Ninane, G.Normand, N.Soic, L.Stuttge, C.N.Timis, J.A.Tostevin, V.Ziman, J.Winfield - Proc.Nuclei at the Limits, Argonne, Illinois, D.Seweryniak and T.L.Khoo, eds., p.373 (2005); AIP Conf. Proc 764 (2005)  
Evidence Of A  $(1d_{5/2})^2$  Component To The  $^{12}\text{Be}$  Ground State
- 2005PE12 K.Perajarvi, J.Cerny, J.Hakala, J.Huikari, A.Jokinen, P.Karvonen, J.Kurpeta, D.Lee, I.Moore, H.Penttila, A.Popov, J.Aysto - Nucl.Instrum.Methods Phys.Res. A546, 418 (2005)  
New ion-guide for the production of beams of neutron-rich nuclei between  $Z = 20 - 28$
- 2005PE18 R.Peusquens, R.S.Chakrawarthy, A.Dewald, P.Petkov, P.von Brentano, R.Krucken, S.Kasemann, H.Tiesler, K.O.Zell, S.Lunardi, D.Bazzacco, F.Brandolini, N.H.Medina, P.Pavan, C.M.Petrache, C.Rossi-Alvarez, G.de Angelis, G.Maron, M.de Poli, D.R.Napoli - Phys.Rev. C 72, 031304 (2005)  
Decay out of the highly deformed band in  $^{133}\text{Nd}$
- 2005PE23 K.Perajarvi, J.Cerny, U.Hager, J.Hakala, J.Huikari, A.Jokinen, P.Karvonen, J.Kurpeta, D.Lee, I.Moore, H.Penttila, A.Popov, J.Aysto - Eur.Phys.J. A 25, Supplement 1, 749 (2005)  
Production of beams of neutron-rich nuclei between Ca and Ni using the ion-guide technique
- 2005PEZZ M.G.Pellegriti, C.Spitaleri, A.Musumarra, L.Calabretta, S.Cherubini, A.Di Pietro, P.Figuera, R.G.Pizzone, S.Romano, S.Tudisco, A.Tumino - Proc. Intern. Symposium on the Origin of Matter and Evolution of Galaxies, Riken, Saitama, Japan, 17-19 November 2003, World Scientific, Singapore, p.513 (2005)  
Quasi-free proton-proton elastic scattering in the Trojan Horse framework
- 2005PI02 S.Pirro, C.Arnaboldi, D.R.Artusa, F.T.Avignone III, M.Balata, I.Bandac, M.Barucci, J.Beeman, C.Brofferio, C.Bucci, S.Capelli, F.Capozzi, L.Carbone, S.Cebrian, O.Cremonesi, R.J.Creswick, A.de Waard, H.A.Farach, A.Fascilla, E.Fiorini, G.Frossati, A.Giuliani, P.Gorla, E.E.Haller, I.G.Irastorza, R.J.McDonald, A.Morales, E.B.Norman, A.Nucciotti, E.Olivieri, V.Palmieri, E.Pasca, M.Pavan, M.Pedretti, G.Pessina, E.Previtali, C.Pobes, M.Pyle, L.Risegari, C.Rosenfeld, M.Sisti, A.R.Smith, L.Torres, G.Ventura - Nucl.Phys. B(Proc.Supp.) S138, 210 (2005)  
First results of the CUORICINO experiment
- 2005PI08 J.Pinard, H.T.Duong, D.Marescaux, H.H.Stroke, O.Redl, M.Gustafsson, T.Nilsson, S.Matsuki, Y.Kishimoto, K.Kominato, I.Ogawa, M.Shibata, M.Tada, J.R.Persson, Y.Nojiri, S.Momota, T.T.Inamura, M.Wakasugi, P.Juncar, T.Murayama, T.Nomura, M.Koizumi, and the ISOLDE Collaboration - Nucl.Phys. A753, 3 (2005)  
Precision hfs of  $^{126}\text{Cs}(T_{1/2}=1.63 \text{ m})$  by ABMR
- 2005PI13 J.A.Pinston, J.Genevey, R.Orlandi, A.Scherillo, G.S.Simpson, I.Tsekhanovich, W.Urban, H.Faust, N.Warr - Phys.Rev. C 71, 064327 (2005)  
Shape coexistence in the very neutron-rich odd-odd  $^{96}\text{Rb}$

## REFERENCES

---

- 2005PL04 R.Plag, M.Heil, F.Kappeler, R.Reifarth, K.Wisshak - Nucl.Phys. A758, 415c (2005)  
An independent measurement of the  $^{12}\text{C}(\alpha, \gamma)^{16}\text{O}$  cross section with the Karlsruhe  $4\pi$  BaF<sub>2</sub> detector
- 2005P002 R.Pollanen, T.Siiskonen, P.Vesterbacka - Radiat.Meas. 39, 565 (2005)  
High-resolution alpha spectrometry from thick sources
- 2005P003 M.-G.Porquet, Ts.Venkova, R.Lucas, A.Astier, A.Bauchet, I.Deloncle, A.Prevost, F.Azaiez, G.Barreau, A.Bogachev, N.Buforn, A.Buta, D.Curien, T.P.Doan, L.Donadille, O.Dorvaux, G.Duchene, J.Durell, Th.Ethvignot, B.P.J.Gall, D.Grimwood, M.Houry, F.Khalfallah, W.Korten, S.Lalkovski, Y.Le Coz, M.Meyer, A.Minkova, I.Piqueras, N.Redon, A.Roach, M.Rousseau, N.Schulz, A.G.Smith, O.Stezowski, Ch.Theisen, B.J.Varley - Eur.Phys.J. A 24, 39 (2005)  
High-spin structures of  $^{121,123,125,127}_{51}\text{Sb}$  nuclei: Single proton and core-coupled states
- 2005P009 S.Pomme, T.Altitzoglou, R.Van Ammel, G.Sibbens - Nucl.Instrum.Methods Phys.Res. A544, 584 (2005); Erratum Nucl.Instrum.Methods Phys.Res. A555, 459 (2005)  
Standardisation of  $^{125}\text{I}$  using seven techniques for radioactivity measurement
- 2005P010 A.R.Poletti, A.P.Byrne, G.D.Dracoulis, T.Kibedi, P.M.Davidson - Nucl.Phys. A756, 83 (2005)  
High spin states in  $^{210}\text{Rn}$  approaching the region of 3-particle-hole neutron excitations
- 2005P017 L.Popescu, T.Adachi, G.P.A.Berg, P.von Brentano, D.De Frenne, K.Fujita, Y.Fujita, K.Hatanaka, E.Jacobs, A.Negret, K.Nakanishi, Y.Sakemi, Y.Shimbara, Y.Shimizu, Y.Tameshige, A.Tamii, M.Uchida, M.Yosoi - J.Phys.(London) G31, S1945 (2005)  
Gamow-Teller transitions in the  $^{64}\text{Ni}(^3\text{He}, t)^{64}\text{Cu}$  reaction
- 2005P0ZZ A.R.Poletti, A.P.Byrne, G.D.Dracoulis, T.Kibedi, P.M.Davidson - ANU-P/1649 (2005)  
High spin states in  $^{210}\text{Rn}$  approaching the region of 3-particle-hole neutron excitations
- 2005PR02 D.Protopopescu, and the CLAS Collaboration - Nucl.Phys. A748, 357 (2005)  
Survey of  $A_{LT'}$  asymmetries in semi-exclusive electron scattering on  $^4\text{He}$  and  $^{12}\text{C}$
- 2005PR11 Y.Prezado, M.J.G.Borge, C.Aa.Diget, L.M.Fraile, B.R.Fulton, H.O.U.Fynbo, H.B.Jeppesen, B.Jonson, M.Meister, T.Nilsson, G.Nyman, K.Riisager, O.Tengblad, K.Wilhelmsen - Phys.Lett. B 618, 43 (2005)  
Low-lying resonance states in the  $^9\text{Be}$  continuum
- 2005PR16 S.Prakhov, and the Crystal Ball Collaboration - Phys.Rev. C 72, 025201 (2005)  
Measurement of the branching ratio for  $\eta \rightarrow \pi^0 \gamma\gamma$  decay

REFERENCES

---

- 2005PR20 P.Prati, D.Bemmerer, R.Bonetti, C.Broggini, F.Confortola, P.Corvisiero, H.Costantini, J.Cruz, A.Formicola, Z.Fulop, G.Gervino, A.Guglielmetti, C.Gustavino, G.Gyurky, G.Imbriani, A.P.Jesus, M.Junker, A.Lemut, R.Menegazzo, V.Roca, C.Rolfs, M.Romano, C.Rossi Alvarez, F.Schumann, E.Somorjai, O.Straniero, F.Strieder, F.Terrasi, H.P.Trautvetter - J.Phys.(London) G31, S1537 (2005)  
Recent results from the LUNA facility at Gran Sasso
- 2005PU02 V.Punjabi, Jefferson Lab Hall A Collaboration - Phys.Rev. C 71, 055202 (2005);  
Erratum Phys.Rev. C 71 069902 (2005)  
Proton elastic form factor ratios to  $Q^2 = 3.5 \text{ GeV}^2$  by polarization transfer
- 2005PYZZ I.Pysmenetska, S.Walter, J.Enders, H.von Garrel, O.Karg, U.Kneissl, C.Kohstall, P.von Neumann-Cosel, H.H.Pitz, V.Yu.Ponomarev, M.Scheck, F.Stedile, S.Volz - nucl-ex/0512013,12/8/2005 (2005)  
Two-phonon  $1^-$  state in  $^{112}\text{Sn}$  observed in resonant photon scattering
- 2005QA01 I.A.Qattan, J.Arrington, R.E.Segel, X.Zheng, K.Aniol, O.K.Baker, R.Beams, E.J.Brash, J.Calarco, A.Camsonne, J.-P.Chen, M.E.Christy, D.Dutta, R.Ent, S.Frullani, D.Gaskell, O.Gayou, R.Gilman, C.Glashausser, K.Hafidi, J.-O.Hansen, D.W.Higinbotham, W.Hinton, R.J.Holt, G.M.Huber, H.Ibrahim, L.Jisonna, M.K.Jones, C.E.Keppel, E.Kinney, G.J.Kumbartzki, A.Lung, D.J.Margaziotis, K.McCormick, D.Meekins, R.Michaels, P.Monaghan, P.Moussiegt, L.Pentchev, C.Perdrisat, V.Punjabi, R.Ransome, J.Reinhold, B.Reitz, A.Saha, A.Sarty, E.C.Schulte, K.Slifer, P.Solvignon, V.Sulkosky, K.Wijesooriya, B.Zeidman - Phys.Rev.Lett. 94, 142301 (2005)  
Precision Rosenbluth Measurement of the Proton Elastic Form Factors
- 2005QIZZ Z.Qin, D.Ackermann, W.Bruchle, F.P.Hessberger, E.Jager, P.Kuusiniemi, G.Munzenberg, D.Nayak, E.Schimpf, M.Schadel, B.Schausten, A.Semchenkov, B.Sulignano, K.Eberhardt, J.V.Kratz, D.Liebe, P.Thorle, Yu.N.Novikov - GSI 2005-1, p.75 (2005)  
Search for the "missing"  $\alpha$ -decay branch in  $^{239}\text{Cm}$
- 2005RA09 D.C.Radford, C.Baktash, C.J.Barton, J.Batchelder, J.R.Beene, C.R.Bingham, M.A.Caprio, M.Danchev, B.Fuentes, A.Galindo-Uribarri, J.Gomez del Campo, C.J.Gross, M.L.Halbert, D.J.Hartley, P.Hausladen, J.K.Hwang, W.Krolas, Y.Larochelle, J.F.Liang, P.E.Mueller, E.Padilla, J.Pavan, A.Piechaczek, D.Shapira, D.W.Stracener, R.L.Varner, A.Woehr, C.-H.Yu, N.V.Zamfir - Nucl.Phys. A752, 264c (2005)  
Coulomb excitation and transfer reactions with rare neutron-rich isotopes
- 2005RA13 S.Rakers, C.Baumer, A.M.van den Berg, B.Davids, D.Frekers, D.De Frenne, E.-W.Grewe, P.Haefner, M.N.Harakeh, S.Hollstein, M.Hunyadi, E.Jacobs, B.C.Junk, A.Korff, A.Negret, L.Popescu, H.J.Wortche - Phys.Rev. C 71, 054313 (2005)  
Low-lying  $GT^+$  strength in  $^{116}\text{In}$  from a (d,  $^2\text{He}$ ) reaction experiment and its implications for  $^{116}\text{Cd}$  double  $\beta$  decay
- 2005RA26 B.Rakvin, N.Maltar-Strmecki - Chem.Phys.Lett. 415, 161 (2005)

## REFERENCES

---

- Study of the first stable L-alanine paramagnetic center by 2D-HYSCORE spectroscopy: Detection of  $^{14}\text{N}$  hyperfine and quadrupole splitting
- 2005RA27 F.Raiola, B.Burchard, Z.Fulop, G.Gyurky, S.Zeng, J.Cruz, A.Di Leva, B.Limata, M.Fonseca, H.Luis, M.Aliotta, H.W.Becker, C.Broggini, A.D'Onofrio, L.Gialanella, G.Imbriani, A.P.Jesus, M.Junker, J.P.Ribeiro, V.Roca, C.Rolfs, M.Romano, E.Somorjai, F.Strieder, F.Terrasi, for the LUNA Collaboration - J.Phys.(London) G31, 1141 (2005)  
Electron screening in d(d, p)t for deuterated metals: temperature effects
- 2005RA29 D.R.Rao, K.V.Sai, M.Sainath, K.Venkataramaniah - Eur.Phys.J. A 26, 41 (2005)  
Precision electron-gamma spectroscopic measurements in  $^{75}\text{As}$
- 2005RA30 M.A.Rahman, M.S.Chowdhury - Phys.Rev. C 72, 054303 (2005)  
Level structure of  $^{95}\text{Nb}$
- 2005RA32 D.C.Radford, C.Baktash, C.J.Barton, J.Batchelder, J.R.Beene, C.R.Bingham, M.A.Caprio, M.Danchev, B.Fuentes, A.Galindo-Uribarri, J.Gomez del Campo, C.J.Gross, M.L.Halbert, D.J.Hartley, P.Hausladen, J.K.Hwang, W.Krolas, Y.Larochelle, J.F.Liang, P.E.Mueller, E.Padilla, J.Pavan, A.Piechaczek, D.Shapira, D.W.Stracener, R.L.Varner, A.Woehr, C.-H.Yu, N.V.Zamfir - Eur.Phys.J. A 25, Supplement 1, 383 (2005)  
Coulomb excitation and transfer reactions with neutron-rich radioactive beams
- 2005RA33 M.P.Raele, C.B.Zamboni, G.S.Zahn, F.A.Genezini - Braz.J.Phys. 35, 839 (2005)  
Decay of  $^{155}\text{Sm}$
- 2005RAZZ A.Ray, P.Das, S.K.Saha, S.K.Das, J.J.Das, N.Madhavan, S.Nath, P.Sugathan, P.V.M.Rao, A.Jhingan - nucl-ex/0509021,9/15/2005 (2005)  
Change of  $^7\text{Be}$  decay rate in exohedral and endohedral  $\text{C}_{60}$  fullerene compounds and its implications
- 2005RE02 J.J.Ressler, C.W.Beausang, H.Ai, H.Amro, M.Babilon, J.A.Caggiano, R.F.Casten, G.Gurdal, A.Heinz, R.O.Hughes, E.A.McCutchan, D.A.Meyer, C.Plettner, J.Qian, M.J.S.Sciacchitano, N.J.Thomas, E.Williams, N.V.Zamfir - Phys.Rev. C 71, 014302 (2005)  
Isomeric decay of  $^{208}\text{Ra}$
- 2005RE06 E.L.Reber, R.J.Gehrke, R.Aryaiejad, J.K.Hartwell - J.Radioanal.Nucl.Chem. 264, 243 (2005)  
Measurement of the fission yields of selected prompt and decay fission product gamma-rays of spontaneously fissioning  $^{252}\text{Cf}$  and  $^{244}\text{Cm}$
- 2005RE09 P.Reimer, V.Avrigeanu, S.V.Chuvaev, A.A.Filatenkov, T.Glodariu, A.Koning, A.J.M.Plompen, S.M.Qaim, D.L.Smith, H.Weigmann - Phys.Rev. C 71, 044617 (2005)  
Reaction mechanisms of fast neutrons on stable Mo isotopes below 21 MeV

REFERENCES

---

- 2005RE11 P.H.Regan, C.Wheldon, A.D.Yamamoto, J.J.Valiente-Dobon, D.Cline, C.Y.Wu, A.O.Macchiavelli, F.R.Xu, J.F.Smith, K.Andgren, R.S.Chakrawarthy, M.Cromaz, P.Fallon, S.J.Freeman, A.Gorgen, A.Hayes, H.Hua, S.D.Langdown, I-Y.Lee, C.J.Pearson, Zs.Podolyak, R.Teng - Acta Phys.Pol. B36, 1313 (2005)  
Vibrational and rotational sequences in  $^{101}\text{Mo}$  and  $^{103,4}\text{Ru}$  studied via multinucleon transfer reactions
- 2005RE14 P.Reiter, T.L.Khoo, I.Ahmad, A.V.Afanasjev, A.Heinz, T.Lauritsen, C.J.Lister, D.Seweryniak, P.Bhattacharyya, P.A.Butler, M.P.Carpenter, A.J.Chewter, J.A.Cizewski, C.N.Davids, J.P.Greene, P.T.Greenlees, K.Helariutta, R.-D.Herzberg, R.V.F.Janssens, G.D.Jones, R.Julin, H.Kankaanpaa, H.Kettunen, F.G.Kondev, P.Kuusiniemi, M.Leino, S.Siem, A.A.Sonzogni, J.Uusitalo, I.Wiedenhover - Phys.Rev.Lett. 95, 032501 (2005)  
Structure of the Odd-A, Shell-Stabilized Nucleus  $^{253}_{102}\text{No}$
- 2005RE22 R.Reifarth, M.Heil, R.Plug, U.Besserer, S.Dababneh, L.Dorr, J.Gorres, R.C.Haight, F.Kappeler, A.Mengoni, S.O'Brien, N.Patronis, R.S.Rundberg, M.Wiescher, J.B.Wilhelmy - Nucl.Phys. A758, 787c (2005)  
Stellar neutron capture rates of  $^{14}\text{C}$
- 2005RE23 J.J.Ressler, C.W.Beausang, R.F.Casten, N.V.Zamfir, H.Ai, H.Amro, M.Babilon, R.B.Cakirli, J.A.Caggiano, G.Gurdal, A.Heinz, R.O.Hughes, S.D.Langdown, E.A.McCutchan, D.A.Meyer, C.Plettner, J.Qian, P.H.Regan, M.J.S.Sciacchitano, N.J.Thomas, E.Williams, A.Yamamoto - J.Phys.(London) G31, S1605 (2005)  
Isomers and seniority in the trans-Pb nuclei
- 2005RE25 R.Reifarth, E.-I.Esch, A.Alpizar-Vicente, E.M.Bond, T.A.Bredeweg, S.E.Glover, U.Greife, R.Hatarik, R.C.Haight, A.Kronenberg, J.M.O'Donnell, R.S.Rundberg, J.M.Schwantes, J.L.Ullmann, D.J.Vieira, J.B.Wilhelmy, J.M.Wouters - Nucl.Instrum.Methods Phys.Res. B241, 176 (2005)  
(n,  $\gamma$ ) measurements on radioactive isotopes with DANCE
- 2005RI11 L.A.Riley, M.A.Abdelqader, D.Bazin, M.J.Bojazi, B.A.Brown, C.M.Campbell, J.A.Church, P.D.Cottle, D.-C.Dinca, J.Enders, A.Gade, T.Glasmacher, M.Honma, S.Horibe, Z.Hu, K.W.Kemper, W.F.Mueller, H.Olliver, T.Otsuka, B.C.Perry, B.T.Roeder, B.M.Sherrill, T.P.Spencer, J.R.Terry - Phys.Rev. C 72, 024311 (2005)  
Thick-target inverse-kinematics proton scattering from  $^{46}\text{Ar}$  and the N = 28 shell below  $^{48}\text{Ca}$
- 2005RI13 A.Rinollo, S.Romano, C.Spitaleri, C.Bonomo, S.Cherubini, A.Del Zoppo, P.Figuera, M.La Cognata, L.Lamia, A.Musumarra, M.G.Pellegriti, R.G.Pizzone, C.Rolfs, D.Schurmann, F.Strieder, S.Tudisco, A.Tumino - Nucl.Phys. A758, 146c (2005)  
Measurement of cross section and astrophysical factor of the d(d, p)t reaction using the Trojan Horse Method

## REFERENCES

---

- 2005RI16 M.A.Riley, M.K.Djongolov, A.O.Evans, D.J.Hartley, R.V.F.Janssens, E.S.Paul, J.Simpson, A.A.Aguilar, D.E.Appelbe, C.R.Bingham, D.B.Campbell, M.P.Carpenter, P.Chowdhury, P.T.W.Choy, R.M.Clark, M.Cromaz, D.M.Cullen, M.Danchev, G.D.Dracoulis, P.Fallon, A.Gorgen, G.B.Hagemann, D.T.Joss, J.Goon, R.A.Kaye, T.L.Khoo, F.G.Kondev, R.W.Laird, K.Lagergren, T.Lauritsen, A.O.Macchiavelli, B.McClain, E.F.Moore, G.Mukherjee, E.Ngijoi-Yogo, P.J.Nolan, H.I.Park, A.Pipidis, L.L.Riedinger, G.Sletten, S.K.Tandel, P.M.Walker, D.Ward, I.Ragnarsson, F.Saric, J.Zhang - J.Phys.(London) G31, S1735 (2005)  
Beyond band termination in  $^{157}\text{Er}$  and the search for wobbling excitations in strongly deformed  $^{174}\text{Hf}$
- 2005RI17 S.Rigby, D.M.Cullen, D.T.Scholes, C.Scholey, P.Rahkila, S.Eeckhaudt, T.Grahn, P.Greenlees, P.M.Jones, R.Julin, S.Juutinen, H.Kettunen, M.Leino, A.Leppanen, P.Nieminen, M.Nyman, J.Pakarinen, J.Uusitalo - J.Phys.(London) G31, S1949 (2005)  
Mass-140 isomers near the proton dripline
- 2005RI19 S.Rinta-Antila, Y.Wang, P.Dendooven, J.Huikari, A.Jokinen, A.Kankainen, V.S.Kolhinen, G.Lhersonneau, A.Nieminen, S.Nummela, H.Penttila, K.Perajarvi, J.Szerypo, J.C.Wang, J.Aysto, and the ISOLDE Collaboration - Eur.Phys.J. A 25, Supplement 1, 119 (2005)  
Structure of doubly-even cadmium nuclei studied by  $\beta^-$  decay
- 2005R002 P.Rossi, and the CLAS Collaboration - Phys.Rev.Lett. 94, 012301 (2005)  
Onset of Asymptotic Scaling in Deuteron Photodisintegration
- 2005R011 T.Roth, O.Leupold, H.-C.Wille, R.Ruffer, K.W.Quast, R.Rohlsberger, E.Burkel - Phys.Rev. B 71, 140401 (2005)  
Coherent nuclear resonant scattering by  $^{61}\text{Ni}$  using the nuclear lighthouse effect
- 2005R019 A.P.Robinson, P.J.Woods, D.Seweryniak, C.N.Davids, M.P.Carpenter, A.A.Hecht, D.Peterson, S.Sinha, W.B.Walters, S.Zhu - Phys.Rev.Lett. 95, 032502 (2005)  
Ground State Proton Radioactivity from  $^{121}\text{Pr}$ : When Was This Exotic Nuclear Decay Mode First Discovered ?
- 2005R021 T.Rostomyan, for the GDH and A2 Collaborations - Nucl.Phys. A755, 451c (2005)  
Helicity dependence of pion photoproduction on the proton: new results from Mainz
- 2005R029 C.D.Roper, W.Tornow, R.T.Braun, Q.Chen, A.Crowell, D.Gonzalez Trotter, C.R.Howell, F.Salinas, R.Setze, R.L.Walter, Z.Chen, H.Tang, Z.Zhou - Phys.Rev. C 72, 024605 (2005)  
Measurements of  $A_y(\theta)$  for  $^{12}\text{C}(n, n)^{12}\text{C}$  from  $E_n = 2.2$  to 8.5 MeV
- 2005R035 S.D.Rosner, D.Masterman, T.J.Scholl, R.A.Holt - Can.J.Phys. 83, 841 (2005)  
Measurement of hyperfine structure and isotope shifts in Nd II

## REFERENCES

---

- 2005R037 G.V.Rogachev, A.A.Aprahamian, F.D.Becchetti, P.Boutachkov, Y.Chen, G.Chubarian, P.A.DeYoung, A.Fomichev, V.Z.Goldberg, M.S.Golovkov, J.J.Kolata, Yu.Ts.Oganessian, G.F.Peaslee, M.Quinn, A.Rodin, B.B.Skorodumov, R.S.Slepnev, G.Ter-Akopian, W.H.Trzaska, A.Wohr, R.Wolski - Nucl.Instrum.Methods Phys.Res. B241, 977 (2005)  
Isobaric analog states as a tool for spectroscopy of exotic nuclei
- 2005R039 D.Rodriguez, V.S.Kolhinen, G.Audi, J.Aysto, D.Beck, K.Blaum, G.Bollen, F.Herfurth, A.Jokinen, A.Kellerbauer, H.-J.Kluge, M.Oinonen, H.Schatz, E.Sauvan, S.Schwarz - Eur.Phys.J. A 25, Supplement 1, 41 (2005)  
Mass measurement on the rp-process waiting point  $^{72}\text{Kr}$
- 2005R040 A.P.Robinson, C.N.Davids, D.Seweryniak, P.J.Woods, B.Blank, M.P.Carpenter, T.Davinson, S.J.Freeman, N.Hammond, N.Hoteling, R.V.F.Janssens, T.L.Khoo, Z.Liu, G.Mukherjee, C.Scholey, J.Shergur, S.Sinha, A.A.Sonzogni, W.B.Walters, A.Woehr - Eur.Phys.J. A 25, Supplement 1, 155 (2005)  
Recoil decay tagging study of  $^{146}\text{Tm}$
- 2005R042 M.Romoli, M.Mazzocco, E.Vardaci, M.Di Pietro, A.De Francesco, R.Bonetti, A.De Rosa, T.Glodariu, A.Guglielmetti, G.Inglia, M.La Commara, B.Martin, V.Masone, P.Parascandolo, D.Pierroutsakou, M.Sandoli, P.Scopel, C.Signorini, F.Soramel, L.Stroe, J.Greene, A.Heinz, D.Henderson, C.L.Jiang, E.F.Moore, R.C.Pardo, K.E.Rehm, A.Wuosmaa, J.F.Liang - Eur.Phys.J. A 25, Supplement 1, 289 (2005)  
The EXODET apparatus: Features and first experimental results
- 2005R0ZX D.Rohe, and the E97-006 Collaboration - nucl-ex/0506007,6/05/2005 (2005)  
Nuclear transparency from quasielastic  $^{12}\text{C}(e, e'p)$
- 2005R0ZY A.P.Robinson, C.N.Davids, D.Seweryniak, P.J.Woods, B.Blank, M.P.Carpenter, T.Davinson, S.J.Freeman, N.Hammond, N.Hoteling, R.V.F.Janssens, Z.Liu, G.Mukherjee, C.Scholey, J.Shergur, S.Sinha, A.A.Sonzogni, W.B.Walters, A.Woehr - Proc.Nuclei at the Limits, Argonne, Illinois, D.Seweryniak and T.L.Khoo, eds., p.217 (2005); AIP Conf. Proc 764 (2005)  
Recoil Decay Tagging Study Of Transitional Proton Emitters  $^{145,146,147}\text{Tm}$
- 2005RU01 C.Ruiz, T.Davinson, F.Sarazin, I.Roberts, A.Robinson, P.J.Woods, L.Buchmann, A.C.Shotter, P.Walden, N.M.Clarke, A.A.Chen, B.R.Fulton, D.Groombridge, J.Pearson, A.S.Murphy - Phys.Rev. C 71, 025802 (2005)  
Multichannel R-matrix analysis of elastic and inelastic resonances in the  $^{21}\text{Na} + p$  compound system
- 2005RU03 A.A.Rudchik, A.T.Rudchik, A.Budzanowski, A.Szczurek, B.Czech, T.Czosnyka, J.Choinski, L.Glowacka, S.Kliczewski, E.I.Koshchy, S.Yu.Mezhevych, A.V.Mokhnach, O.A.Momotyuk, Val.M.Pirnak, R.Siudak, I.Skwirczynska - Eur.Phys.J. A 23, 445 (2005)  
Mechanism of the  $^{12}\text{C}(^{11}\text{B}, ^{15}\text{N})^8\text{Be}$  reaction and  $^8\text{Be} + ^{15}\text{N}$  optical-model potential
- 2005RU04 R.C.Runkle, A.E.Champagne, C.Angulo, C.Fox, C.Iliadis, R.Longland, J.Pollanen - Phys.Rev.Lett. 94, 082503 (2005)  
Direct Measurement of the  $^{14}\text{N}(p, \gamma)^{15}\text{O}$  S Factor

## REFERENCES

---

- 2005RU06 D.Rudolph, E.K.Johansson, L.-L.Andersson, J.Ekman, C.Fahlander, R.du Rietz - Nucl.Phys. A752, 241c (2005)  
Exotic Decay Modes in Rotating Nuclei
- 2005RU07 B.Rubio, E.Nacher, A.Algora, M.J.G.Borge, L.Caballero, D.Cano-Ott, S.Courtin, Ph.Dessagne, D.Escrig, L.M.Fraile, W.Gelletly, A.Jungclaus, G.Le Scornet, F.Marechal, Ch.Miehe, E.Poirier, J.L.Tain, O.Tengblad - Nucl.Phys. A752, 251c (2005)  
Beta decay studies far from stability with the Total Absorption Technique: the case of  $^{76}\text{Sr}$
- 2005RU14 G.Rusev, R.Schwengner, F.Donau, S.Frauendorf, L.Kaubler, L.K.Kostov, S.Mallion, K.D.Schilling, A.Wagner, E.Grosse, H.von Garrel, U.Kneissl, C.Kohstall, M.Kreutz, H.H.Pitz, M.Scheck, F.Stedile, P.von Brentano, J.Jolie, A.Linnemann, N.Pietralla, V.Werner - Phys.Rev.Lett. 95, 062501 (2005)  
Decay of  $1^+$  States as a New Probe of the Structure of  $0^+$  Shape Isomers
- 2005RU15 C.Ruiz, M.Aliotta, R.E.Azuma, R.N.Boyd, L.Buchmann, A.Chen, N.M.Clark, J.M.D'Auria, T.Davinson, B.R.Fulton, D.Groombridge, D.Hutcheon, A.M.Laird, A.S.Murphy, J.Pearson, I.Roberts, A.Robinson, F.Sarazin, A.C.Shotter, P.Walden, P.J.Woods - Nucl.Phys. A758, 166c (2005)  
Multichannel R-matrix analysis of elastic and inelastic resonances in the  $^{20,21}\text{Na}+p$  compound systems
- 2005RU18 A.A.Rudchik, A.T.Rudchik, G.M.Kozeratska, O.A.Ponkratenko, E.I.Koshchy, A.Budzanowski, B.Czech, S.Kliczewski, R.Siudak, I.Skwirczynska, A.Szczurek, S.Yu.Mezhevych, K.W.Kemper, J.Choinski, T.Czosnyka, L.Glowacka - Phys.Rev. C 72, 034608 (2005)  
 $^7\text{Li} + ^{11}\text{B}$  elastic and inelastic scattering in a coupled-reaction-channels approach
- 2005RUZZ G.Rusev, E.Grosse, M.Erhard, A.Junghans, K.Kosev, K.-D.Schilling, R.Schwengner, A.Wagner - nucl-ex/0512027,12/20/2005 (2005)  
Pygmy dipole strength close to particle-separation energies - the case of the Mo isotopes
- 2005RV01 M.M.Rvachev, and the Jefferson Lab Hall A Collaboration - Phys.Rev.Lett. 94, 192302 (2005)  
Quasielastic  $^3\text{He}(e, e'p)^2\text{H}$  Reaction at  $Q^2 = 1.5 \text{ GeV}^2$  for Recoil Momenta up to  $1 \text{ GeV} / c$
- 2005RY03 I.V.Ryzhov, M.S.Onegin, G.A.Tutin, J.Blomgren, N.Olsson, A.V.Prokofiev, P.-U.Renberg - Nucl.Phys. A760, 19 (2005)  
Influence of multichance fission on fragment angular anisotropy in the  $^{232}\text{Th}(n, f)$  and  $^{238}\text{U}(n, f)$  reactions at intermediate energies



REFERENCES

---

- 2005RYZZ K.P.Rykaczewski, R.K.Grzywacz, D.R.Bingham, M.Danchev, C.Mazzocchi, M.N.Tantawy, C.J.Gross, C.H.Yu, J.C.Batchelder, M.Karny, W.Krolas, D.Fong, J.H.Hamilton, A.V.Ramayya, A.Piechaczek, E.Zganjar, J.A.Winger, T.N.Ginter, A.Stolz, K.Hagino - Proc.Nuclei at the Limits, Argonne, Illinois, D.Seweryniak and T.L.Khoo, eds., p.223 (2005); AIP Conf. Proc 764 (2005)  
Structure Of Rare-Earth Nuclei Around The Proton Drip Line
- 2005SA03 P.Saha, T.Fukuda, W.Imoto, K.K.Ahn, A.Ajimura, K.Aoki, H.C.Bhang, H.Fujioka, H.Hotchi, J.I.Hwang, T.Itabashi, B.H.Kang, H.D.Kim, M.J.Kim, T.Kishimoto, A.Krutenkova, T.Maruta, Y.Miura, K.Miwa, T.Nagae, H.Noumi, H.Outa, T.Ohtaki, A.Sakaguchi, Y.Sato, M.Sekimoto, Y.Shimizu, H.Tamura, K.Tanida, A.Toyoda, M.Ukai, H.J.Kim - Phys.Rev.Lett. 94, 052502 (2005)  
Production of the Neutron-Rich Hypernucleus  ${}_{\Lambda}^{10}\text{Li}$  in the  $(\pi^{-}, K^{+})$  Double Charge-Exchange Reaction
- 2005SA04 Y.Sato, S.Ajimura, K.Aoki, H.Bhang, T.Hasegawa, O.Hashimoto, H.Hotchi, Y.D.Kim, T.Kishimoto, K.Maeda, H.Noumi, Y.Ohta, K.Omata, H.Outa, H.Park, M.Sekimoto, T.Shibata, T.Takahashi, M.Youn - Phys.Rev. C 71, 025203 (2005)  
Mesonic and nonmesonic weak decay widths of medium-heavy  $\Lambda$  hypernuclei
- 2005SA06 M.Sarsour, T.Peterson, M.Planinic, S.E.Vigdor, C.Allgower, B.Bergenswall, J.Blomgren, T.Hossbach, W.W.Jacobs, C.Johansson, J.Klug, A.V.Klyachko, P.Nadel-Turonski, L.Nilsson, N.Olsson, S.Pomp, J.Rapaport, T.Rinckel, E.J.Stephenson, U.Tippawan, S.W.Wissink, Y.Zhou - Phys.Rev.Lett. 94, 082303 (2005)  
Measurement of the Absolute np Scattering Differential Cross Section at 194 MeV
- 2005SA07 X.Sarazin, on behalf of the NEMO Collaboration - Nucl.Phys. B(Proc.Supp.) S143, 221 (2005)  
Search for neutrinoless double beta decay with the NEMO-3 detector: first results
- 2005SA12 A.Saha, for the Hall A Collaboration - Eur.Phys.J. A 24, Supplement 1, 81 (2005)  
Detailed study of the few nucleon systems with  $(e, e'p)$  reactions
- 2005SA15 D.Savran, S.Muller, A.Zilges, M.Babilon, M.W.Ahmed, J.H.Kelley, A.Tonchev, W.Tornow, H.R.Weller, N.Pietralla, J.Li, I.V.Pinayev, Y.K.Wu - Phys.Rev. C 71, 034304 (2005)  
Parity assignments in  ${}^{172,174}\text{Yb}$  using polarized photons and the K quantum number in rare earth nuclei
- 2005SA37 T.Saito, K.Yoshida, M.Oikawa, Y.Suga, K.Kino, T.Nakagawa, T.Tohei, K.Abe, H.Ueno - Phys.Rev. C 71, 064313 (2005)  
Direct evidence of core excitation in the giant resonance through the  $(e, e'n)$  reaction
- 2005SA40 J.Sauvage, F.Ibrahim, B.Roussiere, J.Genevey, A.Gizon, G.Marguier, P.Kilcher, A.Knipper, R.Beraud, G.Cata-Danil, F.Le Blanc, J.Obert, J.Oms, J.C.Putaux, C.Richard-Serre, A.Wojtasiewicz, and the ISOLDE and NICOLE Collaborations - Eur.Phys.J. A 25, 5 (2005)  
Low-spin states of doubly odd  ${}^{184}\text{Au}$

REFERENCES

---

- 2005SA44 G.Savard, F.Buchinger, J.A.Clark, J.E.Crawford, S.Gulick, J.C.Hardy, A.A.Hecht, J.K.P.Lee, A.F.Levand, N.D.Scielzo, H.Sharma, K.S.Sharma, I.Tanihata, A.C.C.Villari, Y.Wang - Phys.Rev.Lett. 95, 102501 (2005)  
Q Value of the Superallowed Decay of  $^{46}\text{V}$  and Its Influence on  $V_{ud}$  and the Unitarity of the Cabibbo-Kobayashi-Maskawa Matrix
- 2005SA52 A.M.Sanchez-Benitez, D.Escrig, M.A.G.Alvarez, M.V.Andres, C.Angulo, M.J.G.Borge, J.Cabrera, S.Cherubini, J.M.Espino, P.Figuera, M.Freer, J.E.Garcia-Ramos, J.Gomez-Camacho, M.Gulino, O.R.Kakuee, I.Martel, C.Metelco, A.M.Moro, J.Rahighi, K.Rusek, D.Smirnov, O.Tengblad, P.Van Duppen, V.Ziman - J.Phys.(London) G31, S1953 (2005)  
Scattering of  $^6\text{He}$  at energies around the Coulomb barrier
- 2005SAZS T.Saito, H.Sakai, T.Ikeda, K.Itoh, T.Kawabata, H.Kuboki, Y.Maeda, N.Matsui, M.Sasano, Y.Satou, K.Sekiguchi, K.Suda, A.Tamii, T.Uesaka, K.Yako - CNS-REP-66, p.32 (2005)  
Bell's Inequality Test via the  $^1\text{H}(d, ^2\text{He})n$  Reaction
- 2005SAZT S.Sakaguchi, T.Wakui, T.Uesaka, K.Itoh, T.Kawabata, H.Kuboki, Y.Maeda, H.Sakai, Y.Sasamoto, M.Sasano, K.Sekiguchi, K.Suda, Y.Takahashi, K.Yako - RIKEN Accelerator Progress Report 2004, p.36 (2005)  
Absolute calibration of proton polarization via  $p(\text{pol}) + ^4\text{He}$  elastic scattering
- 2005SAZU H.Sakane, K.Furutaka, O.Shcherbakov, H.Harada, T.Fujii, H.Yamana - Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.1, p. 1000 (2005); AIP Conf.Proc. 769 (2005)  
Development of a Method of Thermal-Neutron Capture Cross Section Measurement by Unfolding Prompt Gamma-Ray Spectra
- 2005SAZX A.Sanchez i Zafra, C.Beck, F.Haas, P.Papka, V.Rauch, M.Rousseau, F.Azaiez, P.Bednarczyk, S.Courtin, D.Curien, O.Dorvaux, A.Nourreddine, J.Robin, M.D.Salsac, W.von Oertzen, B.Gebauer, T.Kokalova, S.Thummerer, C.Wheldon, G.de Angelis, A.Gadea, S.Lenzi, D.R.Napoli, S.Szilner, W.N.Catford, D.Jenkins - Proc. XLIII Intern.Winter Meeting on Nuclear Physics, Bormio, Italy, 14 - 19 March 2005, I.Iori and A.Bortolotti, eds., p.224 (2005)  
Study of binary reaction channels in the  $^{24}\text{Mg} + ^{12}\text{C}$  collision
- 2005SAZY T.R.Saito, for the RISING Collaboration - Proc.Nuclei at the Limits, Argonne, Illinois, D.Seweryniak And T.L.Khoo, eds., p.151 (2005); AIP Conf. Proc 764 (2005)  
The RISING Project At GSI And Its First Results
- 2005SAZZ D.Savran, S.Muller, A.Zilges, M.Babilon, M.W.Ahmed, J.H.Kelley, A.Tonchev, W.Tornow, H.R.Weller, N.Pietralla, J.Li, I.V.Pinayev, Y.K.Wu - nucl-ex/0501006,1/11/2005 (2005)  
Parity assignments in  $^{172,174}\text{Yb}$  using polarized photons and the K quantum number in rare earth nuclei
- 2005SC01 R.J.Scott, R.P.Rassool, M.N.Thompson, D.V.Webb - Nucl.Instrum.Methods Phys.Res. A539, 191 (2005)

REFERENCES

---

- A new technique for precise measurement of the half-life of the Fermi  $\beta$ -decay of  $^{26m}\text{Al}$
- 2005SC17 D.Schurmann, A.Di Leva, N.De Cesare, L.Gialanella, G.Imbriani, C.Lubritto, A.Ordine, V.Roca, H.Rocken, C.Rolfs, D.Rogalla, M.Romano, F.Schumann, F.Strieder, F.Terrasi, H.-P.Trautvetter - Nucl.Phys. A758, 367c (2005)  
Measurement of the cross section of  $^{12}\text{C}(\alpha, \gamma)^{16}\text{O}$  using the recoil mass separator ERNA
- 2005SC20 A.Schiller, T.Baumann, J.Dietrich, S.Kaiser, W.Peters, M.Thoennessen - Phys.Rev. C 72, 037601 (2005)  
Search for particle-bound  $^{26}\text{O}$  and  $^{28}\text{F}$  in p-stripping reactions
- 2005SC22 C.Scholey, M.Sandzelius, S.Eeckhauadt, T.Grahn, P.T.Greenlees, P.Jones, R.Julin, S.Juutinen, M.Leino, A.-P.Leppanen, P.Nieminen, M.Nyman, J.Perkowski, J.Pakarinen, P.Rahkila, P.M.Rahkila, J.Uusitalo, K.Van de Vel, B.Cederwall, B.Hadinia, K.Lagergren, D.T.Joss, D.E.Appelbe, C.J.Barton, J.Simpson, D.D.Warner, I.G.Darby, R.D.Page, E.S.Paul, D.Wiseman - J.Phys.(London) G31, S1719 (2005)  
In-beam and decay spectroscopy of very neutron deficient iridium nuclei
- 2005SC26 P.Schury, G.Bollen, D.A.Davies, A.Doemer, D.Lawton, D.J.Morrissey, J.Ottarson, A.Prinke, R.Ringle, T.Sun, S.Schwarz, L.Weissman - Eur.Phys.J. A 25, Supplement 1, 51 (2005)  
Precision experiments with rare isotopes with LEBIT at MSU
- 2005SC27 H.Scheit, O.Niedermaier, V.Bildstein, H.Boie, J.Fitting, R.von Hahn, F.Kock, M.Lauer, U.K.Pal, H.Podlech, R.Repnow, D.Schwalm, C.Alvarez, F.Ames, G.Bollen, S.Emhofer, D.Habs, O.Kester, R.Lutter, K.Rudolph, M.Pasini, P.G.Thirolf, B.H.Wolf, J.Eberth, G.Gersch, H.Hess, P.Reiter, O.Thelen, N.Warr, D.Weisshaar, F.Aksouh, P.Van den Bergh, P.Van Duppen, M.Huyse, O.Ivanov, P.Mayet, J.Van de Walle, J.Aysto, P.A.Butler, J.Cederkall, P.Delahaye, H.O.U.Fynbo, L.M.Fraile, O.Forstner, S.Franchoo, U.Koster, T.Nilsson, M.Oinonen, T.Sieber, F.Wenander, M.Pantea, A.Richter, G.Schrieder, H.Simon, T.Behrens, R.Gernhauser, T.Kroll, R.Krucken, M.Munch, T.Davinson, J.Gerl, G.Huber, A.Hurst, J.Iwanicki, B.Jonson, P.Lieb, L.Liljeby, A.Schempp, A.Scherillo, P.Schmidt, G.Walter - Eur.Phys.J. A 25, Supplement 1, 397 (2005)  
Coulomb excitation of neutron-rich beams at REX-ISOLDE
- 2005SC28 H.Schatz, P.T.Hosmer, A.Aprahamian, O.Arndt, R.R.C.Clement, A.Estrade, K.-L.Kratz, S.N.Liddick, P.F.Mantica, W.F.Mueller, F.Montes, A.C.Morton, M.Ouellette, E.Pellegrini, B.Pfeiffer, P.Reeder, P.Santi, M.Steiner, A.Stolz, B.E.Tomlin, W.B.Walters, A.Wohr - Eur.Phys.J. A 25, Supplement 1, 639 (2005)  
The half-life of the doubly-magic r-process nucleus  $^{78}\text{Ni}$
- 2005SC29 D.Schurmann, A.Di Leva, L.Gialanella, D.Rogalla, F.Strieder, N.De Cesare, A.D'Onofrio, G.Imbriani, R.Kunz, C.Lubritto, A.Ordine, V.Roca, C.Rolfs, M.Romano, F.Schumann, F.Terrasi, H.-P.Trautvetter - Eur.Phys.J. A 26, 301 (2005)  
First direct measurement of the total cross-section of  $^{12}\text{C}(\alpha, \gamma)^{16}\text{O}$

REFERENCES

---

- 2005SCZT D.Schurmann, A.Di Leva, L.Gialanella, D.Rogalla, F.Strieder, N.De Cesare, A.D'Onofrio, G.Imbriani, R.Kunz, C.Lubritto, A.Ordine, V.Roca, C.Rolfs, M.Romano, F.Schumann, F.Terrasi, H.-P.Trautvetter - nucl-ex/0511050,11/29/2005 (2005)  
First direct measurement of the total cross section of  $^{12}\text{C}(\alpha, \gamma)^{16}\text{O}$
- 2005SCZV W.Schwerdtfeger, B.Bruyneel, T.Faestermann, R.Gernhauser, D.Habs, Th.Kroll, R.Krucken, M.Lauer, R.Lutter, H.J.Maier, T.Morgan, M.Munch, O.Niedermaier, P.Reiter, O.Schaile, H.Scheit, P.G.Thirolf, W.von Oertzen, N.Warr, D.Weisshaar, H.Wolter - Maier-Leibnitz-Laboratorium 2004 Ann.Rept., p.4 (2005)  
Towards Two-Neutron Transfer around the Island of Inversion
- 2005SCZW D.Schumann, R.Weinreich, R.Michel, H.-A.Synal, P.Kubik - Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.2, p. 1517 (2005); AIP Conf.Proc. 769 (2005)  
Excitation Functions for the Production of  $^{10}\text{Be}$ ,  $^{26}\text{Al}$ ,  $^{129}\text{I}$ , and  $^{36}\text{Cl}$  in the Reaction  $^{nat}\text{Pb}(p, xn-yp)^AZ$  with Proton Energies up to 2.6 GeV
- 2005SCZX F.Schumann, S.Typel, F.Hammache, K.Summerer, F.Uhlig, I.Bottcher, D.Cortina, A.Forster, M.Gai, H.Geissel, U.Greife, E.Grosse, N.Iwasa, P.Koczon, B.Kohlmeyer, R.Kulesa, H.Kumagai, N.Kurz, M.Menzel, T.Motobayashi, H.Oeschler, A.Ozawa, M.Ploskon, W.Prokopowicz, E.Schwab, P.Senger, F.Strieder, C.Sturm, Z.-Y.Sun, G.Surowka, A.Wagner, W.Walus - nucl-ex/0508014,08/11/2005 (2005)  
Coulomb dissociation of  $^8\text{B}$  and the low-energy cross section of the  $^7\text{Be}(p, \gamma)^8\text{B}$  solar fusion reaction
- 2005SCZY A.Schiller, T.Baumann, J.Dietrich, S.Kaiser, W.Peters, M.Thoennessen - nucl-ex/0504007,4/5/2005 (2005)  
Search for particle-bound  $^{26}\text{O}$  and  $^{28}\text{F}$  in p-stripping reactions
- 2005SE01 A.Serebrov, V.Varlamov, A.Kharitonov, A.Fomin, Yu.Pokotilovski, P.Geltenbort, J.Butterworth, I.Krasnoschekova, M.Lasakov, R.Taldaev, A.Vassiliev, O.Zherebtsov - Phys.Lett. B 605, 72 (2005)  
Measurement of the neutron lifetime using a gravitational trap and a low-temperature Fomblin coating
- 2005SE02 D.Seweryniak, P.J.Woods, M.P.Carpenter, T.Davinson, R.V.F.Janssens, D.G.Jenkins, T.Lauritsen, C.J.Lister, C.Ruiz, J.Shergur, S.Sinha, A.Woehr - Phys.Rev.Lett. 94, 032501 (2005)  
Level Structure of  $^{22}\text{Mg}$ : Implications for the  $^{21}\text{Na}(p, \gamma)^{22}\text{Mg}$  Astrophysical Reaction Rate and for the  $^{22}\text{Mg}$  Mass
- 2005SE03 J.P.Seitz, B.B.Back, M.P.Carpenter, I.Dioszegi, K.Eisenman, P.Heckman, D.J.Hofman, M.P.Kelly, T.L.Khoo, S.Mitsuoka, V.Nanal, T.Pennington, R.H.Siemssen, M.Thoennessen, R.L.Varner - Nucl.Phys. A750, 245 (2005)  
Observation of the hot GDR in neutron-deficient thorium evaporation residues
- 2005SE04 R.Segel, and the JLab E01-001 Collaboration - Eur.Phys.J. A 24, Supplement 1, 55 (2005)

## REFERENCES

---

- Results from the super Rosenbluth separation experiment
- 2005SE05 H.R.Setze, C.R.Howell, W.Tornow, R.T.Braun, D.E.Gonzalez Trotter, A.H.Hussein, R.S.Pedroni, C.D.Roper, F.Salinas, I.Slaus, B.Vlahovic, R.L.Walter, G.Mertens, J.M.Lambert, H.Witala, W.Glockle - Phys.Rev. C 71, 034006 (2005)  
Cross-section measurements of neutron-deuteron breakup at 13.0 MeV
- 2005SE08 N.Severijns, A.A.Belyaev, A.L.Erzinkyan, P.-D.Eversheim, V.T.Filimonov, V.V.Golovko, G.M.Gurevich, P.Herzog, I.S.Kraev, A.A.Lukhanin, V.I.Noga, V.P.Parfenova, T.Phalet, A.V.Rusakov, Yu.G.Toporov, C.Tramm, V.N.Vyachin, D.Zakoucky, E.Zotov - Phys.Rev. C 71, 044324 (2005)  
Angular distribution of particles from oriented  $^{253,254}\text{Es}$  and  $^{255}\text{Fm}$  nuclei
- 2005SE11 D.Seweryniak, J.Uusitalo, P.Bhattacharyya, M.P.Carpenter, J.A.Cizewski, K.Y.Ding, C.N.Davids, N.Fotiades, R.V.F.Janssens, T.Lauritsen, C.J.Lister, A.O.Macchiavelli, D.Nisius, P.Reiter, W.B.Walters, P.J.Woods - Phys.Rev. C 71, 054319 (2005)  
Multiparticle configurations in  $N = 84$  isotones located at the proton drip line
- 2005SE14 N.Severijns, D.Venos, P.Schuermans, T.Phalet, M.Honusek, D.Srnka, B.Vereecke, S.Versyck, D.Zakoucky, U.Koster, M.Beck, B.Delaure, V.Golovko, I.Kraev - Phys.Rev. C 71, 064310 (2005)  
Isospin mixing in the  $T=5/2$  ground state of  $^{71}\text{As}$
- 2005SE16 M.Seimetz, for the A1 Collaboration - Nucl.Phys. A755, 253c (2005)  
Measurement of the Electric Form Factor of the Neutron at MAMI
- 2005SE17 A.Serebrov, V.Varlamov, A.Kharitonov, A.Fomin, Yu.Pokotilovski, P.Geltenbort, J.Butterworth, I.Krasnoschekova, M.Lasakov, R.Taldaev, A.Vassiliev, O.Zherebtsov - J.Res.Natl.Inst.Stand.Technol. 110, 333 (2005)  
Measurement of the Neutron Lifetime Using a Gravitational Trap and a Low-Temperature Fomblin Coating
- 2005SE19 M.Segawa, Y.Nagai, T.Shima, H.Makii, K.Mishima, H.Ueda, Y.Temma, T.Masaki, M.Igashira, T.Ohsaki, T.Shizuma, T.Hayakawa - Nucl.Phys. A758, 553c (2005)  
Neutron experiment for the study of Re / Os cosmochronometer
- 2005SE22 K.Sekiguchi, H.Sakai, H.Witala, W.Glockle, J.Golak, K.Hatanaka, M.Hatano, K.Itoh, H.Kamada, H.Kuboki, Y.Maeda, A.Nogga, H.Okamura, T.Saito, N.Sakamoto, Y.Sakemi, M.Sasano, Y.Shimizu, K.Suda, A.Tamii, T.Uesaka, T.Wakasa, K.Yako - Phys.Rev.Lett. 95, 162301 (2005)  
Resolving the Discrepancy of 135 MeV pd Elastic Scattering Cross Section and Relativistic Effects
- 2005SE23 M.Segawa, A.Tomyo, Y.Nagai, Y.Temma, T.Masaki, T.Shima, J.Nishiyama, T.Ohsaki, M.Igashira - J.Phys.Soc.Jpn. 74, 2981 (2005)  
New Approach for Measuring the  $(n, \gamma)$  Cross Section of a Nucleus by a Few keV Neutron

## REFERENCES

---

- 2005SE26 D.Seweryniak, C.N.Davids, A.Robinson, P.J.Woods, B.Blank, M.P.Carpenter, T.Davinson, S.J.Freeman, N.Hammond, N.Hoteling, R.V.F.Janssens, T.L.Khoo, Z.Liu, G.Mukherjee, J.Shergur, S.Sinha, A.A.Sonzogni, W.B.Walters, A.Woehr - Eur.Phys.J. A 25, Supplement 1, 159 (2005)  
Particle-core coupling in the transitional proton emitters  $^{145,146,147}\text{Tm}$
- 2005SEZV K.Sekiguchi, H.Sakai, H.Witala, W.Gloeckle, J.Golak, K.Hatanaka, M.Hatano, K.Itoh, H.Kamada, H.Kuboki, Y.Maeda, A.Nogga, H.Okamura, T.Saito, N.Sakamoto, Y.Sakemi, M.Sasano, Y.Shimizu, K.Suda, A.Tamii, T.Uesaka, T.Wakasa, K.Yako - nucl-ex/0510005,10/3/2005 (2005)  
Resolving the Discrepancy of 135 MeV pd Elastic Scattering Cross Sections and Relativistic Effects
- 2005SEZW V.Semkova, A.J.M.Plompen, D.L.Smith - Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.1, p. 1019 (2005); AIP Conf.Proc. 769 (2005)  
Measurement of the  $^{58}\text{Ni}(n, t)^{56}\text{Co}$ ,  $^{59}\text{Co}(n, p)^{59}\text{Fe}$ , and  $^{63}\text{Cu}(n, \alpha)^{60}\text{Co}$  Reaction Cross Sections from 14 to 20 MeV
- 2005SEZX V.Semkova, A.J.M.Plompen, D.L.Smith - Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.1, p. 981 (2005); AIP Conf.Proc. 769 (2005)  
Light Charged-Particle Production Activation Cross Sections of Zr Isotopes from 14 to 20 MeV
- 2005SH03 S.Shen, Y.Li, S.Shi, J.Gu, J.Liu - J.Phys.Soc.Jpn. 74, 299 (2005)  
New Low-Spin Levels in  $^{72}\text{Ge}$  and Discussion of Its Yrast Band Structure
- 2005SH15 O.Shcherbakov, K.Furutaka, S.Nakamura, H.Sakane, K.Kobayashi, S.Yamamoto, J.-I.Hori, H.Harada - J.Nucl.Sci.Technol.(Tokyo) 42, 135 (2005)  
Measurement of Neutron Capture Cross Section of  $^{237}\text{Np}$  from 0.02 to 100 eV
- 2005SH22 T.Shimizu, I.Miyazaki, K.Arakita, M.Shibata, K.Kawade, J.Hori, T.Nishitani - Ann.Nucl.Energy 32, 949 (2005)  
Measurement of (n, n') reaction cross-sections of  $^{79}\text{Br}$ ,  $^{90}\text{Zr}$ ,  $^{197}\text{Au}$  and  $^{207}\text{Pb}$  with pulsed d-D neutrons
- 2005SH23 J.Shergur, A.Wohr, W.B.Walters, K.-L.Kratz, O.Arndt, B.A.Brown, J.Cederkall, I.Dillmann, L.M.Fraile, P.Hoff, A.Joinet, U.Koster, B.Pfeiffer - Phys.Rev. C 71, 064321 (2005)  
Level structure of odd-odd  $^{134}\text{Sb}$  populated in the  $\beta^-$  decays of  $^{134,135}\text{Sn}$
- 2005SH24 J.Shergur, D.J.Dean, D.Seweryniak, W.B.Walters, A.Wohr, P.Boutachkov, C.N.Davids, I.Dillmann, A.Juodagalvis, G.Mukherjee, S.Sinha, A.Teymurazyan, I.Zartova - Phys.Rev. C 71, 064323 (2005)  
Identification of low-spin states in  $^{111}\text{Sb}$ : Test of spin-orbit coupling in light nuclei

## REFERENCES

---

- 2005SH26 T.Shizuma, T.Hayakawa, S.Mitarai, T.Morikawa, T.Ishii - Phys.Rev. C 71, 067301 (2005)  
Identification of the  $K^\pi = 11 / 2^+$  isomer in neutron-rich  $^{187}\text{W}$
- 2005SH36 J.Shergur, A.Wohr, W.B.Walters, K.-L.Kratz, O.Arndt, B.A.Brown, J.Cederkall, I.Dillmann, L.M.Fraile, P.Hoff, A.Joinet, U.Koster, B.Pfeiffer - Phys.Rev. C 72, 024305 (2005)  
Identification of shell-model states in  $^{135}\text{Sb}$  populated via  $\beta^-$  decay of  $^{135}\text{Sn}$
- 2005SH37 T.Shizuma, H.Utsunomiya, P.Mohr, T.Hayakawa, S.Goko, A.Makinaga, H.Akimune, T.Yamagata, M.Ohta, H.Ohgaki, Y.-W.Lui, H.Toyokawa, A.Uritani, S.Goriely - Phys.Rev. C 72, 025808 (2005)  
Photodisintegration cross section measurements on  $^{186}\text{W}$ ,  $^{187}\text{Re}$ , and  $^{188}\text{Os}$ :  
Implications for the Re-Os cosmochronology
- 2005SH38 W.Shi, M.Redshaw, E.G.Myers - Phys.Rev. A 72, 022510 (2005)  
Atomic masses of  $^{32,33}\text{S}$ ,  $^{84,86}\text{Kr}$ , and  $^{129,132}\text{Xe}$  with uncertainties  $\leq 0.1$  ppb
- 2005SH41 T.Shizuma, H.Utsunomiya, S.Goko, P.Mohr, T.Hayakawa, A.Makinaga, K.Y.Hara, H.Ohgaki, Y.-W.Lui, S.Goriely - Nucl.Phys. A758, 561c (2005)  
Photoneutron cross section measurements on  $^{186}\text{W}$ ,  $^{187}\text{Re}$  and  $^{188}\text{Os}$  for cosmochronology
- 2005SH46 S.Shimoura - J.Phys.(London) G31, S1759 (2005)  
Single particle states in exotic nuclei via nucleon transfer reactions at 30-60 A MeV
- 2005SH49 T.M.Shneidman, R.V.Jolos, R.Krucken, A.Aprahamian, D.Cline, J.R.Cooper, M.Cromaz, R.M.Clark, C.Hutter, A.O.Macchiavelli, W.Scheid, M.A.Stoyer, C.Y.Wu - Eur.Phys.J. A 25, 387 (2005)  
E2 transitions between positive- and negative-parity states of the ground-state alternating-parity bands
- 2005SH51 T.Shima, S.Naito, Y.Nagai, T.Baba, K.Tamura, T.Takahashi, T.Kii, H.Ohgaki, H.Toyokawa - Phys.Rev. C 72, 044004 (2005)  
Simultaneous measurement of the photodisintegration of  $^4\text{He}$  in the giant dipole resonance region
- 2005SH52 K.S.Sharma, J.Vaz, R.C.Barber, F.Buchinger, J.A.Clark, J.E.Crawford, H.Fukutani, J.P.Greene, S.Gulick, A.Heinz, J.K.P.Lee, G.Savard, Z.Zhou, J.C.Wang - Eur.Phys.J. A 25, Supplement 1, 45 (2005)  
Atomic mass ratios for some stable isotopes of platinum relative to  $^{197}\text{Au}$
- 2005SH53 J.Shergur, N.Hoteling, A.Wohr, W.B.Walters, O.Arndt, B.A.Brown, C.N.Davids, D.J.Dean, K.-L.Kratz, B.Pfeiffer, D.Seweryniak, and the ISOLDE Collaboration - Eur.Phys.J. A 25, Supplement 1, 121 (2005)  
New level information on  $Z = 51$  isotopes,  $^{111}\text{Sb}_{60}$  and  $^{134,135}\text{Sb}_{83,84}$
- 2005SHZS A.Shrivastava, A.Navin, N.Keeley, K.Mahata, K.Ramachandran, V.Nanal, V.V.Parkar, A.Chatterjee, S.Kailas - nucl-ex/0512032,12/21/2005 (2005)  
Evidence for transfer followed by breakup in  $^7\text{Li} + ^{65}\text{Cu}$

## REFERENCES

---

- 2005SHZT O.Shcherbakov, H.Harada, K.Furutaka, S.Nakamura, H.Sakane, K.Kobayashi, S.Yamamoto, J.-i.Hori - Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.1, p. 1007 (2005); AIP Conf.Proc. 769 (2005)  
Measurement of the Np-237 Neutron Capture Cross Section from Thermal to 100 eV
- 2005SHZU T.Shimizu, K.Arakita, I.Miyazaki, M.Shibata, K.Kawade, J.-i.Hori, K.Ochiai, T.Nishitani - Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.1, p. 992 (2005); AIP Conf.Proc. 769 (2005)  
Measurement of Activation Cross Sections Producing Short-Lived Nuclei with Pulsed Neutron Beam
- 2005SHZW Yu.Shitov, on behalf of the NEMO Collaboration - Book of Abstracts, LV National Conference on Nuclear Physics "Frontiers in the Physics of Nucleus", St.-Petersburg, p.42 (2005)  
Search for Neutrinoless Double Beta Decay with NEMO-3 and SUPERNEMO
- 2005SHZX T.Shizuma, H.Utsunomiya, P.Mohr, T.Hayakawa, S.Goko, A.Makinaga, H.Akimune, T.Yamagata, M.Ohta, H.Ohgaki, Y.-W.Lui, H.Toyokawa, A.Uritani, S.Goriely - nucl-ex/0506027,6/30/2005 (2005)  
Photo-disintegration cross section measurements on  $^{186}\text{W}$ ,  $^{187}\text{Re}$  and  $^{188}\text{Os}$ : implications to the Re-Os cosmochronology
- 2005SHZY Y.Shimizu, K.Hatanaka, G.P.A.Berg, M.Wiescher, H.Schatz, T.Adachi, A.D.Bacher, C.C.Foster, K.Fujita, H.Fujita, Y.Fujita, J.Gorres, Ch.Herman, J.Kamiya, Y.Sakemi, Y.Shimbara, E.J.Stephenson, T.Wakasa, M.Yosoi - Proc. Intern. Symposium on the Origin of Matter and Evolution of Galaxies, Riken, Saitama, Japan, 17-19 November 2003, World Scientific, Singapore, p.367 (2005)  
Resonance states in  $^{22}\text{Mg}$ ,  $^{26}\text{Si}$  for reaction rates in the rp-process
- 2005SHZZ T.Shima, H.Makii, K.Mishima, Y.Nagai, M.Segawa, H.Ueda, T.Masaki, M.Igashira, T.Ohsaki, I.Sugai, Y.Takeda - Proc. Intern. Symposium on the Origin of Matter and Evolution of Galaxies, Riken, Saitama, Japan, 17-19 November 2003, World Scientific, Singapore, p.217 (2005)  
Direct measurement of the E1 and E2 cross sections of the  $^{12}\text{C}(\alpha, \gamma)^{16}\text{O}$  reaction at  $E_{c.m.} = 1.3 \sim 1.5$  MeV
- 2005SI02 Z.Siketec, I.Bogdanovic Radovic, H.Muto, M.Jaksic - Nucl.Instrum.Methods Phys.Res. B229, 180 (2005)  
H recoil cross-sections for  $^7\text{Li}$  ions at 30 degrees and 45 degrees in the energy interval from 2.28 to 5.70 MeV
- 2005SI06 L.Simard, on behalf of the NEMO Collaboration - Nucl.Phys. B(Proc.Supp.) S145, 272 (2005)  
Search for neutrinoless double beta decay with the NEMO-3 detector: first results



## REFERENCES

---

- 2005SI13 A.J.Simons, P.Joshi, D.G.Jenkins, P.M.Raddon, R.Wadsworth, D.B.Fossan, T.Koike, C.Vaman, K.Starosta, E.S.Paul, H.J.Chantler, A.O.Evans, P.Bednarczyk, D.Curien - J.Phys.(London) G31, 541 (2005)  
Evidence for chiral structures in  $^{130}\text{Cs}$
- 2005SI14 J.M.Sisterson, J.Ullmann - Nucl.Instrum.Methods Phys.Res. B234, 419 (2005)  
Measurements of energy integrated cross sections for reactions producing relatively short-lived radionuclides using neutron beams with an energy range of 0.1-750 MeV
- 2005SI21 N.L.Singh, S.Mukherjee, M.S.Gadkari - Int.J.Mod.Phys. E14, 611 (2005)  
Excitation functions of alpha induced reactions on natural nickel up to 50 MeV
- 2005SI23 A.J.Simons, R.Wadsworth, D.G.Jenkins, R.M.Clark, M.Cromaz, M.A.Deleplanque, R.M.Diamond, P.Fallon, G.J.Lane, I.Y.Lee, A.O.Macchiavelli, F.S.Stephens, C.E.Svensson, K.Vetter, D.Ward, S.Frauentorf, Y.Gu - Phys.Rev. C 72, 024318 (2005)  
Investigation of antimagnetic rotation in light Cadmium nuclei:  $^{106,108}\text{Cd}$
- 2005SI28 M.A.G.Silveira, N.H.Medina, J.A.Alcantara-Nunez, E.W.Cybulska, H.Dias, J.R.B.Oliveira, M.N.Rao, R.V.Ribas, W.A.Seale, K.T.Wiedemann, B.A.Brown, M.Honma, T.Mizusaki, T.Otsuka - J.Phys.(London) G31, S1577 (2005)  
Nuclear structure of the odd-odd nucleus  $^{58}\text{Co}$
- 2005SI31 K.Singh, Z.Naik, R.Kumar, J.Goswamy, D.Mehta, N.Singh, C.R.Praharaj, E.S.Paul, K.P.Singh, R.P.Singh, S.Muralithar, N.Madhavan, J.J.Das, S.Nath, A.Jhingan, P.Sugathan, R.K.Bhowmik - Eur.Phys.J. A 25, 345 (2005)  
Rotational structures in  $^{123}\text{Cs}$
- 2005SI32 J.M.Sisterson, F.D.Brooks, A.Bufler, M.S.Allie, D.T.L.Jones, M.B.Chadwick - Nucl.Instrum.Methods Phys.Res. B240, 617 (2005)  
Cross-section measurements for neutron-induced reactions in copper at neutron energies of 70.7 and 110.8 MeV
- 2005SI34 G.Sikler, G.Audi, D.Beck, K.Blaum, G.Bollen, F.Herfurth, A.Kellerbauer, H.-J.Kluge, D.Lunney, M.Oinonen, C.Scheidenberger, S.Schwarz, J.Szerypo, C.Weber - Nucl.Phys. A763, 45 (2005); Erratum Nucl.Phys. A768, 160 (2006)  
Mass measurements on neutron-deficient Sr and neutron-rich Sn isotopes with the ISOLTRAP mass spectrometer
- 2005SI37 M.A.G.Silveira, N.H.Medina, J.R.B.Oliveira, J.A.Alcantara-Nunez, E.W.Cybulska, H.Dias, M.N.Rao, R.V.Ribas, W.A.Seale, K.T.Wiedemann - Braz.J.Phys. 35, 821 (2005)  
In-Beam Gamma Ray Spectroscopy of  $^{58}\text{Co}$
- 2005SIZY S.P.Simakov, M.G.Kobosev, A.A.Lychagin, V.A.Talalaev, D.Yu.Chuvilin, V.M.Maslov - Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.1, p. 67 (2005); AIP Conf.Proc. 769 (2005)  
Benchmarking of Uranium-238 Evaluations against Spherical Transmission and (n, xn)-Reaction Experimental Data

## REFERENCES

---

- 2005SK03 F.Skaza, N.Keeley, V.Lapoux, N.Alamanos, F.Auger, D.Beaumel, E.Becheva, Y.Blumenfeld, F.Delaunay, A.Drouart, A.Gillibert, L.Giot, K.W.Kemper, R.S.Mackintosh, L.Nalpas, A.Pakou, E.C.Pollacco, R.Raabe, P.Roussel-Chomaz, J.-A.Scarpaci, J.-L.Sida, S.Stepantsov, R.Wolski - Phys.Lett. B 619, 82 (2005)  
Important pickup coupling effect on  $^8\text{He}(p, p)$  elastic scattering
- 2005SK04 V.R.Skoy, T.Ino, Y.Masuda, S.Muto, G.Kim - J.Res.Natl.Inst.Stand.Technol. 110, 471 (2005)  
On the Way to Experimental Test of the Time Reversal Invariance in the Nuclear Reactions
- 2005SKZZ Ye.Skakun, S.M.Qaim - Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.2, p. 1634 (2005); AIP Conf.Proc. 769 (2005)  
Excitation Functions of Helion-Induced Nuclear Reactions for the Production of the Medical Radioisotope  $^{103}\text{Pd}$
- 2005SM04 D.Smirnov, F.Aksouh, S.Dean, H.De Witte, M.Huyse, O.Ivanov, P.Mayet, I.Mukha, R.Raabe, J.-C.Thomas, P.Van Duppen, C.Angulo, J.Cabrera, A.Ninane, T.Davinson - Nucl.Instrum.Methods Phys.Res. A547, 480 (2005)  
Application of a thin double-sided microstrip detector for the registration of  $\beta$ -delayed charged particles: The  $^6\text{He}$   $\beta$  decay into the two-body continuum of  $^6\text{Li}$
- 2005SM07 J.F.Smith, C.J.Chicara, M.P.Carpenter, H.J.Chantler, P.T.W.Choy, C.N.Davids, M.Devlin, J.L.Durell, D.B.Fossan, S.J.Freeman, R.V.F.Janssens, N.S.Kellsall, T.Koike, D.R.LaFosse, E.S.Paul, P.Reiter, D.G.Sarantites, D.Seweryniak, K.Starosta, R.Wadsworth, A.N.Wilson, P.-H.Heenen - Phys.Lett. B 625, 203 (2005)  
First observation of very neutron-deficient  $^{122}\text{Ce}$
- 2005SM08 A.G.Smith, R.Orlandi, D.Patel, G.S.Simpson, R.M.Wall, J.F.Smith, O.J.Onakanmi, I.Ahmad, J.P.Greene, M.P.Carpenter, T.Lauritsen, C.J.Lister, R.V.F.Janssens, F.G.Kondev, D.Seweryniak, B.J.P.Gall, O.Dorvaux, B.Roux - J.Phys.(London) G31, S1433 (2005)  
The magnetic properties of collective states in  $A \sim 100$  fission fragments
- 2005SMZX A.B.Smith - ANL/NDM-161 (2005)  
Neutron Scattering from the Standard  $^{197}\text{Au}$
- 2005SMZZ A.N.Smirnov, V.P.Eismont, N.P.Filatov, S.N.Kirillov, J.Blomgren, H.Conde, N.Olsson, M.Duijvestijn, A.Koning - Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.1, p. 637 (2005); AIP Conf.Proc. 769 (2005)  
Correlation of Intermediate Energy Proton- and Neutron-Induced Fission Cross Sections in the Lead-Bismuth Region
- 2005S001 L.T.Song, X.H.Zhou, Y.H.Zhang, G.de Angelis, N.Marginean, A.Gadea, D.R.Napoli, M.Axiotis, C.Rusu, T.Martinez, Y.X.Guo, X.G.Lei, Y.Zheng, M.L.Liu - Phys.Rev. C 71, 017302 (2005)

REFERENCES

---

- High-spin level scheme of  $^{183}\text{Au}$
- 2005S006 D.Sohler, M.Palacz, Zs.Dombradi, M.Hjorth-Jensen, C.Fahlander, L.-O.Norlin, J.Nyberg, T.Back, K.Lagergren, D.Rudolph, A.Algora, C.Andreoiu, G.de Angelis, A.Atac, D.Bazzacco, J.Cederkall, B.Cederwall, B.Fant, E.Farnea, A.Gadea, M.Gorska, H.Grawe, N.Hashimoto-Saitoh, A.Johnson, A.Kerek, W.Klamra, J.Kownacki, S.M.Lenzi, A.Likar, M.Lipoglavsek, M.Moszynski, D.R.Napoli, C.Rossi-Alvarez, H.A.Roth, T.Saitoh, D.Seweryniak, O.Skeppstedt, J.Timar, M.Weiszflog, M.Wolinska - Nucl.Phys. A753, 251 (2005)  
Maximally aligned states in the proton drip line nucleus  $^{106}\text{Sb}$
- 2005S009 D.Sohler, J.Timar, G.Rainovski, P.Joshi, K.Starosta, D.B.Fossan, J.Molnar, R.Wadsworth, A.Algora, P.Bednarczyk, D.Curien, Zs.Dombradi, G.Duchene, A.Gizon, J.Gizon, D.G.Jenkins, T.Koike, A.Krasznahorkay, E.S.Paul, P.M.Raddon, J.N.Scheurer, A.J.Simons, C.Vaman, A.R.Wilkinson, L.Zolnai - Phys.Rev. C 71, 064302 (2005)  
High-spin structure of  $^{102}\text{Ru}$
- 2005S013 N.Soic, M.Freer, L.Donadille, N.M.Clarke, P.J.Leask, W.N.Catford, K.L.Jones, D.Mahboub, B.R.Fulton, B.J.Greenhalgh, D.L.Watson, D.C.Weisser - J.Phys.(London) G31, S1701 (2005)  
Three-centre cluster structure in  $^{11}\text{C}$  and  $^{11}\text{B}$
- 2005S014 F.A.Souza, R.Liguori Neto, M.M.de Moura, M.G.Munhoz, A.A.P.Suaide, E.M.Szanto, J.Takahashi, A.Szanto de Toledo, N.Carlin - Braz.J.Phys. 35, 888 (2005)  
Direct Measurement of the Breakup Process
- 2005SOZZ N.Soic, M.Freer, L.Donadille, N.M.Clarke, P.J.Leask, W.N.Catford, K.L.Jones, D.Mahboub, B.R.Fulton, B.J.Greenhalgh, D.L.Watson, D.C.Weisser - nucl-ex/0504026,4/25/2005 (2005)  
Three-centre cluster structure in  $^{11}\text{C}$  and  $^{11}\text{B}$
- 2005SP01 N.F.Sparveris, R.Alarcon, A.M.Bernstein, W.Bertozzi, T.Botto, P.Bourgeois, J.Calarco, F.Casagrande, M.O.Distler, K.Dow, M.Farkhondeh, S.Georgakopoulos, S.Gilad, R.Hicks, M.Holtrop, A.Hotta, X.Jiang, A.Karabarounis, J.Kirkpatrick, S.Kowalski, R.Milner, R.Miskimen, I.Nakagawa, C.N.Papanicolas, A.J.Sarty, Y.Sato, S.Sirca, J.Shaw, E.Six, S.Stave, E.Stiliaris, T.Tamae, G.Tsentalovich, C.Tschalaer, W.Turchinets, Z.-L.Zhou, T.Zwart - Phys.Rev.Lett. 94, 022003 (2005)  
Investigation of the Conjectured Nucleon Deformation at Low Momentum Transfer
- 2005SP02 D.T.Spayde, for the SAMPLE Collaboration - Eur.Phys.J. A 24, Supplement 2, 51 (2005)  
Updated results from the SAMPLE experiment
- 2005SP04 I.Spahn, S.Takacs, Yu.N.Shubin, F.Tarkanyi, H.H.Coenen, S.M.Qaim - Appl.Radiat.Isot. 63, 235 (2005)  
Cross-section measurement of the  $^{169}\text{Tm}(p, n)$  reaction for the production of the therapeutic radionuclide  $^{169}\text{Yb}$  and comparison with its reactor-based generation

REFERENCES

---

- 2005SPZY K.-H.Speidel, S.Schielke, J.Leske, C.C.Dey, J.Gerber, P.Maier-Komor, S.J.Q.Robinson, Y.Y.Sharon, L.Zamick - Maier-Leibnitz-Laboratorium 2004 Ann.Rept., p.5 (2005)  
First Measurements of g Factors of the  $2_1^+$  States in  $^{36,38}\text{Ar}$  and their Shell Model Interpretation
- 2005SPZZ S.Spataro, for the HADES Collaboration - Proc. XLIII Intern.Winter Meeting on Nuclear Physics, Bormio, Italy, 14 - 19 March 2005, I.Iori and A.Bortolotti, eds., p.305 (2005)  
pp collisions at 2.2GeV with HADES
- 2005SR02 J.Srebrny, E.Grodner, T.Morek, I.Zalewska, Ch.Droste, J.Mierzejewski, A.A.Pasternak, J.Kownacki, J.Perkowski - Acta Phys.Pol. B36, 1063 (2005)  
Search for chirality in  $^{128}\text{Cs}$  and  $^{132}\text{La}$
- 2005ST03 F.S.Stephens, M.A.Deleplanque, I.Y.Lee, A.O.Macchiavelli, D.Ward, P.Fallon, M.Cromaz, R.M.Clark, M.Descovich, R.M.Diamond, E.Rodriguez-Vieitez - Phys.Rev.Lett. 94, 042501 (2005)  
Order-to-Chaos Transition in Rotational Nuclei
- 2005ST08 E.A.Stefanova, K.P.Lieb, I.Stefanescu, G.De Angelis, D.Curien, J.Eberth, E.Farnea, A.Gadea, G.Gersch, A.Jungclaus, T.Martinez, R.Schwengner, T.Steinhardt, N.Warr, D.Weisshaar, R.Wyss - Eur.Phys.J. A 24, 1 (2005)  
Observation of negative-parity high-spin states of  $^{68}\text{As}$
- 2005ST09 A.E.Stuchbery, A.N.Wilson, P.M.Davidson, A.D.Davies, T.J.Mertzimekis, S.N.Liddick, B.E.Tomlin, P.F.Mantica - Phys.Lett. B 611, 81 (2005)  
Transient fields for Mg ions traversing gadolinium hosts at velocities above and below the K-shell electron velocity
- 2005ST16 L.Stavsetra, K.E.Gregorich, J.Alstad, H.Breivik, K.Eberhardt, C.M.Folden III, T.N.Ginter, M.Johansson, U.W.Kirbach, D.M.Lee, M.Mendel, L.A.Omtvedt, J.B.Patin, G.Skarnemark, R.Sudowe, P.A.Wilk, P.M.Zielinski, H.Nitsche, D.C.Hoffman, J.P.Omtvedt - Nucl.Instrum.Methods Phys.Res. A543, 509 (2005)  
Liquid-scintillation detection of pre-separated  $^{257}\text{Rf}$  with the SISAK-system
- 2005ST18 N.J.Stone, A.E.Stuchbery, M.Danchev, J.Pavan, C.L.Timlin, C.Baktash, C.Barton, J.Beene, N.Benczer-Koller, C.R.Bingham, J.Dupak, A.Galindo-Uribarri, C.J.Gross, G.Kumbartzki, D.C.Radford, J.R.Stone, N.V.Zamfir - Phys.Rev.Lett. 94, 192501 (2005)  
First Nuclear Moment Measurement with Radioactive Beams by the Recoil-in-Vacuum Technique: The g Factor of the  $2_1^+$  State in  $^{132}\text{Te}$
- 2005ST22 E.A.Stefanova, N.Benczer-Koller, G.J.Kumbartzki, Y.Y.Sharon, L.Zamick, S.J.Q.Robinson, L.Bernstein, J.R.Cooper, D.Judson, M.J.Taylor, M.A.McMahan, L.Phair - Phys.Rev. C 72, 014309 (2005)  
Near spherical shell-model structure of the  $2_1^+$  state in  $^{40}\text{Ar}$  from g-factor measurements
- 2005ST23 A.Starostin, for the Crystal Ball Collaboration - Phys.Rev. C 72, 015205 (2005)

REFERENCES

---

- Measurement of  $\pi^- p \rightarrow \pi^0 n$  in the vicinity of the  $\eta$  threshold
- 2005ST29 A.Stolz, T.Baumann, N.H.Frank, T.N.Ginter, G.W.Hitt, E.Kwan, M.Mocko, W.Peters, A.Schiller, C.S.Sumithrarachchi, M.Thoennessen - Phys.Lett. B 627, 32 (2005)  
First observation of  $^{60}\text{Ge}$  and  $^{64}\text{Se}$
- 2005ST30 M.F.M.Steenbakkens, M.F.van Batenburg, Th.S.Bauer, H.P.Blok, T.Botto, G.E.Dodge, D.L.Groep, P.Heimberg, W.H.A.Hesselink, D.W.Higinbotham, E.Jans, Y.Jun, T.J.Ketel, L.Lapikas, D.J.J.de Lange, B.E.Norum, I.Passchier, R.Starink, L.Todor, H.de Vries - Phys.Rev.Lett. 95, 172501 (2005)  
Quasifree  $\pi^0$  and  $\pi^-$  Electroproduction on  $^4\text{He}$  in the  $\Delta$ -Resonance Region
- 2005ST33 N.J.Stone, A.E.Stuchbery, M.Danchev, J.Pavan, C.L.Timlin, C.Baktash, C.Barton, J.R.Beene, N.Benczer-Koller, C.R.Bingham, J.Dupak, A.Galindo-Uribarri, C.J.Gross, G.Kumbartzki, D.C.Radford, J.R.Stone, N.V.Zamfir - Eur.Phys.J. A 25, Supplement 1, 205 (2005)  
First nuclear moment measurement with radioactive beams by recoil-in-vacuum method: g-factor of the  $2_1^+$  state in  $^{132}\text{Te}$
- 2005ST34 A.Stolz, T.Baumann, N.H.Frank, T.N.Ginter, G.W.Hitt, E.Kwan, M.Mocko, W.Peters, A.Schiller, C.S.Sumithrarachchi, M.Thoennessen - Eur.Phys.J. A 25, Supplement 1, 335 (2005)  
Discovery of  $^{60}\text{Ge}$  and  $^{64}\text{Se}$
- 2005SU07 A.C.Sunde, M.Guttormsen, R.Chankova, F.Ingebretsen, T.Lonnroth, S.Messelt, J.Rekstad, A.Schiller, S.Siem, N.U.H.Syed, A.Voinov, S.W.Odegard - Acta Phys.Pol. B36, 1197 (2005)  
Thermal and electromagnetic properties of the light vanadium isotopes  $^{50,51}\text{V}$
- 2005SU25 T.Sumikama, T.Iwakoshi, T.Nagatomo, M.Ogura, Y.Nakashima, H.Fujiwara, K.Matsuta, T.Minamisono, M.Mihara, M.Fukuda, K.Minamisono, T.Yamaguchi - Eur.Phys.J. A 25, Supplement 1, 709 (2005)  
Alignment correlation term in mass  $A = 8$  system and G-parity irregular term
- 2005SUZU A.C.Sunde, R.Chankova, M.Guttormsen, F.Ingebretsen, S.Messelt, J.Rekstad, S.Siem, N.U.H.Syed, S.W.Odegard, T.Lonnroth, A.Schiller, A.Voinov - nucl-ex/0511054,11/30/2005 (2005)  
Microcanonical entropies and radiative strength functions of  $^{50,51}\text{V}$
- 2005SUZV K.Suda, H.Mardanpour, H.R.Amir-Ahmadi, N.Kalantar-Nayestanaki, T.Kawabata, H.Kuboki, Y.Maeda, J.G.Messchendorp, S.Sakaguchi, H.Sakai, N.Sakamoto, Y.Sasamoto, K.Sekiguchi, Y.Takahashi, T.Uesaka, K.Yako - CNS-REP-66, p.34 (2005)  
Determination of Vector and Tensor Analyzing Powers in Deuteron-Proton Elastic Scattering via the  $^{12}\text{C}(d(\text{pol}), \alpha)^{10}\text{B}^*[2^+]$  Reaction
- 2005SUZX B.Sulignano, F.P.Hessberger, S.Hofmann, D.Ackermann, S.Antalic, I.Kojouharov, P.Kuusiniemi, R.Mann, K.Nishio, S.Saro, B.Streicher, M.Venhardt - GSI 2005-1, p.74 (2005)

REFERENCES

---

- Evidence for an Isomeric State in  $^{251}\text{No}$
- 2005SY01 A.Syntfeld, H.Mach, W.Kurcewicz, B.Fogelberg, N.Amzal, J.Galy, K.Gulda, A.Korgul, A.Lindroth, W.A.Plociennik, M.Sanchez-Vega, W.Urban - Eur.Phys.J. A 23, 481 (2005)  
The  $\beta$ -decay of  $^{147}\text{Cs}$  to  $^{147}\text{Ba}$
- 2005SZ02 F.Szelecsenyi, G.F.Steyn, Z.Kovacs, T.N.van der Walt, K.Suzuki, K.Okada, K.Mukai - Nucl.Instrum.Methods Phys.Res. B234, 375 (2005)  
New cross-section data for the  $^{66}\text{Zn}(p, n)^{66}\text{Ga}$ ,  $^{68}\text{Zn}(p, 3n)^{66}\text{Ga}$ ,  $^{nat}\text{Zn}(p, x)^{66}\text{Ga}$ ,  $^{68}\text{Zn}(p, 2n)^{67}\text{Ga}$  and  $^{nat}\text{Zn}(p, x)^{67}\text{Ga}$  nuclear reactions up to 100 Mev
- 2005SZ03 Z.Szeglowski, B.Kubica, D.T.Lien, S.Timokhin, M.Tuteja-Krysa, H.Godunowa, R.Misiak, M.Stobinski - J.Radioanal.Nucl.Chem. 265, 367 (2005)  
A  $^{212}\text{Pb}$  generator for model experiments on aqueous chemistry of element 114
- 2005SZ04 F.Szelecsenyi, G.F.Steyn, Z.Kovacs, C.Vermeulen, N.P.van der Meulen, S.G.Dolley, T.N.van der Walt, K.Suzuki, K.Mukai - Nucl.Instrum.Methods Phys.Res. B240, 625 (2005)  
Investigation of the  $^{66}\text{Zn}(p, 2pn)^{64}\text{Cu}$  and  $^{68}\text{Zn}(p, x)^{64}\text{Cu}$  nuclear processes up to 100 MeV: Production of  $^{64}\text{Cu}$
- 2005TA02 M.J.Taylor, N.Benczer-Koller, L.Bernstein, J.Cooper, K.Hiles, D.S.Judson, G.Kumbartzki, P.Maier-Komor, M.A.McMahan, T.J.Mertzimekis, L.Phair, S.J.Q.Robinson, Y.Y.Sharon, K.-H.Speidel, A.E.Stuchbery, L.Zamick - Phys.Lett. B 605, 265 (2005)  
Shell model configurations in the  $2_1^+$  state in  $^{46}\text{Ca}$  from a g-factor measurement
- 2005TA19 H.Tamura, and the E930('01) / E509 / E518 Collaborations - Nucl.Phys. A754, 58c (2005)  
 $\gamma$ -ray spectroscopy in  $\Lambda$  hypernuclei
- 2005TA23 G.Tagliente, for the n\_TOF Collaboration - Nucl.Phys. A758, 573c (2005)  
Measurements of the  $^{90,91,92,94,96}\text{Zr}(n, \gamma)$  cross-sections at n\_TOF
- 2005TA26 F.Tarkanyi, B.Kiraly, F.Ditroi, S.Takacs, J.Csikai, A.Hermanne, M.S.Uddin, M.Hagiwara, M.Baba, T.Ido, Yu.N.Shubin, A.K.Dityuk - Nucl.Instrum.Methods Phys.Res. B239, 293 (2005)  
Activation cross sections of proton induced nuclear reactions on iridium
- 2005TA27 M.J.Taylor, G.Hammond, M.A.Bentley, F.Becker, J.Grebosz, A.Banu, C.J.Barton, T.Beck, P.Bednarczyk, A.Bracco, A.M.Bruce, L.C.Bullock, A .Burger, F.Camera, C.Chandler, P.Doornenbal, J.Gerl, H.Geissel, M.Gorska, M.Hellstrom, D.S.Judson, I.Kojouharov, N.Kurz, R.Lozeva, A.Maj, S.Mandal, B.McGuirk, S.Muralithar, E.S.Paul, Z.Podolyak, W.Prokopowicz, D.Rudolph, N.Saito, T.R.Saito, H.Schaffner, J.Simpson, D.D.Warner, H.Weick, C.Wheldon, M.Winkler, H.J.Wollersheim - J.Phys.(London) G31, S1527 (2005)  
Spectroscopy of nuclei approaching the proton drip-line using a secondary-fragmentation technique with the RISING detector array

REFERENCES

---

- 2005TA28 W.P.Tan, J.Gorres, J.Daly, M.Couder, A.Couture, H.Y.Lee, E.Stech, E.Strandberg, C.Ugalde, M.Wiescher - Phys.Rev. C 72, 041302 (2005)  
Lifetime of the astrophysically important 4.03-MeV state in  $^{19}\text{Ne}$
- 2005TA31 M.N.Tantawy, C.R.Bingham, C.Mazzocchi, R.Grzywacz, W.Krolas, K.P.Rykaczewski, J.C.Batchelder, C.J.Gross, D.Fong, J.H.Hamilton, D.J.Hartley, J.K.Hwang, Y.Larochelle, A.Piechaczek, A.V.Ramayya, D.Shapira, J.A.Winger, C.-H.Yu, E.F.Zganjar - Eur.Phys.J. A 25, Supplement 1, 151 (2005)  
Study of the  $N = 77$  odd-Z isotones near the proton-drip line
- 2005TA32 M.Takechi, M.Fukuda, M.Mihara, T.Chinda, T.Matsumasa, H.Matsubara, Y.Nakashima, K.Matsuta, T.Minamisono, R.Koyama, W.Shinosaki, M.Takahashi, A.Takizawa, T.Ohtsubo, T.Suzuki, T.Izumikawa, S.Momota, K.Tanaka, T.Suda, M.Sasaki, S.Sato, A.Kitagawa - Eur.Phys.J. A 25, Supplement 1, 217 (2005)  
Reaction cross-sections for stable nuclei and nucleon density distribution of proton drip-line nucleus  $^8\text{B}$
- 2005TA33 K.Tanaka, M.Fukuda, M.Mihara, M.Takechi, T.Chinda, T.Sumikama, S.Kudo, K.Matsuta, T.Minamisono, T.Suzuki, T.Ohtsubo, T.Izumikawa, S.Momota, T.Yamaguchi, T.Onishi, A.Ozawa, I.Tanihata, T.Zheng - Eur.Phys.J. A 25, Supplement 1, 221 (2005)  
Nucleon density distribution of proton drip-line nucleus  $^{17}\text{Ne}$
- 2005TAZS F.Tarkanyi, F.Ditroi, S.Takacs, I.Mahunka, J.Csikai, M.S.Uddin, M.Hagiwara, M.Baba, T.Ido, A.Hermanne, Yu.Shubin, A.I.Dityuk - Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.2, p. 1662 (2005); AIP Conf.Proc. 769 (2005)  
Excitation Functions of Proton-Induced Reactions on  $^{nat}\text{Sn}$  and  $^{nat}\text{Cd}$ : Relevance to the Production of  $^{111}\text{In}$  and  $^{114m}\text{In}$  for Medical Applications
- 2005TAZT F.Tarkanyi, F.Ditroi, S.Takacs, J.Csikai, I.Mahunka, M.S.Uddin, M.Hagiwara, M.Baba, T.Ido, A.Hermanne, M.Sonck, Yu.Shubin, A.I.Dityuk - Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.2, p. 1658 (2005); AIP Conf.Proc. 769 (2005)  
Excitation Functions for Production of  $^{88}\text{Zr}$  and  $^{88}\text{Y}$  by Proton and Deuteron Irradiation of Mo, Nb, Zr, and Y
- 2005TAZV F.Tarkanyi, F.Ditroi, S.Takacs, B.Kiraly, A.Hermanne, M.S.Uddin, M.Hagiwara, M.Baba, Yu.N.Shubin, A.I.Dityuk - Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.1, p. 1023 (2005); AIP Conf.Proc. 769 (2005)  
Cross Sections of Proton Induced Nuclear Reactions on Iridium

REFERENCES

---

- 2005TAZW F.Tarkanyi, S.Takacs, F.Ditroi, J.Csikai, A.Hermanne, M.S.Uddin, M.Hagiwara, M.Baba, Yu.N.Shubin, A.I.Dityuk - Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.1, p. 1015 (2005); AIP Conf.Proc. 769 (2005)  
Measurement of Activation Cross Sections of the Proton, Deuteron, and Alpha Particle-Induced Nuclear Reactions on Platinum
- 2005TAZY X.Tang, A.Azhari, C.Fu, C.A.Gagliardi, A.M.Mukhamedzhanov, F.Pirlepsov, L.Trache, R.E.Tribble, V.Burjan, V.Kroha, F.Carstoiu, B.F.Irgaziev - Proc.Nuclei at the Limits, Argonne, Illinois, D.Seweryniak and T.L.Khoo, eds., p.329 (2005); AIP Conf. Proc 764 (2005)  
A New  $^{13}\text{N}(p, \gamma)^{14}\text{O}$  Reaction Rate And Its Influence In Novae Nucleosynthesis
- 2005TAZZ K.Takahisa, H.Akimune, H.Ejiri, H.Fujimura, M.Fujiwara, K.Hara, H.Hashimoto, K.Hatanaka, T.Itahashi, T.Kawabata, K.Kawase, Y.Koreeda, N.Maehara, S.Mordechai, Y.Nagai, K.Nakanishi, S.Ninomiya, T.Shima, M.Tanaka, S.Umehara, S.Umisedo, H.P.Yoshida, S.Yoshida, M.Yoshimura, M.Yosoi - Proc. Intern. Symposium on the Origin of Matter and Evolution of Galaxies, Riken, Saitama, Japan, 17-19 November 2003, World Scientific, Singapore, p.533 (2005)  
The nuclear responses for double beta neutrinos and double spin isospin resonances by using of double charge exchange heavy ion reaction
- 2005TE04 S.A.Telezhnikov, C.Granja, H.T.Hiep, J.Honzatko, M.Kralik, M.-E.Montero-Cabrera, S.Pospisil - Nucl.Phys. A763, 31 (2005)  
Primary gamma transitions in  $^{173,174}\text{Yb}$  in neutron capture at isolated resonances
- 2005TE05 G.M.Ter-Akopian, A.S.Fomichev, M.S.Golovkov, L.V.Grigorenko, S.A.Krupko, Yu.Ts.Oganessian, A.M.Rodin, S.I.Sidorchuk, R.S.Slepnev, S.V.Stepantsov, R.Wolski, A.A.Korshennikov, E.Yu.Nikolskii, P.Roussel-Chomaz, W.Mittig, R.Palit, V.Bouchat, V.Kinnard, T.Materna, F.Hanappe, O.Dorvaux, L.Stuttge, C.Angulo, V.Lapoux, R.Raabe, L.Nalpas, A.A.Yukhimchuk, V.V.Perevozchikov, Yu.I.Vinogradov, S.K.Grishechkin, S.V.Zlatoustovskii - Eur.Phys.J. A 25, Supplement 1, 315 (2005)  
New insights into the resonance states of  $^5\text{H}$  and  $^5\text{He}$
- 2005TEZX T.Teranishi, S.Kubono, H.Yamaguchi, J.J.He, A.Saito, Y.Wakabayashi, H.Fujikawa, G.Amadio, S.Nishimura, M.Nishimura, J.Y.Moon, C.S.Lee, A.Odahara, D.Sohler, M.Niikura, Z.H.Li, G.Lian, L.H.Khiem - CNS-REP-66, p.5 (2005)  
Study of  $^{13}\text{N} + p$  Resonance States
- 2005TEZY T.Teranishi, S.Kubono, J.J.He, M.Notani, T.Fukuchi, S.Shimoura, S.Nishimura, M.Nishimura, S.Michimasa, Y.Wakabayashi, N.Hokoiwa, Y.Gono, A.Odahara, H.Baba, J.Y.Moon, J.H.Lee, C.S.Lee, J.C.Kim, H.Ishiyama, Y.X.Watanabe, T.Hashimoto, T.Ishikawa, M.H.Tanaka, H.Miyatake, V.Guimaraes, R.Lichtenthaler, H.Sato, T.Kawamura, S.Kato - RIKEN Accelerator Progress Report 2004, p.59 (2005)  
Elastic resonance scattering of  $^{23}\text{Mg} + p$



## REFERENCES

---

- 2005TEZZ T.Teranishi, S.Kubono, J.J.He, M.Notani, T.Fukuchi, S.Michimasa, S.Shimoura, S.Nishimura, M.Nishimura, Y.Wakabayashi, N.Hokoiwa, Y.Gono, A.Odahara, H.Ishiyama, Y.X.Watanabe, T.Hashimoto, T.Ishikawa, M.H.Tanaka, H.Miyatake, J.Y.Moon, J.C.Kim, C.S.Lee, V.Guimaraes, R.F.Lichtenthaler, H.Baba, K.Sato, T.Kawamura, S.Kato - Proc. Intern. Symposium on the Origin of Matter and Evolution of Galaxies, Riken, Saitama, Japan, 17-19 November 2003, World Scientific, Singapore, p.361 (2005)  
Elastic resonance scattering of  $^{23}\text{Mg}+p$
- 2005TH03 J.S.Thomas, D.W.Bardayan, J.C.Blackmon, J.A.Cizewski, U.Greife, C.J.Gross, M.S.Johnson, K.L.Jones, R.L.Kozub, J.F.Liang, R.J.Livesay, Z.Ma, B.H.Moazen, C.D.Nesaraja, D.Shapira, M.S.Smith - Phys.Rev. C 71, 021302 (2005)  
First study of the level structure of the r-process nucleus  $^{83}\text{Ge}$
- 2005TH09 J.S.Thomas, D.W.Bardayan, J.C.Blackmon, J.A.Cizewski, R.P.Fitzgerald, U.Greife, C.J.Gross, M.S.Johnson, K.L.Jones, R.L.Kozub, J.F.Liang, R.J.Livesay, Z.Ma, B.H.Moazen, C.D.Nesaraja, D.Shapira, M.S.Smith, D.W.Visser - Nucl.Phys. A758, 663c (2005)  
Neutron Single-Particle States in r-Process Nuclei Near Closed Shells
- 2005TH12 J.S.Thomas, D.W.Bardayan, J.C.Blackmon, J.A.Cizewski, R.P.Fitzgerald, U.Greife, C.J.Gross, M.S.Johnson, K.L.Jones, R.L.Kozub, J.F.Liang, R.J.Livesay, Z.Ma, B.H.Moazen, C.D.Nesaraja, D.Shapira, M.S.Smith, D.W.Visser - Eur.Phys.J. A 25, Supplement 1, 371 (2005)  
Single-neutron excitations in neutron-rich  $N = 51$  nuclei
- 2005THZZ P.G.Thirolf, D.Habs, R.Hertenberger, H.J.Maier, T.Morgan, O.Schaile, J.Schreiber, W.Schwerdtfeger, J.Szerypo - Maier-Leibnitz-Laboratorium 2004 Ann.Rept., p.17 (2005)  
Search for a new Picosecond Fission Isomer in  $^{234}\text{U}$
- 2005TI11 C.Timis, J.C.Angelique, A.Buta, N.L.Achouri, D.Baiborodin, P.Baumann, C.Borcea, S.Courtin, P.Dessagne, Z.Dlouhy, J.M.Daugas, S.Grevy, D.Guillemaud-Mueller, A.Knipper, F.R.Lecolley, J.L.Lecouey, M.Lewitowicz, E.Lienard, S.M.Lukyanov, F.M.Marques, C.Miehe, J.Mrazek, F.Negoita, F.Nowacki, F.de Oliveira, N.A.Orr, J.Peter, S.Pietri, Yu.E.Penionzhkevich, E.Poirier, M.Stanoiu, G.Walter - J.Phys.(London) G31, S1965 (2005)  
Spectroscopy around  $N = 20$  shell closure:  $\beta$ -n decay study of  $^{35}\text{Al}$
- 2005TIZX Yu.E.Titarenko, V.F.Batyaev, V.M.Zhivun, R.D.Mulambetov, S.V.Mulambetova, S.L.Zaitsev, S.G.Mashnik, R.E.Prael - Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.1, p. 1070 (2005); AIP Conf.Proc. 769 (2005)  
Excitation Functions of Products from  $^{208,207,206,nat}\text{Pb}$  and  $^{209}\text{Bi}$  (p, x) Reactions Measured in the 40-2600 MeV Energy Range and Predicted Theoretically
- 2005TIZY Y.E.Titarenko, V.F.Batyaev, R.D.Mulambetov, V.M.Zhivun, V.S.Barashenkov, S.G.Mashnik, Y.N.Shubin, A.V.Ignatyuk - nucl-ex/0507009,7/05/2005 (2005)

REFERENCES

---

- Excitation Functions of Product Nuclei from 40-2600 MeV Proton-Irradiated  $^{206,207,208, nat}\text{Pb}$  and  $^{209}\text{Bi}$
- 2005T011 Y.Togano, T.Gomi, T.Motobayashi, Y.Ando, N.Aoi, H.Baba, K.Demichi, Z.Elekes, N.Fukuda, Zs.Fulop, U.Futakami, H.Hasegawa, Y.Higurashi, K.Ieki, N.Imai, M.Ishihara, K.Ishikawa, N.Iwasa, H.Iwasaki, S.Kanno, Y.Kondo, T.Kubo, S.Kubono, M.Kunibu, K.Kurita, Y.U.Matsuyama, S.Michimasa, T.Minemura, M.Miura, H.Murakami, T.Nakamura, M.Notani, S.Ota, A.Saito, H.Sakurai, M.Serata, S.Shimoura, T.Sugimoto, E.Takeshita, S.Takeuchi, K.Ue, K.Yamada, Y.Yanagisawa, K.Yoneda, A.Yoshida - Nucl.Phys. A758, 182c (2005)  
Study of  $^{26}\text{Si}(p, \gamma)^{27}\text{P}$  reaction using Coulomb dissociation method
- 2005T014 A.Tomyo, Y.Temma, M.Segawa, Y.Nagai, H.Makii, T.Shima, T.Ohsaki, M.Igashira - Astrophys.J. 623, L153 (2005)  
 $^{62}\text{Ni}(n, \gamma)^{63}\text{Ni}$  reaction and overproduction of Ni isotopes
- 2005T015 B.S.Tomar, K.S.Babu, K.Sudarshan, R.Tripathi, A.Goswami - Pramana 64, 1 (2005)  
Angular momentum transfer in incomplete fusion
- 2005T022 D.Tonev, G.de Angelis, P.Petkov, A.Dewald, A.Gadea, P.Pejovic, D.L.Balabanski, P.Bednarczyk, F.Camera, A.Fitzler, O.Moller, N.Marginean, A.Paleni, C.Petrache, K.O.Zell, Y.H.Zhang - Eur.Phys.J. A 25, Supplement 1, 447 (2005)  
Check for chirality in real nuclei
- 2005TOZY D.Tonev, G.de Angelis, P.Petkov, A.Dewald, A.Gadea, P.Pejovic, D.Balabanski, P.Bednarczyk, F.Camera, A.Fitzler, M.Axiotis, D.Bazzacco, E.Farnea, S.Lenzi, S.Lunardi, N.Marginean, T.Martinez, R.Menegazzo, O.Moller, D.R.Napoli, A.Paleni, C.Petrache, G.Prete, B.R.Behera, C.Rusu, C.Ur, K.O.Zell, Y.H.Zhang - Proc.Nuclei at the Limits, Argonne, Illinois, D.Seweryniak and T.L.Khoo, eds., p.93 (2005); AIP Conf. Proc 764 (2005)  
Transition Probabilities And Chiral Symmetry In  $^{134}\text{Pr}$
- 2005TOZZ Y.Togano, T.Gomi, T.Motobayashi, Y.Ando, N.Aoi, H.Baba, K.Demichi, Z.Elekes, N.Fukuda, Zs.Fulop, U.Futakami, H.Hasegawa, Y.Higurashi, K.Ieki, N.Imai, M.Ishihara, K.Ishikawa, N.Iwasa, H.Iwasaki, S.Kanno, Y.Kondo, T.Kubo, S.Kubono, M.Kunibu, K.Kurita, Y.U.Matsuyama, S.Michimasa, T.Minemura, M.Miura, H.Murakami, T.Nakamura, M.Notani, S.Ota, A.Saito, H.Sakurai, M.Serata, S.Shimoura, T.Sugimoto, E.Takeshita, S.Takeuchi, K.Ue, K.Yamada, Y.Yanagisawa, K.Yoneda, A.Yoshida - Proc. Intern. Symposium on the Origin of Matter and Evolution of Galaxies, Riken, Saitama, Japan, 17-19 November 2003, World Scientific, Singapore, p.549 (2005)  
Study of the  $^{26}\text{Si}(p, \gamma)^{27}\text{P}$  reaction by the Coulomb dissociation method
- 2005TR05 V.Tripathi, S.L.Tabor, P.F.Mantica, C.R.Hoffman, M.Wiedeking, A.D.Davies, S.N.Liddick, W.F.Mueller, T.Otsuka, A.Stolz, B.E.Tomlin, Y.Utsuno, A.Volya - Phys.Rev.Lett. 94, 162501 (2005)  
 $^{29}\text{Na}$ : Defining the Edge of the Island of Inversion for  $Z = 11$
- 2005TR06 L.A.Trykov, A.A.Dubinin, V.A.Chernov - At.Energ. 98, 54 (2005); At.Energy 98, 50 (2005)

## REFERENCES

---

- Experimental and computed spectra of neutrons and photons emitted from spherical iron models with a  $^{252}\text{Cf}$  source at the center
- 2005TR09 Yu.A.Troyan, A.V.Beljaev, A.Yu.Troyan, E.B.Plekhanov, A.P.Jerusalimov, G.B.Piskaleva, S.G.Arakelian - Part. and Nucl., Lett. 124, 36 (2005)  
The Search and Study of the Baryonic Resonances with the Strangeness  $S = +1$  in the System on  $n\text{K}^+$  from the Reaction  $np \rightarrow np\text{K}^+\text{K}^-$  at the Momentum of Incident Neutrons  $P_n = (5.20 \pm 0.12) \text{ GeV} / c$
- 2005TR11 M.Trinczek, C.C.Jewett, J.M.D'Auria, S.Bishop, L.Buchmann, A.A.Chen, S.Engel, D.Gigliotti, U.Greife, D.Hunter, A.Hussein, D.Hutcheon, J.Jose, A.M.Laird, M.Lamey, R.Lewis, A.Olin, D.Ottewell, P.Parker, M.M.Pavan, J.E.Pearson, J.Rogers, C.Ruiz, C.Wrede - Nucl.Phys. A758, 729c (2005)  
Direct Measurement of the  $^{21}\text{Na}(p, \gamma)^{22}\text{Mg}$  Reaction: Resonance Strengths and Gamma-Gamma Analysis
- 2005TR13 V.Tripathi, S.L.Tabor, P.F.Mantica, C.R.Hoffman, M.Wiedeking, A.D.Davies, S.N.Liddick, W.F.Mueller, A.Stolz, B.E.Tomlin, A.Volya - Eur.Phys.J. A 25, Supplement 1, 101 (2005)  
Voyage to the "Island of Inversion":  $^{29}\text{Na}$
- 2005TRZY M.J.Trbovich, D.P.Barry, R.E.Slovacek, Y.Danon, R.C.Block, J.A.Burke, N.Drindak, G.Leinweber, R.V.Ballad - Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.1, p. 949 (2005); AIP Conf.Proc. 769 (2005)  
Hafnium Resonance Parameter Analysis using Neutron Capture and Transmission Experiments
- 2005TRZZ R.Tramontano, O.Helene, P.R.Pascholati, N.L.Maidana, V.R.Vanin - Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.1, p. 261 (2005); AIP Conf.Proc. 769 (2005)  
Gamma Spectroscopy and Gamma-Ray Intensity Determination for  $^{48}\text{V}$
- 2005TU09 A.Tumino, C.Spitaleri, C.Bonomo, S.Cherubini, P.Figuera, M.Gulino, M.La Cognata, L.Lamia, A.Musumarra, M.G.Pellegriti, R.G.Pizzone, A.Rinollo, S.Romano - Eur.Phys.J. A 25, Supplement 1, 649 (2005)  
Quasi-free  $^6\text{Li}(n, \alpha)^3\text{H}$  reaction at low energy from  $^2\text{H}$  break-up
- 2005TUZZ A.Tumino, C.Spitaleri, A.Musumarra, M.G.Pellegriti, R.G.Pizzone, A.Rinollo, S.Romano, L.Pappalardo, C.Bonomo, A.Del Zoppo, A.Di Pietro, P.Figuera, M.La Cognata, L.Lamia, S.Cherubini, C.Rolfs, S.Typel - Proc. Intern. Symposium on the Origin of Matter and Evolution of Galaxies, Riken, Saitama, Japan, 17-19 November 2003, World Scientific, Singapore, p.553 (2005)  
The Trojan Horse method applied to the astrophysically relevant proton capture reactions on Li isotopes
- 2005UD01 M.S.Uddin, M.Hagiwara, M.Baba, F.Tarkanyi, F.Ditroi - Appl.Radiat.Isot. 62, 533 (2005)

## REFERENCES

---

- Experimental studies on excitation functions of the proton-induced activation reactions on silver
- 2005UD02 M.S.Uddin, M.Hagiwara, M.Baba, F.Tarkanyi, F.Ditroi - *Appl.Radiat.Isot.* 63, 367 (2005)  
Experimental studies on excitation functions of the proton-induced activation reactions on yttrium
- 2005UE01 H.Ueno, D.Kameda, G.Kijima, K.Asahi, A.Yoshimi, H.Miyoshi, K.Shimada, G.Kato, D.Nagae, S.Emori, T.Haseyama, H.Watanabe, M.Tsukui - *Phys.Lett. B* 615, 186 (2005)  
Magnetic moments of  $^{30}_{13}\text{Al}_{17}$  and  $^{32}_{13}\text{Al}_{19}$
- 2005UEZZ T.Uesaka, T.Ikeda, T.Kawabata, H.Okamura, K.Itoh, H.Sakai, K.Yako, T.Saito, H.Kuboki, M.Sasano, K.Sekiguchi - *RIKEN Accelerator Progress Report 2004*, p.35 (2005)  
Tensor analyzing power for the  $d(\text{pol}) + \alpha$  backward scattering
- 2005UG04 C.Ugalde, R.Azuma, A.Couture, J.Gorres, M.Heil, K.Scheller, E.Stech, W.Tan, M.Wiescher - *Nucl.Phys.* A758, 577c (2005)  
The reaction rate for the destruction of fluorine in AGB stars
- 2005UK01 M.Ukai, O.Hashimoto, Y.Miura, T.Miyoshi, K.Mizunuma, S.N.Nakamura, Y.Okayasu, H.Tamura, S.Ajimura, T.Kishimoto, T.Hayakawa, S.Minami, H.Akikawa, K.Imai, H.Takahashi, D.E.Alburger, R.E.Chrien, H.Hotchi, M.May, P.Pile, A.Rusek, R.Sutter, T.Nagae, Y.Sato, A.Banu, G.B.Franklin, B.P.Quinn, J.Franz, K.Nakazawa, K.Tanida, L.Tang, L.Yuan, and the E930 '01 Collaboration - *Nucl.Phys.* A754, 70c (2005)  
Observation of hypernuclear fine structure in  $^{16}_{\Lambda}\text{O}$
- 2005UN01 Unnati, M.K.Sharma, B.P.Singh, R.Prasad, S.Gupta, H.D.Bhardwaj, A.K.Sinha - *Int.J.Mod.Phys.* E14, 775 (2005)  
A study of excitation functions for some residues produced in the system  $^{14}\text{N} + ^{128}\text{Te}$  in the energy range  $\approx 64\text{-}90$  MeV
- 2005UOZZ M.A.M.Uosif, R.Michel, U.Herpers, P.-W.Kubik, M.Duijvestijn, A.Koning - *Proc.Intern.Conf.Nuclear Data for Science and Technology*, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.2, p. 1547 (2005); *AIP Conf.Proc.* 769 (2005)  
Residual Nuclide Production by Proton-Induced Reactions on Uranium for Energies between 20 and 70 MeV
- 2005UR01 W.Urban, T.Rzaca-Urban, J.L.Durell, A.G.Smith, I.Ahmad - *Eur.Phys.J. A* 24, 161 (2005)  
First observation of excited states in the  $^{111}\text{Tc}$  nucleus - A new region of deformation at  $40 \leq Z \leq 46$ ,  $N \geq 68$ ?
- 2005UR02 W.Urban, T.Rzaca-Urban, J.A.Pinston, J.L.Durell, W.R.Phillips, A.G.Smith, B.J.Varley, I.Ahmad, N.Schulz - *Phys.Rev. C* 72, 027302 (2005)  
Near-yrast, medium-spin structure of the  $^{107}\text{Mo}$  nucleus

REFERENCES

---

- 2005UU01 Y.-N.U, S.J.Zhu, M.Sakhaee, L.M.Yang, C.Y.Gan, L.Y.Zhu, R.Q.Xu, X.L.Che, M.L.Li, Y.J.Chen, S.X.Wen, X.G.Wu, L.H.Zhu, G.S.Li, J.Peng, S.Q.Zhang, J.Meng - J.Phys.(London) G31, B1 (2005)  
Search for the chiral doublet bands in  $^{122}\text{Cs}$
- 2005UU02 J.Uusitalo, M.Leino, T.Enqvist, K.Eskola, T.Grahn, P.T.Greenlees, P.Jones, R.Julin, S.Juutinen, A.Keenan, H.Kettunen, H.Koivisto, P.Kuusiniemi, A.-P.Leppanen, P.Nieminen, J.Pakarinen, P.Rahkila, C.Scholey - Phys.Rev. C 71, 024306 (2005)  
 $\alpha$  decay studies of very neutron-deficient francium and radium isotopes
- 2005UU03 J.Uusitalo, S.Eeckhaudt, T.Enqvist, K.Eskola, T.Grahn, P.T.Greenlees, P.Jones, R.Julin, S.Juutinen, H.Kettunen, P.Kuusiniemi, M.Leino, A.-P.Leppanen, P.Nieminen, M.Nyman, J.Pakarinen, P.Rahkila, C.Scholey - Eur.Phys.J. A 25, Supplement 1, 179 (2005)  
Alpha-decay studies using the JYFL gas-filled recoil separator RITU
- 2005VA04 K.Van de Vel, A.N.Andreyev, D.Ackermann, H.J.Boardman, P.Cagarda, J.Gerl, F.P.Hessberger, S.Hofmann, M.Huyse, D.Karlgren, I.Kojouharov, M.Leino, B.Lommel, G.Munzenberg, C.Moore, R.D.Page, S.Saro, P.Van Duppen, R.Wyss - Eur.Phys.J. A 24, 57 (2005)  
Prolate structures in  $^{189}\text{Po}$  and  $^{185}\text{Pb}$
- 2005VA09 J.J.Valiente-Dobon, C.E.Svensson, C.D.O'Leary, I.Ragnarsson, C.Andreoiu, D.E.Appelbe, R.A.E.Austin, G.C.Ball, J.A.Cameron, M.P.Carpenter, R.M.Clark, M.Cromaz, D.Dashdorj, P.Fallon, P.Finlay, S.J.Freeman, P.E.Garrett, A.Gorgen, G.F.Grinyer, D.F.Hodgson, B.Hyland, D.Jenkins, F.Johnston-Theasby, P.Joshi, N.S.Kelsall, A.O.Macchiavelli, F.Moore, G.Mukherjee, A.A.Phillips, W.Reviol, D.Sarantites, M.A.Schumaker, D.Seweryniak, M.B.Smith, J.C.Waddington, R.Wadsworth, D.Ward, S.J.Williams - Phys.Rev. C 71, 034311 (2005)  
High-spin rotational structures in  $^{76}\text{Kr}$
- 2005VA18 J.J.Valiente-Dobon, C.E.Svensson, C.D.O'Leary, I.Ragnarsson, C.Andreoiu, R.A.E.Austin, M.P.Carpenter, D.Dashdorj, P.Finlay, S.J.Freeman, P.E.Garrett, A.Gorgen, J.Greene, G.F.Grinyer, B.Hyland, D.Jenkins, F.Johnston-Theasby, P.Joshi, N.S.Kelsall, A.O.Macchiavelli, F.Moore, G.Mukherjee, A.A.Phillips, W.Reviol, D.Sarantites, M.A.Schumaker, D.Seweryniak, M.B.Smith, R.Wadsworth, D.Ward - Acta Phys.Pol. B36, 1339 (2005)  
Lifetimes of High-spin states in  $^{76}\text{Kr}$
- 2005VA19 J.Van Roosbroeck, H.De Witte, M.Gorska, M.Huyse, K.Kruglov, D.Pauwels, J.-Ch.Thomas, K.Van de Vel, P.Van Duppen, S.Franchoo, J.Cederkall, V.N.Fedoseyev, H.Fynbo, U.Georg, O.Jonsson, U.Koster, L.Weissman, W.F.Mueller, V.I.Mishin, D.Fedorov, A.De Maesschalck, N.A.Smirnova, K.Heyde - Phys.Rev. C 71, 054307 (2005)  
Evolution of the nuclear structure approaching  $^{78}\text{Ni}$ :  $\beta$  decay of  $^{74-78}\text{Cu}$
- 2005VA27 W.A.van Wijngaarden - Can.J.Phys. 83, 327 (2005)  
Precision measurements of fine and hyperfine structure in lithium I and II

REFERENCES

---

- 2005VA30 J.J.Valiente-Dobon, T.Steinhardt, C.E.Svensson, A.V.Afanasjev, I.Ragnarsson, C.Andreoiu, R.A.E.Austin, M.P.Carpenter, D.Dashdorj, G.de Angelis, F.Donau, J.Eberth, E.Farnea, S.J.Freeman, A.Gadea, P.E.Garrett, A.Gorgen, G.F.Grinyer, B.Hyland, D.Jenkins, F.Johnston-Theasby, P.Joshi, A.Jungclaus, K.P.Lieb, A.O.Macchiavelli, E.F.Moore, G.Mukherjee, D.R.Napoli, A.A.Phillips, C.Plettner, W.Reviol, D.Sarantites, H.Schnare, M.A.Schumaker, R.Schwengner, D.Seweryniak, M.B.Smith, I.Stefanescu, O.Thelen, R.Wadsworth - Phys.Rev.Lett. 95, 232501 (2005)  
Evidence for Nontermination of Rotational Bands in  $^{74}\text{Kr}$
- 2005VA31 R.L.Varner, J.R.Beene, C.Baktash, A.Galindo-Uribarri, C.J.Gross, J.Gomez del Campo, M.L.Halbert, P.A.Hausladen, Y.Larochelle, J.F.Liang, J.Mas, P.E.Mueller, E.Padilla-Rodal, D.C.Radford, D.Shapira, D.W.Stracener, J.-P.Urrego-Blanco, C.-H.Yu - Eur.Phys.J. A 25, Supplement 1, 391 (2005)  
Coulomb excitation measurements of transition strengths in the isotopes  $^{132,134}\text{Sn}$
- 2005VAZZ S.I.Vasiliev, K.Ya.Gromov, A.A.Klimenko, Zh.K.Samatov, A.A.Smolnikov, V.I.Fominykh, V.G.Chumin - Book of Abstracts, LV National Conference on Nuclear Physics "Frontiers in the Physics of Nucleus", St.-Petersburg, p.320 (2005)  
Coincidence Summation in  $\gamma$ -Ray Spectra. Determination of Intensity for Weak Cross Over  $\gamma$ -Transitions
- 2005VE07 Ts.Venkova, W.Gast, R.M.Lieder, D.Bazzacco, G.de Angelis, E.O.Lieder, A.A.Pasternak, R.Menegazzo, S.Lunardi, C.Rossi Alvarez, C.Ur, T.Martinez, M.Axiotis, D.Napoli, W.Urban, T.Rzaca-Urban, S.Frauendorf - Eur.Phys.J. A 26, 19 (2005)  
Suppression of band crossing in the neutron-rich nuclei  $^{172,173}\text{Yb}$  due to the absence of a static pair field
- 2005VE08 V.A.Vesna, Yu.M.Gledenov, V.V.Nesvizhevsky, A.K.Petukhov, P.V.Sedyshev, T.Soldner, O.Zimmer, E.V.Shulgina - Pisma Zh.Eksp.Teor.Fiz. 82, 519 (2005); JETP Lett. 82, 463 (2005)  
Discovery of a P-Odd Effect in Triton Emission from the reaction  $^6\text{Li}(n, \alpha)^3\text{H}$
- 2005VEZZ C.Vermeulen, G.F.Steyn, F.M.Nortier, T.N.van der Walt, F.Szelecsenyi, Z.Kovacs, S.M.Qaim - Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.2, p. 1650 (2005); AIP Conf.Proc. 769 (2005)  
Excitation Functions and Production Rates of Radionuclides Produced in the Proton Bombardment of  $^{nat}\text{Pr}$  and  $^{nat}\text{La}$
- 2005VIZY S.E.Vigdor, for the CE71 Collaboration - Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.1, p. 820 (2005); AIP Conf.Proc. 769 (2005)  
Measurement of Absolute np Scattering Differential Cross Sections with a Tagged Intermediate-Energy Neutron Beam

REFERENCES

---

- 2005VIZZ I.N.Vishnevsky, V.A.Zheltonozhsky, N.V.Strilchuk, S.S.Drapej - Book of Abstracts, LV National Conference on Nuclear Physics "Frontiers in the Physics of Nucleus", St.-Petersburg, p.65 (2005)  
Investigation of Gamma-Transition's ICC in  $^{115}\text{In}$ ,  $^{117}\text{Sn}$  and  $^{125}\text{Te}$  Nuclei with a High Precision
- 2005V017 C.Vockenhuber, R.Golser, W.Kutschera, A.Priller, P.Steier, A.Wallner, M.Bichler - Nucl.Phys. A758, 340c (2005)  
 $^{182}\text{Hf}$  - from geophysics to astrophysics
- 2005V0ZX A.S.Vorobyev, V.N.Dushin, F.-J.Hambsch, V.A.Jakovlev, V.A.Kalinin, A.B.Laptev, B.F.Petrov, O.A.Shcherbakov - Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.1, p. 613 (2005); AIP Conf.Proc. 769 (2005)  
Distribution of Prompt Neutron Emission Probability for Fission Fragments in Spontaneous Fission of  $^{252}\text{Cf}$  and  $^{244,248}\text{Cm}$
- 2005WA06 T.J.Wasowicz, R.Drozdzowski, J.Kwela - Phys.Scr. 71, 274 (2005)  
Hyperfine Structure Study of Several Lines of  $^{207}\text{Pb}$  I
- 2005WA22 T.J.Wasowicz, R.Drozdzowski, J.Kwela - Phys.Scr. 72, 200 (2005)  
Hyperfine Structure Study of Several Lines of  $^{207}\text{Pb}$  I - Part II
- 2005WA23 S.Wang, H.Hua, J.Meng, Z.H.Li, S.Q.Zhang, F.R.Xu, H.L.Liu, Y.L.Ye, D.X.Jiang, T.Zheng, Q.J.Wang, Z.Q.Chen, C.E.Wu, G.L.Zhang, D.Y.Pang, J.Wang, J.L.Lou, B.Guo, G.Jin, S.G.Zhou, L.H.Zhu, X.G.Wu, G.S.Li, S.X.Wen, C.Y.He, X.Z.Cui, Y.Liu - Phys.Rev. C 72, 024317 (2005)  
High-spin states in  $^{152}\text{Gd}$
- 2005WA25 H.-L.Wang, Y.-H.Zhang, X.-H.Zhou, Y.-X.Guo, X.-G.Lei, S.-W.Xu, Y.-X.Xie, M.-L.Liu, Y.Zheng, Y.-B.Xing, C.-Y.Xie, L.-T.Song, P.Luo, H.-P.Yu, W.-T.Guo - Chin.Phys.Lett. 22, 2211 (2005)  
Identification of New  $\beta$ -Delayed  $\gamma$  Rays and a Low-Spin Isomer in  $^{176}\text{Ir}$
- 2005WA29 J.Wang, X.Wang, T.Su - Phys.Rev. C 72, 037604 (2005)  
Measurements of the  $^{71}\text{Ga}(n, 2n)^{70}\text{Ga}$  cross section in the neutron energy range of 13.5-14.7 MeV
- 2005WA31 A.Wagner, R.Beyer, M.Erhard, F.Donau, E.Grosse, A.Hartmann, A.R.Junghans, L.Kaubler, K.Kosev, S.Mallion, C.Nair, N.Nankov, G.Rusev, K.D.Schilling, W.Schulze, R.Schwengner - J.Phys.(London) G31, S1969 (2005)  
The new bremsstrahlung facility at the superconducting electron accelerator ELBE
- 2005WA34 T.J.Wasowicz, R.Drozdzowski, J.Kwela - Eur.Phys.J. D 36, 249 (2005)  
Hyperfine structure and isotope shift study in a singly ionized lead

REFERENCES

---

- 2005WAZS Y.Wakabayashi, A.Odahara, Y.Gono, T.Fukuchi, T.Teranishi, S.Kubono, H.Yamaguchi, A.Saito, E.Ideguchi, S.Nishimura, J.J.He, H.Fujikawa, G.Amadio, S.Ota, J.Y.Moon, M.Notani, Y.Yanagisawa, S.Michimasa, S.Shimoura, H.Watanabe, T.Kishida, H.Baba, M.Nishimura, T.Ishii - CNS-REP-66, p.15 (2005)  
Search for High-Spin Isomers in  $N = 51$  Isotones using a Secondary  $^{17}\text{N}$  Beam
- 2005WAZU A.Wallner, R.Golser, W.Kutschera, A.Priller, P.Steier, C.Vockenhuber, H.Vonach, T.Faestermann, K.Knie, G.Korschinek - Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.1, p. 621 (2005); AIP Conf.Proc. 769 (2005)  
Potential of AMS for Quantifying Long-Lived Reaction Products
- 2005WAZW R.E.Warner, F.Carstoiu, J.A.Brown, F.D.Becchetti, D.A.Roberts, B.Davids, A.Galonsky, R.M.Ronningen, M.Steiner, M.Horoi, J.J.Kolata, A.Nadasen, C.Samanta, J.Schwarzenberg, K.Subotic - nucl-ex/0507025,7/18/2005 (2005)  
Reaction and proton-removal cross sections of  $^6\text{Li}$ ,  $^7\text{Be}$ ,  $^{10}\text{B}$ ,  $^{9,10,11}\text{C}$ ,  $^{12}\text{N}$ ,  $^{13,15}\text{O}$  and  $^{17}\text{Ne}$  on Si at 15 to 53 MeV / nucleon
- 2005WAZX D.P.Watts, J.R.M.Annand, R.Beck, D.Branford, D.Glazier, P.Grabmayr, K.Livingston, I.J.D.MacGregor, J.C.McGeorge, R.O.Owens - nucl-ex/0506018,6/14/2005 (2005)  
Dependence of the  $^{12}\text{C}(\gamma(\text{pol}), \text{pd})$  reaction on photon linear polarization
- 2005WAZY W.B.Walters, M.A.Stoyer, J.Shergur, N.Hoteling, J.J.Ressler, J.Rikovska, K.-L.Kratz, A.Wohr, B.Pfeiffer, O.Arndt, P.F.Mantica, B.Tomlin, H.Schatz, F.Montes, B.A.Brown, D.Seweryniak, H.Ravn, V.Fedoseyev, U.Koster, C.Y.Wu, D.Cline, H.Hua, A.B.Hayes, R.Teng, and the ISOLDE Collaboration - Proc.Nuclei at the Limits, Argonne, Illinois, D.Seweryniak and T.L.Khoo, eds., p.335 (2005); AIP Conf. Proc 764 (2005)  
Structure And Decay Of Neutron-Rich Nuclides In The  $115 \leq A \leq 138$  Mass Range And r-Process Nucleosynthesis
- 2005WAZZ D.Ward, R.M.Clark, M.Cromaz, M.A.Deleplanque, R.M.Diamond, P.Fallon, G.J.Lane I.Y.Lee, A.Gorgen, A.O.Macchiavelli, F.S.Stephens, C.E.Svensson, K.Vetter, D.Cline, A.B.Hayes, R.Teng, C.-Y.Wu, T.Nakatsukasa - Proc.Nuclei at the Limits, Argonne, Illinois, D.Seweryniak and T.L.Khoo, eds., p.263 (2005); AIP Conf. Proc 764 (2005)  
Aspects Of The Coriolis Interaction In  $^{235}\text{U}$
- 2005WE01 Y.-B.Wei, Y.-G.Ma, X.-Z.Cai, C.Zhong, J.-G.Chen, H.-Y.Zhang, D.-Q.Fang, K.Wang, G.-L.Ma, W.Guo, W.-D.Tian, W.-Q.Shen, W.-L.Zhan, G.-Q.Xiao, H.-S.Xu, Z.-Y.Sun, J.-X.Li, Z.-Y.Guo, M.Wang, Z.-Q.Chen, Z.-G.Hu, L.-X.Chen, C.Li, R.-S.Mao, J.Bai - Chin.Phys.Lett. 22, 61 (2005)  
Parallel Momentum Distribution of  $^{28}\text{Si}$  Fragments from  $^{29}\text{P}$
- 2005WE06 L.Weissman, A.F.Lisetskiy, O.Arndt, U.Bergmann, B.A.Brown, J.Cederkall, I.Dillmann, O.Hallmann, L.Fraile, S.Franchoo, L.Gaudefroy, U.Koster, K.-L.Kratz, B.Pfeiffer, O.Sorlin, and the ISOLDE Collaboration - J.Phys.(London) G31, 553 (2005)



## REFERENCES

---

### $\beta$ -decay of $^{22}\text{O}$

- 2005WE11 C.Weber, G.Audi, D.Beck, K.Blaum, G.Bollen, F.Herfurth, A.Kellerbauer, H.-J.Kluge, D.Lunney, S.Schwarz - Phys.Lett. A 347, 81 (2005)  
Weighting excited nuclear states with a Penning trap mass spectrometer
- 2005WH04 C.Wheldon, G.D.Dracoulis, A.N.Wilson, P.M.Davidson, A.P.Byrne, D.M.Cullen, L.K.Pattison, S.V.Rigby, D.T.Scholes, G.Sletten, R.Wood - Nucl.Phys. A763, 1 (2005)  
Gamma-ray spectroscopy of the doubly-odd nuclide  $^{184}\text{Re}$
- 2005WI01 A.N.Wilson, G.D.Dracoulis, P.M.Davidson, A.P.Byrne, R.M.Clark, P.Fallon, A.Gorgen, G.J.Lane, A.O.Macchiavelli, D.Ward - Nucl.Phys. A748, 12 (2005)  
Quadrupole moment of the yrast superdeformed band in  $^{192}\text{Pb}$
- 2005WI05 M.Wiedeking, S.L.Tabor, J.Pavan, A.Volya, A.L.Aguilar, I.J.Calderin, D.B.Campbell, W.T.Cluff, E.Diffenderfer, J.Fridmann, C.R.Hoffman, K.W.Kemper, S.Lee, M.A.Riley, B.T.Roeder, C.Teal, V.Tripathi, I.Wiedenhover - Phys.Rev.Lett. 94, 132501 (2005)  
p-sd Shell Gap Reduction in Neutron-Rich Systems and Cross-Shell Excitations in  $^{20}\text{O}$
- 2005WI10 A.N.Wilson, G.D.Dracoulis, A.P.Byrne, P.M.Davidson, G.J.Lane, R.M.Clark, P.Fallon, A.Gorgen, A.O.Macchiavelli, D.Ward - Eur.Phys.J. A 24, 179 (2005)  
Observation of a superdeformed band in  $^{190}\text{Pb}$
- 2005WI17 F.E.Wietfeldt, M.S.Dewey, D.M.Gilliam, J.S.Nico, X.Fei, W.M.Snow, G.L.Greene, J.Pauwels, R.Eykens, A.Lamberty, J.Van Gestel - J.Res.Natl.Inst.Stand.Technol. 110, 327 (2005)  
Measurement of the Neutron Lifetime by Counting Trapped Protons
- 2005WI19 O.Wieland, S.Barlini, V.L.Kravchuk, A.Bracco, F.Camera, F.Gramegna, A.Maj, G.Benzoni, N.Biasi, S.Brambilla, M.Brekiesz, M.Bruno, G.Casini, M.Chiari, E.Geraci, A.Giussani, M.Kmiecik, S.Leoni, A.Lanchais, P.Mastinu, B.Million, A.Moroni, A.Nannini, A.Ordine, G.Vannini, L.Vannucci - J.Phys.(London) G31, S1973 (2005)  
The  $\gamma$ -decay of the GDR in highly excited Ce nuclei
- 2005WI20 S.J.Williams, P.M.Jenneson, P.E.Garrett, P.H.Regan, C.Andreoiu, G.C.Ball, R.S.Chakrawarthy, J.J.Daoud, G.F.Grinyer, G.Hackman, B.Hyland, N.A.Mlwilo, A.C.Morton, C.J.Pearson, J.J.Ressler, M.A.Schumaker, M.B.Smith, C.E.Svensson, J.J.Valiente Dobon - J.Phys.(London) G31, S1979 (2005)  
Testing the integration of BaF<sub>2</sub> detectors into the 8 $\pi$  array: fast-timing measurements at TRIUMF
- 2005WI21 A.N.Wilson, A.K.Singh, H.Hubel, P.M.Davidson, A.Gorgen, D.Rosbach, A.Korichi, A.Astier, F.Azaiez, D.Bazzacco, C.Bourgeois, N.Bufo, A.P.Byrne, G.D.Dracoulis, F.Hannachi, K.Hauschild, W.Korten, T.Kroll, G.J.Lane, A.Lopez-Martens, N.Redon, P.Reiter, C.Rossi-Alvarez, G.Schonwasser, O.Stezowski, P.G.Thirolf - Phys.Rev.Lett. 95, 182501 (2005)

## REFERENCES

---

- Excitation Energies of Superdeformed States in  $^{196}\text{Pb}$ : Towards a Systematic Study of the Second Well in Pb Isotopes
- 2005WI23 K.T.Wiedemann, N.H.Medina, J.R.B.Oliveira, J.A.Alcantara-Nunez, W.A.Seale, R.V.Ribas, E.W.Cybulska, M.A.G.Silveira - *Braz.J.Phys.* 35, 898 (2005)  
Yield Ratios in Particle- $\gamma$  Coincidence as a Spectroscopic Tool
- 2005WIZY A.N.Wilson, A.K.Singh, H.Hubel, P.M.Davidson, A.Gorgen, D.Roszbach, A.Korichi, A.Astier, F.Azaiez, D.Bazzacco, C.Bourgeois, N.Buforn, A.P.Byrne, G.D.Dracoulis, F.Hannachi, K.Hauschild, W.Korten, T.Kroll, G.J.Lane, A.Lopez-Martens, N.Redon, P.Reiter, C.Rossi-Alvarez, G.Schonwasser, O.Stezowski, P.G.Thirolf - ANU-P/1667 (2005)  
Excitation energies of superdeformed states in  $^{196}\text{Pb}$ : towards a systematic study of the second well in Pb isotopes
- 2005WIZZ K.Wisshak, F.Voss, F.Kappeler, L.Kazakov, M.Krticka - *Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004*, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.2, p. 1315 (2005); *AIP Conf.Proc.* 769 (2005)  
Stellar Neutron Capture Cross Sections of the Lu and Hf Isotopes
- 2005W001 H.J.Wollersheim, D.E.Appelbe, A.Banu, R.Bassini, T.Beck, F.Becker, P.Bednarczyk, K.-H.Behr, M.A.Bentley, G.Benzoni, C.Boiano, U.Bonnes, A.Bracco, S.Brambilla, A.Brunle, A.Burger, K.Burkard, P.A.Butler, F.Camera, D.Curien, J.Devin, P.Doornenbal, C.Fahlander, K.Fayz, H.Geissel, J.Gerl, M.Gorska, H.Grawe, J.Grebosz, R.Griffiths, G.Hammond, M.Hellstrom, J.Hoffmann, H.Hubel, J.Jolie, J.V.Kalben, M.Kmiecik, I.Kojouharov, R.Kulesa, N.Kurz, I.Lazarus, J.Li, J.Leske, R.Lozeva, A.Maj, S.Mandal, W.Meczynski, B.Million, G.Munzenberg, S.Muralithar, M.Mutterer, P.J.Nolan, G.Neyens, J.Nyberg, W.Prokopowicz, V.F.E.Pucknell, P.Reiter, D.Rudolph, N.Saito, T.R.Saito, D.Seddon, H.Schaffner, J.Simpson, K.-H.Speidel, J.Styczen, K.Summerer, N.Warr, H.Weick, C.Wheldon, O.Wieland, M.Winkler, M.Zieblinski - *Nucl.Instrum.Methods Phys.Res.* A537, 637 (2005)  
Rare ISotopes INvestigation at GSI (RISING) using gamma-ray spectroscopy at relativistic energies
- 2005W003 M.Wolinska-Cichocka, J.Kownacki, W.Urban, E.Ruchowska, W.A.Plociennik, B.Bekman, Ch.Droste, W.Gast, R.Lieder, W.Meczynski, M.Kisielinski, A.Kordyasz, M.Kowalczyk, P.Kowina, J.Iwanicki, T.Morek, J.Perkowski, J.Srebrny, A.Stolarz, J.Styczen - *Eur.Phys.J. A* 24, 259 (2005)  
Gamma-ray spectroscopy in  $^{110}\text{Sn}$  and  $^{111}\text{Sn}$
- 2005W004 H.J.Worner, M.Grutter, E.Vliegen, F.Merkt - *Phys.Rev. A* 71, 052504 (2005);  
Erratum *Phys.Rev. A* 73, 059904 (2006)  
Role of nuclear spin in photoionization: Hyperfine-resolved photoionization of Xe and Multichannel Quantum defect theory analysis
- 2005W006 A.Wolf, Z.Berant, N.V.Zamfir, D.S.Brenner, E.A.McCutchan, H.Ai, R.F.Casten, K.Dusling, A.Heinz, D.A.Meyer, E.A.Millman, N.Pietralla, C.Plettner, J.Qian, P.H.Regan, D.Swanson, J.Vinson, E.Williams, R.Winkler - *Phys.Rev. C* 72, 027301 (2005)

REFERENCES

---

- g factor of the  $2_1^+$  state of  $^{160}\text{Er}$
- 2005WR01 K.Wrzosek, M.Zielinska, J.Choinski, T.Czosnyka, J.Iwanicki, M.Kisielinski, M.Kowalczyk, P.Napiorkowski, L.Reissig, J.Srebrny, I.Ushakov, K.Zajac - Int.J.Mod.Phys. E14, 359 (2005)  
Search for shape coexistence in  $^{100}\text{Mo}$  using Coulomb excitation
- 2005WRZZ A.Wronska, V.Hejny, C.Wilkin, S.Dymov, C.Hanhart, V.Komarov, H.R.Koch, A.Kulikov, A.Magiera, T.Mersmann, S.Mikirtytchians, H.Ohm, D.Prasuhn, R.Schleichert, H.J.Stein, H.Stroher - nucl-ex/0510056,10/20/2005 (2005)  
Near threshold  $\eta$  meson production in the  $dd \rightarrow {}^4\text{He} \eta$  reaction
- 2005WU02 C.Wu, J.Barth, W.Braun, J.Ernst, K.-H.Glander, J.Hannappel, N.Jopen, H.Kalinowsky, F.J.Klein, F.Klein, E.Klempt, R.Lawall, J.Link, D.Menze, W.Neuerburg, M.Ostrick, E.Paul, H.van Pee, I.Schulday, W.J.Schwille, B.Wiegers, F.W.Wieland, J.Wisskirchen - Eur.Phys.J. A 23, 317 (2005)  
Photoproduction of  $\rho^0$ -mesons and  $\Delta$ -baryons in the reaction  $\gamma p \rightarrow p\pi^+\pi^-$  at energies up to  $\sqrt{s} = 2.6$  GeV
- 2005WU03 A.H.Wuosmaa, K.E.Rehm, J.P.Greene, D.J.Henderson, R.V.F.Janssens, C.L.Jiang, L.Jisonna, E.F.Moore, R.C.Pardo, M.Paul, D.Peterson, S.C.Pieper, G.Savard, J.P.Schiffer, R.E.Segel, S.Sinha, X.Tang, R.B.Wiringa - Phys.Rev.Lett. 94, 082502 (2005)  
Neutron Spectroscopic Factors in  ${}^9\text{Li}$  from  ${}^2\text{H}({}^8\text{Li}, p){}^9\text{Li}$
- 2005WUZZ A.H.Wuosmaa, K.E.Rehm, J.P.Greene, D.J.Henderson, R.V.F.Janssens, C.L.Jiang, E.F.Moore, R.C.Pardo, D.Peterson, S.C.Pieper, G.Savard, J.P.Schiffer, S.Sinha, X.Tang, R.B.Wiringa, L.Jisonna, R.E.Segel - Proc.Nuclei at the Limits, Argonne, Illinois, D.Seweryniak and T.L.Khoo, eds., p.393 (2005); AIP Conf. Proc 764 (2005)  
Excited States In  ${}^7\text{He}$  From  $d({}^6\text{He}, p){}^7\text{He}$
- 2005XI06 C.Y.Xie, X.H.Zhou, Y.H.Zhang, Y.X.Guo, X.G.Lei, Y.Zheng, M.L.Liu, L.T.Song, H.L.Wang, W.T.Guo, H.P.Yu, L.H.Zhu, X.G.Wu, F.R.Xu - Phys.Rev. C 72, 044302 (2005)  
Low-spin signature inversion in the  $\pi h_{9/2}$  ( $x$ )  $\nu i_{13/2}$  oblate band of  ${}^{190}\text{Tl}$
- 2005XU04 S.-W.Xu, Z.-K.Li, Y.-X.Xie, Q.-Y.Pan, W.-X.Huang, X.-D.Wang, Y.Yu, Y.-B.Xing, N.-C.Shu, Y.-S.Chen, F.-R.Xu, K.Wang - Phys.Rev. C 71, 054318 (2005)  
 $\beta$ -delayed proton decays near the proton drip line
- 2005YA05 S.Yaschenko, S.Dymov, A.Kacharava, V.Komarov, G.Macharashvili, F.Rathmann, S.Barsov, R.Gebel, M.Hartmann, A.Khoukaz, P.Kulesa, A.Kulikov, V.Kurbatov, N.Lang, I.Lehmann, B.Lorentz, T.Mersmann, S.Merzliakov, S.Mikirtytchians, A.Mussgiller, M.Nioradze, H.Ohm, D.Prasuhn, R.Schleichert, H.Seyfarth, E.Steffens, H.J.Stein, H.Stroher, Yu.Uzikov, B.Zalikhonov, N.Zhuravlev - Phys.Rev.Lett. 94, 072304 (2005)  
Measurement of the Analyzing Power in  $(p(\text{pol})d) \rightarrow (pp)n$  with a Fast Forward  ${}^1\text{S}_0$  Proton Pair

REFERENCES

---

- 2005YA11 K.Yako, H.Sakai, M.B.Greenfield, K.Hatanaka, M.Hatano, J.Kamiya, H.Kato, Y.Kitamura, Y.Maeda, C.L.Morris, H.Okamura, J.Rapaport, T.Saito, Y.Sakemi, K.Sekiguchi, Y.Shimizu, K.Suda, A.Tamii, N.Uchigashima, T.Wakasa - Phys.Lett. B 615, 193 (2005)  
Determination of the Gamow-Teller quenching factor from charge exchange reactions on  $^{90}\text{Zr}$
- 2005YA12 T.Yamagata, H.Akimune, S.Nakayama, M.Fujiwara, K.Fushimi, M.B.Greenfield, K.Hara, K.Y.Hara, H.Hashimoto, K.Ichihara, K.Kawase, M.Kinoshita, Y.Matsui, K.Nakanishi, M.Ohta, A.Shiokawa, M.Tanaka, H.Utsunomiya, M.Yosoi - Phys.Rev. C 71, 064316 (2005)  
Di-trinucleon cluster resonances in  $A = 6$  isobar nuclei
- 2005YA17 T.Yamagata, S.Nakayama, M.Tanaka, T.Itahashi - J.Phys.Soc.Jpn. 74, 2640 (2005)  
 $^7\text{Li}$ -Excitation of a Resonance at  $E_x = 15.5$  MeV in  $^{208}\text{Pb}$
- 2005YA26 K.Yamada, T.Motobayashi, N.Aoi, H.Baba, K.Demichi, Z.Elekes, J.Gibelin, T.Gomi, H.Hasegawa, N.Imai, H.Iwasaki, S.Kanno, T.Kubo, K.Kurita, Y.U.Matsuyama, S.Michimasa, T.Minemura, M.Notani, T.K.Onishi, H.J.Ong, S.Ota, A.Ozawa, A.Saito, H.Sakurai, S.Shimoura, E.Takeshita, S.Takeuchi, M.Tamaki, Y.Togano, Y.Yanagisawa, K.Yoneda, I.Tanihata - Eur.Phys.J. A 25, Supplement 1, 409 (2005)  
Reduced transition probabilities for the first  $2^+$  excited state in  $^{46}\text{Cr}$ ,  $^{50}\text{Fe}$ , and  $^{54}\text{Ni}$
- 2005YAZW S.W.Yates - Priv.Comm. (2005)
- 2005YE01 Y.L.Ye, D.Y.Pang, D.X.Jiang, T.Zheng, Q.J.Wang, Z.H.Li, X.Q.Li, Y.C.Ge, C.Wu, G.L.Zhang, Q.Y.Hu, J.Wang, Z.Q.Chen, A.Ozawa, Y.Yamaguchi, R.Kanungo, I.Tanihata - Phys.Rev. C 71, 014604 (2005)  
Quasielastic scattering of  $^6\text{He}$  on  $^9\text{Be}$  at 25 MeV / nucleon
- 2005YE02 A.V.Yeremin, A.V.Belozerov, M.L.Chelnokov, V.I.Chepigin, V.A.Gorshkov, A.P.Kabachenko, O.N.Malyshev, A.G.Popeko, R.N.Sagaidak, A.V.Shutov, E.A.Sokol, A.I.Svirikhin - Nucl.Instrum.Methods Phys.Res. A539, 441 (2005)  
Neutron detector at the focal plane of the set up VASSILISSA
- 2005YE05 Y.L.Ye, D.Y.Pang, G.L.Zhang, D.X.Jiang, T.Zheng, Z.H.Li, X.Q.Li, Q.J.Wang, Y.C.Ge, C.E.Wu, J.Wang, Z.Q.Chen, Y.Ai, A.Ozawa, Y.Yamaguchi, D.Q.Fang, I.Tanihata - J.Phys.(London) G31, S1647 (2005)  
Study of the halo nucleus  $^6\text{He}$  through the direct nuclear reactions
- 2005Y012 T.Yoshioka, T.Tsuruta, H.Iwano, T.Danhara - Nucl.Instrum.Methods Phys.Res. A555, 386 (2005); Erratum Nucl.Instrum.Methods Phys.Res. A557, 689 (2006)  
Spontaneous fission decay constant of  $^{238}\text{U}$  determined by SSNTD method using CR-39 and DAP plates
- 2005YU04 D.-Q.Yuan, Y.-N.Zheng, D.-M.Zhou, Y.Zuo, E.-P.Du, X.Duan, C.-H.Wang, Q.Luo, X.-G.Wu, G.-S.Li, S.-X.Wen, G.-J.Xu, Z.-C.Gao, Y.-S.Chen, S.-Y.Zhu - Chin.Phys.Lett. 22, 1628 (2005)

REFERENCES

---

- Measurements of g-Factor of Rotational Levels in  $^{83}\text{Y}$
- 2005YU06 H.-P.Yu, Y.-X.Gou, X.-H.Zhou, Y.-H.Zhang, X.-G.Lei, P.Luo, M.-L.Liu, L.-T.Song, H.L.Wang, C.-Y.Xie, Y.Zheng, W.-T.Guo, L.-H.Zhu, X.-G.Wu - Chin.Phys.Lett. 22, 1873 (2005)  
High-Spin States in Odd-Odd  $^{140}\text{Pr}$  Nucleus
- 2005YU07 C.-H.Yu, C.Baktash, J.C.Batchelder, J.R.Beene, C.Bingham, M.Danchev, A.Galindo-Uribarri, C.J.Gross, P.A.Hausladen, W.Krolas, J.F.Liang, E.Padilla, J.Pavan, D.C.Radford - Eur.Phys.J. A 25, Supplement 1, 395 (2005)  
Coulomb excitation of odd-A neutron-rich radioactive beams
- 2005ZA14 N.V.Zamfir, R.O.Hughes, R.F.Casten, D.C.Radford, C.J.Barton, C.Baktash, M.A.Caprio, A.Galindo-Uribarri, C.J.Gross, P.A.Hausladen, E.A.McCutchan, J.J.Ressler, D.Shapira, D.W.Stracener, C.-H.Yu - Eur.Phys.J. A 25, Supplement 1, 389 (2005)  
 $^{132}\text{Te}$  and single-particle density-dependent pairing
- 2005ZA15 G.S.Zahn, C.B.Zamboni, F.A.Genezini, M.P.Raele, J.Y.Zevallos-Chavez, M.T.F.da Cruz - Braz.J.Phys. 35, 843 (2005)  
Investigation of Excited Levels in  $^{193}\text{Ir}$  From the Beta Decay of  $^{193}\text{Os}$
- 2005ZD02 Yu.G.Zdesenko, F.T.Avignone III, V.B.Brudanin, F.A.Danevich, V.V.Kobychev, B.N.Kropivnyansky, S.S.Nagorny, V.I.Tretyak, T.S.Vylov - Astropart.Phys. 23, 249 (2005)  
CARVEL experiment with  $^{48}\text{CaWO}_4$  crystal scintillators for the double  $\beta$  decay study of  $^{48}\text{Ca}$
- 2005ZE03 S.Zeng, W.-P.Liu, Z.-H.Li, X.-X.Bai, S.-Q.Yan, B.-X.Wang, G.Lian, J.Su - Chin.Phys.Lett. 22, 2219 (2005)  
Measurement of  $^2\text{H}(^8\text{Li}, ^9\text{Be})\text{n}$  Reaction Relevant to Primordial Nucleosynthesis
- 2005ZE04 R.G.T.Zegers, A.L.Cole, H.Akimune, S.M.Austin, D.Bazin, A.M.van den Berg, G.P.A.Berg, J.Brown, I.Daito, Y.Fujita, M.Fujiwara, K.Hara, M.N.Harakeh, G.W.Hitt, M.E.Howard, J.Janecke, T.Kawabata, T.Nakamura, H.Ueno, H.Schatz, B.M.Sherrill, M.Steiner - Nucl.Phys. A758, 67c (2005)  
Weak interaction strengths for supernovae calculations via the  $(t, ^3\text{He})$  reaction on medium-heavy nuclei
- 2005ZEZZ R.G.T.Zegers, H.Akimune, Sam M.Austin, D.Bazin, A.M.van den Berg, G.P.A.Berg, B.A.Brown, A.L.Cole, I.Daito, Y.Fujita, M.Fujiwara, S.Gales, M.N.Harakeh, H.Hashimoto, R.Hayami, G.W.Hitt, M.E.Howard, M.Itoh, J.Janecke, T.Kawabata, K.Kawase, M.Kinoshita, T.Nakamura, K.Nakanishi, S.Nakayama, S.Okamura, W.A.Richter, D.A.Roberts, B.M.Sherrill, Y.Shimbara, M.Steiner, M.Uchida, H.Ueno, T.Yamagata, M.Yosoi - nucl-ex/0512025, 12/20/2005 (2005)  
The  $(t, ^3\text{He})$  and  $(^3\text{He}, t)$  reactions as probes of Gamow-Teller strength
- 2005ZH09 S.-H.Zhou, Z.-Y.Liu, J.Zhou, Q.-Y.Meng, C.-B.Li, G.Lian, B.-X.Wang X.-X.Bai - Chin.Phys.Lett. 22, 565 (2005)  
Large Decay Rate Variation of  $^7\text{Be}$  in Pd and Au

## REFERENCES

---

- 2005ZH14 L.Y.Zhu, and the Jefferson Lab Hall A Collaboration and Jefferson Lab E94-104 Collaboration - Phys.Rev. C 71, 044603 (2005)  
Cross section measurements of charged pion photoproduction in hydrogen and deuterium from 1.1 to 5.5 GeV
- 2005ZH16 S.J.Zhu, S.D.Xiao, X.L.Che, Y.N.U, M.L.Li, Y.J.Chen, L.H.Zhu, G.S.Li, S.X.Wen, X.G.Wu - Eur.Phys.J. A 24, 199 (2005)  
High-spin states and band structures in the doubly odd  $^{136}\text{La}$  nucleus
- 2005ZH20 S.Zhu, R.V.F.Janssens, G.J.Lane, I.Wiedenhover, M.P.Carpenter, I.Ahmad, A.P.Byrne, P.Chowdhury, D.Cline, A.N.Deacon, G.D.Dracoulis, S.J.Freeman, N.J.Hammond, G.D.Jones, T.L.Khoo, F.G.Kondev, T.Lauritsen, C.J.Lister, A.O.Macchiavelli, E.F.Moore, D.Seweryniak, J.F.Smith, C.Y.Wu - Phys.Lett. B 618, 51 (2005)  
Strength of octupole correlations in the actinides: contrasting behavior in the isotones  $^{237}\text{U}$  and  $^{239}\text{Pu}$
- 2005ZH30 Y.H.Zhang, Y.D.Fang, G.de Angelis, N.Marginean, A.Gadea, D.R.Napoli, M.Axiotis, C.Rusu, T.Martinez, H.L.Wang, X.H.Zhou, W.T.Guo, M.L.Liu, Y.X.Guo, X.G.Lei, M.Oshima, Y.Toh, F.R.Xu - J.Phys.(London) G31, S1545 (2005)  
High-spin states of an odd-odd  $^{184}\text{Au}$  nucleus
- 2005ZH31 X.H.Zhou, C.Y.Xie, Y.H.Zhang, Y.X.Guo, X.G.Lei, Y.Zheng, M.L.Liu, L.T.Song, H.L.Wang, W.T.Guo - J.Phys.(London) G31, S1985 (2005)  
First observation of low-spin signature inversion in the  $\pi h_{9/2}$  (X)  $\nu i_{13/2}$  oblate band
- 2005ZH32 Y.-H.Zhang, S.Guo, X.-H.Zhou, L.Ma, M.Oshima, Y.Toh, M.Koizumi, A.Osa, A.Kimura, Y.Hatsukawa, M.Sugawara, H.Kusakari - Chin.Phys.Lett. 22, 2788 (2005)  
Observation of High-j Two-Quasiparticle Bands in Odd-Odd  $^{174}\text{Re}$
- 2005ZH36 S.J.Zhu, J.H.Hamilton, A.V.Ramayya, P.M.Gore, J.O.Rasmussen, V.Dimitrov, S.Frauendorf, R.Q.Xu, J.K.Hwang, D.Fong, L.M.Yang, K.Li, Y.J.Chen, X.Q.Zhang, E.F.Jones, Y.X.Luo, I.Y.Lee, W.C.Ma, J.D.Cole, M.W.Drigert, M.Stoyer, G.M.Ter-Akopian, A.V.Daniel - Eur.Phys.J. A 25, Supplement 1, 459 (2005)  
Soft chiral vibrations in  $^{106}\text{Mo}$
- 2005ZHZZ B.V.Zhuravlev, N.V.Kornilov, A.A.Lychagin, N.N.Titarenko, V.I.Trykova - Proc.Intern.Conf.Nuclear Data for Science and Technology, Santa Fe, New Mexico, 26 September-1 October, 2004, R.C.Haight, M.B.Chadwick, T.Kawano, P.Talou, Eds., Vol.1, p. 931 (2005); AIP Conf.Proc. 769 (2005)  
Nuclear Level Densities of  $^{56}\text{Co}$ ,  $^{57}\text{Co}$ ,  $^{90}\text{Nb}$ , and  $^{94}\text{Nb}$  from Neutron Evaporation Spectra in the (p, n) Reaction
- 2005ZI02 M.Zielinska, T.Czosnyka, K.Wrzosek, J.Choinski, Y.Hatsukawa, J.Iwanicki, M.Koizumi, H.Kusakari, M.Matsuda, T.Morikawa, P.J.Napiorkowski, A.Osa, M.Oshima, T.Shizuma, J.Srebrny, M.Sugawara, K.Zajac - Acta Phys.Pol. B36, 1289 (2005)  
Shape coexistence in even-even Mo isotopes studied via Coulomb excitation

## REFERENCES

---

- 2005ZU01 K.Zuber - Nucl.Phys. B(Proc.Supp.) S138, 236 (2005)  
COBRA - A new approach to double beta decay
- 2006B001 Ch.Bobin, J.Bouchard - Appl.Radiat.Isot. 64, 124 (2006)  
A  $4\pi(\text{LS})\beta\text{-}\gamma$  coincidence system using a TDCR apparatus in the  $\beta$  channel
- 2006DI01 F.Ditroi, F.Tarkanyi, J.Csikai, M.S.Uddin, M.Hagiwara, M.Baba, Yu.N.Shubin,  
S.F.Kovalev - Nucl.Instrum.Methods Phys.Res. B243, 20 (2006)  
Excitation functions of long lived products in deuteron induced nuclear reactions on  
platinum up to 40 MeV
- 2006DR01 Ch.Droste, B.Czajkowska, Z.Marcinkowska, R.M.Lieder, T.Morek, T.Rzaca-Urban,  
W.Gast - Nucl.Instrum.Methods Phys.Res. A556, 182 (2006)  
Polarisation sensitivity of the CLUSTER detector used in EUROBALL array
- 2006HA01 K.F.Hassan, S.M.Qaim, Z.A.Saleh, H.H.Coenen - Appl.Radiat.Isot. 64, 101 (2006)  
Alpha-particle induced reactions on  $^{nat}\text{Sb}$  and  $^{121}\text{Sb}$  with particular reference to the  
production of the medically interesting radionuclide  $^{124}\text{I}$
- 2006LE01 P.Leleux, P.Lipnik, S.wa Kitwanga, J.Vanhorenbeeck - Nucl.Instrum.Methods  
Phys.Res. A556, 397 (2006)  
About the neutron yield from the  $p+^{13}\text{C}$  interaction at 30 MeV