



BNL-75046-2005-JA

***Nuclear Reaction and Structure Data Services of the
National Nuclear Data Center***

**B.Pritychenko¹, A.A.Sonzogni¹, D.F.Winchell¹, V.V.Zerkin²,
R.Arcilla¹, T.W.Burrows¹, C.L.Dunford¹, M.W.Herman¹,
V.McLane¹, P.Oblozinsky¹, Y.Sanborn¹, J.K.Tuli¹**

¹National Nuclear Data Center
Brookhaven National Laboratory, Upton, NY 11973 USA
²IAEA Nuclear Data Section, AUSTRIA

*Submitted to the
Annals of Nuclear Energy*

October
2005

XXX Energy Sciences & Technology Department XXX

Brookhaven National Laboratory

P.O. Box 5000
Upton, NY 11973-5000
www.bnl.gov

Notice: This manuscript has been co-authored by employees of Brookhaven Science Associates, LLC under Contract No. DE-AC02-98CH10886 with the U.S. Department of Energy. The publisher by accepting the manuscript for publication acknowledges that the United States Government retains a non-exclusive, paid-up, irrevocable, world-wide license to publish or reproduce the published form of this manuscript, or allow others to do so, for United States Government purposes.

This preprint is intended for publication in a journal or proceedings. Since changes may be made before publication, it may not be cited or reproduced without the author's permission.

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, nor any of their contractors, subcontractors, or their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or any third party's use or the results of such use of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof or its contractors or subcontractors. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

Nuclear Reaction and Structure Data Services of the National Nuclear Data Center

B. Pritychenko^a, A. A. Sonzogni^a, D. F. Winchell^a, V.V. Zerkin^b, R. Arcilla^a, T. W. Burrows^a, C. L. Dunford^a, M. W. Herman^a, V. McLane^a, P. Obložinský^a, Y. Sanborn^a, J. K. Tuli^a

^aNational Nuclear Data Center, Brookhaven National Laboratory, Upton, NY 11973-5000, U.S.A.

^bNuclear Data Section, International Atomic Energy Agency, P.O. Box 100, Wagramer Strasse 5, A - 1400 Vienna, Austria

The mission of the National Nuclear Data Center (NNDC) includes collection, evaluation, and dissemination of nuclear physics data for basic nuclear research and applied nuclear technologies. In 2004, to answer the needs of nuclear data users, NNDC completed a project to modernize storage and management of its databases and began offering new nuclear data Web services. The principles of database and Web application development used at NNDC are described. Examples of nuclear structure, nuclear reaction and bibliographical database applications along with a number of nuclear science tools and codes are presented.

1. Introduction

Nuclear data activities started at Brookhaven National Laboratory (BNL) in 1951 in a group that would become the National Nuclear Data Center (NNDC) in 1977 [1]. The center's objective is to collect, evaluate, and disseminate nuclear physics data for basic nuclear research and applied nuclear technologies. The NNDC maintains and contributes to the nuclear structure (ENSDF, XUNDL, NSR) and reaction (ENDF, CSISRS, CINDA) databases¹ as well as several databases derived from these primary databases. The center prepares photo-ready copy for Nuclear Data Sheets journal, publishes Nuclear Wallet Cards booklets and neutron cross sections reference books formerly known as BNL-325 [2–4] and provides coordination and maintains databases for the Cross Section Evaluation Working Group (CSEWG) and the US Nuclear Data Program (USNDP) [5,6].

The NNDC has been providing remote electronic access to its databases and other information since 1986. Access was originally by modem and *via* HEPNET, the US Department of Energy-sponsored High Energy Physics Network which employed the DECNET protocol, and later the TCP/IP protocol. Remote login *via* Telnet was used on HEPNET and the INTERNET. This electronic service was hosted on DEC computers using the VMS

¹A complete description of nuclear data, software industry terms and acronyms, is presented in the Appendix 1.

operating system and Oracle 6.0 CODASYL DBMS database software. Implementation of the World Wide Web protocol started in 1994. The Web service was based on the Ohio State University Web server.

This system has proven to be robust and scalable, providing excellent customer service for more than 18 years. However, there have been dramatic information technology developments over the last 15 years. The Open VMS operating system and CODASYL DBMS database software did not keep pace with these technological advances. It became increasingly difficult to support the NNDC Web site, satisfy all cyber security requirements, redundancy, international compatibility, and the future growth requirements with the existing system. The current industry standards are largely based on UNIX operating system, Relational Database Management System (RDBMS) software, Structured Query Language (SQL), and Java programming language.

In order to improve the quality of nuclear data services and take advantage of latest software and hardware developments, the NNDC started to work on a migration project in 1999, following a basic assessment of future options. This exploratory work culminated at an International Workshop on Relational Database and Java Technologies for Nuclear Data, held at BNL, September 11-15, 2000 [7].

As a result of the workshop, the NNDC in partnership with the IAEA's Nuclear Data Section [8] embarked on a project to migrate its databases to a UNIX-based relational database environment and significantly upgrade Web Services employing the latest technologies [9]. The migration project was successfully completed and the new NNDC nuclear data Web service made available to the public in April 2004. During 2004, users from more than 11500 organizations visited NNDC's Web site and made 5.6×10^5 database retrievals, a 66% increase compared to year 2003.

In the following sections, we present current status and results of the database migration project, which creates a foundation for the next generation of nuclear data Web services. First, we describe hardware and software computer environments, followed by software application developments and careful analysis of Web implementations.

2. New NNDC Computer Environment

The new NNDC computer environment is based on DELL/Linux platforms which includes Sybase relational database software and extensive use of Java technologies [10–12].

2.1. NNDC Computer Hardware and Software

To provide more robust, scalable architecture, satisfy cyber security requirements and protect nuclear data services from a single-point failure, the Web server and two database servers (primary and secondary) are physically separated. The Web server is connected to the secondary database server while the primary database server is used for updates which are later propagated to the secondary server. All Java and Web site testing and development are performed on a working server that closely replicates the software environment installed on the Web server. The schematic view of the new system is presented in Fig. 1.

The new system consists of two database servers (DELL PowerEdge 6600, 2x2.8 GHz Intel Xeon processors, 6 GB RAM, 15 kRPM hard drive), a Web server (DELL PowerEdge 2650, 2x2.8 GHz Intel Xeon processors, 4 GB RAM), and a working server (DELL




Figure 1. Schematic view of the NNDC database computer system. New nuclear data content is propagated from primary (A) to secondary (B) database server which is connected to the Web server (D). Working server (C) is mostly used as Java testing and development environment.

PowerEdge 4600, 2x2.8 GHz Intel Xeon processors, 8 GB RAM). The database servers are running Sybase ASE 12.5 RDBMS software, while the Web server has the Apache 2/Tomcat 5/mod_jk 1.2.10 [13,14] Web production environment installed. All servers are running the Red Hat Linux operating system.

2.2. NNDC Database and Web Software Application Development

The NNDC databases were migrated using the hardware and software described above. Typically each database migration task was composed of the following five components

- Schema design
- Data loading, update and general maintenance program development
- Data preparation and quality control program development
- Web-based retrieval development
- Transfer of production activities to Linux/Sybase environment

The database schema² design and development were determined by the particular database requirements; each database consists of tables, indexes, and relationships with enforced referential integrity. As an example, the ENSDF database schema [16–18] is shown in Fig. 2. The Evaluated Nuclear Structure Data File is made up of a collection of “data sets” that are organized by their mass number and contain the following information: mass chain summary, references used in all data sets for a given mass number, adopted levels and γ -ray properties for each nuclide, evaluated results of a single type of experiment and combined evaluated results of a number of experiments [17]. Data set structure is reflected in the central and lower part of the ENSDF database schema and database dictionaries are shown in the upper part of the schema. In designing the new database structures, it was important to maintain all previous functionality, and to be able to retrieve data in the legacy ASCII text “exchange” format.

A combination of Java codes with embedded SQL statements is used for database loads, updates, maintenance, data preparation, and quality control tasks. Most of the Web applications were completely re-written using Java Server Pages (JSP), Java Servlets, and Javascript technologies to provide up-to-date, user-friendly Web interfaces for nuclear data users. JSP Web technologies are based on JavaBeans specification for Java classes, which provides Web applications with data access and retrieval methods [12]. In addition to new codes, many legacy Fortran codes were modified to access the new databases.

The new hardware/software system went into operation and has demonstrated high performance and reliability with a down time of less than 1%.

3. Nuclear Data Portal

New Web interfaces integrated with relational databases created a Nuclear Data Portal (www.nndc.bnl.gov) launched on April 19, 2004 [19]. The portal is a Web-based interface

²The overall description of the database logical structures that is defined by the data definition language [15].

Relational Database Schema of the Evaluated Nuclear Structure Data File




Figure 2. Example of relational database schema. The ENSDF (Evaluated Nuclear Structure Data File) database schema consists of 14 tables and 12 relationships which enforce referential integrity between tables.

N S R **XUNDL** **ENSDF**
NuDat **Databases** **MIRD**
CINDA **CSISRS** **ENDF**

Empire
Nuclear Wallet Cards **Tools and Publications**
Nuclear Data Sheets

Networks
CSEWG **USNDP**

National Nuclear Data Center
 BROOKHAVEN NATIONAL LABORATORY

Nuclear Structure and Decay Databases
 Nuclear Structure and Decay Tools
 Nuclear Reaction Databases
 Nuclear Reaction Tools
 Bibliography Databases
 Networks and Links
 About the Center
 Publications
 Meetings

Nuclear Wallet Cards 2005 **New** **Q-value Calculator**

Site Index - Search the NNDC: go

AMDC Atomic Mass Data Center, Q-value Calculator [New]	CapGam Thermal Neutron Capture Gamma-rays	CINDA Computer Index of Nuclear (reaction) Data	CSEWG Cross Section Evaluation Working Group
CSISRS alias EXFOR Nuclear reaction experimental data	Empire Nuclear reaction model code	ENDF Evaluated Nuclear (reaction) Data File	ENSDF Evaluated Nuclear Structure Data File
For NMMSS & DoE NMIRDC safeguards & inventory decay data standards	IRDF International Reactor Dosimetry File	MIRD Medical Internal Radiation Dose	NSR Nuclear Science References
Nuclear Data Sheets Nuclear structure and decay data journal	Nuclear Wallet Cards Ground and isomeric states properties	Nuclear Wallet Cards for Homeland Security	NuDat Nuclear structure and decay data
RIPL Reference Input Parameter Library	USNDP U.S. Nuclear Data Program	XUNDL Experimental Unevaluated Nuclear Data List	Coming Early 2006: Atlas of Neutron Resonances

Figure 3. Front page of the NNDC Web Services: Nuclear Data Portal (www.nndc.bnl.gov). All elements of the page, including graphic images, are hyperlinked.

which gives users access to all Web and database applications through a single screen on their computer. The Nuclear Data Portal contains nuclear structure, decay and reaction data, as well as bibliographical information. Its major features include: new hardware architecture based on robust and scalable DELL servers running Linux and relational database software (Sybase), Java solutions for Web applications, easy to navigate, active Graphic User Interfaces (GUI) and a Google search engine.

The new Web-based nuclear data retrieval system or Nuclear Data Portal is tightly integrated with nuclear reaction (CSEWG) and structure (USNDP) evaluations and compilation efforts. The portal is shown in Fig. 3. The new Nuclear Data Portal has resulted in a significant increase in the NNDC Web data retrievals compared with the previous service. Fig. 4 summarizes results for Web data retrievals. Results for five major databases indicate that data retrievals for calendar year 2004 *vs.* 2003 increased for CSISRS/EXFOR by 74.5%, ENDF by 53.5%, ENSDF by 65.5%, NSR by 10.2% and NuDat by 205.3%. The relatively small increase for NSR database reflects the fact that a Java version of NSR




Figure 4. Electronic nuclear data retrievals from the NNDC over the last 20 years. Data retrievals for 2005 are estimated.

was available in 2003 with a 15% annual growth. If this trend continues, there will be about 7.5×10^5 retrievals in 2005. NNDC statistics include the data retrievals only and do not count any Web page access that does not result in information being retrieved. For more explanation about the statistics, see Refs. [20,21].

4. Nuclear Reaction Data Services

Nuclear reaction data services were substantially improved to provide a better access to reaction data evaluations and compilations [22]. New Web interfaces for the Evaluated Nuclear Data File (ENDF), the nuclear reaction experimental data (CSISRS/EXFOR), and the Computer Index of Nuclear (reaction) Data (CINDA) databases, developed in collaborative effort with the IAEA's Nuclear Data Section [8], provide a wide range of options for data retrievals and analysis using standard and interpreted text formats as well as graphic tools. New nuclear reaction services distinguish themselves *via* the simple manner of creating on-line database queries and the extensive use of graphics. A brief description of the reaction databases is presented below.

4.1. Evaluated Nuclear (reaction) Data File (ENDF)

The ENDF reaction database contains recommended data from the United States ENDF/B-VI.8 library [23] as well as from the other international evaluated nuclear reaction libraries: BROND, CENDL, JEFF, and JENDL [24–27]. The data are stored in the ENDF-6 format and include most nuclides of practical relevance (329 in total for ENDF/B-VI) for neutron-induced reactions up to 20 MeV. Some evaluations extend up to 150 MeV. This data serves as the principal input for neutronics calculations, including nuclear reactor design and operation, national security, criticality safety, accelerator design, radiation protection, radiotherapy, and detector simulation.

ENDF database output is available in graphic and text formats. ENDF/B-VI.8 output for evaluated cross section of important in waste transmutation reaction $^{99}\text{Tc}(n,\gamma)^{100}\text{Tc}$ is shown in Fig. 5. The current version of the ENDF library is ENDF/B-VI.8; the ENDF/B-VII library is scheduled for release by the middle of 2006.

4.2. Experimental Nuclear Reaction Data (CSISRS alias EXFOR)

The CSISRS (Cross Section Information Storage & Retrieval System), alias EXFOR (EXchange FORmat) data library [28] contains experimental nuclear reaction data for incident neutrons, charged particles, and photons. It includes more than 15500 experiments and covers nearly all of neutron-induced reaction experimental data up to the pion threshold. The library is less complete for charged particle induced reactions (in general $A \leq 12$) and photon experiments. In the recent years, the number of charged particles compilations is rising faster than others. The EXFOR compilations are coordinated by the Nuclear Reaction Data Centers Network (NRDC) [29].

5. Nuclear Structure Data Services

Nuclear structure data services were significantly upgraded to improve capabilities and user friendliness for the Evaluated Nuclear Structure Data File (ENSDF), Nuclear structure and decay Data (NuDat), eXperimental Unevaluated Nuclear Data List (XUNDL)




Figure 5. ENDF/B-VI.8 evaluated neutron-capture cross section from 0.02 keV to 20 MeV is shown for important waste transmutation nucleus ^{99}Tc .

and Medical Internal Radiation Dose (MIRD) databases [17,30,31,33,34]. The new ENSDF Web services significantly improve and simplify ENSDF datasets retrievals, while a new NuDat 2.1 Web service enhances search and presentation capabilities for nuclear data, and provides a more convenient way to search for specific levels and γ -ray energies.

5.1. Evaluated Nuclear Structure Data File (ENSDF)

The ENSDF evaluated nuclear structure and decay database contains recommended data for all evaluated nuclides, currently 2929, organized in over 15452 individual datasets [18]. It serves as a principal source of data for nuclear structure research, nuclear spectroscopy applications, the databases MIRD and NuDat, and publications such as Table of Isotopes [35]. Nuclear structure information in the ENSDF database is organized by dataset. Each dataset contains evaluated nuclear structure information from reaction or decay and conforms to the internationally adopted ENSDF format [16,17], which permits further processing by a large number of existing programs. Contributions to ENSDF come from evaluators of the international network of Nuclear Structure and Decay Data (NSDD) [16,29] while the database is maintained by NNDC.

5.2. Nuclear structure and decay Data (NuDat)

NuDat contains evaluated (recommended) nuclear structure and decay data for 2932 nuclides, with about 1.40×10^5 levels, 2.04×10^5 γ -ray energies, *etc* [30]. It is a derived database, information is extracted from ENSDF and Nuclear Wallet Cards. The NuDat software application was completely redesigned and uses the latest Java graphic technologies. Currently it is the most popular application on Nuclear Data Portal [36]. The new NuDat 2.1 software supports searches on parameters such as nuclide or parent, energy levels, decay modes, J^π , $T_{1/2}$ and E_γ .

The NuDat 2.1 main page includes an interactive chart of nuclei. A cell in a chart represents a known nuclide with the number of neutrons on the horizontal axis and the number of protons on the vertical axis. The color of the cell indicates the ground state half-life or predominant decay mode. NuDat 2.1 interactive chart of nuclei is shown in Fig. 6. NuDat outputs include a complete list of levels and level schemes. The level scheme for selected levels in neutron-rich nucleus of ^{178}Hf [37] is shown in Fig. 7. This case is important because of ongoing research on energy storage in nuclear isomers.

6. Nuclear Bibliography Data Services

Bibliography data services such as Nuclear Science References (NSR) and Computer Index of Nuclear (reaction) DATA (CINDA) databases [32,38] are described below.

6.1. Nuclear Science References (NSR)

NSR is an indexed bibliography of nuclear physics papers and reports containing over 1.8×10^5 nuclear science references, indexed according to content [32]. The contents span almost 100 years of research, and currently covers 80 journals with about 4200 new articles added per year. The database is updated by NNDC on a weekly basis to stay current with published literature.

In addition to standard reference, author, and title information, most entries in the NSR database include “keyword abstracts” to allow a search for references relevant to specific




Figure 6. NuDat 2.1 (www.nndc.bnl.gov/nudat2) data retrieval for ^{178}Hf displays ground and isomeric state information, see bottom of the figure. A full list of levels and level scheme are also available.




Figure 7. NuDat 2.1 level scheme of ^{178}Hf displays 16^+ and $T_{1/2} = 31$ y isomer of $^{178m2}\text{Hf}$. The isotope decays to $(13)^-$ and $(12)^-$ states of ^{178}Hf .

quantities or topics. Where available, digital object identifier (doi) links to publisher's pages are provided. Quick retrievals by author or nuclide, as well as indexed or text searches, and keynumber retrievals, are available. Search parameters for indexed retrievals include nuclide, author, subject, reaction, target, incident or outgoing particle, and topic. These parameters can be combined to create on-line queries and produce more focused results. It also contains links to ENSDF and XUNDL databases, where relevant.

6.2. Computer Index of Nuclear (reaction) Data (CINDA)

The CINDA database contains neutron-induced reaction bibliographic information, including experimental, theoretical, and evaluated references [38]. It contains references to 2.75×10^5 reactions from 5.5×10^4 works primarily compiled by members of the NRDC [29].

7. Tools and Publications

NNDC provides access to many other resources of interest to the nuclear scientific community. These include calculational tools, computer codes, data libraries, and publications. Nuclear physics tools and publications, such as Empire (see next paragraph), Nuclear Wallet Cards, Nuclear Data Sheets and Q-value Calculator (QCalc) were upgraded and integrated into the Nuclear Data Portal.

7.1. Empire

Empire is modular nuclear reaction code for advanced calculation of nuclear reactions using various theoretical models [39]. It consists of a number of linked FORTRAN codes, input parameter libraries, and the experimental data library (CSISRS/EXFOR). Application of Empire-2.19 code for the $^{232}\text{Th}(n,f)$ neutron fission cross section calculation [40] is shown in Fig. 8.

7.2. Nuclear Wallet Cards

The Nuclear Wallet Cards publication, currently in its seventh edition [41], contains up-to-date ground and isomeric states properties of all known nuclides. The sixth edition of Nuclear Wallet Cards [42] has been adopted by the U.S. Department of Energy, Nuclear Materials and Safeguards System as their decay data standard.

A version tailored for Homeland Security needs is also available [43]. Nuclear Wallet Cards for Radioactive Nuclides include nuclear properties of $T_{1/2} \geq 1$ h nuclides and consists of two tables. The first one provides half-life, major radiations, and major γ -ray information for 737 nuclides. The second table contains information on 944 γ -rays and parent nuclides sorted by energy from 101 to 2951 keV.

In addition to Web versions, Nuclear Wallet Cards are distributed as booklets and as Palm Pilot applications.

7.3. Nuclear Data Sheets

NNDC edits and produces the *Nuclear Data Sheets* journal. The journal, published by Elsevier, is devoted to the publication of evaluated nuclear structure and decay data. These articles contain recommended values based on a careful evaluation and analysis of all available experimental results dealing with nuclear properties. An index to recent issues of the *Nuclear Data Sheets* is also available on the Web.




Figure 8. $^{232}\text{Th}(n,f)$ neutron fission cross section calculated with the recent version of Empire 2.19. Experimental data are taken from 12 different references [28].

7.4. Q-value Calculator

QCalc is a software application for the calculation of decay or reaction Q-values and threshold energies using the data from 2003 Atomic Mass Evaluation [44]. The latest version of QCalc is written in Java.

8. Conclusion

The new Nuclear Data Portal of the National Nuclear Data Center (www.nndc.bnl.gov) is a result of the successful completion of the database migration project that was carried out by NNDC for the U.S. Nuclear Data Program. The Nuclear Data Portal is based on a DELL/Linux solution with extensive use of Sybase relational database management software, SQL, and Java Web technologies.

The portal brings together nuclear structure, reaction and bibliography Web services, publications, and tools. It provides a unique access to many nuclear physics resources and creates a single site where nuclear data users can find tools and data to help solve science, industry and homeland security problems and challenges.

Use of electronic nuclear data services continues to grow in a near-exponential way. This is illustrated in Fig. 4, showing the growing number of downloads from the NNDC databases since 1986, a trend supported by similar experience of other nuclear data centers. It appears that the user demand is far below saturation as demonstrated by accelerated use of new services in 2004. We are confident that the portal has considerable potential to meet growing demands in the next years. On the other hand, the present paper demonstrates that nuclear databases, if utilized in a wise and innovative way, offer opportunities for far more proficient service in future.

9. Acknowledgments

We are grateful to D. Rochman and M. Blennau for a careful reading of the manuscript and useful discussions and suggestions. This work was funded by the Office of Nuclear Physics, Office of Science of the U.S. Department of Energy, under Contract No. DE-AC02-98CH10886 with Brookhaven Science Associates, LLC.

Appendix 1

Nuclear data, software industry and information technology terms and acronyms are presented in the Table 1:

Table 1
Selected nuclear data, software industry and information technology terms and achronyms.

Term or Acronym	Description	Reference
Apache	HTTP server	[13]
BROND	Russian Evaluated Nuclear Data Library (reaction)	[24]
CENDL	Chinese Evaluated Nuclear Data Library (reaction)	[25]
CINDA	Computer Index of Nuclear DAta (reaction)	[38]
CSEWG	Cross Section Evaluation Working Group	[5]
CSISRS	Cross Section Information Storage & Retrieval System	[28]
ENDF	Evaluated Nuclear Data File (reaction)	[23]
ENSDF	Evaluated Nuclear Structure Data File	[17,18]
EXFOR	EXchange FORmat, also see CSISRS	[28]
HTML	Hyper Text Markup Language	
HTTP	Hyper Text Transfer Protocol	
JEFF	Joint Evaluated Fission & Fusion file	[26]
JENDL	Japanese Evaluated Nuclear Data Library (reaction)	[27]
JSP	Java Server Pages	[12]
MIRD	Medical Internal Radiation Dose	[33]
Mod_jk	Apache - Tomcat connector	[14]
NRDC	Nuclear Reaction Data Centers network	[29]
NSDD	Nuclear Structure and Decay Data evaluators network	[29]
NSR	Nuclear Science References	[32]
NuDat	Nuclear structure & decay Data	[30]
RDBMS	Relational Database Management System	[15]
SQL	Structured Query Language	[15]
Sybase	Commercial database server	[10,11]
Tomcat	Servlet/JSP container	[14]
USNDP	United States Nuclear Data Program	[6]
XUNDL	eXperimental Unevaluated Nuclear Data List	[31]

REFERENCES

1. S. Pearlstein, The NNCSC: Its History and Functions, *Nuclear News*, 13, No. 11 November (1970).
2. S.F. Mughabghab, *Atlas of Neutron Resonances*, to be published by Elsevier in 2006.
3. S.F. Mughabghab, M. Divadeenam, N. E. Holden, *Neutron Cross Sections*, Vol 1, Part A, $Z = 1-60$, Academic Press, New York, 1981. S.F. Mughabghab, *Neutron Cross Sections*, Vol 1, Part B, $Z = 61-100$, Academic Press, Orlando, 1984.
4. V. McLane, C.L. Dunford, P.F. Rose, *Neutron Cross Sections*, Vol 2, *Neutron Cross Section Curves*, Academic Press, San Diego, 1988.
5. Cross Section Evaluation Working Group (CSEWG), Available from <http://www.nndc.bnl.gov/csewg>.
6. United States Nuclear Data Program (USNDP), Available from <http://www.nndc.bnl.gov/usndp>.
7. Proc. of Workshop on Relational Database and Java Tech. for Nuclear Data, BNL, September 11-15, 2000, edited by R. Arcilla, D. Winchell, Y. Sanborn, unpublished.
8. D.P. Humbert, A.L. Nichols, O. Schwerer, IAEA Nuclear Data Section: Provision of Atomic and Nuclear Databases for User Applications, *Applied Radiation and Isotopes* 60 (2004) 311.
9. V. Pronyaev, D. Winchell, V. Zerkin, D. Muir, R. Arcilla, Requirements for the next Generation of Nuclear Databases and Services, *J. Nucl. Sci. Tech. Suppl.* 2 (2002) 1476.
10. Sybase, Inc., Available from <http://www.sybase.com>.
11. R. Rankins, J. Garbus, D. Solomon, B. McEwan, *Sybase SQL Server 11 UNLEASHED*, SAMS Publishing, Indianapolis, 1996.
12. A Sun Developer Network Site, Available from <http://java.sun.com>. H. Bergsten, *JavaServer Pages*, second edition, O'Reilly & Associates, Sebastopol, 2002.
13. The Apache Software Foundation, Available from <http://www.apache.org>.
14. The Apache Jakarta project, Available from <http://www.jakarta.apache.org>.
15. A.C. Lorents, J.N. Morgan, *Database Systems: Concepts, Management and Applications*, The Dryden Press, Orlando, 1998.
16. J.K. Tuli, Evaluated Nuclear Structure Data File, *Nucl. Instr. and Meth.* A369 (1996) 506.
17. J.K. Tuli, Evaluated Nuclear Structure Data File (ENSDF), Brookhaven National Laboratory Report BNL-NCS-51655-01/02-Rev (2001).
18. D.F. Winchell, New Web-Based Access to Nuclear Structure Databases, Proc. of Int. Conf. on Nuclear Data for Sci. and Tech., Santa Fe, September 26 - October 1, 2004, AIP 769 (2005) 578.
19. B. Pritychenko, R. Arcilla, T.W. Burrows, C.L. Dunford, M.W. Herman, V. McLane, P. Obložinský, A.A. Sonzogni, J.K. Tuli, D.F. Winchell, NNDC Stand: Activities and Services of the National Nuclear Data Center, Proc. of Int. Conf. on Nuclear Data for Sci. and Tech., Santa Fe, September 26 - October 1, 2004, AIP 769 (2005) 132.
20. T.W. Burrows, Web Statistics Using Analog at NNDC, Proc. of USNDP 2003 Meeting, BNL, November 6-7, 2003. Available from http://www.nndc.bnl.gov/nndc/proceedings/2003csewgusndp/dis_rep/02Burrows.pdf.

21. S. Turner, Analog 5.32: How the Web works, Available from <http://www.analog.cx/docs/webworks.html>.
22. V.V. Zerkin, V. McLane, M.W. Herman, C.L. Dunford, EXFOR-CINDA-ENDF: Migration of Databases to Give Higher Quality Nuclear Data Services, Proc. of Int. Conf. on Nuclear Data for Sci. and Tech., Santa Fe, September 26 - October 1, 2004, AIP 769 (2005) 586.
23. V. McLane, ENDF/B-VI Summary Documentation, Supplement I: ENDF/HE-VI Summary Documentation, Brookhaven National Laboratory Report BNL-NCS-17541, 4th Edition (1996). Available from <http://www.nndc.bnl.gov/nndcscr/documents/endl/endl201/endl-201.pdf>.
24. A.I. Blokhin, B.I. Fursov, A.V. Ignatyuk, V.N. Koshcheev, E.V. Kulikov, B.D. Kuzminov, V.N. Manokhin and M.N. Nikolaev, Proceedings of Int. Conf. on Nuclear Data and Technology, Gatlinburg, Tennessee, USA, May 9-13, 1994; 2 (1994) 695.
25. Chinese Nuclear Data Center: "Communication of Nuclear Data Progress, No. 6", IAEA NDS Report INDC(CPR)-025/L (1991); Available from <http://www.nds.iaea.org/indc-sel.html>.
26. R. Jacqmin, R. Forrest, J. Rowlands, A. Nouri and M. Kellet, Status of the JEFF-3 Project, J. Nucl. Sci. Technol., Suppl. 2, Vol. 1, (2002) 54.
27. K. Shibata, T. Kawano, T. Nakagawa, O. Iwamoto, J. Katakura, T. Fukahori, S. Chiba, A. Hasegawa, T. Murata, H. Matsunobu, T. Ohsawa, Y. Nakajima, T. Yoshida, A. Zukeran, M. Kawai, M. Baba, M. Ishikawa, T. Asami, T. Watanabe, Y. Watanabe, M. Igashira, N. Yamamuro, H. Kitazawa, N. Yamano, H. Takano, Japanese Evaluated Nuclear Data Library Version 3 Revision-3: JENDL-3.3, J. Nucl. Sci. Technol. 39 (2002) 1125.
28. Cross Section Information Storage & Retrieval System, Available from <http://www.nds.iaea.org/about-exfor.html>.
29. A.L. Nichols, Letter to the Editor, Annals of Nuclear Energy, 32 issue 14 (2005) 1605.
30. A.A. Sonzogni, NuDat 2.0: Nuclear Structure and Decay Data on the Internet, Proc. of Int. Conf. on Nuclear Data for Sci. and Tech., Santa Fe, September 26 - October 1, 2004, AIP 769 (2005) 574.
31. McMaster University Data Evaluation, Available from <http://physun.physics.mcmaster.ca/~jcw/nucexp/>.
32. D.F. Winchell, Nuclear Science References as a Tool for Data Evaluation, Proc. of Int. Conf. on Nuclear Data for Sci. and Tech., Santa Fe, September 26 - October 1, 2004, AIP 769 (2005) 570.
33. Medical Internal Radiation Dose, Available from <http://www.nndc.bnl.gov/mird>.
34. T.W. Burrows, The Evaluated Nuclear Structure Data File: Philosophy, Content, and Uses, Nucl. Instr. and Meth. A286 (1990) 595.
35. R.B. Firestone, V.S. Shirley, C.M. Baglin, S.Y. Frank Chu, and J. Zipkin, Table of Isotopes, 8th edition, John Wiley & Sons, Inc., New York, 1996.
36. Web Watch, Physics Today 57, issue 11 (2004) 34.
37. B. Schwarzschild, Conflicting Results on a Long-lived Nuclear Isomer of Hafnium Have Wider Implications, Physics Today 57, issue 5 (2004) 21. Available from <http://www.physicstoday.org/vol-57/iss-5/p21.html>.
38. Computer Index of Nuclear (reaction) Data, Available from

- <http://www.nndc.bnl.gov/cinda>); CINDA 2002, The Index to Literature and Computer Files on Macroscopic Neutron Data, International Atomic Energy Agency, Vienna, 2002.
39. M. Herman, R. Capote-Noy, P. Obložinský, A. Trkov and V. Zerkin, Recent Development and Validation of the Nuclear Reaction Code EMPIRE, *J. Nucl.Sci. Tech. Suppl. 2* (2002) 116.
 40. M. Herman, P. Obložinský, R. Capote, M. Sin, A. Trkov, A. Ventura and V. Zerkin, Recent Development of the Nuclear Reaction Model Code EMPIRE, *Proc. of Int. Conf. on Nuclear Data for Sci. and Tech.*, Santa Fe, September 26 - October 1, 2004, AIP 769 (2005) 1184.
 41. J.K. Tuli, Nuclear Wallet Cards, National Nuclear Data Center, Brookhaven National Laboratory, April 2005.
 42. J.K. Tuli, Nuclear Wallet Cards, National Nuclear Data Center, Brookhaven National Laboratory, January 2000.
 43. J.K.Tuli, Nuclear Wallet Cards for Radioactive Nuclides, National Nuclear Data Center, Brookhaven National Laboratory, March 2004.
 44. A.H. Wapstra, G. Audi, and C. Thibault, The Ame2003 Atomic Mass Evaluation (II). Tables, Graphs and References, *Nuclear Physics A729* (2003) 337.