

²⁷⁸Hs

²⁷⁸Hs has not been discovered yet. In 2016, Hofmann et al. (2016Ho09) proposed to reassign a decay chain following the $^{48}\text{Ca} + ^{244}\text{Pu}$ reaction which was previously assigned to ²⁸⁹Fl (1999Og10) to ²⁹⁰Fl. The unexpected spontaneous fission half-life was explained by assuming electron capture to ²⁹⁰Nh. In 2023, Saamark-Roth et al. (2023Sa03) presumed an α -decay chain originating in ²⁹⁰Fl changing the earlier interpretation by the same research group: “Therefore, it cannot be incorporated in the main decay sequence of ²⁸⁹Fl, while an assignment to ²⁹⁰Fl is unfavored based on the half-life of the terminating fission” (2023Co04). However, ultimately the assignment was not deemed to be correct: “Here, the optional assignment of one Fl-decay chain to start from ²⁹⁰Fl was also presented but disfavored based on the lifetime of the terminating fission” (2023Sa03).

- 1999Og10 Yu. Ts. Oganessian, V. K. Utyonkov, Yu. V. Lobanov, F. Sh. Abdullin *et al.*, Phys. Rev. Lett. **83**, 3154 (1999).
- 2016Ho09 S. Hofmann, S. Heinz, R. Mann, J. Maurer *et al.*, Eur. Phys. J. A **52**, 180 (2016).
- 2023Co04 D. M. Cox, A. Saamark-Roth, D. Rudolph, L. G. Sarmiento *et al.*, Phys. Rev. C **107**, L021301 (2023).
- 2023Sa03 A. Saamark-Roth, D. M. Cox, D. Rudolph, L. G. Sarmiento *et al.*, Phys. Rev. C **107**, 024301 (2023).

Please cite this abstract as: “FRIB Nuclear Data Group, *Discovery of Nuclides Project*, Isotope Database, doi:10.11578/frib/2279152”