

⁶⁰V

Guillemaud-Mueller et al. announced the discovery of ⁶⁰V in the 1985 article “Production and Identification of New Neutron-Rich Fragments from 33 MeV/u ⁸⁶Kr Beam in the 18 ≤ Z ≤ 27 Region” ([1985Gu14](#)). At GANIL in Caen, France, a 33 MeV/u ⁸⁶Kr beam was fragmented and the fragments were separated by the triple-focusing analyser LISE. “Each particle is identified by an event-by-event analysis. The mass A is determined from the total energy and the time of flight, and Z by the δE and E measurements... In addition to that are identified the following new isotopes: ⁴⁷Ar, ⁵⁷Ti, ^{59,60}V, ^{61,62}Cr, ^{64,65}Mn, ^{66,67,68}Fe, ^{68,69,70}Co.” Approximately three counts of ⁶⁰V were observed.

Adapted from reference ([2010Sh05](#))

- [1985Gu14](#) D. Guillemaud-Mueller, A. C. Mueller, D. Guerreau, F. Pougheon *et al.*, *Z. Phys. A* **322**, 415 (1985).
[2010Sh05](#) A. Shore, A. Fritsch, M. Heim, A. Schuh, and M. Thoennessen, *At. Data Nucl. Data Tables* **96**, 351 (2010).

Please cite this abstract as: “FRIB Nuclear Data Group, *Discovery of Nuclides Project*, Isotope Database, doi:[10.11578/frib/2279152](https://doi.org/10.11578/frib/2279152)”