

¹⁸⁴Au-1

Isomerism was first established in ¹⁸⁴Au by K.Zaerpoor et al. in 1997 at Oak Ridge National Laboratory, Tennessee ([1997Za03](#)). The 47.6 s isomeric level by itself had been measured earlier ([1969Ha03](#)). Previous reports of the isomer were only published in conference proceedings ([1990Ed01](#),[1992Ro21](#)).

- [1969Ha03](#) P. G. Hansen, P. Hornshoj, H. L. Nielsen, K. Wilsby *et al.*, Erratum Phys. Lett. B **28**, 663 (1969).
- [1990Ed01](#) R. Eder, I. Berkes, D. E. Brown, I. S. Grant *et al.*, Hyperfine Interactions **59**, 83 (1990).
- [1992Ro21](#) I. Romanski, I. Berkes, D. E. Brown, M. De Jesus *et al.*, Hyperfine Interactions **75**, 457 (1992).
- [1997Za03](#) K. Zaerpoor, Y. Xu, M. Gummin, K. S. Krane *et al.*, Erratum Phys. Rev. C **57**, 1006 (1998).

Please cite this abstract as: “FRIB Nuclear Data Group, *Discovery of Nuclides Project*, Isomer Database, doi:[10.11578/frib/2572219](https://doi.org/10.11578/frib/2572219)”