

Adopted Levels, Gammas

Type	Author	History	Citation	Literature Cutoff Date
Full Evaluation	S. Lalkovski, J. Timar and Z. Elekes		NDS 161, 1 (2019)	1-Apr-2019

Q(β⁻)=-1347 5; S(n)=-7094.1 7; S(p)=-8748 3; Q(α)=-2884.7 12 [2017Wa10](#)

¹⁰⁵Pd Levels

Cross Reference (XREF) Flags

A	¹⁰⁵ Rh β ⁻ decay (35.3 h)	F	¹⁰⁴ Pd(d,p)	K	¹⁰⁴ Ru(α,3nγ)
B	¹⁰⁵ Ag ε decay (41.29 d)	G	¹⁰⁶ Pd(d,t)	L	⁹⁶ Zr(¹³ C,4nγ), ⁹⁶ Zr(¹² C,3nγ)
C	¹⁰⁵ Ag ε decay (7.23 min)	H	Coulomb excitation	M	⁶⁴ Ni(⁴⁸ Ca,α3nγ)
D	¹⁰⁵ Pd IT decay (35.5 μs)	I	¹⁰⁵ Pd(n,n'γ)		
E	¹⁰⁶ Pd(p,d)	J	¹⁰⁴ Pd(n,γ) E=th		

E(level) [†]	J ^π	T _{1/2}	XREF	Comments
0.0 [‡]	5/2 ⁺	stable	ABCDEFGHIJKLM	μ=-0.642 3 (2014StZZ) Q=+0.660 11 (2016St14) J ^π : L=2 in ¹⁰⁶ Pd(p,d) (1975An06); Also: L=2 in ¹⁰⁶ Pd(d,t) 1980Sc23 . <r ² >=4.5128 fm ² 25 (2004An14). μ=-0.074 13 (1981A119) XREF: J(281). J ^π : L=2 in ¹⁰⁶ Pd(p,d) (1975An06); 280.54γ M1+E2 to 5/2 ⁺ ; 64.072γ M1(+E2) from 1/2 ⁺ . T _{1/2} : weighted average of 45 ps 5 from B(E2)↑(280.54γ)=0.0095 5 in Coulomb excitation with α(280.54γ)=0.0238 4, and 67 ps 17 from γγ(t) in ¹⁰⁵ Ag ε decay (41.29 d) (1974Be71). μ: from IPAC in 1981A119 .
280.62 20	3/2 ⁺	47 ps 5	ABC EF HIJK	J ^π : L=4 in ¹⁰⁶ Pd(p,d) (1975An06); 306.30γ M1+E2 to 5/2 ⁺ . T _{1/2} : from B(E2)↑(306.30γ)=0.00117 11 in Coulomb excitation, and α(306.30γ)=0.0188 3. μ=+0.95 20 (1981A119) XREF: G(321). J ^π : L=2 in ¹⁰⁶ Pd(p,d) (1975An06); 38.77γ M1(+E2) to 3/2 ⁺ , and 319.24γ M1+E2 to 5/2 ⁺ . T _{1/2} : weighted average of 38 ps 2 in 1962Me07 , 48 ps 7 in 1971Sh21 , 40 ps 10 from β-γ(t) in ¹⁰⁵ Rh β ⁻ decay (1974Be71), 20 ps 3 from B(E2)↑(319.24γ)=0.0082 4 in Coulomb excitation. μ: from IPAC in 1981A119 . XREF: F(340). J ^π : L=0 in ¹⁰⁶ Pd(p,d) (1975An06); 344.61γ E2 to 5/2 ⁺ . T _{1/2} : weighted average of 1.01 ns 5 from 618-344γ(t) and 22X-344γ(t) in ¹⁰⁵ Ag ε decay (41.29 d) (1970Sc10), 0.88 ns 5 from γγ(t) in ¹⁰⁵ Ag ε decay (41.29 d) (1974Be71), 801 ps 64 in ¹⁰⁵ Ag ε decay (41.29 d) (1969Ka02) and 1.07 ns 24 from B(E2)↑(344.61γ)=0.0022 5 in Coulomb excitation. XREF: E(447)G(441). J ^π : L=2 in ¹⁰⁶ Pd(p,d) (1975An06); 442.25γ M1+E2 to 5/2 ⁺ . T _{1/2} : from B(E2)↑(442.25γ)=0.185 7 in Coulomb excitation, and α(442.25γ)=0.00756 11; Others: 3.71 ps 9 from DSAM in 1972SiZP ; 3.8 ps 10 from DSAM in 1971SiYG , and 3.81 ps 14 from RDDS in 1971SiYQ .
306.41 [#] 21	7/2 ⁺	71 ps 8	ABCDE HIJKLM	
319.38 22	5/2 ⁺	33 ps 5	ABC E GHIJ L	
344.9 4	1/2 ⁺	0.91 ns 5	BC EF HIJ	
442.53 [‡] 21	(7/2) ⁺	1.2 ps 6	ABC E GHIJKL	
489.1 [@] 3	11/2 ⁻	35.5 μs 5	B DEFG IJKLM	XREF: D(495)F(486)G(486).

Continued on next page (footnotes at end of table)

Adopted Levels, Gammas (continued) ^{105}Pd Levels (continued)

<u>E(level)[†]</u>	<u>J^π</u>	<u>T_{1/2}</u>	<u>XREF</u>	<u>Comments</u>
				J ^π : L=5 in $^{106}\text{Pd}(p,d)$ (1975An06); 182.92γ M2 to 7/2 ⁺ . T _{1/2} : weighted average of 36.1 μs 4 from 155.39γ-182.85γ(t) in 1970BIZT, 34.2 μs 6 in 1965Mc03, 33 μs 6 in 1956Ve03, and 36 μs 3 in 1958Du80.
535 560.50 19	3/2 ⁺	1.9 ps 5	E BC EF HIJK	XREF: E(561)F(565)J(558). J ^π : L=(2) in $^{104}\text{Pd}(d,p)$ (1963Cu02); 560.79γ M1+E2 to 5/2 ⁺ ; 6534.0γ from the (1/2 ⁺) resonance. T _{1/2} : from DSA (1974Er05); Others:<35 ps from B(E2)↑(560.79γ)=0.0095 9 in Coulomb excitation.
644.7 5	7/2 ⁻	126 ps 2	B IJ	μ=-1.49 9 (1981Al19) J ^π : 155.38γ E2 to 11/2 ⁻ , 325.43γ E1 to 5/2 ⁺ , and 644.63γ E1+M2 to 5/2 ⁺ . T _{1/2} : from γγ(t) in ^{105}Ag ε decay (41.29 d). μ: from IPAC in 1981Al19.
650.9 4	(3/2) ⁺	<7 ps	B EFGHI	XREF: E(650)G(652). J ^π : L=2 in (p,d) (1975An06); 331.58γ M1+E2 to 5/2 ⁺ , and 370.28γ M1+E2 to 3/2 ⁺ . T _{1/2} : from B(E2)↑(650.78)=0.0078 6 in Coulomb excitation.
673.2 4	1/2 ⁺	5.0 ps 5	B E HI	XREF: E(674). J ^π : L=0 in (p,d) (1975An06); 392.73γ M1+E2 to 3/2 ⁺ , and 673.24γ E2 to 5/2 ⁺ . T _{1/2} : from B(E2)(673.24γ)=0.0082 9 in Coulomb excitation; Others:>2 ps from DSA (1974Er05).
696.66 19	(7/2) ⁺	<11 ps	GH K	XREF: G(692). J ^π : 415.8γ to 3/2 ⁺ , and 254.3γ to (7/2) ⁺ . T _{1/2} : from B(E2)(697.1γ)=0.0020 10 in Coulomb excitation.
727.5 5	5/2 ⁺	<7 ps	B EFGHI	XREF: F(724)G(721). J ^π : L=2 in $^{106}\text{Pd}(p,d)$ (1975An06); 421.03γ M1(+E2) to 7/2 ⁺ , and 446.8γ M1+E2 to 3/2 ⁺ . T _{1/2} : from B(E2)↑(727.28)=0.0057 25 in Coulomb excitation.
781.99 [‡] 22	9/2 ⁺	1.58 ps 14	C E HI KL	XREF: E(784). J ^π : L=4 in $^{106}\text{Pd}(p,d)$ (1975An06); 781.3γ E2 to 5/2 ⁺ , 339.4γ M1(+E2) to (7/2) ⁺ ; band member. T _{1/2} : weighted average of 1.7 ps 4 from DSAM in 1971SiYG, 1.11 ps 28 in 1974Er05, 1.80 ps 28 from RDDS in 1971SiYQ, 1.4 ps 1 in 1970GeZY, and 1.94 ps 13 from B(E2)↑(781.3)=0.101 7 in Coulomb excitation; Other: 2.9 ps 3 from DSAM in 1972SiZX.
785.0 10	(1/2 ⁺ to 9/2 ⁺)		FGH	XREF: F(787). J ^π : 785γ to 5/2 ⁺ . B(E2)↑: 0.05 1 in Coulomb excitation.
808			E	
902.12 22	9/2 ⁺		L	J ^π : 582.74γ E2 to 5/2 ⁺ , 595.73γ M1+E2 to 7/2 ⁺ .
921.3 6	(1/2 ⁺ to 5/2 ⁺)		B	J ^π : 576.7γ to 1/2 ⁺ , 921.2γ to 5/2 ⁺ .
929.6 5	(5/2 ⁺)		BC E I	J ^π : L=2 in $^{106}\text{Pd}(p,d)$ (1975An06); 486.8γ to (7/2) ⁺ , 370γ to 3/2 ⁺ .
945.0 10			GH	J ^π : 945γ to 5/2 ⁺ . B(E2)↑: 0.020 5 in Coulomb excitation.
962.4 4	(1/2,3/2) ⁺	<0.2 ps	B E HI	XREF: E(964)I(961.4). J ^π : L=0 in $^{106}\text{Pd}(p,d)$ (1975An06); 401.75γ to 3/2 ⁺ , 962.45γ to 5/2 ⁺ . T _{1/2} : from B(E2)↑(962.45γ)=0.008 5 in Coulomb excitation.
970.0 [@] 3	15/2 ⁻		I KLM	J ^π : 480.8γ E2 to 11/2 ⁻ ; band member.
970	(1/2 ⁺ to 7/2 ⁺)		EFG	XREF: E(972)G(979). J ^π : L=(2) in $^{104}\text{Pd}(d,p)$ (1963Cu02).

Continued on next page (footnotes at end of table)

Adopted Levels, Gammas (continued)

				<u>¹⁰⁵Pd Levels (continued)</u>
E(level) [†]	J ^π	XREF		Comments
1011.47 [#] 24	(11/2 ⁺)		I KLM	J ^π : 228.9γ M1+E2 to 9/2 ⁺ , 705.2γ E2 to 7/2 ⁺ , 523.6γ to 11/2 ⁻ .
1072.2 8	(5/2 ⁺ ,7/2 ⁺ ,9/2 ⁺)	C G		XREF: G(1068). J ^π : 629.7γ to (7/2) ⁺ , 1072.2γ to 5/2 ⁺ ; log ft= 6.84 10 in ¹⁰⁵ Ag ε decay (7.23 min).
1074.6 4	(3/2 ⁺)	F I		XREF: F(1075).
1088.2 4	3/2 ⁻	B I		J ^π : L=(0) in ¹⁰⁴ Pd(d,p) (1963Cu02); 768.4γ to 7/2 ⁺ , 793.8γ to 3/2 ⁺ .
1098.1 5	(5/2 ⁺ ,7/2 ⁺ ,9/2 ⁺)	C E I		J ^π : L=(0) in ¹⁰⁴ Pd(d,p) (1963Cu02); 360.72γ E1 to 5/2 ⁺ , 414.85γ (E1) to 1/2 ⁺ , 807.57γ E1(+M2) to 3/2 ⁺ .
1109.1 5	(5/2 ⁺ ,7/2 ⁺ ,9/2 ⁺)	C E I		J ^π : 818γ to 3/2 ⁺ , 656.5γ to (7/2) ⁺ ; log ft=5.94 10 in ¹⁰⁵ Ag ε decay (7.23 min).
1102.3 5	(1/2 ⁺ to 5/2 ⁺)	FG I		XREF: F(1103)G(1105).
1125.1 6	(1/2 ⁺ to 7/2 ⁺)	B		J ^π : L=2 in ¹⁰⁴ Pd(d,p) (1963Cu02); 821.7γ to 3/2 ⁺ .
1142.34 17	(1/2 ⁺ ,3/2 ⁺)	FG I		J ^π : 844.6γ to 3/2 ⁺ , 1125.2γ to 5/2 ⁺ .
1177.7 3	(1/2 ⁺ ,3/2 ⁺)		IJ	XREF: F(1141)G(1155). J ^π : L=(0) in ¹⁰⁴ Pd(d,p) (1963Cu02); 582.1γ to 3/2 ⁺ , 1142.2γ to 5/2 ⁺ .
1201.7 4	(1/2 ⁺ ,3/2 ⁺)	F I		J ^π : 1177.7γ to 5/2 ⁺ ; 5918γ primary from 7094.1-keV level in ¹⁰⁴ Pd(n,γ) E=th.
1259.22 22	(3/2 ⁺)	FG I		J ^π : L=(2) ¹⁰⁴ Pd(d,p) (1963Cu02); 640.8γ to 3/2 ⁺ .
1271.41 [‡] 24	(11/2 ⁺)	G KL		XREF: F(1263)G(1242). J ^π : L=(0) in ¹⁰⁴ Pd(d,p) (1963Cu02); 952.6γ to 7/2 ⁺ , 979.0γ to 3/2 ⁺ .
1324.2 3	(11/2 ⁺)		K	XREF: G(1288). J ^π : 489.5γ M1+E2 to 9/2 ⁺ , 829.1γ E2 to (7/2) ⁺ .
1357.0 ^b 8	(13/2 ⁻)		L	J ^π : 312.6γ to (11/2 ⁺), 881.3γ (E2) to (7/2) ⁺ .
1405.2 3	(3/2 ⁺ ,5/2 ⁺)	F I		J ^π : 387γ to 15/2 ⁻ , 868γ to 11/2 ⁻ .
1410.9 3	(13/2 ⁺)	G K		XREF: F(1402). J ^π : 263.3γ to (1/2 ⁺ ,3/2), 1098.5γ to 7/2 ⁺ , 1405.5γ to 5/2 ⁺ .
1520.8 5	(3/2 ⁺ to 7/2 ⁺)	F I		XREF: G(1417). J ^π : L=5 in ¹⁰⁶ Pd(d,t) (1980Sc23); 140.0γ to (11/2) ⁺ , 399.9γ to (11/2) ⁺ , 628.1γ to 9/2 ⁺ ; assumed near-yrast level.
1601.3 5	(1/2 ⁺ to 5/2 ⁺)	F I		XREF: F(1522). J ^π : 1078.0γ to (7/2) ⁺ , 1240.8γ to 3/2 ⁺ .
1650.6 5	(7/2 ⁻)	F I		XREF: F(1602). J ^π : L=(2) in ¹⁰⁴ Pd(d,p) (1963Cu02), 459.0γ to (1/2 ⁺ ,3/2), 1600.4γ to 5/2 ⁺ .
1671.14 [‡] 24	(13/2 ⁺)		L	XREF: F(1652). J ^π : 1162.1γ to 11/2 ⁻ , 1208.7γ to (7/2) ⁺ , 1305.5γ to 1/2 ⁺ .
1701.0 8	(1/2 ⁺ to 9/2 ⁺)	F I		J ^π : 399.76γ E2+M1 to (11/2) ⁺ , 889.24γ E2 to 9/2 ⁺ ; band member. XREF: F(1702). J ^π : 973.3γ to 5/2 ⁺ .
1741.8 [@] 3	19/2 ⁻		KLM	J ^π : 771.83γ E2 to 15/2 ⁻ ; band member.
1749.6 3	(13/2 ⁺)		L	J ^π : 847.6γ E2 to 9/2 ⁺ ; near-yrast state assumed.
1763.2 3	(15/2 ⁻)		L	J ^π : 793.17γ M1+E2 to 15/2 ⁻ , 1274.15γ to 11/2 ⁻ ; near yrast state.
1774.7 6	(1/2 ⁺ to 9/2 ⁺)	F I		XREF: F(1772). J ^π : 1455.3γ to 5/2 ⁺ .
1854.1 3	(13/2 ⁺)		K	J ^π : 530.3γ to (11/2 ⁺), 442γ to (13/2 ⁺); assumed near-yrast.
1865.6 4	(1/2 ⁺ to 7/2 ⁺)	F I		XREF: F(1867). J ^π : 1305.5γ to 3/2 ⁺ .
1873.9 3	(15/2 ⁺)		K	J ^π : 602.7γ to (11/2) ⁺ ; 862.7γ to (11/2 ⁺) assumed to be (E2) in ¹⁰⁴ Ru(α,3nγ) (1977Gr22).
1901.8 [#] 3	(15/2 ⁺)		KLM	XREF: K(1900.8)L(1902.17)M(1903). J ^π : 889.8γ E2 to (11/2 ⁺); band member.
1922.9 5	(1/2 ⁺ ,3/2 ⁺)	F I		XREF: F(1923). J ^π : L=(0) in ¹⁰⁴ Pd(d,p) (1963Cu02); 1360.7γ to 3/2 ⁺ .
1961.3 ^b 3	(17/2 ⁻)		L	J ^π : 991.38γ M1+E2 to 15/2 ⁻ ; 814.22γ (E2) from (21/2 ⁻).
1988.9 5	(1/2,3/2,5/2) ⁺	F I		XREF: F(1990).

Continued on next page (footnotes at end of table)

Adopted Levels, Gammas (continued)

<u>¹⁰⁵Pd Levels (continued)</u>			
E(level) [†]	J ^π	XREF	Comments
2064.7 7	(1/2 ⁺ ,3/2 ⁺)	F I	J ^π : 1026.7γ to (1/2,3/2) ⁺ ; L=(2) from ¹⁰⁴ Pd(d,p) (1963Cu02). XREF: F(2062).
2101.5 7	(7/2 ⁻ ,9/2,11/2 ⁺)	F I	J ^π : L=(2) in ¹⁰⁴ Pd(d,p) (1963Cu02); 1745.2γ to 5/2 ⁺ , 1784.3γ to 3/2 ⁺ . XREF: F(2102).
2197.1 [‡] 3	(15/2) ⁺	L	J ^π : 1611.8γ to 11/2 ⁻ , 1660.0γ to (7/2) ⁺ .
2280.6 4	(15/2,17/2) ⁻	L	J ^π : 925.8γ E2 to (11/2) ⁺ ; near yrast state.
2344.6 3	(19/2) ⁻	L	J ^π : 1310.6γ M1+E2 to 15/2 ⁻ .
2420		F	J ^π : 581.45γ E2 to (15/2) ⁻ , 602.78γ M1+E2 to 19/2 ⁻ .
2490.9 4	(19/2) ⁻	L	J ^π : 749.1γ to 19/2 ⁻ , 1520.9γ (E2) to 15/2 ⁻ .
2552.0 [‡] 3	(17/2) ⁺	L	J ^π : 881.0γ E2 to (13/2) ⁺ , 649.9γ to (15/2) ⁺ , 1582.0γ to 15/2 ⁻ ; band member.
2565.01 24	(17/2) ⁺	L	J ^π : 367.9γ to (15/2) ⁺ , 815.4γ E2 to (13/2) ⁺ , 893.88γ (E2) to (13/2) ⁺ .
2613 8		F	
2700.2 [@] 3	23/2 ⁻	KLM	XREF: K(2698.9). J ^π : 958.42γ to E2 to 19/2 ⁻ ; band member.
2703.9 3	(19/2) ⁻	L	J ^π : 962.10γ M1+E2 to 19/2 ⁻ .
2755.9 [#] 3	19/2 ⁺	KLM	XREF: K(2754.5)M(2757). J ^π : 854.02γ E2 to (15/2) ⁺ , 1014.3γ E1+M2 to 19/2 ⁻ ; band member.
2775.6 ^b 3	(21/2) ⁻	L	J ^π : 1033.7γ M1+E2 to 19/2 ⁻ ; near-yrast state assumed.
2806.5 ^c 3	(19/2) ⁺	L	J ^π : 254.53γ M1+E2 to (17/2) ⁺ , 904.7γ E2 to (15/2) ⁺ .
2900.7 ^{&} 3	(21/2) ⁻	L	J ^π : 1158.94γ M1+E2 to 19/2 ⁻ , 939.4γ to (17/2) ⁻ .
3072.8 ^a 3	(21/2) ⁺	L	J ^π : 372.6γ E1+M2 to 23/2 ⁻ , 508.0γ E2 to (17/2) ⁺ , 1331.0γ E1+M2 to 19/2 ⁻ ; band member.
3119.2 ^c 3	(21/2) ⁺	L	J ^π : 312.67γ M1+E2 to (19/2) ⁺ , 1377.3γ to 19/2 ⁻ ; band member.
3153.3 3	(23/2) ⁻	KL	J ^π : 452.98γ M1(+E2) to 23/2 ⁻ , 808.8γ E2 to (19/2) ⁻ ; J ^π =(27/2) ⁻ in ¹⁰⁴ Ru(α,3nγ).
3294.7 [#] 3	23/2 ⁺	KLM	J ^π : 538.83γ E2 to 19/2 ⁺ ; band member.
3320		F	
3468.6 ^c 3	(23/2) ⁺	L	J ^π : 349.38γ M1+E2 to (21/2) ⁺ ; near-yrast state assumed.
3527.6 ^a 3	(25/2) ⁺	L	J ^π : 232.8γ M1+E2 to 23/2 ⁺ ; 454.82 γ E2 to (21/2) ⁺ ; band member.
3570		F	
3690		F	
3694.4 4	(25/2) ⁻	L	J ^π : 918.8γ E2 to (21/2) ⁻ , 994.12γ M1+E2 to 23/2 ⁻ .
3800.5 [@] 3	(27/2) ⁻	KLM	XREF: K(3797.7). J ^π : 1100.24γ (E2) to 23/2 ⁻ ; band member.
3859.4 ^{&} 6	(25/2) ⁻	L	J ^π : 1084γ to (21/2) ⁻ , 1159γ to 23/2 ⁻ ; band member.
3873.0 [#] 3	27/2 ⁺	KLM	XREF: K(3871.3)M(3874). J ^π : 578.27γ E2 to 23/2 ⁺ ; band member.
4000		F	
4110		F	
4254.4 ^a 4	(29/2) ⁺	L	J ^π : 726.8γ E2 to (25/2) ⁺ ; band member.
4510		F	
4668.2 [#] 4	(31/2) ⁺	LM	XREF: M(4669). J ^π : 795.23γ (E2) to 27/2 ⁺ ; band member.
4690		F	
4783.4 ^b 7	(29/2) ⁻	L	J ^π : 1089γ (E2) to 25/2 ⁻ ; band member.
4840		F	
4953.1 [@] 4	(31/2) ⁻	LM	J ^π : 1152.64γ (E2) to (27/2) ⁻ ; band member.
4955.9 ^{&} 8	(29/2) ⁻	L	J ^π : 1261γ to 25/2 ⁻ ; band member.
5255.3 ^a 5	(33/2) ⁺	L	J ^π : 1000.9γ (E2) to (29/2) ⁺ ; band member.
5682.2 [#] 11	(35/2) ⁺	M	J ^π : 1014γ to (31/2) ⁺ ; assumed near-yrast state.

Continued on next page (footnotes at end of table)

Adopted Levels, Gammas (continued) ^{105}Pd Levels (continued)

E(level) [†]	J ^π	T _{1/2}	XREF	Comments
5847.4 ^b 12	(33/2 ⁻)		L	J ^π : 1064γ (E2) to (29/2 ⁻); band member.
6073.1 [@] 11	(35/2 ⁻)		LM	J ^π : 1120γ to (31/2 ⁻); band member.
6860.3 [#] 15	(39/2 ⁺)		M	J ^π : 1178γ to (35/2 ⁺); band member.
6995.4 ^b 16	(37/2 ⁻)		L	
(7094.5 7)		5.1 fs 8	J	J ^π : assumed s-wave neutron capture.
7193.1 [@] 15	(39/2 ⁻)		LM	J ^π : 1120γ to (35/2 ⁻); band member.
8127.3 [#] 18	(43/2 ⁺)		M	J ^π : 1267γ to (39/2 ⁺); band member.
8297.4 ^b 19	(41/2 ⁻)		L	J ^π : 1302γ to (37/2 ⁻); band member.
8410.1 [@] 18	(43/2 ⁻)		LM	J ^π : 1217γ to (39/2 ⁻); band member.
9440.3 [#] 21	(47/2 ⁺)		M	J ^π : 1313γ to (43/2 ⁺); band member.
10875.3 [#] 23	(51/2 ⁺)		M	J ^π : 1435γ to (47/2 ⁺); band member.
x ^d	[43/2 ⁺]		M	Additional information 1. J ^π : from systematics.
x+1209.0 ^d 10	[47/2 ⁺]		M	J ^π : 1209γ to [43/2 ⁺]; band member.
x+2491.0 ^d 15	[51/2 ⁺]		M	J ^π : 1282γ to [47/2 ⁺]; band member.
x+3870.0 ^d 18	[55/2 ⁺]		M	J ^π : 1379γ to [51/2 ⁺]; band member.
x+5358.0 ^d 20	[59/2 ⁺]		M	J ^π : 1488γ to [55/2 ⁺]; band member.
x+6955.0 ^d 23	[63/2 ⁺]		M	J ^π : 1597γ to [59/2 ⁺]; band member.
x+8675.1 ^d 25	[67/2 ⁺]		M	J ^π : 1720γ to [63/2 ⁺]; band member.
x+10521 ^d 3	[71/2 ⁺]		M	J ^π : 1846γ to [67/2 ⁺]; band member.
x+12528 ^d 3	[75/2 ⁺]		M	J ^π : 2007γ to [71/2 ⁺]; band member.
x+14669 ^d 3	[79/2 ⁺]		M	J ^π : 2141γ to [75/2 ⁺]; band member.

[†] From a least-squares fit to Eγ.

[‡] Band(A): ΔJ=1 band built on J^π=5/2⁺.

[#] Band(B): ΔJ=2 band built on J^π=7/2⁺.

[@] Band(C): ΔJ=2 band built on J^π=11/2⁻.

[&] Band(D): ΔJ=2 signature partner of J^π=11/2⁻ band.

^a Band(E): ΔJ=2 band built on J^π=(21/2⁺).

^b Band(F): ΔJ=2 wobbling band on J^π=(13/2⁻).

^c Band(G): ΔJ=1 band, built on J^π=(17/2⁺).

^d Band(H): ΔJ=2 superdeformed band.

Adopted Levels, Gammas (continued)

$\gamma(^{105}\text{Pd})$									
$E_i(\text{level})$	J_i^π	E_γ^\ddagger	I_γ^\ddagger	E_f	J_f^π	Mult.	δ	α^\dagger	Comments
280.62	3/2 ⁺	280.54	100	0.0	5/2 ⁺	M1+E2	+0.143 7	0.0238	$\alpha(\text{K})=0.0207$ 3; $\alpha(\text{L})=0.00249$ 4; $\alpha(\text{M})=0.000469$ 7; $\alpha(\text{N}+..)=7.89\times 10^{-5}$ 12 $\alpha(\text{N})=7.89\times 10^{-5}$ 12 B(M1)(W.u.)=0.0203 22; B(E2)(W.u.)=4.6 7 Mult.: $A_{22}=0.156$ 8, $A_{44}=0.031$ 9 in ^{105}Ag ε decay (41.29 d) (1983Si08); Also $A_{22}=-0.048$ 10, $A_{44}=0.015$ 10 (1977Ri05) and $R_{\text{DCO}}=2.19$ 6 (1977Ri05) in $^{96}\text{Zr}(^{12}\text{C},3\text{n}\gamma)$. Mult.: $\alpha(\text{K})_{\text{exp}}=0.0209$ 13 in ^{105}Ag ε decay (41.29 d) (1970Ka13), 0.020 4 (1965Pi01). δ : weighted average of 0.178 14 (1983Si08) and +0.132 8 (1977Wi10); Others: 0.01 1 (1977Ri05), +0.07 7 (1976Ba39), +0.013 3 (1972Be67), +0.035 22 (1962Bh03), +0.11 3 (1958Ra01).
306.41	7/2 ⁺	306.30	100	0.0	5/2 ⁺	M1+E2	+0.055 2	0.0188	$\alpha(\text{K})=0.01640$ 23; $\alpha(\text{L})=0.00196$ 3; $\alpha(\text{M})=0.000368$ 6; $\alpha(\text{N}+..)=6.20\times 10^{-5}$ 9 $\alpha(\text{N})=6.20\times 10^{-5}$ 9 B(M1)(W.u.)=0.0106 12; B(E2)(W.u.)=0.30 4 Mult.: $A_{22}=-0.048$ 10, $A_{44}=0.015$ 10 (1977Ri05); $R_{\text{DCO}}=2.19$ 6 (1977Ri05). Mult.: $\alpha(\text{K})_{\text{exp}}=0.0209$ 13 (1970Ka13); 0.016 2 (1964Ka23). δ : from 1976Ba39; Other: 0.06 1 (1977Wi10), 0.01 1 (1977Ri05), +0.02 4 (1977Ri05).
319.38	5/2 ⁺	38.77 17	0.14	280.62	3/2 ⁺	M1(+E2)		24 18	$\alpha(\text{K})=12$ 7; $\alpha(\text{L})=10$ 10; $\alpha(\text{M})=1.9$ 18; $\alpha(\text{N}+..)=0.3$ 3 $\alpha(\text{N})=0.3$ 3 Mult.: $\alpha(\text{K})_{\text{exp}}=5.8$ 6 in ^{105}Rh β^- decay (35.3 h) (1965Pi01).
		319.24	100.0	0.0	5/2 ⁺	M1+E2	+0.103 8	0.01697	$\alpha(\text{K})=0.01481$ 21; $\alpha(\text{L})=0.001769$ 25; $\alpha(\text{M})=0.000332$ 5; $\alpha(\text{N}+..)=5.60\times 10^{-5}$ 8 $\alpha(\text{N})=5.60\times 10^{-5}$ 8 B(M1)(W.u.)=0.019 3; B(E2)(W.u.)=1.8 4 Mult.: $A_{22}=0.21$ 4, $A_{44}=0.01$ 5 (1977Ri05); $R_{\text{DCO}}=1.08$ 19 (1977Ri05) in $^{96}\text{Zr}(^{12}\text{C},3\text{n}\gamma)$; Also, $\alpha(\text{K})_{\text{exp}}=0.013$ (1964Ka23) in ^{105}Rh β^- decay (35.3 h) and 0.014 9 (1970Ka13) in ^{105}Ag ε decay (41.29 d). δ : weighted average of +0.137 9 (1981Al19), +0.11 1 (1977Wi10) and +0.091 13 (1976Ba39);
344.9	1/2 ⁺	64.072	26.8	280.62	3/2 ⁺	M1(+E2)	-0.025 30	1.354 23	$\alpha(\text{K})=1.175$ 19; $\alpha(\text{L})=0.147$ 5; $\alpha(\text{M})=0.0276$ 9; $\alpha(\text{N}+..)=0.00463$ 14 $\alpha(\text{N})=0.00463$ 14 B(M1)(W.u.)=0.0149 +20-21; B(E2)(W.u.)=2.0 +91-16 Mult.: $\alpha(\text{K})_{\text{exp}}=1.17$ 7 (1970Ka13) in ^{105}Ag ε decay (41.29 d). δ : from (1981Al19) in ^{105}Ag ε decay (41.29 d).
		344.61	100.0	0.0	5/2 ⁺	E2		0.0188	$\alpha(\text{K})=0.01611$ 23; $\alpha(\text{L})=0.00219$ 3; $\alpha(\text{M})=0.000413$ 6; $\alpha(\text{N}+..)=6.80\times 10^{-5}$ 10

Adopted Levels, Gammas (continued)

$\gamma(^{105}\text{Pd})$ (continued)									
$E_i(\text{level})$	J_i^π	E_γ^{\ddagger}	I_γ^{\ddagger}	E_f	J_f^π	Mult.	δ	α^\ddagger	Comments
442.53	(7/2) ⁺	442.25	100	0.0	5/2 ⁺	M1+E2	-0.23 6	0.00756 11	$\alpha(\text{N})=6.80 \times 10^{-5}$ 10 B(E2)(W.u.)=2.64 15 Mult.: $\alpha(\text{K})_{\text{exp}}=0.0163$ 10 (1970Ka13) in ¹⁰⁵ Ag ϵ decay (41.29 d). B(M1)(W.u.)=0.20 +17-7; B(E2)(W.u.)=47 +55-24 $\alpha=0.00756$ 11; $\alpha(\text{K})=0.00661$ 10; $\alpha(\text{L})=0.000784$ 13; $\alpha(\text{M})=0.0001471$ 23; $\alpha(\text{N}+..)=2.48 \times 10^{-5}$ $\alpha(\text{N})=2.48 \times 10^{-5}$ 4 Mult.: $A_{22}=-0.610$ 21, $A_{44}=0.031$ 24 (1977Ri05); $R_{\text{DCO}}=4.1$ 7 (1977Ri05) in ⁹⁶ Zr(¹² C,3n γ). δ : weighted average of -0.33 13 or -0.20 7 (1977Ri05) in ⁹⁶ Zr(¹² C,3n γ); Also: -0.2 or -0.3 (1977Wi10) and -0.8 +7-4 (1976Ba39) in ¹⁰⁵ Rh β^- decay (35.3 h). $\alpha(\text{K})=0.383$ 6; $\alpha(\text{L})=0.0567$ 8; $\alpha(\text{M})=0.01087$ 16; $\alpha(\text{N}+..)=0.00182$ 3 $\alpha(\text{N})=0.00182$ 3 B(M2)(W.u.)=0.132 4 Mult.: $A_{22}=0.03$ 4, $A_{44}=0.00$ 4 (1977Ri05) in ⁹⁶ Zr(¹² C,3n γ); Also $\alpha(\text{K})_{\text{exp}}=0.40$ 5 (1970Ka13) in ¹⁰⁵ Ag ϵ decay (41.29 d).
489.1	11/2 ⁻	182.92	100	306.41	7/2 ⁺	M2		0.453	$\alpha=0.00427$ 7; $\alpha(\text{K})=0.00372$ 6; $\alpha(\text{L})=0.000451$ 18; $\alpha(\text{M})=8.5 \times 10^{-5}$ 4; $\alpha(\text{N}+..)=1.42 \times 10^{-5}$ 5 $\alpha(\text{N})=1.42 \times 10^{-5}$ 5 Mult.: $\alpha(\text{K})_{\text{exp}}=0.0038$ 4 (1970Ka13) in ¹⁰⁵ Ag ϵ decay (41.29 d). $\alpha(\text{K})=0.238$ 4; $\alpha(\text{L})=0.0423$ 6; $\alpha(\text{M})=0.00808$ 12; $\alpha(\text{N}+..)=0.001290$ 18 $\alpha(\text{N})=0.001290$ 18 B(E2)(W.u.)=63.5 23 Mult.: $\alpha(\text{K})_{\text{exp}}=0.235$ 21 (1970Ka13).
560.50	3/2 ⁺	216.1 560.79	2.44 100	344.9 0.0	1/2 ⁺ 5/2 ⁺	M1+E2		0.00427 7	$\alpha=0.00559$ 8; $\alpha(\text{K})=0.00489$ 7; $\alpha(\text{L})=0.000571$ 8; $\alpha(\text{M})=0.0001067$ 15; $\alpha(\text{N}+..)=1.79 \times 10^{-5}$ 3 $\alpha(\text{N})=1.79 \times 10^{-5}$ 3 B(E1)(W.u.)=1.289 $\times 10^{-6}$ 24 Mult.: $\alpha(\text{K})_{\text{exp}}=0.0043$ 8 (1970Ka13). $\alpha=0.001061$ 15; $\alpha(\text{K})=0.000930$ 13; $\alpha(\text{L})=0.0001070$ 15; $\alpha(\text{M})=2.00 \times 10^{-5}$ 3; $\alpha(\text{N}+..)=3.37 \times 10^{-6}$ $\alpha(\text{N})=3.37 \times 10^{-6}$ 5 B(E1)(W.u.)=8.38 $\times 10^{-6}$ 14; B(M2)(W.u.)=0.024 12 Mult.: $A_{22}=-0.170$ 5, 0.001 1 (1977Ba32); Also, $\alpha(\text{K})_{\text{exp}}=0.00090$ 6 (1970Ka13) in ¹⁰⁵ Ag ϵ decay (41.29 d). δ : weighted average of -0.020 +5-6 (1977Ba32) and -0.012 4 (1981Al19) in ¹⁰⁵ Ag ϵ decay (41.29 d).
644.7	7/2 ⁻	155.38	4.05	489.1	11/2 ⁻	E2		0.289	$\alpha=0.001061$ 15; $\alpha(\text{K})=0.000930$ 13; $\alpha(\text{L})=0.0001070$ 15; $\alpha(\text{M})=2.00 \times 10^{-5}$ 3; $\alpha(\text{N}+..)=3.37 \times 10^{-6}$ $\alpha(\text{N})=3.37 \times 10^{-6}$ 5 B(E1)(W.u.)=8.38 $\times 10^{-6}$ 14; B(M2)(W.u.)=0.024 12 Mult.: $A_{22}=-0.170$ 5, 0.001 1 (1977Ba32); Also, $\alpha(\text{K})_{\text{exp}}=0.00090$ 6 (1970Ka13) in ¹⁰⁵ Ag ϵ decay (41.29 d). δ : weighted average of -0.020 +5-6 (1977Ba32) and -0.012 4 (1981Al19) in ¹⁰⁵ Ag ϵ decay (41.29 d).
		202.21 325.43	0.29 1.98	442.53 319.38	(7/2) ⁺ 5/2 ⁺	E1		0.00559 8	$\alpha=0.001061$ 15; $\alpha(\text{K})=0.000930$ 13; $\alpha(\text{L})=0.0001070$ 15; $\alpha(\text{M})=2.00 \times 10^{-5}$ 3; $\alpha(\text{N}+..)=3.37 \times 10^{-6}$ $\alpha(\text{N})=3.37 \times 10^{-6}$ 5 B(E1)(W.u.)=8.38 $\times 10^{-6}$ 14; B(M2)(W.u.)=0.024 12 Mult.: $A_{22}=-0.170$ 5, 0.001 1 (1977Ba32); Also, $\alpha(\text{K})_{\text{exp}}=0.00090$ 6 (1970Ka13) in ¹⁰⁵ Ag ϵ decay (41.29 d). δ : weighted average of -0.020 +5-6 (1977Ba32) and -0.012 4 (1981Al19) in ¹⁰⁵ Ag ϵ decay (41.29 d).
		644.63	100	0.0	5/2 ⁺	E1+M2	-0.016 4	0.001061 15	$\alpha=0.001061$ 15; $\alpha(\text{K})=0.000930$ 13; $\alpha(\text{L})=0.0001070$ 15; $\alpha(\text{M})=2.00 \times 10^{-5}$ 3; $\alpha(\text{N}+..)=3.37 \times 10^{-6}$ $\alpha(\text{N})=3.37 \times 10^{-6}$ 5 B(E1)(W.u.)=8.38 $\times 10^{-6}$ 14; B(M2)(W.u.)=0.024 12 Mult.: $A_{22}=-0.170$ 5, 0.001 1 (1977Ba32); Also, $\alpha(\text{K})_{\text{exp}}=0.00090$ 6 (1970Ka13) in ¹⁰⁵ Ag ϵ decay (41.29 d). δ : weighted average of -0.020 +5-6 (1977Ba32) and -0.012 4 (1981Al19) in ¹⁰⁵ Ag ϵ decay (41.29 d).
650.9	(3/2) ⁺	90.01 331.58	0.81 100	560.50 319.38	3/2 ⁺ 5/2 ⁺	M1+E2	-0.084 7	0.01539	B(M1)(W.u.)>0.047; B(E2)(W.u.)>2.2

Adopted Levels, Gammas (continued)

$\gamma(^{105}\text{Pd})$ (continued)

<u>E_i(level)</u>	<u>J_i^{π}</u>	<u>E_{γ}^{\ddagger}</u>	<u>I_{γ}^{\ddagger}</u>	<u>E_f</u>	<u>J_f^{π}</u>	<u>Mult.</u>	<u>δ</u>	<u>α^\dagger</u>	<u>Comments</u>		
∞	(3/2) ⁺	370.28	17.85	280.62	3/2 ⁺	M1+E2	0.11 3	0.01167	$\alpha(\text{K})=0.01343$ 19; $\alpha(\text{L})=0.001602$ 23; $\alpha(\text{M})=0.000301$ 5; $\alpha(\text{N}+..)=5.07\times 10^{-5}$ 8 $\alpha(\text{N})=5.07\times 10^{-5}$ 8 Mult.: $A_{22}=-0.104$ 11, $A_{44}=-0.10$ 10 (1977Ba32) in ¹⁰⁵ Ag ϵ decay (41.29 d); Also $\alpha(\text{K})_{\text{exp}}=0.0122$ 8 (1970Ka13) in ¹⁰⁵ Ag ϵ decay (41.29 d). δ : -0.084 7 (1983Si08), and -0.062 9 (1981Al19) in ¹⁰⁵ Ag ϵ decay (41.29 d).		
		650.78	60.85	0.0	5/2 ⁺	M1+E2		0.00293 7	B(M1)(W.u.)>0.0059; B(E2)(W.u.)>0.21 $\alpha(\text{K})=0.01020$ 15; $\alpha(\text{L})=0.001212$ 18; $\alpha(\text{M})=0.000228$ 4; $\alpha(\text{N}+..)=3.84\times 10^{-5}$ 6 $\alpha(\text{N})=3.84\times 10^{-5}$ 6 Mult.: $A_{22}=-0.072$ 12, $A_{44}=-0.001$ 16 (1983Si08) and $A_{22}=-0.098$ 16, $A_{44}=-0.030$ 45 (1977Ba32) in ¹⁰⁵ Ag ϵ decay (41.29 d); Also $\alpha(\text{K})_{\text{exp}}=0.0094$ 8 (1970Ka13) in ¹⁰⁵ Ag ϵ decay (41.29 d). δ : from 1983Si08 in ¹⁰⁵ Ag ϵ decay (41.29 d), based on γ - $\gamma(\theta)$; Other: 0.000 3 (1977Ba32) in ¹⁰⁵ Ag ϵ decay (41.29 d).		
		673.2	1/2 ⁺	112.51 328.61	1.76 10.25	560.50 344.9	3/2 ⁺ 1/2 ⁺	(M1)		0.01570	$\alpha(\text{K})=0.00293$ 7; $\alpha(\text{K})=0.00256$ 7; $\alpha(\text{L})=0.000306$ 5; $\alpha(\text{M})=5.74\times 10^{-5}$ 9; $\alpha(\text{N}+..)=9.64\times 10^{-6}$ 14 $\alpha(\text{N})=9.64\times 10^{-6}$ 14 Mult.: $\alpha(\text{K})_{\text{exp}}=0.00264$ 18 (1970Ka13) in ¹⁰⁵ Ag ϵ decay (41.29 d).
		353.8 392.73		0.42 100	319.38 280.62	5/2 ⁺ 3/2 ⁺	M1+E2	+0.06 3	0.01006 15	$\alpha(\text{K})=0.01371$ 20; $\alpha(\text{L})=0.001632$ 23; $\alpha(\text{M})=0.000307$ 5; $\alpha(\text{N}+..)=5.17\times 10^{-5}$ 8 $\alpha(\text{N})=5.17\times 10^{-5}$ 8 B(M1)(W.u.)=0.0078 8 Mult.: $\alpha(\text{K})_{\text{exp}}=0.0084$ 9 (1970Ka13) in ¹⁰⁵ Ag ϵ decay (41.29 d).	
		673.24	48.74	0.0	5/2 ⁺	E2		0.00263 4	B(M1)(W.u.)=0.045 +6-5; B(E2)(W.u.)=0.9 +12-7 $\alpha(\text{K})=0.00879$ 13; $\alpha(\text{L})=0.001042$ 15; $\alpha(\text{M})=0.000196$ 3; $\alpha(\text{N}+..)=3.30\times 10^{-5}$ 5 $\alpha(\text{N})=3.30\times 10^{-5}$ 5 Mult.: $A_{22}=0.182$ 17, $A_{44}=0.020$ 25 (1983Si08) and 0.149 13, -0.014 20 (1977Ba32) in ¹⁰⁵ Ag ϵ decay (41.29 d); Also $\alpha(\text{K})_{\text{exp}}=0.0083$ 6 (1970Ka13) in ¹⁰⁵ Ag ϵ decay (41.29 d). δ : weighted average of 0.05 4 (1983Si08) and +0.10 7 (1981Al19) in ¹⁰⁵ Ag ϵ decay (41.29 d); Other: -0.84 +3-17 (1977Ba32). B(E2)(W.u.)=8.4 9 $\alpha=0.00263$ 4; $\alpha(\text{K})=0.00229$ 4; $\alpha(\text{L})=0.000280$ 4; $\alpha(\text{M})=5.26\times 10^{-5}$ 8; $\alpha(\text{N}+..)=8.79\times 10^{-6}$ 13 $\alpha(\text{N})=8.79\times 10^{-6}$ 13 Mult.: $\alpha(\text{K})_{\text{exp}}=0.00224$ 19 (1970Ka13) in ¹⁰⁵ Ag ϵ decay (41.29 d).		

Adopted Levels, Gammas (continued)

<u>$\gamma(^{105}\text{Pd})$ (continued)</u>									
<u>E_i(level)</u>	<u>J_i^{π}</u>	<u>E_{γ}^{\ddagger}</u>	<u>I_{γ}^{\ddagger}</u>	<u>E_f</u>	<u>J_f^{π}</u>	<u>Mult.</u>	<u>δ</u>	<u>α^\dagger</u>	<u>Comments</u>
696.66	(7/2 ⁺)	135.8 [#] 3	22 [#] 5	560.50	3/2 ⁺				
		254.3 [#] 3	92 [#] 27	442.53	(7/2) ⁺				
		415.8 [#] 3	38 [#] 11	280.62	3/2 ⁺				
727.5	5/2 ⁺	697.1 [#] 3	100 [#]	0.0	5/2 ⁺				
		284.8	65.71	442.53	(7/2) ⁺	M1		0.0226	$\alpha(\text{K})=0.0197$ 3; $\alpha(\text{L})=0.00236$ 4; $\alpha(\text{M})=0.000443$ 7; $\alpha(\text{N}+..)=7.47\times 10^{-5}$ 11 $\alpha(\text{N})=7.47\times 10^{-5}$ 11 B(M1)(W.u.)>0.025 Mult.: $\alpha(\text{K})\text{exp}=0.0162$ 23 (1970Ka13) in ¹⁰⁵ Ag ϵ decay (41.29 d).
		408.08	28.57	319.38	5/2 ⁺	M1(+E2)		0.0101 10	$\alpha(\text{K})=0.0087$ 8; $\alpha(\text{L})=0.00109$ 15; $\alpha(\text{M})=0.00021$ 3; $\alpha(\text{N}+..)=3.4\times 10^{-5}$ 5 $\alpha(\text{N})=3.4\times 10^{-5}$ 5 Mult.: $\alpha(\text{K})\text{exp}=0.0070$ 25 (1970Ka13) in ¹⁰⁵ Ag ϵ decay (41.29 d).
		421.03	82.86	306.41	7/2 ⁺	M1(+E2)		0.0092 8	$\alpha=0.0092$ 8; $\alpha(\text{K})=0.0080$ 7; $\alpha(\text{L})=0.00100$ 13; $\alpha(\text{M})=0.000188$ 25; $\alpha(\text{N}+..)=3.1\times 10^{-5}$ 4 $\alpha(\text{N})=3.1\times 10^{-5}$ 4 Mult.: $\alpha(\text{K})\text{exp}=0.0069$ 17 (1970Ka13) in ¹⁰⁵ Ag ϵ decay (41.29 d).
		446.8	68.57	280.62	3/2 ⁺	M1+E2	0.9 +9-5	0.0078 4	B(M1)(W.u.)>0.00040 $\alpha=0.0078$ 4; $\alpha(\text{K})=0.0068$ 3; $\alpha(\text{L})=0.00083$ 6; $\alpha(\text{M})=0.000157$ 11; $\alpha(\text{N}+..)=2.62\times 10^{-5}$ 17 $\alpha(\text{N})=2.62\times 10^{-5}$ 17 Mult.: A ₂₂ =0.043 (32); A ₄₄ =0.053 (47) (1983Si08) in ¹⁰⁵ Ag ϵ decay (41.29 d).
		727.28	100	0.0	5/2 ⁺	M1(+E2)		0.00223 9	δ : from 1983Si08 in ¹⁰⁵ Ag ϵ decay (41.29 d), based on $\gamma\gamma(\theta)$. $\alpha=0.00223$ 9; $\alpha(\text{K})=0.00195$ 8; $\alpha(\text{L})=0.000231$ 5; $\alpha(\text{M})=4.34\times 10^{-5}$ 9; $\alpha(\text{N}+..)=7.30\times 10^{-6}$ 18 $\alpha(\text{N})=7.30\times 10^{-6}$ 18 Mult.: $\alpha(\text{K})\text{exp}=0.0028$ 9 (1970Ka13) in ¹⁰⁵ Ag ϵ decay (41.29 d).
781.99	9/2 ⁺	339.4 [#] 1	#	442.53	(7/2) ⁺	M1(+E2)	-0.04 4	0.01448	$\alpha(\text{K})=0.01264$ 18; $\alpha(\text{L})=0.001505$ 22; $\alpha(\text{M})=0.000283$ 4; $\alpha(\text{N}+..)=4.76\times 10^{-5}$ 7 $\alpha(\text{N})=4.76\times 10^{-5}$ 7 Mult.: A ₂₂ =-0.29 5, A ₄ =0.03 8 (1977Ri05); R _{DCO} =2.5 5 (1977Ri05) in ⁹⁶ Zr(¹² C,3n γ).
		475.1 [@]	100 [@]	306.41	7/2 ⁺				δ : from 1977Ri05 in ⁹⁶ Zr(¹² C,3n γ), based on $\gamma(\theta)$. δ : Also: -0.08 8 (1977Ri05) in ⁹⁶ Zr(¹² C,3n γ).

Adopted Levels, Gammas (continued)

$\gamma(^{105}\text{Pd})$ (continued)									
$E_i(\text{level})$	J_i^π	E_γ^\ddagger	I_γ^\ddagger	E_f	J_f^π	Mult.	δ	α^\ddagger	Comments
781.99	9/2 ⁺	781.3 [@]	54 [@]	0.0	5/2 ⁺	E2		0.00180 3	B(E2)(W.u.)=14.7 13 $\alpha=0.00180$ 3; $\alpha(\text{K})=0.001571$ 22; $\alpha(\text{L})=0.000189$ 3; $\alpha(\text{M})=3.55\times 10^{-5}$ 5; $\alpha(\text{N}+..)=5.95\times 10^{-6}$ 9 $\alpha(\text{N})=5.95\times 10^{-6}$ 9 Mult.: $A_{22}=0.33$ 3, $A_{44}=-0.05$ 4 (1977Ri05); $R_{\text{DCO}}=1.01$ 18 (1977Ri05) in $^{96}\text{Zr}(^{12}\text{C}, 3n\gamma)$.
785.0	(1/2 ⁺ to 9/2 ⁺)	785 ^d		0.0	5/2 ⁺				
902.12	9/2 ⁺	459.6 ^{&} 3	41 ^{&} 7	442.53	(7/2) ⁺	M1+E2	+0.24 9	0.00688 11	$\alpha=0.00688$ 11; $\alpha(\text{K})=0.00601$ 9; $\alpha(\text{L})=0.000712$ 12; $\alpha(\text{M})=0.0001337$ 23; $\alpha(\text{N}+..)=2.25\times 10^{-5}$ 4 $\alpha(\text{N})=2.25\times 10^{-5}$ 4 Mult.: $A_{22}=0.10$ 11, $A_{44}=-0.07$ 4 (1977Ri05) in $^{96}\text{Zr}(^{12}\text{C}, 3n\gamma)$. δ : from $\gamma(\theta)$ in 1977Ri05.
		582.74 ^{&} 25	66 ^{&} 7	319.38	5/2 ⁺	E2		0.00387 6	$\alpha=0.00387$ 6; $\alpha(\text{K})=0.00336$ 5; $\alpha(\text{L})=0.000418$ 6; $\alpha(\text{M})=7.87\times 10^{-5}$ 11; $\alpha(\text{N}+..)=1.312\times 10^{-5}$ 19 $\alpha(\text{N})=1.312\times 10^{-5}$ 19 Mult.: $A_{22}=0.46$ 5, $A_{44}=-0.11$ 7 (1977Ri05), and $R_{\text{DCO}}=0.92$ 16 (1977Ri05) in $^{96}\text{Zr}(^{12}\text{C}, 3n\gamma)$.
		595.73 ^{&} 15	100 ^{&} 7	306.41	7/2 ⁺	M1+E2	+0.16 3	0.00367 6	$\alpha=0.00367$ 6; $\alpha(\text{K})=0.00321$ 5; $\alpha(\text{L})=0.000376$ 6; $\alpha(\text{M})=7.06\times 10^{-5}$ 10; $\alpha(\text{N}+..)=1.191\times 10^{-5}$ 17 $\alpha(\text{N})=1.191\times 10^{-5}$ 17 Mult.: $A_{22}=-0.01$ 3, $A_{44}=0.02$ 4 (1977Ri05) and $R_{\text{DCO}}=2.4$ 5 (1977Ri05) in $^{96}\text{Zr}(^{12}\text{C}, 3n\gamma)$. δ : from $\gamma(\theta)$ in $^{96}\text{Zr}(^{12}\text{C}, 3n\gamma)$ (1977Ri05); Also there: -0.04 8 (1977Ri05).
921.3	(1/2 ⁺ to 5/2 ⁺)	270.5	4.29	650.9	(3/2) ⁺				
		576.7	85.71	344.9	1/2 ⁺				
		640.5	100	280.62	3/2 ⁺				
		921.2	57	0.0	5/2 ⁺				
929.6	(5/2 ⁺)	285.0 ^{@f}	@	644.7	7/2 ⁻				E_γ : observed only in (n,n' γ), where BRs are different from the two ^{105}Ag ε decay data sets.
		370 ^a	20 ^a	560.50	3/2 ⁺				
		486.8	33	442.53	(7/2) ⁺				
		610.0	60.61 3	319.38	5/2 ⁺				
		649.2 ^a	27.59 ^a	280.62	3/2 ⁺				
		929.1	100	0.0	5/2 ⁺				
945.0		945 ^d		0.0	5/2 ⁺				
962.4	(1/2,3/2) ⁺	289.37	10.14	673.2	1/2 ⁺	M1		0.0217	B(M1)(W.u.)>0.31 $\alpha(\text{K})=0.0189$ 3; $\alpha(\text{L})=0.00226$ 4; $\alpha(\text{M})=0.000425$ 6; $\alpha(\text{N}+..)=7.17\times 10^{-5}$ 10

Adopted Levels, Gammas (continued)

<u>$\gamma(^{105}\text{Pd})$ (continued)</u>									
<u>E_i(level)</u>	<u>J_i^{π}</u>	<u>E_{γ}^{\ddagger}</u>	<u>I_{γ}^{\ddagger}</u>	<u>E_f</u>	<u>J_f^{π}</u>	<u>Mult.</u>	<u>δ</u>	<u>α^{\ddagger}</u>	<u>Comments</u>
962.4	(1/2,3/2) ⁺	311.74	6.64	650.9	(3/2) ⁺	M1		0.0179	$\alpha(\text{N})=7.17\times 10^{-5}$ 10 Mult.: $\alpha(\text{K})_{\text{exp}}=0.0147$ 17 (1970Ka13) in ¹⁰⁵ Ag ϵ decay (41.29 d). B(M1)(W.u.)>0.16 $\alpha(\text{K})=0.01566$ 22; $\alpha(\text{L})=0.00187$ 3; $\alpha(\text{M})=0.000351$ 5; $\alpha(\text{N}+.)=5.92\times 10^{-5}$ 9 $\alpha(\text{N})=5.92\times 10^{-5}$ 9 Mult.: $\alpha(\text{K})_{\text{exp}}=0.0096$ 14 (1970Ka13) in ¹⁰⁵ Ag ϵ decay (41.29 d). B(M1)(W.u.)>0.18 $\alpha=0.00950$ 14; $\alpha(\text{K})=0.00831$ 12; $\alpha(\text{L})=0.000983$ 14; $\alpha(\text{M})=0.000185$ 3; $\alpha(\text{N}+.)=3.11\times 10^{-5}$ 5 $\alpha(\text{N})=3.11\times 10^{-5}$ 5 Mult.: $\alpha(\text{K})_{\text{exp}}=0.0065$ 10 (1970Ka13) in ¹⁰⁵ Ag ϵ decay (41.29 d). $\alpha=0.00334$ 6; $\alpha(\text{K})=0.00291$ 6; $\alpha(\text{L})=0.000350$ 7; $\alpha(\text{M})=6.56\times 10^{-5}$ 14; $\alpha(\text{N}+.)=1.101\times 10^{-5}$ 19 $\alpha(\text{N})=1.101\times 10^{-5}$ 19 Mult.: $\alpha(\text{K})_{\text{exp}}=0.00306$ 25 (1970Ka13) in ¹⁰⁵ Ag ϵ decay (41.29 d). $\alpha=0.00261$ 8; $\alpha(\text{K})=0.00228$ 8; $\alpha(\text{L})=0.000272$ 4; $\alpha(\text{M})=5.10\times 10^{-5}$ 8; $\alpha(\text{N}+.)=8.57\times 10^{-6}$ 15 $\alpha(\text{N})=8.57\times 10^{-6}$ 15 Mult.: $\alpha(\text{K})_{\text{exp}}=0.0034$ 8 (1970Ka13) in ¹⁰⁵ Ag ϵ decay (41.29 d). $\alpha=0.00116$ 7; $\alpha(\text{K})=0.00102$ 6; $\alpha(\text{L})=0.000119$ 6; $\alpha(\text{M})=2.23\times 10^{-5}$ 11; $\alpha(\text{N}+.)=3.75\times 10^{-6}$ 19 $\alpha(\text{N})=3.75\times 10^{-6}$ 19 Mult.: $\alpha(\text{K})_{\text{exp}}=0.00119$ 23 (1970Ka13) in ¹⁰⁵ Ag ϵ decay (41.29 d). $\alpha=0.00670$ 10; $\alpha(\text{K})=0.00580$ 9; $\alpha(\text{L})=0.000741$ 11; $\alpha(\text{M})=0.0001395$ 20; $\alpha(\text{N}+.)=2.32\times 10^{-5}$ 4 $\alpha(\text{N})=2.32\times 10^{-5}$ 4 Mult.: A ₂₂ =0.334 9, A ₄₄ =-0.084 9 (1977Ri05); R _{DCO} =0.99 2 (1977Ri05) in ⁹⁶ Zr(¹² C,3n γ). $\alpha(\text{K})=0.0348$ 7; $\alpha(\text{L})=0.00420$ 11; $\alpha(\text{M})=0.000789$ 21; $\alpha(\text{N}+.)=0.000133$ 4 $\alpha(\text{N})=0.000133$ 4 Mult.: A ₂₂ =-0.33 15, A ₄₄ =0.21 19 (1977Ri05) in ⁹⁶ Zr(¹² C,3n γ). δ : from 1977Ri05 in ⁹⁶ Zr(¹² C,3n γ), based on $\gamma(\theta)$.
		401.75	16.08	560.50	3/2 ⁺	M1		0.00950 14	
		617.90	100	344.9	1/2 ⁺	M1(+E2)		0.00334 6	
		681.94	6.29	280.62	3/2 ⁺	M1(+E2)		0.00261 8	
		962.45	9.44	0.0	5/2 ⁺	M1(+E2)		0.00116 7	
970.0	15/2 ⁻	480.8 [@] 2	100 [@]	489.1	11/2 ⁻	E2		0.00670 10	
1011.47	(11/2 ⁺)	228.9 [@]	64.29 [@]	781.99	9/2 ⁺	M1+E2	-0.05 9	0.0399 8	

Adopted Levels, Gammas (continued)

$\gamma(^{105}\text{Pd})$ (continued)								
$E_i(\text{level})$	J_i^π	E_γ^\ddagger	I_γ^\ddagger	E_f	J_f^π	Mult.	α^\ddagger	Comments
1011.47	(11/2 ⁺)	523.6 [@] 7 705.2 [@] 2	32 [@] 6 100 [@] 7	489.1 306.41	11/2 ⁻ 7/2 ⁺	E2	0.00233 4	$\alpha=0.00233$ 4; $\alpha(\text{K})=0.00203$ 3; $\alpha(\text{L})=0.000247$ 4; $\alpha(\text{M})=4.64\times 10^{-5}$ 7; $\alpha(\text{N}+..)=7.76\times 10^{-6}$ 11 $\alpha(\text{N})=7.76\times 10^{-6}$ 11 Mult.: $A_{22}=0.346$ 17, $A_{44}=-0.102$ 24 (1977Ri05); $R_{\text{DCO}}=0.99$ 4 (1977Ri05) in $^{96}\text{Zr}(^{12}\text{C},3\text{n}\gamma)$.
1072.2	(5/2 ⁺ ,7/2 ⁺ ,9/2 ⁺)	629.7 ^a 1072.2 ^a	50 ^a 100 ^a	442.53 0.0	(7/2) ⁺ 5/2 ⁺			
1074.6	(3/2 ⁺)	768.4 [@] 5 793.8 [@] 5	40 [@] 20 100 [@] 20	306.41 280.62	7/2 ⁺ 3/2 ⁺			
1088.2	3/2 ⁻	159.0 360.72	0.29 4.36	929.6 727.5	(5/2 ⁺) 5/2 ⁺	E1	0.00427 6	$\alpha=0.00427$ 6; $\alpha(\text{K})=0.00374$ 6; $\alpha(\text{L})=0.000436$ 6; $\alpha(\text{M})=8.15\times 10^{-5}$ 12; $\alpha(\text{N}+..)=1.365\times 10^{-5}$ 20 $\alpha(\text{N})=1.365\times 10^{-5}$ 20 Mult.: $\alpha(\text{K})\text{exp}=0.0039$ 4 (1970Ka13) in ^{105}Ag ϵ decay (41.29 d). $\alpha=0.00299$ 5; $\alpha(\text{K})=0.00262$ 4; $\alpha(\text{L})=0.000305$ 5; $\alpha(\text{M})=5.69\times 10^{-5}$ 8; $\alpha(\text{N}+..)=9.55\times 10^{-6}$ 14 $\alpha(\text{N})=9.55\times 10^{-6}$ 14 Mult.: $\alpha(\text{K})\text{exp}=0.0040$ 8 (1970Ka13) in ^{105}Ag ϵ decay (41.29 d). $\alpha=0.00263$ 4; $\alpha(\text{K})=0.00230$ 4; $\alpha(\text{L})=0.000267$ 4; $\alpha(\text{M})=4.99\times 10^{-5}$ 7; $\alpha(\text{N}+..)=8.37\times 10^{-6}$ 12 $\alpha(\text{N})=8.37\times 10^{-6}$ 12 Mult.: $\alpha(\text{K})\text{exp}=0.0029$ 6 (1970Ka13) in ^{105}Ag ϵ decay (41.29 d). $\alpha=0.00853$ 12; $\alpha(\text{K})=0.00737$ 11; $\alpha(\text{L})=0.000954$ 14; $\alpha(\text{M})=0.000180$ 3; $\alpha(\text{N}+..)=2.98\times 10^{-5}$ 5 $\alpha(\text{N})=2.98\times 10^{-5}$ 5 Mult.: $\alpha(\text{K})\text{exp}=0.0075$ 5 (1970Ka13) in ^{105}Ag ϵ decay (41.29 d). $\alpha=0.001673$ 24; $\alpha(\text{K})=0.001466$ 21; $\alpha(\text{L})=0.0001694$ 24; $\alpha(\text{M})=3.17\times 10^{-5}$ 5; $\alpha(\text{N}+..)=5.32\times 10^{-6}$ $\alpha(\text{N})=5.32\times 10^{-6}$ 8 Mult.: $\alpha(\text{K})\text{exp}=0.0015$ 4 (1970Ka13) in ^{105}Ag ϵ decay (41.29 d). $\alpha=0.000778$ 11; $\alpha(\text{K})=0.000683$ 10; $\alpha(\text{L})=7.83\times 10^{-5}$ 11; $\alpha(\text{M})=1.463\times 10^{-5}$ 21; $\alpha(\text{N}+..)=2.46\times 10^{-6}$ $\alpha(\text{N})=2.46\times 10^{-6}$ 4 Mult.: $\alpha(\text{K})\text{exp}=0.00070$ 11 (1970Ka13) in ^{105}Ag ϵ decay (41.29 d).
		414.85	2.78	673.2	1/2 ⁺	(E1)	0.00299 5	
		437.30	2.66	650.9	(3/2) ⁺	E1	0.00263 4	
		443.44	100	644.7	7/2 ⁻	E2	0.00853 12	
		527.34	1.00	560.50	3/2 ⁺	E1	0.001673 24	
		646.00 743.45	0.62 4.9	442.53 344.9	(7/2) ⁺ 1/2 ⁺	E1	0.000778 11	
		768.9	0.09	319.38	5/2 ⁺			

Adopted Levels, Gammas (continued)

$\gamma(^{105}\text{Pd})$ (continued)

$E_i(\text{level})$	J_i^π	E_γ^\ddagger	I_γ^\ddagger	E_f	J_f^π	Mult.	δ	α^\ddagger	Comments
1088.2	3/2 ⁻	807.57	10.62	280.62	3/2 ⁺	E1(+M2)	0.03 +4-3	0.000659 19	$\alpha=0.000659$ 19; $\alpha(\text{K})=0.000579$ 17; $\alpha(\text{L})=6.62\times 10^{-5}$ 20; $\alpha(\text{M})=1.24\times 10^{-5}$ 4; $\alpha(\text{N}+..)=2.08\times 10^{-6}$ 7 $\alpha(\text{N})=2.08\times 10^{-6}$ 7 Mult.: $A_{22}=-0.108$ 15; $A_{44}=-0.2$ 2 (1983Si08) in ¹⁰⁵ Ag ϵ decay (41.29 d); Also: $\alpha(\text{K})_{\text{exp}}=0.00061$ 7 (1970Ka13) in ¹⁰⁵ Ag ϵ decay (41.29 d). δ : 0.03 +4-3 (1983Si08) in ¹⁰⁵ Ag ϵ decay (41.29 d), based on $\gamma\gamma(\theta)$. Mult.: $\alpha(\text{K})_{\text{exp}}=0.000299$ 22 (1970Ka13) in ¹⁰⁵ Ag ϵ decay (41.29 d).
		1088.05	33.20	0.0	5/2 ⁺				
1098.1	(5/2 ⁺ , 7/2 ⁺ , 9/2 ⁺)	656.5 ^a 818 ^a 1098.39 ^a	12 ^a 6.06 ^a 100 ^a	442.53 280.62 0.0	(7/2) ⁺ 3/2 ⁺ 5/2 ⁺				
1102.3	(1/2 ⁺ to 5/2 ⁺)	821.7 [@] 4	100 [@]	280.62	3/2 ⁺				
1125.1	(1/2 ⁺ to 7/2 ⁺)	564.4 844.6 1125.2	22 100 45	560.50 280.62 0.0	3/2 ⁺ 3/2 ⁺ 5/2 ⁺				
1142.34	(1/2 ⁺ , 3/2 ⁺)	491.2 [@] 5 582.1 [@] 2 1142.2 [@] 2	58 [@] 4 100 [@] 62 [@] 5	650.9 560.50 0.0	(3/2) ⁺ 3/2 ⁺ 5/2 ⁺				
1177.7	(1/2 ⁺ , 3/2 ⁺)	1177.7 [@] 3	100 [@]	0.0	5/2 ⁺				
1201.7	(1/2 ⁺ , 3/2 ⁺)	640.8 [@] 5 921.3 [@] 4	100 [@] 6 46 [@] 6	560.50 280.62	3/2 ⁺ 3/2 ⁺				
1259.22	(3/2 ⁺)	952.6 [@] 3 979.0 [@] 4 1259.2 [@] 3	100 [@] 8 49 [@] 8 85 [@] 8	306.41 280.62 0.0	7/2 ⁺ 3/2 ⁺ 5/2 ⁺				
1271.41	(11/2) ⁺	260.0 [#] 3 489.5 [#] 3	28 [#] 9 93 [#] 28	1011.47 781.99	(11/2) ⁺ 9/2 ⁺	M1+E2	-0.13 6	0.00588 9	$\alpha=0.00588$ 9; $\alpha(\text{K})=0.00514$ 8; $\alpha(\text{L})=0.000605$ 9; $\alpha(\text{M})=0.0001136$ 17; $\alpha(\text{N}+..)=1.92\times 10^{-5}$ 3 $\alpha(\text{N})=1.92\times 10^{-5}$ 3 Mult.: $A_{22}=-0.46$ 5, $A_{44}=0.04$ 6 (1977Ri05) and $R_{\text{PCO}}=3.1$ 10 (1977Ri05) in ⁹⁶ Zr(¹² C, 3n γ). δ : from 1977Ri05 in ⁹⁶ Zr(¹² C, 3n γ), but also -0.05 8 (1977Ri05).
		829.1 [#] 3	100 [#]	442.53	(7/2) ⁺	E2		0.001558 22	$\alpha=0.001558$ 22; $\alpha(\text{K})=0.001359$ 19; $\alpha(\text{L})=0.0001628$ 23; $\alpha(\text{M})=3.05\times 10^{-5}$ 5; $\alpha(\text{N}+..)=5.12\times 10^{-6}$

Adopted Levels, Gammas (continued)

E _i (level)	J _i ^π	E _γ [‡]	I _γ [‡]	γ(¹⁰⁵ Pd) (continued)				α [†]	Comments
				E _f	J _f ^π	Mult.	δ		
									α(N)=5.12×10 ⁻⁶ 8 Mult.: A ₂₂ =0.20 5, A ₄₄ =-0.09 7 (1977Ri05) and R _{DCO} =1.2 4 (1977Ri05) in ⁹⁶ Zr(¹² C,3nγ).
1324.2	(11/2 ⁺)	312.6 [#] 3 834.9 [#] 3 881.3 [#]	53 [#] 16 ≤44 [#] 100 [#]	1011.47 (11/2 ⁺) 489.1 11/2 ⁻ 442.53 (7/2) ⁺		(E2)		0.001347 19	α(N)=4.41×10 ⁻⁶ 7 α(L)=0.0001401 20; α(M)=2.63×10 ⁻⁵ 4; α(N+..)=4.41×10 ⁻⁶ α(N)=4.41×10 ⁻⁶ 7
1357.0	(13/2 ⁻)	387 ^e 868 ^e		970.0 15/2 ⁻ 489.1 11/2 ⁻					
1405.2	(3/2 ⁺ ,5/2 ⁺)	263.3 [@] 5 1098.5 [@] 3 1405.5 [@] 7	25 [@] 5 100 [@] 13 [@] 3	1142.34 (1/2 ⁺ ,3/2 ⁺) 306.41 7/2 ⁺ 0.0 5/2 ⁺					
1410.9	(13/2 ⁺)	140.0 [#] 3 399.9 [#] 3 628.1 [#] 3	40 [#] 10 100 [#] 30 50 [#] 15	1271.41 (11/2) ⁺ 1011.47 (11/2) ⁺ 781.99 9/2 ⁺					
1520.8	(3/2 ⁺ to 7/2 ⁺)	1078.0 [@] 5 1240.8 [@] 7	100 [@] 21 62 [@] 15	442.53 (7/2) ⁺ 280.62 3/2 ⁺					
1601.3	(1/2 ⁺ to 5/2 ⁺)	459.0 [@] 5 1600.4 [@] 16	100 [@] 10 13 [@] 7	1142.34 (1/2 ⁺ ,3/2 ⁺) 0.0 5/2 ⁺					
1650.6	(7/2 ⁻)	1162.1 [@] 8	31 [@] 8	489.1 11/2 ⁻		[E2]		0.000727 11	α=0.000727 11; α(K)=0.000633 9; α(L)=7.40×10 ⁻⁵ 11; α(M)=1.385×10 ⁻⁵ 20; α(N+..)=5.67×10 ⁻⁶ 1 α(N)=2.33×10 ⁻⁶ 4; α(IPF)=3.34×10 ⁻⁶ 8
		1208.7 [@] 8	34 [@] 9	442.53 (7/2) ⁺		[E1+M2]		0.0010 7	α=0.0010 7; α(K)=0.0009 6; α(L)=0.00010 8; α(M)=1.9×10 ⁻⁵ 14; α(N+..)=2.5×10 ⁻⁵ 18 α(N)=3.2×10 ⁻⁶ 23; α(IPF)=2.2×10 ⁻⁵ 21
		1305.5 [@] 4	100 [@] 14	344.9 1/2 ⁺		[E3]		0.001091 16	α=0.001091 16; α(K)=0.000944 14; α(L)=0.0001143 16; α(M)=2.15×10 ⁻⁵ 3; α(N+..)=1.123×10 ⁻⁵ α(N)=3.61×10 ⁻⁶ 5; α(IPF)=7.62×10 ⁻⁶ 12
1671.14	(13/2) ⁺	399.76 ^{&} 10	35.1 ^{&} 21	1271.41 (11/2) ⁺		E2+M1	-0.08 4	0.00964 14	α=0.00964 14; α(K)=0.00842 12; α(L)=0.000997 15; α(M)=0.000187 3; α(N+..)=3.16×10 ⁻⁵ 5 α(N)=3.16×10 ⁻⁵ 5

Adopted Levels, Gammas (continued)

$\gamma(^{105}\text{Pd})$ (continued)

<u>E_i(level)</u>	<u>J_i^{π}</u>	<u>E_{γ}^{\ddagger}</u>	<u>I_{γ}^{\ddagger}</u>	<u>E_f</u>	<u>J_f^{π}</u>	<u>Mult.</u>	<u>δ</u>	<u>α^{\ddagger}</u>	<u>Comments</u>
									Mult.: A ₂₂ =-0.38 4, A ₄₄ =-0.05 5 (1977Ri05) and R _{DCO} =3.9 11 (1977Ri05) in ⁹⁶ Zr(¹² C,3ny). δ : from 1977Ri05 in ⁹⁶ Zr(¹² C,3ny), but also -0.19 11 (1977Ri05). α =0.001318 19; α (K)=0.001151 17; α (L)=0.0001371 20; α (M)=2.57×10 ⁻⁵ 4; α (N+..)=4.31×10 ⁻⁶ α (N)=4.31×10 ⁻⁶ 6 Mult.: A ₂₂ =0.329 16, A ₄₄ =-0.06 21 (1977Ri05) and R _{DCO} =1.15 20 (1977Ri05) in ⁹⁶ Zr(¹² C,3ny).
1671.14	(13/2) ⁺	889.24 & 25	100 &	781.99	9/2 ⁺	E2		0.001318 19	
1701.0	(1/2 ⁺ to 9/2 ⁺)	973.3 @ 8 1382.4 @ 16	100 @ 25 54 @ 29	727.5	5/2 ⁺				
1741.8	19/2 ⁻	771.83 & 5	100 &	319.38	5/2 ⁺				
1741.8	19/2 ⁻			970.0	15/2 ⁻	E2		0.00186 3	α =0.00186 3; α (K)=0.001618 23; α (L)=0.000195 3; α (M)=3.66×10 ⁻⁵ 6; α (N+..)=6.13×10 ⁻⁶ 9 α (N)=6.13×10 ⁻⁶ 9 Mult.: A ₂₂ =0.353 10, A ₄₄ =-0.104 11 (1977Ri05); R _{DCO} =0.96 2 (1977Ri05) in ⁹⁶ Zr(¹² C,3ny).
1749.6	(13/2) ⁺	847.6 & 3	100 &	902.12	9/2 ⁺	E2		0.001477 21	α =0.001477 21; α (K)=0.001290 18; α (L)=0.0001541 22; α (M)=2.89×10 ⁻⁵ 4; α (N+..)=4.85×10 ⁻⁶ α (N)=4.85×10 ⁻⁶ 7 Mult.: R _{DCO} =1.12 21 (1977Ri05) in ⁹⁶ Zr(¹² C,3ny).
1763.2	(15/2) ⁻	793.17 & 25	100 & 11	970.0	15/2 ⁻	M1+E2	+1.0 5	0.00181 6	α =0.00181 6; α (K)=0.00159 5; α (L)=0.000187 5; α (M)=3.51×10 ⁻⁵ 8; α (N+..)=5.91×10 ⁻⁶ 14 α (N)=5.91×10 ⁻⁶ 14 Mult.: A ₂₂ =0.28 4, A ₄₄ , -0.08 6 (1977Ri05) and R _{DCO} =1.2 3 (1977Ri05) in ⁹⁶ Zr(¹² C,3ny). δ : from DCO measurements in 1977Ri05; Also: 1.0 5 (1977Ri05) in ⁹⁶ Zr(¹² C,3ny). Mult.: A ₂₂ =0.27 12, A ₄₄ =0.02 18 (1977Ri05) in ⁹⁶ Zr(¹² C,3ny).
		1274.15 & 15	41 & 5	489.1	11/2 ⁻				
1774.7	(1/2 ⁺ to 9/2 ⁺)	1455.3 @ 5	100 @	319.38	5/2 ⁺				
1854.1	(13/2) ⁺	442 # 3	#	1410.9	(13/2) ⁺				
		530.3 # 3	53 # 15	1324.2	(11/2) ⁺				
		582.0 # 3	100 #	1271.41	(11/2) ⁺				
		843.0 # 3	70 # 20	1011.47	(11/2) ⁺				
1865.6	(1/2 ⁺ to 7/2 ⁺)	1305.5 @ 4	100 @	560.50	3/2 ⁺				
		1583.9 @ 6	49 @ 13	280.62	3/2 ⁺				
1873.9	(15/2) ⁺	463.1 # 3	13 # 4	1410.9	(13/2) ⁺				

Adopted Levels, Gammas (continued)

$\gamma(^{105}\text{Pd})$ (continued)									
$E_i(\text{level})$	J_i^π	E_γ [‡]	I_γ [‡]	E_f	J_f^π	Mult.	δ	α^\dagger	Comments
1873.9	(15/2 ⁺)	549.1 [#] 3 602.7 [#] 3 862.7 [#] 3	7.3 [#] 18 100 [#] 24 [#] 7	1324.2 (11/2 ⁺) 1271.41 (11/2 ⁺) 1011.47 (11/2 ⁺)					
1901.8	(15/2 ⁺)	578.0 [#] 889.8 [#] 3	31 [#] 9 100 [#]	1324.2 (11/2 ⁺) 1011.47 (11/2 ⁺)		E2		0.001317 19	$\alpha=0.001317$ 19; $\alpha(\text{K})=0.001150$ 17; $\alpha(\text{L})=0.0001369$ 20; $\alpha(\text{M})=2.57\times 10^{-5}$ 4; $\alpha(\text{N}+..)=4.31\times 10^{-6}$ $\alpha(\text{N})=4.31\times 10^{-6}$ 6 Mult.: $A_{22}=0.329$ 16, $A_{44}=-0.096$ 21 (1977Ri05) and $R_{\text{DCO}}=0.96$ 4 (1977Ri05) in $^{96}\text{Zr}(^{12}\text{C},3n\gamma)$.
1922.9	(1/2 ⁺ ,3/2 ⁺)	825.1 [@] 3 1360.7 [@] 8	100 [@] 17 42 [@] 11	1098.1 (5/2 ⁺ ,7/2 ⁺ ,9/2 ⁺) 560.50 3/2 ⁺					
1961.3	(17/2 ⁻)	604 ^e 991.38 ^{&} 5	100 ^{&}	1357.0 (13/2 ⁻) 970.0 15/2 ⁻		M1+E2	1.8 5	0.001055 23	$\alpha=0.001055$ 23; $\alpha(\text{K})=0.000923$ 20; $\alpha(\text{L})=0.0001083$ 21; $\alpha(\text{M})=2.03\times 10^{-5}$ 4; $\alpha(\text{N}+..)=3.42\times 10^{-6}$ $\alpha(\text{N})=3.42\times 10^{-6}$ 7 Mult.: $A_{22}=0.436$ 25, $A_{44}=0.01$ 3 (1977Ri05) and $R_{\text{DCO}}=0.58$ 8 (1977Ri05) in $^{96}\text{Zr}(^{12}\text{C},3n\gamma)$. δ : from DCO and linear pol. in 2019Ti02; Also: +0.46 10 or 1.3 7 from DCO measurements in 1977Ri05.
1988.9	(1/2,3/2,5/2) ⁺	890.7 [@] 4 1026.7 [@] 4	100 [@] 63 [@] 11	1098.1 (5/2 ⁺ ,7/2 ⁺ ,9/2 ⁺) 962.4 (1/2,3/2) ⁺					
2064.7	(1/2 ⁺ ,3/2 ⁺)	1745.2 [@] 7 1784.3 [@] 16	100 [@] 27 [@] 13	319.38 5/2 ⁺ 280.62 3/2 ⁺					
2101.5	(7/2 ⁻ ,9/2,11/2 ⁺)	1611.8 [@] 8 1660.0 [@] 10	100 [@] 40 [@] 14	489.1 11/2 ⁻ 442.53 (7/2) ⁺					
2197.1	(15/2 ⁺)	925.8 ^{&} 3	100 ^{&}	1271.41 (11/2) ⁺		E2		0.001200 17	$\alpha=0.001200$ 17; $\alpha(\text{K})=0.001048$ 15; $\alpha(\text{L})=0.0001244$ 18; $\alpha(\text{M})=2.33\times 10^{-5}$ 4; $\alpha(\text{N}+..)=3.92\times 10^{-6}$ $\alpha(\text{N})=3.92\times 10^{-6}$ 6 Mult.: $R_{\text{DCO}}=0.7$ 3 (1977Ri05) in $^{96}\text{Zr}(^{12}\text{C},3n\gamma)$.
2280.6	(15/2,17/2) ⁻	1310.6 ^{&} 2	100 ^{&}	970.0 15/2 ⁻		M1+E2	+1.3 7	0.000612 25	$\alpha=0.000612$ 25; $\alpha(\text{K})=0.000515$ 23; $\alpha(\text{L})=5.94\times 10^{-5}$ 24; $\alpha(\text{M})=1.11\times 10^{-5}$ 5; $\alpha(\text{N}+..)=2.73\times 10^{-5}$ 15

Adopted Levels, Gammas (continued)

$\gamma(^{105}\text{Pd})$ (continued)

<u>E_i(level)</u>	<u>J_i^π</u>	<u>E_γ[‡]</u>	<u>I_γ[‡]</u>	<u>E_f</u>	<u>J_f^π</u>	<u>Mult.</u>	<u>δ</u>	<u>α[†]</u>	<u>Comments</u>
									α(N)=1.88×10 ⁻⁶ 8; α(IPF)=2.54×10 ⁻⁵ 15 Mult.: A ₂₂ =1.4 7, A ₄₄ =-0.4 8 (1977Ri05) and R _{DCO} =0.8 3 (1977Ri05) in ⁹⁶ Zr(¹² C,3nγ). δ: from ⁹⁶ Zr(¹² C,3nγ) (1977Ri05), based on DCO measurements, but also 4 4 (1977Ri05) can not be excluded.
2344.6	(19/2) ⁻	581.45 & 25	39 & 8	1763.2	(15/2) ⁻	E2		0.00390 6	α=0.00390 6; α(K)=0.00338 5; α(L)=0.000421 6; α(M)=7.92×10 ⁻⁵ 12; α(N+..)=1.320×10 ⁻⁵ 19 α(N)=1.320×10 ⁻⁵ 19 Mult.: A ₂₂ =0.46 5, A ₄₄ =-0.11 7 (1977Ri05) and R _{DCO} =0.9 5 (1977Ri05) in ⁹⁶ Zr(¹² C,3nγ).
		602.78 & 15	100 &	1741.8	19/2 ⁻	M1+E2	-0.01 60	0.00357 6	α=0.00357 6; α(K)=0.00313 5; α(L)=0.000366 7; α(M)=6.86×10 ⁻⁵ 13; α(N+..)=1.157×10 ⁻⁵ 19 α(N)=1.157×10 ⁻⁵ 19 Mult.: A ₂₂ =0.42 3, A ₄₄ =-0.04 5 (1977Ri05) and R _{DCO} =0.86 13 (1977Ri05) in ⁹⁶ Zr(¹² C,3nγ). δ: from 1977Ri05, based on DCO measurements; Alternatively: 0.0 5 (1977Ri05) in ⁹⁶ Zr(¹² C,3nγ).
2490.9	(19/2) ⁻	749.1 & 4 1520.9 & 3	73 & 12 100 & 19	1741.8 970.0	19/2 ⁻ 15/2 ⁻	(E2)		0.000507 7	α=0.000507 7; α(K)=0.000366 6; α(L)=4.21×10 ⁻⁵ 6; α(M)=7.87×10 ⁻⁶ 11; α(N+..)=9.13×10 ⁻⁵ 13 α(N)=1.327×10 ⁻⁶ 19; α(IPF)=9.00×10 ⁻⁵ 13 Mult.: R _{DCO} =0.75 21 (1977Ri05) in ⁹⁶ Zr(¹² C,3nγ).
2552.0	(17/2) ⁺	649.9 & 3 881.0 & 2	26 & 7 100 &	1901.8 1671.14	(15/2) ⁺ (13/2) ⁺	E2		0.001348 19	α=0.001348 19; α(K)=0.001177 17; α(L)=0.0001402 20; α(M)=2.63×10 ⁻⁵ 4; α(N+..)=4.41×10 ⁻⁶ α(N)=4.41×10 ⁻⁶ 7 Mult.: A ₂₂ =0.376 24, A ₄₄ =-0.18 3 (1977Ri05) and R _{DCO} =1.0 3 (1977Ri05) in ⁹⁶ Zr(¹² C,3nγ).
2565.01	(17/2) ⁺	1582.0 & 3 367.9 & 2 815.4 & 2	23 & 7 12.5 & 25 40 & 5	970.0 2197.1 1749.6	15/2 ⁻ (15/2) ⁺ (13/2) ⁺	E2		0.001622 23	α=0.001622 23; α(K)=0.001415 20; α(L)=0.0001697 24; α(M)=3.18×10 ⁻⁵ 5; α(N+..)=5.34×10 ⁻⁶ α(N)=5.34×10 ⁻⁶ 8 Mult.: A ₂₂ =0.27 8, A ₄₄ =-0.01 11 (1977Ri05) and R _{DCO} =1.07 23 (1977Ri05) in ⁹⁶ Zr(¹² C,3nγ).
		893.88 & 10	100 &	1671.14	(13/2) ⁺	(E2)		0.001302 19	α=0.001302 19; α(K)=0.001137 16; α(L)=0.0001353 19; α(M)=2.54×10 ⁻⁵ 4; α(N+..)=4.26×10 ⁻⁶ α(N)=4.26×10 ⁻⁶ 6

Adopted Levels, Gammas (continued)

$\gamma(^{105}\text{Pd})$ (continued)

$E_i(\text{level})$	J_i^π	E_γ	I_γ	E_f	J_f^π	Mult.	δ	α^\dagger	Comments
2700.2	23/2 ⁻	958.42 & 5	100 &	1741.8	19/2 ⁻	E2		0.001108 16	Mult.: $A_{22}=0.37$ 5, $A_{44}=-0.11$ 7 (1977Ri05) and $R_{\text{DCO}}=0.81$ 14 in $^{96}\text{Zr}(^{12}\text{C},3n\gamma)$. $\alpha=0.001108$ 16; $\alpha(\text{K})=0.000968$ 14; $\alpha(\text{L})=0.0001146$ 16; $\alpha(\text{M})=2.15\times 10^{-5}$ 3; $\alpha(\text{N}+..)=3.61\times 10^{-6}$ $\alpha(\text{N})=3.61\times 10^{-6}$ 5
2703.9	(19/2) ⁻	962.10 & 15	100 &	1741.8	19/2 ⁻	M1+E2	+0.2 4	0.00122 4	Mult.: $A_{22}=0.283$ 19, $A_{44}=-0.075$ 24 (1977Ri05) and $R_{\text{DCO}}=1.12$ 4 (1977Ri05) in $^{96}\text{Zr}(^{12}\text{C},3n\gamma)$. $\alpha=0.00122$ 4; $\alpha(\text{K})=0.00107$ 3; $\alpha(\text{L})=0.000124$ 3; $\alpha(\text{M})=2.32\times 10^{-5}$ 6; $\alpha(\text{N}+..)=3.92\times 10^{-6}$ 10 $\alpha(\text{N})=3.92\times 10^{-6}$ 10
2755.9	19/2 ⁺	854.02 & 5	100 &	1901.8	(15/2) ⁺	E2		0.001451 21	Mult.: $A_{22}=0.42$ 4, $A_{44}=-0.08$ 5 (1977Ri05) and $R_{\text{DCO}}=0.93$ 24 (1977Ri05) in $^{96}\text{Zr}(^{12}\text{C},3n\gamma)$. δ : from DCO measurements in 1977Ri05; Alternatively: 0.2 6 (1977Ri05) in $^{96}\text{Zr}(^{12}\text{C},3n\gamma)$. $\alpha=0.001451$ 21; $\alpha(\text{K})=0.001267$ 18; $\alpha(\text{L})=0.0001513$ 22; $\alpha(\text{M})=2.84\times 10^{-5}$ 4; $\alpha(\text{N}+..)=4.76\times 10^{-6}$ $\alpha(\text{N})=4.76\times 10^{-6}$ 7
		881.3#	65# 20	1873.9	(15/2) ⁺				
		1014.3 & 3	19 & 3	1741.8	19/2 ⁻	E1+M2	-0.25 25	0.0005 4	Mult.: $A_{22}=0.326$ 25, $A_{44}=-0.08$ 4 (1977Ri05) and $R_{\text{DCO}}=1.02$ 5 (1977Ri05) in $^{96}\text{Zr}(^{12}\text{C},3n\gamma)$. $\alpha=0.0005$ 4; $\alpha(\text{K})=0.0005$ 3; $\alpha(\text{L})=6.E-5$ 4; $\alpha(\text{M})=1.0\times 10^{-5}$ 7; $\alpha(\text{N}+..)=1.7\times 10^{-6}$ 11 $\alpha(\text{N})=1.7\times 10^{-6}$ 11
2775.6	(21/2) ⁻	814.22 & 20	50 & 10	1961.3	(17/2) ⁻	(E2)		0.001628 23	Mult.: $A_{22}=0.28$ 8, $A_{44}=-0.05$ 11 (1977Ri05) and $R_{\text{DCO}}=1.0$ 3 (1977Ri05) in $^{96}\text{Zr}(^{12}\text{C},3n\gamma)$. δ : from DCO measurements in $^{96}\text{Zr}(^{12}\text{C},3n\gamma)$ (1977Ri05), but also 0.08 8 (1977Ri05) can not be excluded. $\alpha=0.001628$ 23; $\alpha(\text{K})=0.001420$ 20; $\alpha(\text{L})=0.0001704$ 24; $\alpha(\text{M})=3.20\times 10^{-5}$ 5; $\alpha(\text{N}+..)=5.36\times 10^{-6}$ $\alpha(\text{N})=5.36\times 10^{-6}$ 8
		1033.77 & 10	100 &	1741.8	19/2 ⁻	M1+E2	2.3 3	0.000952 15	Mult.: $A_{22}=0.27$ 8, $A_{44}=-0.01$ 11 (1977Ri05) and $R_{\text{DCO}}=0.7$ 3 (1977Ri05) in $^{96}\text{Zr}(^{12}\text{C},3n\gamma)$. $\alpha=0.000952$ 15; $\alpha(\text{K})=0.000833$ 13; $\alpha(\text{L})=9.77\times 10^{-5}$ 15; $\alpha(\text{M})=1.83\times 10^{-5}$ 3; $\alpha(\text{N}+..)=3.08\times 10^{-6}$ 5 $\alpha(\text{N})=3.08\times 10^{-6}$ 5
									Mult.: $A_{22}=0.57$ 6, $A_{44}=0.14$ 8 (1977Ri05) and $R_{\text{DCO}}=0.62$ 14 (1977Ri05) in $^{96}\text{Zr}(^{12}\text{C},3n\gamma)$. δ : from DCO and linear pol. in 2019Ti02; Also: +0.62 18 or 0.8 3 from DCO measurements in 1977Ri05.

Adopted Levels, Gammas (continued)

$\gamma(^{105}\text{Pd})$ (continued)									
$E_i(\text{level})$	J_i^π	E_γ^\ddagger	I_γ^\ddagger	E_f	J_f^π	Mult.	δ	α^\dagger	Comments
2806.5	(19/2) ⁺	241.6 & 2	6.5 & 22	2565.01	(17/2) ⁺	M1+E2	+0.09 1	0.0304	$\alpha(\text{K})=0.0265$ 4; $\alpha(\text{L})=0.00319$ 5; $\alpha(\text{M})=0.000599$ 9; $\alpha(\text{N}+..)=0.0001009$ 15 $\alpha(\text{N})=0.0001009$ 15 Mult.: $A_{22}=-0.11$ 3, $A_{44}=0.04$ 4 (1977Ri05) and $R_{\text{DCO}}=1.64$ 18 (1977Ri05) in $^{96}\text{Zr}(^{12}\text{C},3\text{n}\gamma)$. δ : from DCO measurements in $^{96}\text{Zr}(^{12}\text{C},3\text{n}\gamma)$ (1977Ri05), but also 0.13 4 can not be excluded (1977Ri05).
		254.53 & 10	100.0 & 22	2552.0	(17/2) ⁺				
2900.7	(21/2) ⁻	939.4 & 3	46 & 13	1961.3	(17/2) ⁻	M1+E2	+1.3 9	0.00076 5	$\alpha=0.00076$ 5; $\alpha(\text{K})=0.00067$ 4; $\alpha(\text{L})=7.7\times 10^{-5}$ 5; $\alpha(\text{M})=1.45\times 10^{-5}$ 8; $\alpha(\text{N}+..)=5.34\times 10^{-6}$ 16 $\alpha(\text{N})=2.44\times 10^{-6}$ 14; $\alpha(\text{IPF})=2.9\times 10^{-6}$ 3 Mult.: $A_{22}=0.65$ 8, $A_{44}=-0.03$ 12 (1977Ri05) and $R_{\text{DCO}}=0.58$ 16 (1977Ri05) in $^{96}\text{Zr}(^{12}\text{C},3\text{n}\gamma)$. δ : from DCO measurements in $^{96}\text{Zr}(^{12}\text{C},3\text{n}\gamma)$ (1977Ri05), but also 1.6 11 (1977Ri05) can not be excluded.
		1158.94 & 10	100 &	1741.8	19/2 ⁻				
3072.8	(21/2) ⁺	372.6 & 2	8.0 & 20	2700.2	23/2 ⁻	E1+M2	-0.20 13	0.0055 24	$\alpha=0.00571$ 8; $\alpha(\text{K})=0.00494$ 7; $\alpha(\text{L})=0.000627$ 9; $\alpha(\text{M})=0.0001179$ 17; $\alpha(\text{N}+..)=1.96\times 10^{-5}$ 3 $\alpha(\text{N})=1.96\times 10^{-5}$ 3 Mult.: $A_{22}=0.263$ 23, $A_{44}=-0.10$ 3 (1977Ri05) and $R_{\text{DCO}}=0.91$ 9 (1977Ri05) in $^{96}\text{Zr}(^{12}\text{C},3\text{n}\gamma)$. $\alpha=0.0008$ 4; $\alpha(\text{K})=0.0006$ 4; $\alpha(\text{L})=7.E-5$ 5; $\alpha(\text{M})=1.3\times 10^{-5}$ 9; $\alpha(\text{N}+..)=8.E-5$ 4 $\alpha(\text{N})=2.2\times 10^{-6}$ 14; $\alpha(\text{IPF})=7.E-5$ 5 δ : $R_{\text{DCO}}=1.8$ 5 (1977Ri05) in $^{96}\text{Zr}(^{12}\text{C},3\text{n}\gamma)$.
		508.0 & 3	100 &	2565.01	(17/2) ⁺	E2		0.00571 8	$\alpha(\text{K})=0.01564$ 23; $\alpha(\text{L})=0.00187$ 3; $\alpha(\text{M})=0.000352$ 6; $\alpha(\text{N}+..)=5.92\times 10^{-5}$ 9
		1331.0 & 2	48 & 6	1741.8	19/2 ⁻	E1+M2	+0.8 8	0.0008 4	
3119.2	(21/2) ⁺	312.67 & 10	100 &	2806.5	(19/2) ⁺	M1+E2	+0.12 3	0.0179	

Adopted Levels, Gammas (continued)

$\gamma(^{105}\text{Pd})$ (continued)									
$E_i(\text{level})$	J_i^π	E_γ	I_γ	E_f	J_f^π	Mult.	δ	α^\dagger	Comments
									$\alpha(\text{N})=5.92 \times 10^{-5}$ 9 Mult.: $A_{22}=-0.05$ 3, $A_{44}=-0.01$ 4 (1977Ri05) and $R_{\text{DCO}}=1.60$ 17 (1977Ri05) in $^{96}\text{Zr}(^{12}\text{C}, 3n\gamma)$. δ : from DCO measurements in $^{96}\text{Zr}(^{12}\text{C}, 3n\gamma)$ (1977Ri05), but also 0.11 4 (1977Ri05) can not be excluded.
3119.2	(21/2) ⁺	1377.3 & 3	38 & 9	1741.8	19/2 ⁻				
3153.3	(23/2) ⁻	452.98 & 20	58 & 6	2700.2	23/2 ⁻	M1(+E2)	0.0 6	0.0071 3	$\alpha=0.0071$ 3; $\alpha(\text{K})=0.00619$ 21; $\alpha(\text{L})=0.00073$ 5; $\alpha(\text{M})=0.000137$ 9; $\alpha(\text{N}+..)=2.31 \times 10^{-5}$ 13 $\alpha(\text{N})=2.31 \times 10^{-5}$ 13 Mult.: $A_{22}=0.42$ 5, $A_{44}=-0.13$ 8 (1977Ri05) and $R_{\text{DCO}}=0.8$ 3 (1977Ri05) in $^{96}\text{Zr}(^{12}\text{C}, 3n\gamma)$. δ : from DCO measurements in $^{96}\text{Zr}(^{12}\text{C}, 3n\gamma)$ (1977Ri05), but also 0.0 7 (1977Ri05) can not be excluded.
		808.8 & 2	100 &	2344.6	(19/2) ⁻	E2		0.001655 24	$\alpha=0.001655$ 24; $\alpha(\text{K})=0.001443$ 21; $\alpha(\text{L})=0.0001732$ 25; $\alpha(\text{M})=3.25 \times 10^{-5}$ 5; $\alpha(\text{N}+..)=5.45 \times 10^{-6}$ $\alpha(\text{N})=5.45 \times 10^{-6}$ 8 Mult.: $A_{22}=0.28$ 5, $A_{44}=-0.07$ 8 (1977Ri05) and $R_{\text{DCO}}=1.0$ 3 (1977Ri05) in $^{96}\text{Zr}(^{12}\text{C}, 3n\gamma)$.
3294.7	23/2 ⁺	538.83 & 15	100 &	2755.9	19/2 ⁺	E2		0.00482 7	$\alpha=0.00482$ 7; $\alpha(\text{K})=0.00418$ 6; $\alpha(\text{L})=0.000526$ 8; $\alpha(\text{M})=9.89 \times 10^{-5}$ 14; $\alpha(\text{N}+..)=1.646 \times 10^{-5}$ 23 $\alpha(\text{N})=1.646 \times 10^{-5}$ 23 Mult.: $A_{22}=0.358$ 19, $A_{44}=-0.08$ 3 (1977Ri05) and $R_{\text{DCO}}=1.02$ 5 (1977Ri05) in $^{96}\text{Zr}(^{12}\text{C}, 3n\gamma)$.
3468.6	(23/2) ⁺	349.38 & 15	100 &	3119.2	(21/2) ⁺	M1+E2	+0.14 2	0.01354 20	$\alpha(\text{K})=0.01182$ 17; $\alpha(\text{L})=0.001410$ 21; $\alpha(\text{M})=0.000265$ 4; $\alpha(\text{N}+..)=4.46 \times 10^{-5}$ 7 $\alpha(\text{N})=4.46 \times 10^{-5}$ 7 Mult.: $A_{22}=-0.02$ 3, $A_{44}=0.01$ 5 (1977Ri05) and $R_{\text{DCO}}=1.6$ 3 (1977Ri05) in $^{96}\text{Zr}(^{12}\text{C}, 3n\gamma)$. δ : from DCO measurements in $^{96}\text{Zr}(^{12}\text{C}, 3n\gamma)$ (1977Ri05), but also 0.11 6 (1977Ri05) can not be excluded.
3527.6	(25/2) ⁺	232.8 & 3	5.3 & 13	3294.7	23/2 ⁺	M1+E2	-0.27 7	0.0403 13	$\alpha(\text{K})=0.0350$ 11; $\alpha(\text{L})=0.00433$ 19; $\alpha(\text{M})=0.00082$ 4; $\alpha(\text{N}+..)=0.000137$ 6 $\alpha(\text{N})=0.000137$ 6 Mult.: $A_{22}=-0.69$ 10, $A_{44}=0.14$ 13 (1977Ri05) in $^{96}\text{Zr}(^{12}\text{C}, 3n\gamma)$.
		454.82 & 10	100 &	3072.8	(21/2) ⁺	E2		0.00791 11	$\alpha=0.00791$ 11; $\alpha(\text{K})=0.00683$ 10; $\alpha(\text{L})=0.000880$ 13; $\alpha(\text{M})=0.0001659$ 24; $\alpha(\text{N}+..)=2.75 \times 10^{-5}$

Adopted Levels, Gammas (continued)

$\gamma(^{105}\text{Pd})$ (continued)

<u>E_i(level)</u>	<u>J_i^{π}</u>	<u>E_{γ}^{\ddagger}</u>	<u>I_{γ}^{\ddagger}</u>	<u>E_f</u>	<u>J_f^{π}</u>	<u>Mult.</u>	<u>δ</u>	<u>α^\dagger</u>	<u>Comments</u>
3694.4	(25/2 ⁻)	918.8 ^{&} 3	100 ^{&}	2775.6 (21/2 ⁻)		E2		0.001221 18	$\alpha(\text{N})=2.75\times 10^{-5}$ 4 Mult.: A ₂₂ =0.36 3, A ₄₄ =-0.07 4 (1977Ri05) and R _{DCO} =1.19 12 (1977Ri05) in ⁹⁶ Zr(¹² C,3n γ). $\alpha=0.001221$ 18; $\alpha(\text{K})=0.001067$ 15; $\alpha(\text{L})=0.0001267$ 18; $\alpha(\text{M})=2.38\times 10^{-5}$ 4; $\alpha(\text{N}+..)=3.99\times 10^{-6}$ $\alpha(\text{N})=3.99\times 10^{-6}$ 6 Mult.: R _{DCO} =1.0 4 in ⁹⁶ Zr(¹² C,3n γ) (1977Ri05). $\alpha=0.001035$ 17; $\alpha(\text{K})=0.000905$ 15; $\alpha(\text{L})=0.0001064$ 17; $\alpha(\text{M})=1.99\times 10^{-5}$ 3; $\alpha(\text{N}+..)=3.35\times 10^{-6}$ $\alpha(\text{N})=3.35\times 10^{-6}$ 6 Mult.: A ₂₂ =0.8 3, A ₄₄ =-0.2 4 in ⁹⁶ Zr(¹² C,3n γ) (1977Ri05). δ : from DCO and linear pol. in 2019Ti02; Also: +1.5 10 in 1977Ri05.
		994.12 ^{&} 20	89 ^{&} 17	2700.2 23/2 ⁻		M1+E2	2.7 6	0.001035 17	
3800.5	(27/2 ⁻)	1100.24 ^{&} 10	100 ^{&}	2700.2 23/2 ⁻		(E2)		0.000815 12	$\alpha=0.000815$ 12; $\alpha(\text{K})=0.000713$ 10; $\alpha(\text{L})=8.35\times 10^{-5}$ 12; $\alpha(\text{M})=1.564\times 10^{-5}$ 22; $\alpha(\text{N}+..)=3.17\times 10^{-6}$ $\alpha(\text{N})=2.63\times 10^{-6}$ 4; $\alpha(\text{IPF})=5.44\times 10^{-7}$ 8 Mult.: A ₂₂ =0.14 4, A ₄₄ =-0.08 5 (1977Ri05) and R _{DCO} =1.54 16 (1977Ri05) in ⁹⁶ Zr(¹² C,3n γ).
3859.4	(25/2 ⁻)	959 ^e		2900.7 (21/2 ⁻)					
		1084 ^e		2775.6 (21/2 ⁻)					
		1159 ^e		2700.2 23/2 ⁻					
3873.0	27/2 ⁺	578.27 ^{&} 5	100 ^{&}	3294.7 23/2 ⁺		E2		0.00396 6	$\alpha=0.00396$ 6; $\alpha(\text{K})=0.00344$ 5; $\alpha(\text{L})=0.000428$ 6; $\alpha(\text{M})=8.04\times 10^{-5}$ 12; $\alpha(\text{N}+..)=1.341\times 10^{-5}$ 19 $\alpha(\text{N})=1.341\times 10^{-5}$ 19 Mult.: A ₂₂ =0.44 3, A ₄₄ =-0.11 4 (1977Ri05) and R _{DCO} =1.04 6 (1977Ri05) in ⁹⁶ Zr(¹² C,3n γ).
4254.4	(29/2 ⁺)	726.8 ^{&} 2	100 ^{&}	3527.6 (25/2 ⁺)		E2		0.00216 3	$\alpha=0.00216$ 3; $\alpha(\text{K})=0.00188$ 3; $\alpha(\text{L})=0.000228$ 4; $\alpha(\text{M})=4.28\times 10^{-5}$ 6; $\alpha(\text{N}+..)=7.17\times 10^{-6}$ 10 $\alpha(\text{N})=7.17\times 10^{-6}$ 10 Mult.: A ₂₂ =0.26 3, A ₄₄ =-0.02 4 (1977Ri05) and R _{DCO} =0.91 16 (1977Ri05) in ⁹⁶ Zr(¹² C,3n γ).
4668.2	(31/2 ⁺)	795.23 ^{&} 25	100 ^{&}	3873.0 27/2 ⁺		(E2)		0.001724 25	$\alpha=0.001724$ 25; $\alpha(\text{K})=0.001504$ 21; $\alpha(\text{L})=0.000181$ 3; $\alpha(\text{M})=3.39\times 10^{-5}$ 5; $\alpha(\text{N}+..)=5.69\times 10^{-6}$ 8 $\alpha(\text{N})=5.69\times 10^{-6}$ 8 Mult.: A ₂₂ =0.28 4, A ₄₄ =-0.08 6 (1977Ri05) and R _{DCO} =1.21 18 (1977Ri05) in ⁹⁶ Zr(¹² C,3n γ).
4783.4	(29/2 ⁻)	924 ^e		3859.4 (25/2 ⁻)					
		983 ^e		3800.5 (27/2 ⁻)					
		1089 ^e		3694.4 (25/2 ⁻)		(E2)		0.000833 12	$\alpha=0.000833$ 12; $\alpha(\text{K})=0.000729$ 11; $\alpha(\text{L})=8.54\times 10^{-5}$ 12;

Adopted Levels, Gammas (continued)

$\gamma(^{105}\text{Pd})$ (continued)								
$E_i(\text{level})$	J_i^π	E_γ^\ddagger	I_γ^\ddagger	E_f	J_f^π	Mult.	α^\ddagger	Comments
								$\alpha(\text{M})=1.600\times 10^{-5}$ 23; $\alpha(\text{N}+..)=2.69\times 10^{-6}$ $\alpha(\text{N})=2.69\times 10^{-6}$ 4 Mult.: from DCO and γ polarization measurements in $^{96}\text{Zr}(^{13}\text{C},4\text{n}\gamma)$ (2019Ti02).
4953.1	(31/2 ⁻)	1152.64 ^{&} 20	100 ^{&}	3800.5	(27/2 ⁻)	(E2)	0.000739 11	$\alpha=0.000739$ 11; $\alpha(\text{K})=0.000645$ 9; $\alpha(\text{L})=7.53\times 10^{-5}$ 11; $\alpha(\text{M})=1.410\times 10^{-5}$ 20; $\alpha(\text{N}+..)=5.02\times 10^{-6}$ 8 $\alpha(\text{N})=2.37\times 10^{-6}$ 4; $\alpha(\text{IPF})=2.65\times 10^{-6}$ 4 Mult.: $A_{22}=0.19$ 8, $A_{44}=-0.11$ 2 (1977Ri05) and $R_{\text{DCO}}=0.43$ 23 (1977Ri05) in $^{96}\text{Zr}(^{12}\text{C},3\text{n}\gamma)$.
4955.9	(29/2 ⁻)	1097 ^e 1261 ^e		3859.4 (25/2 ⁻) 3694.4 (25/2 ⁻)				
5255.3	(33/2 ⁺)	1000.9 ^{&} 3	100 ^{&}	4254.4	(29/2 ⁺)	(E2)	0.001004 14	$\alpha=0.001004$ 14; $\alpha(\text{K})=0.000878$ 13; $\alpha(\text{L})=0.0001035$ 15; $\alpha(\text{M})=1.94\times 10^{-5}$ 3; $\alpha(\text{N}+..)=3.26\times 10^{-6}$ $\alpha(\text{N})=3.26\times 10^{-6}$ 5 Mult.: $A_{22}=0.02$ 9, $A_{44}=0.04$ 14 (1977Ri05) and $R_{\text{DCO}}=0.9$ 3 (1977Ri05) in $^{96}\text{Zr}(^{12}\text{C},3\text{n}\gamma)$.
5682.2	(35/2 ⁺)	1014 ^b	100 ^b	4668.2	(31/2 ⁺)			
5847.4	(33/2 ⁻)	1064 ^e		4783.4	(29/2 ⁻)	(E2)	0.000876 13	$\alpha=0.000876$ 13; $\alpha(\text{K})=0.000767$ 11; $\alpha(\text{L})=9.00\times 10^{-5}$ 13; $\alpha(\text{M})=1.687\times 10^{-5}$ 24; $\alpha(\text{N}+..)=2.84\times 10^{-6}$ $\alpha(\text{N})=2.84\times 10^{-6}$ 4 Mult.: from DCO and γ polarization measurements in 2019Ti02.
6073.1	(35/2 ⁻)	1120 ^b	100 ^b	4953.1	(31/2 ⁻)			
6860.3	(39/2 ⁺)	1178 ^b	100 ^b	5682.2	(35/2 ⁺)			
6995.4	(37/2 ⁻)	1148 ^e		5847.4	(33/2 ⁻)			
(7094.5)		5918 ^c 3 6534.0 ^c 10 6652 ^c 8 6749.4 ^c 10 6812.9 ^c 14		1177.7 (1/2 ⁺ ,3/2 ⁺) 560.50 3/2 ⁺ 442.53 (7/2) ⁺ 344.9 1/2 ⁺ 280.62 3/2 ⁺				
7193.1	(39/2 ⁻)	1120 ^b	100 ^b	6073.1	(35/2 ⁻)			E_γ : 1119 in $^{96}\text{Zr}(^{13}\text{C},4\text{n}\gamma)$ (2019Ti02).
8127.3	(43/2 ⁺)	1267 ^b	100 ^b	6860.3	(39/2 ⁺)			
8297.4	(41/2 ⁻)	1302 ^e		6995.4	(37/2 ⁻)			
8410.1	(43/2 ⁻)	1217 ^b	100 ^b	7193.1	(39/2 ⁻)			E_γ : 1215 in $^{96}\text{Zr}(^{13}\text{C},4\text{n}\gamma)$ (2019Ti02).
9440.3	(47/2 ⁺)	1313 ^b	100 ^b	8127.3	(43/2 ⁺)			
10875.3	(51/2 ⁺)	1435 ^b	100 ^b	9440.3	(47/2 ⁺)			
x+1209.0	[47/2 ⁺]	1209 ^b	100 ^b	x	[43/2 ⁺]			
x+2491.0	[51/2 ⁺]	1282 ^b	100 ^b	x+1209.0	[47/2 ⁺]			
x+3870.0	[55/2 ⁺]	1379 ^b	100 ^b	x+2491.0	[51/2 ⁺]			
x+5358.0	[59/2 ⁺]	1488 ^b	100 ^b	x+3870.0	[55/2 ⁺]			

Adopted Levels, Gammas (continued)

$\gamma(^{105}\text{Pd})$ (continued)

$E_i(\text{level})$	J_i^π	E_γ^{\ddagger}	I_γ^{\ddagger}	E_f	J_f^π
x+6955.0	[63/2 ⁺]	1597 ^b	100 ^b	x+5358.0	[59/2 ⁺]
x+8675.1	[67/2 ⁺]	1720 ^b	100 ^b	x+6955.0	[63/2 ⁺]
x+10521	[71/2 ⁺]	1846 ^b	100 ^b	x+8675.1	[67/2 ⁺]
x+12528	[75/2 ⁺]	2007 ^b	100 ^b	x+10521	[71/2 ⁺]
x+14669	[79/2 ⁺]	2141 ^b	100 ^b	x+12528	[75/2 ⁺]

† Additional information 2.

‡ From ¹⁰⁵Ag ϵ decay (41.29 d), unless otherwise noted. $\Delta E=1$ keV assumed by the evaluators for all transitions where ΔE not explicitly given by the authors.

From ¹⁰⁴Ru($\alpha,3n\gamma$).

@ From ¹⁰⁵Pd($n,n'\gamma$).

& From ⁹⁶Zr(¹²C, $3n\gamma$) (1977Ri05).

^a From ¹⁰⁵Ag ϵ decay (7.23 min).

^b From ⁶⁴Ni(⁴⁸Ca, $\alpha3n$).

^c From ¹⁰⁴Pd(n,γ) E=th.

^d From Coulomb excitation.

^e From ⁹⁶Zr(¹³C, $4n\gamma$) (2019Ti02).


^f Placement of transition in the level scheme is uncertain.

Adopted Levels, Gammas**Level Scheme**

Intensities: Type not specified

Legend

- $I_\gamma < 2\% \times I_\gamma^{\max}$
- $I_\gamma < 10\% \times I_\gamma^{\max}$
- $I_\gamma > 10\% \times I_\gamma^{\max}$

 $^{105}_{46}\text{Pd}_{59}$


Adopted Levels, Gammas

Level Scheme (continued)

Intensities: Type not specified

Legend

- ▶ $I_\gamma < 2\% \times I_\gamma^{max}$
- ▶ $I_\gamma < 10\% \times I_\gamma^{max}$
- ▶ $I_\gamma > 10\% \times I_\gamma^{max}$




Adopted Levels, Gammas

Level Scheme (continued)

Intensities: Type not specified

Legend

- $I_\gamma < 2\% \times I_\gamma^{max}$
- $I_\gamma < 10\% \times I_\gamma^{max}$
- $I_\gamma > 10\% \times I_\gamma^{max}$




Adopted Levels, Gammas

Level Scheme (continued)

Intensities: Type not specified

Legend

- $I_\gamma < 2\% \times I_\gamma^{max}$
- $I_\gamma < 10\% \times I_\gamma^{max}$
- $I_\gamma > 10\% \times I_\gamma^{max}$



¹⁰⁵Pd₅₉


Adopted Levels, Gammas


Level Scheme (continued)


Intensities: Type not specified

Legend

- $I_\gamma < 2\% \times I_\gamma^{max}$
- $I_\gamma < 10\% \times I_\gamma^{max}$
- $I_\gamma > 10\% \times I_\gamma^{max}$
- - - - - → γ Decay (Uncertain)





Adopted Levels, Gammas

Adopted Levels, Gammas (continued)