

${}^{14}\text{C}({}^{14}\text{C}, {}^{17}\text{F})$  **1995Bo15**

Type	Author	History	Citation	Literature Cutoff Date
Full Evaluation	J. H. Kelley, C. G. Sheu		NP A880, 88 (2012)	1-Jan-2011

**1995Bo15:**  ${}^{14}\text{C}({}^{14}\text{C}, {}^{17}\text{F})$ ,  $E=335.6$  MeV; measured spectra.  ${}^{11}\text{Li}$  deduced resonances energy,  $\Gamma$ .

**1995OsZX:**  ${}^{14}\text{C}({}^{14}\text{C}, {}^{17}\text{F})$ ,  $E\approx 25$  MeV/nucleon; measured recoil spectra.  ${}^{11}\text{Li}$  deduced resonances.

**1995Vo05:**  ${}^{14}\text{C}({}^{14}\text{C}, {}^{17}\text{F})$ ,  $E=335.9$  MeV; measured residual nucleus spectra.

 ${}^{11}\text{Li}$  Levels

E(level)	$T_{1/2}$
0	
1200?	
$2.45 \times 10^3$ 10	1.2 MeV 3
$4.84 \times 10^3$ 10	<100 keV
$6.22 \times 10^3$ 10	<100 keV