

Adopted Levels, Gammas

Type	Author	Citation	Literature Cutoff Date
Full Evaluation	G. Gürdal and F. G. Kondev	NDS 113,1315 (2012)	1-Aug-2011

 $Q(\beta^-)=2758$ 20; $S(n)=7406$ 13; $S(p)=13079$ 13; $Q(\alpha)=-6355$ 13 [2012Wa38](#)Note: Current evaluation has used the following Q record 2774 20 7406 12 13079 13 -6350 13 [2011AuZZ](#). **^{110}Ru Levels****Cross Reference (XREF) Flags**

A	^{110}Tc β^- decay	D	^{254}Cf SF decay
B	^{252}Cf SF decay	E	$^{238}\text{U}(\alpha,\text{F}\gamma)$
C	^{248}Cm SF decay		

E(level) [†]	J [‡]	T _{1/2}	XREF	Comments
0.0 [#]	0 ⁺	12.04 s 17	ABCDE	% β^- =100 T _{1/2} : Unweighted average of 11.6 s 6 (using β -112 γ (t) in 1991Jo11), 12.2 s 1 (using 96 γ (t) in 1986KaZS), 11.98 s 4 (using 112 γ (t) in 1986KaZS), 11.8 s 2 (using 374 γ (t) in 1986KaZS) and 12.6 s 5 (using 374 γ (t) in 1978Fr16). Others: 17.0 s 1 (using 374 γ (t) in 1975Fe12), 14.7 s 13 (using 112 γ (t) in 1976MaYL) and 15.9 s 5 (using 374 γ (t) in 1969WiZX).
240.73 [#] 8	2 ⁺	0.32 ns 2	ABCDE	J ^π : 240.7 γ E2 to 0 ⁺ . T _{1/2} : Unweighted average of 0.34 ns 4 from ^{252}Cf decay (1974JaYY) and 0.30 ns 2 from ^{254}Cf decay (1980ChZM). Others: 0.50 ns 8 in 1995Sc24 , 0.23 ns in 1972Wi15 and 1970Ch11 , and <0.5 ns in 1970Wa05 . μ : +0.88 14, from g-factor=+0.44 7 measured using time-integral perturbed angular correlation technique in 2005Sm08 and in 2004Sm04 (T _{1/2} =0.30 ns 2 was used). Q: -0.74 9 from lifetime measurements using Doppler-profile method in 1999SmZX .
612.86 [@] 8	(2 ⁺)	0.16 ns 8	ABC E	J ^π : 372.1 γ M1+E2 to 2 ⁺ and 612.9 γ to 0 ⁺ . Branching ratio favors 2 ⁺ . T _{1/2} : From 372.1 γ (t) (centroid-shift) in 1995Sc24 . Others: 0.01 ns 16 from 612.9 γ (t) (centroid-shift) in 1995Sc24 .
663.35 [#] 9	4 ⁺	15.4 ps 17	ABC E	J ^π : 422.6 γ E2 to 2 ⁺ ; member of the g.s. band. T _{1/2} : From 2001Kr13 , using differential recoil distance method. Others: 13.4 ps 10 (1986Ma22). However, this is a combined value for ^{108}Ru and ^{110}Ru since the 4 ⁺ to 2 ⁺ transitions in those isotopes can not be resolved.
859.96 ^{&} 9	(3 ⁺)		ABC E	J ^π : 619.2 γ to 2 ⁺ and 196.6 γ to 4 ⁺ ; member of the one-phonon γ -vibrational band.
1084.37 [@] 11	(4 ⁺)		ABC E	J ^π : 224.5 γ to (3 ⁺) and 471.5 γ to (2 ⁺); member of the one-phonon γ -vibrational band.
1137.33 10	(0 ⁺)		AB	J ^π : 896.7 γ to 2 ⁺ . No transition to the ground state nor feeding to or from the levels with J>2 were observed.
1239.1 [#] 3	6 ⁺	2.4 ps 10	BC E	J ^π : 575.7 γ E2 to 4 ⁺ ; member of the g.s. band. T _{1/2} : From 2001Kr13 , using differential recoil distance method.
1375.41 ^{&} 23	(5 ⁺)		BC E	J ^π : 291.0 γ to (4 ⁺) and 515.5 γ to (3 ⁺); member of the one-phonon γ -vibrational band.
1396.42 8	2 ⁺		AB	J ^π : 1396.4 γ to 0 ⁺ and 733.1 γ to 4 ⁺ .
1618.37 ^a 21	(4 ⁺)		B	J ^π : 534.0 γ to (4 ⁺) and 1005.7 γ to (2 ⁺); member of the two-phonon γ -vibrational band.
1655.85 10	(2,3,4 ⁺)		AB	J ^π : 1415.1 γ to 2 ⁺ ; direct population in ^{110}Tc β - decay (J ^π =2,3 ⁺).
1684.27 [@] 25	(6 ⁺)		BC E	J ^π : 599.8 γ to (4 ⁺) and 308.7 γ to (5 ⁺); member of the one-phonon γ -vibrational band.

Continued on next page (footnotes at end of table)

Adopted Levels, Gammas (continued) **^{110}Ru Levels (continued)**

E(level) [†]	J^π	XREF	Comments
1799.5 3	(2,3,4 ⁺)	A	J^π : 1186.6 γ to (2 ⁺); direct population in ^{110}Tc β - decay ($J^\pi=2,3^+$).
1820.49 10	(2,3,4 ⁺)	AB	J^π : 424.2 γ to 2 ⁺ , 960.5 γ to (3 ⁺); direct population in ^{110}Tc β - decay ($J^\pi=2,3^+$).
1860.8 ^a 3	(5 ⁺)	B	J^π : 1000.9 γ to (3 ⁺) and 242.4 γ to (5 ⁺); member of the two-phonon γ -vibrational band.
1883.34 22	(2,3,4 ⁺)	A	J^π : 1642.6 γ to 2 ⁺ ; direct population in ^{110}Tc β - decay ($J^\pi=2,3^+$).
1944.5 [#] 4	8 ⁺	BC E	J^π : 705.3 γ to 6 ⁺ ; member of the g.s. band.
1978.21 19	(2 ^{+,} 3,4 ⁺)	A	J^π : 1314.7 γ to 4 ⁺ and 1737.8 γ to 2 ⁺ ; direct population in ^{110}Tc β - decay ($J^\pi=2,3^+$).
2003.57 22	(2,3,4 ⁺)	A	J^π : 1390.7 γ to (2 ⁺); direct population in ^{110}Tc β - decay ($J^\pi=2,3^+$).
2016.27 ^f 24	(4 ⁻)	B	J^π : 931.8 γ to (4 ⁺) and 1156.4 γ to (3 ⁺); band assignment; 226.5 γ from (6 ⁻).
2020.9 ^{&} 4	(7 ⁺)	BC E	J^π : 645.5 γ to (5 ⁺); member of the one-phonon γ -vibrational band.
2042.39 14	(2,3,4)	AB	J^π : direct population in ^{110}Tc β - decay ($J^\pi=2,3^+$).
2047.03 23	(1,2 ⁺)	A	J^π : 2046.8 γ to 0 ⁺ and 1806.4 γ to 2 ⁺ ; direct population in ^{110}Tc β - decay ($J^\pi=2,3^+$).
2085.27 13	(2,3,4 ⁺)	A	J^π : 1844.5 γ to 2 ⁺ ; direct population in ^{110}Tc β - decay ($J^\pi=2,3^+$).
2110.8 ^a 4	(6 ⁺)	B	J^π : 492.4 γ to (4 ⁺) and 735.4 γ to (5 ⁺); member of two-phonon γ -vibrational band.
2143.1 3	(1 ^{+,} 2,3,4 ⁺)	A	J^π : 1902.4 γ to 2 ⁺ ; direct population in ^{110}Tc β - decay ($J^\pi=2,3^+$).
2145.3 ^e 3	(5 ⁻)	B	J^π : 1481.9 γ to 4 ⁺ ; band assignment.
2152.69 18	(2,3,4 ⁺)	A	J^π : 1539.5 γ to 2 ⁺ , 1292.9 γ to (3 ⁺); direct population in ^{110}Tc β - decay ($J^\pi=2,3^+$).
2204.6 4	(2,3,4 ⁺)	A	J^π : 1963.9 γ to 2 ⁺ , direct population in ^{110}Tc β - decay ($J^\pi=2,3^+$).
2242.8 ^d 4	(6 ⁻)	B	J^π : 867.5 γ D to (5 ⁺); band assignment.
2266.3 4	(2,3,4 ⁺)	A	J^π : 2025.6 γ to 2 ⁺ ; direct population in ^{110}Tc β - decay ($J^\pi=2,3^+$).
2328.0 ^f 3	(6 ⁻)	B	J^π : 312.0 γ to (4 ⁻), 182.8 γ to (5 ⁻) and 1088.8 γ to 6 ⁺ ; band assignment.
2337.9 4	(2 ^{+,} 3,4 ⁺)	A	J^π : 2096.8 to 2 ⁺ , 1674.6 γ to 4 ⁺ ; direct population in ^{110}Tc β - decay ($J^\pi=2,3^+$).
2367.0 5	(2,3,4 ⁺)	A	J^π : 2126.2 γ to 2 ⁺ ; direct population in ^{110}Tc β - decay ($J^\pi=2,3^+$).
2397.0 [@] 4	(8 ⁺)	BC E	J^π : 712.7 γ to (6 ⁺); member of the one-phonon γ -vibrational band.
2413.03 25		A	
2419.6 4	(1,2 ⁺)	A	J^π : 1282.3 γ to (0 ⁺); direct population in ^{110}Tc β - decay ($J^\pi=2,3^+$).
2426.5 ^c 4	(7 ⁻)	B	J^π : 1187.2 γ D to 6 ⁺ ; band assignment.
2491.4 6	(2,3,4 ⁺)	A	J^π : 2250.6 γ to 2 ⁺ ; direct population in ^{110}Tc β - decay ($J^\pi=2,3^+$).
2516.6 ^e 4	(7 ⁻)	B	J^π : 371.4 γ to (5 ⁻) and 832.3 γ to (6 ⁺); band assignment.
2552.04 23	(1,2 ⁺)	A	J^π : 1414.7 γ to (0 ⁺); direct population in ^{110}Tc β - decay ($J^\pi=2,3^+$).
2573.8 7	(2,3,4 ⁺)	A	J^π : 2333.0 γ to 2 ⁺ ; direct population in ^{110}Tc β - decay ($J^\pi=2,3^+$).
2637.4 ^d 4	(8 ⁻)	B	J^π : 210.9 γ to (7 ⁻) and 394.5 γ to (6 ⁻); band assignment.
2759.5 [#] 4	10 ⁺	BC E	J^π : 815 γ to 8 ⁺ ; member of the g.s. band.
2764.6 ^f 4	(8 ⁻)	B	J^π : 436.7 γ to (6 ⁻), 247.9 γ to (7 ⁻) and 820.2 γ to 8 ⁺ ; band assignment.
2776.9 ^{&} 5	(9 ⁺)	BC E	J^π : 756.0 γ to (7 ⁺); member of the one-phonon γ -vibrational band.
2892.7 ^c 4	(9 ⁻)	B	J^π : 466.3 γ to (7 ⁻), 255.4 γ to (8 ⁻) and 948.2 γ to 8 ⁺ ; band assignment.
2942.8 4	(3 ⁻)	A	J^π : 2082.8 γ to (3 ⁺); nonobservation of γ to 2 ⁺ and 0 ⁺ ; direct population in ^{110}Tc β - decay ($J^\pi=2,3^+$).
3006.06 23	(1,2 ⁺)	A	J^π : 1868.6 γ to (0 ⁺) and 2393.0 γ to (2 ⁺); direct population in ^{110}Tc β - decay ($J^\pi=2,3^+$).
3019.5 8	(2,3,4 ⁺)	A	J^π : 2406.6 γ to (2 ⁺); direct population in ^{110}Tc β - decay ($J^\pi=2,3^+$).
3041.3 ^e 4	(9 ⁻)	B	J^π : 524.7 γ to (7 ⁻), 276.8 γ to (8 ⁻) and 1096.8 γ to 8 ⁺ ; band assignment.
3072.2 3	(2,3,4 ⁺)	A	J^π : 2459.4 γ to 2 ⁺ ; direct population in ^{110}Tc β - decay ($J^\pi=2,3^+$).
3091.39 14		A	
3113.0 7	(9,10 ⁺)	B	J^π : 716.0 γ to (8 ⁺).
3175.3 ^d 5	(10 ⁻)	B	J^π : 537.9 γ to (8 ⁻) and 282.6 γ to (9 ⁻); band assignment.
3193.3 ^b 4	(9,10 ⁺)	B	J^π : 416.4 γ to (9 ⁺) and 796.3 γ to (8 ⁺); band assignment.
3254.2 [@] 6	(10 ⁺)	B E	J^π : 857.3 γ to (8 ⁺); member of the one-phonon γ -vibrational band.
3337.1 ^f 5	(10 ⁻)	B	J^π : 572.4 γ to (8 ⁻) and 295.9 γ to (9 ⁻); band assignment.
3485.3 ^c 5	(11 ⁻)	B	J^π : 592.6 γ to (9 ⁻) and 309.9 γ to (10 ⁻); band assignment.
3627.1 ^{&} 7	(11 ⁺)	B E	J^π : 850.2 γ to (9 ⁺); member of the one-phonon γ -vibrational band.

Continued on next page (footnotes at end of table)

Adopted Levels, Gammas (continued) **^{110}Ru Levels (continued)**

E(level) [†]	J [‡]	XREF	Comments
3647.1 [#] 6	12 ⁺	B E	$J^\pi: 887.6\gamma$ to 10 ⁺ ; member of the g.s. band.
3689.8 ^e 5	(11 ⁻)	B	$J^\pi: 648.5\gamma$ to (9 ⁻), 352.8 γ to (10 ⁻) and 930.3 γ to 10 ⁺ ; band assignment.
3700.1 6	(12 ⁺)	B	$J^\pi: 940.5\gamma$ to 10 ⁺ .
3719.0 ^b 5	(12 ⁺)	B	$J^\pi: 959.5\gamma$ to 10 ⁺ .
3818.6 ^d 5	(12 ⁻)	B	$J^\pi: 643.2\gamma$ to (10 ⁻) and 333.3 γ to (11 ⁻); band assignment.
3956.9 8	(12 ⁺)	B	$J^\pi: 843.9\gamma$ to 10 ⁺ .
4038.7 ^f 6	(12 ⁻)	B	$J^\pi: 701.7\gamma$ to (10 ⁻) and 348.8 γ to (11 ⁻); band assignment.
4153.8 [@] 8	(12 ⁺)	B E	$J^\pi: 899.6\gamma$ to (10 ⁺); member of the one-phonon γ -vibrational band.
4195.5 ^c 6	(13 ⁻)	B	$J^\pi: 710.2\gamma$ to (11 ⁻) and 376.8 γ to (12 ⁻); band assignment.
4351.0 [#] 7	14 ⁺	B E	$J^\pi: 705\gamma$ to 12 ⁺ ; member of the g.s. band.
4370.5 ^b 6	(14 ⁺)	B	$J^\pi: 651.5\gamma$ to (12 ⁺); band assignment.
4446.3 ^e 7	(13 ⁻)	B	$J^\pi: 756.4\gamma$ to (11 ⁻); band assignment.
4556.1 ^{&} 9	(13 ⁺)	B E	$J^\pi: 929\gamma$ to (11 ⁺); member of the one-phonon γ -vibrational band.
4566.4 ^d 7	(14 ⁻)	B	$J^\pi: 747.9\gamma$ to (12 ⁻) and 370.9 γ to (11 ⁻); band assignment.
4874.0 ^f 8	(14 ⁻)	B	$J^\pi: 835.3\gamma$ to (12 ⁻); band assignment.
5010.8 ^c 8	(15 ⁻)	B	$J^\pi: 815.3\gamma$ to (13 ⁻); band assignment.
5124.8 [@] 13	(14 ⁺)	E	$J^\pi: 971\gamma$ to (12 ⁺); member of the one-phonon γ -vibrational band.
5143.0 ^b 8	(16 ⁺)	B	$J^\pi: 772.5\gamma$ to (14 ⁺); band assignment.
5150.7 [#] 8	16 ⁺	B E	$J^\pi: 799.7\gamma$ to 14 ⁺ ; member of the g.s. band.
5302.5 ^e 9	(15 ⁻)	B	$J^\pi: 856.2\gamma$ to (13 ⁻); band assignment.
5412.7 ^d 8	(16 ⁻)	B	$J^\pi: 846.3\gamma$ to (14 ⁻); band assignment.
5544.1 ^{&} 14	(15 ⁺)	E	$J^\pi: 988\gamma$ to (13 ⁺); member of the one-phonon γ -vibrational band.
6017.4 ^b 9	(18 ⁺)	B	$J^\pi: 874.4\gamma$ to (16 ⁺); band assignment.
6050.8 [#] 10	18 ⁺	B E	$J^\pi: 900.1\gamma$ to 16 ⁺ ; member of the g.s. band.
7053.8 [#] 14	(20 ⁺)	E	$J^\pi: 1003\gamma$ to 18 ⁺ ; member of the g.s. band.
8159.8 [#] 17	(22 ⁺)	E	$J^\pi: 1106\gamma$ to (20 ⁺); member of the g.s. band.

[†] From a least-square fit to E_γ .[‡] Based on measured transition multipolarities, systematics of low-lying collective states in Ru isotopes, γ -ray decay pattern and the observed band structures.

Band(A): g.s. band.

@ Band(B): One-phonon γ -vibrational band, $\alpha=0$.& Band(C): One-phonon γ -vibrational band, $\alpha=1$.^a Band(D): Two-phonon γ -vibrational band. The J^π assignment is tentative, based on the decay of this band mainly to one-phonon γ -vibrational band.^b Band(E): Band based on 3193.3 keV ([2009Zh24](#)). J^π assignments are tentative. This band could have negative parities and odd spins one unit less. Assigned as four-quasiparticle band in [2003Ji03](#), but the authors stated that more experimental data needed for assigning a definitive configuration.^c Band(F): Band based on (7⁻) at 2426.5 keV.^d Band(G): Band based on (6⁻) at 2242.8 keV.^e Band(H): Band based on (5⁻) at 2145.3 keV.^f Band(I): Band based on (4⁻) at 2016.27 keV.

Adopted Levels, Gammas (continued)

 $\gamma(^{110}\text{Ru})$

E _i (level)	J _i ^π	E _γ [‡]	I _γ [‡]	E _f	J _f ^π	Mult.	a [†]	Comments
240.73	2 ⁺	240.7 [#] 1	100 [#]	0.0	0 ⁺	E2	0.0569	$\alpha(\text{K})=0.0485\ 7; \alpha(\text{L})=0.00686\ 10; \alpha(\text{M})=0.001267\ 18; \alpha(\text{N}..)=0.000206\ 3$ $\alpha(\text{N})=0.000198\ 3; \alpha(\text{O})=7.97\times 10^{-6}\ 12$ $\text{B(E2)(W.u.)}=66\ 5$ Mult.: $A_2=0.229\ 101, A_4=0.195\ 153$ from $\gamma(\theta)$ in 1972Wi15 . $\alpha(\text{K})\exp/\alpha(\text{L})\exp\approx 4.0$ in 1970Wa05 , $\alpha(\text{K})\exp$ measurements in 1990Ay02 , but the value was not given by the authors.
612.86	(2 ⁺)	372.1 [#] 1	100 [#]	240.73	2 ⁺	(M1+E2)	0.0114 19	$\alpha(\text{K})=0.0099\ 16; \alpha(\text{L})=0.0012\ 3; \alpha(\text{M})=0.00023\ 5; \alpha(\text{N}..)=3.8\times 10^{-5}\ 8$ $\alpha(\text{N})=3.6\times 10^{-5}\ 7; \alpha(\text{O})=1.74\times 10^{-6}\ 22$ Mult.: From ¹¹⁰ Tc β^- decay (1990Ay02), based on conversion electron measurements, but the value was not given by the authors.
		612.9 [#] 1	80.2 [#] 25	0.0	0 ⁺	[E2]	0.00300 5	$\alpha(\text{K})=0.00262\ 4; \alpha(\text{L})=0.000315\ 5; \alpha(\text{M})=5.78\times 10^{-5}\ 8; \alpha(\text{N}..)=9.73\times 10^{-6}\ 14$ $\alpha(\text{N})=9.27\times 10^{-6}\ 13; \alpha(\text{O})=4.60\times 10^{-7}\ 7$ $\text{B(E2)(W.u.)}=0.6\ 3$ Mult.: From ¹¹⁰ Tc β^- decay (1990Ay02), based on conversion electron measurements, but the value was not given by the authors.
663.35	4 ⁺	422.6 [#] 1	100 [#]	240.73	2 ⁺	E2	0.00887 13	$\alpha(\text{K})=0.00769\ 11; \alpha(\text{L})=0.000971\ 14; \alpha(\text{M})=0.000178\ 3; \alpha(\text{N}..)=2.97\times 10^{-5}\ 5$ $\alpha(\text{N})=2.84\times 10^{-5}\ 4; \alpha(\text{O})=1.325\times 10^{-6}\ 19$ $\text{B(E2)(W.u.)}=86\ 10$ Mult.: From ¹¹⁰ Tc β^- decay (1990Ay02), based on conversion electron measurements, but the value was not given by the authors and the band structure.
859.96	(3 ⁺)	196.6 [#] 1	1.53 [#] 20	663.35	4 ⁺			
		247.1 [#] 1	20.7 [#] 20	612.86	(2 ⁺)			
		619.2 [#] 1	100 [#] 3	240.73	2 ⁺			
1084.37	(4 ⁺)	224.5 [#] 5	2.70 [#] 16	859.96	(3 ⁺)			
		421.0 [#] 5	50.6 [#] 14	663.35	4 ⁺			
		471.5 [#] 1	100 [#] 13	612.86	(2 ⁺)			
		843.6 [#] 2	62 [#] 8	240.73	2 ⁺			$I_\gamma: 15.9\ 10$ in ²⁵² Cf SF decay; 15.7 in ²⁴⁸ Cm SF decay.
1137.33	(0 ⁺)	896.7 [#] 1	100 [#]	240.73	2 ⁺			
1239.1	6 ⁺	575.7 5	100	663.35	4 ⁺	E2	0.00356 5	$\alpha(\text{K})=0.00311\ 5; \alpha(\text{L})=0.000377\ 6; \alpha(\text{M})=6.92\times 10^{-5}\ 10;$ $\alpha(\text{N}..)=1.163\times 10^{-5}\ 17$ $\alpha(\text{N})=1.108\times 10^{-5}\ 16; \alpha(\text{O})=5.45\times 10^{-7}\ 8$ $\text{B(E2)(W.u.)}=1.2\times 10^2\ 5$ Mult.: From ²⁴⁸ Cm SF decay (1994Sh26), based on $\gamma\gamma(\theta)$ but A_2 and A_4 values were not given by the authors.

Adopted Levels, Gammas (continued) **$\gamma(^{110}\text{Ru})$ (continued)**

		$E_i(\text{level})$	J_i^π	E_γ^\ddagger	I_γ^\ddagger	E_f	J_f^π
		1375.41	(5 ⁺)	291.0 5	3.60 20	1084.37	(4 ⁺)
				515.5 5	100	859.96	(3 ⁺)
				711.9 5	20.3 6	663.35	4 ⁺
		1396.42	2 ⁺	259.2# 1	3.04# 14	1137.33	(0 ⁺)
				536.3# 1	3.5# 7	859.96	(3 ⁺)
				733.1# 1	12.0# 9	663.35	4 ⁺
				783.6# 1	9.7# 13	612.86	(2 ⁺)
				1155.8# 1	100# 6	240.73	2 ⁺
				1396.4# 2	29# 3	0.0	0 ⁺
5		1618.37	(4 ⁺)	534.0 5	26.7 21	1084.37	(4 ⁺)
				758.5 5	67 4	859.96	(3 ⁺)
				1005.7 5	100	612.86	(2 ⁺)
				1377.6 5	13.3 8	240.73	2 ⁺
		1655.85	(2,3,4 ⁺)	796.1# 2	37# 3	859.96	(3 ⁺)
				1043.6# 5	25.0# 20	612.86	(2 ⁺)
				1415.1# 1	100# 7	240.73	2 ⁺
		1684.27	(6 ⁺)	308.7 5	7.7 4	1375.41	(5 ⁺)
				445.2 5	11.1 7	1239.1	6 ⁺
				599.8 5	100	1084.37	(4 ⁺)
				1021.0 5	23 4	663.35	4 ⁺
		1799.5	(2,3,4 ⁺)	1186.6# 3	100#	612.86	(2 ⁺)
		1820.49	(2,3,4 ⁺)	164.7# 1	50# 9	1655.85	(2,3,4 ⁺)
				424.2# 1	100# 16	1396.42	2 ⁺
				960.5# 1	20.5# 23	859.96	(3 ⁺)
				1579.0# 2	43# 5	240.73	2 ⁺
		1860.8	(5 ⁺)	242.4 5	100	1618.37	(4 ⁺)
				776.4 5	12.5 8	1084.37	(4 ⁺)
				1000.9 5	12.5 11	859.96	(3 ⁺)
		1883.34	(2,3,4 ⁺)	1642.6# 2	100#	240.73	2 ⁺
		1944.5	8 ⁺	705.3 5	100	1239.1	6 ⁺
		1978.21	(2 ^{+,} 3,4 ⁺)	1314.7# 2	100# 15	663.35	4 ⁺
				1737.8# 3	62# 8	240.73	2 ⁺
		2003.57	(2,3,4 ⁺)	1390.7# 2	100#	612.86	(2 ⁺)
		2016.27	(4 ⁻)	398.0 5	<22.5	1618.37	(4 ⁺)
				931.8 5	27 4	1084.37	(4 ⁺)
				1156.4 5	100	859.96	(3 ⁺)
				1353.0 5	29 3	663.35	4 ⁺

Adopted Levels, Gammas (continued)

 $\gamma(^{110}\text{Ru})$ (continued)

E _i (level)	J _i ^π	E _γ [‡]	I _γ [‡]	E _f	J _f ^π	Mult.	Comments
2020.9	(7 ⁺)	645.5 5	100	1375.41 (5 ⁺)			
		781.7 5	7.4 7	1239.1 6 ⁺			
2042.39	(2,3,4)	221.9 [#] 1	100 [#]	1820.49 (2,3,4 ⁺)			
2047.03	(1,2 ⁺)	1806.4 [#] 3	100 [#] 8	240.73 2 ⁺			
		2046.8 [#] 4	100 [#] 18	0.0 0 ⁺			
2085.27	(2,3,4 ⁺)	1225.3 [#] 1	100 [#] 10	859.96 (3 ⁺)			
		1844.5 [#] 3	23 [#] 3	240.73 2 ⁺			
2110.8	(6 ⁺)	492.4 5	43 5	1618.37 (4 ⁺)			
		735.4 5	4.8 6	1375.41 (5 ⁺)			
		1026.4 5	100	1084.37 (4 ⁺)			
2143.1	(1 ⁺ ,2,3,4 ⁺)	1902.4 [#] 3	100 [#]	240.73 2 ⁺			
2145.3	(5 ⁻)	129.1 ^{&}		2016.27 (4 ⁻)			
		527.1 5	33 4	1618.37 (4 ⁺)			
		1060.8 5	40 4	1084.37 (4 ⁺)			
		1481.9 5	100	663.35 4 ⁺			
2152.69	(2,3,4 ⁺)	1292.9 [#] 2	16.7 [#] 24	859.96 (3 ⁺)			
		1539.5 [#] 3	100 [#] 12	612.86 (2 ⁺)			
2204.6	(2,3,4 ⁺)	1963.9 [#] 4	100 [#]	240.73 2 ⁺			
2242.8	(6 ⁻)	226.5 5	21.5 11	2016.27 (4 ⁻)			
		867.5 5	100	1375.41 (5 ⁺)	D	Mult.: From 2009Lu18:(867.5 γ)(515.5 γ)(θ): A ₂ =-0.052 14, A ₄ =-0.002 21. In 2009Lu01, A ₄ = +0.002 21 is quoted. The theoretical values for a pure dipole transition are: A ₂ =-0.071, A ₄ =0; and for a pure quadrupole transition are A ₂ =-0.112 and A ₄ =-0.054. (867.5 γ)(394.5 γ)(θ): A ₂ =-0.079 14, A ₄ =+0.023 20. The theoretical values for a pure dipole transition are: A ₂ =-0.071, A ₄ =0; and for a pure quadrupole transition are A ₂ =-0.007 and A ₄ =-0.023.	
2266.3	(2,3,4 ⁺)	2025.6 [#] 4	100 [#]	240.73 2 ⁺			
2328.0	(6 ⁻)	182.8 5	3.7 3	2145.3 (5 ⁻)			
		312.0 5	12.7 6	2016.27 (4 ⁻)			
		643.6 5	13.5 18	1684.27 (6 ⁺)			
		952.5 5	100	1375.41 (5 ⁺)			
		1088.8 5	41 13	1239.1 6 ⁺			
2337.9	(2 ⁺ ,3,4 ⁺)	1674.6 [#] 4	86 [#] 17	663.35 4 ⁺			
		2096.8 [#] 7	100 [#] 26	240.73 2 ⁺			
2367.0	(2,3,4 ⁺)	2126.2 [#] 5	100 [#]	240.73 2 ⁺			
2397.0	(8 ⁺)	452.5 5	12.9 19	1944.5 8 ⁺			
		712.7 5	100	1684.27 (6 ⁺)			
2413.03		366.0 [#] 1	100 [#]	2047.03 (1,2 ⁺)			

Adopted Levels, Gammas (continued) $\gamma(^{110}\text{Ru})$ (continued)

E _i (level)	J ^π _i	E _γ [‡]	I _γ [‡]	E _f	J ^π _f	Mult.	Comments
2419.6	(1,2 ⁺)	1282.3 # 3	100 #	1137.33 (0 ⁺)			D Mult.: From 2009Lu18 : (1187.2 γ)(575.5 γ)(θ): A ₂ =-0.086 11, A ₄ =+0.010 17. The theoretical values for a pure dipole transition are: A ₂ =-0.071, A ₄ =0; and for a pure quadrupole transition are: A ₂ =-0.102 and A ₄ =-0.051.
2426.5	(7 ⁻)	183.6 5	6.0 20	2242.8 (6 ⁻)			
		742.3 5	20 3	1684.27 (6 ⁺)			
		1187.2 5	100	1239.1 6 ⁺			
2491.4	(2,3,4 ⁺)	2250.6 # 6	100 #	240.73 2 ⁺			
2516.6	(7 ⁻)	188.7 &	0.2	2328.0 (6 ⁻)			
		371.4 5	6.8 13	2145.3 (5 ⁻)			
		832.3 5	6.1 25	1684.27 (6 ⁺)			
		1277.5 5	100	1239.1 6 ⁺			
2552.04	(1,2 ⁺)	1414.7 # 2	100 #	1137.33 (0 ⁺)			
2573.8	(2,3,4 ⁺)	2333.0 # 7	100 #	240.73 2 ⁺			
2637.4	(8 ⁻)	210.9 5	42.5 11	2426.5 (7 ⁻)			
		309.3 5	15.1 7	2328.0 (6 ⁻)			
		394.5 5	100	2242.8 (6 ⁻)			
		616.5 5	38.1 13	2020.9 (7 ⁺)			
2759.5	10 ⁺	815.0 5	100	1944.5 8 ⁺			
2764.6	(8 ⁻)	247.9 5	34 3	2516.6 (7 ⁻)			
		436.7 5	100	2328.0 (6 ⁻)			
		820.2 5	12.5 21	1944.5 8 ⁺			
2776.9	(9 ⁺)	756.0 5	100	2020.9 (7 ⁺)			
2892.7	(9 ⁻)	255.4 5	15.2 11	2637.4 (8 ⁻)			
		466.3 5	47.1 18	2426.5 (7 ⁻)			
		948.2 5	100	1944.5 8 ⁺			
2942.8	(3 ⁻)	2082.8 # 4	100 #	859.96 (3 ⁺)			
3006.06	(1,2 ⁺)	853.4 # 2	18 # 3	2152.69 (2,3,4 ⁺)			
		1868.6 # 5	27 # 4	1137.33 (0 ⁺)			
		2393.0 # 7	100 # 14	612.86 (2 ⁺)			
3019.5	(2,3,4 ⁺)	2406.6 # 8	100 #	612.86 (2 ⁺)			
3041.3	(9 ⁻)	276.8 5	5.8 13	2764.6 (8 ⁻)			
		524.7 5	41 4	2516.6 (7 ⁻)			
		1096.8 5	100	1944.5 8 ⁺			
3072.2	(2,3,4 ⁺)	1025.2 # 3	58 # 11	2047.03 (1,2 ⁺)			
		2212.2 # 5	42 # 5	859.96 (3 ⁺)			
		2459.4 # 8	100 # 11	612.86 (2 ⁺)			
3091.39		1270.9 # 1	100 #	1820.49 (2,3,4 ⁺)			
3113.0	(9,10 ⁺)	716.0 5	100	2397.0 (8 ⁺)			

Adopted Levels, Gammas (continued)
 $\gamma(^{110}\text{Ru})$ (continued)

E _i (level)	J _i ^π	E _γ [‡]	I _γ [‡]	E _f	J _f ^π	E _i (level)	J _i ^π	E _γ [‡]	I _γ [‡]	E _f	J _f ^π
3175.3	(10 ⁻)	282.6 5	14.5 7	2892.7 (9 ⁻)		4038.7	(12 ⁻)	701.7 5	100	3337.1 (10 ⁻)	
		537.9 5	100	2637.4 (8 ⁻)		4153.8	(12 ⁺)	899.6 5	100	3254.2 (10 ⁺)	
3193.3	(9,10 ⁺)	416.4 5	100	2776.9 (9 ⁺)		4195.5	(13 ⁻)	376.8 5	≤22.5	3818.6 (12 ⁻)	
		796.3 5	24 5	2397.0 (8 ⁺)				710.2 5	100	3485.3 (11 ⁻)	
		1249.0 5	51 5	1944.5 8 ⁺		4351.0	14 ⁺	650.9 5	14.0 4	3700.1 (12 ⁺)	
3254.2	(10 ⁺)	857.3 5	100	2397.0 (8 ⁺)				703.9 5	100	3647.1 12 ⁺	
3337.1	(10 ⁻)	295.9 5	21 5	3041.3 (9 ⁻)		4370.5	(14 ⁺)	651.5 5	100	3719.0 (12 ⁺)	
		572.4 5	100	2764.6 (8 ⁻)				670.4 5	≤1.8	3700.1 (12 ⁺)	
		577.7 &	0.1	2759.5 10 ⁺		4446.3	(13 ⁻)	756.4 5	100	3689.8 (11 ⁻)	
3485.3	(11 ⁻)	309.9 5	19 3	3175.3 (10 ⁻)		4556.1	(13 ⁺)	929.0 5	100	3627.1 (11 ⁺)	
		592.6 5	100	2892.7 (9 ⁻)		4566.4	(14 ⁻)	370.9 5	10.5 23	4195.5 (13 ⁻)	
		725.9 5	87 9	2759.5 10 ⁺				747.9 5	100	3818.6 (12 ⁻)	
3627.1	(11 ⁺)	850.2 5	100	2776.9 (9 ⁺)		4874.0	(14 ⁻)	835.3 5	100	4038.7 (12 ⁻)	
3647.1	12 ⁺	887.6 5	100	2759.5 10 ⁺		5010.8	(15 ⁻)	815.3 5	100	4195.5 (13 ⁻)	
3689.8	(11 ⁻)	352.8 5	8.6 23	3337.1 (10 ⁻)		5124.8	(14 ⁺)	971.0 @ 10	100 @	4153.8 (12 ⁺)	
		648.5 5	100	3041.3 (9 ⁻)		5143.0	(16 ⁺)	772.5 5	100	4370.5 (14 ⁺)	
		930.3 5	37 9	2759.5 10 ⁺		5150.7	16 ⁺	799.7 5	100	4351.0 14 ⁺	
3700.1	(12 ⁺)	940.5 5	100	2759.5 10 ⁺		5302.5	(15 ⁻)	856.2 5	100	4446.3 (13 ⁻)	
3719.0	(12 ⁺)	464.9 5	≤2.9	3254.2 (10 ⁺)		5412.7	(16 ⁻)	846.3 5	100	4566.4 (14 ⁻)	
		525.7 5	100	3193.3 (9,10 ⁺)		5544.1	(15 ⁺)	988.0 @ 10	100 @	4556.1 (13 ⁺)	
		959.5 5	7.1 12	2759.5 10 ⁺		6017.4	(18 ⁺)	874.4 5	100	5143.0 (16 ⁺)	
3818.6	(12 ⁻)	333.3 5	9.9 10	3485.3 (11 ⁻)		6050.8	18 ⁺	900.1 5	100	5150.7 16 ⁺	
		643.2 5	100	3175.3 (10 ⁻)		7053.8	(20 ⁺)	1003.0 @ 10	100 @	6050.8 18 ⁺	
3956.9	(12 ⁺)	843.9 5	100	3113.0 (9,10 ⁺)		8159.8	(22 ⁺)	1106.0 @ 10	100 @	7053.8 (20 ⁺)	
4038.7	(12 ⁻)	348.8 5	15 4	3689.8 (11 ⁻)							


[†] Additional information 1.

[‡] From ²⁵²Cf SF Decay (2009Zh24,2009Lu18), unless otherwise stated. ΔEγ=0.5 keV was estimated by the evaluators.

[#] From ¹¹⁰Tc β⁻ decay.

[@] From ²³⁸U(α,F_γ).

[&] Placement of transition in the level scheme is uncertain.




Adopted Levels, Gammas**Level Scheme (continued)**

Intensities: Type not specified

Legend

- $I_\gamma < 2\% \times I_\gamma^{\max}$
- $I_\gamma < 10\% \times I_\gamma^{\max}$
- $I_\gamma > 10\% \times I_\gamma^{\max}$




Adopted Levels, Gammas**Level Scheme (continued)**

Intensities: Type not specified

Legend

- $I_{\gamma} < 2\% \times I_{\gamma}^{\max}$
- $I_{\gamma} < 10\% \times I_{\gamma}^{\max}$
- $I_{\gamma} > 10\% \times I_{\gamma}^{\max}$
- - - ► γ Decay (Uncertain)




Adopted Levels, Gammas

Legend

Level Scheme (continued)

Intensities: Type not specified

- $I_\gamma < 2\% \times I_{\gamma}^{\max}$
- $I_\gamma < 10\% \times I_{\gamma}^{\max}$
- $I_\gamma > 10\% \times I_{\gamma}^{\max}$
- - - → γ Decay (Uncertain)





Adopted Levels, GammasLevel Scheme (continued)


Intensities: Type not specified

Legend

- $I_{\gamma} < 2\% \times I_{\gamma}^{\max}$
- $I_{\gamma} < 10\% \times I_{\gamma}^{\max}$
- $I_{\gamma} > 10\% \times I_{\gamma}^{\max}$





Adopted Levels, Gammas

Adopted Levels, Gammas (continued)