### Adopted Levels, Gammas

		_		History
		Туре		Author Citation Literature Cutoff Date
		Full Evaluation	S. Lall	kovski, F. G. Kondev NDS 124, 157 (2015) 1-Aug-2014
$Q(\beta^{-})=4.10\times 10^{3}$	5; S(n	)=6917 <i>13</i> ; S(p)	=13895 <i>1</i>	$^{14}; Q(\alpha) = -7291 \ 14 \qquad 2012 \text{Wa38}$
				<sup>112</sup> Ru Levels
				Cross Reference (XREF) Flags
			A 112	<sup>2</sup> Tc $\beta^-$ decay D <sup>238</sup> U( $\alpha$ Fy)
			<b>B</b> 19	$^{7}$ Au( $^{19}$ F,F $\gamma$ ), $^{232}$ Th( $^{18}$ O,F $\gamma$ ), E $^{248}$ Cm SF decay
			C 252	<sup>2</sup> Cf SF decay
E(level) <sup>†</sup>	$J^{\pi \ddagger}$	T <sub>1/2</sub> #	XREF	Comments
0.0 <sup>@</sup>	$0^{+}$	1.75 s 7	ABCDE	$\%\beta^{-}=100$
	Ū			T <sub>1/2</sub> : from 327.0γ(t), following <sup>112</sup> Ru β <sup>-</sup> -decay using a mass separated source (1991Jo11,1988Pe13,1988AyZZ). Others: 2.6 s <i>1</i> , deduced from the growth and decay of 348γ in <sup>112</sup> Pd (1987GiZW), 4.65 s <i>14</i> (1970WiZN), 4.1 s <i>3</i> (1976MaYL), and 3.6 s <i>5</i> (1978Fr16), but some of these activities probably belong to <sup>112</sup> Rh.
236.69 <sup>@</sup> 16	2+	0.32 ns <i>3</i>	ABCDE	$J^{\pi}$ : 236.8 $\gamma$ E2 to the g.s. $T_{1/2}$ : from recoil-distance Doppler-shift method (1974JaZN,1974JaYY). Other: 0.16 ns 4 (1970Ch11). $\mu$ : +0.88 18, deduced from g=+0.44 9 (2004Sm04, 2005Sm08) using the time integral correlation technique
523 51 & 16	2+		A CDF	$I^{\pi}$ : 523 4y to 0 <sup>+</sup> : 287y M1+F2 to 2 <sup>+</sup> : hand member
$644.97^{@}20$	$\frac{2}{4^+}$		ARCDE	$I^{\pi}$ : 408 2 $\gamma$ F2 to 2 <sup>+</sup> ; hand assignment
$747.48^{\&}$ 18	3+		A CDE	$I^{\pi}$ : 224 0v to 2 <sup>+</sup> : 510 8v to 2 <sup>+</sup> : absence of 747v to 0 <sup>+</sup> : hand assignment
980.68 <sup>&amp;</sup> 18	4 <sup>+</sup>		CDE	$I^{\pi}$ : 233.2v to 3 <sup>+</sup> : 457.2v to 2 <sup>+</sup> : band assignment
1026.7 5	•		A	
1179.4 5			Α	
1189.79 <sup>@</sup> 24	6+		BCDE	$J^{\pi}$ : 544.7 $\gamma$ (E2) to 4 <sup>+</sup> ; band assignment.
1235.34 <sup>&amp;</sup> 21	5+		CDE	$J^{\pi}$ : 487.9 $\gamma$ to 3 <sup>+</sup> ; 590.5 $\gamma$ to 4 <sup>+</sup> ; band assignment.
1413.6 <sup><i>a</i></sup> 3	(4+)		C	$J^{\pi}$ : 666.3 $\gamma$ to 4 <sup>+</sup> ; 890.0 $\gamma$ to 2 <sup>+</sup> ; band assignment.
$1570.2^{\circ}$ 3	$6^+$		CDE	$J^{A}$ : 334.8 $\gamma$ to 5 <sup>+</sup> ; 589.3 $\gamma$ to 3 <sup>+</sup> ; band assignment.
$1049.5^{-4}$	(3 <sup>+</sup> )	1.94 m = 29	DCDE	$J^{*}: 255.97$ to (4°), 902.17 to 5°; band assignment.
1839.7 3	0	1.84 ps 28	BCDE	J : 050.07 (E2) to 0 ; band assignment. The Other: 1.7 ps $\pm 13-5$ in $^{252}$ Cf SE decay (2013Sp01) using DSAM
1841.1 <sup>&amp;</sup> 3	7+	2.50 ps 35	CDE	$J_{1/2}^{\pi}$ : 270.8 $\gamma$ to 6 <sup>+</sup> ; 605.7 $\gamma$ (E2) to 5 <sup>+</sup> ; band assignment.
1055 7 <del>a</del> 1	$(6^{+})$		C	$I_{1/2}$ : Other: 2.2 ps +/-14 in <sup>2.2</sup> Cf SF decay (2013Sn01) using DSAM. $I^{\pi}$ : 5/2 (by to ( $I^{\pm}$ ), 720 5% to ( $5^{\pm}$ ); hand assignment
1995.1 3	$(0^{-})$		c	$J^{\pi}$ : 1014.4 $\gamma$ to 4 <sup>+</sup> , 1247.5 $\gamma$ to 3 <sup>+</sup> .
$2003.3^{b}$ 3	$(5^{-})$	<1 ns	C	$J^{\pi}$ : 1022.5 $\gamma$ to 4 <sup>+</sup> : 768.0 $\gamma$ to 5 <sup>+</sup> : band assignment.
2147.9 4	(5 <sup>-</sup> )		С	T <sub>1/2</sub> : From <sup>252</sup> Cf SF decay (2009Lu01). J <sup><math>\pi</math></sup> : 1502.9 $\gamma$ to 4 <sup>+</sup> .
2230.3 <sup>b</sup> 3	(6 <sup>-</sup> )		С	$J^{\pi}$ : 235.1 $\gamma$ to (4 <sup>-</sup> ), 1040.6 $\gamma$ to 6 <sup>+</sup> ; band assignment.
2231.3 <sup><i>a</i></sup> 5	$(7^{+})$		С	$J^{\pi}$ : 581.9 $\gamma$ to (5 <sup>+</sup> ); band assignment.
2263.5 <sup>&amp;</sup> 5	8+		CDE	$J^{\pi}$ : 693.3 $\gamma$ to 6 <sup>+</sup> ; band assignment.
2334.3 <sup>c</sup> 4	(6 <sup>-</sup> )	<1 ns	C	$J^{\pi}$ : 1098.8 $\gamma$ to 5 <sup>+</sup> , 331.0 $\gamma$ to (5 <sup>-</sup> ); band assignment.
2392.0 5			С	$1_{1/2}$ . From CI SF accay (2009Eu01).

### <sup>112</sup>Ru Levels (continued)

E(level) <sup>†</sup>	Jπ‡	$T_{1/2}^{\#}$	XREF	Comments
2489.3 <sup>b</sup> 3	(7-)		С	$J^{\pi}$ : 259.0 $\gamma$ to (6 <sup>-</sup> ), 341.4 $\gamma$ to (5 <sup>-</sup> ),1299.6 $\gamma$ D to 6 <sup>+</sup> ; band assignment.
2534.2 <sup>&amp;</sup> 4	9+	1.23 ps 18	CDE	$J^{\pi}$ : 694.4 $\gamma$ (E2) to 7 <sup>+</sup> ; band assignment. T <sub>1/2</sub> : Other: 1.3 ps +7-6 in <sup>252</sup> Cf SF decay (2013Sn01) using DSAM.
2563.0 <sup>@</sup> 4	10+	1.05 ps 16	BCDE	$J^{\pi}$ : 723.3 $\gamma$ (E2) to 8 <sup>+</sup> ; band assignment. T <sub>1/2</sub> : Other: 1.4 ps 3 in <sup>252</sup> Cf SF decay (2013Sn01) using DSAM.
2574.3 <sup>°</sup> 4	$(7^{-})$		С	$J^{\pi}$ : 426.3 $\gamma$ to (5 <sup>-</sup> ), 733.1 $\gamma$ to 7 <sup>+</sup> ,1384.6 $\gamma$ D to 6 <sup>+</sup> ; band assignment.
2574.6 <sup>a</sup> 6	(8 <sup>+</sup> )		С	$J^{\pi}$ : 618.9 $\gamma$ to (6 <sup>+</sup> ); band assignment.
2771.8 <sup>b</sup> 4	(8 <sup>-</sup> )		С	$J^{\pi}$ : 282.5 $\gamma$ to (7 <sup>-</sup> ), 541.5 $\gamma$ to (6 <sup>-</sup> ); band assignment.
2829.4 <sup>°</sup> 5	(8 <sup>-</sup> )		С	$J^{\pi}$ : 255.1 $\gamma$ to (7 <sup>-</sup> ), 495.1 $\gamma$ to (6 <sup>-</sup> ); band assignment.
2899.9 5			C	
2909.2 <sup><i>a</i></sup> 7	(9+)		C	$J^{\pi}$ : 677.9 $\gamma$ to (7 <sup>+</sup> ); band assignment.
3033.6 7	$10^{+}$		CD	$J^{\pi}$ : 770.1 $\gamma$ to 8 <sup>+</sup> ; band assignment.
3076.6 <sup>0</sup> 4	(9 <sup>-</sup> )		С	$J^{\pi}$ : 304.8 $\gamma$ to (8 <sup>-</sup> ), 587.3 $\gamma$ to (7 <sup>-</sup> ); band assignment.
3094.2° 4	(9 <sup>-</sup> )		C	$J^{\pi}$ : 264.8 $\gamma$ to (8 <sup>-</sup> ), 519.8 $\gamma$ to (7 <sup>-</sup> ); band assignment.
3290.5 <sup><b>X</b></sup> 7	$11^{+}$	0.78 ps 11	CDE	$J^{\pi}$ : 756.3 $\gamma$ (E2) to 9 <sup>+</sup> ; band assignment.
e				$T_{1/2}$ : Other: 0.9 ps 5 in <sup>232</sup> Cf SF decay (2013Sn01) using DSAM.
3326.2 <sup>6</sup> 6	$12^{+}$	0.93 ps 9	CDE	$J^{\pi}$ : 763.2 $\gamma$ (E2) to 10 <sup>+</sup> ; band assignment.
				$T_{1/2}$ : weighted average of 0.80 ps 12 in <sup>248</sup> Cm SF decay (2012Sm02)
				(Doppler-broadened lineshape technique) and 1.12 ps $+15-14$ in <sup>2.52</sup> Cf SF decay
2270 0 <sup>C</sup> 5	$(10^{-})$		C	(20135  not) (DSAM).
3379.9 J	$(10^{-})$		C	J : 265.07 to (9'), 550.07 to (8'), band assignment.
3420.9° 5	(10)		C	$J^{*}: 344.3\gamma$ to (9), 649.0 $\gamma$ to (8); band assignment.
3711 7 <sup>°</sup> 5	$(11^{-})$		c	$I^{\pi}$ : 331.7 $\gamma$ to (10 <sup>-</sup> ) 617.4 $\gamma$ to (9 <sup>-</sup> ): hand assignment
3768 7 <sup>b</sup> 5	$(11^{-})$		c	$I^{\pi}$ : 347 8v to (10 <sup>-</sup> ), 692 0v to (9 <sup>-</sup> ); band assignment
3870 9 8 9	12+		СЪ	$I^{\pi}$ : 837 3y to (10 <sup>+</sup> ); band assignment
4032.6 <sup>°</sup> 7	$(12^{-})$		c	$J^{\pi}$ : 321.0v to (11 <sup>-</sup> ), 652.7v to (10 <sup>-</sup> ); band assignment.
4095 4 <sup>&amp;</sup> 8	13+		CD	$I^{\pi}$ : 804 9 $\gamma$ to 11 <sup>+</sup> : hand assignment
4118 4 @ 8	14+	16 ns 3	CD	$I^{\pi}$ : 792 2v to 12 <sup>+</sup> ; band assignment
+110.+ 0 L	14	1.0 ps 5	C	$T_{1/2}$ : from <sup>252</sup> Cf SF decay (2013Sn01) using DSAM.
4198.8 <sup>0</sup> 6	$(12^{-})$		C	$J^{\pi}$ : 430.1 $\gamma$ to (11 <sup>-</sup> ), 778.0 $\gamma$ to (10 <sup>-</sup> ); band assignment.
4213.4 9	(12-)		C	$I_{\pi}$ , 716 Sec to (11-), hand assignment
4428.3° /	(13)		C	$J^{T}$ , 710.87 to (11); band assignment.
4561.8 /	(13)		C	$J^*$ : 793.1 $\gamma$ to (11); band assignment.
4764.2° 10	14'		C	$J^{\prime\prime}$ : 893.3 $\gamma$ to 12 <sup>+</sup> ; band assignment.
4709.72 0	(14) $(14^+)$		л	$I^{\pi}$ , 918v to (12 <sup>+</sup> ); hand assignment
4950 7 2 10	(14)		CD	$I^{\pi}$ : 855 3 $\alpha$ to 13 <sup>+</sup> : band assignment
4950.7 10	15		CD	$I^{\pi}$ : 826 2a to $14^{+}$ ; hand assignment
4934.0 10	(1.4-)		CD C	J : $850.27$ to 14 , band assignment.
5072.9° 8	(14) $(15^{-})$		C	$J^{-1}$ : $\delta/4.1\gamma$ to $(12^{-})$ ; band assignment
5700.82% 7	$(15^{+})$		C	
$5820.0^{(0)}$ 11	(10)		CD	$\pi$ , 875 Au to 16 <sup>+</sup> , hand assignment
5050.0 = 11	10			$J = 0.02$ Set to $15^+$ ; band assignment
$3837.4^{-11}$	1/		CD CD	J : $902.6\gamma$ to 15°; band assignment.
6/25.4° 12	$(20^{+})$		CD	J <sup>**</sup> : $895.4\gamma$ to 18 <sup>+</sup> ; band assignment.
6800.4° 15	(19+)		D	$J^*$ : 943 $\gamma$ to 1/ $\tau$ ; band assignment.
7749.3 <sup>••</sup> 13	$(22^{+})$		D	J <sup><i>n</i></sup> : 1023.8 $\gamma$ to (20 <sup>+</sup> ); band assignment.

#### <sup>112</sup>Ru Levels (continued)

<sup>†</sup> From a least-squares fit to  $E\gamma$ .

<sup>‡</sup> From the deduced  $\gamma$ -ray transition multipolarities and the apparent band structures.

<sup>#</sup> From <sup>248</sup>Cm SF decay (2012Sm02) using Doppler-broadened lineshape technique, unless otherwise stated.

<sup>(a)</sup> Band(A):  $K^{\pi}=0^+$ , g.s. band. <sup>(a)</sup> Band(B):  $K^{\pi}=2^+, \gamma$ -vibrational band.

<sup>a</sup> Band(C): Rotational band built on the 1413.6 keV level.

<sup>b</sup> Band(D):  $K^{\pi} = 4^{-}, v1/2[411] \otimes v7/2[523]$  band. The experimental ABS( $g_{K}-g_{R}$ ) = 0.185 17 deduced from the cascade-to-crossover branching ratios agrees well with theoretical value of 0.186 for this configuration, using  $Q_0=3.4$  3 eb.

<sup>*c*</sup> Band(E): Likely  $K^{\pi}=6^{-}$  band. The assignment is tentative.

### $\gamma(^{112}Ru)$

E <sub>i</sub> (level)	$\mathbf{J}_i^{\pi}$	$E_{\gamma}^{\dagger}$	$I_{\gamma}^{\dagger}$	$\mathbf{E}_{f}$	$\mathbf{J}_f^{\pi}$	Mult. <sup>&amp;</sup>	$\alpha^{a}$	Comments
236.69	2+	236.8 <sup>#</sup> 2	100#	0.0	0+	E2	0.0602	B(E2)(W.u.)=70 7 $\alpha$ (K)=0.0513 8; $\alpha$ (L)=0.00728 11; $\alpha$ (M)=0.001346 20 $\alpha$ (N)=0.000211 3; $\alpha$ (O)=8.41×10 <sup>-6</sup> 12 Mult.: From the ce measurement in <sup>112</sup> Tc β <sup>-</sup> decay (1990Ay02) and $\gamma$ ( $\omega$ ) in <sup>248</sup> Cm SF decay (1994Sh26).
523.51	2+	287.0 <sup>#</sup> 2	100 <sup>#</sup> 12	236.69	2+	M1+E2	0.0183	$\alpha(K)=0.01604\ 23;\ \alpha(L)=0.00188\ 3;\ \alpha(M)=0.000346\ 5\ \alpha(N)=5.59\times10^{-5}\ 8;\ \alpha(O)=2.95\times10^{-6}\ 5\ Mult.$ : From ce measurements in <sup>112</sup> Tc $\beta^-$ decay.
		523.4 <sup>#</sup> 2	73 <sup>#</sup> 15	0.0	0+	[E2]	0.00467	$\alpha(K)=0.00407\ 6;\ \alpha(L)=0.000499\ 7;$ $\alpha(M)=9.16\times10^{-5}\ 13$ $\alpha(N)=1.465\times10^{-5}\ 21;\ \alpha(O)=7.10\times10^{-7}\ 10$ I <sub><math>\gamma</math></sub> : Other: 91.8 14 in <sup>252</sup> Cf SF decay and 82 16 in <sup>248</sup> Cm SF decay.
644.97	4+	408.2 <sup>#</sup> 2	100#	236.69	2+	E2	0.00988	$\alpha(K)=0.00856 \ 12; \ \alpha(L)=0.001086 \ 16; \\ \alpha(M)=0.000200 \ 3 \\ \alpha(N)=3.18\times10^{-5} \ 5; \ \alpha(O)=1.472\times10^{-6} \ 21 \\ \text{Mult.: From } \gamma(\omega) \text{ in } ^{248}\text{Cm SF decay} \\ (1994\text{Sh}26)$
747.48	3+	224.0 2	38 8	523.51	2+			I <sub>γ</sub> : Other: 35.1 6 in <sup>252</sup> Cf SF decay and≈100 in 1990Ay02 ( <sup>112</sup> Tc $β^-$ decay).
980.68	4+	510.8 2 233.2 2 335.6 2 457.2 2 744.0 2 381.7# 5	100 3 7.1 14 20 4 100 20 7.1 14 100 <sup>#</sup>	236.69 747.48 644.97 523.51 236.69 644.97	$2^+$ $3^+$ $4^+$ $2^+$ $2^+$ $4^+$			I <sub>γ</sub> : Other: ≈87 in 1990Ay02 ( <sup>112</sup> Tc β <sup>-</sup> decay). I <sub>γ</sub> : Other: 5.6 6 in <sup>252</sup> Cf SF decay. I <sub>γ</sub> : Other: 22.0 10 in <sup>252</sup> Cf SF decay. I <sub>γ</sub> : Other: 3.6 3 in <sup>252</sup> Cf SF decay.
1179.4		$152.7^{\#} 2$	100 <sup>#</sup>	1026.7	4			E : From <sup>112</sup> Te $\beta^-$ decay
1189.79	6+	544.9 2	100	644.97	4 <sup>+</sup>	(E2)	0.00416	$\alpha(K)=0.00363 5; \alpha(L)=0.000443 7;$ $\alpha(M)=8.13\times10^{-5} 12$ $\alpha(N)=1.301\times10^{-5} 19; \alpha(O)=6.34\times10^{-7} 9$ Mult.: From $\gamma(\omega)$ in <sup>248</sup> Cm SF decay (1994Sh26).
1235.34	5+	254.7 <sup>‡</sup> 5 487.9 2	5.70 <sup>‡</sup> 20 100 3	980.68 747.48	4+ 3+			

# $\gamma$ <sup>(112</sup>Ru) (continued)</sup>

E <sub>i</sub> (level)	$\mathbf{J}_i^{\pi}$	$E_{\gamma}^{\dagger}$	$I_{\gamma}^{\dagger}$	$E_f$	$\mathbf{J}_{f}^{\pi}$	Mult.&	$\alpha^{a}$	Comments
1235.34	5+	590.3 2	8.1 14	644.97	4+			
1413.6	$(4^{+})$	666.3 <sup>‡</sup> 5	15.4 <sup>‡</sup> 7	747.48	3+			
		890.0 <sup>‡</sup> 5	100 <sup>‡</sup>	523.51	$2^{+}$			
1570.2	6+	334.8 <sup>‡</sup> 5	2.6 <sup>‡</sup> 3	1235.34	5+			
		380.3 <sup>‡</sup> 5	1.20 <sup>‡</sup> 20	1189.79	6+			
		589.3 <sup>‡</sup> 5	$100^{\ddagger}$	980.68	4+			
1649.5	$(5^{+})$	235.9 <sup>‡</sup> 5	100 <sup>‡</sup>	1413.6	$(4^{+})$			
		668.9 <sup>‡</sup> 5	5.6 <sup>‡</sup> 4	980.68	4+			
		902.1 <sup>‡</sup> 5	22.2 <sup>‡</sup> 11	747.48	3+			
1839.7	8+	650.0 2	100	1189.79	6+	(E2)	0.00256	$\alpha(K)=0.00223 \ 4; \ \alpha(L)=0.000267 \ 4;  \alpha(M)=4.90\times10^{-5} \ 7  \alpha(N)=7.88\times10^{-6} \ 11; \ \alpha(O)=3.93\times10^{-7}  6$
								B(E2)(W.u.)=82 13 Mult.: From $\gamma(\omega)$ in <sup>248</sup> Cm SF decay (1994Sh26).
1841.1	7+	270.8 <sup>‡</sup> 5	4.1 <sup>‡</sup> 5	1570.2	6+	[M1]	0.0213	B(M1)(W.u.)=0.017 4 $\alpha$ (K)=0.0186 3; $\alpha$ (L)=0.00219 4; $\alpha$ (M)=0.000402 6 $\alpha$ (N)=6.50×10 <sup>-5</sup> 10; $\alpha$ (O)=3.42×10 <sup>-6</sup>
		605.7 <sup>‡</sup> .5	$100^{\ddagger}$	1235.34	5+	(E2)	0.00310	$B(E_2)(W_{11})=83$ 12
			100	120010		(==)	0.00010	$\alpha(\text{K})=0.00270 \ 4; \ \alpha(\text{L})=0.000326 \ 5; \\ \alpha(\text{M})=5.98\times10^{-5} \ 9 \\ \alpha(\text{N})=9.59\times10^{-6} \ 14; \ \alpha(\text{O})=4.74\times10^{-7} \\ 7 \\ N \ \text{K} \ \text{E} \ (\text{A}) = 248 \ \text{C} \ \text{A} \ \text{C} \ \text{A} \ \text{C} \ \text{A} $
		651.2 5		1189.79	6+	[M1]	0.00250	Mult.: From $\gamma(\omega)$ in <sup>24</sup> Cm SF decay (1994Sh26). $\alpha(K)=0.00219 \ 3; \ \alpha(L)=0.000251 \ 4; \ \alpha(M)=4.61\times10^{-5} \ 7 \ \alpha(N)=7.47\times10^{-6} \ 11; \ \alpha(O)=3.99\times10^{-7} \ 6$
								$E_{\nu}$ : From <sup>252</sup> Cf SF decay.
1955.7	(6+)	542.0 <sup>‡</sup> 5	100‡	1413.6	$(4^{+})$			, <u>-</u>
		720.5 <sup>‡</sup> 5	12.5 <sup>‡</sup> 7	1235.34	5+			
		975.0 <sup>‡</sup> 5	63 <sup>‡</sup> 3	980.68	4+			
1995.1	$(4^{-})$	1014.4 <sup>‡</sup> 5	33.3 <sup>‡</sup> 24	980.68	4+			
		1247.5 <sup>‡</sup> 5	100 <sup>‡</sup>	747.48	3+			
		$1350.2^{\ddagger}.5$	$16.7^{\ddagger}.21$	644 97	4 <sup>+</sup>			
2003.3	(5 <sup>-</sup> )	589.7 <sup>‡</sup> 5	<38.7 <sup>‡</sup>	1413.6	(4 <sup>+</sup> )	[E1]	$1.14 \times 10^{-3}$	B(E1)(W.u.)> $1.8 \times 10^{-7}$ $\alpha$ (K)=0.001004 <i>15</i> ; $\alpha$ (L)=0.0001139 <i>16</i> : $\alpha$ (M)=2.08×10^{-5} 3
								$\alpha(N)=3.36\times10^{-6} 5; \alpha(O)=1.762\times10^{-7}$ 25
		768.0 <i>5</i>		1235.34	5+	[E1]	6.41×10 <sup>-4</sup>	$\alpha(K)=0.000564 \ 8; \ \alpha(L)=6.36\times10^{-5} \ 9; \alpha(M)=1.162\times10^{-5} \ 17 \alpha(N)=1.88\times10^{-6} \ 3; \ \alpha(O)=9.94\times10^{-8} 14$
								$E_{\gamma}$ : From <sup>252</sup> Cf SF decay.
		1022.5 <sup>‡</sup> 5	100 <sup>‡</sup>	980.68	4+	[E1]	$3.63 \times 10^{-4}$	B(E1)(W.u.)>1.8×10 <sup>-7</sup>

# $\gamma$ <sup>(112</sup>Ru) (continued)</sup>

E <sub>i</sub> (level)	$\mathbf{J}_i^{\pi}$	$E_{\gamma}^{\dagger}$	$I_{\gamma}^{\dagger}$	$E_f$	$\mathbf{J}_f^{\pi}$	Mult.&	α <sup>a</sup>	Comments
								$\alpha(K)=0.000319 \ 5; \ \alpha(L)=3.58\times10^{-5} \ 5; \\ \alpha(M)=6.53\times10^{-6} \ 10 \\ \alpha(N)=1.058\times10^{-6} \ 15; \ \alpha(O)=5.64\times10^{-8} \\ 8 $
2003.3	(5 <sup>-</sup> )	1358.3 <sup>‡</sup> 5	33 <sup>‡</sup> 7	644.97	4+	[E1]	3.55×10 <sup>-4</sup>	B(E1)(W.u.)>2.5×10 <sup>-8</sup> $\alpha$ (K)=0.000191 3; $\alpha$ (L)=2.13×10 <sup>-5</sup> 3; $\alpha$ (M)=3.89×10 <sup>-6</sup> 6 $\alpha$ (N)=6.30×10 <sup>-7</sup> 9; $\alpha$ (O)=3.38×10 <sup>-8</sup> 5; $\alpha$ (IPE)=0.0001376 20
2147.9	$(5^{-})$	1167.2 <sup>‡</sup> 5	$20^{\ddagger}.5$	980.68	4+			u(III) 0.0001570 20
	(- )	1502.9 <sup>‡</sup> 5	100 <sup>‡</sup>	644.97	4+			
2230.3	(6 <sup>-</sup> )	226.9 <sup>‡</sup> 5	6.7 <sup>‡</sup> 17	2003.3	$(5^{-})$			
		235.1 <sup>‡</sup> 5	9.2 <sup>‡</sup> 17	1995.1	$(4^{-})$			
		660.1 <sup>‡</sup> 5	13.5 <sup>‡</sup> 23	1570.2	6+			
		994.9 <sup>‡</sup> 5	42 <sup>‡</sup> 6	1235.34	5+			
		1040.6 <sup>‡</sup> 5	100 <sup>‡</sup>	1189.79	6+			
2231.3	$(7^{+})$	581.9 <sup>‡</sup> 5	100 <sup>‡</sup>	1649.5	$(5^{+})$			
		995.8 <sup>‡</sup> 5	68 <sup>‡</sup> 4	1235.34	5+			
2263.5	8+	693.3 <sup>‡</sup> 5	100‡	1570.2	6+			
2334.3	(6 <sup>-</sup> )	331.0 <sup>‡</sup> 5	12.1 <sup>‡</sup>	2003.3	(5 <sup>-</sup> )	[M1]	0.01278	$\alpha$ (K)=0.01119 <i>17</i> ; $\alpha$ (L)=0.001308 <i>19</i> ; $\alpha$ (M)=0.000240 <i>4</i>
								$\alpha(N)=3.89\times10^{-5}$ 6; $\alpha(O)=2.05\times10^{-6}$ 3
		76417 5	24 5	1570.0	<+	(17.1.)	6 40 10-4	$B(M1)(W.u.) > 3.9 \times 10^{-7}$
		764.1* 3	34* 5	1570.2	6'	[E1]	6.48×10 +	B(E1)(W.u.)>1.2×10 <sup>-7</sup> $\alpha$ (K)=0.000570 8; $\alpha$ (L)=6.43×10 <sup>-5</sup> 9; $\alpha$ (M)=1.174×10 <sup>-5</sup> 17
								$\alpha(N)=1.90\times10^{\circ} 3; \ \alpha(O)=1.004\times10^{\circ}$
		1098.8 <sup>‡</sup> 5	100 <sup>‡</sup>	1235.34	5+	[E1]	$3.17 \times 10^{-4}$	$B(E1)(W.u.) > 1.2 \times 10^{-7}$
								$\alpha(K)=0.000279 \; 4; \; \alpha(L)=3.12\times10^{-5} \; 5; \\ \alpha(M)=5.70\times10^{-6} \; 8$
			10 <sup>+</sup> 10		<.+		2 00 10-1	$\alpha(N) = 9.23 \times 10^{-7} \ 13; \ \alpha(O) = 4.93 \times 10^{-6} \ 7$
		1144.6+ 5	40+ 10	1189.79	6+	[E1]	3.09×10 <sup>-4</sup>	B(E1)(W.u.)>4.2×10 <sup>-6</sup> $\alpha$ (K)=0.000259 4; $\alpha$ (L)=2.89×10 <sup>-5</sup> 4; $\alpha$ (M)=5.28×10 <sup>-6</sup> 8 $\alpha$ (N)=8.56×10 <sup>-7</sup> 12; $\alpha$ (O)=4.57×10 <sup>-8</sup>
								7; $\alpha$ (IPF)=1.46×10 <sup>-5</sup> 3
2392.0		1156.6 <sup>‡</sup> 5	100 <sup>‡</sup>	1235.34	5+			
2489.3	(7 <sup>-</sup> )	259.0 <sup>‡</sup> 5	12.3 <sup>‡</sup> 12	2230.3	(6 <sup>-</sup> )			
		341.4 <sup>‡</sup> 5	12.7 <sup>‡</sup> 20	2147.9	(5 <sup>-</sup> )			
		486.0 <sup>‡</sup> 5	4.8 <sup>‡</sup> 12	2003.3	(5 <sup>-</sup> )			
		919.1 <sup>‡</sup> 5	17 <sup>‡</sup> 3	1570.2	6+			
		1299.6 <sup>‡</sup> 5	100 <sup>‡</sup>	1189.79	6+	D		Mult.: from $(1299.6\gamma)(544.7\gamma)(\theta)$ : $A_2=-0.090 \ 35$ , $A_4=-0.02 \ 6$ in <sup>252</sup> Cf SF decay. The predicted values are $A_2=-0.071$ , $A_4=0$ (for a dipole-quadrupole cascade and $A_2=-0.102$ and $A_4=-0.051$ for a quadrupole-quadrupole cascade.
								$A_2 = -0.102$ and $A_4 = -0.051$ for quadrupole-quadrupole cascade.

# $\gamma$ <sup>(112</sup>Ru) (continued)</sup>

E <sub>i</sub> (level)	$\mathbf{J}_i^{\pi}$	$E_{\gamma}^{\dagger}$	$I_{\gamma}^{\dagger}$	$E_f$	$\mathbf{J}_{f}^{\pi}$	Mult.&	$\alpha^{a}$	Comments
2534.2	9+	694.4 2	100	1839.7	8+	(E2)	0.00215	B(E2)(W.u.)=89 <i>I3</i> $\alpha$ (K)=0.00188 <i>3</i> ; $\alpha$ (L)=0.000223 <i>4</i> ; $\alpha$ (M)=4.10×10 <sup>-5</sup> <i>6</i> $\alpha$ (N)=6.58×10 <sup>-6</sup> <i>10</i> ; $\alpha$ (O)=3.31×10 <sup>-7</sup> 5
2563.0	10+	723.3 2	100	1839.7	8+	(E2)	0.00193	Mult.: From $\gamma(\omega)$ in <sup>248</sup> Cm SF decay (1994Sh26). B(E2)(W.u.)=85 13 $\alpha$ (K)=0.001690 24; $\alpha$ (L)=0.000200 3; $\alpha$ (M)=3.67×10 <sup>-5</sup> 6 $\alpha$ (N)=5.91×10 <sup>-6</sup> 9; $\alpha$ (O)=2.99×10 <sup>-7</sup> 5
		,						Mult.: From $\gamma(\omega)$ in <sup>248</sup> Cm SF decay (1994Sh26).
2574.3	$(7^{-})$	240.0 <sup>6</sup> 5		2334.3	(6 <sup>-</sup> )			$E_{\gamma}$ : From <sup>252</sup> Cf SF decay.
		426.3 <sup>‡</sup> 5	10 <sup>‡</sup> 4	2147.9	(5 <sup>-</sup> )			
		733.1 <sup>‡</sup> 5	4.2 <sup>‡</sup> 2	1841.1	7+			
		1004.1 <sup>‡</sup> 5	11.8 <sup>‡</sup> <i>15</i>	1570.2	6+			
		1384.6 <sup>‡</sup> 5	100‡	1189.79	6+	D		Mult.: from $(1384.6\gamma)(544.7\gamma)(\theta)$ : A <sub>2</sub> =-0.07 6, A <sub>4</sub> =-0.05 9 in 252CF SF DECAY. The predicted values are A <sub>2</sub> =-0.071, A <sub>4</sub> =0 for a for dipole-quadrupole cascade and A <sub>2</sub> =-0.102 and A <sub>4</sub> =-0.051 for a quadrupole-quadrupole cascade.
2574.6	$(8^{+})$	618.9 <sup>‡</sup> 5	100‡	1955.7	$(6^{+})$			
2771.8	(8-)	282.5 <sup>‡</sup> 5	24 <sup>‡</sup> 5	2489.3	$(7^{-})$			
	(- )	541.5 <sup>‡</sup> 5	100 <sup>‡</sup>	2230.3	(6 <sup>-</sup> )			
		930.7 <sup>‡</sup> 5	$7.0^{\ddagger}$ 18	1841.1	7+			
		932.0 <sup>‡</sup> 5	3.5 * 8	1839.7	8+			
2829.4	(8 <sup>-</sup> )	255.1 <sup>‡</sup> 5	$100.0^{\ddagger} 24$	2574.3	(7 <sup>-</sup> )			$I_{\gamma}$ : 100.22.4 in table 3 of 2009Lu18 seems a misprint.
		340.0 <sup>‡b</sup> 5	4.5 <sup>‡</sup>	2489.3	(7 <sup>-</sup> )			
		495.1 <sup>b</sup> 5		2334.3	(6 <sup>-</sup> )			$E_{\gamma}$ : From <sup>252</sup> Cf SF decay.
2899.9		507.9 5		2392.0				$E_{\gamma}$ : From <sup>252</sup> Cf SF decay.
		1058.8 <sup>‡</sup> 5	$100^{\ddagger}$	1841.1	7+			
2909.2	(9 <sup>+</sup> )	677.9 <sup>‡</sup> 5	100 <sup>‡</sup>	2231.3	$(7^{+})$			
3033.6	$10^{+}$	770.1 <sup>‡</sup> 5	100 <sup>‡</sup>	2263.5	8+			
3076.6	(9 <sup>-</sup> )	304.8 <sup>‡</sup> 5	11.0 <sup>‡</sup> 23	2771.8	(8 <sup>-</sup> )			
		587.3 <sup>‡</sup> 5	100 <sup>‡</sup>	2489.3	$(7^{-})$			
		1237.0 <sup>‡</sup> 5	40 <sup>‡</sup> 4	1839.7	8+			
3094.2	(9 <sup>-</sup> )	264.8 <sup>‡</sup> 5	9.3 <sup>‡</sup> 7	2829.4	(8 <sup>-</sup> )			
		519.8 <sup>‡</sup> 5	100‡	2574.3	$(7^{-})$			
		830.7 <sup>‡</sup> 5	23 <sup>‡</sup> 8	2263.5	8+			
		1254.5 <sup>‡</sup> 5	35 <sup>‡</sup> 6	1839.7	8+			
3290.5	11+	756.3 <sup>‡</sup> 5	100‡	2534.2	9+	(E2)	1.73×10 <sup>-3</sup>	B(E2)(W.u.)=91 <i>13</i> $\alpha$ (K)=0.001509 <i>22</i> ; $\alpha$ (L)=0.000178 <i>3</i> ; $\alpha$ (M)=3.27×10 <sup>-5</sup> <i>5</i> $\alpha$ (N)=5.26×10 <sup>-6</sup> <i>8</i> ; $\alpha$ (O)=2.67×10 <sup>-7</sup> <i>4</i> Mult.: From $\gamma(\omega)$ in <sup>248</sup> Cm SF decay (1994Sh26).

### $\gamma(^{112}\text{Ru})$ (continued)

$E_i$ (level)	$\mathbf{J}_i^{\pi}$	$E_{\gamma}^{\dagger}$	$I_{\gamma}^{\dagger}$	$E_f$	$\mathbf{J}_{f}^{\pi}$	Mult.&	α <sup>a</sup>	Comments
3326.2	12+	763.2 <sup>‡</sup> 5	100 <sup>‡</sup>	2563.0	10+	(E2)	1.69×10 <sup>-3</sup>	$\alpha(K)=0.001475 \ 21; \ \alpha(L)=0.0001740 \ 25; \alpha(M)=3.19\times10^{-5} \ 5 \alpha(N)=5.13\times10^{-6} \ 8; \ \alpha(O)=2.61\times10^{-7} \ 4 B(E2)(W.u.)=73 \ 7 Mult.: From \gamma(\omega) in 248Cm SF decay(1994Sh26).$
3379.9	(10 <sup>-</sup> )	285.6 <sup>‡</sup> 5	17.4 <sup>‡</sup> 22	3094.2	(9 <sup>-</sup> )			
		550.6 <sup>‡</sup> 5	100	2829.4	(8 <sup>-</sup> )			
3420.9	$(10^{-})$	344.3 <sup>‡</sup> 5	14 <sup>‡</sup> 3	3076.6	(9 <sup>-</sup> )			
		649.0 <sup>‡</sup> 5	100	2771.8	(8 <sup>-</sup> )			
3519.8		619.9 <sup>‡</sup> 5	100 <sup>‡</sup>	2899.9				
3711.7	$(11^{-})$	331.7 <sup>‡</sup> 5	14.8 <sup>‡</sup> <i>13</i>	3379.9	(10 <sup>-</sup> )			
		617.4 <sup>‡</sup> 5	100 <sup>#</sup>	3094.2	(9 <sup>-</sup> )			
		1148.8 <sup>‡</sup> 5	26 <sup>‡</sup> 3	2563.0	$10^{+}$			
3768.7	(11-)	347.8 <sup>‡</sup> 5	17 <sup>‡</sup> 5	3420.9	$(10^{-})$			
2070.0	10+	692.05	100	3076.6	(9) 10 <sup>±</sup>			
3870.9	$12^{-1}$	$83/.3^{+} 3$	100*	3033.6	$10^{-1}$			E . Errer <sup>252</sup> Cf CE deser
4052.0	(12)	$521.0^{2}$ 5	100	2270.0	(11)			$E_{\gamma}$ : From $\sim$ -CI SF decay.
4005 4	12+	052.775	100*	33/9.9	(10)			
4095.4	13	804.9 <sup>+</sup> 5	100*	3290.5	11	[[20]	$1.54.10^{-3}$	
4118.4	14	<i>192.2</i> <sup>+</sup> 5	100*	3326.2	12	[E2]	1.54×10 <sup>9</sup>	$\alpha(K)=0.001344 \ 19; \ \alpha(L)=0.0001581 \ 23;  \alpha(M)=2.90\times10^{-5} \ 4  \alpha(N)=4.67\times10^{-6} \ 7; \ \alpha(O)=2.38\times10^{-7} \ 4  B(E2)(W.u.)=35 \ 7$
4198.8	$(12^{-})$	430.1 <sup>‡</sup> 5	20 <sup>‡</sup> 6	3768.7	(11 <sup>-</sup> )			
	. ,	778.0 <sup>‡</sup> 5	100	3420.9	(10 <sup>-</sup> )			
4213.4		693.6 <sup>‡</sup> 5	100 <sup>‡</sup>	3519.8				
4428.5	(13 <sup>-</sup> )	716.8 <sup>‡</sup> 5	100 <sup>‡</sup>	3711.7	$(11^{-})$			
4561.8	(13 <sup>-</sup> )	793.1 <sup>‡</sup> 5	100 <sup>‡</sup>	3768.7	(11 <sup>-</sup> )			
4764.2	14+	893.3 <sup>‡</sup> 5	100 <sup>‡</sup>	3870.9	12+			
4769.7?	(14 <sup>-</sup> )	737.1 <sup>‡b</sup> 5	100 <sup>‡</sup>	4032.6	(12 <sup>-</sup> )			
4788.9	$(14^{+})$	918 <sup>@</sup> 1	100	3870.9	$12^{+}$			
4950.7	15+	855.3 <sup>‡</sup> 5	100 <sup>‡</sup>	4095.4	13+			
4954.6	16+	836.2 <sup>‡</sup> 5	100 <sup>‡</sup>	4118.4	14+			
5072.9	(14 <sup>-</sup> )	874.1 <sup>‡</sup> 5	100 <sup>‡</sup>	4198.8	(12 <sup>-</sup> )			
5228.0	(15 <sup>-</sup> )	799.5 <sup>‡</sup> 5	100 <sup>‡</sup>	4428.5	(13 <sup>-</sup> )			
5700.8?	(16 <sup>+</sup> )	936.6 <sup>‡b</sup> 5	100 <sup>‡</sup>	4764.2	$14^{+}$			
5830.0	$18^{+}$	875.4 <sup>‡</sup> 5	100 <sup>‡</sup>	4954.6	16+			
5857.4	$17^{+}$	902.8 <sup>‡</sup> 5	100 <sup>‡</sup>	4954.6	16+			
6725.4	$(20^{+})$	895.4 <sup>‡</sup> 5	100 <sup>‡</sup>	5830.0	$18^{+}$			
6800.4	(19 <sup>+</sup> )	943 <sup>@</sup> 1	100	5857.4	$17^{+}$			
7749.3	$(22^{+})$	1023.8 <sup>@</sup> 5	100	6725.4	$(20^{+})$			

<sup>†</sup> From <sup>248</sup>Cm SF decay, unless otherwise stated.
<sup>‡</sup> From <sup>252</sup>Cf SF decay.

### $\gamma(^{112}$ Ru) (continued)

# From <sup>112</sup>Tc β<sup>-</sup> decay.
<sup>@</sup> From <sup>238</sup>U(α,Fγ).
& From angular correlation measurements in <sup>252</sup>Cf SF decay and <sup>248</sup>Cm SF decay, and the apparent band structures, unless a Additional information 1.
 b Placement of transition in the level scheme is uncertain.



 $^{112}_{44}$ Ru<sub>68</sub>



<sup>112</sup><sub>44</sub>Ru<sub>68</sub>



11

From ENSDF

 $^{112}_{44}\mathrm{Ru}_{68}\text{--}11$ 

### Adopted Levels, Gammas



 $^{112}_{44}{
m Ru}_{68}$ 

#### Adopted Levels, Gammas



 $^{112}_{44}$ Ru<sub>68</sub>