

²³⁸U(HI,x γ) 2007Ve14

Type	Author	History	Citation	Literature Cutoff Date
Full Evaluation	T. D. Johnson, D. Symochko(a), M. Fadil(b), and J. K. Tuli		NDS 112, 1949 (2011)	1-Jun-2010

²³⁸U(¹²C,x γ) E=90 MeV beam from Legnaro XTU tandem accelerator. Measured E γ , I γ , $\gamma\gamma$ coin using Euroball III and IV arrays of 15 Cluster Ge detectors and 26 Clover Ge detectors.

2002Li21: ¹³⁹La(⁸²Se,x γ) E=420 MeV. Measured E γ , I γ , $\gamma\gamma$, $\gamma\gamma(\theta)$ (DCO), using GEMINI multidetector array consisting of 12 Compton-suppressed HPGe detectors.

¹⁴²Ce Levels

E(level) [†]	J ‡	E(level) [†]	J ‡	E(level) [†]	J ‡	E(level) [†]	J ‡
0.0 [#]	0 ⁺	2623.1 [#] 20	8 ⁺	3904.9 [@] 21	(11 ⁺)	5172.0 ^{&} 23	(15 ⁻)
641.0 [#] 10	2 ⁺	2856.1 [@] 19	(8 ⁺)	4047.0 22		5513.2 ^{&} 23	(16 ⁻)
1218.6 [#] 15	4 ⁺	2992.6 20	9 ⁽⁻⁾	4355.3 [@] 22	(12 ⁺)	5875.8 ^{&} 24	(17 ⁻)
1741.7 [#] 18	6 ⁺	3379.1 [@] 21	(9 ⁺)	4603.8 ^{&} 22	(13 ⁻)	6526.7 25	
2209.1 [@] 20	6 ⁺	3534.9 [@] 21	(10 ⁺)	4715.9 23		6879 3	
2591.2 20	(7 ⁻)	3831.2 21	11 ⁽⁻⁾	4894.8 ^{&} 22	(14 ⁻)		

[†] From least-squares fit to E γ 's (by evaluators), assuming an uncertainty of 0.5 keV for each γ ray.

[‡] From Adopted Levels.

[#] Band(A): g.s. band.

[@] Band(B): Band based on 6⁺ state. Possible configuration=($\pi g_{7/2}^1$)($\pi d_{5/2}^1$) \otimes ($\nu f_{7/2}^2$).

[&] Band(C): $\Delta J=1$ band based on (13⁻). Possible configuration=($\pi g_{7/2}^{-1}$)($\pi h_{11/2}^1$) \otimes ($\nu f_{7/2}^2$) or ($\pi g_{7/2}^{-1}$)($\pi h_{11/2}^1$) \otimes ($\nu f_{7/2}^1$) ($\nu h_{9/2}^1$).

 $\gamma(^{142}\text{Ce})$

E γ	I γ^{\ddagger}	E i (level)	J $^{\pi}_i$	E f	J $^{\pi}_f$	Mult. [†]	Comments
155.8		3534.9	(10 ⁺)	3379.1	(9 ⁺)		
178.9		4894.8	(14 ⁻)	4715.9			
216		4047.0		3831.2	11 ⁽⁻⁾		
248.4		4603.8	(13 ⁻)	4355.3	(12 ⁺)		
277.1		5172.0	(15 ⁻)	4894.8	(14 ⁻)		
290.9		4894.8	(14 ⁻)	4603.8	(13 ⁻)		
341		5513.2	(16 ⁻)	5172.0	(15 ⁻)		
362.5		5875.8	(17 ⁻)	5513.2	(16 ⁻)		
369.6	41 2	2992.6	9 ⁽⁻⁾	2623.1	8 ⁺	D	DCO=0.82 7.
370.0		3904.9	(11 ⁺)	3534.9	(10 ⁺)		
401.5		2992.6	9 ⁽⁻⁾	2591.2	(7 ⁻)		
450.3		4355.3	(12 ⁺)	3904.9	(11 ⁺)		
467.3		2209.1	6 ⁺	1741.7	6 ⁺		
522.9		3379.1	(9 ⁺)	2856.1	(8 ⁺)		
523.1	90 5	1741.7	6 ⁺	1218.6	4 ⁺	E2	DCO=1.18 6.
525.8		3904.9	(11 ⁺)	3379.1	(9 ⁺)		
557		4603.8	(13 ⁻)	4047.0			
568.4		5172.0	(15 ⁻)	4603.8	(13 ⁻)		
577.6	100 5	1218.6	4 ⁺	641.0	2 ⁺	E2	DCO=1.03 6.
618.4		5513.2	(16 ⁻)	4894.8	(14 ⁻)		
641.0	108 6	641.0	2 ⁺	0.0	0 ⁺	E2	DCO=1.02 5.
647.0		2856.1	(8 ⁺)	2209.1	6 ⁺		
678.7		3534.9	(10 ⁺)	2856.1	(8 ⁺)		

Continued on next page (footnotes at end of table)

$^{238}\text{U(HI,x}\gamma)$ **2007Ve14 (continued)** $\gamma(^{142}\text{Ce})$ (continued)

E_γ	$I_\gamma^{\frac{1}{2}}$	$E_i(\text{level})$	J_i^π	E_f	J_f^π	Mult. [†]	Comments
703.9		5875.8	(17 ⁻)	5172.0	(15 ⁻)		
772.4		4603.8	(13 ⁻)	3831.2	11 ⁽⁻⁾		
838.7	30 2	3831.2	11 ⁽⁻⁾	2992.6	9 ⁽⁻⁾	E2	DCO=1.00 9.
849.5		2591.2	(7 ⁻)	1741.7	6 ⁺		
881.4	50 3	2623.1	8 ⁺	1741.7	6 ⁺	E2	DCO=1.25 9.
884.6		4715.9		3831.2	11 ⁽⁻⁾		
1002.7		6879		5875.8	(17 ⁻)		
1013.5		6526.7		5513.2	(16 ⁻)		
1114.4		2856.1	(8 ⁺)	1741.7	6 ⁺		

[†] From DCO ratios ([2002Li21](#)).[‡] From [2002Li21](#).


$^{238}\text{U(HI,x}\gamma\text{)}$ 2007Ve14

Legend

Level Scheme

Intensities: Type not specified

- $I_{\gamma} < 2\% \times I_{\gamma}^{\max}$
- $I_{\gamma} < 10\% \times I_{\gamma}^{\max}$
- $I_{\gamma} > 10\% \times I_{\gamma}^{\max}$



$^{238}\text{U}(\text{HI},\text{x}\gamma)$ 2007Ve14