

^{154}Tb $\varepsilon+\beta^+$ decay (9.973 h) [1975So03,1972Vy04,1973La20](#)

Type	Author	History Citation	Literature Cutoff Date
Full Evaluation	N. Nica	NDS 200,2 (2025)	22-Aug-2022

Parent: ^{154}Tb : $E=0+x$; $J^\pi=3^-$; $T_{1/2}=9.973$ h 44; $Q(\varepsilon)=3550$ 50; $\% \varepsilon + \% \beta^+$ decay=78.2 7

^{154}Tb -E: [Additional information 1](#).

^{154}Tb - J^π : [Additional information 2](#).

^{154}Tb - $T_{1/2}$: Weighted average of 9.9 h 1 ([1972Vy04](#)), 9.0 h 5 ([1973La20](#)), 9.0 h 10 ([1975So03](#)), 9.8 h 3 ([1983Be03](#)) and 9.994 39 ([2009Gy01](#)) from ε decay. Other: 9.9 h 4 ([1976NeZT](#)).

^{154}Tb - $Q(\varepsilon+\beta^+)$: [Additional information 3](#).

^{154}Tb - $Q(\varepsilon+\beta^+)$: From [2021Wa16](#).

^{154}Tb - $\% \varepsilon + \% \beta^+$ decay: See ^{154}Tb Adopted data set. From IT decay intensity of 21.8% 7 ([1973La20](#)), the intensity of the β^- decay to ^{154}Dy is estimated to be <0.1%.

[Additional information 4](#).

Three ^{154}Tb isomers (21.5, 9.973, and 22.7 h) have been observed. The most complete decomposition of the γ data among these isomers is from [1975So03](#), so these data are used to place the γ .

A study of the ^{154}Tb isomers is reported as a part of the thesis which constitutes [2001KuZS](#). With the exception of information relating to the 1701 level, these data are not included here, since further analysis appears to be required. The data regarding the 1701 level is taken from the study of [2003Ku19](#), together with information from a private communication from J.L. Wood, one of the authors of this study.

 ^{154}Gd Levels**[Additional information 5](#).**

E(level) [†]	J^π [‡]	E(level) [†]	J^π [‡]	E(level) [†]	J^π [‡]	E(level) [†]	J^π [‡]
0.0@	0 ⁺	1263.72 ^a 5	4 ⁺	1770.09 ^g 6	5 ⁺	2405.92 10	2 ⁺
123.07@ 3	2 ⁺	1397.53 ^d 6	2 ⁻	1796.44 ^f 17	3 ⁻	2416.16 9	4 ⁺
371.00@ 4	4 ⁺	1418.23 ^c 12	2 ⁺	2024.8 3	1,2 ⁺	2495.96 24	1,2 ⁺
680.64& 4	0 ⁺	1432.35 ^a 9	5 ⁺	2080.81 8	4 ⁺ #	2654.62 13	2 ⁺
717.70@ 5	6 ⁺	1531.28 ^e 4	2 ⁺	2185.98 6	4 ⁻	2934.3 6	1 ⁺
815.49& 4	2 ⁺	1560.10 ^d 13	(4 ⁻)	2230.04 18	2 ⁺ ,3,4 ⁺	3363.6 4	(2 ⁺)
996.31 ^a 4	2 ⁺	1617.2 ^d 3	3 ⁻	2266.10 18	2 ⁺ ,3,4 ⁺	3517.10 16	(3 ⁺ ,4 ⁺)
1047.58& 4	4 ⁺	1645.81 ^g 4	4 ⁺	2277.11 9	3	3550.2 4	2 ⁺ ,3,4 ⁺
1127.76 ^a 4	3 ⁺	1660.91 ^e 4	3 ⁺	2305.66 8	3 ⁺		
1241.19 ^b 13	1 ⁻	1701.30 ^c 8	4 ⁺	2336.02 6	3 ⁻		
1251.82 ^b 10	3 ⁻	1719.7 ^f 5	2 ⁻	2368.76 18	2 ⁺ ,3,4 ⁺		

[†] From least-squares fit to γ energies.

[‡] From ^{154}Gd Adopted Levels.

There are Adopted Levels of 4⁺ at 2080.2 and 3⁻ at 2080.8.

@ Band(A): $K^\pi=0^+$ ground-state band.

& Band(B): $K^\pi=0^+$ band. Probable β^- -vibrational band.

^a Band(C): $K^\pi=2^+$ γ -vibrational band.

^b Band(D): $K^\pi=0^-$ octupole-vibrational band.

^c Band(E): Second excited $K^\pi=0^+$ band. Proposed as a “pairing isomer” by [2003Ku19](#). The 1182.1 level is identified as the bandhead. It is apparently not populated in this decay.

^d Band(F): $K^\pi=1^-$ octupole-vibrational band.

^e Band(G): Second excited $K^\pi=2^+$ band.

Continued on next page (footnotes at end of table)

^{154}Tb $\varepsilon+\beta^+$ decay (9.973 h) [1975So03](#),[1972Vy04](#),[1973La20](#) (continued) ^{154}Gd Levels (continued)

^f Band(H): $K^\pi=2^-$ octupole-vibrational band.

^g Band(I): $K^\pi=4^+$ band. Probable hexadecapole vibration.

 ε,β^+ radiations

<u>E(decay)</u>	<u>E(level)</u>	<u>Log <i>ft</i></u>	<u>I($\varepsilon+\beta^+$)^{†‡#}@</u>
(1.13×10^3 5)	2416.16	6.8	6.0 <i>11</i>
(1.21×10^3 5)	2336.02	6.7	8.0 <i>13</i>
(1.24×10^3 5)	2305.66	6.9	5.6 <i>10</i>
(1.27×10^3 5)	2277.11	7.1	3.8 <i>7</i>
(1.36×10^3 5)	2185.98	6.3	29 <i>5</i>
(2.42×10^3 5)	1127.76	7.9	2.6 <i>13</i>
(2.55×10^3 5)	996.31	7.6	6 <i>2</i>
(3.18×10^3 5)	371.00	7.7 <i>2</i>	9 <i>4</i>
(3.43×10^3 5)	123.07	≥ 7.2	11 <i>12</i>

[†] Values are from γ -transition-intensity balances. Due to the incompleteness of the decay scheme, values less than 2% are considered unreliable and are not given. For the same reason, uncertainties are not given for values less than 5%.

[‡] As a check of the normalization, it is noted that $\Sigma I(\varepsilon+\beta^+)$ is 81% *14* for the values given, 100% *14* for all positive values computed, and 97% *14* for all values computed including three small negative ones.

[#] The total-absorption γ spectrum of [1980By03](#) indicates that for a ^{154}Tb source of unstated isomer content, the feeding is primarily to levels near 2.0 MeV. This measured feeding appears compatible with any combination of the three ^{154}Tb isomers.

[@] Absolute intensity per 100 decays.

γ(¹⁵⁴Gd)

I_γ normalization: Calculated to give 100% ε+β⁺ decay including I(ε+β⁺) values computed for all levels. This normalization gives a g.s. feeding of 98% 12.
I_γ values are not given for several γ's by [1975So03](#). These γ's are known from other studies to deexcite levels observed in this decay, but for various reasons are not seen in this decay ([1975So03](#)).

E _γ ^{†‡}	I _γ ^b	E _i (level)	J _i ^π	E _f	J _f ^π	Mult.&	α ^a	I _(γ+ce) ^b	Comments
123.07 3	155 21	123.07	2 ⁺	0.0	0 ⁺	E2	1.187 17		%I _γ =30 6 α(K)=0.656 9; α(L)=0.411 6; α(M)=0.0963 14 α(N)=0.02153 30; α(O)=0.00286 4; α(P)=3.36×10 ⁻⁵ 5
124.4		1770.09	5 ⁺	1645.81	4 ⁺	[M1,E2]	1.111 35	2.5 7	%I _γ =0.23 4 ce(K)/(γ+ce)=0.37 4; ce(L)/(γ+ce)=0.12 5; ce(M)/(γ+ce)=0.028 15 ce(N)/(γ+ce)=0.0064 33; ce(O)/(γ+ce)=9; ce(P)/(γ+ce)=2.4×10 ⁻⁵ 8 α(K)=0.77 14; α(L)=0.26 13; α(M)=0.060 32 α(N)=0.014 7; α(O)=0.0019 9; α(P)=5.0×10 ⁻⁵ 18
232.10 4	2.4 2	1047.58	4 ⁺	815.49	2 ⁺	E2	0.1359 19		%I _γ =0.47 8 α(K)=0.0986 14; α(L)=0.0290 4; α(M)=0.00663 9 α(N)=0.001494 21; α(O)=0.0002077 29; α(P)=5.86×10 ⁻⁶ 8
247.94 3	113 10	371.00	4 ⁺	123.07	2 ⁺	E2	0.1098 15		%I _γ =22 4 α(K)=0.0809 11; α(L)=0.02244 31; α(M)=0.00513 7 α(N)=0.001156 16; α(O)=0.0001616 23; α(P)=4.87×10 ⁻⁶ 7
283.0 [#] 2	0.11 [@]	1701.30	4 ⁺	1418.23	2 ⁺	[E2]	0.0722 10		%I _γ =0.0215 34 α(K)=0.0547 8; α(L)=0.01365 19; α(M)=0.00310 4 α(N)=0.000701 10; α(O)=9.91×10 ⁻⁵ 14; α(P)=3.38×10 ⁻⁶ 5
330.00 16	1.0 1	1047.58	4 ⁺	717.70	6 ⁺	E2	0.0451 6		%I _γ =0.20 4 α(K)=0.0350 5; α(L)=0.00786 11; α(M)=0.001773 25 α(N)=0.000401 6; α(O)=5.75×10 ⁻⁵ 8; α(P)=2.224×10 ⁻⁶ 31
337.9 2	1.6 5	1770.09	5 ⁺	1432.35	5 ⁺	(E0+M1+E2)	0.056 14		%I _γ =0.31 11 α(K)=0.046 13; α(L)=0.0078 6; α(M)=0.00172 9 α(N)=0.000392 24; α(O)=5.9×10 ⁻⁵ 6; α(P)=3.2×10 ⁻⁶ 11 α: From the adopted values. The listed subshell coefficients do not include a contribution from the E0 component.
346.70 4	8.0 10	717.70	6 ⁺	371.00	4 ⁺	E2	0.0389 5		%I _γ =1.56 32 α(K)=0.0304 4; α(L)=0.00662 9; α(M)=0.001490 21 α(N)=0.000338 5; α(O)=4.86×10 ⁻⁵ 7; α(P)=1.949×10 ⁻⁶ 27
382.12 4	5.3 4	1645.81	4 ⁺	1263.72	4 ⁺	E2+M1	0.040 11		%I _γ =1.04 18 α(K)=0.033 10; α(L)=0.0054 6; α(M)=0.00118 12 α(N)=0.000271 29; α(O)=4.1×10 ⁻⁵ 6; α(P)=2.3×10 ⁻⁶ 8

¹⁵⁴Tb ε+β⁺ decay (9.973 h) **1975So03,1972Vy04,1973La20 (continued)**

$\gamma(^{154}\text{Gd})$ (continued)									
E_γ ^{†‡}	I_γ ^b	$E_i(\text{level})$	J_i^π	E_f	J_f^π	Mult. &	δ &	α ^a	Comments
415.85 6	10.8 7	2185.98	4 ⁻	1770.09	5 ⁺	E1		0.00720 10	%I γ =2.1 4 $\alpha(\text{K})=0.00613$ 9; $\alpha(\text{L})=0.000835$ 12; $\alpha(\text{M})=0.0001801$ 25 $\alpha(\text{N})=4.12\times 10^{-5}$ 6; $\alpha(\text{O})=6.31\times 10^{-6}$ 9; $\alpha(\text{P})=4.00\times 10^{-7}$ 6
444.54 7	5.4 3	815.49	2 ⁺	371.00	4 ⁺	E2		0.01914 27	%I γ =1.06 18 $\alpha(\text{K})=0.01540$ 22; $\alpha(\text{L})=0.00292$ 4; $\alpha(\text{M})=0.000650$ 9 $\alpha(\text{N})=0.0001479$ 21; $\alpha(\text{O})=2.168\times 10^{-5}$ 30; $\alpha(\text{P})=1.020\times 10^{-6}$ 14
^x 461.61 15 484.74 21	1.3 1 0.8 1	2185.98	4 ⁻	1701.30	4 ⁺	[E1]		0.00505 7	%I γ =0.25 5 %I γ =0.156 32 $\alpha(\text{K})=0.00431$ 6; $\alpha(\text{L})=0.000583$ 8; $\alpha(\text{M})=0.0001255$ 18 $\alpha(\text{N})=2.87\times 10^{-5}$ 4; $\alpha(\text{O})=4.41\times 10^{-6}$ 6; $\alpha(\text{P})=2.83\times 10^{-7}$ 4 E_γ : Placement is that of 2003Ku19 . This γ was placed from α 3517 level by 1975So03 , but the implied final level at 3032 was not assigned to this activity.
^x 492.10 24 506.43 11	0.7 1 3.1 6	1770.09	5 ⁺	1263.72	4 ⁺	E2		0.01349 19	%I γ =0.137 29 %I γ =0.61 15 $\alpha(\text{K})=0.01098$ 15; $\alpha(\text{L})=0.001959$ 27; $\alpha(\text{M})=0.000434$ 6 $\alpha(\text{N})=9.90\times 10^{-5}$ 14; $\alpha(\text{O})=1.464\times 10^{-5}$ 21; $\alpha(\text{P})=7.37\times 10^{-7}$ 10
518.04 6	31.2 16	1645.81	4 ⁺	1127.76	3 ⁺	E2+M1	-7 3	0.0129 4	%I γ =6.1 10 $\alpha(\text{K})=0.0106$ 4; $\alpha(\text{L})=0.00185$ 4; $\alpha(\text{M})=0.000409$ 9 $\alpha(\text{N})=9.33\times 10^{-5}$ 21; $\alpha(\text{O})=1.385\times 10^{-5}$ 35; $\alpha(\text{P})=7.12\times 10^{-7}$ 30
540.18 6	100	2185.98	4 ⁻	1645.81	4 ⁺	E1		0.00397 6	%I γ =19.5 31 $\alpha(\text{K})=0.00339$ 5; $\alpha(\text{L})=0.000455$ 6; $\alpha(\text{M})=9.80\times 10^{-5}$ 14 $\alpha(\text{N})=2.247\times 10^{-5}$ 31; $\alpha(\text{O})=3.45\times 10^{-6}$ 5; $\alpha(\text{P})=2.238\times 10^{-7}$ 31
545.5 4	0.5 2	1263.72	4 ⁺	717.70	6 ⁺	[E2]		0.01113 16	%I γ =0.10 4 $\alpha(\text{K})=0.00912$ 13; $\alpha(\text{L})=0.001575$ 22; $\alpha(\text{M})=0.000348$ 5 $\alpha(\text{N})=7.94\times 10^{-5}$ 11; $\alpha(\text{O})=1.181\times 10^{-5}$ 17; $\alpha(\text{P})=6.16\times 10^{-7}$ 9
557.60 6	1.6 3	680.64	0 ⁺	123.07	2 ⁺	E2		0.01053 15	%I γ =0.31 8 $\alpha(\text{K})=0.00863$ 12; $\alpha(\text{L})=0.001479$ 21; $\alpha(\text{M})=0.000327$ 5 $\alpha(\text{N})=7.46\times 10^{-5}$ 10; $\alpha(\text{O})=1.110\times 10^{-5}$ 16; $\alpha(\text{P})=5.84\times 10^{-7}$ 8
564.9	0.1	2266.10	2 ⁺ ,3,4 ⁺	1701.30	4 ⁺				%I γ =0.0196 31 E_γ : Value is from 2001KuZS . Placement and I γ value are from J.L. Wood (private communication, April, 2008).
573.5 [#] 2 591.9 5	0.081 [@] 0.6 3	1701.30 1719.7	4 ⁺ 2 ⁻	1127.76 1127.76	3 ⁺ 3 ⁺	E1(+M2)	+0.02 3	0.00327 11	%I γ =0.0158 25 %I γ =0.12 6 $\alpha(\text{K})=0.00279$ 9; $\alpha(\text{L})=0.000374$ 14; $\alpha(\text{M})=8.05\times 10^{-5}$ 30 $\alpha(\text{N})=1.85\times 10^{-5}$ 7; $\alpha(\text{O})=2.84\times 10^{-6}$ 11; $\alpha(\text{P})=1.85\times 10^{-7}$ 7
598.19 6	7.2 7	1645.81	4 ⁺	1047.58	4 ⁺	M1+E2	0.65 20	0.0139 10	δ : From ¹⁵⁴ Eu β ⁻ decay. %I γ =1.41 26

γ(¹⁵⁴Gd) (continued)

E _γ ^{†‡}	I _γ ^b	E _i (level)	J _i ^π	E _f	J _f ^π	Mult.&	δ&	α ^a	Comments
602.67 24	0.4 2	1418.23	2 ⁺	815.49 2 ⁺		E0+M1+E2		0.012 4	α(K)=0.0118 8; α(L)=0.00169 9; α(M)=0.000367 19 α(N)=8.4×10 ⁻⁵ 4; α(O)=1.30×10 ⁻⁵ 7; α(P)=8.5×10 ⁻⁷ 7 %I _γ =0.08 4 α(K)=0.0103 31; α(L)=0.00152 33; α(M)=0.00033 7 α(N)=7.6×10 ⁻⁵ 16; α(O)=1.17×10 ⁻⁵ 27; α(P)=7.3×10 ⁻⁷ 25 α: From the adopted values. The listed subshell coefficients do not include a contribution from the E0 component.
625.19 22	1.2 2	996.31	2 ⁺	371.00 4 ⁺		E2		0.00792 11	%I _γ =0.23 5 α(K)=0.00655 9; α(L)=0.001075 15; α(M)=0.0002367 33 α(N)=5.41×10 ⁻⁵ 8; α(O)=8.11×10 ⁻⁶ 11; α(P)=4.47×10 ⁻⁷ 6
642.18 9	3.5 7	1770.09	5 ⁺	1127.76 3 ⁺		E2		0.00743 11	%I _γ =0.68 18 α(K)=0.00615 9; α(L)=0.001000 14; α(M)=0.000220 3 α(N)=5.02×10 ⁻⁵ 7; α(O)=7.55×10 ⁻⁶ 11; α(P)=4.20×10 ⁻⁷ 6
649.44 6	56 3	1645.81	4 ⁺	996.31 2 ⁺		E2		0.00723 10	%I _γ =10.9 18 α(K)=0.00599 8; α(L)=0.000970 14; α(M)=0.0002133 30 α(N)=4.87×10 ⁻⁵ 7; α(O)=7.32×10 ⁻⁶ 10; α(P)=4.09×10 ⁻⁷ 6
653.7 [#] 2	0.65 [@]	1701.30	4 ⁺	1047.58 4 ⁺					%I _γ =0.127 20
^x 660.35 35	0.6 2								%I _γ =0.12 4
669.1 3	0.6 2	1796.44	3 ⁻	1127.76 3 ⁺		E1		2.51×10 ⁻³ 4	%I _γ =0.12 4 α(K)=0.002146 30; α(L)=0.000285 4; α(M)=6.14×10 ⁻⁵ 9 α(N)=1.407×10 ⁻⁵ 20; α(O)=2.170×10 ⁻⁶ 30; α(P)=1.428×10 ⁻⁷ 20
676.55 7	16.6 15	1047.58	4 ⁺	371.00 4 ⁺		E0+M1+E2	+2.9 4	0.00712 19	%I _γ =3.2 6 α(K)=0.00594 17; α(L)=0.000925 21; α(M)=0.000203 4 α(N)=4.64×10 ⁻⁵ 10; α(O)=7.02×10 ⁻⁶ 16; α(P)=4.11×10 ⁻⁷ 13 α: Deduced from α(K)exp=0.044 3. See the Adopted Gammas data set. δ: From ¹⁵⁴ Eu β ⁻ decay.

γ(¹⁵⁴Gd) (continued)

E_γ ^{†‡}	I_γ ^b	$E_i(\text{level})$	J_i^π	E_f	J_f^π	Mult. &	δ &	α ^a	$I_{(\gamma+ce)}$ ^b	Comments
680.7 1		680.64	0 ⁺	0.0	0 ⁺	E0			0.02 1	%I _γ =0.0039 6 I _(γ+ce) : From I(ce(K) 680)/I(ce(K) 557)=1.5 7 from several measurements and I(ce(K) 557)=0.014.
692.41 4	16.9 15	815.49	2 ⁺	123.07	2 ⁺	E0+M1+E2	7.5 4	0.00629 9		%I _γ =3.3 6 α(K)=0.00524 7; α(L)=0.000828 12; α(M)=0.0001815 25 α(N)=4.15×10 ⁻⁵ 6; α(O)=6.27×10 ⁻⁶ 9; α(P)=3.60×10 ⁻⁷ 5 α: From the adopted values. The listed subshell coefficients do not include a contribution from the E0 component.
705.1# 2	<0.014 @	1701.30	4 ⁺	996.31	2 ⁺	[E2]		0.00595 8		%I _γ =0.0027 4 α(K)=0.00495 7; α(L)=0.000781 11; α(M)=0.0001714 24 α(N)=3.92×10 ⁻⁵ 5; α(O)=5.92×10 ⁻⁶ 8; α(P)=3.40×10 ⁻⁷ 5 α(K)=0.0068 20; α(L)=0.00098 23; α(M)=0.00021 5 α(N)=4.9×10 ⁻⁵ 11; α(O)=7.5×10 ⁻⁶ 18; α(P)=4.8×10 ⁻⁷ 16
(714.6)		1432.35	5 ⁺	717.70	6 ⁺	E2,M1		0.0081 23		%I _γ =0.57 12 α(K)=0.0068 20; α(L)=0.00098 23; α(M)=0.00021 5 α(N)=4.9×10 ⁻⁵ 11; α(O)=7.5×10 ⁻⁶ 18; α(P)=4.8×10 ⁻⁷ 15 α: From the adopted values. The listed subshell coefficients do not include a contribution from the E0 component.
715.786 18	2.9 4	1531.28	2 ⁺	815.49	2 ⁺	E0,M1,E2		0.0080 23		%I _γ =0.37 11 α(K)=0.0066 19; α(L)=0.00095 22; α(M)=0.00021 5 α(N)=4.8×10 ⁻⁵ 11; α(O)=7.3×10 ⁻⁶ 18; α(P)=4.7×10 ⁻⁷ 15
722.5	1.9 5	1770.09	5 ⁺	1047.58	4 ⁺	[M1,E2]		0.0078 22		%I _γ =0.23 9 α(K)=0.001838 31; α(L)=0.000244 4; α(M)=5.24×10 ⁻⁵ 9 α(N)=1.202×10 ⁻⁵ 21; α(O)=1.855×10 ⁻⁶ 32; α(P)=1.228×10 ⁻⁷ 21
723.6 9	1.2 4	1719.7	2 ⁻	996.31	2 ⁺	E1+M2	+0.022 13	0.00215 4		δ: From ¹⁵⁴ Eu β ⁻ decay. %I _γ =0.196 31
^x 749.4 8	<1									

γ(¹⁵⁴Gd) (continued)

E _γ ^{†‡}	I _γ ^b	E _i (level)	J _i ^π	E _f	J _f ^π	Mult. &	δ &	α ^a	Comments
753.1 9	1.2 6	2185.98	4 ⁻	1432.35	5 ⁺	[E1]		1.97×10 ⁻³ 3	%I _γ =0.23 12 α(K)=0.001686 24; α(L)=0.0002229 32; α(M)=4.79×10 ⁻⁵ 7 α(N)=1.099×10 ⁻⁵ 16; α(O)=1.698×10 ⁻⁶ 24; α(P)=1.126×10 ⁻⁷ 16
756.71 6	13.6 8	1127.76	3 ⁺	371.00	4 ⁺	E2+M1	-6.1 3	0.00516 7	%I _γ =2.7 5 α(K)=0.00431 6; α(L)=0.000663 9; α(M)=0.0001450 20 α(N)=3.32×10 ⁻⁵ 5; α(O)=5.03×10 ⁻⁶ 7; α(P)=2.97×10 ⁻⁷ 4 δ: From ¹⁵⁴ Eu β ⁻ decay. %I _γ =0.25 5
^x 796.29 22	1.3 1								%I _γ =0.098 25
800.7 10	0.5 1	1796.44	3 ⁻	996.31	2 ⁺	E1		1.74×10 ⁻³ 3	α(K)=0.001492 21; α(L)=0.0001967 28; α(M)=4.23×10 ⁻⁵ 6 α(N)=9.70×10 ⁻⁶ 14; α(O)=1.499×10 ⁻⁶ 21; α(P)=9.98×10 ⁻⁸ 14
815.49 7	4.8 5	815.49	2 ⁺	0.0	0 ⁺	E2		0.00427 6	%I _γ =0.94 18 α(K)=0.00358 5; α(L)=0.000543 8; α(M)=0.0001185 17 α(N)=2.71×10 ⁻⁵ 4; α(O)=4.12×10 ⁻⁶ 6; α(P)=2.469×10 ⁻⁷ 35
^x 826.29 21	0.7 1								%I _γ =0.137 29
830.49 9	3.5 3	1645.81	4 ⁺	815.49	2 ⁺	[E2]		0.00410 6	%I _γ =0.68 12 α(K)=0.00344 5; α(L)=0.000519 8; α(M)=0.0001133 16 α(N)=2.59×10 ⁻⁵ 4; α(O)=3.95×10 ⁻⁶ 6; α(P)=2.37×10 ⁻⁷ 4
845.423 8	1.3 1	1660.91	3 ⁺	815.49	2 ⁺	E2		0.00395 6	%I _γ =0.25 5 α(K)=0.00331 5; α(L)=0.000497 7; α(M)=0.0001085 15 α(N)=2.485×10 ⁻⁵ 35; α(O)=3.78×10 ⁻⁶ 5; α(P)=2.285×10 ⁻⁷ 32
850.643 12	0.8 2	1531.28	2 ⁺	680.64	0 ⁺	E2		0.00389 5	%I _γ =0.16 5 α(K)=0.00327 5; α(L)=0.000490 7; α(M)=0.0001069 15 α(N)=2.448×10 ⁻⁵ 34; α(O)=3.73×10 ⁻⁶ 5; α(P)=2.256×10 ⁻⁷ 32
^x 857.2 15	0.5 1								%I _γ =0.098 25
873.21 4	47 3	996.31	2 ⁺	123.07	2 ⁺	E0+M1+E2	-9.4 4	0.00371 5	%I _γ =9.2 16 α(K)=0.00311 4; α(L)=0.000463 6; α(M)=0.0001010 14 α(N)=2.314×10 ⁻⁵ 32; α(O)=3.53×10 ⁻⁶ 5; α(P)=2.153×10 ⁻⁷ 30
880.6 6	1.6 2	1251.82	3 ⁻	371.00	4 ⁺	E1+M2	+0.07 3	0.00152 8	δ: From ¹⁵⁴ Eu β ⁻ decay. %I _γ =0.31 6 α(K)=0.00130 6; α(L)=0.000172 10; α(M)=3.69×10 ⁻⁵ 21 α(N)=8.5×10 ⁻⁶ 5; α(O)=1.31×10 ⁻⁶ 7; α(P)=8.8×10 ⁻⁸ 5
885.8 [#] 2	0.058 [@]	1701.30	4 ⁺	815.49	2 ⁺	[E2]		0.00356 5	%I _γ =0.0113 18 α(K)=0.00300 4; α(L)=0.000445 6; α(M)=9.70×10 ⁻⁵ 14

γ(¹⁵⁴Gd) (continued)

<u>E_γ^{†‡}</u>	<u>I_γ^b</u>	<u>E_i(level)</u>	<u>J_i^π</u>	<u>E_f</u>	<u>J_f^π</u>	<u>Mult.&</u>	<u>δ&</u>	<u>α^a</u>	<u>Comments</u>
892.76 6	16.1 11	1263.72	4 ⁺	371.00	4 ⁺	E0+M1+E2	-3.8 3	0.00367 6	α(N)=2.222×10 ⁻⁵ 31; α(O)=3.39×10 ⁻⁶ 5; α(P)=2.070×10 ⁻⁷ 29 %Iγ=3.1 5 α(K)=0.00309 5; α(L)=0.000454 7; α(M)=9.88×10 ⁻⁵ 15 α(N)=2.264×10 ⁻⁵ 35; α(O)=3.46×10 ⁻⁶ 5; α(P)=2.144×10 ⁻⁷ 35 δ: From ¹⁵⁴ Eu β ⁻ decay. α: Theoretical value since α(K)exp indicates negligible E0 component.
922.1 ^c 9	2.0 ^c 6	2185.98	4 ⁻	1263.72	4 ⁺	[E1]		1.32×10 ⁻³ 2	%Iγ=0.39 13 α(K)=0.001135 16; α(L)=0.0001487 21; α(M)=3.19×10 ⁻⁵ 5 α(N)=7.33×10 ⁻⁶ 10; α(O)=1.135×10 ⁻⁶ 16; α(P)=7.62×10 ⁻⁸ 11
922.1 ^{cd} 9	2.6 ^c 6	2336.02	3 ⁻	1418.23	2 ⁺	[E1]		1.32×10 ⁻³ 2	%Iγ=0.51 14 α(K)=0.001135 16; α(L)=0.0001487 21; α(M)=3.19×10 ⁻⁵ 5 α(N)=7.33×10 ⁻⁶ 10; α(O)=1.135×10 ⁻⁶ 16; α(P)=7.62×10 ⁻⁸ 11
924.6 3	7.2 7	1047.58	4 ⁺	123.07	2 ⁺	E2		0.00325 5	E _γ : Poor energy fit. %Iγ=1.41 26 α(K)=0.00274 4; α(L)=0.000402 6; α(M)=8.76×10 ⁻⁵ 12 α(N)=2.008×10 ⁻⁵ 28; α(O)=3.07×10 ⁻⁶ 4; α(P)=1.892×10 ⁻⁷ 27
927.5 4	1.8 6	1645.81	4 ⁺	717.70	6 ⁺	[E2]		0.00323 5	%Iγ=0.35 13 α(K)=0.00272 4; α(L)=0.000400 6; α(M)=8.70×10 ⁻⁵ 12 α(N)=1.993×10 ⁻⁵ 28; α(O)=3.05×10 ⁻⁶ 4; α(P)=1.880×10 ⁻⁷ 26
953.18 13	2.9 2	2080.81	4 ⁺	1127.76	3 ⁺	M1,E2		0.0041 10	%Iγ=0.57 10 α(K)=0.0035 9; α(L)=0.00048 11; α(M)=0.000105 23 α(N)=2.4×10 ⁻⁵ 5; α(O)=3.7×10 ⁻⁶ 9; α(P)=2.5×10 ⁻⁷ 7
964.9 3 ^x 982.0 4	1.7 2 1.6 3	2495.96	1,2 ⁺	1531.28	2 ⁺				%Iγ=0.33 7 %Iγ=0.31 8
983.7 [#] 2 984.3 4	0.6 [@] 2.3 3	1701.30 2416.16	4 ⁺ 4 ⁺	717.70 1432.35	6 ⁺ 5 ⁺	[M1,E2]		0.0038 10	%Iγ=0.117 19 %Iγ=0.45 9 α(K)=0.0032 8; α(L)=0.00045 10; α(M)=9.7×10 ⁻⁵ 21 α(N)=2.2×10 ⁻⁵ 5; α(O)=3.5×10 ⁻⁶ 8; α(P)=2.3×10 ⁻⁷ 6
996.24 6	44 4	996.31	2 ⁺	0.0	0 ⁺	E2		0.00277 4	%Iγ=8.6 16 α(K)=0.002342 33; α(L)=0.000339 5; α(M)=7.37×10 ⁻⁵ 10 α(N)=1.690×10 ⁻⁵ 24; α(O)=2.59×10 ⁻⁶ 4; α(P)=1.621×10 ⁻⁷ 23

$\gamma(^{154}\text{Gd})$ (continued)

E_γ ^{†‡}	I_γ ^b	$E_i(\text{level})$	J_i^π	E_f	J_f^π	Mult. ^{&}	δ ^{&}	α ^a	Comments
1004.73 5	56 4	1127.76	3 ⁺	123.07	2 ⁺	E2+M1	-7.4 4	0.00276 4	%I γ =10.9 19 $\alpha(\text{K})=0.002329$ 33; $\alpha(\text{L})=0.000336$ 5; $\alpha(\text{M})=7.30\times 10^{-5}$ 10 $\alpha(\text{N})=1.675\times 10^{-5}$ 24; $\alpha(\text{O})=2.57\times 10^{-6}$ 4; $\alpha(\text{P})=1.615\times 10^{-7}$ 23 δ : From ^{154}Eu β^- decay.
1012.9 3	0.5 1	2277.11	3	1263.72	4 ⁺	[E1]		1.11 $\times 10^{-3}$ 2	%I γ =0.098 25 $\alpha(\text{K})=0.000951$ 13; $\alpha(\text{L})=0.0001241$ 17; $\alpha(\text{M})=2.66\times 10^{-5}$ 4 $\alpha(\text{N})=6.12\times 10^{-6}$ 9; $\alpha(\text{O})=9.48\times 10^{-7}$ 13; $\alpha(\text{P})=6.39\times 10^{-8}$ 9
^x 1020.4 4	1.5 2								%I γ =0.29 6 Placed from the 3363 level by 1975So03 , but they do not report that the final level implied by this placement is populated in this decay (although it is populated in the decay of one of the other ^{154}Tb activities).
1033.30 9	2.4 2	2080.81	4 ⁺	1047.58	4 ⁺				%I γ =0.47 8
1041.9 2	1.1 1	2305.66	3 ⁺	1263.72	4 ⁺	[M1,E2]		0.0033 8	%I γ =0.22 4 $\alpha(\text{K})=0.0028$ 7; $\alpha(\text{L})=0.00039$ 9; $\alpha(\text{M})=8.5\times 10^{-5}$ 18 $\alpha(\text{N})=2.0\times 10^{-5}$ 4; $\alpha(\text{O})=3.0\times 10^{-6}$ 7; $\alpha(\text{P})=2.0\times 10^{-7}$ 5
1047.22 15	0.7 1	1418.23	2 ⁺	371.00	4 ⁺	E2		2.50 $\times 10^{-3}$ 4	%I γ =0.137 29 $\alpha(\text{K})=0.002114$ 30; $\alpha(\text{L})=0.000303$ 4; $\alpha(\text{M})=6.59\times 10^{-5}$ 9 $\alpha(\text{N})=1.510\times 10^{-5}$ 21; $\alpha(\text{O})=2.317\times 10^{-6}$ 32; $\alpha(\text{P})=1.465\times 10^{-7}$ 21
1053.9 7	1.1 3	2305.66	3 ⁺	1251.82	3 ⁻	[E1]		1.03 $\times 10^{-3}$ 1	%I γ =0.22 7 $\alpha(\text{K})=0.000884$ 12; $\alpha(\text{L})=0.0001152$ 16; $\alpha(\text{M})=2.472\times 10^{-5}$ 35 $\alpha(\text{N})=5.68\times 10^{-6}$ 8; $\alpha(\text{O})=8.80\times 10^{-7}$ 12; $\alpha(\text{P})=5.94\times 10^{-8}$ 8
1058.34 18	1.4 2	2185.98	4 ⁻	1127.76	3 ⁺	[E1]		1.02 $\times 10^{-3}$ 1	%I γ =0.27 6 $\alpha(\text{K})=0.000877$ 12; $\alpha(\text{L})=0.0001142$ 16; $\alpha(\text{M})=2.452\times 10^{-5}$ 34 $\alpha(\text{N})=5.63\times 10^{-6}$ 8; $\alpha(\text{O})=8.73\times 10^{-7}$ 12; $\alpha(\text{P})=5.90\times 10^{-8}$ 8
1061.39 9	0.7 1	1432.35	5 ⁺	371.00	4 ⁺	E2+M1	-4.3 +12-26	0.00251 7	%I γ =0.137 29 $\alpha(\text{K})=0.00212$ 6; $\alpha(\text{L})=0.000303$ 8; $\alpha(\text{M})=6.57\times 10^{-5}$ 18 $\alpha(\text{N})=1.51\times 10^{-5}$ 4; $\alpha(\text{O})=2.32\times 10^{-6}$ 6; $\alpha(\text{P})=1.48\times 10^{-7}$ 5
1072.37 13	1.8 2	2336.02	3 ⁻	1263.72	4 ⁺	[E1]		9.98 $\times 10^{-4}$ 14	%I γ =0.35 7 $\alpha(\text{K})=0.000856$ 12; $\alpha(\text{L})=0.0001115$ 16; $\alpha(\text{M})=2.393\times 10^{-5}$ 33 $\alpha(\text{N})=5.49\times 10^{-6}$ 8; $\alpha(\text{O})=8.52\times 10^{-7}$ 12; $\alpha(\text{P})=5.76\times 10^{-8}$ 8
1084.21 ^c 14	1.9 ^c 2	2080.81	4 ⁺	996.31	2 ⁺				%I γ =0.37 7
1084.21 ^c 14	1.9 ^c 2	2336.02	3 ⁻	1251.82	3 ⁻	[M1,E2]		0.0030 7	%I γ =0.37 7

¹⁵⁴Tb $\varepsilon+\beta^+$ decay (9.973 h) [1975So03,1972Vy04,1973La20](#) (continued)

$\gamma(^{154}\text{Gd})$ (continued)								
E_γ ^{†‡}	I_γ ^b	$E_i(\text{level})$	J_i^π	E_f	J_f^π	Mult. &	α ^a	Comments
1102.43 20	1.4 2	2230.04	2 ⁺ ,3,4 ⁺	1127.76	3 ⁺	[M1,E2]	0.0029 7	$\alpha(\text{K})=0.0026$ 6; $\alpha(\text{L})=0.00036$ 8; $\alpha(\text{M})=7.7\times 10^{-5}$ 16 $\alpha(\text{N})=1.8\times 10^{-5}$ 4; $\alpha(\text{O})=2.8\times 10^{-6}$ 6; $\alpha(\text{P})=1.8\times 10^{-7}$ 5 %I γ =0.27 6 $\alpha(\text{K})=0.0025$ 6; $\alpha(\text{L})=0.00034$ 7; $\alpha(\text{M})=7.4\times 10^{-5}$ 16 $\alpha(\text{N})=1.7\times 10^{-5}$ 4; $\alpha(\text{O})=2.7\times 10^{-6}$ 6; $\alpha(\text{P})=1.8\times 10^{-7}$ 5; $\alpha(\text{IPF})=3.43\times 10^{-7}$ 20 %I γ =0.06 4
1105.8 8	0.3 2	2368.76	2 ⁺ ,3,4 ⁺	1263.72	4 ⁺	E1	9.28 $\times 10^{-4}$ 13	%I γ =0.53 14
1118.03 22	2.7 6	1241.19	1 ⁻	123.07	2 ⁺			$\alpha(\text{K})=0.000793$ 11; $\alpha(\text{L})=0.0001031$ 14; $\alpha(\text{M})=2.214\times 10^{-5}$ 31 $\alpha(\text{N})=5.08\times 10^{-6}$ 7; $\alpha(\text{O})=7.88\times 10^{-7}$ 11; $\alpha(\text{P})=5.34\times 10^{-8}$ 7; $\alpha(\text{IPF})=3.45\times 10^{-6}$ 5
(1123.09 16)		2654.62	2 ⁺	1531.28	2 ⁺	[M1,E2]	0.0028 7	$\alpha(\text{K})=0.0024$ 6; $\alpha(\text{L})=0.00033$ 7; $\alpha(\text{M})=7.1\times 10^{-5}$ 15 $\alpha(\text{N})=1.64\times 10^{-5}$ 35; $\alpha(\text{O})=2.5\times 10^{-6}$ 6; $\alpha(\text{P})=1.7\times 10^{-7}$ 4; $\alpha(\text{IPF})=7.4\times 10^{-7}$ 4
1128.77 13	8.1 6	1251.82	3 ⁻	123.07	2 ⁺	E1	9.14 $\times 10^{-4}$ 13	%I γ =1.58 28 $\alpha(\text{K})=0.000780$ 11; $\alpha(\text{L})=0.0001013$ 14; $\alpha(\text{M})=2.175\times 10^{-5}$ 30 $\alpha(\text{N})=4.99\times 10^{-6}$ 7; $\alpha(\text{O})=7.75\times 10^{-7}$ 11; $\alpha(\text{P})=5.25\times 10^{-8}$ 7; $\alpha(\text{IPF})=4.81\times 10^{-6}$ 7
1140.75 8	7.1 6	1263.72	4 ⁺	123.07	2 ⁺	E2	2.10 $\times 10^{-3}$ 3	%I γ =1.39 25 $\alpha(\text{K})=0.001779$ 25; $\alpha(\text{L})=0.0002514$ 35; $\alpha(\text{M})=5.45\times 10^{-5}$ 8 $\alpha(\text{N})=1.251\times 10^{-5}$ 18; $\alpha(\text{O})=1.923\times 10^{-6}$ 27; $\alpha(\text{P})=1.233\times 10^{-7}$ 17; $\alpha(\text{IPF})=1.253\times 10^{-6}$ 18
1149.66 13	5.0 8	2277.11	3	1127.76	3 ⁺	[E1]	8.88 $\times 10^{-4}$ 12	%I γ =0.98 22 $\alpha(\text{K})=0.000754$ 11; $\alpha(\text{L})=9.80\times 10^{-5}$ 14; $\alpha(\text{M})=2.102\times 10^{-5}$ 29 $\alpha(\text{N})=4.83\times 10^{-6}$ 7; $\alpha(\text{O})=7.49\times 10^{-7}$ 10; $\alpha(\text{P})=5.08\times 10^{-8}$ 7; $\alpha(\text{IPF})=8.59\times 10^{-6}$ 12
1152.42 9	11.1 15	2416.16	4 ⁺	1263.72	4 ⁺	[M1,E2]	0.0027 6	%I γ =2.2 5 $\alpha(\text{K})=0.0023$ 5; $\alpha(\text{L})=0.00031$ 7; $\alpha(\text{M})=6.7\times 10^{-5}$ 14 $\alpha(\text{N})=1.54\times 10^{-5}$ 32; $\alpha(\text{O})=2.4\times 10^{-6}$ 5; $\alpha(\text{P})=1.6\times 10^{-7}$ 4; $\alpha(\text{IPF})=1.87\times 10^{-6}$ 10
1177.71 19	1.5 2	2305.66	3 ⁺	1127.76	3 ⁺	[M1,E2]	0.0025 6	%I γ =0.29 6 $\alpha(\text{K})=0.0022$ 5; $\alpha(\text{L})=0.00030$ 6; $\alpha(\text{M})=6.4\times 10^{-5}$ 13 $\alpha(\text{N})=1.47\times 10^{-5}$ 30; $\alpha(\text{O})=2.3\times 10^{-6}$ 5; $\alpha(\text{P})=1.5\times 10^{-7}$ 4; $\alpha(\text{IPF})=3.62\times 10^{-6}$ 20
1189.10 12	3.1 10	1560.10	(4 ⁻)	371.00	4 ⁺	[E1]	8.32 $\times 10^{-4}$ 12	%I γ =0.61 22
1208.06 14	2.6 2	2336.02	3 ⁻	1127.76	3 ⁺			%I γ =0.51 9

¹⁵⁴Tb $\varepsilon+\beta^+$ decay (9.973 h) [1975So03,1972Vy04,1973La20](#) (continued)

$\gamma(^{154}\text{Gd})$ (continued)									
E_γ ^{†‡}	I_γ ^b	$E_i(\text{level})$	J_i^π	E_f	J_f^π	Mult. ^{&}	δ ^{&}	α^a	Comments
^x 1214.3 4 1229.42 20	0.54 7 3.0 5	2277.11	3	1047.58	4 ⁺	[E1]		8.17×10 ⁻⁴ 11	$\alpha(\text{K})=0.000690$ 10; $\alpha(\text{L})=8.95\times 10^{-5}$ 13; $\alpha(\text{M})=1.920\times 10^{-5}$ 27 $\alpha(\text{N})=4.41\times 10^{-6}$ 6; $\alpha(\text{O})=6.84\times 10^{-7}$ 10; $\alpha(\text{P})=4.65\times 10^{-8}$ 7; $\alpha(\text{IPF})=2.81\times 10^{-5}$ 4 %I γ =0.106 22 %I γ =0.59 14
1234.0 9	0.6 3	2230.04	2 ⁺ ,3,4 ⁺	996.31	2 ⁺	[M1,E2]		0.0023 5	$\alpha(\text{K})=0.000669$ 9; $\alpha(\text{L})=8.67\times 10^{-5}$ 12; $\alpha(\text{M})=1.860\times 10^{-5}$ 26 $\alpha(\text{N})=4.27\times 10^{-6}$ 6; $\alpha(\text{O})=6.63\times 10^{-7}$ 9; $\alpha(\text{P})=4.51\times 10^{-8}$ 6; $\alpha(\text{IPF})=3.77\times 10^{-5}$ 5 %I γ =0.12 6
^x 1237.5 8 1241.23 16	0.8 4 1.4 2	1241.19	1 ⁻	0.0	0 ⁺	E1		8.10×10 ⁻⁴ 11	$\alpha(\text{K})=0.0019$ 4; $\alpha(\text{L})=0.00027$ 5; $\alpha(\text{M})=5.7\times 10^{-5}$ 11 $\alpha(\text{N})=1.32\times 10^{-5}$ 27; $\alpha(\text{O})=2.1\times 10^{-6}$ 4; $\alpha(\text{P})=1.38\times 10^{-7}$ 33; $\alpha(\text{IPF})=1.02\times 10^{-5}$ 6 %I γ =0.16 8 %I γ =0.27 6
1246.2 6	1.4 3	1617.2	3 ⁻	371.00	4 ⁺	E1		8.07×10 ⁻⁴ 11	$\alpha(\text{K})=0.000658$ 9; $\alpha(\text{L})=8.52\times 10^{-5}$ 12; $\alpha(\text{M})=1.828\times 10^{-5}$ 26 $\alpha(\text{N})=4.20\times 10^{-6}$ 6; $\alpha(\text{O})=6.52\times 10^{-7}$ 9; $\alpha(\text{P})=4.44\times 10^{-8}$ 6; $\alpha(\text{IPF})=4.32\times 10^{-5}$ 6 %I γ =0.27 7
1258.17 14	8.3 6	2305.66	3 ⁺	1047.58	4 ⁺	[M1,E2]		0.0022 5	$\alpha(\text{K})=0.000653$ 9; $\alpha(\text{L})=8.46\times 10^{-5}$ 12; $\alpha(\text{M})=1.815\times 10^{-5}$ 25 $\alpha(\text{N})=4.17\times 10^{-6}$ 6; $\alpha(\text{O})=6.47\times 10^{-7}$ 9; $\alpha(\text{P})=4.40\times 10^{-8}$ 6; $\alpha(\text{IPF})=4.55\times 10^{-5}$ 7 %I γ =1.62 29
1265.0 4 1274.46 5	0.4 2 4.0 7	2080.81 1397.53	4 ⁺ 2 ⁻	815.49 123.07	2 ⁺ 2 ⁺	E1+M2	+0.035 9	7.97×10 ⁻⁴ 12	$\alpha(\text{K})=0.0019$ 4; $\alpha(\text{L})=0.00025$ 5; $\alpha(\text{M})=5.5\times 10^{-5}$ 11 $\alpha(\text{N})=1.26\times 10^{-5}$ 25; $\alpha(\text{O})=2.0\times 10^{-6}$ 4; $\alpha(\text{P})=1.32\times 10^{-7}$ 31; $\alpha(\text{IPF})=1.38\times 10^{-5}$ 7 %I γ =0.08 4 %I γ =0.78 19
1274.7	1.6 6	1645.81	4 ⁺	371.00	4 ⁺	[E2+M1]		0.0021 4	$\alpha(\text{K})=0.000634$ 9; $\alpha(\text{L})=8.21\times 10^{-5}$ 12; $\alpha(\text{M})=1.760\times 10^{-5}$ 27 $\alpha(\text{N})=4.04\times 10^{-6}$ 6; $\alpha(\text{O})=6.28\times 10^{-7}$ 9; $\alpha(\text{P})=4.28\times 10^{-8}$ 6; $\alpha(\text{IPF})=5.91\times 10^{-5}$ 8 δ : From ¹⁵⁴ Eu β^- decay. %I γ =0.31 13
1280.8 5	0.9 5	2277.11	3	996.31	2 ⁺	[E1]		7.87×10 ⁻⁴ 11	$\alpha(\text{K})=0.0018$ 4; $\alpha(\text{L})=0.00025$ 5; $\alpha(\text{M})=5.3\times 10^{-5}$ 10 $\alpha(\text{N})=1.23\times 10^{-5}$ 24; $\alpha(\text{O})=1.9\times 10^{-6}$ 4; $\alpha(\text{P})=1.29\times 10^{-7}$ 30; $\alpha(\text{IPF})=1.65\times 10^{-5}$ 9 %I γ =0.18 10

¹⁵⁴Tb ε+β⁺ decay (9.973 h) **1975So03,1972Vy04,1973La20 (continued)**

$\gamma(^{154}\text{Gd})$ (continued)								
E_γ ^{†‡}	I_γ ^b	$E_i(\text{level})$	J_i^π	E_f	J_f^π	Mult. ^{&}	α ^a	Comments
1288.39 ^c 14	7.1 ^c 6	2336.02	3 ⁻	1047.58	4 ⁺	[E1]	7.84×10 ⁻⁴ 11	$\alpha(\text{K})=0.000623$ 9; $\alpha(\text{L})=8.05\times 10^{-5}$ 11; $\alpha(\text{M})=1.727\times 10^{-5}$ 24 $\alpha(\text{N})=3.97\times 10^{-6}$ 6; $\alpha(\text{O})=6.16\times 10^{-7}$ 9; $\alpha(\text{P})=4.20\times 10^{-8}$ 6; $\alpha(\text{IPF})=6.23\times 10^{-5}$ 9 %I γ =1.39 25
1288.39 ^c 14	7.1 ^c 6	2416.16	4 ⁺	1127.76	3 ⁺	[M1,E2]	0.0021 4	$\alpha(\text{K})=0.000616$ 9; $\alpha(\text{L})=7.97\times 10^{-5}$ 11; $\alpha(\text{M})=1.709\times 10^{-5}$ 24 $\alpha(\text{N})=3.93\times 10^{-6}$ 5; $\alpha(\text{O})=6.10\times 10^{-7}$ 9; $\alpha(\text{P})=4.16\times 10^{-8}$ 6; $\alpha(\text{IPF})=6.62\times 10^{-5}$ 9 %I γ =1.39 25
1309.05 22	0.6 1	2305.66	3 ⁺	996.31	2 ⁺	[M1,E2]	0.0020 4	$\alpha(\text{K})=0.0018$ 4; $\alpha(\text{L})=0.00024$ 5; $\alpha(\text{M})=5.2\times 10^{-5}$ 10 $\alpha(\text{N})=1.20\times 10^{-5}$ 23; $\alpha(\text{O})=1.9\times 10^{-6}$ 4; $\alpha(\text{P})=1.26\times 10^{-7}$ 29; $\alpha(\text{IPF})=1.89\times 10^{-5}$ 10 %I γ =0.117 27
1330.3 [#] 2	0.49 [@]	1701.30	4 ⁺	371.00	4 ⁺			$\alpha(\text{K})=0.00171$ 35; $\alpha(\text{L})=0.00023$ 4; $\alpha(\text{M})=5.0\times 10^{-5}$ 10
1330.8 6	0.3 1	3517.10	(3 ⁺ ,4 ⁺)	2185.98	4 ⁻	[E1]	7.67×10 ⁻⁴ 11	$\alpha(\text{N})=1.16\times 10^{-5}$ 22; $\alpha(\text{O})=1.8\times 10^{-6}$ 4; $\alpha(\text{P})=1.21\times 10^{-7}$ 27; $\alpha(\text{IPF})=2.29\times 10^{-5}$ 13 %I γ =0.096 15 %I γ =0.059 22
1339.53 23	1.5 2	2336.02	3 ⁻	996.31	2 ⁺	[E1]	7.65×10 ⁻⁴ 11	$\alpha(\text{K})=0.000582$ 8; $\alpha(\text{L})=7.52\times 10^{-5}$ 11; $\alpha(\text{M})=1.613\times 10^{-5}$ 23 $\alpha(\text{N})=3.71\times 10^{-6}$ 5; $\alpha(\text{O})=5.76\times 10^{-7}$ 8; $\alpha(\text{P})=3.93\times 10^{-8}$ 6; $\alpha(\text{IPF})=8.94\times 10^{-5}$ 13 %I γ =0.29 6
^x 1346.0 6	0.2 1							$\alpha(\text{K})=0.000576$ 8; $\alpha(\text{L})=7.44\times 10^{-5}$ 10; $\alpha(\text{M})=1.594\times 10^{-5}$ 22
^x 1360.3 6	0.2 1							$\alpha(\text{N})=3.66\times 10^{-6}$ 5; $\alpha(\text{O})=5.69\times 10^{-7}$ 8; $\alpha(\text{P})=3.88\times 10^{-8}$ 5; $\alpha(\text{IPF})=9.47\times 10^{-5}$ 13
^x 1370.2 10	0.4 2							%I γ =0.039 21 %I γ =0.039 21
^x 1377.6 ^d 9	0.31 16							%I γ =0.08 4
^x 1387.76 22	1.5 1							%I γ =0.061 33 %I γ =0.29 5
(1391.2 3)		2654.62	2 ⁺	1263.72	4 ⁺	[E2]	1.46×10 ⁻³ 2	$\alpha(\text{K})=0.001206$ 17; $\alpha(\text{L})=0.0001657$ 23; $\alpha(\text{M})=3.58\times 10^{-5}$ 5 $\alpha(\text{N})=8.22\times 10^{-6}$ 12; $\alpha(\text{O})=1.271\times 10^{-6}$ 18; $\alpha(\text{P})=8.37\times 10^{-8}$ 12; $\alpha(\text{IPF})=4.10\times 10^{-5}$ 6
1399.2 3	0.3 1	1770.09	5 ⁺	371.00	4 ⁺	[M1,E2]	0.00178 34	%I γ =0.059 22 $\alpha(\text{K})=0.00148$ 29; $\alpha(\text{L})=0.00020$ 4; $\alpha(\text{M})=4.3\times 10^{-5}$ 8 $\alpha(\text{N})=9.9\times 10^{-6}$ 18; $\alpha(\text{O})=1.55\times 10^{-6}$ 29; $\alpha(\text{P})=1.05\times 10^{-7}$ 22; $\alpha(\text{IPF})=4.58\times 10^{-5}$ 27
(1408.34 20)		1531.28	2 ⁺	123.07	2 ⁺	E0,M1,E2	0.00176 33	$\alpha(\text{K})=0.00146$ 28; $\alpha(\text{L})=0.00020$ 4; $\alpha(\text{M})=4.3\times 10^{-5}$ 8

¹⁵⁴Tb $\varepsilon+\beta^+$ decay (9.973 h) [1975So03,1972Vy04,1973La20](#) (continued)

$\gamma(^{154}\text{Gd})$ (continued)								
E_γ ^{†‡}	I_γ ^b	$E_i(\text{level})$	J_i^π	E_f	J_f^π	Mult.&	α^a	Comments
								$\alpha(\text{N})=9.8\times10^{-6}$ 18; $\alpha(\text{O})=1.52\times10^{-6}$ 29; $\alpha(\text{P})=1.03\times10^{-7}$ 22; $\alpha(\text{IPF})=4.85\times10^{-5}$ 29 α : From the adopted values. The listed subshell coefficients do not include a contribution from the E0 component.
1419.4 7	3.7 7	2416.16	4 ⁺	996.31	2 ⁺	[E2]	1.41×10 ⁻³ 2	%I γ =0.72 18 $\alpha(\text{K})=0.001160$ 16; $\alpha(\text{L})=0.0001591$ 22; $\alpha(\text{M})=3.44\times10^{-5}$ 5 $\alpha(\text{N})=7.89\times10^{-6}$ 11; $\alpha(\text{O})=1.220\times10^{-6}$ 17; $\alpha(\text{P})=8.05\times10^{-8}$ 11; $\alpha(\text{IPF})=4.89\times10^{-5}$ 7
1451.1 3 1490.37 22	0.70 8 5.3 4	2266.10 2305.66	2 ⁺ ,3,4 ⁺ 3 ⁺	815.49 2 ⁺ 815.49 2 ⁺	2 ⁺ 2 ⁺	[M1,E2]	0.00159 28	%I γ =0.137 27 %I γ =1.04 18 $\alpha(\text{K})=0.00129$ 24; $\alpha(\text{L})=0.000174$ 30; $\alpha(\text{M})=3.8\times10^{-5}$ 7 $\alpha(\text{N})=8.7\times10^{-6}$ 15; $\alpha(\text{O})=1.35\times10^{-6}$ 24; $\alpha(\text{P})=9.2\times10^{-8}$ 18; $\alpha(\text{IPF})=7.5\times10^{-5}$ 5
1494.1 3	1.4 2	1617.2	3 ⁻	123.07	2 ⁺	E1	7.56×10 ⁻⁴ 11	%I γ =0.27 6 $\alpha(\text{K})=0.000478$ 7; $\alpha(\text{L})=6.15\times10^{-5}$ 9; $\alpha(\text{M})=1.317\times10^{-5}$ 18 $\alpha(\text{N})=3.03\times10^{-6}$ 4; $\alpha(\text{O})=4.71\times10^{-7}$ 7; $\alpha(\text{P})=3.23\times10^{-8}$ 5; $\alpha(\text{IPF})=0.0002001$ 28
^x 1515.8 3 1520.69 19	1.6 2 2.9 2	2336.02	3 ⁻	815.49	2 ⁺	[E1]	7.59×10 ⁻⁴ 11	%I γ =0.31 6 %I γ =0.57 10 $\alpha(\text{K})=0.000464$ 6; $\alpha(\text{L})=5.96\times10^{-5}$ 8; $\alpha(\text{M})=1.278\times10^{-5}$ 18 $\alpha(\text{N})=2.94\times10^{-6}$ 4; $\alpha(\text{O})=4.57\times10^{-7}$ 6; $\alpha(\text{P})=3.13\times10^{-8}$ 4; $\alpha(\text{IPF})=0.0002195$ 31
1522.8	1.7 8	1645.81	4 ⁺	123.07	2 ⁺	[E2]	1.27×10 ⁻³ 2	%I γ =0.33 17 $\alpha(\text{K})=0.001016$ 14; $\alpha(\text{L})=0.0001381$ 19; $\alpha(\text{M})=2.98\times10^{-5}$ 4 $\alpha(\text{N})=6.85\times10^{-6}$ 10; $\alpha(\text{O})=1.060\times10^{-6}$ 15; $\alpha(\text{P})=7.05\times10^{-8}$ 10; $\alpha(\text{IPF})=8.20\times10^{-5}$ 11
(1527.2 4)		2654.62	2 ⁺	1127.76	3 ⁺	[M1,E2]	0.00153 26	$\alpha(\text{K})=0.00123$ 22; $\alpha(\text{L})=0.000165$ 28; $\alpha(\text{M})=3.6\times10^{-5}$ 6 $\alpha(\text{N})=8.2\times10^{-6}$ 14; $\alpha(\text{O})=1.28\times10^{-6}$ 22; $\alpha(\text{P})=8.7\times10^{-8}$ 17; $\alpha(\text{IPF})=8.9\times10^{-5}$ 6
1553.0 4 1578.2 [#] 2	1.2 2 0.06 [@]	2368.76 1701.30	2 ⁺ ,3,4 ⁺ 4 ⁺	815.49 2 ⁺ 123.07 2 ⁺	2 ⁺ 2 ⁺	[E2]	1.22×10 ⁻³ 2	%I γ =0.23 5 %I γ =0.0117 19 $\alpha(\text{K})=0.000950$ 13; $\alpha(\text{L})=0.0001286$ 18; $\alpha(\text{M})=2.78\times10^{-5}$ 4 $\alpha(\text{N})=6.38\times10^{-6}$ 9; $\alpha(\text{O})=9.88\times10^{-7}$ 14; $\alpha(\text{P})=6.59\times10^{-8}$ 9; $\alpha(\text{IPF})=0.0001020$ 14
(1607 1)		2654.62	2 ⁺	1047.58	4 ⁺	[E2]	1.19×10 ⁻³ 2	$\alpha(\text{K})=0.000918$ 13; $\alpha(\text{L})=0.0001241$ 17; $\alpha(\text{M})=2.68\times10^{-5}$ 4

¹⁵⁴Tb $\varepsilon+\beta^+$ decay (9.973 h) ¹⁹⁷⁵So03,1972Vy04,1973La20 (continued)

$\gamma(^{154}\text{Gd})$ (continued)								
E_γ ^{†‡}	I_γ ^b	$E_i(\text{level})$	J_i^π	E_f	J_f^π	Mult.&	α ^a	Comments
								$\alpha(\text{N})=6.15\times 10^{-6}$ 9; $\alpha(\text{O})=9.53\times 10^{-7}$ 13; $\alpha(\text{P})=6.37\times 10^{-8}$ 9; $\alpha(\text{IPF})=0.0001130$ 16
^x 1618.9 3	2.0 2							%I γ =0.39 7
^x 1651.8 4	0.6 2							%I γ =0.12 4
1673.15 20	2.3 2	1796.44	3 ⁻	123.07	2 ⁺	[E1]	7.93×10^{-4} 11	%I γ =0.45 8
								$\alpha(\text{K})=0.000395$ 6; $\alpha(\text{L})=5.07\times 10^{-5}$ 7; $\alpha(\text{M})=1.086\times 10^{-5}$ 15
								$\alpha(\text{N})=2.496\times 10^{-6}$ 35; $\alpha(\text{O})=3.88\times 10^{-7}$ 5; $\alpha(\text{P})=2.67\times 10^{-8}$ 4; $\alpha(\text{IPF})=0.000333$ 5
^x 1715 1	0.2 1							%I γ =0.039 21
^x 1721 2	0.7 4							%I γ =0.14 8
1814.9 3	0.7 2	2185.98	4 ⁻	371.00	4 ⁺	[E1]	8.41×10^{-4} 12	%I γ =0.14 4
								$\alpha(\text{K})=0.000346$ 5; $\alpha(\text{L})=4.43\times 10^{-5}$ 6; $\alpha(\text{M})=9.48\times 10^{-6}$ 13
								$\alpha(\text{N})=2.179\times 10^{-6}$ 31; $\alpha(\text{O})=3.39\times 10^{-7}$ 5; $\alpha(\text{P})=2.338\times 10^{-8}$ 33; $\alpha(\text{IPF})=0.000439$ 6
1858.4 4	1.1 1	2230.04	2 ⁺ ,3,4 ⁺	371.00	4 ⁺	[E2]	1.04×10^{-3} 2	%I γ =0.22 4
								$\alpha(\text{K})=0.000701$ 10; $\alpha(\text{L})=9.35\times 10^{-5}$ 13; $\alpha(\text{M})=2.014\times 10^{-5}$ 28
								$\alpha(\text{N})=4.63\times 10^{-6}$ 6; $\alpha(\text{O})=7.19\times 10^{-7}$ 10; $\alpha(\text{P})=4.86\times 10^{-8}$ 7; $\alpha(\text{IPF})=0.0002211$ 31
^x 1887 1	0.2 1							%I γ =0.039 21
1894.7 3	0.85 12	2266.10	2 ⁺ ,3,4 ⁺	371.00	4 ⁺			%I γ =0.166 35
1901.5 5	0.35 16	2024.8	1,2 ⁺	123.07	2 ⁺			%I γ =0.068 33
1905.0 12	0.8 1	2277.11	3	371.00	4 ⁺	[E1]	8.78×10^{-4} 12	%I γ =0.156 32
								$\alpha(\text{K})=0.000320$ 4; $\alpha(\text{L})=4.09\times 10^{-5}$ 6; $\alpha(\text{M})=8.75\times 10^{-6}$ 12
								$\alpha(\text{N})=2.012\times 10^{-6}$ 28; $\alpha(\text{O})=3.13\times 10^{-7}$ 4; $\alpha(\text{P})=2.162\times 10^{-8}$ 30; $\alpha(\text{IPF})=0.000506$ 7
^x 1931.0 5	0.6 1							%I γ =0.117 27
1934.71 14	3.7 3	2305.66	3 ⁺	371.00	4 ⁺	[M1,E2]	0.00115 13	%I γ =0.72 13
								$\alpha(\text{K})=0.00075$ 10; $\alpha(\text{L})=9.9\times 10^{-5}$ 13; $\alpha(\text{M})=2.14\times 10^{-5}$ 28
								$\alpha(\text{N})=4.9\times 10^{-6}$ 6; $\alpha(\text{O})=7.7\times 10^{-7}$ 10; $\alpha(\text{P})=5.3\times 10^{-8}$ 8; $\alpha(\text{IPF})=0.000275$ 19
^x 1949 1	0.2 1							%I γ =0.039 21
1965.03 7	9.9 7	2336.02	3 ⁻	371.00	4 ⁺	[E1]	9.03×10^{-4} 13	%I γ =1.94 34
								$\alpha(\text{K})=0.000304$ 4; $\alpha(\text{L})=3.89\times 10^{-5}$ 5; $\alpha(\text{M})=8.32\times 10^{-6}$ 12
								$\alpha(\text{N})=1.913\times 10^{-6}$ 27; $\alpha(\text{O})=2.98\times 10^{-7}$ 4; $\alpha(\text{P})=2.058\times 10^{-8}$ 29; $\alpha(\text{IPF})=0.000550$ 8
(1974.3)		2654.62	2 ⁺	680.64	0 ⁺	[E2]	1.01×10^{-3} 1	$\alpha(\text{K})=0.000627$ 9; $\alpha(\text{L})=8.33\times 10^{-5}$ 12; $\alpha(\text{M})=1.794\times 10^{-5}$ 25
								$\alpha(\text{N})=4.12\times 10^{-6}$ 6; $\alpha(\text{O})=6.41\times 10^{-7}$ 9; $\alpha(\text{P})=4.35\times 10^{-8}$ 6; $\alpha(\text{IPF})=0.000275$ 4

¹⁵⁴Tb $\varepsilon+\beta^+$ decay (9.973 h) ¹⁹⁷⁵So03,1972Vy04,1973La20 (continued) $\gamma(^{154}\text{Gd})$ (continued)

E_γ ^a	I_γ ^b	$E_i(\text{level})$	J_i^π	E_f	J_f^π	Mult. ^{&}	α ^a	Comments
1997.6	1.9 5	2368.76	2 ⁺ ,3,4 ⁺	371.00	4 ⁺			%I γ =0.37 11
^x 2014.9 7	0.3 1							%I γ =0.059 22
2024.9 3	1.0 1	2024.8	1,2 ⁺	0.0	0 ⁺			%I γ =0.20 4
2035.5 4	0.2 1	2405.92	2 ⁺	371.00	4 ⁺	[E2]	9.97×10 ⁻⁴ 14	%I γ =0.039 21 $\alpha(\text{K})=0.000593$ 8; $\alpha(\text{L})=7.86\times 10^{-5}$ 11; $\alpha(\text{M})=1.692\times 10^{-5}$ 24 $\alpha(\text{N})=3.89\times 10^{-6}$ 5; $\alpha(\text{O})=6.05\times 10^{-7}$ 8; $\alpha(\text{P})=4.11\times 10^{-8}$ 6; $\alpha(\text{IPF})=0.000304$ 4
^x 2054.2 4	0.45 6							%I γ =0.088 18
2084.7 3	0.63 6	3517.10	(3 ⁺ ,4 ⁺)	1432.35	5 ⁺	[E2]	9.91×10 ⁻⁴ 14	%I γ =0.123 23 $\alpha(\text{K})=0.000568$ 8; $\alpha(\text{L})=7.52\times 10^{-5}$ 11; $\alpha(\text{M})=1.618\times 10^{-5}$ 23 $\alpha(\text{N})=3.72\times 10^{-6}$ 5; $\alpha(\text{O})=5.78\times 10^{-7}$ 8; $\alpha(\text{P})=3.94\times 10^{-8}$ 6; $\alpha(\text{IPF})=0.000327$ 5
^x 2101.6 7	0.2 1							%I γ =0.039 21
2106.9	0.8 1	2230.04	2 ⁺ ,3,4 ⁺	123.07	2 ⁺	[M1,E2]	0.00110 11	%I γ =0.156 32 $\alpha(\text{K})=0.00063$ 7; $\alpha(\text{L})=8.3\times 10^{-5}$ 9; $\alpha(\text{M})=1.79\times 10^{-5}$ 20 $\alpha(\text{N})=4.1\times 10^{-6}$ 5; $\alpha(\text{O})=6.4\times 10^{-7}$ 7; $\alpha(\text{P})=4.4\times 10^{-8}$ 6; $\alpha(\text{IPF})=0.000363$ 26
^x 2126.3 6	0.2 1							%I γ =0.039 21
2142.9 3	1.1 1	2266.10	2 ⁺ ,3,4 ⁺	123.07	2 ⁺			%I γ =0.22 4
2153.81 15	5.1 3	2277.11	3	123.07	2 ⁺	[E1]	9.87×10 ⁻⁴ 14	%I γ =1.00 17 $\alpha(\text{K})=0.000263$ 4; $\alpha(\text{L})=3.35\times 10^{-5}$ 5; $\alpha(\text{M})=7.18\times 10^{-6}$ 10 $\alpha(\text{N})=1.650\times 10^{-6}$ 23; $\alpha(\text{O})=2.57\times 10^{-7}$ 4; $\alpha(\text{P})=1.780\times 10^{-8}$ 25; $\alpha(\text{IPF})=0.000682$ 10
2182.6 5	0.9 2	2305.66	3 ⁺	123.07	2 ⁺	[M1,E2]	0.00108 10	%I γ =0.18 5 $\alpha(\text{K})=0.00058$ 6; $\alpha(\text{L})=7.7\times 10^{-5}$ 8; $\alpha(\text{M})=1.66\times 10^{-5}$ 18 $\alpha(\text{N})=3.8\times 10^{-6}$ 4; $\alpha(\text{O})=6.0\times 10^{-7}$ 7; $\alpha(\text{P})=4.1\times 10^{-8}$ 5; $\alpha(\text{IPF})=0.000402$ 28
2212.92 15	4.2 3	2336.02	3 ⁻	123.07	2 ⁺	[E1]	1.01×10 ⁻³ 1	%I γ =0.82 14 $\alpha(\text{K})=0.0002522$ 35; $\alpha(\text{L})=3.21\times 10^{-5}$ 4; $\alpha(\text{M})=6.87\times 10^{-6}$ 10 $\alpha(\text{N})=1.580\times 10^{-6}$ 22; $\alpha(\text{O})=2.462\times 10^{-7}$ 34; $\alpha(\text{P})=1.706\times 10^{-8}$ 24; $\alpha(\text{IPF})=0.000721$ 10
2245.7 2	2.3 2	2368.76	2 ⁺ ,3,4 ⁺	123.07	2 ⁺			%I γ =0.45 8
2251.8 7	0.4 2	3517.10	(3 ⁺ ,4 ⁺)	1263.72	4 ⁺	[M1,E2]	0.00108 9	%I γ =0.08 4 $\alpha(\text{K})=0.00055$ 5; $\alpha(\text{L})=7.2\times 10^{-5}$ 7; $\alpha(\text{M})=1.56\times 10^{-5}$ 16 $\alpha(\text{N})=3.6\times 10^{-6}$ 4; $\alpha(\text{O})=5.6\times 10^{-7}$ 6; $\alpha(\text{P})=3.9\times 10^{-8}$ 4; $\alpha(\text{IPF})=0.000437$ 31
2282.8 1	1.1 1	2405.92	2 ⁺	123.07	2 ⁺	[M1,E2]	0.00108 9	%I γ =0.22 4 $\alpha(\text{K})=0.00053$ 5; $\alpha(\text{L})=7.0\times 10^{-5}$ 7; $\alpha(\text{M})=1.51\times 10^{-5}$ 15

¹⁵⁴Tb $\varepsilon+\beta^+$ decay (9.973 h) ¹⁹⁷⁵So03,1972Vy04,1973La20 (continued)

$\gamma(^{154}\text{Gd})$ (continued)							
E_γ ^{†‡}	I_γ ^b	E_i (level)	J_i^π	E_f	J_f^π	Mult. ^{&}	α ^a
							Comments
							$\alpha(\text{N})=3.48\times 10^{-6}$ 35; $\alpha(\text{O})=5.4\times 10^{-7}$ 5; $\alpha(\text{P})=3.7\times 10^{-8}$ 4; $\alpha(\text{IPF})=0.000453$ 32
^x 2295.9 3	1.6 1						%I γ =0.31 5
^x 2358.3 3	1.0 1						%I γ =0.20 4
2372.4 4	0.67 7	2495.96	1,2 ⁺	123.07 2 ⁺			%I γ =0.131 25
2389.5 2	1.0 1	3517.10	(3 ⁺ ,4 ⁺)	1127.76 3 ⁺		[M1,E2]	%I γ =0.20 4
							$\alpha(\text{K})=0.00049$ 4; $\alpha(\text{L})=6.4\times 10^{-5}$ 6; $\alpha(\text{M})=1.38\times 10^{-5}$ 12
							$\alpha(\text{N})=3.17\times 10^{-6}$ 29; $\alpha(\text{O})=4.9\times 10^{-7}$ 5; $\alpha(\text{P})=3.42\times 10^{-8}$ 34;
							$\alpha(\text{IPF})=0.00051$ 4
^x 2411.1 4	0.5 2						%I γ =0.10 4
2422.2 5	0.15 5	3550.2	2 ⁺ ,3,4 ⁺	1127.76 3 ⁺			%I γ =0.029 11
^x 2473 1	0.3 1						%I γ =0.059 22
2496.3 8	0.5 2	2495.96	1,2 ⁺	0.0 0 ⁺			%I γ =0.10 4
2520.8 10	0.10 5	3517.10	(3 ⁺ ,4 ⁺)	996.31 2 ⁺		[M1,E2]	%I γ =0.020 10
							$\alpha(\text{K})=0.000437$ 33; $\alpha(\text{L})=5.7\times 10^{-5}$ 5; $\alpha(\text{M})=1.23\times 10^{-5}$ 10
							$\alpha(\text{N})=2.84\times 10^{-6}$ 23; $\alpha(\text{O})=4.4\times 10^{-7}$ 4; $\alpha(\text{P})=3.07\times 10^{-8}$ 27;
							$\alpha(\text{IPF})=0.00057$ 4
^x 2525.1 7	0.2 1						%I γ =0.039 21
2532.3 7	0.11 5	2654.62	2 ⁺	123.07 2 ⁺		[M1,E2]	%I γ =0.022 10
							$\alpha(\text{K})=0.000433$ 32; $\alpha(\text{L})=5.7\times 10^{-5}$ 4; $\alpha(\text{M})=1.22\times 10^{-5}$ 10
							$\alpha(\text{N})=2.81\times 10^{-6}$ 22; $\alpha(\text{O})=4.4\times 10^{-7}$ 4; $\alpha(\text{P})=3.04\times 10^{-8}$ 27;
							$\alpha(\text{IPF})=0.00058$ 4
^x 2540 1	0.09 4						%I γ =0.018 8
2546.9 8	0.14 7	3363.6	(2 ⁺)	815.49 2 ⁺		[M1,E2]	%I γ =0.027 14
							$\alpha(\text{K})=0.000428$ 31; $\alpha(\text{L})=5.6\times 10^{-5}$ 4; $\alpha(\text{M})=1.21\times 10^{-5}$ 9
							$\alpha(\text{N})=2.78\times 10^{-6}$ 22; $\alpha(\text{O})=4.34\times 10^{-7}$ 35; $\alpha(\text{P})=3.00\times 10^{-8}$ 26;
							$\alpha(\text{IPF})=0.00059$ 4
2554.1 5	0.28 3	3550.2	2 ⁺ ,3,4 ⁺	996.31 2 ⁺			%I γ =0.055 11
^x 2559.6 4	0.73 5						%I γ =0.143 25
^x 2575.1 5	0.55 6						%I γ =0.108 21
^x 2630.5 8	0.25 6						%I γ =0.049 14
^x 2634.3 8	0.25 6						%I γ =0.049 14
^x 2643 1	0.4 2						%I γ =0.08 4
^x 2652 1	0.4 2						%I γ =0.08 4
(2655.8 8)		2654.62	2 ⁺	0.0 0 ⁺		[E2]	$\alpha(\text{K})=0.000369$ 5; $\alpha(\text{L})=4.81\times 10^{-5}$ 7; $\alpha(\text{M})=1.033\times 10^{-5}$ 14
							$\alpha(\text{N})=2.376\times 10^{-6}$ 33; $\alpha(\text{O})=3.70\times 10^{-7}$ 5; $\alpha(\text{P})=2.55\times 10^{-8}$ 4;
							$\alpha(\text{IPF})=0.000596$ 8
2683.4 5	0.32 3	3363.6	(2 ⁺)	680.64 0 ⁺		[E2]	%I γ =0.063 12
							$\alpha(\text{K})=0.000362$ 5; $\alpha(\text{L})=4.72\times 10^{-5}$ 7; $\alpha(\text{M})=1.014\times 10^{-5}$ 14
							$\alpha(\text{N})=2.331\times 10^{-6}$ 33; $\alpha(\text{O})=3.63\times 10^{-7}$ 5; $\alpha(\text{P})=2.506\times 10^{-8}$ 35;
							$\alpha(\text{IPF})=0.000609$ 9

γ(¹⁵⁴Gd) (continued)

$E_{\gamma}^{\dagger\dagger}$	I_{γ}^b	$E_i(\text{level})$	J_i^{π}	E_f	J_f^{π}	Mult.&	α^a	Comments
(2811.4 8)		2934.3	1 ⁺	123.07	2 ⁺	[M1,E2]	0.00113 7	$\alpha(K)=0.000352$ 19; $\alpha(L)=4.60\times 10^{-5}$ 27; $\alpha(M)=9.9\times 10^{-6}$ 6 $\alpha(N)=2.28\times 10^{-6}$ 14; $\alpha(O)=3.55\times 10^{-7}$ 22; $\alpha(P)=2.47\times 10^{-8}$ 16; $\alpha(\text{IPF})=0.00072$ 5
^x 2839.2 15	0.10 3							%I _γ =0.020 7
^x 2921.4 15	0.02 1							%I _γ =0.0039 21
2934.2 7	0.11 3	2934.3	1 ⁺	0.0	0 ⁺	[M1]	1.23×10 ⁻³ 2	%I _γ =0.022 7 $\alpha(K)=0.000338$ 5; $\alpha(L)=4.44\times 10^{-5}$ 6; $\alpha(M)=9.54\times 10^{-6}$ 13 $\alpha(N)=2.196\times 10^{-6}$ 31; $\alpha(O)=3.43\times 10^{-7}$ 5; $\alpha(P)=2.394\times 10^{-8}$ 34; $\alpha(\text{IPF})=0.000832$ 12
^x 2942.2 10	0.14 5							%I _γ =0.027 11
3240.4 15	0.09 3	3363.6	(2 ⁺)	123.07	2 ⁺	[M1,E2]	0.00123 8	%I _γ =0.018 7 $\alpha(K)=0.000267$ 8; $\alpha(L)=3.48\times 10^{-5}$ 12; $\alpha(M)=7.47\times 10^{-6}$ 26 $\alpha(N)=1.72\times 10^{-6}$ 6; $\alpha(O)=2.68\times 10^{-7}$ 10; $\alpha(P)=1.87\times 10^{-8}$ 7; $\alpha(\text{IPF})=0.00092$ 7
^x 3260.0 15	0.09 5							%I _γ =0.018 10

[†] From weighted average of values of [1972Vy04](#) and [1975So03](#). Values without uncertainties were computed from level energies by [1975So03](#).

[‡] Because of the more definitive isomer assignment only the unplaced γ's of [1975So03](#) are given.

[#] From [2003Ku19](#). The uncertainties are nominal values (from a private communication from J.L. Wood, one of the authors of [2003Ku19](#)).

[@] Computed by the evaluator from the relative B(E2) values in [2003Ku19](#), normalized to I_γ(983.7γ)=0.6.

[&] Assignments and values are from ¹⁵⁴Gd adopted γ radiations and include the results of all types of experiments and all decay modes. See ¹⁵⁴Gd adopted γ radiations for other information including: (1) mixing ratios such as δ(M3/E2) and δ(M2/E1) where δ can be zero and is not included here; (2) comments on measurements for lines which are multiplets; and (3) identification of α values that are based on experimental values rather than theory.


^a [Additional information 6](#).


^b For absolute intensity per 100 decays, multiply by 0.196 33.

^c Multiply placed with undivided intensity.

^d Placement of transition in the level scheme is uncertain.


^x γ ray not placed in level scheme.

^{154}Tb $\varepsilon+\beta^+$ decay (9.973 h) 1975So03,1972Vy04,1973La20

^{154}Tb $\varepsilon+\beta^+$ decay (9.973 h) 1975So03,1972Vy04,1973La20**Decay Scheme (continued)**

$^{154}\text{Tb } \varepsilon + \beta^+ \text{ decay (9.973 h)} \quad 1975\text{So03}, 1972\text{Vy04}, 1973\text{La20}$

Decay Scheme (continued)




¹⁵⁴Tb $\epsilon + \beta^+$ decay (9.973 h) 1975So03,1972V*04,1973La20

Legend

- $I_\gamma < 2\% \times I_{\max}$
- $I_\gamma < 10\% \times I_{\max}$
- $I_\gamma > 10\% \times I_{\max}$
- γ Decay (Uncertain)
- Coincidence

Decay Scheme (continued)

Intensities: I_γ per 100 parent decays
& Multiply placed: undivided intensity given




^{154}Tb $\varepsilon+\beta^+$ decay (9.973 h) 1975So03,1972Vy04,1973La20


Decay Scheme (continued)

Intensities: I_γ per 100 parent decays
& Multiply placed: undivided intensity given

Legend
 $\longrightarrow$ $I_\gamma < 2\% \times I_\gamma^{\text{max}}$
 $\longrightarrow$ $I_\gamma < 10\% \times I_\gamma^{\text{max}}$
 $\longrightarrow$ $I_\gamma > 10\% \times I_\gamma^{\text{max}}$
 $\bullet$ Coincidence




^{154}Tb ε decay (9.973 h) 1975So03,1972Vy04,1973La20



$^{154}_{64}\text{Gd}_{90}$

^{154}Tb ε decay (9.973 h) 1975So03,1972Vy04,1973La20 (continued)

 $^{154}_{64}\text{Gd}_{90}$