

<sup>44</sup>Ca(pol  $\gamma,\gamma'$ ),( $\gamma,\gamma'$ ) 2011Is01

Type	Author	History	Citation	Literature Cutoff Date
Full Evaluation	Jun Chen, Balraj Singh and John A. Cameron		NDS 112, 2357 (2011)	31-Jul-2011

**2011Is01:** Two experiments: the first one performed at the Darmstadt High Intensity Photon Setup (DHIPS) with the E=6.3 and 9.9 MeV polarized photons produced via bremsstrahlung by stopping completely the intense electron beam from the injector of the electron accelerator S-DALINAC in a thick copper radiator. HPGe detectors at 90° and 130° for detecting  $\gamma$ -rays with BGO Compton-suppression shields. Targets of 97.1% enriched CaO<sub>3</sub>; the second performed at the High Intensity  $\gamma$ -ray Source (HI $\gamma$ S) facility at Duke University with the polarized photon beam produced via intercavity laser Compton backscattering (LCB) of a free-electron laser (FEL) beam with relativistic electrons in a storage ring. Four HPGe clover detectors for detecting  $\gamma$ -rays. Target of 95.8 enriched CaO<sub>3</sub>. Measured E $\gamma$ , I $\gamma$ ,  $\gamma$  polarization asymmetry. Deduced levels, J,  $\pi$ ,  $\gamma$ -widths, transition strengths.

**1986Be30:** E=4-7 MeV  $\gamma$ -rays produced by the V(n, $\gamma$ ) reaction. Target of 4.86 g/cm<sup>2</sup> natural Ca. A 40 cm<sup>3</sup> Ge(Li) detector for detecting scattered  $\gamma$ -rays. Measured E $\gamma$ , I $\gamma$ ,  $\gamma(\theta)$ ,  $\gamma(\text{pol})$ . Deduced levels, J <sup>$\pi$</sup> , widths,  $\gamma$ -branchings, mixing ratio.

**2004Ha51:** E=9.9 MeV  $\gamma$ -rays source produced at the nuclear resonance fluorescence (NRF) setup at the Darmstadt superconducting electron linear accelerator S-DALINAC. Measured E $\gamma$ , I $\gamma$ . Deduced electric dipole strength distribution, pygmy dipole resonance features.

Other: **2007KI05.**

All data above 3301 keV level (except 5210 keV level) is from **2011Is01**; others including 5210 keV level are from **1986Be30**, unless otherwise noted.

<sup>44</sup>Ca Levels

E(level) <sup>†</sup>	J <sup><math>\pi</math></sup> <sup>‡</sup>	T <sub>1/2</sub> <sup>@</sup>	Comments
0	0 <sup>+</sup> #		
1157.06 16	2 <sup>+</sup> #		
1883.49 15	0 <sup>+</sup> #		
2656.7 5	2 <sup>+</sup> #		
3301.1 6	2 <sup>+</sup>		
3307.8 3	3 <sup>-</sup> #		
3661.50 15	1	8.3 fs	B(E1) $\uparrow$ =3.16 $\times$ 10 <sup>-5</sup> 76; B(M1) $\uparrow$ =0.29 7
3691.7 4	1	66 fs	B(E1) $\uparrow$ =0.57 $\times$ 10 <sup>-5</sup> 21; B(M1) $\uparrow$ =0.05 2
4196.3 3	1	44 fs	B(E1) $\uparrow$ =0.58 $\times$ 10 <sup>-5</sup> 12; B(M1) $\uparrow$ =0.05 1
4649.46 10	1	11 fs	B(E1) $\uparrow$ =1.77 $\times$ 10 <sup>-5</sup> 32; B(M1) $\uparrow$ =0.16 3
4848.39 20	1	24 fs	B(E1) $\uparrow$ =0.68 $\times$ 10 <sup>-5</sup> 15; B(M1) $\uparrow$ =0.06 1
4865.9 3	1	6.2 fs	B(E1) $\uparrow$ =1.47 $\times$ 10 <sup>-5</sup> 41; B(M1) $\uparrow$ =0.13 4
5161.0 3	1	3.7 fs	B(E1) $\uparrow$ =3.71 $\times$ 10 <sup>-5</sup> 41; B(M1) $\uparrow$ =0.34 4
5210.0 5	1 <sup>+</sup>	0.228 eV 40	B(M1) $\uparrow$ =0.15 6 ( <b>1986Be30</b> ) J <sup><math>\pi</math></sup> : from $\gamma(\theta)$ and $\gamma(\text{pol})$ in <b>1986Be30</b> . T <sub>1/2</sub> : from $\Gamma$ ( <b>1986Be30</b> ).
5611.6 3	1	2.1 fs	B(E1) $\uparrow$ =1.67 $\times$ 10 <sup>-5</sup> 32; B(M1) $\uparrow$ =0.15 3
5800.61 20	1	16 fs	B(E1) $\uparrow$ =0.59 $\times$ 10 <sup>-5</sup> 17; B(M1) $\uparrow$ =0.05 2
5806.31 10	1	3.3 fs	B(E1) $\uparrow$ =2.90 $\times$ 10 <sup>-5</sup> 36; B(M1) $\uparrow$ =0.26 3
5875.82 20	1	6 fs	B(E1) $\uparrow$ =1.55 $\times$ 10 <sup>-5</sup> 21; B(M1) $\uparrow$ =0.65 9
5911.13 20	1	2.7 fs	B(E1) $\uparrow$ =3.35 $\times$ 10 <sup>-5</sup> 82; B(M1) $\uparrow$ =0.30 7
6082.8 5	1 <sup>+</sup>	3 fs	B(M1) $\uparrow$ =0.13 5
6136.6 3	1 <sup>-</sup>	1.8 fs	B(E1) $\uparrow$ =3.03 $\times$ 10 <sup>-5</sup> 65
6245.5 3	1	12 fs	B(E1) $\uparrow$ =0.62 $\times$ 10 <sup>-5</sup> 14; B(M1) $\uparrow$ =0.06 1
6422.12 10	1 <sup>-</sup>	0.3 fs	B(E1) $\uparrow$ =21.6 $\times$ 10 <sup>-5</sup> 32
6446.6 8	1 <sup>+</sup>	8.4 fs	B(M1) $\uparrow$ =0.05 2
6507.1 5	1	4.8 fs	B(E1) $\uparrow$ =1.43 $\times$ 10 <sup>-5</sup> 31; B(M1) $\uparrow$ =0.13 3
6675.44 20	1	6.5 fs	B(E1) $\uparrow$ =0.98 $\times$ 10 <sup>-5</sup> 17; B(M1) $\uparrow$ =0.09 2
6960.7 6	1	8 fs	B(E1) $\uparrow$ =0.70 $\times$ 10 <sup>-5</sup> 13; B(M1) $\uparrow$ =0.06 1
6972.14 19	1	0.7 fs	B(E1) $\uparrow$ =2.81 $\times$ 10 <sup>-5</sup> 47; B(M1) $\uparrow$ =1.17 20

Continued on next page (footnotes at end of table)

$^{44}\text{Ca}(\text{pol } \gamma, \gamma'), (\gamma, \gamma')$  2011Is01 (continued) $^{44}\text{Ca}$  Levels (continued)

<u>E(level)<sup>†</sup></u>	<u>J<sup>π‡</sup></u>	<u>T<sub>1/2</sub><sup>@</sup></u>	Comments
7065.9 9	1	3.9 fs	B(E1)↑=1.38×10 <sup>-5</sup> 24; B(M1)↑=0.13 2
7226.0 3	1	4.1 fs	B(E1)↑=1.22×10 <sup>-5</sup> 21; B(M1)↑=0.11 2
7275.1 9	1	2.7 fs	B(E1)↑=1.82×10 <sup>-5</sup> 30; B(M1)↑=0.17 3
7403.0 8	1	5.4 fs	B(E1)↑=0.87×10 <sup>-5</sup> 16; B(M1)↑=0.08 2
7572.0 5	1 <sup>+</sup>	3.8 fs	B(M1)↑=0.10 2
7578.9 3	1 <sup>-</sup>	0.7 fs	B(E1)↑=5.90×10 <sup>-5</sup> 75
7662.1 6	1 <sup>-</sup>	6.7 fs	B(E1)↑=0.62×10 <sup>-5</sup> 19
7783.3 10	1 <sup>-</sup>	6.1 fs	B(E1)↑=0.66×10 <sup>-5</sup> 20
7808.9 16	1 <sup>-</sup>	11.6 fs	B(E1)↑=0.34×10 <sup>-5</sup> 11
7828.8 12	1	8.9 fs	B(E1)↑=0.44×10 <sup>-5</sup> 15; B(M1)↑=0.04 1
7834.7 8	1 <sup>-</sup>	4.4 fs	B(E1)↑=0.89×10 <sup>-5</sup> 21
7953.1 5	1	2.4 fs	B(E1)↑=0.78×10 <sup>-5</sup> 26; B(M1)↑=0.07 2
8070.2 7	1	3.1 fs	B(E1)↑=1.15×10 <sup>-5</sup> 21; B(M1)↑=0.10 2
8086.0 7	1	3.1 fs	B(E1)↑=1.17×10 <sup>-5</sup> 21; B(M1)↑=0.11 2
8321.5 16	1	13.7 fs	B(E1)↑=0.24×10 <sup>-5</sup> 11; B(M1)↑=0.02 1
8395.3 4	1	2.4 fs	B(E1)↑=1.35×10 <sup>-5</sup> 32; B(M1)↑=0.12 3
8405.4 17	1	0.6 fs	B(E1)↑=5.26×10 <sup>-5</sup> 77; B(M1)↑=0.48 7
8556.7 8	1 <sup>-</sup>	3.4 fs	B(E1)↑=0.88×10 <sup>-5</sup> 36
8615.2 12	1 <sup>-</sup>	3.3 fs	B(E1)↑=0.88×10 <sup>-5</sup> 27
8802 3	1 <sup>-</sup>	16 fs	B(E1)↑=0.17×10 <sup>-5</sup> 9
8828.0 11		1.1 fs	B(E1)↑=1.13×10 <sup>-5</sup> 62
8851.5 7	1 <sup>-</sup>	1.0 fs	B(E1)↑=2.27×10 <sup>-5</sup> 66
8908.8 7	1 <sup>-</sup>	0.5 fs	B(E1)↑=5.57×10 <sup>-5</sup> 93
9024.1 20	1 <sup>-</sup>		
9148.4 24	1 <sup>-</sup>		
9273.5 8	1 <sup>-</sup>	1.5 fs	B(E1)↑=3.62×10 <sup>-5</sup> 81
9317.2 10	1 <sup>-</sup>		
9664.9 7	1 <sup>-</sup>		
9814.1 11	1 <sup>-</sup>		
9898.2 10	1 <sup>-</sup>		

<sup>†</sup> From a least-squares fit to E<sub>γ</sub> data.

<sup>‡</sup> From γ polarization asymmetry, unless otherwise noted.

<sup>#</sup> From Adopted Levels.

<sup>@</sup> Deduced from Γ<sub>γ</sub> by evaluators. Γ<sub>γ</sub> is assumed to be the total width for levels with the only transition to ground state (2011Is01), unless otherwise noted.

γ( $^{44}\text{Ca}$ )

<u>E<sub>i</sub>(level)</u>	<u>J<sub>i</sub><sup>π</sup></u>	<u>E<sub>γ</sub></u>	<u>I<sub>γ</sub></u>	<u>E<sub>f</sub></u>	<u>J<sub>f</sub><sup>π</sup></u>	Comments
1157.06	2 <sup>+</sup>	1157		0	0 <sup>+</sup>	
1883.49	0 <sup>+</sup>	726 <sup>†</sup>		1157.06	2 <sup>+</sup>	
2656.7	2 <sup>+</sup>	1499 <sup>†</sup>		1157.06	2 <sup>+</sup>	
		2656 <sup>†</sup>		0	0 <sup>+</sup>	
3301.1	2 <sup>+</sup>	2144		1157.06	2 <sup>+</sup>	
		3301		0	0 <sup>+</sup>	
3661.50	1	353.67 25	0.3 <sup>‡</sup> 2	3307.8	3 <sup>-</sup>	Γ <sub>γ</sub> =0.0002 eV 1.
		1005.0 9	0.48 <sup>‡</sup>	2656.7	2 <sup>+</sup>	Γ <sub>γ</sub> =0.00026 eV 7.
		1777.973 20	34.8 <sup>‡</sup> 8	1883.49	0 <sup>+</sup>	Γ <sub>γ</sub> =0.0188 eV 46.

Continued on next page (footnotes at end of table)

$^{44}\text{Ca}(\text{pol } \gamma, \gamma'), (\gamma, \gamma')$  2011Is01 (continued) $\gamma(^{44}\text{Ca})$  (continued)

$E_i(\text{level})$	$J_i^\pi$	$E_\gamma$	$I_\gamma$	$E_f$	$J_f^\pi$	Mult.	$\delta$	Comments
3661.50	1	2504.39 6	10.7 $\frac{+}{-}$ 9	1157.06	2 $^+$			$\Gamma_\gamma=0.0058$ eV 15.
		3661.3 2	100.0 $\frac{+}{-}$ 19	0	0 $^+$			$\Gamma_\gamma=0.054$ eV 13.
3691.7	1	3691.5 4	100	0	0 $^+$			$\Gamma_\gamma=0.010$ eV 4.
4196.3	1	4196.1 3	100	0	0 $^+$			$\Gamma_\gamma=0.015$ eV 3.
4649.46	1	4649.2 1	100	0	0 $^+$			$\Gamma_\gamma=0.062$ eV 11.
4848.39	1	4848.1 2	100	0	0 $^+$			$\Gamma_\gamma=0.027$ eV 6.
4865.9	1	2982.3 3	79 27	1883.49	0 $^+$			$\Gamma_\gamma=0.047$ eV 21.
		4865.7 4	100 27	0	0 $^+$			$\Gamma_\gamma=0.059$ eV 16.
5161.0	1	5160.7 3	100	0	0 $^+$			$\Gamma_\gamma=0.178$ eV 19.
5210.0	1 $^+$	1909	33 15	3301.1	2 $^+$			
		2553	4 4	2656.7	2 $^+$			
		3326	80 2	1883.49	0 $^+$	M1		$A_2=+0.43$ 10.
		4053	65 2	1157.06	2 $^+$	M1+E2	+0.27 8	$A_2=-0.11$ 4. $\Gamma(E2)=0.0038$ eV (1986Be30) which corresponds to $B(E2)(\downarrow)=4.2$ e $^2\text{fm}^4$ 8 or $B(E2)(\downarrow)=0.00042$ 8 e $^2\text{b}^2$ .
		5210	100 1	0	0 $^+$	M1		$A_2=+0.47$ 4. Pol(N(parallel)/N(perpendicular))=0.84 13.
5611.6	1	4454.1 8	100 21	1157.06	2 $^+$			$\Gamma_\gamma=0.22$ eV 11.
		5611.2 3	47 21	0	0 $^+$			$\Gamma_\gamma=0.103$ eV 20.
5800.61	1	5800.2 2	100	0	0 $^+$			$\Gamma_\gamma=0.040$ eV 12.
5806.31	1	5805.9 1	100	0	0 $^+$			$\Gamma_\gamma=0.198$ eV 25.
5875.82	1	5875.4 2	100	0	0 $^+$			$\Gamma_\gamma=0.110$ eV 15.
5911.13	1	5910.7 2	100	0	0 $^+$			$\Gamma_\gamma=0.241$ eV 59.
6082.8	1 $^+$	4199.5 5	62 12	1883.49	0 $^+$			pol=1.16 30. $\Gamma_\gamma=0.068$ eV 22.
		4925.3 8	41 7	1157.06	2 $^+$			pol=0.06 17. $\Gamma_\gamma=0.045$ eV 15.
		6080.1 14	100 7	0	0 $^+$			pol=0.88 7. $\Gamma_\gamma=0.109$ eV 29.
6136.6	1 $^-$	4978.5 5	46 7	1157.06	2 $^+$			pol=-0.05 8. $\Gamma_\gamma=0.113$ eV 29.
		6136.4 3	100 5	0	0 $^+$			pol=-0.83 3. $\Gamma_\gamma=0.245$ eV 39.
6245.5	1	6245.0 3	100	0	0 $^+$			$\Gamma_\gamma=0.053$ eV 12.
6422.12	1 $^-$	4539.9 7	5.2 7	1883.49	0 $^+$			pol=-1.24 25. $\Gamma_\gamma=0.104$ eV 18.
		5263.8 7	5.5 7	1157.06	2 $^+$			pol=-0.14 7. $\Gamma_\gamma=0.110$ eV 18.
		6421.6 1	100 1	0	0 $^+$			pol=-0.89 1. $\Gamma_\gamma=1.99$ eV 21.
6446.6	1 $^+$	5288.0 17	50 14	1157.06	2 $^+$			pol=0.08 37. $\Gamma_\gamma=0.026$ eV 10.
		6446.3 8	100 10	0	0 $^+$			pol=0.75 22. $\Gamma_\gamma=0.052$ eV 14.
6507.1	1	6506.6 5	100	0	0 $^+$			$\Gamma_\gamma=0.137$ eV 30.
6675.44	1	6674.9 2	100	0	0 $^+$			$\Gamma_\gamma=0.102$ eV 17.
6960.7	1	6960.1 6	100	0	0 $^+$			$\Gamma_\gamma=0.082$ eV 16.
6972.14	1	5815.0 5	100 15	1157.06	2 $^+$			$\Gamma_\gamma=0.64$ eV 21.
		6971.5 2	52 15	0	0 $^+$			$\Gamma_\gamma=0.332$ eV 56.
7065.9	1	7065.3 9	100	0	0 $^+$			$\Gamma_\gamma=0.170$ eV 29.
7226.0	1	7225.4 3	100	0	0 $^+$			$\Gamma_\gamma=0.161$ eV 27.
7275.1	1	7274.5 9	100	0	0 $^+$			$\Gamma_\gamma=0.245$ eV 40.
7403.0	1	7402.3 8	100	0	0 $^+$			$\Gamma_\gamma=0.123$ eV 23.
7572.0	1 $^+$	7571.3 5	100	0	0 $^+$			$\Gamma_\gamma=0.173$ eV 39.

Continued on next page (footnotes at end of table)

$^{44}\text{Ca}(\text{pol } \gamma, \gamma'), (\gamma, \gamma')$  2011Is01 (continued) $\gamma(^{44}\text{Ca})$  (continued)

$E_i(\text{level})$	$J_i^\pi$	$E_\gamma$	$I_\gamma$	$E_f$	$J_f^\pi$	Comments
7578.9	1 <sup>-</sup>	7578.2 3	100	0	0 <sup>+</sup>	pol=-0.65 2. $\Gamma_\gamma=0.90$ eV 11.
7662.1	1 <sup>-</sup>	7661.4 6	100	0	0 <sup>+</sup>	pol=-0.85 10. $\Gamma_\gamma=0.098$ eV 30.
7783.3	1 <sup>-</sup>	7782.6 10	100	0	0 <sup>+</sup>	pol=-0.74 14. $\Gamma_\gamma=0.108$ eV 33.
7808.9	1 <sup>-</sup>	7808.2 16	100	0	0 <sup>+</sup>	pol=-1.00 13. $\Gamma_\gamma=0.057$ eV 18.
7828.8	1	7828.1 12	100	0	0 <sup>+</sup>	$\Gamma_\gamma=0.074$ eV 24.
7834.7	1 <sup>-</sup>	7834.0 8	100	0	0 <sup>+</sup>	pol=-1.11 7. $\Gamma_\gamma=0.150$ eV 35.
7953.1	1	5293.8 14	100	2656.7	2 <sup>+</sup>	$\Gamma_\gamma=0.136$ eV 65.
		7952.6 5	100	0	0 <sup>+</sup>	$\Gamma_\gamma=0.136$ eV 45.
8070.2	1	8069.4 7	100	0	0 <sup>+</sup>	$\Gamma_\gamma=0.210$ eV 39.
8086.0	1	8085.2 7	100	0	0 <sup>+</sup>	$\Gamma_\gamma=0.215$ eV 39.
8321.5	1	8320.7 16	100	0	0 <sup>+</sup>	$\Gamma_\gamma=0.048$ eV 21.
8395.3	1	8394.4 4	100	0	0 <sup>+</sup>	$\Gamma_\gamma=0.278$ eV 65.
8405.4	1	8404.5 17	100	0	0 <sup>+</sup>	$\Gamma_\gamma=1.09$ eV 16.
8556.7	1 <sup>-</sup>	8555.8 8	100	0	0 <sup>+</sup>	pol=-0.97 4. $\Gamma_\gamma=0.193$ eV 79.
8615.2	1 <sup>-</sup>	8614.3 12	100	0	0 <sup>+</sup>	pol=-0.87 6. $\Gamma_\gamma=0.197$ eV 60.
8802	1 <sup>-</sup>	8800.9 29	100	0	0 <sup>+</sup>	pol=-1.34 81. $\Gamma_\gamma=0.041$ eV 22.
8828.0		6944.6 18	100 14	1883.49	0 <sup>+</sup>	pol=-1.24 20. $\Gamma_\gamma=0.31$ eV 14.
		8826.6 14	89 23	0	0 <sup>+</sup>	pol=-1.40 18. $\Gamma_\gamma=0.27$ eV 11.
8851.5	1 <sup>-</sup>	7692.9 18	19 8	1157.06	2 <sup>+</sup>	pol=-0.79 29. $\Gamma_\gamma=0.105$ eV 49.
		8850.7 7	100 6	0	0 <sup>+</sup>	pol=-0.98 4. $\Gamma_\gamma=0.55$ eV 12.
8908.8	1 <sup>-</sup>	8907.8 7	100	0	0 <sup>+</sup>	pol=-0.93 4. $\Gamma_\gamma=1.37$ eV 23.
9024.1	1 <sup>-</sup>	9023.1 20	100	0	0 <sup>+</sup>	pol=-1.05 22.
9148.4	1 <sup>-</sup>	9147.4 24	100	0	0 <sup>+</sup>	pol=-0.91 22.
9273.5	1 <sup>-</sup>	9272.5 8	100	0	0 <sup>+</sup>	pol=-0.95 4. $\Gamma_\gamma=0.433$ eV 96.
9317.2	1 <sup>-</sup>	9316.1 10	100	0	0 <sup>+</sup>	pol=-0.96 5.
9664.9	1 <sup>-</sup>	8508.5 33	17 8	1157.06	2 <sup>+</sup>	pol=0.13 23.
		9663.7 7	100 6	0	0 <sup>+</sup>	pol=-0.99 3.
9814.1	1 <sup>-</sup>	9812.9 11	100	0	0 <sup>+</sup>	pol=-0.89 6.
9898.2	1 <sup>-</sup>	9897.0 10	100	0	0 <sup>+</sup>	pol=-0.88 6.


† Rounded-off value from Adopted Gammas.

‡ From Adopted Gammas.

$^{44}\text{Ca}(\text{pol } \gamma, \gamma'), (\gamma, \gamma')$  2011Is01

## Level Scheme


Intensities: Relative photon branching from each level



$^{44}\text{Ca}(\text{pol } \gamma, \gamma'), (\gamma, \gamma')$  2011Is01

## Level Scheme (continued)


Intensities: Relative photon branching from each level



$^{44}\text{Ca}(\text{pol } \gamma, \gamma'), (\gamma, \gamma')$  2011Is01

## Level Scheme (continued)

Intensities: Relative photon branching from each level

 $^{44}\text{Ca}_{24}$