

${}^{48}\text{Ca}({}^{238}\text{U},\text{X}\gamma)$ 2007Re19

Type	Author	History	Citation	Literature Cutoff Date
Full Evaluation	Wang Jimin and Huang Xiaolong		NDS 144, 1 (2017)	1-Mar-2016

2007Re19: E=1.31 GeV beam energy, near the Coulomb barrier, provided by CSSI cyclotron at GANIL facility. Enriched target.

Residues detected with VAMOS spectrometer at an angle of 35° to the beam axis. Focal plane detection provided by a secondary electron detector, a segmented ionization chamber and a 21-element Si wall. Measured $E\gamma$, $I\gamma$, $\gamma\gamma$ coin using EXOGAM array of 11 segmented clover Ge detectors. Comparisons with shell-model calculations.

 ${}^{51}\text{Ca}$ Levels

<u>E(level)[‡]</u>	<u>J^π[†]</u>
0.0	(3/2 ⁻)
1721.0 17	(1/2 ⁻)
2379.1 13	(5/2 ⁻)
2937 5	(3/2 ⁻)
3437 6	(7/2 ⁻)
3479 4	(5/2 ⁻)
3845.4 21	(7/2 ⁺)
4322 4	(9/2 ⁻)

[†] As proposed in 2007Re19 based on decay pattern and shell-model calculations.

[‡] From a least-squares fit to $E\gamma$'s.

 $\gamma({}^{51}\text{Ca})$

<u>E_γ[†]</u>	<u>I_γ[†]</u>	<u>$E_i(\text{level})$</u>	<u>J_i^π</u>	<u>E_f</u>	<u>J_f^π</u>
843.4 27	0.22 7	4322	(9/2 ⁻)	3479	(5/2 ⁻)
1466.3 16	36 6	3845.4	(7/2 ⁺)	2379.1	(5/2 ⁻)
1721.0 17	19 4	1721.0	(1/2 ⁻)	0.0	(3/2 ⁻)
1943 6	15 7	4322	(9/2 ⁻)	2379.1	(5/2 ⁻)
2379.0 13	100 9	2379.1	(5/2 ⁻)	0.0	(3/2 ⁻)
2937 5	16 6	2937	(3/2 ⁻)	0.0	(3/2 ⁻)
3437 6	17 6	3437	(7/2 ⁻)	0.0	(3/2 ⁻)
3479 4	22 6	3479	(5/2 ⁻)	0.0	(3/2 ⁻)

[†] From e-mail reply received from one of the authors of 2007Re19 (S. Bhattacharya) on Dec 18, 2007.

$^{48}\text{Ca}(^{238}\text{U},\text{X}\gamma)$ 2007Re19

Level Scheme

Intensities: Relative I_γ

Legend

- \blackrightarrow $I_\gamma < 2\% \times I_\gamma^{\text{max}}$
- $\color{blue}\blackrightarrow$ $I_\gamma < 10\% \times I_\gamma^{\text{max}}$
- $\color{red}\blackrightarrow$ $I_\gamma > 10\% \times I_\gamma^{\text{max}}$

