

Adopted Levels, Gammas

Type	Author	History	Citation	Literature Cutoff Date
Full Evaluation	T. D. Johnson and W. D. Kulp(a)		NDS 129, 1 (2015)	27-Jul-2015

Q(β^-)=3888.27 25; S(n)=5515.17 25; S(p)=12366 3; Q(α)=-7794 3 2012Wa38

⁸⁷Kr Levels

From ⁸⁸Rb decay, 95.9% 3 of the delayed neutron from levels in ⁸⁸Kr go to the ⁸⁷Kr ground state and 4.1% 3 go to the first excited level at 532 keV.

%IT: for the levels above the neutron binding energy, the γ decay fractions were computed from $g\Gamma(n)$ and $g\Gamma(n)\Gamma(\gamma)/\Gamma$ in (n,X).

Cross Reference (XREF) Flags

A	⁸⁶ Kr(d,p),(pol d,p)	E	⁸⁸ Br β^- n decay
B	⁸⁶ Kr(n, γ) E=th	F	²⁰⁸ Pb(¹⁸ O,F γ)
C	⁸⁶ Kr(n,X)	G	²³⁸ U(⁸² Se,X γ), ¹⁹² Os(⁸² Se,X γ)
D	⁸⁷ Br β^- decay	H	² H(⁸⁶ Kr,p)

E(level) [†]	J $\pi^{\ddagger\#}$	T _{1/2} [@]	XREF	Comments
0.0 ^c	5/2 ⁺	76.3 min 5	AB DEFGH	$\% \beta^- = 100$ $\mu = -1.023$ 2; $Q = -0.30$ 3 From laser spectroscopy (1995Ke04), $\delta \langle r^2 \rangle_{86,87} = 0.125$ fm ² ; authors give three associated uncertainty components. J π : from laser spectroscopy (1995Ke04), L=2 in (d,p) and analyzing power in (pol d,p). T _{1/2} : weighted average of 76.3 m 6 (1972Eh02, β decay measurements), 76.4 m 10 (1964Cl01, mass spectrometer measurements), 78 m 2 (1949Ko13), and 74 m 2 (1937Sn02). This average has a reduced- χ^2 of 0.68. The weighted average is the same if the two older values are omitted; then the reduced- χ^2 is 0.01. μ : from 2011StZZ evaluation, based on laser spectroscopy data of 1995Ke04; other: see 1989Ra17 evaluation. Q: from 2011StZZ evaluation, based on laser spectroscopy data of 1995Ke04.
531.99 4	1/2 ⁺		AB DEFGH	J π : L=0 in (d,p).
1419.65 ^c 4	(7/2 ⁺)		D FG	J π : From in-beam spectroscopy (2006Po09, 2007De37), γ to 5/2 ⁺ .
1476.12 5	3/2 ⁺ , 5/2 ⁺		AB D H	XREF: H(1465). J π : L=2 in (d,p). The direct feed from 1/2 ⁺ in (n, γ) makes the 5/2 ⁺ alternative less likely.
1570 3	(1/2 ⁺)		H	J π : L-transfer of (0) in ² H(⁸⁶ Kr,p).
1577.59 4	9/2 ⁺		A D FG	J π : From in-beam spectroscopy (2006Po09, 2007De37), γ to 5/2 ⁺ .
1841.42 ^{&c} 5	(9/2 ⁺)		D FG	
1881.19 6	3/2 ⁺ , 5/2 ⁺		A D H	J π : from L=(2) in (d,p) and isobaric analog of the 15854 level in ⁸⁷ Rb J π =(3/2 ⁺ , 5/2 ⁺), confirmed by agreement of spectroscopic factors in ⁸⁶ Kr(d,p) and ⁸⁶ Kr(p,p') IAR. and L=2 in ² H(⁸⁶ Kr,p).
2005.42 4	3/2 ⁺ , 5/2 ⁺		AB D H	XREF: H(1997). J π : L=2 in (d,p).
2071.65 5			D	
2086.7 6	1/2 ⁺		A D H	J π : L=0 in ² H(⁸⁶ Kr,p).
2105.37 ^{&c} 8	(11/2 ⁺)		D FG	
2122.53 6	3/2 ⁺ , 5/2 ⁺		AB D H	XREF: H(2112). J π : L=2 in (d,p) and L=2 in ² H(⁸⁶ Kr,p). The direct feed from 1/2 ⁺ in (n, γ) makes the 5/2 ⁺ alternative less likely.

Continued on next page (footnotes at end of table)

Adopted Levels, Gammas (continued) ^{87}Kr Levels (continued)

E(level) [†]	J ^π ‡#	XREF	Comments
2258.67 7	11/2 ⁻	A D FGH	XREF: H(2250). J ^π : from L=5 in $^2\text{H}(^{86}\text{Kr},\text{p})$ and isobaric analog of the 16240 level in ^{87}Rb (J ^π =9/2 ⁻ ,11/2 ⁻), confirmed by agreement of spectroscopic factors in $^{86}\text{Kr}(\text{d},\text{p})$ and $^{86}\text{Kr}(\text{p},\text{p}') \text{ IAR}$. Confirmed 11/2 ⁻ with in-beam spectroscopy (2006Po09) from the expected yrast nature.
2300.02 6	(1/2 ⁺)	A D H	XREF: A(2277)H(2277). J ^π : L=(0) in (d,p) and $^2\text{H}(^{86}\text{Kr},\text{p})$.
2329.9 6		D	
2369.49 7		D	
2371.8 4	1/2,3/2	B	J ^π : primary γ in thermal neutron capture from J ^π =1/2 ⁺ .
2372.35 6	(3/2 ⁺ ,5/2 ⁺)	D	J ^π : from γ 's to 1/2 ⁺ and 5/2 ⁺ levels. the 952.66 γ to a (7/2 ⁺) weakly rules out 1/2 ⁺ and suggests $\pi=+$ for 3/2.
2451.91 5		D	
2462.86 10		D	
2498.59 5		D	
2513.75 9		D	
2518.91 9	7/2 ⁺ ,9/2 ⁺	A D H	J ^π : L=4 and $\log f^{1u}t=9.4$ from J ^π =5/2 ⁻ .
2547.1 3		D	
2565.9 6		D	
2605.77 16		D	
2614.49 ^c 25	(13/2 ⁺) ^b	F	
2641.74 6		D	
2715.24 10		D	
2757.69 8		D	
2787.34 11	3/2 ⁺ ,5/2 ⁺	A D H	XREF: H(2775). J ^π : L=2 in (d,p) and $^2\text{H}(^{86}\text{Kr},\text{p})$.
2821.06 6		D	
2832.1 6		A D H	XREF: A(2823)H(2823). J ^π : L=2 in (d,p) and $^2\text{H}(^{86}\text{Kr},\text{p})$ implies 3/2 ⁺ or 5/2 ⁺ for the 2832 or 2836 level, or both levels.
2836.55 5	(3/2,5/2,7/2)	A D H	XREF: A(2823)H(2823). J ^π : $\log ft=6.7$, $\log f^{1u}t=8.3$ from 5/2 ⁻ , γ to 5/2 ⁺ . L=2 in (d,p) and 2H(86KR,P) implies 3/2 ⁺ or 5/2 ⁺ for the 2832 or 2836 level, or both levels.
2863.26 10		D	
3004.0 3		D	
3020.81 16		A D H	XREF: A(3015)H(3021). J ^π : L=2 in (d,p) implies 3/2 ⁺ or 5/2 ⁺ for the 3020 or 3026 level, or both levels.
3026.84 4		A D H	XREF: A(3015)H(3021). J ^π : L=2 in (d,p) and $^2\text{H}(^{86}\text{Kr},\text{p})$ implies 3/2 ⁺ or 5/2 ⁺ for the 3020 or 3026 level, or both levels.
3080.78 15		D	
3142.91 15		D	
3171.86 16		D	
3217.86 5		D H	XREF: H(3229). J ^π : L=(0+2) in $^2\text{H}(^{86}\text{Kr},\text{p})$ implies 1/2+&3/2 ⁺ ,5/2 ⁺ for the 3217 or 3226 level, or both levels.
3225.97 10		D H	XREF: H(3229). J ^π : L=(0+2) in $^2\text{H}(^{86}\text{Kr},\text{p})$ implies 1/2+&3/2 ⁺ ,5/2 ⁺ for the 3217 or 3226 level, or both levels.
3237.19 10		A D	XREF: A(3223).
3256.90 8		A D	XREF: A(3237).
3288.4 3		D	
3297.13 21		D	
3301.9 4		D	
3361.9 7		D	
3434.76 11		D	

Continued on next page (footnotes at end of table)

Adopted Levels, Gammas (continued) ^{87}Kr Levels (continued)

E(level) [†]	J $\pi^{\ddagger\#}$	XREF	Comments
3444.9 3		D	
3525.26 25	(15/2 ⁻)	F	J π : From angular correlation and yrast arguments in $^{208}\text{Pb}(^{18}\text{O},\text{F}\gamma)$.
3559.7 3		A D	
3599.00 15		D	
3645.52 7	3/2 ⁺ , 5/2, 7/2	D	J π : log ft=7.1 from 5/2 ⁻ , γ to (7/2 ⁺).
3657.3 10		D	
3689.1 5		D	
3777.4 6		D	
3807.03 10		D	
3809.41 15		D	
3827 10		A	XREF: A(3819).
3874.18 8	3/2, 5/2, 7/2	A D	J π : log ft=6.9 from 5/2 ⁻ , γ to 7/2 ⁺ .
3909.8 7		D	
3914.3 ^c 4	(15/2 ⁺) ^b	F	
3917.16 10	3/2, 5/2, 7/2	D	J π : log ft=6.5, log f ^{Au} t=7.9 from 5/2 ⁻ , γ to 5/2 ⁺ .
3923.0 6		D	
4027.2 5		D	
4088.2 3	(17/2 ⁻) ^b	F	
4136.3 4		D	
4180.82 6	3/2 ⁽⁻⁾ , 5/2, 7/2	D	J π : log ft=6.0, log f ^{Au} t=7.3 from 5/2 ⁻ , γ to 5/2 ⁺ . The 2603 γ to 9/2 ⁺ makes 3/2 ⁺ unlikely.
4192.1 10		D	
4197.91 11		D	
4204.1 15		D	
4223.4 3		D	
4226.34 9		D	
4265.1 6		D	
4297.29 15	3/2, 5/2, 7/2	D	J π : log ft=6.8, log f ^{Au} t=8.1 from 5/2 ⁻ , γ to 5/2 ⁺ .
4327.21 10	3/2, 5/2, 7/2	D	J π : log ft=6.6, log f ^{Au} t=7.8 from 5/2 ⁻ , γ to 5/2 ⁺ .
4357.9 5	(17/2 ⁻) ^b	F	
4372.4 8	(17/2 ⁺) ^b	F	
4416.92 6	3/2 ⁽⁻⁾ , 5/2, 7/2	A D	J π : log ft=6.0, log f ^{Au} t=7.2 from 5/2 ⁻ . The 2575 γ to (9/2 ⁺) makes 3/2 ⁺ unlikely.
4524.15 15	3/2, 5/2, 7/2	D	J π : log ft=6.8, log f ^{Au} t=8.0 from 5/2 ⁻ , γ to 5/2 ⁺ .
4530.2 4	(19/2 ⁻) ^b	F	
4548.29 20		A D	XREF: A(4536).
4572.49 15	3/2, 5/2, 7/2	D	J π : log ft=6.4, log f ^{Au} t=7.6 from 5/2 ⁻ , γ to 5/2 ⁺ .
4595.51 6	3/2 ⁽⁻⁾ , 5/2, 7/2	D	J π : log ft=6.0, log f ^{Au} t=7.2 from 5/2 ⁻ , γ to 5/2 ⁺ . The 2754 γ to (9/2 ⁺) makes 3/2 ⁺ unlikely.
4620.90 20	3/2, 5/2, 7/2	D	J π : log ft=6.7, log f ^{Au} t=7.8 from 5/2 ⁻ , γ to 5/2 ⁺ .
4644.58 13	3/2 ⁽⁻⁾ , 5/2, 7/2	D	J π : log ft=6.3, log f ^{Au} t=7.5 from 5/2 ⁻ , γ to 5/2 ⁺ . The 3066 γ to 9/2 ⁺ makes 3/2 ⁺ unlikely.
4655.2 3		D	
4668.19 9	3/2 ⁽⁻⁾ , 5/2, 7/2	D	J π : log ft=6.4, log f ^{Au} t=7.5 from 5/2 ⁻ . The 3091 γ to 9/2 ⁺ makes 3/2 ⁺ unlikely.
4710.35 6	5/2 ⁺ , 7/2	D	J π : log ft=5.7 from 5/2 ⁻ , γ to 9/2 ⁺ .
4711.25 10	3/2, 5/2, 7/2	D	J π : log ft=6.7, log f ^{Au} t=7.8 from 5/2 ⁻ .
4728.2 10		D	
4734.55 19	3/2, 5/2, 7/2	D	J π : log ft=6.7, log f ^{Au} t=7.8 from 5/2 ⁻ , γ to 5/2 ⁺ .
4752.71 20	3/2, 5/2, 7/2	D	J π : log ft=6.7, log f ^{Au} t=7.8 from 5/2 ⁻ , γ to 5/2 ⁺ .
4784.46 14	3/2 ⁽⁻⁾ , 5/2, 7/2	D	J π : log ft=5.9, log f ^{Au} t=7.0 from 5/2 ⁻ , γ to 5/2 ⁺ . The 2943 γ to (9/2 ⁺) makes 3/2 ⁺ unlikely.
4807.9 4	3/2, 5/2, 7/2	A D	J π : log ft=7.0, log f ^{Au} t=8.1 from 5/2 ⁻ , γ to 5/2 ⁺ .
4824.9 4	3/2, 5/2, 7/2	D	J π : log ft=7.0, log f ^{Au} t=8.1 from 5/2 ⁻ , γ to 5/2 ⁺ .
4836.29 20	3/2, 5/2, 7/2	D	J π : log ft=6.8, log f ^{Au} t=7.9 from 5/2 ⁻ , γ to 5/2 ⁺ .
4858.87 13	3/2 ⁽⁻⁾ , 5/2, 7/2	A D	XREF: A(4856).

Continued on next page (footnotes at end of table)

Adopted Levels, Gammas (continued) ^{87}Kr Levels (continued)

E(level) [†]	J ^π ‡#	T _{1/2} [@]	XREF	Comments
4872.05 15	3/2,5/2,7/2		A D	J ^π : log ft=6.3, log f ^{Au} t=7.4 from 5/2 ⁻ . The 3281γ to 9/2 ⁺ makes 3/2 ⁺ unlikely. XREF: A(4856).
4889.4 5			D	J ^π : log ft=6.5, log f ^{Au} t=7.5 from 5/2 ⁻ , γ to 5/2 ⁺ .
4917.7 11	3/2,5/2,7/2		D	J ^π : log ft=7.0, log f ^{Au} t=8.0 from 5/2 ⁻ , γ to 5/2 ⁺ .
4925.7 7	3/2,5/2,7/2		D	J ^π : log ft=6.8, log f ^{Au} t=7.9 from 5/2 ⁻ , γ to 5/2 ⁺ .
4961.55 7	3/2 ⁽⁻⁾ ,5/2,7/2		D	J ^π : log ft=5.5 from 5/2 ⁻ , γ to 5/2 ⁺ . The 3383γ to 9/2 ⁺ makes 3/2 ⁺ unlikely.
4962.43 21	3/2,5/2,7/2		D	J ^π : log ft=6.8, log f ^{Au} t=7.8 from 5/2 ⁻ .
4976.1 9			D	
5003.2 5			D	
5021.7 3	3/2,5/2,7/2		D	J ^π : log ft=6.8, log f ^{Au} t=7.8 from 5/2 ⁻ , γ to 5/2 ⁺ .
5033.9 6			D	
5044.7 3	3/2,5/2,7/2		D	J ^π : log ft=6.3, log f ^{Au} t=7.3 from 5/2 ⁻ , γ to 5/2 ⁺ .
5059.69 20	3/2,5/2,7/2		D	J ^π : log ft=6.5, log f ^{Au} t=7.5 from 5/2 ⁻ , γ to 5/2 ⁺ .
5065.9 3			D	
5076.19 17	3/2 ⁽⁻⁾ ,5/2,7/2		D	J ^π : log ft=6.3, log f ^{Au} t=7.3 from 5/2 ⁻ , γ to 5/2 ⁺ . The 34998γ to 9/2 ⁺ makes 3/2 ⁺ unlikely.
5088.9 4			D	
5103.55 20	3/2,5/2,7/2		D	J ^π : log ft=6.3, log f ^{Au} t=7.2 from 5/2 ⁻ , γ to 5/2 ⁺ .
5120.39 20	3/2,5/2,7/2		D	J ^π : log ft=6.2, log f ^{Au} t=7.1 from 5/2 ⁻ , γ to 5/2 ⁺ .
5136.08 20	3/2,5/2,7/2		D	J ^π : log ft=6.7, log f ^{Au} t=7.6 from 5/2 ⁻ , γ to 5/2 ⁺ .
5155.1 6			D	
5183.4 3	3/2,5/2,7/2		D	J ^π : log ft=6.6, log f ^{Au} t=7.5 from 5/2 ⁻ , γ to 5/2 ⁺ .
5195.25 18	3/2,5/2,7/2 ⁽⁻⁾		D	J ^π : log ft=5.8, log f ^{Au} t=6.8 from 5/2 ⁻ , γ's to 5/2 ⁺ and 1/2 ⁺ , although an E3 seems unlikely.
5201.21 18	3/2,5/2,7/2 ⁽⁻⁾		D	J ^π : log ft=5.9, log f ^{Au} t=6.8 from 5/2 ⁻ , γ's to 5/2 ⁺ and 1/2 ⁺ although an E3 seems unlikely.
5214.25 14	3/2,5/2,7/2		D	J ^π : log ft=5.7, log f ^{Au} t=6.6 from 5/2 ⁻ , γ to 5/2 ⁺ .
5245.6 3	3/2,5/2,7/2		D	J ^π : log ft=6.5, log f ^{Au} t=7.4 from 5/2 ⁻ , γ to 5/2 ⁺ .
5280.70 14	3/2,5/2,7/2		D	J ^π : log ft=6.0, log f ^{Au} t=6.9 from 5/2 ⁻ , γ to 5/2 ⁺ .
5302.56 21	3/2,5/2 ⁽⁺⁾		D	J ^π : log ft=6.3, log f ^{Au} t=7.2 from 5/2 ⁻ , γ to 1/2 ⁺ .
5340.2 3	3/2,5/2,7/2		D	J ^π : log ft=6.5, log f ^{Au} t=7.4 from 5/2 ⁻ , γ to 5/2 ⁺ .
5370.1 3	3/2,5/2,7/2		D	J ^π : log ft=6.5, log f ^{Au} t=7.3 from 5/2 ⁻ , γ to 5/2 ⁺ .
5383.1 3	3/2,5/2,7/2		D	J ^π : log ft=6.4, log f ^{Au} t=7.3 from 5/2 ⁻ , γ to 5/2 ⁺ .
5406.34 20	3/2,5/2,7/2		D	J ^π : log ft=6.2, log f ^{Au} t=7.1 from 5/2 ⁻ , γ to 5/2 ⁺ .
5419.9 5			D	
5424.2 9			D	
5436.3 6	(21/2 ⁻) ^b		F	
5439.9 9			D	
5454.9 3	3/2,5/2,7/2		D	J ^π : log ft=6.2, log f ^{Au} t=7.0 from 5/2 ⁻ , γ to 5/2 ⁺ .
5466.79 13	3/2,5/2,7/2 ⁽⁻⁾		D	J ^π : log ft=5.6 from 5/2 ⁻ , γ to (3/2) ⁺ and 3167γ to (1/2) ⁺ , although an E3 seems unlikely.
5473.74 20	3/2,5/2,7/2		D	J ^π : log ft=5.9, log f ^{Au} t=6.7 from 5/2 ⁻ , γ to 5/2 ⁺ .
5519.9 7	(23/2 ⁻) ^b		F	
5520.72 25			C	
5526.67 25			C	
5534.184 6	1/2 ⁻		C	Γ _n =14.8 eV 4
5540.70 25			C	
5542.71 25	(3/2) ⁻		C	Γ _n =7.9 eV 3 J ^π : L=1 in (n,x).
5546.7 6	(5/2) ⁻		D	J ^π : log ft=6.9, log f ^{Au} t=7.6 from 5/2 ⁻ , γ to 5/2 ⁺ , not observed as resonance in (n,X) (see 1983Ra21).
5551.66 2	1/2 ⁺	54 eV 2	C	J ^π : L=0 in (n,x).

Continued on next page (footnotes at end of table)

Adopted Levels, Gammas (continued)

⁸⁷Kr Levels (continued)

E(level) [†]	J ^π ‡#	T _{1/2} [@]	XREF	Comments
5558.606 15	1/2 ⁻	127 eV 3	C	
5561.9 9	(5/2 ⁻)		D	J ^π : log ft=7.0, log f ^{1u} t=7.8 from 5/2 ⁻ , γ to 5/2 ⁺ , not observed as resonance in (n,X) (see1983Ra21).
5563.27 4			C	Γ _n =45 eV 1
5564.28 26	1/2 ⁺	45 eV 1	C	J ^π : L=0 in (n,x).
5568.94 26	3/2 ⁻	201 eV 3	C	%IT=0.27 7 Γ _n =200 eV 3 J ^π : L=1 in (n,x).
5583.05 26	(1/2 ⁻)		C	J ^π : L=1 in (n,x).
5593.4 8	1/2 ⁻	93 eV 4	C	%IT=0.38 14 Γ _n =93 eV 4
5593.70 3	(1/2 ⁻)		C	%IT=3.4 10 Γ _n =10.3 eV 12
5594.7 3	(5/2 ⁻)		D	J ^π : log ft=6.5, log f ^{1u} t=7.3 from 5/2 ⁻ , γ to 5/2 ⁺ , not observed as resonance in (n,X).
5602.48 26	(3/2 ⁺)		C	J ^π : L=(2) in (n,x).
5606.4 5	3/2 ⁻	<311 ^a eV	CD	J ^π : L=1 in (n,x) and log ft=6.6, log f ^{1u} t=7.3 from 5/2 ⁻ , γ to 5/2 ⁺ .
5635.2 5	(5/2 ⁻)		D	J ^π : log ft=6.7, log f ^{1u} t=7.4 from 5/2 ⁻ , γ to 5/2 ⁺ , not observed as resonance in (n,X).
5638.40 26	1/2 ⁻		C	J ^π : L=1 in (n,x).
5638.78 26	(3/2 ⁺)		C	J ^π : L=(2) in (n,x).
5638.82 26	(3/2 ⁻)		C	J ^π : L=(1) in (n,x).
5648.8 9	(5/2 ⁻)		D	J ^π : log ft=7.5, log f ^{1u} t=8.2 from 3/2 ⁻ , γ to 5/2 ⁺ , not observed as resonance in (n,X).
5651.08 6	1/2 ⁺		C	
5655.5 10	3/2 ⁻	0.32 keV 4	C	
5659.9 4	(5/2 ⁻)		D	J ^π : log ft=6.8, log f ^{1u} t=7.5 from 5/2 ⁻ , γ to 5/2 ⁺ , not observed as resonance in (n,X).
5670.30 7	3/2 ⁻		C	Γ _n =0.54 keV 3
5671.14 26	1/2 ⁺		C	J ^π : L=0 in (n,x).
5671.57 26	(1/2 ⁻)		C	J ^π : L=(1) in (n,x).
5672.3 4	(5/2 ⁻)		D	J ^π : log ft=6.6, log f ^{1u} t=7.3 from 5/2 ⁻ , γ to 5/2 ⁺ , not observed as resonance in (n,X).
5682.81 27	3/2 ⁻		C	J ^π : L=1 in (n,x).
5685.6 3	(5/2 ⁻)		D	J ^π : log ft=6.2, log f ^{1u} t=6.8 from 5/2 ⁻ , γ to 5/2 ⁺ , not observed as resonance in (n,X).
5691.44 27	(3/2 ⁻)		C	J ^π : L=(1) in (n,x).
5698.8 4	(5/2 ⁻)		D	J ^π : log ft=6.9, log f ^{1u} t=7.6 from 5/2 ⁻ , γ to 5/2 ⁺ , not observed as resonance in (n,X).
5701.8 8	1/2 ⁻		C	Γ _n =1.48 keV 12
5712.46 27	1/2 ⁺		C	J ^π : L=0 in (n,x).
5714.7 9	(5/2 ⁻)		D	J ^π : log ft=7.3, log f ^{1u} t=8.0 from 5/2 ⁻ , γ to 5/2 ⁺ , not observed as resonance in (n,X).
5719.70 27	1/2 ⁺		C	J ^π : L=0 in (n,x).
5724.36 28	3/2 ⁻		C	J ^π : L=1 in (n,x).
5735.89 28	(1/2 ⁻)		C	J ^π : L=1 in (n,x), but 1983Ra21 suggests 3/2 ⁻ .
5736.68 28	3/2 ⁻		C	J ^π : L=1 in (n,x).
5740.04 28	1/2 ⁺		C	J ^π : L=0 in (n,x).
5750.32 28	3/2 ⁻		C	J ^π : L=1 in (n,x).
5761.4 8	3/2 ⁻		C	Γ _n =2.38 keV 3
5779.65 29	(3/2 ⁺)		C	Γ _n =24 eV 12
5782.46 29	(3/2 ⁺)		C	J ^π : L=(2) in (n,x).
5782.63 30	1/2 ⁻		C	Γ _n =0.56 keV 3
				J ^π : L=1 in (n,x).
5784.20 30	3/2 ⁻		C	Γ _n =95 eV 10 J ^π : L=1 in (n,x).

Continued on next page (footnotes at end of table)

Adopted Levels, Gammas (continued) ^{87}Kr Levels (continued)

E(level) [†]	J^{π} [‡]	XREF	Comments
5793.3 4	(5/2 ⁻)	D	J^{π} : log $ft=6.2$, log $f^{1u}t=6.8$ from 3/2 ⁻ , γ to 5/2 ⁺ , not observed as resonance in (n,X).
5798.60 30	(3/2 ⁺)	C	$\Gamma_n=18$ eV 3 J^{π} : L=(2) in (n,x).
5805.62 30	3/2 ⁻	C	$\Gamma_n=5.97$ keV 12 J^{π} : L=1 in (n,x).
5818.91 31	(3/2 ⁻)	C	$\Gamma_n=35$ eV 6 J^{π} : L=(1) in (n,x).
5821.28 31	(3/2 ⁺)	C	%IT>20 $\Gamma_n=20$ eV 3 J^{π} : L=(2) in (n,x).
5824.64 31	1/2 ⁺	C	$\Gamma_n=3.21$ keV 3 J^{π} : L=0 in (n,x).
5828.25 31	3/2 ⁻	C	$\Gamma_n=75$ eV 8 J^{π} : L=1 in (n,x).
5828.61 31	(3/2 ⁺)	C	$\Gamma_n=93$ eV 9 J^{π} : L=(2) (n,x).
5829.78 31	(1/2 ⁻)	C	$\Gamma_n=88$ eV 16 J^{π} : L=(1) in (n,x).
5841.64 32	1/2 ⁺	C	$\Gamma_n=1.37$ keV 5 J^{π} : L=0 in (n,x).
5850.97 32	1/2 ⁻	C	$\Gamma_n=140$ eV 14 J^{π} : L=1 in (n,x).
5862.06 3	3/2 ⁻	C	$\Gamma_n=1488$ eV 15 J^{π} : L=1 in (n,x).
5863.26 33	1/2 ⁻	C	$\Gamma_n=265$ eV 19 J^{π} : L=1 in (n,x).
5874.26 33	3/2 ⁻	C	$\Gamma_n=2.72$ keV 3 J^{π} : L=1 in (n,x).
5876.52 34	3/2 ⁺	C	$\Gamma_n=50$ eV 5 J^{π} : L=2 in (n,x).
5877.38 34	(1/2 ⁺)	C	$\Gamma_n=25$ eV 5 J^{π} : L=(0) in (n,x).
5877.72 34	(3/2 ⁺)	C	$\Gamma_n=53$ eV 15 J^{π} : L=(2) in (n,x).
5883.85 34	1/2 ⁻	C	$\Gamma_n=5.62$ keV 11 J^{π} : L=1 in (n,x).
5885.97 34	3/2 ⁻	C	$\Gamma_n=3.17$ keV 4 J^{π} : L=1 in (n,x).
5900.95 35	1/2 ⁺	C	$\Gamma_n=1.36$ keV 5 J^{π} : L=0 in (n,x).
5901.50 35	1/2 ⁻	C	$\Gamma_n=340$ eV 17 J^{π} : L=1 in (n,x).
5903.57 35	3/2 ⁺	C	$\Gamma_n=198$ eV 10 J^{π} : L=2 in (n,x).
5908.18 36	3/2 ⁻ ,(3/2 ⁺)	C	E(level), J^{π} ,L, Γ_n : 1988Ca17 report an unresolved doublet in (n,x) with l=1 and l=(2). For the l=1 component, $\Gamma_n=780$ keV 25 and for the l=(2) component, $\Gamma_n=83$ eV 13, both for J=3/2.
5922.15 36	1/2 ⁻	C	$\Gamma_n=1.13$ keV 6 J^{π} : L=1 in (n,x).
5925.16 37	3/2 ⁻	C	$\Gamma_n=13.09$ keV 13 J^{π} : L=1 in (n,x).
5925.94 37	(3/2 ⁺)	C	$\Gamma_n=45$ eV 10 J^{π} : L=(2) in (n,x).
5939.16 37	3/2 ⁻	C	$\Gamma_n=255$ eV 13 J^{π} : L=1 in (n,x).
5944.64 37	(3/2 ⁺)	C	$\Gamma_n=70$ eV 10

Continued on next page (footnotes at end of table)

Adopted Levels, Gammas (continued) ^{87}Kr Levels (continued)

E(level) [†]	J ^π ##	XREF	Comments
5951.87 38	(3/2 ⁺)	C	J ^π : L=(2) in (n,x). Γ _n =30 eV 6
5953.5 4	1/2 ⁻	C	J ^π : L=(2) in (n,x). Γ _n =230 eV 25
5958.6 4	3/2 ⁺	C	J ^π : L=1 in (n,x). Γ _n =280 eV 14
5964.4 4	3/2 ⁻	C	J ^π : L=2 in (n,x). Γ _n =1.86 keV 4
5968.6 4	1/2 ⁺	C	J ^π : L=1 in (n,x). Γ _n =0.82 keV 4
5976.7 4	3/2 ⁺	C	J ^π : L=0 in (n,x). Γ _n =175 eV 9
5991.3 4	(3/2 ⁺)	C	J ^π : L=2. Γ _n =25 eV 6
5994.8 5	3/2 ⁻	C	J ^π : L=(2) in (n,x). Γ _n =1.335 keV 25
6002.4 5	1/2 ⁺	C	J ^π : L=1 in (n,x). Γ _n =0.34 keV 3
6008.2 5	3/2 ⁺	C	J ^π : L=0 in (n,x). Γ _n =348 eV 13
6013.8 5	1/2 ⁻	C	J ^π : L=2 in (n,x). Γ _n =4.64 keV 12
6015.81 5	(3/2 ⁺)	C	J ^π : L=1 in (n,x). Γ _n =43 eV 9
6017.4 5	1/2 ⁺	C	J ^π : L=(2) in (n,x). Γ _n =2.07 keV 8
6022.4 5	1/2 ⁻	C	J ^π : L=0 in (n,x). Γ _n =155 eV 17
6025.2 5	1/2 ⁻	C	J ^π : L=1 in (n,x). Γ _n =120 eV 15
6026.4 5	3/2 ⁻	C	J ^π : L=1 in (n,x). Γ _n =4.66 keV 5
6032.1 5	(1/2 ⁻)	C	J ^π : L=1 in (n,x). Γ _n =0.21 keV 3
6033.2 5	(1/2 ⁻)	C	J ^π : L=(1) in (n,x). Γ _n =25 eV 12
6035.2 5	3/2 ⁺	C	J ^π : L=(1) in (n,x). Γ _n =2.66 keV 5
6041.2 5	(5/2 ⁺)	C	J ^π : L=2 in (n,x). Γ _n =47 eV 10
6042.2 5	(5/2 ⁺)	C	J ^π : L=(2) in (n,x). Γ _n =132 eV 17
6043.3 5	3/2 ⁻	C	J ^π : L=(2) in (n,x). Γ _n =1.12 keV 4
6046.63 5	(1/2 ⁻)	C	J ^π : L=1 in (n,x). Γ _n =70 eV 10
6048.7 5	1/2 ⁺	C	J ^π : L=(1) in (n,x). Γ _n =45 eV 15
6049.0 5	1/2 ⁻	C	J ^π : L=0 in (n,x). Γ _n =175 eV 10
6054.8 5	3/2 ⁺	C	J ^π : L=1 in (n,x). Γ _n =75 eV 11
6056.8 5	3/2 ⁺	C	J ^π : L=2 in (n,x). Γ _n =170 eV 15
6057.4 5	3/2 ⁻	C	J ^π : L=2 in (n,x). Γ _n =3.75 keV 8

Continued on next page (footnotes at end of table)

Adopted Levels, Gammas (continued) ^{87}Kr Levels (continued)

<u>E(level)[†]</u>	<u>J^π‡</u>	<u>XREF</u>	<u>Comments</u>
6064.3 5	1/2 ⁻	C	J ^π : L=1 in (n,x). Γ _n =400 eV 20
6067.0 5	3/2 ⁻	C	J ^π : L=1 in (n,x). Γ _n =1.93 eV 4
6075.9 5	1/2 ⁻	C	J ^π : L=1 in (n,x). Γ _n =1.26 keV 5
6076.1 5	1/2 ⁺	C	J ^π : L=1 in (n,x). Γ _n =2.14 keV 15
6077.6 5	3/2 ⁻	C	J ^π : L=0 in (n,x). Γ _n =6.34 keV 10
6081.6 5	1/2 ⁻	C	J ^π : L=1 in (n,x). Γ _n =240 eV 20
6094.3 5	1/2 ⁻	C	J ^π : L=1 in (n,x). Γ _n =1.61 keV 3
6101.3 5	3/2 ⁻	C	J ^π : L=1 in (n,x). Γ _n =4.60 keV 8
6101.5 5	3/2 ⁺	C	J ^π : L=1 in (n,x). Γ _n =185 eV 10
6103.4 5	3/2 ⁺	C	J ^π : L=2 in (n,x). Γ _n =383 eV 20
6105.0 5	3/2 ⁻	C	J ^π : L=2 in (n,x). Γ _n =135 eV 15
6116.9 5	1/2 ⁻	C	J ^π : L=1 in (n,x). Γ _n =3.51 keV 7
6127.0 6	3/2 ⁺	C	J ^π : L=1 in (n,x). Γ _n =80 eV 16
6130.9 6	1/2 ⁻	C	J ^π : L=2 in (n,x). Γ _n =2.20 keV 9
6132.3 6	1/2 ⁺	C	J ^π : L=1 in (n,x). Γ _n =0.39 keV 6
6132.9 6	3/2 ⁻	C	J ^π : L=0 in (n,x). Γ _n =33.5 keV 7
6134.0 6	3/2 ⁺	C	J ^π : L=1 in (n,x). Γ _n =0.25 keV 4
6139.1 6	3/2 ⁻	C	J ^π : L=2 in (n,x). Γ _n =0.27 eV 4
6149.0 6	1/2 ⁺	C	J ^π : L=1 in (n,x). Γ _n =1.17 keV 12
6151.4 6	3/2 ⁻	C	J ^π : L=0 in (n,x). Γ _n =0.27 keV 3
6153.2 6	1/2 ⁻	C	J ^π : L=1 in (n,x). Γ _n =6.42 keV 6
6155.7 6	(5/2 ⁺)	C	J ^π : L=1 in (n,x). Γ _n =53 eV 13
6164.8 6	1/2 ⁻	C	J ^π : L=(2) in (n,x). Γ _n =1.37 keV 9
6172.8 6	3/2 ⁻	C	J ^π : L=1. Γ _n =12.3 keV 4
6177.9 6	3/2 ⁻	C	J ^π : L=1 in (n,x). Γ _n =21.2 keV 4
6187.3 6	1/2 ⁺	C	J ^π : L=1 in (n,x). Γ _n =190 eV 15
6188.0 6	3/2 ⁺	C	J ^π : L=0 in (n,x). Γ _n =0.12 keV 4
6191.7 6	3/2 ⁻	C	J ^π : L=2 in (n,x). Γ _n =21.4 keV 4

Continued on next page (footnotes at end of table)

Adopted Levels, Gammas (continued) ^{87}Kr Levels (continued)

<u>E(level)[†]</u>	<u>J^π##</u>	<u>XREF</u>	<u>Comments</u>
6193.5 6	(3/2 ⁺)	C	J ^π : L=1. Γ _n =0.12 keV 4
6201.4 6	(3/2 ⁺)	C	J ^π : L=(2) in (n,x). Γ _n =0.12 keV 4
6202.3 6	1/2 ⁺	C	J ^π : L=(2) in (n,x). Γ _n =0.60 keV 8
6207.6 6	1/2 ⁻	C	J ^π : L=0 in (n,x). Γ _n =0.85 keV 10
6208.4 6	3/2 ⁻	C	J ^π : L=1 in (n,x). Γ _n =5.51 keV 17
6214.0 6	1/2 ⁻	C	J ^π : L=1 in (n,x). Γ _n =13.7 keV 6
6217.4 6	3/2 ⁻	C	J ^π : L=1 in (n,x). Γ _n =2.20 keV 22
6225.1 7	1/2 ⁻	C	J ^π : L=1 in (n,x). Γ _n =0.58 keV 9
6225.6 6	3/2 ⁺	C	J ^π : L=1 in (n,x). Γ _n =0.18 keV 5
6228.6 7	3/2 ⁺	C	J ^π : L=2 in (n,x). Γ _n =160 eV 16
6232.8 7	3/2 ⁻	C	J ^π : L=2 in (n,x). Γ _n =3.40 keV 4
6233.2 7	(5/2 ⁺)	C	J ^π : L=1 in (n,x). Γ _n =123 eV 13
6235.5 7	1/2 ⁺	C	J ^π : L=(2) in (n,x). Γ _n =2.8 eV 5
6237.1 7	3/2 ⁺	C	J ^π : L=0 in (n,x). Γ _n =0.60 keV 4
6239.2 7	3/2 ⁻	C	J ^π : L=2 in (n,x). Γ _n =0.60 keV 4
6241.0 7	1/2 ⁻	C	J ^π : L=1 in (n,x). Γ _n =7.0 keV 5
6242.8 7	5/2 ⁺	C	J ^π : L=1 in (n,x). Γ _n =50 eV 4
6247.6 7	3/2 ⁻	C	J ^π : L=2 in (n,x). Γ _n =1.38 keV 4
6251.7 7	1/2 ⁺	C	J ^π : L=1 in (n,x). Γ _n =0.87 keV 18
6255.0 7	3/2 ⁻	C	J ^π : L=0 in (n,x). Γ _n =5.9 keV 6
6256.0 7	1/2 ⁻	C	J ^π : L=1 in (n,x). Γ _n =6.5 keV 8
6258.9 7	(3/2 ⁺)	C	J ^π : L=1 in (n,x). Γ _n =240 eV 24
6261.4 7	1/2 ⁺	C	J ^π : L=(2) in (n,x). Γ _n =1.8 keV 4
6266.4 7	1/2 ⁻	C	J ^π : L=0 in (n,x). Γ _n =5.1 keV 7
6267.5 7	3/2 ⁻	C	J ^π : L=1 in (n,x). Γ _n =7.3 keV 7
6281.5 7	3/2 ⁻	C	J ^π : L=1 in (n,x). Γ _n =15.4 keV 13
6283.2 7	1/2 ⁺	C	J ^π : L=1 in (n,x). Γ _n =0.27 keV 8
6292.0 7	3/2 ⁻	C	J ^π : L=0 in (n,x). Γ _n =5.4 keV 3

Continued on next page (footnotes at end of table)

Adopted Levels, Gammas (continued) ^{87}Kr Levels (continued)

<u>E(level)[†]</u>	<u>J^π‡#</u>	<u>XREF</u>	<u>Comments</u>
6293.2 7	(3/2 ⁺)	C	J ^π : L=1 in (n,x). Γ _n =162.5 eV 25
6297.5 7	1/2 ⁻	C	J ^π : L=(2) in (n,x). Γ _n =3.56 keV 4 J ^π : L=1 in (n,x).
6300.6? 8		F	
6303.2 7	1/2 ⁻	C	Γ _n =9.87 keV 10 J ^π : L=1 in (n,x).
6308.4 7	3/2 ⁻	C	Γ _n =1.700 keV 25 J ^π : L=1 in (n,x).
6318.9 7	3/2 ⁻	C	Γ _n =952 eV 17 J ^π : L=1 in (n,x).
6323.3 8	3/2 ⁻	C	Γ _n =0.67 keV 14 J ^π : L=1 in (n,x).
6326.0 8	1/2 ⁺	C	Γ _n =0.76 keV 19 J ^π : L=0 in (n,x).
6331.5 8	(1/2 ⁻)	C	Γ _n =55 eV 16 J ^π : L=(1) in (n,x).
6334.0 8	1/2 ⁺	C	Γ _n =0.16 keV 5 J ^π : L=0 in (n,x).
6335.4 8	(3/2 ⁺)	C	Γ _n =118 eV 20 J ^π : L=(2) in (n,x).
6336.6 8	1/2 ⁺	C	Γ _n =0.14 keV 5 J ^π : L=0 in (n,x).
6337.5 8	(3/2 ⁺)	C	Γ _n =130 eV 20 J ^π : L=(2) in (n,x).
6341.9 8	3/2 ⁻	C	Γ _n =9.9 keV 5 J ^π : L=1 in (n,x).
6348.2 8	3/2 ⁻	C	Γ _n =4.7 keV 7 J ^π : L=1 in (n,x).
6348.4 8	(3/2 ⁺)	C	Γ _n =1.90 keV 19 J ^π : L=(2) in (n,x).
6356.3 8	1/2 ⁺	C	Γ _n =0.32 keV 10 J ^π : L=0 in (n,x).
6357.8 8	3/2 ⁻	C	Γ _n =0.76 keV 19 J ^π : L=1 in (n,x).
6358.1 8	(3/2 ⁺)	C	Γ _n =0.09 keV 3 J ^π : L=(2) in (n,x).
6365.2 8	1/2	C	Γ _n =1.0 keV 3 J ^π : L=(1) in (n,x).
6366.7 8	(1/2 ⁻)	C	Γ _n =1.45 keV 18 J ^π : L=(1) in (n,x).
6371.9 8	3/2 ⁻	C	Γ _n =1.9 keV 3 J ^π : L=1 in (n,x).
6373.6 8	(3/2 ⁺)	C	Γ _n =0.13 keV 3 J ^π : L=(2) in (n,x).
6376.9 8	3/2 ⁻	C	Γ _n =5.7 keV 5 J ^π : L=1 in (n,x).
6379.0 8	1/2 ⁺	C	Γ _n =98 eV 20 J ^π : L=0 in (n,x).
6380.0 7	(5/2 ⁺)	C	Γ _n =0.66 keV 7 J ^π : L=(2) in (n,x).
6382.7 8	(3/2 ⁺)	C	Γ _n =108 eV 11 J ^π : L=(2) in (n,x).
6385.0 8	1/2 ⁻	C	Γ _n =2.9 keV 5 J ^π : L=1 in (n,x).

Continued on next page (footnotes at end of table)

Adopted Levels, Gammas (continued) ^{87}Kr Levels (continued)

<u>E(level)[†]</u>	<u>J^π##</u>	<u>XREF</u>	<u>Comments</u>
6385.2 8	(3/2 ⁺)	C	$\Gamma_n=0.10$ keV 3 J ^π : L=(2) in (n,x).
6390.0 8	3/2 ⁻	C	$\Gamma_n=2.6$ keV 3 J ^π : L=1 in (n,x).
6392.7 8	3/2 ¹	C	$\Gamma_n=0.43$ keV 4 J ^π : L=1 in (n,x).
6394.1 8	(1/2 ⁺)	C	$\Gamma_n=0.08$ keV 4 J ^π : L=(0) in (n,x).
6396.1 8	3/2 ⁻	C	$\Gamma_n=0.54$ keV 6 J ^π : L=1 in (n,x).
6398.5 8	1/2 ⁻	C	$\Gamma_n=1.88$ keV 19 J ^π : L=1 in (n,x).
6402.8 8	(5/2 ⁺)	C	$\Gamma_n=0.68$ keV 17 J ^π : L=(2) in (n,x).
6407.2 9	(3/2 ⁺)	C	$\Gamma_n=0.22$ keV 4 J ^π : L=(2) in (n,x).
6407.7 9	3/2 ⁻	C	$\Gamma_n=28.6$ keV 20 J ^π : L=1 in (n,x).
6410.0 9	(5/2 ⁺)	C	$\Gamma_n=0.21$ keV 6 J ^π : L=(2) in (n,x).
6413.2 9	(3/2 ⁺)	C	$\Gamma_n=0.11$ keV 4 J ^π : L=(2) in (n,x).
6414.9 9	(1/2 ⁻)	C	$\Gamma_n=0.24$ keV 7 J ^π : L=(1) in (n,x).
6418.2 9	(3/2 ⁺)	C	$\Gamma_n=0.26$ keV 4 J ^π : L=(2) in (n,x).
6419.5 9	(3/2 ⁺)	C	$\Gamma_n=0.63$ keV 7 J ^π : L=(2) in (n,x).
6422.5 9	(5/2 ⁺)	C	$\Gamma_n=0.22$ keV 6 J ^π : L=(2) in (n,x).
6428.1 9		C	E(level): Reported as a doublet with L=1 and $\Gamma_n=0.46$ keV 12 and $\Gamma_n=1.9$ keV 4.
6429.0 9	(3/2 ⁺)	C	$\Gamma_n=0.30$ keV 8 J ^π : L=(2) in (n,x).
6433.4 9	1/2 ⁺	C	$\Gamma_n=2.3$ keV 6 J ^π : L=0 in (n,x).
6436.7 9	(5/2 ⁺)	C	$\Gamma_n=0.18$ keV 6 J ^π : L=(2) in (n,x).
6438.5 9	(3/2 ⁺)	C	$\Gamma_n=0.25$ keV 8 J ^π : L=(2) in (n,x).
6439.1 9	3/2 ⁻	C	$\Gamma_n=4.0$ keV 5 J ^π : L=1 in (n,x).
6443.1 9	(3/2 ⁺)	C	$\Gamma_n=0.48$ keV 14 J ^π : L=(2) in (n,x).
6444.2 9	3/2 ⁻	C	$\Gamma_n=3.1$ keV 6 J ^π : L=1 in (n,x).
6445.3 9	(3/2 ⁺)	C	$\Gamma_n=0.20$ keV 6 J ^π : L=(2) in (n,x).
6446.2 9	1/2 ⁻	C	$\Gamma_n=13.7$ keV 20 J ^π : L=1 in (n,x).
6450.7 9	(3/2 ⁺)	C	$\Gamma_n=0.26$ keV 8 J ^π : L=(2) in (n,x).

[†] From least-squares fit to γ -ray energies for levels depopulated by γ rays.

Adopted Levels, Gammas (continued) ^{87}Kr Levels (continued)

‡ From (n,X) for levels above $S_n=5515$ keV, unless indicated otherwise. See comment on J^π in that data set.

The log ft values from the ^{87}Br β^- decay have been used in many J^π assignments, but as noted in that decay, the intensities of the β^- branches are not well determined because there are many unplaced γ 's. Therefore, the log ft 's have been used only if the I_β values are $> 0.3\%$ for levels below 4000 keV, $> 0.1\%$ from 4000 to 5515 keV; all values have been used above the neutron binding energy, 5515 keV. For these assignments it has also been assumed that any γ ray to the ground state is not an M2.

@ Calculated from γ branching ratio and $\Gamma(n)$ assuming no other decay branch.

& From (n,X).

^a From $\Gamma(n)$ assuming, as is the case for most of the low energy resonances, that $\Gamma_\gamma/\Gamma(n) \leq 0.5\%$.

^b Expected population of only yrast states in $^{208}\text{Pb}(^{18}\text{O,FG})$ and assuming increasing J with excitation energy.

^c Band(A): γ cascade.

 $\gamma(^{87}\text{Kr})$

Unplaced γ 's are not included here; see ^{87}Br β^- decay.

$E_i(\text{level})$	J_i^π	E_γ^\dagger	I_γ^\dagger	E_f	J_f^π	Mult.	α^\ddagger	Comments
531.99	1/2 ⁺	532.03 7	100	0.0	5/2 ⁺			E_γ : from β^- . Others: 531.91 13 $^{86}\text{Kr}(n,\gamma)$, E=thermal, and 532.12 5 from ^{88}Br β -n decay,
1419.65	(7/2 ⁺)	1419.71 7	100	0.0	5/2 ⁺	(E2)	2.88×10^{-4}	Mult.: Angular correlations.
1476.12	3/2 ⁺ ,5/2 ⁺	944.12 7	17.7 13	531.99	1/2 ⁺			E_γ, I_γ : from β^- decay. Others: 944.2 3 $^{86}\text{Kr}(n,\gamma)$, E=thermal.
		1476.06 7	100 8	0.0	5/2 ⁺			E_γ, I_γ : from β^- decay Others: 1475.94 17 $^{86}\text{Kr}(n,\gamma)$, E=thermal.
1577.59	9/2 ⁺	1577.60 7	100	0.0	5/2 ⁺	[E2]		Mult.: γ to 5/2 ⁺ .
1841.42	(9/2 ⁺)	421.74 10	100	1419.65	(7/2 ⁺)	D		
1881.19	3/2 ⁺ ,5/2 ⁺	461.52 7	22.6 16	1419.65	(7/2 ⁺)			
		1349.19 7	23.7 16	531.99	1/2 ⁺			
		1881.20 20	100 11	0.0	5/2 ⁺			
2005.42	3/2 ⁺ ,5/2 ⁺	529.60 15	25 4	1476.12	3/2 ⁺ ,5/2 ⁺			
		2005.52 7	100 8	0.0	5/2 ⁺			
2071.65		230.33 9	23.5 18	1841.42	(9/2 ⁺)			
		651.96 7	48 4	1419.65	(7/2 ⁺)			
		2071.66 7	100 9	0.0	5/2 ⁺			
2086.7	1/2 ⁺	611.5 8	100	1476.12	3/2 ⁺ ,5/2 ⁺			
2105.37	(11/2 ⁺)	263.96 7	100	1841.42	(9/2 ⁺)	D		
		527.5 3	18 5	1577.59	9/2 ⁺			E_γ : from $^{208}\text{Pb}(^{18}\text{O,F}\gamma)$.
2122.53	3/2 ⁺ ,5/2 ⁺	2122.62 9	100	0.0	5/2 ⁺			
2258.67	11/2 ⁻	417.1 3	8 3	1841.42	(9/2 ⁺)			E_γ : Seen only in ($^{18}\text{O,F}\gamma$).
		681.22 8	100 8	1577.59	9/2 ⁺	[E1]	4.72×10^{-4}	Mult.: Angular correlations gives d.
		2258.44 10	39 3	0.0	5/2 ⁺	[E3]		
2300.02	(1/2 ⁺)	824.0 3	21 4	1476.12	3/2 ⁺ ,5/2 ⁺			
		1768.07 7	100 7	531.99	1/2 ⁺			
		2299.93 8	55 4	0.0	5/2 ⁺			
2329.9		853.8 6	100	1476.12	3/2 ⁺ ,5/2 ⁺			
2369.49		893.42 9	71 6	1476.12	3/2 ⁺ ,5/2 ⁺			
		2369.39 10	100 14	0.0	5/2 ⁺			
2371.8	1/2,3/2	1839.8 4	100	531.99	1/2 ⁺			E_γ : from (n, γ). This γ cannot be the 1840 γ seen in β^- decay because the stronger γ 's deexciting the 2372.35 level in β^- decay have not been seen in (n, γ).

Continued on next page (footnotes at end of table)

Adopted Levels, Gammas (continued)

γ(⁸⁷Kr) (continued)

<u>E_i(level)</u>	<u>J_i^π</u>	<u>E_γ[†]</u>	<u>I_γ[†]</u>	<u>E_f</u>	<u>J_f^π</u>	<u>Mult.</u>	<u>Comments</u>
2372.35	(3/2 ⁺ ,5/2 ⁺)	896.0 4	13 3	1476.12	3/2 ⁺ ,5/2 ⁺		
		952.66 15	74 7	1419.65	(7/2 ⁺)		
		1840.10 15	38 4	531.99	1/2 ⁺		
		2372.38 7	100 8	0.0	5/2 ⁺		
2451.91		610.46 7	90 9	1841.42	(9/2 ⁺)		
		874.30 7	58 5	1577.59	9/2 ⁺		
		2451.88 10	100 8	0.0	5/2 ⁺		
2462.86		2462.82 10	100	0.0	5/2 ⁺		
2498.59		617.5 3	21 7	1881.19	3/2 ⁺ ,5/2 ⁺		
		920.98 7	91 7	1577.59	9/2 ⁺		
		1078.88 9	17.5 18	1419.65	(7/2 ⁺)		
		2498.58 7	100 7	0.0	5/2 ⁺		
2513.75		1037.63 7	100	1476.12	3/2 ⁺ ,5/2 ⁺		
2518.91	7/2 ⁺ ,9/2 ⁺	1099.88 10	7.6 8	1419.65	(7/2 ⁺)		E _γ : Not included in the least squares adjustment to obtain level energies.
		2519.0 4	100 7	0.0	5/2 ⁺		
2547.1		2547.1 3	100	0.0	5/2 ⁺		
2565.9		1146.2 6	100	1419.65	(7/2 ⁺)		
2605.77		724.57 15	100	1881.19	3/2 ⁺ ,5/2 ⁺		
2614.49	(13/2 ⁺)	509.1 3	100	2105.37	(11/2 ⁺)	D	
2641.74		636.39 8	27.1 17	2005.42	3/2 ⁺ ,5/2 ⁺		
		2641.67 8	100 9	0.0	5/2 ⁺		
2715.24		2715.19 10	100	0.0	5/2 ⁺		
2757.69		1338.03 7	100	1419.65	(7/2 ⁺)		
2787.34	3/2 ⁺ ,5/2 ⁺	1311.21 10	100	1476.12	3/2 ⁺ ,5/2 ⁺		
2821.06		698.59 9	7.8 6	2122.53	3/2 ⁺ ,5/2 ⁺		
		2820.97 7	100 6	0.0	5/2 ⁺		
2832.1		1356.0 6	100	1476.12	3/2 ⁺ ,5/2 ⁺		
2836.55	(3/2,5/2,7/2)	714.09 7	5.6 3	2122.53	3/2 ⁺ ,5/2 ⁺		
		831.26 7	38 3	2005.42	3/2 ⁺ ,5/2 ⁺		
		1360.59 20	100 6	1476.12	3/2 ⁺ ,5/2 ⁺		
		2836.36 7	41 3	0.0	5/2 ⁺		
2863.26		1285.66 9	100	1577.59	9/2 ⁺		
3004.0		3003.9 3	100	0.0	5/2 ⁺		
3020.81		1443.21 15	100	1577.59	9/2 ⁺		
3026.84		955.1 3	26 5	2071.65			
		1021.26 7	93 7	2005.42	3/2 ⁺ ,5/2 ⁺		
		1449.24 7	79 6	1577.59	9/2 ⁺		
		1607.32 7	100 7	1419.65	(7/2 ⁺)		
		3026.77 7	93 7	0.0	5/2 ⁺		
3080.78		3080.72 15	100	0.0	5/2 ⁺		
3142.91		3142.85 15	100	0.0	5/2 ⁺		
3171.86		1330.43 15	100	1841.42	(9/2 ⁺)		
3217.86		1095.16 15	15.5 17	2122.53	3/2 ⁺ ,5/2 ⁺		
		1146.3 6	25 7	2071.65			
		1212.60 9	32 3	2005.42	3/2 ⁺ ,5/2 ⁺		
		1376.08 15	16.7 17	1841.42	(9/2 ⁺)		
		1798.31 7	100 7	1419.65	(7/2 ⁺)		
		3217.61 9	55 5	0.0	5/2 ⁺		
3225.97		853.6 6	24 10	2372.35	(3/2 ⁺ ,5/2 ⁺)		
		2693.94 10	100 8	531.99	1/2 ⁺		
		3225.9 3	26.8 25	0.0	5/2 ⁺		
3237.19		1659.58 9	100	1577.59	9/2 ⁺		
3256.90		737.96 7	31.3 20	2518.91	7/2 ⁺ ,9/2 ⁺		
		1415.43 15	100 14	1841.42	(9/2 ⁺)		

Continued on next page (footnotes at end of table)

Adopted Levels, Gammas (continued)

$\gamma(^{87}\text{Kr})$ (continued)								
$E_i(\text{level})$	J_i^π	E_γ^\dagger	I_γ^\dagger	E_f	J_f^π	Mult.	α^\ddagger	Comments
3256.90		1836.78# 7	93 7	1419.65	(7/2 ⁺)			E _γ : Not included in least squares fit for energy levels.
		3256.92 10	21.3 20	0.0	5/2 ⁺			
3288.4		1868.7 3	100	1419.65	(7/2 ⁺)			
3297.13		1291.7 2	100	2005.42	3/2 ⁺ , 5/2 ⁺			
3301.9		1043.3 6	20 7	2258.67	11/2 ⁻			
		1882.2 4	100 17	1419.65	(7/2 ⁺)			
3361.9		3361.8 7	100	0.0	5/2 ⁺			
3434.76		1958.23 15	70 9	1476.12	3/2 ⁺ , 5/2 ⁺			
		3435.07 15	100 9	0.0	5/2 ⁺			
3444.9		3444.8 3	100	0.0	5/2 ⁺			
3525.26	(15/2 ⁻)	910.8 3	35 7	2614.49	(13/2 ⁺)			
		1266.6 3	100 22	2258.67	11/2 ⁻	E2	3.13×10 ⁻⁴	
3559.7		555.72 7	100	3004.0				
3599.00		3598.92 15	100	0.0	5/2 ⁺			
3645.52	3/2 ⁺ , 5/2, 7/2	1126.78 15	15.4 18	2518.91	7/2 ⁺ , 9/2 ⁺			
		1640.24 20	33 6	2005.42	3/2 ⁺ , 5/2 ⁺			
		2169.30 7	100 7	1476.12	3/2 ⁺ , 5/2 ⁺			
		2226.1 3	27 6	1419.65	(7/2 ⁺)			
3657.3		3657.2 10	100	0.0	5/2 ⁺			
3689.1		3689.0 5	100	0.0	5/2 ⁺			
3777.4		940.8 6	100	2836.55	(3/2, 5/2, 7/2)			
3807.03		1965.58 9	100	1841.42	(9/2 ⁺)			
3809.41		3809.32 15	100	0.0	5/2 ⁺			
3874.18	3/2, 5/2, 7/2	1355.1 6	22 7	2518.91	7/2 ⁺ , 9/2 ⁺			
		2398.01 7	100 7	1476.12	3/2 ⁺ , 5/2 ⁺			
		2454.70 20	66 7	1419.65	(7/2 ⁺)			
3909.8		3909.7 7	100	0.0	5/2 ⁺			
3914.3	(15/2 ⁺)	1299.7 4	100	2614.49	(13/2 ⁺)			
3917.16	3/2, 5/2, 7/2	3917.06 10	100	0.0	5/2 ⁺			
3923.0		2345.4 6	100	1577.59	9/2 ⁺			
4027.2		4027.1 5	100	0.0	5/2 ⁺			
4088.2	(17/2 ⁻)	173.9 2	17 5	3914.3	(15/2 ⁺)			
		562.9 2	100 16	3525.26	(15/2 ⁻)			
4136.3		4136.2 4	100	0.0	5/2 ⁺			
4180.82	3/2 ⁽⁻⁾ , 5/2, 7/2	1344.60 15	5.2 5	2836.55	(3/2, 5/2, 7/2)			
		2603.20 8	10.2 8	1577.59	9/2 ⁺			
		4180.54 10	100 8	0.0	5/2 ⁺			
4192.1		4192.0 10	100	0.0	5/2 ⁺			
4197.91		2192.46 10	100	2005.42	3/2 ⁺ , 5/2 ⁺			
4204.1		4204.0 15	100	0.0	5/2 ⁺			
4223.4		4223.3 3	100	0.0	5/2 ⁺			
4226.34		1389.77 7	100	2836.55	(3/2, 5/2, 7/2)			
4265.1		4265.0 6	100	0.0	5/2 ⁺			
4297.29	3/2, 5/2, 7/2	4297.18 15	100	0.0	5/2 ⁺			
4327.21	3/2, 5/2, 7/2	1685.58 15	47 5	2641.74				
		2446.2 3	30 5	1881.19	3/2 ⁺ , 5/2 ⁺			
		2907.46 15	100 10	1419.65	(7/2 ⁺)			
		4326.83 20	68 5	0.0	5/2 ⁺			
4357.9	(17/2 ⁻)	832.6 4	100	3525.26	(15/2 ⁻)			
4372.4	(17/2 ⁺)	1757.9 7	100	2614.49	(13/2 ⁺)			
4416.92	3/2 ⁽⁻⁾ , 5/2, 7/2	2345.3 4	16 3	2071.65				
		2411.74 15	5.7 5	2005.42	3/2 ⁺ , 5/2 ⁺			
		2575.37 9	25.2 22	1841.42	(9/2 ⁺)			
		2997.21 7	100 9	1419.65	(7/2 ⁺)			

Continued on next page (footnotes at end of table)

Adopted Levels, Gammas (continued) $\gamma(^{87}\text{Kr})$ (continued)

$E_i(\text{level})$	J_i^π	E_γ^\dagger	I_γ^\dagger	E_f	J_f^π
4524.15	3/2,5/2,7/2	3048.04 20	34 4	1476.12	3/2 ⁺ ,5/2 ⁺
		4523.96 20	100 11	0.0	5/2 ⁺
4530.2	(19/2 ⁻)	441.8 3	100 30	4088.2	(17/2 ⁻)
		1005.2 4	100 30	3525.26	(15/2 ⁻)
4548.29		4548.16 20	100	0.0	5/2 ⁺
4572.49	3/2,5/2,7/2	4572.36 15	100	0.0	5/2 ⁺
4595.51	3/2 ⁽⁻⁾ ,5/2,7/2	2143.40 15	19.2 23	2451.91	
		2523.97 10	23.8 23	2071.65	
		2754.3 4	18.5 23	1841.42	(9/2 ⁺)
		3175.74 7	100 7	1419.65	(7/2 ⁺)
		4596.4 6	17 5	0.0	5/2 ⁺
4620.90	3/2,5/2,7/2	4620.77 20	100	0.0	5/2 ⁺
4644.58	3/2 ⁽⁻⁾ ,5/2,7/2	3066.85 15	15.9 12	1577.59	9/2 ⁺
		4644.58 20	100 9	0.0	5/2 ⁺
4655.2		3235.5 3	100	1419.65	(7/2 ⁺)
4668.19	3/2 ⁽⁻⁾ ,5/2,7/2	2662.79 15	85 13	2005.42	3/2 ⁺ ,5/2 ⁺
		3090.8 6	23 8	1577.59	9/2 ⁺
		3248.45 9	100 8	1419.65	(7/2 ⁺)
4710.35	5/2 ⁺ ,7/2	2638.7 4	25 4	2071.65	
		2704.88 7	100 6	2005.42	3/2 ⁺ ,5/2 ⁺
		2828.79 20	11.8 12	1881.19	3/2 ⁺ ,5/2 ⁺
		2869.20 15	14.1 12	1841.42	(9/2 ⁺)
		3132.64 9	14.7 12	1577.59	9/2 ⁺
		4710.23 20	22.9 24	0.0	5/2 ⁺
4711.25	3/2,5/2,7/2	1493.38 8	100	3217.86	
4728.2		4728.1 10	100	0.0	5/2 ⁺
4734.55	3/2,5/2,7/2	3314.6 6	46 13	1419.65	(7/2 ⁺)
		4734.44 20	100 9	0.0	5/2 ⁺
4752.71	3/2,5/2,7/2	4752.57 20	100	0.0	5/2 ⁺
4784.46	3/2 ⁽⁻⁾ ,5/2,7/2	2943.0 3	4.3 6	1841.42	(9/2 ⁺)
		4784.32 15	100 6	0.0	5/2 ⁺
4807.9	3/2,5/2,7/2	4807.8 4	100	0.0	5/2 ⁺
4824.9	3/2,5/2,7/2	4824.8 4	100	0.0	5/2 ⁺
4836.29	3/2,5/2,7/2	4836.15 20	100	0.0	5/2 ⁺
4858.87	3/2 ⁽⁻⁾ ,5/2,7/2	3017.39 15	82 6	1841.42	(9/2 ⁺)
		3281.23 20	100 12	1577.59	9/2 ⁺
4872.05	3/2,5/2,7/2	4871.90 15	100	0.0	5/2 ⁺
4889.4		4889.3 5	100	0.0	5/2 ⁺
4917.7	3/2,5/2,7/2	4917.6 11	100	0.0	5/2 ⁺
4925.7	3/2,5/2,7/2	4925.6 7	100	0.0	5/2 ⁺
4961.55	3/2 ⁽⁻⁾ ,5/2,7/2	1044.3 6	3.0 10	3917.16	3/2,5/2,7/2
		1934.67 8	11.0 10	3026.84	
		2509.63 20	8.5 10	2451.91	
		2889.8 4	5.0 10	2071.65	
		3383.3 7	8 3	1577.59	9/2 ⁺
		3541.79 15	22.0 15	1419.65	(7/2 ⁺)
		4961.54 15	100 5	0.0	5/2 ⁺
4962.43	3/2,5/2,7/2	2125.85 20	100	2836.55	(3/2,5/2,7/2)
4976.1		4975.9 9	100	0.0	5/2 ⁺
5003.2		5003.0 5	100	0.0	5/2 ⁺
5021.7	3/2,5/2,7/2	5021.5 3	100	0.0	5/2 ⁺
5033.9		5033.7 6	100	0.0	5/2 ⁺
5044.7	3/2,5/2,7/2	5044.5 3	100	0.0	5/2 ⁺
5059.69	3/2,5/2,7/2	5059.53 20	100	0.0	5/2 ⁺
5065.9		4533.8 3	100	531.99	1/2 ⁺

Continued on next page (footnotes at end of table)

Adopted Levels, Gammas (continued) $\gamma(^{87}\text{Kr})$ (continued)

$E_i(\text{level})$	J_i^π	E_γ^\dagger	I_γ^\dagger	E_f	J_f^π
5076.19	$3/2^{(-)}, 5/2, 7/2$	3498.4 3	100 12	1577.59	$9/2^+$
		5076.08 20	73 8	0.0	$5/2^+$
5088.9		5088.7 4	100	0.0	$5/2^+$
5103.55	$3/2, 5/2, 7/2$	5103.39 20	100	0.0	$5/2^+$
5120.39	$3/2, 5/2, 7/2$	5120.23 20	100	0.0	$5/2^+$
5136.08	$3/2, 5/2, 7/2$	5135.92 20	100	0.0	$5/2^+$
5155.1		5154.9 6	100	0.0	$5/2^+$
5183.4	$3/2, 5/2, 7/2$	5183.2 3	100	0.0	$5/2^+$
5195.25	$3/2, 5/2, 7/2^{(-)}$	4663.4 4	79 8	531.99	$1/2^+$
		5195.02 20	100 10	0.0	$5/2^+$
5201.21	$3/2, 5/2, 7/2^{(-)}$	4669.9 4	51 7	531.99	$1/2^+$
		5200.84 20	100 7	0.0	$5/2^+$
5214.25	$3/2, 5/2, 7/2$	3091.6 6	31 7	2122.53	$3/2^+, 5/2^+$
		3794.46 15	100 8	1419.65	$(7/2^+)$
		5214.3 3	28 3	0.0	$5/2^+$
5245.6	$3/2, 5/2, 7/2$	5245.4 3	100	0.0	$5/2^+$
5280.70	$3/2, 5/2, 7/2$	2639.0 6	46 16	2641.74	
		3804.6 3	65 23	1476.12	$3/2^+, 5/2^+$
		3860.90 15	100 8	1419.65	$(7/2^+)$
		5281.5 9	4.2 16	0.0	$5/2^+$
5302.56	$3/2, 5/2^{(+)}$	4770.43 20	100	531.99	$1/2^+$
5340.2	$3/2, 5/2, 7/2$	5340.0 3	100	0.0	$5/2^+$
5370.1	$3/2, 5/2, 7/2$	5369.9 3	100	0.0	$5/2^+$
5383.1	$3/2, 5/2, 7/2$	5382.9 3	100	0.0	$5/2^+$
5406.34	$3/2, 5/2, 7/2$	5406.16 20	100	0.0	$5/2^+$
5419.9		5419.7 5	100	0.0	$5/2^+$
5424.2		5424.0 9	100	0.0	$5/2^+$
5436.3	$(21/2^-)$	1348.1 5	100	4088.2	$(17/2^-)$
5439.9		5439.7 9	100	0.0	$5/2^+$
5454.9	$3/2, 5/2, 7/2$	5454.7 3	100	0.0	$5/2^+$
5466.79	$3/2, 5/2, 7/2^{(-)}$	3166.81 15	100 10	2300.02	$(1/2^+)$
		3381.0 8	42 20	2086.7	$1/2^+$
		3461.06 20	90 10	2005.42	$3/2^+, 5/2^+$
5473.74	$3/2, 5/2, 7/2$	5473.56 20	100	0.0	$5/2^+$
5519.9	$(23/2^-)$	989.7 5	100	4530.2	$(19/2^-)$
5546.7	$(5/2^-)$	5546.5 6	100	0.0	$5/2^+$
5561.9	$(5/2^-)$	5561.7 9	100	0.0	$5/2^+$
5594.7	$(5/2^-)$	5594.5 3	100	0.0	$5/2^+$
5606.4	$3/2^-$	5606.2 5	100	0.0	$5/2^+$
5635.2	$(5/2^-)$	5635.0 5	100	0.0	$5/2^+$
5648.8	$(5/2^-)$	5648.6 9	100	0.0	$5/2^+$
5659.9	$(5/2^-)$	5659.7 4	100	0.0	$5/2^+$
5672.3	$(5/2^-)$	5672.1 4	100	0.0	$5/2^+$
5685.6	$(5/2^-)$	5685.4 3	100	0.0	$5/2^+$
5698.8	$(5/2^-)$	5698.6 4	100	0.0	$5/2^+$
5714.7	$(5/2^-)$	5714.5 9	100	0.0	$5/2^+$
5793.3	$(5/2^-)$	5793.1 4	100	0.0	$5/2^+$
6300.6?		864.6# 5	100	5436.3	$(21/2^-)$

† From β^- decay, unless indicated otherwise.‡ [Additional information 1.](#)

Placement of transition in the level scheme is uncertain.


Adopted Levels, Gammas

Legend

Level Scheme

Intensities: Relative photon branching from each level

-----▶ γ Decay (Uncertain)




⁸⁷Kr₅₁

Adopted Levels, Gammas

Level Scheme (continued)

Intensities: Relative photon branching from each level




76.3 min 5

Adopted Levels, Gammas

Level Scheme (continued)

Intensities: Relative photon branching from each level




$^{87}_{36}\text{Kr}_{51}$

76.3 min 5

Adopted Levels, Gammas

Level Scheme (continued)

Intensities: Relative photon branching from each level



76.3 min 5


Adopted Levels, Gammas

Legend

Level Scheme (continued)

Intensities: Relative photon branching from each level

-----▶ γ Decay (Uncertain)




76.3 min 5

$^{87}_{36}\text{Kr}_{51}$

Adopted Levels, Gammas

Level Scheme (continued)


Intensities: Relative photon branching from each level



Adopted Levels, Gammas


Level Scheme (continued)

Intensities: Relative photon branching from each level



76.3 min 5

$^{87}_{36}\text{Kr}_{51}$

Adopted Levels, Gammas $^{87}_{36}\text{Kr}_{51}$