


Uncertainties of Normalized Particle Emission Probabilities

D. Caron, E. Browne, and E.B. Norman

November 2009



Normalization Factor N

$$(10 \pm 3) \times N = 100\% \quad \rightarrow \quad N = 100\% / (10 \pm 3)$$

$$(100 \pm 10) \times N = 100\% \quad \rightarrow \quad N = 100\% / (100 \pm 10)$$

$$(1000 \pm 30) \times N = 100\% \quad \rightarrow \quad N = 100\% / (1000 \pm 30)$$

Absolute Emission Probabilities

$$p(\%) = (10 \pm 3) \times 100\% / (10 \pm 3) = 100\%$$

$$p(\%) = (100 \pm 10) \times 100\% / (100 \pm 10) = 100\%$$

$$p(\%) = (1000 \pm 30) \times 100\% / (1000 \pm 30) = 100\%$$

Normalizing Two Peaks

Relative emission probabilities

$$I_{\alpha 0} = 42,000 \pm 205,$$

$$I_{\alpha 1} = 16,000 \pm 126$$

or

$$I_{\alpha 0} = 72.41 \pm 0.35$$

$$I_{\alpha 1} = 27.59 \pm 0.22$$

$$(I_{\alpha 0} + I_{\alpha 1}) \times N = 100\%$$

Normalization Procedure

$$(58,000 \pm 241) \times N = 100\%$$

$$N = 0.001724 \pm 0.000007$$

If we assume that $I_{\alpha 0}$, $I_{\alpha 1}$, and N are *independent quantities*, then the absolute emission probabilities become:

$$P_{\alpha 0}(\%) = (42,000 \pm 205) \times (0.001724 \pm 0.000007) = 72.41 \pm 0.46 \%$$

$$P_{\alpha 1}(\%) = (16,000 \pm 126) \times (0.001724 \pm 0.000007) = 27.59 \pm 0.25 \%$$

BUT THEY ARE NOT, BECAUSE

$$(I_{\alpha 0} + I_{\alpha 1}) \times N = P_{\alpha 0}(\%) + P_{\alpha 1}(\%) = 100\%,$$

Then

$$P_{\alpha 0}(\%) = \frac{(42,000 \pm 205) \times 100}{(42,000 \pm 205) + (16,000 \pm 126)} = \frac{100}{1 + \frac{(16,000 \pm 126)}{(42,000 \pm 205)}} = 72.41 \pm 0.19 \%$$

$$P_{\alpha 1}(\%) = \frac{(16,000 \pm 126)}{(42,000 \pm 205) + (16,000 \pm 126)} = \frac{100}{1 + \frac{(42,000 \pm 205)}{(16,000 \pm 126)}} = 27.59 \pm 0.19 \%$$

The alpha-particle emission probabilities and their uncertainties become:

$$P_{\alpha 0}(\%) = 72.41 \pm 0.19 \%$$

$$P_{\alpha 1}(\%) = 27.59 \pm 0.19 \%$$

General Formulas

$$P_i(\%) = I_i \times 100 / \sum_k I_k$$

Where:

I_i is the relative spectral intensity for the i-th group.

Its uncertainty is given by #

$$dP_i(\%)/P_i(\%) = [(dI_i/I_i)^2 (1 - 2I_i / \sum_k I_k) + \sum_k dI_k^2 / (\sum_k I_k)^2]^{1/2}$$

Nucl. Instrum. and Methods in Phys. Res. **A265**, 541 (1988).

A more complete analysis, which includes the use of the error matrix, is given by Sanchez et al.&

& Nucl. Instrum. and Methods in Phys. Res. **A340**, 509 (1993).

PABS: A Computer Program to Normalize Emission Probabilities and Calculate Realistic Uncertainties

Report LBNL-2623E, August 2009

D. S. Caron*, E. Browne[#], and E. B. Norman*

** Nuclear Engineering Department, University of California, Berkeley, California*

[#] Lawrence Berkeley National Laboratory, University of California, Berkeley, California

1 Abstract

The program PABS normalizes relative particle emission probabilities to an absolute scale and calculates the relevant uncertainties on this scale. The program is written in Java using the JDK 1.6 library. For additional information about system requirements, the code itself, and compiling from source, see the README file distributed with this program. The mathematical procedures used are given below.

Enter data below or select from the options at the right.

Title Card

ID	I [relative]	dl [relative]	p [%]	dp [%]
A0	42000	205	72.41	0.19
A1	16000	126	27.59	0.19

Help

Insert Row

Remove Row

Import Data

Save Input

Calculate

Save Output

Clear

Exit



PABS v.1.0



Enter data below or select from the options at the right.

Title Card 251Fm Alpha Decay

ID	I [relative]	dl [relative]	p [%]	dp [%]
A1	1.5	0.1	1.50	0.1
A2	0.93	0.08	0.93	0.08
A3	0.29	0.03	0.29	0.03
A4	1.8	0.1	1.80	0.1
A5	1.7	0.1	1.70	0.1
A6	87.0	0.9	87.2	0.3
A7	4.8	0.2	4.81	0.20
A8	0.38	0.06	0.38	0.06
A9	0.44	0.04	0.44	0.04
A10	0.07	0.03	0.07	0.03
A11	0.56	0.06	0.56	0.06
A12	0.26	0.04	0.26	0.04

Help

Insert Row

Remove Row

Import Data

Save Input


Calculate

Save Output


Clear

Exit

^{192}Ir β^- and EC Decay



$E_\gamma(\text{keV})$	$I_\gamma(\text{rel})$	$\alpha(\text{theor})$	$I_T = I_\gamma(1 + \alpha(\text{theor}))$
316	100.0 (5)	0.0841 (12)	108.41 (55)
612	6.45 (9)	0.01536 (22)	6.55 (9)
1378	0.0014 (4)	0.00613 (9)	0.0014 (4)
			$\Sigma = 114.96$ (56)
206	4.03 (5)	0.302 (5)	5.25 (7)
489	0.529 (17)	0.0241 (4)	0.542 (17)
			$\Sigma = 5.79$ (7)



PABS v.1.0

Enter data below or select from the options at the right.

Title Card 192Ir Decay

ID	I [relative]	dl [relative]	p [%]	dp [%]
B-	114.96	0.56	95.20	0.06
EC	5.79	0.07	4.80	0.06

Help

Insert Row

Remove Row

Import Data

Save Input

Calculate

Save Output

Clear

Exit

Program GABS

REPORT

Current date: 09/29/2009

192IR B- DECAY (73.827 D)

NR= 1.052 BR= 0.9520 6

192IR EC DECAY (73.827 D)

NR= 20.85 BR= 0.0480 6

Thank you for your attention