
EGAF Status Report

Richard B. Firestone Isotopes Project Lawrence Berkeley National Laboratory



Database of Prompt Gamma Rays from Slow Neutron Capture for Elemental Analysis Neutron-capture prompt-gamma activation analysis (PGAA) is particularly valuable as a non-destructive nuclear method in the measurement of elements that do not form neutron capture products with delayed gamma ray emissions. Inaccurate and incomplete data have been a significant hindrance in the qualitative and quantitative analysis of complicated capture gamma spectra by means of PGAA. This database was produced to improve the quality and quantity of required data in order to make possible the reliable application of PGAA in fields such as materials science, geology, mining, archaeology, environment, food analysis and medicine. The database provides a variety of tables for all natural elements (from H to U) including the following data: isotopic composition, thermal radiative cross-section (total and partial), Westcott g-factors, energy of the gamma rays (prompt and delayed), decay mode, half-life and branching ratios. The CD-ROM included in this publication contains the database, the retrieval system and important electronic documents related to the project.

STI/PUB/1263, 251 pp.; 14 figures; 2007, ISBN 92-0-101306-X, English. 70.00 Euro. Date of Issue: 2007-03-16. Full Text, (File Size: 13698 KB). Subject Classification: 0304 - Nuclear analytical techniques; 0306 - Nuclear data.

Access to IAEA/LBNL EGAF Database

IAEA EGAF Homepage: http://www-nds.iaea.org/pgaa/

IAEA PGAA Database viewer

http://www-nds.iaea.org/pgaa/pgaa7/index.html

PGAA Database files
 http://www-nds.iaea.org/pgaa/databases.htm

Documentation
 http://www-pub.iaea.org/MTCD/publications/PDF/Pub1263_web.pdf

LBNL EGAF Homepage: http://ie.lbl.gov/ng.html

Experiments/Evaluations in Progress

Z=3-9: evaluation to be completed in 2012.

²³Na, ^{24,25,26}Mg: evaluation completed. Manuscript in preparation.

²⁷AI, ^{28,29,30}Si, ³¹P, ^{32,33,34,36}S, ^{35,37}CI: evaluation to be completed in 2012.

^{39,40,41}K: evaluation completed. Manuscript to be submitted to PRC 12/2011.

^{54,56,57,58}**Fe:** evaluation in progress.

⁸⁹Y: evaluation in progress.

^{151,153}Eu: evaluation to be completed in 2012.

^{154,155,156,157,158}**Gd:** evaluation to be completed in 2012.

182,183,184,186W: evaluation to be completed in 2012.

Experiments/Evaluations Planned 2012

²H, ³He: measurement planned at Garching Reactor.

90,91,92,94,96**Zr:** measurement planned at Garching Reactor.

¹⁸⁰W, Noble gases: measurements planned at Budapest Reactor.

¹²⁷I: evaluation planned in 2012.

¹⁵⁹**Tb:** evaluation planned in 2012.

¹⁶⁵**Ho:** evaluation planned in 2012.

²³⁸U: evaluation planned in 2012.

Determination of primary γ -ray B(XL)W from thermal (n, γ) data


Primary γ -ray partial half-lives are given by


$$t_{1/2}(\gamma) = \ln(2) \frac{\sigma_0}{\sigma_{\gamma}} \hbar \left\langle \Gamma_{\gamma^0} \right\rangle$$

 σ_{γ} =primary γ -ray cross section (EGAF) σ_{0} =total radiative cross section (*Atlas of Neutron Resonances*)

 $\left\langle \Gamma_{\gamma^0} \right\rangle$ = total γ -ray width (*Atlas of Neutron Resonances*) is nearly constant for all resonances near the neutron separation energy.

B(XL)W Systematics





	E _N (ARC) MeV	δ =E 2/M1
¹⁰⁶ Pd	1	1.15
¹⁰⁶ Pd	2	1.50
¹⁵⁵ Gd	2	0.90
¹⁵⁶ Gd	1	0.86
¹⁵⁶ Gd	2	0.84
¹⁵⁷ Gd	1	1.13
¹⁵⁹ Gd	2	1.32
¹⁶⁴ Dy	2	0.72
¹⁶⁸ Er	2	0.57
¹⁹⁸ Au	2	1.11
²³³ Th	0	1.18
²³³ Th	2	1.02
²³⁹ U	2	0.89
Ave.		1.02

Nuclear structure effects as a function of S_n (thermal n)

E2/M1 mixing ratio (ARC)

EGAF Publications Plans

- 1. Publish EGAF σ_0 evaluations in refereed journal
- 2. Compile complete ENSDF format publication for NDS
 - a. Adopted RIPL file
 - b. Compilation of σ_0 values
 - c. (n,γ) dataset containing
 - i. σ_{γ} values
 - ii. Normalization per 100 neutron captures
 - iii. B(XL)W values for primary γ -rays
- 3. Activation datasets (to be submitted to DDEP)
- 4. First publication by Nuclear Data Week 2012

