Status of the ENDF/B-VII Library

Mike Herman

National Nuclear Data Center Brookhaven National Laboratory mwherman@bnl.gov





Contributors

LANL

- many new evaluations for neutron and charged particle induced reactions
- resonance region by ORNL
- include actinides and charged particles on light nuclei
- non-actinides n- and p-evaluations up to 150 MeV using MT=5 representation
- tested with NJOY





Contributors (cont.)

ORNL

- resonance region
- most evaluations in cooperation with LANL (high energy region)
- a few purely ORNL evaluations use ENDF/B-VI.8 for the fast neutron energy region





Contributors (cont.)

BNL/KAERI & BNL/JAERI

- entirely new evaluations for neutron induced reactions on fission products
- resonance part from the recent Mughabhab evaluation
- fast neutron energy region calculated with EMPIRE
- except 99-Tc, 153-Eu, and 157-Gd all evaluations should be tested with NJOY





Contributors (cont.)

■ IAEA-CRP/LANL

- 160 photonuclear evaluations
- based on the results of the IAEA Coordinated Research Project
- contributing Labs: LANL, KAERI, CJD, Begin
- formatting corrected at LANL and tested with NJOY





Statistics of submitted evaluations

- neutron evaluations: 56
- proton evaluations: 10
- deuteron evaluations: 5
- triton evaluations: 3
- He-3 evaluations 2
- photonuclear evaluations: 160

Total number of new evaluations: 236





Submitted evaluations

- BNL/KAERI neutron
 - Mo-95, Tc-99, Ru-101, Rh-103, Pd-105, Ag-109, Xe-131, Cs-133, Pr-141, Nd-143, 145, Sm-147, 149, 150, 151, 152, Eu-153, Gd-155, 157 Dy-160, 161, 162, 163, 164 (24 evaluations)
- BNL/JAERI neutrons
 - Ge-70, 72, 73, 74, 76 (5 evaluations)
- ORNL neutron
 - F-19, Cl-35, 37, Pu-241 (4 evaluations)
- LANL/ORNL neutron
 - Si-28, Pb-208, U-232, 233, 234, 235, 238 (7 evaluations)





Submitted evaluations (cont.)

- LANL neutrons
 - Al-27, Hg-196, 198, 199, 200, 201, 202, 204, U-236, 237, 239, 240, 241, Np-237, Pu-239, Am-241 (16 evaluations)
- LANL protons
 - H-3, Li-6, 7, Hg-196, 198, 199, 200, 201, 202, 204 (10 evaluations)
- LANL deuterons
 - H-2, H-3, He-3, Li-6, 7(5 evaluations)
- LANL tritons
 - H-3, He-3, Li-6 (3 evaluations)
- LANL 3-He
 - He-3, Li-6 (2 evaluations)





Expected evaluations

 Data for fission products resulting from the WPEC SG23 (anything up to nearly 200 evaluations)






Web-interface (www.nndc.bnl.gov/endf7/endf00.htm)

Convenient access to the relational database with pre-ENDF/B-VII and most important ENDF libraries

- Flexible retrieval requests
- View file structure/contents
- Statistics
- Comparison plots with other libraries and experimental data (MF= 4, 5 and 6 to be available shortly)




Brookhaven Science Associates U.S. Department of Energy






ENDF/B-VII management (flowchart)



ENDF/B-VII verification www.nndc.bnl.gov/csewg_members/ev


al/








Example: 233-U








Total









Elastic








Inelastic






(n,2n)








Fission






Inelastic to the 3-rd discrete level








Capture








Angular distribution (elastic)








Neutron spectrum









Gamma spectrum














Typical errors

CHECKR

- Out of sequence
- MATP is obsolete, should be set to 0
- Format error in card no. ...
- This section requires the presence of section ...

FIZCON

- Check normalization= 1.000552
- Presence of file 3, MT= 19 requires an equivalent section in file 5
- Section does not span the same energy range as...
- Contents of file 12 require a section MF= 14
- The minimum incident energy of 1.25462e+06(eV) should be 1.00000e-05(eV) for Q= 0.00000e+00(eV)
- 'Umlaut errors' non-standard characters, tabulators





Conclusions

Most files need to be revised!

- BNL will rerun all KAERI/BNL evaluations
 - inclusion of full photon production,
 - correction of unphysical behaviour of high energy tail of MT=51,52,53,...
- CHECKR and FIZCON complains about 57 out of 76 evaluations, especially about Cl and Hg
- PSYCHE outputs must be critically reviewed energy balance *might* be unacceptable (30-60%) for a number of evaluations



